

Geisinger Gold \$0 Deductible Rx

2019 Formulary

(List of Covered Drugs)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

This formulary was updated on December 1, 2019. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March – Sept.), or visit www.GeisingerGold.com.

Geisinger Gold Classic Advantage Rx (HMO)
Geisinger Gold Classic Complete Rx (HMO)
Geisinger Gold Classic Essential Rx (HMO)
Geisinger Gold Preferred Advantage Rx (PPO)
Geisinger Gold Preferred Complete Rx (PPO)
Geisinger Gold Preferred Enhanced Rx (PPO)

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Geisinger Health Plan. When it refers to “plan” or “our plan,” it means Geisinger Gold \$0Deductible Rx.

This document includes a list of the drugs (formulary) for our plan which is current as of December 1, 2019. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2019, and from time to time during the year.

Geisinger Gold Medicare Advantage HMO, PPO, and HMO SNP plans are offered by Geisinger Health Plan/Geisinger Indemnity Insurance Company, health plans with a Medicare contract. Continued enrollment in Geisinger Gold depends on annual contract renewal. The formulary may change at any time. You will receive notice when necessary.

What is the Geisinger Gold \$0 Deductible Rx Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Geisinger Gold network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change

becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

The enclosed formulary is current as of December 1, 2019. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If non-maintenance changes are made to the formulary during the plan year, Geisinger Gold \$0 Deductible Rx communicates these changes in the member newsletter and within the monthly explanation of benefits (EOB).

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from the plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides up to 16 tablets per prescription for sumatriptan. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Geisinger Gold \$0 Deductible Rx formulary?" for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Geisinger Gold \$0 Deductible Rx Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply in the retail setting, or a 31-day supply in the long-term care setting. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication in the retail setting, or a 31-day supply in the long-term care setting. After your first 30 or 31-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For members being admitted to or discharged from a LTC facility, early refill edits are not used to limit appropriate and necessary access to their Part D benefit, and such enrollees are allowed to access a refill upon admission or discharge.

For more information

For more detailed information about your Geisinger Gold \$0 Deductible Rx prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Geisinger Gold \$0 Deductible Rx Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., BREO ELLIPTA) and generic drugs are listed in lower-case italics (e.g., *simvastatin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

The following Utilization Management abbreviations may be found within the body of this document

COVERAGE NOTES ABBREVIATIONS

ABBREVIATION	DESCRIPTION	EXPLANATION
General		
	The reference information	brand name in parenthesis is provided for <i>Generic</i> only to assist in identifying the generic medication (BRAND) and does NOT indicate formulary status or coverage.
Utilization Management Restrictions		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from our plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.

ABBREVIATION	DESCRIPTION	EXPLANATION
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
QL	Quantity Limit Restriction	Our plan limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before our plan will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

The following additional coverage note abbreviations may be found within the body of this document

OTHER SPECIAL REQUIREMENTS FOR COVERAGE

ABBREVIATION	DESCRIPTION	EXPLANATION
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Services at (800) 988-4861, 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March-Sept.). TTY/TDD users should call 711.
NM	Non-Mail Order Drug	Drugs <u>not</u> available via your mail order benefit are noted with “NM” in the Requirements/Limits column of your formulary.
NDS	Non-Extended Days Supply	Drugs <u>not</u> available for an extended days supply (i.e. more than a one month supply) are noted with “NDS” in the Requirements/Limits column of your formulary.
GC	Gap Coverage	We may provide coverage of this prescription drug in the coverage gap. Please refer to your Evidence of Coverage for more information about this coverage.

Every medication on the Geisinger Gold \$0 Deductible RX formulary is in one of five (5) cost-sharing tiers. In general, the higher the cost-sharing tier number, the higher the cost of the medication. As shown in the table below, the amount of the copayment or coinsurance depends on which cost-sharing tier your medication is in. Please note: what you pay for your medication depends on which “drug payment stage” you are in when you get the medication, where you get the medication filled, and if you qualify for any additional payment assistance.

Your share of the cost when you get a 30-day supply of a covered part D prescription drug prior to entering the coverage gap:

Tier 1 (preferred generic)	\$3
Tier 2 (generic)	\$20
Tier 3 (preferred brand)	\$47
Tier 4 (non-preferred brand)	\$100
Tier 5 (specialty tier)	33% coinsurance

Your share of the cost when you get a 90-day supply of a covered part D prescription drug prior to entering the coverage gap:

Tier	When obtained at a Geisinger contracted retail network pharmacy	When obtained at a Geisinger contracted mail order pharmacy
Tier 1 (preferred generic)	\$7.50	\$4.50
Tier 2 (generic)	\$50	\$30
Tier 3 (preferred brand)	\$117.50	\$70.50
Tier 4 (non-preferred brand)	\$250	\$150
Tier 5 (specialty tier)	Extended supply not available	Extended supply not available

If you are a member of an employer group, these prices may not apply to you. Please refer to your benefit documents for appropriate cost sharing amounts.

Table of Contents

Analgesics.....	3
Anesthetics	8
Anti-Addiction/Substance Abuse Treatment Agents.....	8
Antianxiety Agents.....	10
Antibacterials.....	11
Anticancer Agents	20
Anticholinergic Agents.....	34
Anticonvulsants	34
Antidementia Agents.....	38
Antidepressants	39
Antidiabetic Agents	42
Antifungals	47
Antigout Agents.....	49
Antihistamines	49
Anti-Infectives (Skin And Mucous Membrane)	50
Antimigraine Agents	50
Antimycobacterials.....	51
Antinausea Agents.....	52
Antiparasite Agents.....	53
Antiparkinsonian Agents.....	54
Antipsychotic Agents.....	55
Antivirals (Systemic)	59
Blood Products/Modifiers/Volume Expanders.....	65
Caloric Agents	69
Cardiovascular Agents.....	71
Central Nervous System Agents.....	82
Contraceptives	86

Dental And Oral Agents	93
Dermatological Agents.....	93
Devices.....	99
Enzyme Replacement/Modifiers	100
Eye, Ear, Nose, Throat Agents	101
Gastrointestinal Agents.....	105
Genitourinary Agents	109
Heavy Metal Antagonists.....	110
Hormonal Agents, Stimulant/Replacement/Modifying	110
Immunological Agents	117
Inflammatory Bowel Disease Agents.....	126
Irrigating Solutions	127
Metabolic Bone Disease Agents.....	127
Miscellaneous Therapeutic Agents	129
Ophthalmic Agents.....	131
Replacement Preparations	132
Respiratory Tract Agents.....	135
Skeletal Muscle Relaxants	140
Sleep Disorder Agents.....	140
Vasodilating Agents.....	141
Vitamins And Minerals.....	142

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	2	NM; NDS; QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	2	NM; NDS; QL (390 per 30 days)
<i>acetaminophen-codeine oral tablet 300-30 mg (Tylenol-Codeine #3)</i>	2	NM; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg (Tylenol-Codeine #4)</i>	2	NM; NDS; QL (180 per 30 days)
<i>buprenorphine hcl injection solution 0.3 mg/ml (Buprenex)</i>	2	NM; NDS
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	2	NM; NDS
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour (Butrans)</i>	2	NM; NDS; QL (4 per 28 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg (Tencon)</i>	4	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg (Fioricet)</i>	4	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg (Zebutal)</i>	4	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg (Esgic)</i>	4	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg (Fiorinal)</i>	4	NM; NDS; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	4	NM; NDS; QL (180 per 30 days)
<i>butorphanol tartrate injection solution 1 mg/ml, 2 mg/ml</i>	2	NM; NDS
<i>butorphanol tartrate nasal spray, non-aerosol 10 mg/ml</i>	2	NM; NDS; QL (5 per 28 days)
<i>capacet oral capsule 50-325-40 mg</i>	4	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	NM; NDS; QL (360 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)</i>	5	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr (Duragesic)</i>	2	NM; NDS; QL (10 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	2	NM; NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet (Vicodin HP) 10-300 mg</i>	2	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet (Lorcet HD) 10-325 mg</i>	2	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i>	2	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg</i>	2	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg (Lorcet (hydrocodone))</i>	2	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-300 mg (Vicodin ES)</i>	2	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg (Lorcet Plus)</i>	2	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg (Ibudone)</i>	2	NM; NDS; QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 5-200 mg, 7.5-200 mg</i>	2	NM; NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 mg/ml</i>	2	NM; NDS
<i>hydromorphone injection solution 1 mg/ml, 2 mg/ml, 4 mg/ml</i>	2	NM; NDS
<i>hydromorphone injection syringe 2 mg/ml</i>	2	NM; NDS
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg (Dilaudid)</i>	2	NM; NDS; QL (180 per 30 days)
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>	2	NM; NDS; QL (28 per 30 days)
<i>LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY</i>	5	PA; NM; NDS; QL (30 per 30 days)
<i>levorphanol tartrate oral tablet 2 mg</i>	4	NM; NDS; QL (180 per 30 days)
<i>levorphanol tartrate oral tablet 3 mg</i>	4	NM; NDS; QL (120 per 30 days)
<i>marten-tab oral tablet 50-325 mg</i>	4	QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	2	NM; NDS
<i>methadone oral concentrate 10 mg/ml (Methadone Intensol)</i>	2	NM; NDS; QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	2	NM; NDS; QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methadone oral solution 5 mg/5 ml</i>	2	NM; NDS; QL (1800 per 30 days)
<i>methadone oral tablet 10 mg</i> (Dolophine)	2	NM; NDS; QL (180 per 30 days)
<i>methadone oral tablet 5 mg</i> (Dolophine)	2	NM; NDS; QL (360 per 30 days)
<i>methadose oral tablet,soluble 40 mg</i>	2	NM; NDS; QL (90 per 30 days)
<i>morphine (pf) injection solution 0.5 mg/ml, (Duramorph (PF)) 1 mg/ml</i>	2	NM; NDS
<i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml, 30 mg/30 ml</i>	2	NM; NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	2	NM; NDS; QL (200 per 30 days)
<i>morphine injection solution 10 mg/ml, 5 mg/ml</i>	2	NM; NDS
<i>morphine injection syringe 2 mg/ml, 5 mg/ml</i>	2	NM; NDS
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	NM; NDS
<i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml</i>	2	NM; NDS
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg</i>	2	NM; NDS; QL (30 per 30 days)
<i>morphine oral capsule, er multiphase 24 hr 75 mg, 90 mg</i>	2	NM; NDS; QL (60 per 30 days)
<i>morphine oral capsule, extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg</i> (Kadian)	2	NM; NDS; QL (60 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	2	NM; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	2	NM; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG, 30 MG	2	NM; NDS; QL (180 per 30 days)
<i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i> (MS Contin)	2	NM; NDS; QL (90 per 30 days)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	2	
<i>oxycodone oral capsule 5 mg</i>	2	NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxycodone oral concentrate 20 mg/ml</i>	2	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	2	NM; NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 20 mg</i>	2	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg, 5 mg (Roxicodone)</i>	2	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i>	2	ST; NM; NDS; QL (90 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>	2	NM; NDS; QL (1830 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	2	NM; NDS; QL (360 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	2	NM; NDS; QL (360 per 30 days)
<i>OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG</i>	4	ST; NM; NDS; QL (90 per 30 days)
<i>oxymorphone oral tablet 10 mg, 5 mg (Opana)</i>	2	NM; NDS; QL (180 per 30 days)
<i>phrenilin forte(with caffeine) oral capsule 50-300-40 mg</i>	4	QL (180 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	4	QL (180 per 30 days)
<i>tramadol oral capsule,er biphasic 24 hr 17-83 300 mg</i>	2	NM; NDS; QL (30 per 30 days)
<i>tramadol oral capsule,er biphasic 24 hr 25-75 100 mg, 200 mg</i>	2	NM; NDS; QL (60 per 30 days)
<i>tramadol oral tablet 50 mg (Ultram)</i>	2	NM; NDS; QL (240 per 30 days)
<i>tramadol oral tablet extended release 24 hr 100 mg</i>	2	NM; NDS; QL (90 per 30 days)
<i>tramadol oral tablet extended release 24 hr 200 mg, 300 mg</i>	2	NM; NDS; QL (30 per 30 days)
<i>tramadol oral tablet, er multiphasic 24 hr 100 mg</i>	2	NM; NDS; QL (90 per 30 days)
<i>tramadol oral tablet, er multiphasic 24 hr 200 mg, 300 mg</i>	2	NM; NDS; QL (30 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	2	NM; NDS; QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
xylon 10 oral tablet 10-200 mg	2	NM; NDS; QL (150 per 30 days)
zebutal oral capsule 50-325-40 mg	4	QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
celecoxib oral capsule 100 mg, 200 mg, (Celebrex) 400 mg, 50 mg	2	
diclofenac epolamine transdermal patch (Flector) 12 hour 1.3 %	2	PA; QL (60 per 30 days)
diclofenac potassium oral tablet 50 mg	2	
diclofenac sodium oral tablet extended release 24 hr 100 mg	2	
diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg, 50 mg, 75 mg	2	
diclofenac sodium topical gel 1 % (Voltaren)	2	
diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg	2	
diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg	2	
diflunisal oral tablet 500 mg	2	
etodolac oral capsule 200 mg, 300 mg	2	
etodolac oral tablet 400 mg (Lodine)	2	
etodolac oral tablet 500 mg	2	
etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg	2	
fenoprofen oral tablet 600 mg (Nalfon)	2	
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	4	PA; QL (60 per 30 days)
flurbiprofen oral tablet 100 mg, 50 mg	2	
ibu oral tablet 400 mg, 600 mg, 800 mg	2	
ibuprofen oral suspension 100 mg/5 ml (Children's Advil)	2	
ibuprofen oral tablet 400 mg, 600 mg, 800 mg (IBU)	2	
ketoprofen oral capsule 25 mg, 50 mg, 75 mg	2	
ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg	2	
meclofenamate oral capsule 100 mg, 50 mg	2	
mefenamic acid oral capsule 250 mg	2	
meloxicam oral suspension 7.5 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>meloxicam oral tablet 15 mg, 7.5 mg</i>	(Mobic)	2	
<i>nabumetone oral tablet 500 mg, 750 mg</i>		2	
<i>naproxen oral suspension 125 mg/5 ml</i>	(Naprosyn)	2	
<i>naproxen oral tablet 250 mg, 375 mg</i>		2	
<i>naproxen oral tablet 500 mg</i>	(Naprosyn)	2	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg, 500 mg</i>	(EC-Naprosyn)	2	
<i>naproxen sodium oral tablet 275 mg</i>		2	
<i>naproxen sodium oral tablet 550 mg</i>	(Anaprox DS)	2	
<i>oxaprozin oral tablet 600 mg</i>	(Daypro)	2	
<i>piroxicam oral capsule 10 mg, 20 mg</i>	(Feldene)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i>		2	
<i>tolmetin oral capsule 400 mg</i>		2	
<i>tolmetin oral tablet 200 mg, 600 mg</i>		2	
Anesthetics			
Local Anesthetics			
<i>glydo mucous membrane jelly in applicator 2 %</i>		2	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	(Xylocaine-MPF)	2	PA BvD; (PA for ESRD only)
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>		2	PA BvD; (PA for ESRD only)
<i>lidocaine hcl injection solution 10 mg/ml (1 %)</i>	(Xylocaine)	2	PA BvD
<i>lidocaine hcl injection solution 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i>	(Xylocaine)	2	PA BvD; (PA for ESRD only)
<i>lidocaine hcl mucous membrane jelly 2 %</i>		2	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>		2	
<i>lidocaine topical adhesive patch,medicated 5 %</i>	(Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>		4	PA BvD; (PA for ESRD only)
<i>lidocaine viscous mucous membrane solution 2 %</i>		2	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>		4	PA BvD; (PA for ESRD only)
<i>LIDOTREX TOPICAL GEL 2 %-1 % -1.2 %</i>		2	
Anti-Addiction/Substance Abuse Treatment Agents			

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Addiction/Substance Abuse Treatment Agents		
acamprosate oral tablet, delayed release (dr/ec) 333 mg	2	
buprenorphine hcl sublingual tablet 2 mg, 8 mg	2	NM; NDS; QL (90 per 30 days)
buprenorphine-naloxone sublingual film (Suboxone) 12-3 mg	2	NM; NDS; QL (60 per 30 days)
buprenorphine-naloxone sublingual film (Suboxone) 2-0.5 mg, 4-1 mg	2	NM; NDS; QL (180 per 30 days)
buprenorphine-naloxone sublingual film (Suboxone) 8-2 mg	2	NM; NDS; QL (90 per 30 days)
buprenorphine-naloxone sublingual tablet 2-0.5 mg	2	NM; NDS; QL (360 per 30 days)
buprenorphine-naloxone sublingual tablet 8-2 mg	2	NM; NDS; QL (90 per 30 days)
bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg	2	QL (60 per 30 days)
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	4	QL (60 per 30 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	4	QL (60 per 30 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	4	QL (53 per 180 days)
disulfiram oral tablet 250 mg, 500 mg (Antabuse)	2	
LUCEMYRA ORAL TABLET 0.18 MG	5	PA; NM; NDS; QL (228 per 14 days)
naloxone injection solution 0.4 mg/ml	2	
naloxone injection syringe 0.4 mg/ml, 1 mg/ml	2	
naltrexone oral tablet 50 mg	2	
NARCAN NASAL SPRAY,NON- AEROSOL 4 MG/ACTUATION	3	QL (4 per 28 days)
NICOTROL NS NASAL SPRAY,NON- AEROSOL 10 MG/ML	4	
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	5	NM; NDS; QL (0.5 per 28 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	5	NM; NDS; QL (1.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUBOXONE SUBLINGUAL FILM 12-3 MG	3	NM; NDS; QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG	3	NM; NDS; QL (360 per 30 days)
SUBOXONE SUBLINGUAL FILM 4-1 MG	3	NM; NDS; QL (180 per 30 days)
SUBOXONE SUBLINGUAL FILM 8-2 MG	3	NM; NDS; QL (90 per 30 days)
VIVITROL INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 380 MG	5	NM; NDS
Antianxiety Agents		
Benzodiazepines		
ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML	3	NM; NDS; QL (300 per 30 days)
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	2	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	2	NM; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg</i> (Xanax XR)	2	NM; NDS; QL (30 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 2 mg</i> (Xanax XR)	2	NM; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	2	NM; NDS; QL (90 per 30 days)
<i>alprazolam oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg</i>	2	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet,disintegrating 2 mg</i>	2	NM; NDS; QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	2	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	NM; NDS
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	NM; NDS
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	2	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	2	NM; NDS; QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	2	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i>	2	NM; NDS; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg</i>	2	NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	2	NM; NDS; QL (120 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg (Tranxene T-Tab)</i>	2	NM; NDS; QL (120 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	4	NM; NDS
DIASTAT RECTAL KIT 2.5 MG	4	NM; NDS
<i>diazepam intensol oral concentrate 5 mg/ml</i>	2	NM; NDS; QL (240 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	2	NM; NDS; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg (Valium)</i>	2	NM; NDS; QL (120 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg (Diastat AcuDial)</i>	2	NM; NDS
<i>diazepam rectal kit 2.5 mg (Diastat)</i>	2	NM; NDS
<i>estazolam oral tablet 1 mg, 2 mg</i>	2	NM; NDS; QL (30 per 30 days)
<i>lorazepam injection solution 2 mg/ml (Ativan)</i>	2	NM; NDS; QL (120 per 30 days)
<i>lorazepam injection solution 4 mg/ml (Ativan)</i>	2	NM; NDS; QL (90 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	2	NM; NDS; QL (120 per 30 days)
<i>lorazepam injection syringe 4 mg/ml</i>	2	NM; NDS; QL (90 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml (Lorazepam Intensol)</i>	2	NM; NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg (Ativan)</i>	2	NM; NDS
<i>meprobamate oral tablet 200 mg, 400 mg</i>	2	PA; NM; NDS; PA-HRM; AGE (Max 64 Years)
ONFI ORAL SUSPENSION 2.5 MG/ML	4	PA NSO; NM; NDS
ONFI ORAL TABLET 10 MG, 20 MG	4	PA NSO; NM; NDS
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	2	NM; NDS; QL (120 per 30 days)
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	4	PA NSO; NDS; QL (60 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg, 7.5 mg (Restoril)</i>	2	NM; NDS; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	2	
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	5	PA; NM; LA; NDS; QL (224 per 56 days)
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	2	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	2	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	2	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	2	
<i>neomycin oral tablet 500 mg</i>	2	
<i>streptomycin intramuscular recon soln 1 gram</i>	2	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	PA; NM; NDS; QL (224 per 56 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA; NM; NDS; QL (280 per 28 days)
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	4	
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	4	
<i>tobramycin with nebulizer inhalation solution for nebulization 300 mg/5 ml</i> (Kitabis Pak)	5	PA; NM; NDS; QL (280 per 28 days)
Antibacterials, Miscellaneous		
<i>bacium intramuscular recon soln 50,000 unit</i>	2	
<i>bacitracin intramuscular recon soln 50,000 unit</i>	2	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	4	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	2	
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i> (Cleocin Pediatric)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	2	
<i>clindamycin phosphate injection solution 150 mg/ml</i>	2	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	2	
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	2	
<i>daptomycin intravenous recon soln 350 mg</i>	4	
<i>daptomycin intravenous recon soln 500 mg</i>	4	
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	3	
<i>lincomycin injection solution 300 mg/ml</i>	(Lincocin)	4
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>		4
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	(Zyvox)	4
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	2
<i>methenamine hippurate oral tablet 1 gram</i>	(Hiprex)	2
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	(Metro I.V.)	2
<i>metronidazole oral capsule 375 mg</i>	(Flagyl)	2
<i>metronidazole oral tablet 250 mg, 500 mg</i>	(Flagyl)	2
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i>	(Macrobid)	2
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	(Macrobid)	2
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>		2
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG	5	PA; NM; NDS; QL (6 per 30 days)
SIVEXTRO ORAL TABLET 200 MG	5	PA; NM; NDS; QL (6 per 30 days)
SYNERCID INTRAVENOUS RECON SOLN 500 MG	5	PA; NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	GC
<i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	2	
VANCOMYCIN INTRAVENOUS RECON SOLN 1.5 GRAM	2	
<i>vancomycin oral capsule 125 mg, 250 mg (Vancocin)</i>	2	
<i>vancomycin oral recon soln 50 mg/ml (Firvanq)</i>	2	
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	2	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	2	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	2	
<i>cefadroxil oral capsule 500 mg</i>	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	2	
<i>cefadroxil oral tablet 1 gram</i>	2	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	2	
<i>cefdinir oral capsule 300 mg</i>	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefditoren pivoxil oral tablet 200 mg</i>	2	
<i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i>	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i> (Maxipime)	4	
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	2	
<i>cefotaxime injection recon soln 10 gram, 2 gram</i> (Claforan)	2	
<i>cefotetan injection recon soln 1 gram, 2 gram</i> (Cefotan)	4	
<i>cefotetan intravenous recon soln 10 gram</i>	4	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	2	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	2	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	2	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)	2	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	2	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	2	
<i>cefuroxime sodium injection recon soln 750 mg</i>	2	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	2	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i> (Keflex)	2	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	2	
SUPRAX ORAL CAPSULE 400 MG	4	
<i>tazicef injection recon soln 1 gram, 6 gram</i>	2	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	4	
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	5	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	2	
<i>azithromycin oral packet 1 gram</i> (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg</i> (Zithromax)	2	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	2	
<i>azithromycin oral tablet 500 mg</i> (Zithromax)	2	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	2	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	2	
<i>e.e.s. 400 oral tablet 400 mg</i>	2	
<i>ery-tab oral tablet,delayed release (dr/ec) 250 mg, 500 mg</i>	2	
ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 333 MG	4	
<i>erythrocin (as stearate) oral tablet 250 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG		3	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i>	(E.E.S. Granules)	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i>	(EryPed 400)	2	
<i>erythromycin ethylsuccinate oral tablet 400 mg</i>	(E.E.S. 400)	2	
<i>erythromycin oral capsule, delayed release(dr/ec) 250 mg</i>		2	
<i>erythromycin oral tablet 250 mg, 500 mg</i>		2	
<i>erythromycin oral tablet, delayed release (dr/ec) 250 mg, 333 mg, 500 mg</i>	(Ery-Tab)	2	
PCE ORAL TABLET, PARTICLES/CRYSTALS 333 MG, 500 MG		4	
Miscellaneous B-Lactam Antibiotics			
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	(Azactam)	4	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML		5	PA; NM; LA; NDS; QL (84 per 28 days)
<i>doripenem intravenous recon soln 250 mg, 500 mg</i>		4	
<i>ertapenem injection recon soln 1 gram</i>	(Invanz)	4	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>		2	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i>	(Primaxin IV)	2	
INVANZ INJECTION RECON SOLN 1 GRAM		4	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i>	(Merrem)	4	
Penicillins			
<i>amoxicillin oral capsule 250 mg, 500 mg</i>		2	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>		2	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>		2	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>		2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i>	(Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i>	(Augmentin ES-600)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>		2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i>	(Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>	(Augmentin XR)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>		2	
<i>ampicillin oral capsule 250 mg, 500 mg</i>		2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>		2	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i>	(Unasyn)	2	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML		4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>		2	
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>		4	
<i>nafcillin injection recon soln 1 gram</i>		4	
<i>nafcillin injection recon soln 10 gram, 2 gram</i>		4	
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>		4	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>		4	
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>		4	
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>		2	
<i>penicillin g potassium injection recon soln 20 million unit</i>	(Pfizerpen-G)	2	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	2	
<i>pfizerpen-g injection recon soln 20 million unit</i>	2	
<i>piperacillin-tazobactam intravenous recon (Zosyn) soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	4	
Quinolones		
BAXDELA INTRAVENOUS RECON SOLN 300 MG	5	PA; NM; NDS
BAXDELA ORAL TABLET 450 MG	5	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i>	2	QL (30 per 30 days)
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	2	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg (Cipro)</i>	2	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>ciprofloxacin oral suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml (Cipro)</i>	2	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	2	
<i>levofloxacin intravenous solution 25 mg/ml</i>	2	
<i>levofloxacin oral solution 250 mg/10 ml</i>	2	
<i>levofloxacin oral tablet 250 mg</i>	2	
<i>levofloxacin oral tablet 500 mg, 750 mg (Levaquin)</i>	2	
<i>moxifloxacin 400 mg/250 ml bag 400 mg/250 ml</i>	4	
<i>moxifloxacin oral tablet 400 mg</i>	2	
<i>moxifloxacin-sod.chloride(iso-intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	4	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	2	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	2	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i>	(Sulfatrim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i>	(Bactrim)	1	GC
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i>	(Bactrim DS)	1	GC
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>		2	
Tetracyclines			
<i>demeclocycline oral tablet 150 mg, 300 mg</i>		2	
<i>doxy-100 intravenous recon soln 100 mg</i>		2	
<i>doxycycline hyclate intravenous recon soln 100 mg</i>	(Doxy-100)	2	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i>	(Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>		2	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 75 mg</i>		4	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg, 50 mg</i>	(Doryx)	4	
<i>doxycycline monohydrate oral capsule 100 mg</i>	(Modoxine NL)	2	
<i>doxycycline monohydrate oral capsule 150 mg</i>		2	
<i>doxycycline monohydrate oral capsule 50 mg</i>	(Monodox)	2	
<i>doxycycline monohydrate oral capsule 75 mg</i>	(Okebo)	2	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>	(Vibramycin)	2	
<i>doxycycline monohydrate oral tablet 100 mg</i>	(Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>		2	
<i>minocycline oral capsule 100 mg, 75 mg</i>		2	
<i>minocycline oral capsule 50 mg</i>	(Minocin)	2	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>		2	
<i>minocycline oral tablet extended release 24 hr 135 mg</i>	(CoreMino)	2	
<i>minocycline oral tablet extended release 24 hr 45 mg, 90 mg</i>	(CoreMino)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>okebo oral capsule 100 mg, 75 mg</i>	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	2	
<i>tigecycline intravenous recon soln 50 mg (Tygacil)</i>	4	
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg (Zytiga)</i>	5	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NM; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	2	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	5	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG	5	PA NSO; NM; NDS; QL (28 per 28 days)
ALECensa ORAL CAPSULE 150 MG	5	PA NSO; NM; LA; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	5	PA NSO; NM; LA; NDS; QL (30 per 180 days)
<i>anastrozole oral tablet 1 mg (Arimidex)</i>	2	
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	5	PA NSO; NM; NDS
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	2	
<i>arsenic trioxide intravenous solution 2 mg/ml (Trisenox)</i>	2	PA NSO
ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML		5	NM; LA; NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)		5	NM; NDS
BALVERSA ORAL TABLET 3 MG		5	PA NSO; NM; NDS; QL (90 per 30 days)
BALVERSA ORAL TABLET 4 MG		5	PA NSO; NM; NDS; QL (60 per 30 days)
BALVERSA ORAL TABLET 5 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML		5	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG		5	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML		5	NM; NDS
BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)		5	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)		5	NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)		2	
BICNU INTRAVENOUS RECON SOLN 100 MG		4	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>		2	PA BvD
BLINCYTO INTRAVENOUS KIT 35 MCG		5	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG		5	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG		5	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG		5	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG		5	PA NSO; NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG		5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)		2	
CABOMETYX ORAL TABLET 20 MG, 60 MG		5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG		5	PA NSO; NM; LA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CALQUENCE ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
CAPRELSA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	2	
<i>carmustine intravenous recon soln 100 mg (BiCNU)</i>	2	
<i>cisplatin intravenous recon soln 50 mg</i>	2	
<i>cisplatin intravenous solution 1 mg/ml</i>	2	
<i>cladribine intravenous solution 10 mg/10 ml</i>	2	PA BvD
<i>clofarabine intravenous solution 20 mg/20 ml (Clofarabine)</i>	5	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	5	PA NSO; NM; LA; NDS; QL (60 per 30 days)
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NM; LA; NDS; QL (90 per 30 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; NM; LA; NDS; QL (90 per 30 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	2	
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	4	PA BvD
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	2	PA BvD
<i>cytarabine injection solution 20 mg/ml</i>	2	PA BvD
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	2	
<i>dactinomycin intravenous recon soln 0.5 mg (Cosmegen)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DARZALEX 100 MG/5 ML VIAL 20 MG/ML	5	PA NSO; NM; LA; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NM; NDS
<i>daunorubicin intravenous recon soln 20 mg</i>	2	
<i>daunorubicin intravenous solution 5 mg/ml</i>	2	
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg (Dacogen)</i>	5	PA NSO; NM; NDS
DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG	5	NM; NDS
<i>docetaxel 80 mg/4 ml vial suv 80 mg/4 ml (Taxotere) (20 mg/ml)</i>	2	
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml)</i>	2	
<i>docetaxel intravenous solution 20 mg/ml (Taxotere) (1 ml)</i>	2	
<i>docetaxel intravenous solution 20 mg/ml, 80 mg/8 ml (10 mg/ml)</i>	5	NM; NDS
<i>docetaxel intravenous solution 80 mg/4 ml (Taxotere) (20 mg/ml)</i>	5	NM; NDS
<i>doxorubicin intravenous recon soln 10 mg, (Adriamycin) 50 mg</i>	2	PA BvD
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml (Adriamycin)</i>	2	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml (Doxil)</i>	2	PA BvD
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	4	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	
EMCYT ORAL CAPSULE 140 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	5	PA NSO; NM; NDS
<i>epirubicin intravenous recon soln 200 mg, 50 mg</i>	2	
<i>epirubicin intravenous solution 200 mg/100 ml, 50 mg/25 ml</i>	2	
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 150 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>erlotinib oral tablet 25 mg</i> (Tarceva)	5	PA NSO; NM; NDS; QL (90 per 30 days)
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	5	PA NSO; NM; NDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	2	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FARESTON ORAL TABLET 60 MG	4	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	5	PA NSO; NM; LA; NDS; QL (6 per 21 days)
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	5	NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	4	
<i>floxuridine injection recon soln 0.5 gram</i>	2	PA BvD
<i>fludarabine intravenous recon soln 50 mg</i>	2	
<i>fludarabine intravenous solution 50 mg/2 ml</i>	2	
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	2	PA BvD
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i>	2	PA BvD
<i>flutamide oral capsule 125 mg</i>	2	
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i>	(Faslodex)	5	NM; NDS
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML		5	PA NSO; NM; LA; NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>		5	NM; NDS
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>		5	NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG		5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
GLEEVEC ORAL TABLET 100 MG		5	NM; NDS; QL (90 per 30 days)
GLEEVEC ORAL TABLET 400 MG		5	NM; NDS; QL (60 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG		4	
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)		5	PA NSO; NM; NDS
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG		5	PA BvD; NM; NDS
HEXALEN ORAL CAPSULE 50 MG		5	NM; NDS
<i>hydroxyurea oral capsule 500 mg</i>	(Hydrea)	2	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG		5	PA NSO; NM; LA; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG		5	PA NSO; NM; LA; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG		5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>idarubicin intravenous solution 1 mg/ml</i>	(Idamycin PFS)	2	
IDHIFA ORAL TABLET 100 MG, 50 MG		5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i>	(Ifex)	2	PA BvD
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	2	PA BvD
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	NM; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (4 per 180 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	5	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> (Camptosar)	2	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	2	
IXEMPRIA INTRAVENOUS RECON SOLN 15 MG, 45 MG	5	PA NSO; NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (60 per 30 days)
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	5	PA NSO; NM; NDS
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	5	PA NSO; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KANJINTI INTRAVENOUS RECON SOLN 420 MG	5	PA BvD; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NM; NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	5	PA NSO; NM; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	5	PA NSO; NM; NDS
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 8 MG/DAY (4 MG X 2)	5	PA NSO; NM; LA; NDS; QL (90 per 30 days)
LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 4 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	3	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	2	
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NM; NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NM; LA; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NM; LA; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	5	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	5	NM; NDS
LYNPARZA ORAL CAPSULE 50 MG	5	PA NSO; NM; LA; NDS; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	3	
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	5	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	5	NM; LA; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	2	
MEKINIST ORAL TABLET 0.5 MG, 2 MG	5	PA NSO; NM; LA; NDS; QL (90 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i> (Alkeran (as HCl))	2	
<i>mercaptopurine oral tablet 50 mg</i>	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	2	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium injection solution 25 mg/ml</i>	2	
<i>methotrexate sodium oral tablet 2.5 mg</i>	2	
<i>mitomycin intravenous recon soln 20 mg, 40 mg, 5 mg</i> (Mutamycin)	2	PA BvD
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	2	
MUSTARGEN INJECTION RECON SOLN 10 MG	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MVASI INTRAVENOUS SOLUTION 25 MG/ML	5	NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	5	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	2	QL (60 per 30 days)
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (3 per 28 days)
NIPENT INTRAVENOUS RECON SOLN 10 MG	4	
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	5	NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	5	PA NSO; NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NM; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	2	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	2	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	2	
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	5	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NM; NDS; QL (30 per 30 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NM; NDS; QL (60 per 30 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; LA; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	5	PA NSO; NM; LA; NDS; QL (100 per 21 days)
POTELIGEO INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NM; NDS
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	5	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	4	
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML)	5	PA NSO; NM; NDS; QL (46.8 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NM; NDS; QL (13.4 per 28 days)
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	5	PA NSO; NM; LA; NDS
<i>romidepsin intravenous recon soln 10 mg/2 ml</i> (Istodax)	5	PA NSO; NM; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	4	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NM; LA; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	5	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	3	
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	2	
TARCEVA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TARCEVA ORAL TABLET 25 MG	5	PA NSO; NM; LA; NDS; QL (90 per 30 days)
TARGETIN TOPICAL GEL 1 %	5	NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	5	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	4	
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i>	5	PA NSO; NM; NDS
<i>thiotepa injection recon soln 15 mg</i>	2	
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	2	
<i>topotecan intravenous recon soln 4 mg</i>	2	
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	2	
<i>toremifene oral tablet 60 mg</i>	2	
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	5	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	5	NM; NDS
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	5	NM; NDS
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	5	PA NSO; NM; NDS
TURALIO ORAL CAPSULE 200 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	5	PA NSO; NM; NDS; QL (40 per 30 days)
<i>valrubicin intravesical solution 40 mg/ml (Valstar)</i>	2	
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	4	
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	5	PA NSO; NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	5	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	4	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	4	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG-100 MG	5	PA NSO; NM; LA; NDS; QL (42 per 180 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NM; LA; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	2	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	2	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, (Navelbine) 50 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	5	PA NSO; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NM; LA; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA NSO
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NM; NDS
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	5	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 160 MG/WEEK (20 MG X 8)	5	PA NSO; NM; NDS; QL (32 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	5	PA NSO; NM; NDS; QL (12 per 28 days)
XPOVIO ORAL TABLET 80 MG/WEEK (20 MG X 4)	5	PA NSO; NM; NDS; QL (16 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NM; LA; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	5	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	5	PA NSO; NM; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	5	PA NSO; NM; LA; NDS
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NM; LA; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	
ZOLINZA ORAL CAPSULE 100 MG	5	NM; NDS; QL (120 per 30 days)
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NM; LA; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	5	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NM; NDS; QL (90 per 30 days)
ZYTIGA ORAL TABLET 250 MG	5	PA NSO; NM; LA; NDS; QL (120 per 30 days)
ZYTIGA ORAL TABLET 500 MG	5	PA NSO; NM; LA; NDS; QL (60 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	2	
<i>propantheline oral tablet 15 mg</i>	2	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	4	PA NSO; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	4	PA NSO; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	4	PA NSO
BANZEL ORAL TABLET 200 MG, 400 MG	4	PA NSO
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	4	PA NSO; NM; NDS
BRIVIACT ORAL SOLUTION 10 MG/ML	4	PA NSO; NM; NDS; QL (600 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG		4	PA NSO; NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i>	(Carbatrol)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i>	(Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i>	(Epitol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i>	(Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg</i>		2	
CELONTIN ORAL CAPSULE 300 MG		4	
DILANTIN EXTENDED ORAL CAPSULE 100 MG		4	
DILANTIN INFATABS ORAL TABLET,CHEWABLE 50 MG		3	
DILANTIN ORAL CAPSULE 30 MG		4	
<i>divalproex oral capsule, delayed release 125 mg</i>	(Depakote Sprinkles)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	2	
<i>divalproex oral tablet,delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	2	
EPIDIOLEX ORAL SOLUTION 100 MG/ML		4	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>		2	
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i>	(Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	2	
<i>fosphénytoïn injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	(Cerebyx)	2	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML		4	PA NSO; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG		4	PA NSO; NM; NDS; QL (30 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	(Neurontin)	2	
<i>gabapentin oral solution 250 mg/5 ml</i>	(Neurontin)	2	
<i>gabapentin oral tablet 600 mg, 800 mg</i>	(Neurontin)	2	
GABITRIL ORAL TABLET 12 MG, 16 MG		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)	4	
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	4	
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	4	
lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg (Subvenite)	2	
lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7) (Lamictal ODT Starter (Blue))	2	
lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7) (Lamictal ODT Starter (Orange))	2	
lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14) (Lamictal ODT Starter (Green))	2	
lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg (Lamictal XR)	2	
lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg (Lamictal)	2	
lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg (Lamictal ODT)	2	
lamotrigine oral tablets,dose pack 25 mg (35) (Subvenite Starter (Blue) Kit)	2	
lamotrigine oral tablets,dose pack 25 mg (42) -100 mg (7) (Subvenite Starter (Orange) Kit)	2	
lamotrigine oral tablets,dose pack 25 mg (84) -100 mg (14) (Subvenite Starter (Green) Kit)	2	
levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml	2	
levetiracetam intravenous solution 500 mg/5 ml (Keprra)	2	
levetiracetam oral solution 100 mg/ml (Keprra)	2	
levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg (Keprra)	2	
levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg (Keprra XR)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	3	NM; NDS
LYRICA ORAL SOLUTION 20 MG/ML	3	NM; NDS
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	4	
PEGANONE ORAL TABLET 250 MG	3	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	2	NM; NDS
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	2	NM; NDS
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	4	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	2	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	2	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	2	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	2	NM; NDS
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	NM; NDS
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
SABRIL ORAL TABLET 500 MG	5	PA NSO; NM; LA; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG	4	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	2	
<i>subvenite starter (blue) kit oral tablets, dose pack 25 mg (35)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>subvenite starter (green) kit oral tablets,dose pack 25 mg (84) -100 mg (14)</i>	2	
<i>subvenite starter (orange) kit oral tablets,dose pack 25 mg (42) -100 mg (7)</i>	2	
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg (Gabitril)</i>	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg (Topamax)</i>	2	
<i>topiramate oral capsule,sprinkle,er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg (Qudexy XR)</i>	2	PA NSO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Topamax)</i>	2	
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 50 MG	4	PA NSO
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml) (Depacon)</i>	2	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	2	
<i>valproic acid oral capsule 250 mg</i>	2	
<i>vigabatrin oral powder in packet 500 mg (Vigadrone)</i>	5	PA NSO; NM; NDS
<i>vigabatrin oral tablet 500 mg (Sabril)</i>	5	PA NSO; NM; NDS
<i>vigadrona oral powder in packet 500 mg VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML</i>	5	PA NSO; NM; NDS
VIMPAT ORAL SOLUTION 10 MG/ML	4	PA NSO
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	4	PA NSO
<i>zonisamide oral capsule 100 mg, 25 mg (Zonegran)</i>	2	
<i>zonisamide oral capsule 50 mg</i>	2	
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg (Aricept)</i>	2	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	2	QL (30 per 30 days)
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg (Razadyne ER)</i>	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	2	
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg (Razadyne)</i>	2	
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg (Namenda XR)</i>	2	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>memantine oral tablet 10 mg, 5 mg</i>	(Namenda)	2	
<i>memantine oral tablets, dose pack 5-10 mg</i>	(Namenda Titration Pak)	2	
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>		2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i>	(Exelon)	2	QL (30 per 30 days)
Antidepressants			
Antidepressants			
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>		2	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>		2	NM; NDS
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>		2	
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG		4	QL (30 per 30 days)
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>		2	QL (180 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i>	(Wellbutrin XL)	2	QL (30 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 450 mg</i>	(Forfivo XL)	2	QL (30 per 30 days)
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i>	(Wellbutrin SR)	2	QL (60 per 30 days)
<i>citalopram oral solution 10 mg/5 ml</i>		2	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg</i>	(Celexa)	1	GC; QL (45 per 30 days)
<i>citalopram oral tablet 40 mg</i>	(Celexa)	1	GC; QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i>	(Anafranil)	4	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>desipramine oral tablet 10 mg, 25 mg</i>	(Norpramin)	2	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>		2	
DESVENLAFAKINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG		2	ST; QL (30 per 30 days)
DESVENLAFAKINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG		2	ST; QL (30 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i>	(Pristiq)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	2		
<i>doxepin oral concentrate 10 mg/ml</i>	2		
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>	(Cymbalta)	2	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>		2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	NM; NDS; QL (30 per 30 days)	
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	2	QL (600 per 30 days)	
<i>escitalopram oxalate oral tablet 10 mg, 5 mg</i>	(Lexapro)	2	QL (45 per 30 days)
<i>escitalopram oxalate oral tablet 20 mg</i>	(Lexapro)	2	QL (30 per 30 days)
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	PA NSO; QL (28 per 180 days)	
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	PA NSO; QL (30 per 30 days)	
<i>fluoxetine oral capsule 10 mg</i>	(Prozac)	2	QL (90 per 30 days)
<i>fluoxetine oral capsule 20 mg</i>	(Prozac)	2	QL (120 per 30 days)
<i>fluoxetine oral capsule 40 mg</i>	(Prozac)	2	QL (60 per 30 days)
<i>fluoxetine oral capsule,delayed release(dr/ec) 90 mg</i>		2	QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>		2	QL (600 per 30 days)
<i>fluoxetine oral tablet 10 mg</i>	(Sarafem)	2	QL (90 per 30 days)
<i>fluoxetine oral tablet 20 mg</i>	(Sarafem)	2	QL (120 per 30 days)
FLUOXETINE ORAL TABLET 60 MG	4	QL (30 per 30 days)	
<i>fluvoxamine oral capsule,extended release 24hr 100 mg, 150 mg</i>		2	QL (60 per 30 days)
<i>fluvoxamine oral tablet 100 mg</i>		2	QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>		2	QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>		2	QL (45 per 30 days)
FORFIVO XL ORAL TABLET EXTENDED RELEASE 24 HR 450 MG	4	QL (30 per 30 days)	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	(Tofranil)	2	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>		2	PA NSO; PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
maprotiline oral tablet 25 mg, 50 mg, 75 mg	2	
MARPLAN ORAL TABLET 10 MG	3	
mirtazapine oral tablet 15 mg, 30 mg (Remeron)	2	QL (30 per 30 days)
mirtazapine oral tablet 45 mg, 7.5 mg	2	QL (30 per 30 days)
mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg (Remeron SolTab)	2	QL (30 per 30 days)
nefazodone oral tablet 100 mg, 150 mg, 250 mg, 50 mg	2	QL (60 per 30 days)
nefazodone oral tablet 200 mg	2	QL (90 per 30 days)
nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)	1	GC
nortriptyline oral solution 10 mg/5 ml	2	
olanzapine-fluoxetine oral capsule 12-25 mg	4	QL (30 per 30 days)
olanzapine-fluoxetine oral capsule 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg (Symbax)	4	QL (30 per 30 days)
paroxetine hcl oral tablet 10 mg, 40 mg (Paxil)	1	GC; QL (45 per 30 days)
paroxetine hcl oral tablet 20 mg (Paxil)	1	GC; QL (30 per 30 days)
paroxetine hcl oral tablet 30 mg (Paxil)	1	GC; QL (60 per 30 days)
paroxetine hcl oral tablet extended release 24 hr 12.5 mg (Paxil CR)	2	QL (30 per 30 days)
paroxetine hcl oral tablet extended release 24 hr 25 mg, 37.5 mg (Paxil CR)	2	QL (60 per 30 days)
PAXIL ORAL SUSPENSION 10 MG/5 ML	4	
perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg	4	
PEXEVA ORAL TABLET 10 MG, 40 MG	4	QL (45 per 30 days)
PEXEVA ORAL TABLET 20 MG	4	QL (30 per 30 days)
PEXEVA ORAL TABLET 30 MG	4	QL (60 per 30 days)
phenelzine oral tablet 15 mg (Nardil)	2	
protriptyline oral tablet 10 mg, 5 mg	2	
sertraline oral concentrate 20 mg/ml (Zoloft)	2	QL (300 per 30 days)
sertraline oral tablet 100 mg (Zoloft)	1	GC; QL (60 per 30 days)
sertraline oral tablet 25 mg, 50 mg (Zoloft)	1	GC; QL (45 per 30 days)
SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2)	5	PA NSO; NM; NDS; QL (16 per 28 days)
SPRAVATO NASAL SPRAY,NON-AEROSOL 84 MG (28 MG X 3)	5	PA NSO; NM; NDS; QL (24 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>tranylcypromine oral tablet 10 mg</i>	(Parnate)	2	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>		1	GC
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>		2	PA NSO; PA-HRM; AGE (Max 64 Years)
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG		4	PA NSO; QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 150 mg, 37.5 mg</i>	(Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule,extended release 24hr 75 mg</i>	(Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>		2	QL (90 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>		2	QL (30 per 30 days)
VIIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG		4	PA NSO; QL (30 per 30 days)
VIIIBRYD ORAL TABLETS,DOSE PACK 10 MG (7)- 20 MG (23)		4	PA NSO; QL (30 per 180 days)
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML		5	PA NSO; NM; NDS
Antidiabetic Agents			
Antidiabetic Agents, Miscellaneous			
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>	(Precose)	2	QL (90 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 15-1,000 MG		3	QL (60 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 30-1,000 MG		3	QL (30 per 30 days)
BYDUREON BCISE SUBCUTANEOUS AUTO-Injector 2 MG/0.85 ML		4	ST; QL (3.4 per 28 days)
BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML		4	ST; QL (4 per 28 days)
BYDUREON SUBCUTANEOUS SUSPENSION,EXTENDED REL RECON 2 MG		4	ST; QL (4 per 28 days)
BYETTA 10 MCG DOSE PEN INJ 10 MCG PER DOSE, SUV 10 MCG/DOSE(250 MCG/ML) 2.4 ML		4	ST; QL (2.4 per 30 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML		4	ST; QL (2.4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	4	ST; QL (1.2 per 30 days)	
CYCLOSET ORAL TABLET 0.8 MG	4	PA; QL (180 per 30 days)	
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	3		
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	3		
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)	
INVOKAMET ORAL TABLET 150- 1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	3	QL (60 per 30 days)	
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG	3	QL (60 per 30 days)	
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG	3	QL (120 per 30 days)	
INVOKANA ORAL TABLET 100 MG, 300 MG	3	QL (30 per 30 days)	
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)	
JENTADUETO ORAL TABLET 2.5- 1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)	
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)	
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)	
KORLYM ORAL TABLET 300 MG	5	PA; NM; LA; NDS; QL (120 per 30 days)	
<i>metformin oral tablet 1,000 mg</i>	(Glucophage)	1	GC; QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i>	(Glucophage)	1	GC; QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i>	(Glucophage)	1	GC; QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i>	(Glucophage XR)	1	GC; QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i>	(Glucophage XR)	1	GC; QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i>	(Glyset)	2	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i>	(Starlix)	2	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	3	QL (1.68 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML)	3	QL (3.08 per 28 days)
<i>pioglitazone oral tablet 15 mg</i> (Actos)	1	GC; QL (90 per 30 days)
<i>pioglitazone oral tablet 30 mg, 45 mg</i> (Actos)	1	GC; QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET)	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	2	QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	2	QL (240 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	3	PA; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	3	PA; QL (6 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25- 1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5- 1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	3	QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	4	ST; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	3	QL (9 per 30 days)
Insulins		
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	
LEVEMIR FLEXTOUCH U-100 INSULN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	3	
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	3	
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	3	
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	3	
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	3	
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	3	
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	3	ST; QL (15 per 30 days)
Sulfonylureas		
<i>chlorpropamide oral tablet 100 mg</i>	2	PA; PA-HRM; QL (225 per 30 days); AGE (Max 64 Years)
<i>chlorpropamide oral tablet 250 mg</i>	2	PA; PA-HRM; QL (90 per 30 days); AGE (Max 64 Years)
<i>glimepiride oral tablet 1 mg</i> (Amaryl)	1	GC; QL (240 per 30 days)
<i>glimepiride oral tablet 2 mg</i> (Amaryl)	1	GC; QL (120 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	GC; QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	1	GC; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	GC; QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg</i> (Glucotrol XL)	1	GC; QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i> (Glucotrol XL)	1	GC; QL (120 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	GC; QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	GC; QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg</i> (Glynase)	2	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide micronized oral tablet 3 mg</i> (Glynase)	2	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>glyburide micronized oral tablet 6 mg</i> (Glynase)	2	PA; PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg</i>	2	PA; PA-HRM; QL (480 per 30 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glyburide oral tablet 2.5 mg</i>	2	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 5 mg</i>	2	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg</i>	2	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	2	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>tolazamide oral tablet 250 mg</i>	2	QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	2	QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	1	GC; QL (180 per 30 days)
Antifungals		
Antifungals		
<i>ABELCET INTRAVENOUS SUSPENSION 5 MG/ML</i>	5	PA BvD; NM; NDS
<i>AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG</i>	5	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	2	PA BvD
<i>caspofungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	5	NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	2	
<i>ciclopirox topical gel 0.77 %</i>	2	
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	2	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	2	
<i>clotrimazole mucous membrane troche 10 mg</i>	2	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	2	
<i>clotrimazole topical solution 1 %</i>	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i> (Lotrisone)	2	
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	2	
<i>econazole topical cream 1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG	5	PA; NM; NDS
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	2	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i>	(Diflucan)	2
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i>	(Diflucan)	2
<i>flucytosine oral capsule 250 mg, 500 mg</i>	(Ancobon)	5
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>		2
<i>griseofulvin microsize oral tablet 500 mg</i>		2
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>		2
<i>itraconazole oral capsule 100 mg</i>	(Sporanox)	2
<i>ketoconazole oral tablet 200 mg</i>		2
<i>ketoconazole topical cream 2 %</i>		2
<i>ketoconazole topical foam 2 %</i>	(Extina)	2
<i>ketoconazole topical shampoo 2 %</i>	(Nizoral)	2
<i>miconazole-3 vaginal suppository 200 mg</i>		2
<i>naftifine topical cream 1 %</i>		2
<i>naftifine topical cream 2 %</i>	(Naftin)	2
<i>naftifine topical gel 1 %</i>	(Naftin)	2
NAFTIN TOPICAL GEL 1 %, 2 %		3
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML		5
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)		5
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG		5
<i>nyamyc topical powder 100,000 unit/gram</i>		2
<i>nystatin oral powder 50 million unit, 500 million unit</i>		2
<i>nystatin oral suspension 100,000 unit/ml</i>		2
<i>nystatin oral tablet 500,000 unit</i>		2
<i>nystatin topical cream 100,000 unit/gram</i>		2
<i>nystatin topical ointment 100,000 unit/gram</i>		2
<i>nystatin topical powder 100,000 unit/gram (Nyamyc)</i>		2

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%	2	
nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%	2	
nystop topical powder 100,000 unit/gram	2	
posaconazole oral suspension 200 mg/5 ml (Noxafil) (40 mg/ml)	5	PA; NM; NDS
posaconazole oral tablet, delayed release (Noxafil) (dr/ec) 100 mg	5	PA; NM; NDS
terbinafine hcl oral tablet 250 mg	2	
voriconazole intravenous recon soln 200 mg (Vfend IV)	4	
voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)	5	NM; NDS
voriconazole oral tablet 200 mg, 50 mg (Vfend)	5	NM; NDS
Antigout Agents		
Antigout Agents, Other		
allopurinol oral tablet 100 mg, 300 mg (Zyloprim)	1	GC
colchicine oral capsule 0.6 mg (Mitigare)	2	QL (60 per 30 days)
colchicine oral tablet 0.6 mg (Colcrys)	2	QL (60 per 30 days)
DUZALLO ORAL TABLET 200-200 MG, 200-300 MG	4	PA; QL (30 per 30 days)
febuxostat oral tablet 40 mg, 80 mg (Uloric)	2	ST; QL (30 per 30 days)
probenecid oral tablet 500 mg	2	
probenecid-colchicine oral tablet 500-0.5 mg	2	
ULORIC ORAL TABLET 40 MG, 80 MG	4	ST; QL (30 per 30 days)
ZURAMPIC ORAL TABLET 200 MG	4	PA; QL (30 per 30 days)
Antihistamines		
Antihistamines		
cetirizine oral solution 1 mg/ml (All Day Allergy (cetirizine))	2	(Rx product only)
cyproheptadine oral syrup 2 mg/5 ml	2	PA; AGE (Max 64 Years)
cyproheptadine oral tablet 4 mg	2	PA; PA-HRM; AGE (Max 64 Years)
desloratadine oral tablet 5 mg (Claritin)	2	QL (30 per 30 days)
diphenhydramine hcl injection solution 50 mg/ml	2	
diphenhydramine hcl injection syringe 50 mg/ml	2	
hydroxyzine hcl oral solution 10 mg/5 ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	2	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	2	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	2	PA; PA-HRM; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	2	
CLINDESSE VAGINAL CREAM, EXTENDED RELEASE 2 %	3	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	2	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	2	
<i>terconazole vaginal suppository 80 mg</i>	2	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	4	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML	4	PA; QL (1 per 30 days)
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	4	PA; QL (2 per 30 days)
AJOVY SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	4	PA; QL (1.5 per 30 days)
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	2	QL (16 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	4	QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	4	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	4	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	4	PA; QL (3 per 30 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i> (Cafergot)	2	QL (40 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
MIGERGOT RECTAL SUPPOSITORY 2-100 MG		4	QL (40 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Amerge)		2	QL (16 per 28 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)		2	QL (16 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>		2	QL (16 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT)		2	QL (16 per 28 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>		2	QL (16 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex)		2	QL (16 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex)		2	QL (16 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml Refill</i> (Imitrex STATdose)		2	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen)		2	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)		2	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>		2	QL (8 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)		2	QL (16 per 28 days)
<i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i> (Zomig ZMT)		2	QL (16 per 28 days)

Antimycobacterials

Antimycobacterials

CAPASTAT INJECTION RECON SOLN 1 GRAM		4	
<i>cycloserine oral capsule 250 mg</i>		2	
<i>dapsone oral tablet 100 mg, 25 mg</i>		2	
<i>ethambutol oral tablet 100 mg</i>		2	
<i>ethambutol oral tablet 400 mg</i> (Myambutol)		2	
<i>isoniazid injection solution 100 mg/ml</i>		2	
<i>isoniazid oral solution 50 mg/5 ml</i>		2	
<i>isoniazid oral tablet 100 mg, 300 mg</i>		2	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM		4	
PRIFTIN ORAL TABLET 150 MG		3	
<i>pyrazinamide oral tablet 500 mg</i>		2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)		2	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)		2	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RIFATER ORAL TABLET 50-120-300 MG	4	
SIRTURO ORAL TABLET 100 MG	5	PA; NM; NDS
TRECATOR ORAL TABLET 250 MG	4	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	4	PA; QL (2 per 28 days)
ANZEMET ORAL TABLET 100 MG, 50 MG	4	PA BvD
<i>aprepitant oral capsule 125 mg, 40 mg, 80 mg (Emend)</i>	2	PA
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2) (Emend)</i>	2	PA
BONJESTA ORAL TABLET,IR,DELAYED REL,BIPHASIC 20-20 MG	4	PA; QL (60 per 30 days)
<i>compro rectal suppository 25 mg</i>	2	
DICLEGIS ORAL TABLET,DELAYED RELEASE (DR/EC) 10-10 MG	4	PA; QL (120 per 30 days)
<i>dimenhydrinate injection solution 50 mg/ml</i>	2	
<i>doxylamine-pyridoxine (vit b6) oral tablet,delayed release (dr/ec) 10-10 mg</i>	2	PA; QL (120 per 30 days)
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i>	2	PA; NM; NDS; QL (60 per 30 days)
<i>gransetron (pf) intravenous solution 100 mcg/ml</i>	2	
<i>gransetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	2	
<i>gransetron hcl oral tablet 1 mg</i>	2	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	2	
<i>meclizine oral tablet 25 mg</i>	2	(Dramamine Less Drowsy)
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	2	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	2	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	2	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	2	PA BvD
<i>ondansetron hcl oral tablet 24 mg</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i>	(Zofran)	2	PA BvD
<i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i>		2	PA BvD
<i>palonosetron intravenous solution 0.25 mg/5 ml</i>	(Aloxi)	2	PA
<i>palonosetron intravenous syringe 0.25 mg/5 ml</i>		2	PA
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>		2	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>		2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i>	(Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i>	(Compro)	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>		2	
<i>promethazine rectal suppository 12.5 mg, 25 mg</i>	(Phenadoz)	2	
<i>promethazine rectal suppository 50 mg</i>	(Promethegan)	2	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>		2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i>	(Transderm-Scop)	2	
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS		4	
VARUBI ORAL TABLET 90 MG		4	PA; QL (4 per 28 days)

Antiparasite Agents

Antiparasite Agents

<i>albendazole oral tablet 200 mg</i>	(Albenza)	2	
ALBENZA ORAL TABLET 200 MG		3	
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML		4	PA
ALINIA ORAL TABLET 500 MG		4	PA
<i>atovaquone oral suspension 750 mg/5 ml</i>	(Mepron)	5	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg</i>	(Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i>	(Malarone Pediatric)	2	
BILTRICIDE ORAL TABLET 600 MG		3	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>		2	
COARTEM ORAL TABLET 20-120 MG		4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
DARAPRIM ORAL TABLET 25 MG		3	
EMVERM ORAL TABLET,CHEWABLE 100 MG		3	PA
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)		2	
<i>ivermectin oral tablet 3 mg</i> (Stromectol)		2	
KRINTAFEL ORAL TABLET 150 MG		4	QL (2 per 180 days)
<i>mefloquine oral tablet 250 mg</i>		2	
NEBUPENT INHALATION RECON SOLN 300 MG		4	PA BvD
<i>paromomycin oral capsule 250 mg</i>		2	
PENTAM INJECTION RECON SOLN 300 MG		4	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)		2	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)		2	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)		2	
PRIMAQUINE ORAL TABLET 26.3 MG		4	
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)		2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>		2	
Antiparkinsonian Agents			
Antiparkinsonian Agents			
<i>amantadine hcl oral capsule 100 mg</i>		2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>		2	
<i>amantadine hcl oral tablet 100 mg</i>		2	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML		5	NM; LA; NDS
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>		2	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)		2	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)		2	
<i>cabergoline oral tablet 0.5 mg</i>		2	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)		2	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i>		2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>		2	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>		2	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i>		2	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i>	(Stalevo 100)	2	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i>	(Stalevo 125)	2	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i>	(Stalevo 150)	2	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i>	(Stalevo 200)	2	
<i>entacapone oral tablet 200 mg</i>	(Comtan)	2	
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR		4	ST
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>	(Mirapex)	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i>	(Azilect)	2	QL (30 per 30 days)
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i>	(Requip)	2	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>		2	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i>	(Requip XL)	2	
<i>selegiline hcl oral capsule 5 mg</i>		2	
<i>selegiline hcl oral tablet 5 mg</i>		2	
<i>tolcapone oral tablet 100 mg</i>	(Tasmar)	2	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>		2	PA; PA-HRM; AGE (Max 64 Years)
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>		2	PA; PA-HRM; AGE (Max 64 Years)

Antipsychotic Agents

Antipsychotic Agents

ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	PA NSO; NM; NDS; QL (1 per 28 days)
ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	PA NSO; NM; NDS; QL (1 per 28 days)
ABILITY MYCITE ORAL TABLET WITH SENSOR AND PATCH 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	4	PA NSO; QL (1 per 7 days)
<i>aripiprazole oral solution 1 mg/ml</i>	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg (Abilify)</i>	2	QL (30 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg, 15 mg</i>	5	NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	PA NSO; NM; NDS; QL (2.4 per 180 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	PA NSO; NM; NDS; (1 syringe); QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	PA NSO; NM; NDS; (1 syringe); QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	PA NSO; NM; NDS; (1 syringe); QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	PA NSO; NM; NDS; (1 syringe); QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	4	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>clozapine oral tablet 100 mg, 25 mg (Clozaril)</i>	2	
<i>clozapine oral tablet 200 mg, 50 mg</i>	2	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg (FazaClo)</i>	2	
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	4	QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2)	4	QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	3	QL (60 per 30 days)
<i>haloperidol dec 50 mg/ml vial mdv 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	2	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	2	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	PA NSO; NM; NDS; (1 syringe); QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	PA NSO; NM; NDS; (1 syringe); QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	PA NSO; NM; NDS; (1 syringe); QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	4	PA NSO; (1 syringe); QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	PA NSO; NM; NDS; (1 syringe); QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	5	PA NSO; NM; NDS; (1 syringe); QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	5	PA NSO; NM; NDS; (1 syringe); QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	PA NSO; NM; NDS; (1 syringe); QL (1.75 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	5	PA NSO; NM; NDS; (1 syringe); QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	4	PA NSO; QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	4	PA NSO; QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	2	
<i>molindone oral tablet 10 mg, 25 mg, 5 mg</i>	2	
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NM; LA; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 17 MG	5	PA NSO; NM; LA; NDS; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (120 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet,disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	2	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	2	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	2	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG	5	PA NSO; NM; NDS; QL (1 per 28 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	2	QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	2	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 200 mg</i> (Seroquel XR)	2	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	4	PA NSO; QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	5	PA NSO; NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	2	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	2	QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	2	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	2	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	3	PA NSO; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	2	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	4	
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	PA NSO; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	PA NSO; QL (7 per 180 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	2	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	PA NSO; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG	5	PA NSO; NM; NDS; QL (2 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	QL (960 per 30 days)
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>abacavir-lamivudine oral tablet 600-300 mg</i>	(Epzicom)	2	QL (30 per 30 days)
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i>	(Trizivir)	5	NM; NDS; QL (60 per 30 days)
APTIVUS ORAL CAPSULE 250 MG		4	QL (120 per 30 days)
APTIVUS ORAL SOLUTION 100 MG/ML		4	QL (380 per 30 days)
<i>atazanavir oral capsule 150 mg, 200 mg</i>	(Reyataz)	2	QL (60 per 30 days)
<i>atazanavir oral capsule 300 mg</i>	(Reyataz)	2	QL (30 per 30 days)
ATRIPLA ORAL TABLET 600-200-300 MG		5	NM; NDS; QL (30 per 30 days)
BIKTARVY ORAL TABLET 50-200-25 MG		5	NM; NDS; QL (30 per 30 days)
CIMDUO ORAL TABLET 300-300 MG		5	NM; NDS; QL (30 per 30 days)
COMPLERA ORAL TABLET 200-25-300 MG		5	NM; NDS; QL (30 per 30 days)
CRIXIVAN ORAL CAPSULE 200 MG		3	QL (270 per 30 days)
CRIXIVAN ORAL CAPSULE 400 MG		3	QL (180 per 30 days)
DELSTRIGO ORAL TABLET 100-300-300 MG		5	NM; NDS; QL (30 per 30 days)
DESCOVY ORAL TABLET 200-25 MG		5	NM; NDS; QL (30 per 30 days)
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg</i>	(Videx EC)	2	QL (30 per 30 days)
<i>didanosine oral capsule, delayed release(dr/ec) 400 mg</i>		2	QL (30 per 30 days)
DOVATO ORAL TABLET 50-300 MG		5	NM; NDS; QL (30 per 30 days)
EDURANT ORAL TABLET 25 MG		5	NM; NDS; QL (30 per 30 days)
<i>efavirenz oral capsule 200 mg</i>	(Sustiva)	2	QL (90 per 30 days)
<i>efavirenz oral capsule 50 mg</i>	(Sustiva)	2	QL (180 per 30 days)
<i>efavirenz oral tablet 600 mg</i>	(Sustiva)	2	QL (30 per 30 days)
EMTRIVA ORAL CAPSULE 200 MG		3	QL (30 per 30 days)
EMTRIVA ORAL SOLUTION 10 MG/ML		3	QL (850 per 30 days)
EVOTAZ ORAL TABLET 300-150 MG		5	NM; NDS; QL (30 per 30 days)
<i>fosamprenavir oral tablet 700 mg</i>	(Lexiva)	2	QL (120 per 30 days)
FUZEON SUBCUTANEOUS RECON SOLN 90 MG		5	NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NM; NDS; QL (30 per 30 days)
INTELENCE ORAL TABLET 100 MG, 200 MG	4	QL (60 per 30 days)
INTELENCE ORAL TABLET 25 MG	4	QL (120 per 30 days)
INVIRASE ORAL CAPSULE 200 MG	5	NM; NDS; QL (300 per 30 days)
INVIRASE ORAL TABLET 500 MG	5	NM; NDS; QL (120 per 30 days)
ISENTRESS HD ORAL TABLET 600 MG	5	NM; NDS; QL (60 per 30 days)
ISENTRESS ORAL POWDER IN PACKET 100 MG	4	QL (60 per 30 days)
ISENTRESS ORAL TABLET 400 MG	5	NM; NDS; QL (120 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	5	NM; NDS; QL (180 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	QL (180 per 30 days)
JULUCA ORAL TABLET 50-25 MG	5	NM; NDS; QL (30 per 30 days)
KALETRA ORAL TABLET 100-25 MG	4	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	5	NM; NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	QL (960 per 30 days)
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	2	QL (30 per 30 days)
<i>lamivudine oral tablet 150 mg</i> (Epivir)	2	QL (60 per 30 days)
<i>lamivudine oral tablet 300 mg</i> (Epivir)	2	QL (30 per 30 days)
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	QL (60 per 30 days)
LEXIVA ORAL SUSPENSION 50 MG/ML	4	QL (1800 per 30 days)
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i> (Viramune)	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	2	QL (30 per 30 days)
NORVIR ORAL CAPSULE 100 MG	3	QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORVIR ORAL POWDER IN PACKET 100 MG	3	QL (360 per 30 days)
NORVIR ORAL SOLUTION 80 MG/ML	3	QL (480 per 30 days)
ODEFSEY ORAL TABLET 200-25-25 MG	5	NM; NDS; QL (30 per 30 days)
PIFELTRO ORAL TABLET 100 MG	5	NM; NDS; QL (60 per 30 days)
PREZCOBIX ORAL TABLET 800-150 MG-MG	5	NM; NDS; QL (30 per 30 days)
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NM; NDS; QL (400 per 30 days)
PREZISTA ORAL TABLET 150 MG	5	NM; NDS; QL (180 per 30 days)
PREZISTA ORAL TABLET 600 MG	5	NM; NDS; QL (60 per 30 days)
PREZISTA ORAL TABLET 75 MG	5	NM; NDS; QL (480 per 30 days)
PREZISTA ORAL TABLET 800 MG	5	NM; NDS; QL (30 per 30 days)
RESCRIPTOR ORAL TABLET 200 MG	3	QL (180 per 30 days)
RESCRIPTOR ORAL TABLET, DISPERISIBLE 100 MG	3	QL (360 per 30 days)
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	
REYATAZ ORAL POWDER IN PACKET 50 MG	4	QL (180 per 30 days)
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	QL (360 per 30 days)
SELZENTRY ORAL SOLUTION 20 MG/ML	4	NM; NDS; QL (1800 per 30 days)
SELZENTRY ORAL TABLET 150 MG, 75 MG	5	NM; NDS; QL (60 per 30 days)
SELZENTRY ORAL TABLET 25 MG	4	NM; NDS; QL (240 per 30 days)
SELZENTRY ORAL TABLET 300 MG	5	NM; NDS; QL (120 per 30 days)
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	2	QL (60 per 30 days)
<i>stavudine oral recon soln 1 mg/ml</i>	2	QL (2400 per 30 days)
STRIBILD ORAL TABLET 150-150- 200-300 MG	5	NM; NDS; QL (30 per 30 days)
SYMFI LO ORAL TABLET 400-300-300 MG	5	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYMFI ORAL TABLET 600-300-300 MG	5	NM; NDS; QL (30 per 30 days)
SYMTUZA ORAL TABLET 800-150-200-10 MG	5	NM; NDS; QL (30 per 30 days)
TEMIXYS ORAL TABLET 300-300 MG	5	NM; NDS; QL (30 per 30 days)
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	QL (30 per 30 days)
TIVICAY ORAL TABLET 10 MG	4	QL (60 per 30 days)
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NM; NDS; QL (60 per 30 days)
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NM; NDS; QL (30 per 30 days)
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	5	NM; NDS; QL (30 per 30 days)
VEMLIDY ORAL TABLET 25 MG	3	QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	3	QL (1200 per 30 days)
VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG	3	QL (60 per 30 days)
VIRACEPT ORAL TABLET 250 MG	5	NM; NDS; QL (270 per 30 days)
VIRACEPT ORAL TABLET 625 MG	5	NM; NDS; QL (120 per 30 days)
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	4	QL (1200 per 30 days)
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	4	QL (240 per 30 days)
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	3	QL (30 per 30 days)
ZERIT ORAL RECON SOLN 1 MG/ML	4	QL (2400 per 30 days)
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	QL (180 per 30 days)
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	QL (1920 per 30 days)
<i>zidovudine oral tablet 300 mg</i>	2	QL (60 per 30 days)
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	4	PA BvD
<i>oseltamivir oral capsule 30 mg, 45 mg, 75 mg</i> (Tamiflu)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i>	(Tamiflu)	2	
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML, 480 MG/24 ML		5	PA; NM; NDS
PREVYMIS ORAL TABLET 240 MG, 480 MG		5	PA; NM; NDS; QL (30 per 30 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION		3	
<i>rimantadine oral tablet 100 mg</i>	(Flumadine)	2	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML		5	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG		4	QL (4 per 180 days)
Hcv Antivirals			
HARVONI ORAL TABLET 90-400 MG		5	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG		5	PA; NM; NDS; QL (84 per 28 days)
Interferons			
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)		4	
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML		4	
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML		5	NM; NDS; QL (2 per 28 days)
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML		5	NM; NDS; QL (4 per 28 days)
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML		5	NM; NDS; QL (2 per 28 days)
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML		5	NM; NDS; QL (2 per 28 days)
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG		5	PA NSO; NM; NDS
Nucleosides And Nucleotides			
<i>acyclovir oral capsule 200 mg</i>	(Zovirax)	2	
<i>acyclovir oral suspension 200 mg/5 ml</i>	(Zovirax)	2	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	(Zovirax)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>acyclovir sodium intravenous recon soln 500 mg</i>	2	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	5	NM; NDS
BARACLODE ORAL SOLUTION 0.05 MG/ML	5	NM; NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	2	QL (30 per 30 days)
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	2	
<i>ganciclovir sodium intravenous recon soln</i> (Cytovene) <i>500 mg</i>	2	PA BvD
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	2	PA BvD
REBETOL ORAL SOLUTION 40 MG/ML	4	
<i>ribasphere oral capsule 200 mg</i>	2	
<i>ribasphere oral tablet 200 mg, 400 mg, 600 mg</i>	2	
<i>ribasphere ribapak oral tablets,dose pack 200 mg (7)- 400 mg (7), 400 mg (7)- 400 mg (7), 600 mg (7)- 400 mg (7)</i>	2	
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	5	PA; NM; NDS
<i>ribavirin oral capsule 200 mg</i> (Ribasphere)	2	
<i>ribavirin oral tablet 200 mg</i>	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	2	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	5	NM; NDS
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
<i>BEVYXXA ORAL CAPSULE 40 MG, 80 MG</i>	4	QL (30 per 30 days)
<i>COUMADIN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG</i>	4	
<i>ELIQUIS ORAL TABLET 2.5 MG</i>	3	QL (60 per 30 days)
<i>ELIQUIS ORAL TABLET 5 MG</i>	3	QL (120 per 30 days)
<i>ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)</i>	3	QL (74 per 180 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	2	QL (28 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>enoxaparin subcutaneous syringe 100 mg/ml</i>	(Lovenox)	2	(28 syringes); QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i>	(Lovenox)	2	(28 syringes); QL (22.4 per 14 days)
<i>enoxaparin subcutaneous syringe 150 mg/ml</i>	(Lovenox)	4	NM; NDS; (28 syringes); QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i>	(Lovenox)	2	(28 syringes); QL (8.4 per 14 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i>	(Lovenox)	2	(28 syringes); QL (11.2 per 14 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i>	(Lovenox)	2	(28 syringes); QL (16.8 per 14 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i>	(Arixtra)	4	(14 syringes); QL (11.2 per 14 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i>	(Arixtra)	4	(14 syringes); QL (7 per 14 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i>	(Arixtra)	4	(14 syringes); QL (5.6 per 14 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i>	(Arixtra)	4	(14 syringes); QL (8.4 per 14 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i>		2	
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i>		2	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>		2	PA BvD; (PA for ESRD only)
<i>heparin (porcine) injection solution 1,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>		2	PA BvD; (PA for ESRD only)
<i>heparin (porcine) injection solution 10,000 unit/ml</i>		2	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>		2	PA BvD; (PA for ESRD only)
<i>heparin sodium 1,000 unit/ml vial sdv, latex-free, outer 1,000 unit/ml</i>		2	PA BvD
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>		2	PA BvD; (PA for ESRD only)
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>		2	PA BvD; (PA for ESRD only)
<i>heparin, porcine (pf) subcutaneous syringe 5,000 unit/0.5 ml</i>		2	PA BvD
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	4	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	GC
XARELTO ORAL TABLET 10 MG, 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	3	QL (60 per 30 days)
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	QL (51 per 180 days)
Blood Formation Modifiers		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	4	PA
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML	4	PA
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	5	PA; NM; LA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	5	PA; NM; NDS; QL (60 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	5	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LEUKINE INJECTION RECON SOLN 250 MCG	5	PA; NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	5	NM; NDS
MULPLETA ORAL TABLET 3 MG	5	PA; NM; NDS; QL (7 per 30 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	5	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NM; NDS
PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	4	PA; QL (12 per 28 days)
PROCIT INJECTION SOLUTION 40,000 UNIT/ML	4	PA; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	5	PA; NM; NDS
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	5	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NM; NDS
Hematologic Agents, Miscellaneous		
aminocaproic acid intravenous solution 250 mg/ml	2	
anagrelide oral capsule 0.5 mg (Agrylin)	2	
anagrelide oral capsule 1 mg	2	
protamine intravenous solution 10 mg/ml	2	PA BvD; (PA for ESRD only)
SIKLOS ORAL TABLET 1,000 MG, 100 MG	4	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
TAVALISSE ORAL TABLET 100 MG, 150 MG		5	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i>	(Cyklokapron)	2	
<i>tranexamic acid oral tablet 650 mg</i>	(Lysteda)	2	
Platelet-Aggregation Inhibitors			
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>	(Aggrenox)	2	
BRILINTA ORAL TABLET 60 MG, 90 MG		3	
<i>cilostazol oral tablet 100 mg, 50 mg</i>		2	
<i>clopidogrel oral tablet 75 mg</i>	(Plavix)	2	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>		2	
<i>pentoxifylline oral tablet extended release 400 mg</i>		2	
<i>prasugrel oral tablet 10 mg, 5 mg</i>	(Effient)	2	QL (30 per 30 days)
ZONTIVITY ORAL TABLET 2.08 MG		4	PA
Caloric Agents			
Caloric Agents			
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %		4	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %		4	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %		4	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %		4	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %		4	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %		4	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %		4	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %		4	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %		4	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %		4	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	4	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	4	PA BvD
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	4	PA BvD
<i>dextrose 10 % in water (d10w)</i> <i>intravenous parenteral solution 10 %</i>	2	PA BvD
<i>dextrose 20 % in water (d20w)</i> <i>intravenous parenteral solution 20 %</i>	2	PA BvD
<i>dextrose 25 % in water (d25w)</i> <i>intravenous syringe</i>	2	PA BvD
<i>dextrose 40 % in water (d40w)</i> <i>intravenous parenteral solution 40 %</i>	2	PA BvD
<i>dextrose 5 % in ringer's intravenous</i> <i>parenteral solution 5 %</i>	2	
<i>dextrose 5 % in water (d5w) intravenous</i> <i>parenteral solution</i>	2	
<i>dextrose 5 % in water (d5w) intravenous</i> <i>piggyback 5 %</i>	2	
<i>dextrose 50 % in water (d50w)</i> <i>intravenous parenteral solution</i>	2	PA BvD
<i>dextrose 50 % in water (d50w)</i> <i>intravenous syringe</i>	2	PA BvD
<i>dextrose 70 % in water (d70w)</i> <i>intravenous parenteral solution</i>	2	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %	3	PA BvD
INTRALIPID INTRAVENOUS EMULSION 30 %	4	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	4	PA BvD
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 %	4	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	4	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	4	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
Cardiovascular Agents			
Alpha-Adrenergic Agents			
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	(Catapres)	1	GC
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i>	(Catapres-TTS-1)	2	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i>	(Catapres-TTS-2)	2	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i>	(Catapres-TTS-3)	2	
<i>clorpres oral tablet 0.1-15 mg, 0.2-15 mg, 0.3-15 mg</i>		2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	(Cardura)	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>		2	
NORTHERA ORAL CAPSULE 100 MG		5	PA; NM; LA; NDS; QL (90 per 30 days)
NORTHERA ORAL CAPSULE 200 MG, 300 MG		5	PA; NM; LA; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i>	(Vazculep)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	(Minipress)	2	
Angiotensin II Receptor Antagonists			
<i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i>	(Atacand)	2	QL (60 per 30 days)
<i>candesartan oral tablet 32 mg</i>	(Atacand)	2	QL (30 per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg</i>	(Atacand HCT)	2	QL (60 per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 32-12.5 mg, 32-25 mg</i>	(Atacand HCT)	2	QL (30 per 30 days)
EDARBI ORAL TABLET 40 MG, 80 MG		4	QL (30 per 30 days)
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG		4	QL (30 per 30 days)
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG		3	PA; QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>		2	QL (45 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i>	(Avapro)	1	GC; QL (30 per 30 days)
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i>	(Avalide)	1	GC; QL (30 per 30 days)
<i>losartan oral tablet 100 mg</i>	(Cozaar)	1	GC; QL (45 per 30 days)
<i>losartan oral tablet 25 mg, 50 mg</i>	(Cozaar)	1	GC; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i>	(Hyzaar)	1	GC; QL (30 per 30 days)
<i>olmesartan oral tablet 20 mg, 40 mg</i>	(Benicar)	2	QL (30 per 30 days)
<i>olmesartan oral tablet 5 mg</i>	(Benicar)	2	QL (60 per 30 days)
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i>	(Benicar HCT)	2	QL (30 per 30 days)
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i>	(Micardis)	2	QL (30 per 30 days)
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>	(Twynsta)	2	QL (30 per 30 days)
<i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i>	(Micardis HCT)	2	QL (30 per 30 days)
<i>valsartan oral tablet 160 mg, 40 mg, 80 mg</i>	(Diovan)	1	GC; QL (60 per 30 days)
<i>valsartan oral tablet 320 mg</i>	(Diovan)	1	GC; QL (30 per 30 days)
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 80-12.5 mg</i>	(Diovan HCT)	1	GC; QL (60 per 30 days)
<i>valsartan-hydrochlorothiazide oral tablet 160-25 mg, 320-12.5 mg, 320-25 mg</i>	(Diovan HCT)	1	GC; QL (30 per 30 days)
Angiotensin-Converting Enzyme Inhibitors			
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i>	(Lotensin)	1	GC; QL (60 per 30 days)
<i>benazepril oral tablet 5 mg</i>		1	GC; QL (60 per 30 days)
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>	(Lotensin HCT)	2	QL (60 per 30 days)
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>		2	QL (60 per 30 days)
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>		2	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>		2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i>	(Vasotec)	1	GC; QL (60 per 30 days)
<i>enalaprilat intravenous solution 1.25 mg/ml</i>		2	QL (120 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i>	(Vaseretic)	1	GC; QL (60 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>		1	GC; QL (60 per 30 days)
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>		1	GC; QL (60 per 30 days)
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>		2	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>lisinopril oral tablet 10 mg, 20 mg, 5 mg</i> (Prinivil)		1	GC; QL (60 per 30 days)
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg</i> (Zestril)		1	GC; QL (60 per 30 days)
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)		1	GC; QL (60 per 30 days)
<i>moexipril oral tablet 15 mg, 7.5 mg</i>		2	
<i>moexipril-hydrochlorothiazide oral tablet 15-12.5 mg, 15-25 mg, 7.5-12.5 mg</i>		2	QL (60 per 30 days)
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>		2	QL (60 per 30 days)
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)		1	GC; QL (60 per 30 days)
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)		2	QL (60 per 30 days)
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)		1	GC; QL (60 per 30 days)
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>		1	GC; QL (60 per 30 days)
Antiarrhythmic Agents			
<i>amiodarone intravenous solution 50 mg/ml</i>		2	
<i>amiodarone intravenous syringe 150 mg/3 ml</i>		2	
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)		2	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)		2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)		2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>		2	
<i>lidocaine (pf) in d7.5w intrathecal solution 50 mg/ml (5 %)</i>		2	
<i>lidocaine (pf) intravenous syringe 50 mg/5 ml (1 %)</i>		2	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i>		2	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>		2	
MULTAQ ORAL TABLET 400 MG		3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>		2	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>procainamide intravenous syringe 100 mg/ml</i>	2	
<i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg</i>	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	2	
<i>quinidine gluconate injection solution 80 mg/ml</i>	2	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	2	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	GC
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg (Tenormin)</i>	1	GC
<i>atenolol-chlorthalidone oral tablet 100-25 mg (Tenoretic 100)</i>	2	
<i>atenolol-chlorthalidone oral tablet 50-25 mg (Tenoretic 50)</i>	2	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	2	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg (Ziac)</i>	1	GC
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)</i>	1	GC
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml) (Brevibloc)</i>	2	PA BvD
INNOPRAN XL ORAL CAPSULE,EXTENDED RELEASE 24HR 120 MG, 80 MG	3	
<i>labetalol intravenous solution 5 mg/ml</i>	2	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	2	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg (Toprol XL)</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	2	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg (Lopressor HCT)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> (Lopressor)	2	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	2	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	GC
<i>metoprolol tartrate oral tablet 25 mg</i>	1	GC
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	2	
<i>nadolol-bendroflumethiazide oral tablet 40-5 mg, 80-5 mg</i>	2	
<i>pindolol oral tablet 10 mg, 5 mg</i>	2	
<i>propranolol intravenous solution 1 mg/ml</i>	2	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	2	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	2	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	2	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	2	
<i>diltiazem hcl intravenous recon soln 100 mg</i>	2	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	2	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiazac)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i>	(Cardizem)	2	
<i>diltiazem hcl oral tablet 90 mg</i>		2	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	(Matzim LA)	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>		2	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>		2	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>		2	
<i>verapamil intravenous solution 2.5 mg/ml</i>		2	
<i>verapamil intravenous syringe 2.5 mg/ml</i>		2	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>	(Verelan PM)	2	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i>	(Verelan)	2	
<i>verapamil oral tablet 120 mg</i>	(Calan)	2	
<i>verapamil oral tablet 40 mg, 80 mg</i>		2	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>	(Calan SR)	2	
Cardiovascular Agents, Miscellaneous			
<i>CORLANOR ORAL TABLET 5 MG, 7.5 MG</i>		4	PA; QL (60 per 30 days)
<i>DEMSER ORAL CAPSULE 250 MG</i>		5	PA; NM; NDS
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>		2	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>		2	
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>		2	
<i>DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)</i>		4	
<i>digoxin oral tablet 125 mcg (0.125 mg)</i>	(Digitek)	2	
<i>digoxin oral tablet 250 mcg (0.25 mg)</i>	(Digitek)	2	
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml), 500 mg/40 ml (12.5 mg/ml)</i>	2	PA BvD
<i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	2	PA BvD
<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml)</i>	2	PA BvD
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	2	QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	5	PA; NM; NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	2	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	2	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NM; NDS; QL (18 per 30 days)
LANOXIN ORAL TABLET 125 MCG (0.125 MG), 187.5 MCG (0.1875 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG)	4	
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	2	PA BvD
<i>milrinone intravenous solution 1 mg/ml</i>	2	PA BvD
<i>norepinephrine bitartrate intravenous solution 1 mg/ml</i> (Levophed (bitartrate))	2	PA BvD
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	4	
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> (Ranexa)	2	
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	5	PA; NM; NDS; QL (120 per 30 days)
Dihydropyridines		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>afeditab cr oral tablet extended release 30 mg</i>	2	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	GC
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	2	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	
<i>amlodipine-valsartan-hctiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	2	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	2	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	2	
<i>nicardipine intravenous solution 25 mg/10 ml</i> (Cardene IV)	2	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg</i> (Adalat CC)	2	
<i>nifedipine oral tablet extended release 90 mg</i> (Adalat CC)	2	
<i>nimodipine oral capsule 30 mg</i>	2	
<i>nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg</i> (Sular)	2	
<i>nisoldipine oral tablet extended release 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg</i>	2	
Diuretics		
<i>ALDACTAZIDE ORAL TABLET 50-50 MG</i>	4	
<i>amiloride oral tablet 5 mg</i>	2	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	2	
<i>bumetanide injection solution 0.25 mg/ml</i>	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	2	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	2	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	2	
<i>furosemide injection solution 10 mg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
furosemide injection syringe 10 mg/ml	2	
furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)	2	
furosemide oral tablet 20 mg, 40 mg, 80 mg (Lasix)	1	GC
hydrochlorothiazide oral capsule 12.5 mg (Microzide)	1	GC
hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg	1	GC
indapamide oral tablet 1.25 mg, 2.5 mg	1	GC
JYNARQUE ORAL TABLET 15 MG	5	PA; NM; NDS; QL (60 per 30 days)
JYNARQUE ORAL TABLET 30 MG	5	PA; NM; NDS; QL (30 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	5	PA; NM; NDS; QL (56 per 28 days)
methyclothiazide oral tablet 5 mg	2	
metolazone oral tablet 10 mg, 2.5 mg, 5 mg	2	
spironolactone oral tablet 100 mg, 25 mg, 50 mg (Aldactone)	2	
spironolacton-hydrochlorothiaz oral tablet 25-25 mg (Aldactazide)	2	
torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg	2	
triamterene-hydrochlorothiazid oral capsule 37.5-25 mg (Dyazide)	1	GC
triamterene-hydrochlorothiazid oral capsule 50-25 mg	2	
triamterene-hydrochlorothiazid oral tablet 37.5-25 mg (Maxzide-25mg)	1	GC
triamterene-hydrochlorothiazid oral tablet 75-50 mg (Maxzide)	1	GC
Dyslipidemics		
amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg (Caduet)	2	QL (30 per 30 days)
amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	QL (30 per 30 days)
atorvastatin oral tablet 10 mg, 20 mg, 40 mg (Lipitor)	1	GC; QL (45 per 30 days)
atorvastatin oral tablet 80 mg (Lipitor)	1	GC; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i>	(Questran)	2	
<i>cholestyramine light oral powder 4 gram</i>		2	
<i>cholestyramine light packet 4 gram</i>		2	
<i>colesevelam oral powder in packet 3.75 gram</i>	(WelChol)	2	
<i>colesevelam oral tablet 625 mg</i>	(WelChol)	2	
<i>colestipol oral packet 5 gram</i>	(Colestid)	2	
<i>colestipol oral tablet 1 gram</i>	(Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i>	(Zetia)	2	
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i>	(Vytorin 10-10)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i>	(Vytorin 10-20)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i>	(Vytorin 10-40)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i>	(Vytorin 10-80)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>		2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>	(Tricor)	2	
<i>fenofibrate oral capsule 150 mg, 50 mg</i>	(Lipofen)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>		2	
<i>fenofibric acid (choline) oral capsule,delayed release(dr/ec) 135 mg, 45 mg</i>	(Trilipix)	2	
<i>fenofibric acid oral tablet 105 mg, 35 mg</i>	(Fibrincor)	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i>	(Lescol)	2	QL (60 per 30 days)
<i>gemfibrozil oral tablet 600 mg</i>	(Lopid)	2	
<i>JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG</i>		5	PA; NM; LA; NDS; QL (30 per 30 days)
<i>KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML</i>		5	PA; NM; LA; NDS; QL (4 per 28 days)
<i>lovastatin oral tablet 10 mg, 20 mg</i>		1	GC; QL (45 per 30 days)
<i>lovastatin oral tablet 40 mg</i>		1	GC; QL (60 per 30 days)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i>	(Niaspan Extended- Release)	2	QL (60 per 30 days)
<i>niacor oral tablet 500 mg</i>		2	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i>	(Lovaza)	2	
<i>PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML</i>		3	PA; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg</i>		1	GC; QL (45 per 30 days)
<i>pravastatin oral tablet 20 mg, 40 mg</i>	(Pravachol)	1	GC; QL (45 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pravastatin oral tablet 80 mg</i>	1	GC; QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	PA; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	PA; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	PA; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i> (Crestor)	1	GC; QL (45 per 30 days)
<i>rosuvastatin oral tablet 40 mg</i> (Crestor)	1	GC; QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg</i> (Zocor)	1	GC; QL (45 per 30 days)
<i>simvastatin oral tablet 40 mg</i> (Zocor)	1	PA; GC; (PA only w/ amiodarone); QL (45 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	GC; QL (45 per 30 days)
<i>simvastatin oral tablet 80 mg</i> (Zocor)	1	PA; GC; (PA only w/ amiodarone); QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM	4	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	4	
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	QL (30 per 30 days)
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspira)	2	
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	4	
TEKTURNA ORAL TABLET 150 MG, 300 MG	4	QL (30 per 30 days)
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradoser)	2	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	2	
<i>minitrans transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	2	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	2	
NITRO-BID TRANSDERMAL OINTMENT 2 %	4	
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	4	
<i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 200 mg/500 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml)</i>	2	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg (Nitrostat)</i>	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr (Minitran)</i>	2	
<i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray (Nitrolingual)</i>	2	
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG	3	

Central Nervous System Agents

Central Nervous System Agents

AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg (Strattera)</i>	2	PA
AUBAGIO ORAL TABLET 14 MG	5	NM; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG	5	PA; NM; NDS; QL (120 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	5	NM; NDS; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	NM; NDS; QL (14 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i>	(Cafcit)	2	
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>		2	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML		5	NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML		5	NM; NDS; QL (12 per 28 days)
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i>	(Ampyra)	5	PA; NM; NDS; QL (60 per 30 days)
<i>dextmethylphenidate oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i>	(Focalin XR)	2	NM; NDS
<i>dextmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i>	(Focalin)	2	NM; NDS
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i>	(Dexedrine Spansule)	2	NM; NDS
<i>dextroamphetamine oral solution 5 mg/5 ml</i>	(ProCentra)	2	NM; NDS
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	(Zenedi)	2	NM; NDS
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i>	(Adderall XR)	2	NM; NDS
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	2	NM; NDS
EXTAVIA SUBCUTANEOUS KIT 0.3 MG		5	NM; NDS; QL (14 per 28 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>		2	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG		5	NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	5	NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	5	NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	2	PA
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)		5	PA; NM; NDS; QL (28 per 180 days)
INGREZZA ORAL CAPSULE 40 MG, 80 MG		5	PA; NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	2	
<i>lithium carbonate oral tablet 300 mg</i>	2	
<i>lithium carbonate oral tablet extended release 300 mg (Lithobid)</i>	2	
<i>lithium carbonate oral tablet extended release 450 mg</i>	2	
<i>lithium citrate oral solution 8 meq/5 ml</i>	2	
LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HR 165 MG, 82.5 MG	4	PA; NM; NDS; QL (90 per 30 days)
LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HR 330 MG	4	PA; NM; NDS; QL (60 per 30 days)
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS; QL (20 per 334 days)
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS; QL (8 per 332 days)
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS; QL (10 per 334 days)
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS; QL (12 per 334 days)
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS; QL (14 per 334 days)
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS; QL (16 per 334 days)
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	5	PA; NM; NDS; QL (18 per 334 days)
MAYZENT ORAL TABLET 0.25 MG	5	NM; NDS; QL (150 per 30 days)
MAYZENT ORAL TABLET 2 MG	5	NM; NDS; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	2	NM; NDS
<i>methylphenidate hcl oral capsule,er (Ritalin LA) biphasic 50-50 10 mg</i>	2	NM; NDS
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	NM; NDS
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	NM; NDS
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	2	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 20 mg</i>	(Metadate ER)	2	NM; NDS
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i>	(Concerta)	2	NM; NDS
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i>	(Relexxii)	2	NM; NDS
<i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i>		2	NM; NDS
NUEDEXTA ORAL CAPSULE 20-10 MG		4	PA
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML		5	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML		5	NM; NDS; QL (1 per 28 days)
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML		5	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML		5	NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML		5	NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)		5	NM; NDS; QL (4.2 per 28 days)
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)		5	NM; NDS; QL (4.2 per 28 days)
<i>riluzole oral tablet 50 mg</i>	(Rilutek)	2	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG		3	
SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)		3	
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)		5	NM; LA; NDS; QL (120 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 240 MG	5	NM; LA; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg (Xenazine)</i>	5	NM; NDS; QL (120 per 30 days)
TIGLUTIK ORAL SUSPENSION 50 MG/10 ML	5	PA; NM; NDS; QL (600 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>apri oral tablet 0.15-0.03 mg</i>	2	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg- mcg</i>	2	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>aubra oral tablet 0.1-20 mg-mcg</i>	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg- mcg</i>	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg- 30 mcg (21)/75 mg (7)</i>	2	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	2	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	2	
<i>camila oral tablet 0.35 mg</i>	2	
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>cyred 28 day tablet outer 0.15-0.03 mg</i>	2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>deblitane oral tablet 0.35 mg</i>	2	
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>desog-e.estradiol/e.estradiol oral tablet (Azurette (28)) 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>desogestrel-ethinyl estradiol oral tablet (Aprि) 0.15-0.03 mg</i>	2	
<i>drospirenone-e.estradiol-lm.fa oral tablet (Beyaz) 3-0.02-0.451 mg (24) (4)</i>	2	
<i>drospirenone-e.estradiol-lm.fa oral tablet (Tydemy) 3-0.03-0.451 mg (21) (7)</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet (Gianvi (28)) 3-0.02 mg</i>	2	
<i>drospirenone-ethinyl estradiol oral tablet (Ocella) 3-0.03 mg</i>	2	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	2	
ELLA ORAL TABLET 30 MG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>emoquette oral tablet 0.15-0.03 mg</i>	2	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	2	
<i>errin oral tablet 0.35 mg</i>	2	
<i>estarrylla oral tablet 0.25-35 mg-mcg</i>	2	
<i>ethynodiol diac-eth estradiol oral tablet 1- 35 mg-mcg</i> (Kelnor 1/35 (28))	2	
<i>ethynodiol diac-eth estradiol oral tablet 1- 50 mg-mcg</i> (Kelnor 1-50)	2	
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>fayosim oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	2	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	2	
<i>gianvi (28) oral tablet 3-0.02 mg</i>	2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	2	
<i>heather oral tablet 0.35 mg</i>	2	
<i>incassia oral tablet 0.35 mg</i>	2	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	
<i>isibloom oral tablet 0.15-0.03 mg</i>	2	
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	2	
<i>jencycla oral tablet 0.35 mg</i>	2	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	
<i>jolivette oral tablet 0.35 mg</i>	2	
<i>juleber oral tablet 0.15-0.03 mg</i>	2	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>kaitlib fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	2	
<i>kalliga oral tablet 0.15-0.03 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	2	
<i>kimidess (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	2	
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	2	
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	2	
<i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	2	
<i>layolis fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	2	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levora-28 oral tablet 0.15-0.03 mg</i>	2	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	2	
<i>loryna (28) oral tablet 3-0.02 mg</i>	2	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	2	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	2	
<i>lutera (28) oral tablet 0.1-20 mg-mcg</i>	2	
<i>lyza oral tablet 0.35 mg</i>	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>milil oral tablet 0.25-35 mg-mcg</i>	2	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	2	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>necon 7/7/7 (28) oral tablet 0.5/0.75/1 mg-35 mcg</i>	2	
<i>nikki (28) oral tablet 3-0.02 mg</i>	2	
<i>nora-be oral tablet 0.35 mg</i>	2	
<i>norethindrone (contraceptive) oral tablet (Camila) 0.35 mg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet (Aurovela 1.5/30 (21)) 1.5-30 mg-mcg</i>	2	
<i>norethindrone ac-eth estradiol oral tablet (Aurovela 1/20 (21)) 1-20 mg-mcg</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet (Aurovela Fe 1-20 (28)) 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>norethindrone-e.estradiol-iron oral tablet (Aurovela 24 Fe) 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>norgestimate-ethynodiol dihydrodiol oral tablet (Tri-Lo-Estarylla) 0.18/0.215/0.25 mg-25 mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>norgestimate-ethinyl estradiol oral tablet (Tri Femynor) 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>norgestimate-ethinyl estradiol oral tablet (Estarrylla) 0.25-35 mg-mcg</i>	2	
<i>norlyda oral tablet 0.35 mg</i>	2	
<i>norlyroc oral tablet 0.35 mg</i>	2	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	2	
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	3	
<i>ocella oral tablet 3-0.03 mg</i>	2	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	2	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	2	
<i>philith oral tablet 0.4-35 mg-mcg</i>	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	2	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	2	
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	
<i>rajani oral tablet 3-0.02-0.451 mg (24) (4)</i>	2	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	2	
<i>rivilsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	2	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	2	
<i>sharobel oral tablet 0.35 mg</i>	2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	2	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	2	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	2	
<i>syeda oral tablet 3-0.03 mg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	2	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	2	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trinessa lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	2	
<i>tulana oral tablet 0.35 mg</i>	2	
<i>tydemy oral tablet 3-0.03-0.451 mg (21) (7)</i>	2	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
vestura (28) oral tablet 3-0.02 mg	2	
vienna oral tablet 0.1-20 mg-mcg	2	
viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5	2	
vyfemla (28) oral tablet 0.4-35 mg-mcg	2	
vylibra oral tablet 0.25-35 mg-mcg	2	
wera (28) oral tablet 0.5-35 mg-mcg	2	
wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)	2	
xulane transdermal patch weekly 150-35 mcg/24 hr	2	
zarah oral tablet 3-0.03 mg	2	
zenchent (28) oral tablet 0.4-35 mg-mcg	2	
zovia 1/35e (28) oral tablet 1-35 mg-mcg	2	
zumandimine (28) oral tablet 3-0.03 mg	2	

Dental And Oral Agents

Dental And Oral Agents

cevimeline oral capsule 30 mg	(Evoxac)	2	
chlorhexidine gluconate mucous membrane mouthwash 0.12 %	(Paroex Oral Rinse)	2	
denta 5000 plus dental cream 1.1 %		2	
dentagel dental gel 1.1 %		2	
fluoride (sodium) dental cream 1.1 %	(Denta 5000 Plus)	2	
oralone dental paste 0.1 %		2	
paroex oral rinse mucous membrane mouthwash 0.12 %		2	
periogard mucous membrane mouthwash 0.12 %		2	
pilocarpine hcl oral tablet 5 mg, 7.5 mg	(Salagen (pilocarpine))	2	
sf 5000 plus dental cream 1.1 %		2	
triamicinolone acetonide dental paste 0.1 %	(Oralone)	2	

Dermatological Agents

Dermatological Agents, Other

acitretin oral capsule 10 mg	(Soriatane)	5	PA; NM; NDS; QL (60 per 30 days)
acitretin oral capsule 17.5 mg		5	PA; NM; NDS; QL (60 per 30 days)
acitretin oral capsule 25 mg	(Soriatane)	5	PA; NM; NDS
acyclovir topical ointment 5 %	(Zovirax)	2	
ALCOHOL PADS TOPICAL PADS, MEDICATED		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>ammonium lactate topical cream 12 %</i>	(Geri-Hydrolac)	2	
<i>ammonium lactate topical lotion 12 %</i>	(AmLactin)	2	
<i>amnesteem oral capsule 10 mg, 20 mg, 40 mg</i>		2	
<i>azelaic acid topical gel 15 %</i>	(Finacea)	2	
<i>calcipotriene scalp solution 0.005 %</i>		2	
<i>calcipotriene topical cream 0.005 %</i>	(Dovonex)	2	
<i>calcipotriene topical ointment 0.005 %</i>	(Calcitrene)	2	
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i>	(Taclonex)	4	
<i>calcitrene topical ointment 0.005 %</i>		2	
<i>calcitriol topical ointment 3 mcg/gram</i>	(Vectical)	2	
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>		2	
CONDYLOX TOPICAL GEL 0.5 %		3	
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML		5	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML		5	PA; NM; NDS
DENAVIR TOPICAL CREAM 1 %		4	QL (5 per 30 days)
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML		5	PA; NM; NDS; QL (8 per 28 days)
<i>fluorouracil topical cream 0.5 %</i>	(Carac)	2	
<i>fluorouracil topical cream 5 %</i>	(Efudex)	2	
<i>fluorouracil topical solution 2 %, 5 %</i>		2	
<i>imiquimod topical cream in metered-dose pump 3.75 %</i>	(Zyclara)	2	
<i>imiquimod topical cream in packet 5 %</i>	(Aldara)	2	
<i>isotretinoin oral capsule 10 mg, 20 mg, 40 mg</i>	(Amnesteem)	2	
<i>isotretinoin oral capsule 30 mg</i>	(Claravis)	2	
LEVULAN TOPICAL SOLUTION 20 %		4	
<i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i>	(Oxsoralen Ultra)	2	
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>		2	
PANRETIN TOPICAL GEL 0.1 %		5	NM; NDS
PICATO TOPICAL GEL 0.015 %		4	QL (3 per 30 days)
PICATO TOPICAL GEL 0.05 %		4	QL (2 per 30 days)
<i>podofilox topical solution 0.5 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REGRANEX TOPICAL GEL 0.01 %	5	NM; NDS
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	3	
TOLAK TOPICAL CREAM 4 %	4	
UVADEX INJECTION SOLUTION 20 MCG/ML	4	
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NM; LA; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	2	
ZOVIRAX TOPICAL CREAM 5 %	4	QL (5 per 30 days)
ZYCLARA TOPICAL CREAM IN METERED-DOSE PUMP 2.5 %, 3.75 %	4	
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i> (Evoclin)	2	
<i>clindamycin phosphate topical gel 1 %</i> (Cleocin T)	2	
<i>clindamycin phosphate topical lotion 1 %</i> (Cleocin T)	2	
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)	2	
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i>	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzacllin)	2	
<i>ery pads topical swab 2 %</i>	2	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	2	
<i>erythromycin with ethanol topical solution 2 %</i>	2	
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	2	
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin)	2	
<i>gentamicin topical cream 0.1 %</i>	2	
<i>gentamicin topical ointment 0.1 %</i>	2	
<i>metronidazole topical cream 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	2	
<i>metronidazole topical gel 1 %</i> (Metrogel)	2	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	2	
<i>mupirocin calcium topical cream 2 %</i>	2	
<i>mupirocin topical ointment 2 %</i> (Centany)	2	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	2	
<i>rosadan topical cream 0.75 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>selenium sulfide topical lotion 2.5 %</i>	2	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	2	
<i>ssd topical cream 1 %</i>	2	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	2	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %, 2.5 %</i>	2	
<i>ala-scalp topical lotion 2 %</i>	2	
<i>alclometasone topical cream 0.05 %</i>	2	
<i>alclometasone topical ointment 0.05 %</i>	2	
<i>amcinonide topical cream 0.1 %</i>	2	
<i>amcinonide topical lotion 0.1 %</i>	2	
<i>amcinonide topical ointment 0.1 %</i>	2	
<i>betamethasone dipropionate topical cream 0.05 %</i>	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	2	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	2	
<i>betamethasone valerate topical cream 0.1 %</i>	2	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	2	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene)	2	
<i>clobetasol scalp solution 0.05 %</i> (Cormax)	2	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	2	
<i>clobetasol topical foam 0.05 %</i> (Olux)	2	
<i>clobetasol topical gel 0.05 %</i>	2	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	2	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>clobetasol topical shampoo 0.05 %</i>	(Clobex)	2	
<i>clobetasol topical spray,non-aerosol 0.05 %</i>	(Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>		2	
<i>clobetasol-emollient topical foam 0.05 %</i>	(Olux-E)	2	
<i>clocortolone pivalate topical cream 0.1 %</i>	(Cloderm)	2	
<i>cormax scalp solution 0.05 %</i>		2	
<i>desonide topical cream 0.05 %</i>	(Tridesilon)	2	
<i>desonide topical lotion 0.05 %</i>	(DesOwen)	2	
<i>desonide topical ointment 0.05 %</i>		2	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i>	(Topicort)	2	
<i>desoximetasone topical gel 0.05 %</i>	(Topicort)	2	
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i>	(Topicort)	2	
<i>diflorasone topical cream 0.05 %</i>	(Psorcon)	2	
<i>diflurasone topical ointment 0.05 %</i>		2	
<i>ELIDEL TOPICAL CREAM 1 %</i>		4	PA
<i>EUCRISA TOPICAL OINTMENT 2 %</i>		4	PA
<i>fluocinolone 0.01% body oil 0.01 %</i>	(Derma-Smoothe/FS Body Oil)	2	
<i>fluocinolone and shower cap scalp oil 0.01 %</i>	(Derma-Smoothe/FS Scalp Oil)	2	
<i>fluocinolone topical cream 0.01 %</i>		2	
<i>fluocinolone topical cream 0.025 %</i>	(Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	2	
<i>fluocinolone topical solution 0.01 %</i>	(Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>		2	
<i>fluocinonide topical gel 0.05 %</i>		2	
<i>fluocinonide topical ointment 0.05 %</i>		2	
<i>fluocinonide topical solution 0.05 %</i>		2	
<i>fluocinonide-e topical cream 0.05 %</i>		2	
<i>fluticasone propionate topical cream 0.05 %</i>	(Cutivate)	2	
<i>fluticasone propionate topical lotion 0.05 %</i>	(Besar)	2	
<i>fluticasone propionate topical ointment 0.005 %</i>		2	
<i>halobetasol propionate topical cream 0.05 %</i>		2	
<i>halobetasol propionate topical ointment 0.05 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>hydrocort buty 0.1% lipo cream 0.1 %</i>	(Locoid Lipocream)	2	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	(Locoid)	2	
<i>hydrocortisone butyrate topical ointment 0.1 %</i>		2	
<i>hydrocortisone butyrate topical solution 0.1 %</i>	(Locoid)	2	
<i>hydrocortisone topical cream 1 %</i>	(Ala-Cort)	2	
<i>hydrocortisone topical cream 2.5 %</i>		2	
<i>hydrocortisone topical lotion 2.5 %</i>		2	
<i>hydrocortisone topical ointment 1 %</i>	(Anti-Itch (HC))	2	
<i>hydrocortisone topical ointment 2.5 %</i>		2	
<i>hydrocortisone valerate topical cream 0.2 %</i>		2	
<i>hydrocortisone valerate topical ointment 0.2 %</i>		2	
<i>hydrocortisone-pramoxine rectal cream 1- 1 %</i>	(Analpram-HC)	2	
<i>mometasone topical cream 0.1 %</i>	(Elocon)	2	
<i>mometasone topical ointment 0.1 %</i>		2	
<i>mometasone topical solution 0.1 %</i>		2	
<i>pimecrolimus topical cream 1 %</i>	(Elidel)	2	PA
<i>prednicarbate topical cream 0.1 %</i>		2	
<i>prednicarbate topical ointment 0.1 %</i>	(Dermatop)	2	
<i>PROCTOFOAM HC RECTAL FOAM 1- 1 %</i>		4	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>		2	
<i>procto-pak topical cream with perineal applicator 1 %</i>		2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>		2	
<i>protozone-hc topical cream with perineal applicator 2.5 %</i>		2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i>	(Protopic)	2	QL (60 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>		2	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i>	(Triderm)	2	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	2	
<i>trianex topical ointment 0.05 %</i>	2	
<i>triderm topical cream 0.1 %, 0.5 %</i>	2	
<i>TRIDESILON TOPICAL CREAM 0.05 %</i>	2	
Dermatological Retinoids		
<i>adapalene 0.3% gel pump 0.3 % (Differin)</i>	2	
<i>adapalene topical cream 0.1 % (Differin)</i>	2	
<i>adapalene topical gel 0.1 %, 0.3 % (Differin)</i>	2	
<i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 % (Epiduo)</i>	2	
<i>avita topical cream 0.025 %</i>	2	PA
<i>avita topical gel 0.025 %</i>	2	PA
<i>FABIOR TOPICAL FOAM 0.1 %</i>	4	PA
<i>tazarotene topical cream 0.1 % (Avage)</i>	2	
<i>TAZORAC TOPICAL CREAM 0.05 %</i>	4	PA
<i>TAZORAC TOPICAL GEL 0.05 %, 0.1 %</i>	4	PA
<i>tretinooin microspheres topical gel 0.04 %, 0.1 % (Retin-A Micro)</i>	4	PA
<i>tretinooin topical cream 0.025 % (Avita)</i>	2	PA
<i>tretinooin topical cream 0.05 %, 0.1 % (Retin-A)</i>	2	PA
<i>tretinooin topical gel 0.01 % (Retin-A)</i>	2	PA
<i>tretinooin topical gel 0.025 % (Avita)</i>	2	PA
<i>tretinooin topical gel 0.05 % (Atralin)</i>	2	PA
Scabicides And Pediculicides		
<i>lindane topical shampoo 1 %</i>	2	
<i>malathion topical lotion 0.5 % (Ovide)</i>	2	
<i>permethrin topical cream 5 % (Elimite)</i>	2	
<i>spinosad topical suspension 0.9 % (Natroba)</i>	2	
Devices		
Devices		
<i>ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"</i>	3	
<i>BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"</i>	2	
<i>BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"</i>	2	
<i>BD VEO INS SYRINGE 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"</i>	2	
<i>BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"	2	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE	2	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"	2	
NEEDLES, INSULIN DISP., SAFETY	3	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	5	NM; LA; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	5	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	5	PA; NM; NDS
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000- 19,000 -30,000 UNIT	3	
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	4	LA
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	5	PA; NM; NDS
ELELYSO INTRAVENOUS RECON SOLN 200 UNIT	5	PA; NM; LA; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	5	PA; NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	5	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	5	PA; NM; NDS; QL (14 per 28 days)
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG	5	PA; NM; LA; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	5	PA; NM; LA; NDS
<i>miglustat oral capsule 100 mg</i>	(Zavesca)	5
		PA; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	5	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	5	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	5	PA; NM; NDS; QL (15 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	5	PA; NM; NDS; QL (4.5 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML	5	PA; NM; NDS; QL (60 per 30 days)
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	5	PA; NM; LA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA; NM; NDS
REVCOVI INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; NM; LA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	5	PA; NM; LA; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000-47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000- 63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000-10,000- 16,000 UNIT, 40,000- 126,000- 168,000 UNIT, 5,000-17,000 - 27,000 UNIT, 5,000-17,000- 24,000 UNIT	3	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	4	
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	4	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	2	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	2	
<i>azelastine nasal spray,non-aerosol 0.15 % (205.5 mcg)</i>	2	
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	2	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	2	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	5	NM; LA; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	2	
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %, 42 mcg (0.06 %)</i>	2	
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	2	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Patanol)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday)	2	ST
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	2	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	2	
<i>tropicamide ophthalmic (eye) drops 0.5 %</i>	2	
<i>tropicamide ophthalmic (eye) drops 1 %</i> (Mydriacyl)	2	
TYZINE NASAL DROPS 0.1 %	3	
TYZINE NASAL SPRAY,NON-AEROSOL 0.1 %	4	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	2	
AZASITE OPHTHALMIC (EYE) DROPS 1 %	4	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)	2	
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	4	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	2	
BLEPHAMIDE OPHTHALMIC (EYE) DROPS,SUSPENSION 10-0.2 %	4	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BLEPHAMIDE S.O.P. OPHTHALMIC (EYE) OINTMENT 10-0.2 %	3	
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	3	
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	3	
<i>ciprofloxacin hcl ophthalmic (eye) drops</i> (Ciloxan) 0.3 %	2	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2</i> (Cetraxal) %	2	
<i>erythromycin ophthalmic (eye) ointment 5</i> mg/gram (0.5 %)	2	
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	2	
<i>gentak ophthalmic (eye) ointment 0.3 %</i> (3 mg/gram)	2	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	2	
<i>hydrocortisone-acetic acid otic (ear)</i> drops 1-2 %	2	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5</i> (Vigamox) %	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic</i> (Neo-Polycin HC) (eye) ointment 3.5-400-10,000 mg-unit/g- 1%	2	
<i>neomycin-bacitracin-polymyxin</i> (Neo-Polycin) ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g	2	
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %	2	
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) ophthalmic (eye) ointment 3.5 mg/g- 10,000 unit/g-0.1 %	2	
<i>neomycin-polymyxin-gramicidin</i> ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml	2	
<i>neomycin-polymyxin-hc ophthalmic (eye)</i> drops,suspension 3.5-10,000-10 mg-unit- mg/ml	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	2	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflax)</i>	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	2	
PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 %	4	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 % (Bleph-10)</i>	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	2	
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	3	
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	4	
<i>tobramycin ophthalmic (eye) drops 0.3 % (Tobrex)</i>	2	
<i>tobramycin-dexamethasone ophthalmic (TobraDex) (eye) drops,suspension 0.3-0.1 %</i>	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	2	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	4	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALOCRIL OPHTHALMIC (EYE) DROPS 2 %	4	
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	4	
BECONASE AQ NASAL SPRAY,NON-AEROSOL 42 MCG (0.042 %)	4	PA
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	2	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	2	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	4	
FLAREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	4	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	2	
<i>fluocinolone acetonide oil otic (ear) drops (DermOtic Oil) 0.01 %</i>	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 % (FML Liquifilm)</i>	2	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation (24 Hour Allergy Relief)</i>	2	(Rx product only)
FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	4	
FML S.O.P. OPHTHALMIC (EYE) OINTMENT 0.1 %	4	
<i>ketorolac ophthalmic (eye) drops 0.4 % (Acular LS)</i>	2	
<i>ketorolac ophthalmic (eye) drops 0.5 % (Acular)</i>	2	
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	4	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 % (Lotemax)</i>	2	
MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	4	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation (Nasonex)</i>	2	
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 % (Pred Forte)</i>	2	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	2	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	4	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	4	
Gastrointestinal Agents		
Antilulcer Agents And Acid Suppressants		
CARAFATE ORAL SUSPENSION 100 MG/ML	4	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
cimetidine oral tablet 200 mg	(Acid Reducer (cimetidine))	2	
cimetidine oral tablet 300 mg, 400 mg, 800 mg		2	
esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg	(Heartburn Treatment)	2	
esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg	(Nexium)	2	
esomeprazole sodium intravenous recon soln 20 mg		2	PA
esomeprazole sodium intravenous recon soln 40 mg	(Nexium IV)	2	PA
famotidine (pf) intravenous solution 20 mg/2 ml		2	
famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml		2	
famotidine intravenous solution 10 mg/ml		2	
famotidine oral suspension 40 mg/5 ml (8 mg/ml)		2	
famotidine oral tablet 20 mg	(Acid Controller)	1	GC
famotidine oral tablet 40 mg	(Pepcid)	1	GC
lansoprazole oral capsule,delayed release(dr/ec) 15 mg	(Heartburn Treatment 24 Hour)	2	
lansoprazole oral capsule,delayed release(dr/ec) 30 mg	(Prevacid)	2	
misoprostol oral tablet 100 mcg, 200 mcg	(Cytotec)	2	
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 20 MG, 40 MG		4	ST
nizatidine oral capsule 150 mg, 300 mg		2	
nizatidine oral solution 150 mg/10 ml		2	
omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg		1	GC
pantoprazole intravenous recon soln 40 mg	(Protonix)	2	
pantoprazole oral tablet,delayed release (dr/ec) 20 mg, 40 mg	(Protonix)	1	GC
rabeprazole oral tablet,delayed release (dr/ec) 20 mg	(AcipHex)	2	
ranitidine hcl oral syrup 15 mg/ml		2	
ranitidine hcl oral tablet 150 mg	(Acid Control (ranitidine))	1	GC
ranitidine hcl oral tablet 300 mg		1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>sucralfate oral tablet 1 gram</i>	(Carafate)	2	
Gastrointestinal Agents, Other			
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG		3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERISIBLE 200 MG		5	PA; NM; NDS
CHOLBAM ORAL CAPSULE 250 MG, 50 MG		5	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>		2	
<i>cromolyn oral concentrate 100 mg/5 ml</i>	(Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i>		2	
<i>dicyclomine oral solution 10 mg/5 ml</i>		2	
<i>dicyclomine oral tablet 20 mg</i>		2	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>		2	NM; NDS
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i>	(Lomotil)	2	NM; NDS
<i>enulose oral solution 10 gram/15 ml</i>		2	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG		5	PA; NM; LA; NDS
<i>generlac oral solution 10 gram/15 ml</i>		2	
<i>glycopyrrrolate injection solution 0.2 mg/ml</i>		2	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>		2	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>		2	
<i>lactulose oral solution 10 gram/15 ml</i>	(Constulose)	2	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG		3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM		4	PA; QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM		4	PA; QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i>	(Anti-Diarrheal (loperamide))	2	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>		2	
<i>metoclopramide hcl injection solution 5 mg/ml</i>		2	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>		2	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	GC
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	5	PA; NM; LA; NDS; QL (525 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	4	PA; (1 per day); QL (18 per 30 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	4	PA; (1 per day); QL (18 per 30 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	4	PA; (1 per day); QL (12 per 30 days)
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> (Buphenyl)	5	NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	5	NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	2	
<i>sps 15 gm/60 ml suspension 15 gram/60 ml</i>	2	
<i>ursodiol oral capsule 300 mg</i> (Actigall)	2	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	2	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	2	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	4	PA; LA; QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	5	PA; NM; LA; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	4	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	2	
<i>gavilyte-n oral recon soln 420 gram</i>	2	
GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM	4	
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	4	
OSMOPREP ORAL TABLET 1.5 GRAM	4	
<i>peg 3350-electrolytes oral recon soln 236- 22.74-6.74 -5.86 gram</i> (GaviLyte-G)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
peg 3350-electrolytes oral recon soln 240- (Gavilyte-C) 22.72-6.72 -5.84 gram	2	
peg-electrolyte soln oral recon soln 420 (GaviLyte-N) gram	2	
PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM	4	
POLYETHYLENE GLYCOL 3350(BULK) POWDER	2	
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	4	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	4	
trilyte with flavor packets oral recon soln 420 gram	2	
Phosphate Binders		
AURYXIA ORAL TABLET 210 MG IRON	5	PA; NM; NDS; QL (360 per 30 days)
calcium acetate oral capsule 667 mg	2	
calcium acetate oral tablet 667 mg (Calphron)	2	
eliphos oral tablet 667 mg	2	
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	3	
lanthanum oral tablet, chewable 1,000 mg, (Fosrenol) 500 mg, 750 mg	2	
sevelamer carbonate oral powder in (Renvela) packet 0.8 gram, 2.4 gram	2	
sevelamer carbonate oral tablet 800 mg (Renvela)	2	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	5	ST; NM; NDS
Genitourinary Agents		
Antispasmodics, Urinary		
bethanechol chloride oral tablet 10 mg, 25 (Urecholine) mg, 5 mg, 50 mg	2	
flavoxate oral tablet 100 mg	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	3	QL (30 per 30 days)
oxybutynin chloride oral syrup 5 mg/5 ml	2	
oxybutynin chloride oral tablet 5 mg	2	
oxybutynin chloride oral tablet extended (Ditropan XL) release 24hr 10 mg, 5 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>		2	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)		2	QL (30 per 30 days)
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)		2	QL (30 per 30 days)
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)		2	
<i>trospium oral capsule,extended release 24hr 60 mg</i>		2	
<i>trospium oral tablet 20 mg</i>		2	
VESICARE ORAL TABLET 10 MG, 5 MG		3	
Genitourinary Agents, Miscellaneous			
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)		1	GC
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)		2	
<i>finasteride oral tablet 5 mg</i> (Proscar)		1	GC
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)		1	GC
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>		1	GC
Heavy Metal Antagonists			
Heavy Metal Antagonists			
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)		5	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)		2	PA BvD; (PA for ESRD only)
DEPEN TITRATABS ORAL TABLET 250 MG		4	
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG		5	PA; NM; LA; NDS
FERRIPROX ORAL TABLET 1,000 MG, 500 MG		5	PA; NM; LA; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG		5	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG		5	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Clovique)		5	PA; NM; NDS
Hormonal Agents, Stimulant/Replacement/Modifying			
Androgens			
ANADROL-50 ORAL TABLET 50 MG		3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	4	NM; NDS
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	4	NM; NDS
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	4	NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	2	
METHITEST ORAL TABLET 10 MG	4	NM; NDS
<i>oxandrolone oral tablet 10 mg, 2.5 mg (Oxandrin)</i>	2	NM; NDS
<i>testosterone cypionate intramuscular oil 100 mg/ml (Depo-Testosterone)</i>	2	NM; NDS
<i>testosterone cypionate intramuscular oil 200 mg/ml (Depo-Testosterone)</i>	2	NM; NDS
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	2	NM; NDS
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i>	2	NM; NDS
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>	2	NM; NDS
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i>	2	NM; NDS
<i>testosterone transdermal gel in packet 1 % (AndroGel) (25 mg/2.5gram), 1 % (50 mg/5 gram), 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)</i>	2	NM; NDS
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	
DUAVEE ORAL TABLET 0.45-20 MG	4	PA
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg (Estrace)</i>	2	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i>	(Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i>	(YuvaFem)	2	
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i>	(Delestrogen)	2	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	(Amabelz)	2	
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)		4	
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>		2	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR		4	QL (1 per 90 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>		2	
<i>jinteli oral tablet 1-5 mg-mcg</i>		2	
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>		2	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG		4	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>		2	
<i>mimvey oral tablet 1-0.5 mg</i>		2	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	(Fyavolv)	2	
PREMARIN INJECTION RECON SOLN 25 MG		3	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG		3	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM		3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)		3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG		3	
<i>raloxifene oral tablet 60 mg</i>	(Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i>		2	
Glucocorticoids/Mineralocorticoids			
<i>a-hydrocort injection recon soln 100 mg</i>		2	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i>	(Celestone Soluspan)	2	
<i>cortisone oral tablet 25 mg</i>		2	
<i>deltasone oral tablet 20 mg</i>		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML <i>dexamethasone oral elixir 0.5 mg/5 ml</i>	4 2	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i>	2	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	2	PA BvD
<i>dexamethasone oral tablets,dose pack 1.5 mg (21 tabs)</i>	2	
<i>dexamethasone oral tablets,dose pack 1.5 mg (35 tabs)</i>	2	
<i>dexamethasone oral tablets,dose pack 1.5 mg (51 tabs)</i>	2	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	2	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	2	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	5	PA; NM; LA; NDS
EMFLAZA ORAL TABLET 18 MG	5	PA; NM; LA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 6 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
EMFLAZA ORAL TABLET 36 MG	5	PA; NM; LA; NDS
<i>fludrocortisone oral tablet 0.1 mg</i>	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i>	2	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i>	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i>	2	
<i>methylprednisolone sodium succ recon soln 125 mg, 40 mg</i>	2	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg</i>	2	
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>		2	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i>	(Pediapred)	2	PA BvD
<i>prednisolone sodium phosphate oral tablet,disintegrating 10 mg, 15 mg, 30 mg</i>	(Orapred ODT)	2	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>		2	PA BvD
<i>prednisone oral tablet 1 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>		2	PA BvD
<i>prednisone oral tablet 10 mg</i>		2	PA BvD
<i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>		2	
<i>SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML</i>		3	
<i>SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML</i>		3	
<i>SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML</i>		3	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i>	(Kenalog)	2	
Pituitary			
<i>CHORIONIC GONADOTROPIN, HUMAN INTRAMUSCULAR RECON SOLN 10,000 UNIT</i>	(Novarel)	4	PA
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	(DDAVP)	2	
<i>desmopressin injection solution 4 mcg/ml</i>	(DDAVP)	2	
<i>desmopressin nasal solution 0.1 mg/ml (refrigerate)</i>	(DDAVP)	2	
<i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>		2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i>	(DDAVP)	2	
<i>INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML</i>		5	NM; NDS
<i>LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG</i>		5	NM; NDS
<i>LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG</i>		5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	4	PA; NDS; QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	4	PA; NDS; QL (30 per 30 days)
NOCTIVA NASAL SPRAY,NON-AEROSOL 0.83 MCG/SPRAY (0.1 ML), 1.66 MCG/SPRAY (0.1 ML)	4	PA; QL (3.8 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	4	PA
<i>octreotide acetate injection solution 1,000 mcg/ml</i>	5	NM; NDS
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml</i> (Sandostatin)	2	
<i>octreotide acetate injection solution 200 mcg/ml</i>	2	
<i>octreotide acetate injection solution 500 mcg/ml</i> (Sandostatin)	5	NM; NDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	2	
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	5	NM; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NM; NDS; QL (30 per 30 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NM; NDS; QL (60 per 30 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NM; NDS
SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10 MG, 20 MG, 30 MG, 40 MG, 60 MG	5	PA; NM; LA; NDS; QL (1 per 28 days)
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NM; LA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	5	NM; NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	4	PA
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	5	NM; NDS
VANTAS IMPLANT KIT 50 MG (50 MCG/DAY)	4	
VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML	4	
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	5	PA; NM; NDS
Progestins		
CRINONE VAGINAL GEL 4 %, 8 %	4	PA
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	4	
<i>hydroxyprogesterone (pf) (preg presv) intramuscular oil 250 mg/ml (1 ml)</i>	5	NM; NDS
<i>hydroxyprogesterone cap (ppres) intramuscular oil 250 mg/ml</i>	5	NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i>	2	
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i>	2	
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i>	2	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	2	
<i>megestrol oral suspension 625 mg/5 ml</i>	2	
<i>norethindrone acetate oral tablet 5 mg</i>	2	
<i>progesterone intramuscular oil 50 mg/ml</i>	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i>	2	
Thyroid And Antithyroid Agents		
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	4	
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	2	
<i>levothyroxine intravenous solution 100 mcg/ml, 20 mcg/ml, 40 mcg/ml</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i>	(Levo-T)	1	GC
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG		4	
<i>liothyronine intravenous solution 10 mcg/ml</i>	(Triostat)	2	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i>	(Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i>	(Tapazole)	2	
<i>propylthiouracil oral tablet 50 mg</i>		2	
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG		4	
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG		4	
Immunological Agents			
Immunological Agents			
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML		5	PA; NM; NDS; QL (3.6 per 28 days)
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)		5	PA; NM; NDS; QL (40 per 30 days)
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML		5	PA; NM; NDS; QL (3.6 per 28 days)
ANTIVENIN LATRODECTUS MACTANS INJECTION RECON SOLN 6,000 UNIT		4	
ANTIVENIN, MICRURUS FULVIUS INJECTION RECON SOLN		4	
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG		5	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	4	PA BvD
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	3	
AZASAN ORAL TABLET 100 MG, 75 MG	4	PA BvD
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	2	PA BvD
BIVIGAM INTRAVENOUS SOLUTION 10 %	5	PA; NM; NDS
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	5	PA; NM; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NM; NDS; QL (3 per 28 days)
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NM; NDS; QL (3 per 28 days)
CUTAQUIG SUBCUTANEOUS SOLUTION 16.5 %	5	PA; NM; NDS
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	5	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	2	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	2	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	2	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	2	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	2	PA BvD
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	5	PA; NM; NDS; QL (4.56 per 28 days)
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NM; NDS; (4 syringes); QL (8 per 28 days)
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	5	PA; NM; NDS; (8 vials); QL (8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5)	5	PA; NM; NDS; QL (8.16 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML (1 ML)	5	PA; NM; NDS; (4 syringes); QL (8 per 28 days)
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NM; NDS; (4 syringes); QL (8 per 28 days)
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	4	PA NSO
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	5	PA; NM; NDS
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15-18 % RANGE	3	PA
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	5	PA; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	5	PA; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	5	PA; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	5	PA; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	2	PA BvD
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	5	PA; NM; NDS
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; QL (3 per 28 days)
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 PACK)	5	PA; NM; NDS; QL (6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; (Starter Kit); QL (6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; QL (4 per 28 days)
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NM; NDS; QL (4 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	5	PA; NM; NDS; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NM; NDS; QL (4 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML	5	PA; NM; NDS; QL (3 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; QL (2 per 28 days)
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NM; NDS; QL (6 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NM; NDS; QL (4 per 28 days)
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	5	PA; NM; NDS; QL (4 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	5	PA; NM; NDS; QL (2 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	5	PA; NM; NDS; QL (4 per 28 days)
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	5	PA; NM; LA; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	5	PA; NM; LA; NDS; QL (2 per 28 days)
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	5	PA; NM; LA; NDS; QL (2 per 28 days)
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS; QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	5	PA; NM; NDS; QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i>	2	PA BvD
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	2	PA BvD
<i>mycophenolate sodium oral tablet,delayed release (dr/ec) 180 mg, 360 mg</i>	2	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA NSO; NM; NDS
OLUMIANT ORAL TABLET 2 MG	5	PA; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	5	PA; NM; NDS; QL (1.6 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	5	PA; NM; NDS; QL (2.8 per 28 days)
OTEZLA ORAL TABLET 30 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)	5	PA; NM; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG(19)	5	PA; NM; LA; NDS; QL (60 per 30 days)
PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML)	5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PRIVIGEN INTRAVENOUS SOLUTION 10 %	5	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RAPAMUNE ORAL SOLUTION 1 MG/ML	4	PA BvD
RIDAURA ORAL CAPSULE 3 MG	3	
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML	5	PA; NM; NDS; (1 syringe); QL (0.5 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML	5	PA; NM; NDS; (1 syringe); QL (0.5 per 28 days)
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	2	PA BvD
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	5	PA; NM; NDS; QL (1 per 28 days)
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	5	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	5	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	5	NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	5	PA; NM; LA; NDS
VARIZIG INTRAMUSCULAR SOLUTION 125 UNIT/1.2 ML	4	
XELJANZ ORAL TABLET 10 MG, 5 MG	5	PA; NM; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	5	PA; NM; NDS; QL (30 per 30 days)
ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML	5	PA; NM; NDS
ZORTRESS ORAL TABLET 0.25 MG	4	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NM; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF- (2.5-5-3-5 MCG)-5LF/0.5 ML	3	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	4	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	4	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	3	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15- 10-5 LF-MCG-LF/0.5ML	3	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	4	
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	4	
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	3	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	3	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	3	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	3	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	3	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	4	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	4	
TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	3	
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	4	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	4	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	4	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	3	
Inflammatory Bowel Disease Agents		
Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	2	QL (60 per 30 days)
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	4	
CANASA RECTAL SUPPOSITORY 1,000 MG	4	
<i>colocort rectal enema 100 mg/60 ml</i>	2	
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	3	
DIPENTUM ORAL CAPSULE 250 MG	4	
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicrol)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	2	
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i> (Asacol HD)	2	
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	2	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	2	
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG	4	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	2	
<i>ringer's irrigation solution</i>	2	
<i>sodium chloride irrigation solution 0.9 %</i> (Aqua Care Sodium Chloride)	2	
<i>sorbitol irrigation solution 3 %, 3.3 %</i>	2	
<i>sorbitol-mannitol transurethral solution 2.7-0.54 gram/100 ml</i>	2	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	2	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	2	
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	GC; QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	GC; QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	2	
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	GC; QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	2	
<i>calcitriol intravenous solution 1 mcg/ml</i>	2	PA BvD; (PA for ESRD only)
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	PA BvD; (PA for ESRD only)
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	2	PA BvD; (PA for ESRD only)
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	2	PA BvD; QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg, 90 mg</i> (Sensipar)	5	PA BvD; NM; NDS
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	4	PA BvD; (PA for ESRD only)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	4	PA BvD; (PA for ESRD only)
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	2	
<i>EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML</i>	5	PA; NM; NDS; QL (2.34 per 30 days)
<i>EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)</i>	5	PA; NM; NDS; QL (2.34 per 30 days)
<i>FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML</i>	5	PA; NM; NDS; QL (2.4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT	3	
<i>ibandronate intravenous solution 3 mg/3 ml</i>	2	PA
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	2	PA
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	3	PA BvD; (PA for ESRD only)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	5	PA; NM; LA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	2	PA BvD; (PA for ESRD only)
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	2	PA BvD; (PA for ESRD only)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	4	PA BvD; (PA for ESRD only)
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	3	PA BvD; (PA for ESRD only)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	2	PA BvD; (PA for ESRD only)
<i>paricalcitol oral capsule 4 mcg</i>	2	PA BvD; (PA for ESRD only)
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	4	PA
<i>risedronate oral tablet 150 mg, 35 mg, 5 mg</i> (Actonel)	2	
<i>risedronate oral tablet 30 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	2	
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	2	QL (4 per 28 days)
SENSIPAR ORAL TABLET 30 MG	3	PA BvD; (PA for ESRD only); QL (60 per 30 days)
SENSIPAR ORAL TABLET 60 MG, 90 MG	5	PA BvD; NM; NDS; (PA for ESRD only)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NM; NDS; QL (1.56 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA NSO; NM; NDS
zoledronic acid intravenous recon soln 4 mg	2	
zoledronic acid intravenous solution 4 mg/5 ml	2	
zoledronic acid-mannitol-water (Reclast) intravenous piggyback 5 mg/100 ml	2	
zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml	2	
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	NM; LA; NDS
amifostine crystalline intravenous recon soln 500 mg (Ethyol)	2	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	5	PA; NM; LA; NDS
BENLYSTA SUBCUTANEOUS AUTO- INJECTOR 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NM; NDS; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	5	PA; NM; NDS; QL (28 per 28 days)
CRYSVITA SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NM; NDS; QL (2 per 28 days)
CRYSVITA SUBCUTANEOUS SOLUTION 20 MG/ML	5	PA; NM; NDS; QL (8 per 28 days)
CRYSVITA SUBCUTANEOUS SOLUTION 30 MG/ML	5	PA; NM; NDS; QL (6 per 28 days)
dexrazoxane hcl intravenous recon soln 250 mg, 500 mg (Zinecard (as HCl))	2	
droperidol injection solution 2.5 mg/ml	2	
ELMIRON ORAL CAPSULE 100 MG	3	
ENDARI ORAL POWDER IN PACKET 5 GRAM	5	PA; NM; NDS; QL (180 per 30 days)
ergoloid oral tablet 1 mg	2	
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	5	PA; NM; LA; NDS
FIRDAPSE ORAL TABLET 10 MG	5	PA; NM; NDS; QL (240 per 30 days)
fomepizole intravenous solution 1 gram/ml	5	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
guanidine oral tablet 125 mg	2	
hydroxyzine pamoate oral capsule 100 mg	2	
hydroxyzine pamoate oral capsule 25 mg, (Vistaril) 50 mg	2	
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	5	NM; NDS
leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg	2	
leucovorin calcium injection solution 10 mg/ml	2	
leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg	2	
levocarnitine (with sugar) oral solution (Carnitor) 100 mg/ml	2	PA BvD; (PA for ESRD only)
levocarnitine oral tablet 330 mg (Carnitor)	2	PA BvD; (PA for ESRD only)
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	4	
levoleucovorin calcium intravenous recon (Fusilev) soln 50 mg	2	
levoleucovorin calcium intravenous solution 10 mg/ml	5	NM; NDS
mesna intravenous solution 100 mg/ml (Mesnex)	2	
MESNEX ORAL TABLET 400 MG	4	
methylergonovine injection solution 0.2 mg/ml (1 ml)	2	
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	5	PA; NM; LA; NDS
ONPATTRO INTRAVENOUS SOLUTION 2 MG/ML	5	PA; NM; NDS; QL (15 per 21 days)
PROGLYCEM ORAL SUSPENSION 50 MG/ML	3	
pyridostigmine bromide oral tablet 30 mg	2	
pyridostigmine bromide oral tablet 60 mg (Mestinon)	2	
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	5	PA BvD; NM; NDS
TAKHYZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	5	PA; NM; NDS; QL (4 per 28 days)
TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML	5	PA; NM; NDS; QL (6 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	5	NM; NDS
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	2	
<i>acetazolamide sodium injection recon soln 500 mg</i>	2	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	3	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	2	
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	4	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.15 % (Alphagan P)</i>	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	2	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	GC
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	4	
<i>dorzolamide ophthalmic (eye) drops 2 % (Trusopt)</i>	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i>	2	
<i>latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)</i>	1	GC
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	4	ST
<i>methazolamide oral tablet 25 mg, 50 mg</i>	2	
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	2	
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	4	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>	2	
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 % (Timoptic)</i>	1	GC

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i>	(Istalol)	1	GC
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %</i>	(Timoptic-XE)	2	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.5 %</i>	(Timoptic-XE)	2	
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %		3	
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %		4	ST
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %		3	
Replacement Preparations			
Replacement Preparations			
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>		2	
<i>calcium gluconate intravenous solution 100 mg/ml (10%)</i>		2	
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>		2	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>		2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>		2	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>		2	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>		2	
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>		2	
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>		2	
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>		2	
<i>dextrose with sodium chloride intravenous parenteral solution 5-0.2 %</i>		2	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>		2	
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ		2	
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	2	
<i>klor-con sprinkle oral capsule, extended release 10 meq, 8 meq</i>	2	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	2	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	2	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	2	
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	2	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	2	
<i>potassium acetate intravenous solution 2 meq/ml</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml</i>	2	
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral capsule, extended release 10 meq</i>	2	
<i>potassium chloride oral capsule, extended release 8 meq (Klor-Con Sprinkle)</i>	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	2	
<i>potassium chloride oral packet 20 meq (Klor-Con)</i>	2	
<i>potassium chloride oral tablet extended release 10 meq (Klor-Con 10)</i>	2	
<i>potassium chloride oral tablet extended release 20 meq (K-Tab)</i>	2	
<i>potassium chloride oral tablet extended release 8 meq (Klor-Con 8)</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq (Klor-Con M10)</i>	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq (Klor-Con M20)</i>	2	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	2	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	2	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg) (Urocit-K 10)</i>	2	
<i>potassium citrate oral tablet extended release 15 meq (Urocit-K 15)</i>	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg) (Urocit-K 5)</i>	2	
<i>ringer's intravenous parenteral solution</i>	2	
<i>sodium acetate intravenous solution 2 meq/ml</i>	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	2	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	
<i>sodium chloride 3 % intravenous parenteral solution 3 %</i>	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sodium chloride 5 % intravenous parenteral solution 5 %	2	
sodium chloride intravenous parenteral solution 2.5 meq/ml	2	
sodium lactate intravenous solution 5 meq/ml	2	
sodium phosphate intravenous solution 3 mmol/ml	2	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE	3	
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 500-50 MCG/DOSE	3	
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	3	
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	3	
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION	4	
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 110 MCG/ ACTUATION (7), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	4	
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	(Pulmicort)	2	PA BvD
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION		3	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 250 MCG/ACTUATION		3	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/ACTUATION		3	
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION, 44 MCG/ACTUATION		3	
<i>fluticasone propion-salmeterol inhalation aerosol powdr breath activated 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation</i>	(AirDuo RespiClick)	2	QL (1 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>	(Wixela Inhub)	2	QL (60 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION		3	
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION		3	
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION		4	ST
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i>		2	QL (60 per 30 days)
Antileukotrienes			
<i>montelukast oral granules in packet 4 mg</i>	(Singulair)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>montelukast oral tablet 10 mg</i>	(Singulair)	2	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i>	(Singulair)	2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i>	(Accolate)	2	
<i>zileuton oral tablet, er multiphase 12 hr 600 mg</i>		4	QL (120 per 30 days)
Bronchodilators			
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i>	(ProAir HFA)	2	
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503), 90 mcg/actuation (nda020983)</i>		2	
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml</i>		2	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>		2	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>		2	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>		2	
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>		2	
<i>ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION</i>		3	
<i>ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION</i>		3	
<i>BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML</i>		4	PA
<i>COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION</i>		3	
<i>elixophyllin oral elixir 80 mg/15 ml</i>		2	
<i>INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION</i>		3	
<i>ipratropium bromide inhalation solution 0.02 %</i>		2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>		2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i>	(Xopenex)	2	PA BvD
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i>	(Xopenex Concentrate)	2	PA BvD
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i>	(Xopenex HFA)	2	
<i>metaproterenol oral syrup 10 mg/5 ml</i>		2	
<i>metaproterenol oral tablet 10 mg, 20 mg</i>		2	
PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML		4	PA
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION		3	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION		3	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE		3	
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION		3	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION		3	
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG		3	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION		3	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION		3	
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>		2	
<i>terbutaline subcutaneous solution 1 mg/ml</i>		2	
<i>theophylline in dextrose 5 % intravenous parenteral solution 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml</i>		2	
<i>theophylline oral solution 80 mg/15 ml</i>		2	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg</i>	(Theochron)	2	
<i>theophylline oral tablet extended release 12 hr 450 mg</i>		2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	2	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	QL (60 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION, 400 MCG/ACTUATION (30 ACTUAT)	4	ST
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	3	
YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML	5	PA BvD; NM; NDS; QL (90 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i> (Acetadote)	2	
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	2	PA BvD
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	5	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	2	PA BvD
DALIRESP ORAL TABLET 250 MCG, 500 MCG	4	PA; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	5	PA; NM; LA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	5	PA; NM; LA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	5	PA; NM; LA; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	5	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	5	PA; NM; NDS; QL (60 per 30 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NM; NDS; QL (60 per 30 days)
NUCALA SUBCUTANEOUS AUTO- INJECTOR 100 MG/ML	5	PA; NM; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; NM; LA; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; NM; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	5	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NM; LA; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	5	PA; NM; LA; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	5	PA; NM; NDS; QL (60 per 30 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	5	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	2	
<i>chlorzoxazone oral tablet 500 mg</i>	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	2	
<i>dantrolene oral capsule 100 mg</i>	2	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	2	
<i>metaxalone oral tablet 400 mg</i>	2	
<i>metaxalone oral tablet 800 mg</i> (Metaxall)	2	
<i>methocarbamol injection solution 100 mg/ml</i> (Robaxin)	2	
<i>methocarbamol oral tablet 500 mg</i>	2	
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	2	
<i>orphenadrine citrate injection solution 30 mg/ml</i>	2	
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	2	
<i>revonto intravenous recon soln 20 mg</i>	2	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	2	
<i>tizanidine oral tablet 2 mg</i>	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>eszopiclone oral tablet 1 mg, 2 mg</i>	(Lunesta)	2	PA; NM; NDS; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)
HETLIOZ ORAL CAPSULE 20 MG		5	PA; NM; LA; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg, 200 mg</i>	(Provigil)	2	PA; NM; NDS
<i>ramelteon oral tablet 8 mg</i>	(Rozerem)	2	ST; QL (30 per 30 days)
ROZEREM ORAL TABLET 8 MG		4	ST; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG		3	QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML		5	NM; LA; NDS
<i>zaleplon oral capsule 10 mg, 5 mg</i>		2	PA; NM; NDS; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)
<i>zolpidem oral tablet 10 mg, 5 mg</i>	(Ambien)	2	PA; NM; NDS; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i>	(Ambien CR)	2	PA; NM; NDS; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)

Vasodilating Agents

Vasodilating Agents

ADCIRCA ORAL TABLET 20 MG		5	PA; NM; NDS; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG		5	PA; NM; LA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>		5	PA; NM; NDS; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i>	(Letairis)	5	PA; NM; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i>	(Tracleer)	5	PA; NM; NDS; QL (60 per 30 days)
CIALIS ORAL TABLET 2.5 MG, 5 MG		4	PA; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i>	(Flolan)	2	PA; LA
LETAIRIS ORAL TABLET 10 MG, 5 MG		5	PA; NM; LA; NDS; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG		5	PA; NM; NDS
REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML		5	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml (Revatio)	2	PA
sildenafil (pulm.hypertension) oral suspension for reconstitution 10 mg/ml (Revatio)	5	PA; NM; NDS
sildenafil (pulm.hypertension) oral tablet 20 mg (Revatio)	2	PA
tadalafil (pulm. hypertension) oral tablet 20 mg (Adcirca)	5	PA; NM; NDS; QL (60 per 30 days)
tadalafil oral tablet 2.5 mg, 5 mg (Cialis)	2	PA; QL (30 per 30 days)
TRACLEER ORAL TABLET 125 MG, 62.5 MG	5	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	5	PA; NM; NDS; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	5	PA; NM; LA; NDS; QL (81.2 per 28 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NM; LA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NM; LA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NM; LA; NDS; QL (200 per 180 days)
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	5	PA; NM; LA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
FLUORIDE (SODIUM) ORAL TABLET 1 MG (2.2 MG SOD. FLUORIDE)	2	
LUIDENT FLUORIDE 1 MG TAB CHEW D/F, S/F, CHEWABLE (RX) 1 MG (2.2 MG SOD. FLUORIDE)	2	
pnv prenatal plus multivit tab s/f, gluten-free (rx) 27 mg iron- 1 mg	2	
prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

A

abacavir 59
 abacavir-lamivudine 60
 abacavir-lamivudine-zidovudine 60
ABELCET 47
ABILIFY MAINTENA 55
ABILIFY MYCITE 55
 abiraterone 20
ABRAXANE 20
 acamprostate 9
 acarbose 42
 acebutolol 74
 acetaminophen-codeine 3
 acetazolamide 131
 acetazolamide sodium 131
 acetic acid 102, 127
 acetylcysteine 139
 acitretin 93
ACTEMRA 117
ACTEMRA ACTPEN 117
ACTHIB (PF) 123
ACTIMMUNE 129
ACTOPLUS MET XR 42
 acyclovir 64, 93
 acyclovir sodium 65
ADACEL(TDAP
 ADOLESN/ADULT)(PF) 123
ADAGEN 100
 adapalene 99
 adapalene-benzoyl peroxide 99
ADASUVE 56
ADCIRCA 141
 adefovir 65
ADEMPAS 141
 adrucil 20
ADVAIR DISKUS 135

ADVAIR HFA 135
 afeditab cr 78
AFINITOR 20
AFINITOR DISPERZ 20
 afirmelle 86
 a-hydrocort 112
AIMOVIG AUTOINJECTOR 50
AIMOVIG AUTOINJECTOR
 (2 PACK) 50
AJOVY 50
AKTEN (PF) 101
AKYNZEO (NETUPITANT) 52
 ala-cort 96
 ala-scalp 96
 albendazole 53
ALBENZA 53
 albuterol sulfate 137
 alclometasone 96
ALCOHOL PADS 93
ALDACTAZIDE 78
ALDURAZYME 100
ALECENSA 20
 alendronate 127
 alfuzosin 110
ALIMTA 20
ALINIA 53
ALIQOPA 20
 aliskiren 81
 allopurinol 49
 almotriptan malate 50
ALOCRIL 104
ALOMIDE 101
 alosetron 126
ALPHAGAN P 131
 alprazolam 10
ALPRAZOLAM INTENSOL 10
ALREX 104
 altavera (28) 86
ALUNBRIG 20
 alyacen 1/35 (28) 86
 alyacen 7/7/7 (28) 86
 alyq 141
 amabelz 111
 amantadine hcl 54
AMBISOME 47
 ambrisentan 141
 amcinonide 96
 amethia 86
 amethia lo 86
 amifostine crystalline 129
 amikacin 12
 amiloride 78
 amiloride-hydrochlorothiazide 78
 aminocaproic acid 68
 aminophylline 137
AMINOSYN 10 % 69
AMINOSYN 7 % WITH
 ELECTROLYTES 69
AMINOSYN 8.5 % 69
AMINOSYN II 10 % 69
AMINOSYN II 15 % 69
AMINOSYN II 7 % 69
AMINOSYN II 8.5 %
 ELECTROLYTES 69
AMINOSYN M 3.5 % 69
AMINOSYN-HBC 7% 69
AMINOSYN-PF 10 % 69
AMINOSYN-PF 7 %
 (SULFITE-FREE) 70
AMINOSYN-RF 5.2 % 70
 amiodarone 73
AMITIZA 107

amitriptyline	39	ARCALYST	117	ayuna	86
amitriptyline-chlordiazepoxide	39	aripiprazole	56	azacitidine	21
amlodipine	78	ARISTADA	56	AZASAN	118
amlodipine-atorvastatin.....	79	ARISTADA INITIO.....	56	AZASITE	102
amlodipine-benazepril.....	78	armodafinil.....	140	azathioprine.....	118
amlodipine-valsartan	78	ARNUITY ELLIPTA	135	azathioprine sodium	118
amlodipine-valsartan-hcthiazid	78	ARRANON	20	azelaic acid.....	94
ammonium lactate	94	arsenic trioxide	20	azelastine.....	102
amnesteem.....	94	ARZERRA.....	20	azithromycin	15
amoxapine	39	ashlyna	86	AZOPT	131
amoxicillin.....	16	ASMANEX HFA	135	aztreonam.....	16
amoxicillin-pot clavulanate...16,	17	ASMANEX TWISTHALER135		azurette (28)	86
amphotericin b.....	47	aspirin-dipyridamole.....	69	B	
ampicillin.....	17	ASSURE ID INSULIN		baciim.....	12
ampicillin sodium.....	17	SAFETY	99	bacitracin.....	12, 102
ampicillin-sulbactam	17	ASTAGRAF XL.....	118	bacitracin-polymyxin b	102
AMPYRA	82	atazanavir.....	60	baclofen.....	140
ANADROL-50	110	atenolol	74	balsalazide.....	126
anagrelide	68	atenolol-chlorthalidone.....	74	BALVERSA	21
anastrozole.....	20	ATGAM.....	118	balziva (28)	86
ANDRODERM	111	atomoxetine	82	BANZEL.....	34
ANDROGEL.....	111	atorvastatin.....	79	BARACLUDE	65
ANORO ELLIPTA	137	atovaquone	53	BAVENCIO	21
ANTIVENIN LATRODECTUS MACTANS	117	atovaquone-proguanil	53	BAXDELA	18
ANTIVENIN, MICRURUS FULVIUS	117	ATRIPLA	60	BCG VACCINE, LIVE (PF)	123
ANZEMET	52	atropine	34, 102	BD ULTRA-FINE NANO PEN NEEDLE	99
APLENZIN	39	ATROVENT HFA.....	137	BD VEO INSULIN SYR HALF UNIT	99
APOKYN	54	AUBAGIO	82	BD VEO INSULIN SYRINGE UF	99
apraclonidine	101	aubra	86	BECONASE AQ	104
aprepitant.....	52	aurovela 1.5/30 (21).....	86	bekyree (28)	86
apri.....	86	aurovela 1/20 (21).....	86	BELEODAQ	21
APTIOM.....	34	aurovela 24 fe	86	benazepril.....	72
APTIVUS	60	aurovela fe 1.5/30 (28).....	86	benazepril-hydrochlorothiazide	72
ARALAST NP	139	aurovela fe 1-20 (28)	86	BENDEKA	21
aranelle (28).....	86	AURYXIA.....	109	BENLYSTA.....	129
ARANESP (IN POLYSORBATE).....	67	AUSTEDO.....	82	benztropine.....	54
		AVASTIN.....	21	BESIVANCE	102
		aviane	86	BESPONSA	21
		avita	99		
		AVONEX	82		
		AVONEX (WITH ALBUMIN)			
		82		

betamethasone acet,sod phos.....112
 betamethasone dipropionate.....96
 betamethasone valerate96
 betamethasone, augmented.....96
 BETASERON82
 betaxolol74, 131
 bethanechol chloride109
 BETHKIS12
 BETOPTIC S.....131
 BEVYXXA65
 bexarotene21
 BEXSERO.....123
 bicalutamide21
 BICILLIN L-A17
 BICNU21
 BIKTARVY60
 BILTRICIDE.....53
 bimatoprost.....131
 bisoprolol fumarate74
 bisoprolol-hydrochlorothiazide
 74
 BIVIGAM118
 bleomycin21
 bleph-10.....102
 BLEPHAMIDE102
 BLEPHAMIDE S.O.P.....103
 BLINCYTO.....21
 blisovi 24 fe87
 blisovi fe 1.5/30 (28)87
 blisovi fe 1/20 (28)87
 BONJESTA.....52
 BOOSTRIX TDAP123
 BORTEZOMIB21
 bosentan.....141
 BOSULIF21
 BRAFOTOVI.....21
 BREO ELLIPTA.....135
 briellyn87
 BRILINTA69
 brimonidine131
 BRIVIACT34, 35
 bromfenac.....104

bromocriptine.....54
 BROVANA137
 budesonide126, 136
 bumetanide.....78
 buprenorphine.....3
 buprenorphine hcl3, 9
 buprenorphine-naloxone9
 bupropion hcl.....39
 bupropion hcl (smoking deter) 9
 buspirone10
 busulfan21
 butalbital-acetaminophen.....3
 butalbital-acetaminophen-caff. 3
 butalbital-aspirin-caffeine.....3
 butorphanol tartrate.....3
 BYDUREON42
 BYDUREON BCISE.....42
 BYETTA42, 43
C
 cabergoline.....54
 CABLIVI129
 CABOMETYX21
 caffeine citrate83
 calcipotriene.....94
 calcipotriene-betamethasone . 94
 calcitonin (salmon)127
 calcitrene.....94
 calcitriol94, 127
 calcium acetate109
 calcium chloride132
 calcium gluconate132
 CALQUENCE22
 camila.....87
 camrese87
 camrese lo.....87
 CANASA.....126
 candesartan71
 candesartan-hydrochlorothiazid
 71
 capacet3
 CAPASTAT51
 CAPRELSA.....22

captopril72
 captopril-hydrochlorothiazide 72
 CARAFATE105
 CARBAGLU.....107
 carbamazepine.....35
 carbidopa54
 carbidopa-levodopa54
 carbidopa-levodopa-entacapone
 54, 55
 carboplatin.....22
CARIMUNE NF
 NANOFILTERED118
 carmustine22
 carteolol.....131
 cartia xt.....75
 carvedilol.....74
 caspofungin47
 CAYSTON.....16
 caziant (28).....87
 cefaclor14
 cefadroxil14
 cefazolin14
 cefdinir14
 cefeditoren pivoxil14
 cefepime14
 cefotaxime14
 cefotetan14
 cefoxitin14
 cefpodoxime14
 cefprozil14
 ceftazidime15
 ceftriaxone15
 cefuroxime axetyl15
 cefuroxime sodium15
 celecoxib7
 CELONTIN35
 cephalixin15
 CEREZYME100
 cetirizine49
 cevimeline93
 CHANTIX.....9

CHANTIX CONTINUING MONTH BOX.....	9
CHANTIX STARTING MONTH BOX.....	9
chloramphenicol sod succinate	12
chlorhexidine gluconate	93
chloroquine phosphate.....	53
chlorothiazide	78
chlorothiazide sodium	78
chlorpromazine.....	56
chlorpropamide.....	46
chlorthalidone.....	78
chlorzoxazone.....	140
CHOLBAM	107
cholestyramine (with sugar) ...	80
cholestyramine light	80
CHORIONIC GONADOTROPIN, HUMAN.....	114
CIALIS	141
ciclopirox.....	47
cidofovir	65
cilostazol.....	69
CILOXAN.....	103
CIMDUO.....	60
cimetidine	106
cimetidine hcl	105
CIMZIA.....	118
CIMZIA POWDER FOR RECONST.....	118
cinacalcet.....	127
CINRYZE.....	67
CIPRODEX.....	103
ciprofloxacin.....	18
ciprofloxacin (mixture)	18
ciprofloxacin hcl.....	18, 103
ciprofloxacin in 5 % dextrose.	18
cisplatin	22
citalopram.....	39
cladribine.....	22
claravis	94

clarithromycin.....	15
CLENPIQ	108
clindamycin hcl.....	12
clindamycin in 5 % dextrose .	12
clindamycin palmitate hcl.....	12
clindamycin phosphate ...	13, 50, 95
clindamycin-benzoyl peroxide	95
CLINDESSE.....	50
CLINISOL SF 15 %	70
clobazam.....	10
clobetasol	96, 97
clobetasol-emollient.....	97
clocortolone pivalate.....	97
clofarabine	22
clomipramine	39
clonazepam	10
clonidine	71
clonidine hcl	71
clopidogrel	69
clorazepate dipotassium... 10, 11	
clorpres	71
clotrimazole	47
clotrimazole-betamethasone ..	47
clozapine	56
COARTEM.....	53
colchicine.....	49
colesevelam	80
colestipol.....	80
colistin (colistimethate na)....	13
colocort	126
COMBIGAN	131
COMBIVENT RESPIMAT.	137
COMETRIQ	22
COMPLERA	60
compro	52
CONDYLOX	94
constulose	107
COPAXONE	83
COPIKTRA	22
CORLANOR	76
cormax.....	97
cortisone.....	112
COSENTYX (2 SYRINGES)	94
COSENTYX PEN (2 PENS)	.94
COTELLIC	22
COUMADIN.....	65
CREON	100
CRINONE.....	116
CRIXIVAN	60
cromolyn	102, 107, 139
cryselle (28)	87
CRYSVITA.....	129
CUTAQUIG.....	118
CUVITRU	118
cyclafem 1/35 (28)	87
cyclafem 7/7/7 (28)	87
cyclobenzaprine	140
cyclopentolate	102
cyclophosphamide.....	22
CYCLOPHOSPHAMIDE.....	22
cycloserine	51
CYCLOSET	43
cyclosporine	118
cyclosporine modified.....	118
cyproheptadine	49
CYRAMZA.....	22
cyred.....	87
cyred eq	87
CYSTAGON	100
CYSTARAN	102
cytarabine	22
cytarabine (pf).....	22
D	
d10 %-0.45 % sodium chloride	132
d2.5 %-0.45 % sodium chloride	132
d5 % and 0.9 % sodium chloride	132
d5 %-0.45 % sodium chloride	132
dacarbazine	22

dactinomycin	22
dalfampridine	83
DALIRESP	139
danazol	111
dantrolene	140
dapsone.....	51
DAPTACEL (DTAP PEDIATRIC) (PF).....	123
daptomycin	13
DARAPRIM.....	54
DARZALEX	23
dasetta 1/35 (28).....	87
dasetta 7/7/7 (28).....	87
daunorubicin.....	23
DAURISMO.....	23
daysee	87
deblitane	87
decitabine	23
deferasirox.....	110
deferoxamine	110
DELSTRIGO.....	60
deltasone.....	112
delyla (28)	87
DELZICOL	126
demeclocycline.....	19
DEMSER.....	76
DENAVIR	94
denta 5000 plus.....	93
dentagel	93
DEPEN TITRATABS	110
DEPO-PROVERA	116
DESCOVERY	60
desipramine	39
desloratadine.....	49
desmopressin	114
desog-e.estradiol/e.estradiol ..	87
desogestrel-ethinyl estradiol...	87
desonide.....	97
desoximetasone	97
DESVENLAFAKINE	39
DESVENLAFAKINE FUMARATE	39

desvenlafaxine succinate	39
dexamethasone.....	113
DEXAMETHASONE	
INTENSOL.....	113
dexamethasone sodium phos (pf)	113
dexamethasone sodium phosphate	104, 113
dexmethylphenidate.....	83
dexrazoxane hcl	129
dextroamphetamine	83
dextroamphetamine- amphetamine.....	83
dextrose 10 % and 0.2 % nacl	
.....	132
dextrose 10 % in water (d10w)	
.....	70
dextrose 20 % in water (d20w)	
.....	70
dextrose 25 % in water (d25w)	
.....	70
dextrose 40 % in water (d40w)	
.....	70
dextrose 5 % in ringer's	70
dextrose 5 % in water (d5w)..	70
dextrose 5 %-lactated ringers	
.....	132
dextrose 5%-0.2 % sod chloride	
.....	132
dextrose 5%-0.3 % sod.chloride	
.....	132
dextrose 50 % in water (d50w)	
.....	70
dextrose 70 % in water (d70w)	
.....	70
dextrose with sodium chloride	
.....	132
DIASTAT	11
DIASTAT ACUDIAL	11
diazepam.....	11
diazepam intensol	11
DICLEGIS	52

diclofenac epolamine	7
diclofenac potassium.....	7
diclofenac sodium	7, 105
diclofenac-misoprostol.....	7
dicloxacillin.....	17
dicyclomine.....	107
didanosine	60
diflorasone.....	97
diflunisal	7
digitek	76
digox	76
digoxin	76
DIGOXIN	76
dihydroergotamine	50
DILANTIN	35
DILANTIN EXTENDED	35
DILANTIN INFATABS	35
diltiazem hcl.....	75, 76
dilt-xr.....	76
dimenhydrinate	52
DIPENTUM	126
diphenhydramine hcl.....	49
diphenoxylate-atropine	107
dipyridamole	69
disopyramide phosphate.....	73
disulfiram	9
divalproex	35
dobutamine	77
dobutamine in d5w.....	76
DOCEFREZ	23
docetaxel	23
dofetilide	73
donepezil	38
dopamine	77
dopamine in 5 % dextrose.....	77
DOPTELET (10 TAB PACK) 67	
DOPTELET (15 TAB PACK) 67	
DOPTELET (30 TAB PACK) 67	
doripenem	16
dorzolamide.....	131
dorzolamide-timolol.....	131
dotti	111

DOVATO	60	elixophyllin.....	137	ERBITUX	24
doxazosin.....	71	ELLA	87	ergoloid	129
doxepin.....	40	ELMIRON	129	ergotamine-caffeine	50
doxercalciferol.....	127	EMCYT	23	ERIVEDGE.....	24
doxorubicin.....	23	EMFLAZA	113	ERLEADA.....	24
doxorubicin, peg-liposomal....	23	EMGALITY PEN	50	erlotinib	24
doxy-100.....	19	EMGALITY SYRINGE	50	errin	88
doxycycline hyclate.....	19	emoquette.....	88	ertapenem.....	16
doxycycline monohydrate	19	EMPLICITI	24	ERWINAZE.....	24
doxylamine-pyridoxine (vit b6)		EMSAM.....	40	ery pads	95
.....	52	EMTRIVA.....	60	ery-tab	15
dronabinol.....	52	EMVERM.....	54	ERY-TAB	15
droperidol	129	enalapril maleate.....	72	ERYTHROCIN.....	16
drospirenone-e.estriadiol-lm.fa	87	enalaprilat	72	erythrocin (as stearate).....	15
drospirenone-ethinyl estradiol	87	enalapril-hydrochlorothiazide	72	erythromycin	16, 103
DROXIA	23	ENBREL.....	118, 119	erythromycin ethylsuccinate ..	16
DUAVEE	111	ENBREL MINI.....	118	erythromycin with ethanol	95
DULERA.....	136	ENBREL SURECLICK	119	erythromycin-benzoyl peroxide	
duloxetine	40	ENDARI	129	95
DUPIXENT	94, 118	endocet.....	3	ESBRIET	139
DUREZOL	105	ENGERIX-B (PF).....	123	escitalopram oxalate.....	40
dutasteride	110	ENGERIX-B PEDIATRIC (PF)		esmolol.....	74
DUZALLO	49	123	esomeprazole magnesium ...	106
E		enoxaparin	65, 66	esomeprazole sodium.....	106
e.e.s. 400.....	15	enpresso	88	estarrylla	88
econazole.....	47	enskyce	88	estazolam.....	11
EDARBI	71	entacapone	55	estradiol.....	111, 112
EDARBYCLOR.....	71	entecavir.....	65	estradiol valerate	112
EDURANT	60	ENTRESTO.....	71	estradiol-norethindrone acet.	112
efavirenz	60	enulose	107	ESTRING.....	112
ELAPRASE.....	100	ENVARSUS XR.....	119	estropipate	112
electrolyte-48 in d5w.....	132	EPIDIOLEX	35	eszopiclone.....	141
ELELYSO	100	epinastine	102	ethambutol.....	51
ELIDEL.....	97	epinephrine	77	ethosuximide	35
ELIGARD	23	epirubicin.....	24	ethynodiol diac-eth estradiol..	88
ELIGARD (3 MONTH)	23	epitol	35	etidronate disodium.....	127
ELIGARD (4 MONTH)	23	eplerenone.....	81	etodolac	7
ELIGARD (6 MONTH)	23	EPOGEN	67	ETOPOPHOS	24
elinest	87	epoprostenol (glycine)	141	etoposide	24
eliphos	109	eprosartan.....	71	EUCRISA	97
ELIQUIS	65	ERAXIS(WATER DILUENT)		EVENITY	127
ELITEK.....	100	48	EVOTAZ.....	60

exemestane	24
EXJADE.....	110
EXONDYS 51.....	129
EXTAVIA	83
ezetimibe	80
ezetimibe-simvastatin.....	80
F	
FABIOR	99
FABRAZYME	100
falmina (28).....	88
famciclovir	65
famotidine.....	106
famotidine (pf).....	106
famotidine (pf)-nacl (iso-os)	106
FANAPT	56
FARESTON	24
FARYDAK.....	24
FASENRA.....	139
FASENRA PEN	139
FASLODEX	24
fayosim.....	88
febuxostat	49
felbamate	35
felodipine.....	78
FEMRING.....	112
femynor	88
fenofibrate	80
fenofibrate micronized	80
fenofibrate nanocrystallized ...	80
fenofibric acid	80
fenofibric acid (choline).....	80
fenoprofen	7
fentanyl.....	3
fentanyl citrate.....	3
FERRIPROX	110
FETZIMA.....	40
finasteride	110
FIRAZYR.....	77
FIRDAPSE	129
FIRMAGON KIT W DILUENT SYRINGE.....	24
FIRVANQ	13
FLAREX.....	105
flavoxate	109
FLEBOGAMMA DIF	119
flecainide	73
FLECTOR	7
FLOVENT DISKUS.....	136
FLOVENT HFA	136
flouxuridine	24
fluconazole.....	48
fluconazole in nacl (iso-osm)	48
flucytosine	48
fludarabine	24
fludrocortisone.....	113
flumazenil	83
flunisolide	105
fluocinolone	97
fluocinolone acetonide oil ...	105
fluocinolone and shower cap .	97
fluocinonide	97
fluocinonide-e	97
fluoride (sodium)	93
FLUORIDE (SODIUM)	142
fluorometholone.....	105
fluorouracil	24, 94
fluoxetine	40
FLUOXETINE	40
fluphenazine decanoate.....	56
fluphenazine hcl.....	56
flurbiprofen	7
flurbiprofen sodium	105
flutamide	24
fluticasone propionate....	97, 105
fluticasone propion-salmeterol	136
fluvastatin	80
fluvoxamine	40
FML FORTE	105
FML S.O.P.....	105
FLOTYN.....	24
fomepizole	129
fondaparinux	66
FORFIVO XL.....	40
FORTEO	127
FOSAMAX PLUS D	128
fosamprenavir	60
foscarнет	63
fosinopril	72
fosinopril-hydrochlorothiazide	72
fosphenytoin.....	35
FOSRENOL.....	109
FULPHILA	67
fulvestrant	25
furosemide.....	78, 79
FUZEON	60
fyavolv	112
FYCOMPA	35
G	
gabapentin	35
GABITRIL.....	35
GALAFOLD	100
galantamine	38
GAMASTAN S/D.....	119
GAMMAGARD LIQUID....	119
GAMMAGARD S-D (IGA < 1 MCG/ML)	119
GAMMAPLEX.....	119
GAMUNEX-C	119
ganciclovir sodium.....	65
GARDASIL 9 (PF)	123
gatifloxacin	103
GATTEX 30-VIAL.....	107
GAUZE PAD	100
gavilyte-c	108
gavilyte-g	108
gavilyte-n	108
GAZYVA.....	25
gemcitabine	25
gemfibrozil	80
generlac	107
gengraf	119
gentak	103
gentamicin	12, 95, 103
gentamicin in nacl (iso-osm)..	12

gentamicin sulfate (ped) (pf)	12
gentamicin sulfate (pf)	12
GENVOYA	61
GEODON	57
gianvi (28)	88
GILENYA	83
GILOTrif	25
glatiramer	83
GLEEVEC	25
GLEOSTINE	25
glimepiride	46
glipizide	46
glipizide-metformin	46
GLUCAGEN HYPOKIT	43
GLUCAGON EMERGENCY KIT (HUMAN)	43
glyburide	46, 47
glyburide micronized	46
glyburide-metformin	47
glycopyrrolate	107
glydo	8
GLYXAMBI	43
GOLYTELY	108
gransetron (pf)	52
gransetron hcl	52
GRANIX	67
griseofulvin microsize	48
griseofulvin ultramicrosize	48
guanfacine	83
guanidine	130
H	
HAEGARDA	67
hailey	88
hailey 24 fe	88
HALAVEN	25
halobetasol propionate	97
haloperidol	57
haloperidol decanoate	57
haloperidol lactate	57
HARVONI	64
HAVRIX (PF)	123
heather	88

heparin (porcine)	66
heparin (porcine) in 5 % dex .	66
heparin (porcine) in nacl (pf) .	66
heparin, porcine (pf)	66
HERCEPTIN	25
HETLIOZ	141
HEXALEN	25
HIBERIX (PF)	124
HIZENTRA	119
HUMIRA	120
HUMIRA PEDIATRIC CROHNS START	119
HUMIRA PEN	120
HUMIRA PEN CROHNS-UC- HS START	119
HUMIRA PEN PSOR- UVEITS-ADOL HS	120
HUMIRA(CF)	120
HUMIRA(CF) PEDI CROHNS STARTER	120
HUMIRA(CF) PEN	120
HUMIRA(CF) PEN CROHNS- UC-HS	120
HUMIRA(CF) PEN PSOR-UV- ADOL HS	120
hydralazine	77
hydrochlorothiazide	79
hydrocodone-acetaminophen... 4	4
hydrocodone-ibuprofen	4
hydrocortisone	98, 113, 126
hydrocortisone butyrate	98
hydrocortisone buty- emollient	98
hydrocortisone valerate	98
hydrocortisone-acetic acid... 103	103
hydrocortisone-pramoxine.... 98	98
hydromorphone	4
hydromorphone (pf)	4
hydroxychloroquine	54
hydroxyprogesterone cap(ppres)	116
hydroxyurea	25
hydroxyzine hcl	49, 50
hydroxyzine pamoate	130
HYQVIA	120
I	
ibandronate	128
IBRANCE	25
ibu	7
ibuprofen	7
ibuprofen-oxycodone	4
icatibant	77
ICLUSIG	25
idarubicin	25
IDHIFA	25
ifosfamide	25
ifosfamide-mesna	26
ILARIS (PF)	120
ILUMYA	120
imatinib	26
IMBRUVICA	26
IMFINZI	26
imipenem-cilastatin	16
imipramine hcl	40
imipramine pamoate	40
imiquimod	94
IMLYGIC	26
IMOVAx RABIES VACCINE (PF)	124
incassia	88
INCRELEX	114
INCRUSE ELLIPTA	137
indapamide	79
INFANRIX (DTAP) (PF)	124
INFLECTRA	120
INGREZZA	83
INGREZZA INITIATION PACK	83
INLYTA	26
INNOPRAN XL	74

INSULIN SYRINGE-NEEDLE	
U-100.....	100
INTELENCE	61
INTRALIPID	70
INTRON A	64
introvale.....	88
INVANZ	16
INVEGA SUSTENNA.....	57
INVEGA TRINZA.....	57, 58
INVIRASE	61
INVOKAMET.....	43
INVOKAMET XR	43
INVOKANA	43
IPOL	124
ipratropium bromide....	102, 137
ipratropium-albuterol	137
irbesartan.....	71
irbesartan-hydrochlorothiazide	71
IRESSA	26
irinotecan.....	26
ISENTRESS	61
ISENTRESS HD	61
isibloom.....	88
isoniazid	51
isosorbide dinitrate	81
isosorbide mononitrate....	81, 82
isotretinoin.....	94
isradipine	78
itraconazole	48
ivermectin.....	54
IXEMPRA.....	26
IXIARO (PF).....	124
J	
JADENU	110
JADENU SPRINKLE	110
JAKAFI.....	26
jantoven	66
JARDIANC.....	43
jasmiel (28).....	88
jencycla.....	88
JENTADUETO	43
JENTADUETO XR.....	43
JEVTANA	26
jintel.....	112
jolessa	88
jolivette	88
juleber	88
JULUCA	61
junel 1.5/30 (21)	88
junel 1/20 (21)	88
junel fe 1.5/30 (28)	88
junel fe 1/20 (28)	88
junel fe 24.....	88
JUXTAPID	80
JYNARQUE	79
K	
KADCYLA.....	26
kaitlib fe.....	88
KALETRA.....	61
kalliga	88
KALYDECO	139
KANJINTI	27
kariva (28).....	89
kelnor 1/35 (28)	89
kelnor 1-50.....	89
KEPIVANCE	130
ketoconazole	48
ketoprofen.....	7
ketorolac	105
KEVZARA	121
KEYTRUDA	27
kimidess (28)	89
KINERET	121
KINRIX (PF)	124
kionex (with sorbitol)	107
KISQALI	27
KISQALI FEMARA CO-PACK	27
KLOR-CON 10.....	132
KLOR-CON 8.....	132
klor-con m10.....	133
klor-con m15.....	133
klor-con m20.....	133
klor-con sprinkle	133
KORLYM	43
KRINTAFEL	54
kurvelo (28).....	89
KUVAN	100
KYNAMRO	80
KYPROLIS	27
L	
l norgest/e.estradiol-e.estrad ..	89
labetalol.....	74
lactulose	107
LAMICTAL XR STARTER (BLUE)	36
LAMICTAL XR STARTER (GREEN).....	36
LAMICTAL XR STARTER (ORANGE)	36
lamivudine.....	61
lamivudine-zidovudine	61
lamotrigine	36
LANOXIN	77
lansoprazole	106
lanthanum.....	109
LANTUS SOLOSTAR U-100 INSULIN.....	44
LANTUS U-100 INSULIN....	44
larin 1.5/30 (21)	89
larin 1/20 (21)	89
larin 24 fe	89
larin fe 1.5/30 (28)	89
larin fe 1/20 (28)	89
larissia	89
LARTRUVO	27
latanoprost.....	131
LATUDA	58
layolis fe.....	89
LAZANDA	4
leena 28	89
leflunomide	121
LENVIMA	27
lessina.....	89
LETAIRIS	141

letrozole.....	27	lindane	99	LYNPARZA	28
leucovorin calcium	130	linezolid	13	LYRICA.....	37
LEUKERAN	27	linezolid in dextrose 5%	13	LYRICA CR	84
LEUKINE.....	68	linezolid-0.9% sodium chloride	13	LYSODREN	28
leuprolide.....	27	LINZESS	107	lyza	90
levalbuterol hcl.....	138	liothyronine.....	117	M	
levalbuterol tartrate	138	lisinopril.....	73	magnesium sulfate	133
LEVEMIR FLEXTOUCH U-100 INSULN	44	lisinopril-hydrochlorothiazide	73	magnesium sulfate in d5w	133
LEVEMIR U-100 INSULIN	45	lithium carbonate	84	magnesium sulfate in water	133
levetiracetam	36	lithium citrate	84	malathion.....	99
levetiracetam in nacl (iso-os)	36	LOKELMA.....	107	maprotiline	41
levobunolol.....	131	LONSURF	27	marlissa (28).....	90
levocarnitine	130	loperamide	107	MARPLAN	41
levocarnitine (with sugar).....	130	lopinavir-ritonavir	61	MARQIBO.....	28
levocetirizine	50	lopreeza.....	112	marten-tab	4
levofloxacin.....	18, 103	lorazepam.....	11	MATULANE	28
levofloxacin in d5w.....	18	LORBRENA.....	27	matzim la.....	76
levoleucovorin calcium	130	loryna (28)	90	MAVENCLAD (10 TABLET PACK).....	84
LEVOLEUCOVORIN CALCIUM	130	losartan.....	71	MAVENCLAD (4 TABLET PACK).....	84
levonest (28).....	89	losartan-hydrochlorothiazide	72	MAVENCLAD (5 TABLET PACK).....	84
levonorgestrel-ethinyl estrad ..	89	LOTEMAX.....	105	MAVENCLAD (6 TABLET PACK).....	84
levonorg-eth estrad triphasic ..	89	loteprednol etabonate	105	MAVENCLAD (7 TABLET PACK).....	84
levora-28.....	90	lovastatin.....	80	MAVENCLAD (8 TABLET PACK).....	84
levorphanol tartrate	4	low-ogestrel (28)	90	MAVENCLAD (9 TABLET PACK).....	84
LEVO-T	116	loxapine succinate.....	58	MAVYRET	64
levothyroxine.....	116, 117	luCEMYRA.....	9	MAXIDEX	105
LEVOXYL	117	LUIDENT FLUORIDE	142	MAYZENT	84
LEVULAN	94	LUMIGAN	131	meclizine	52
LEXIVA	61	LUMOXITI	27	meclofenamate	7
LIBTAYO	27	LUPRON DEPOT	28	medroxyprogesterone.....	116
lidocaine	8	LUPRON DEPOT (3 MONTH)	28	mefenamic acid	7
lidocaine (pf) in d7.5w	73	LUPRON DEPOT (4 MONTH)	28	mefloquine	54
lidocaine (pf)	8, 73	LUPRON DEPOT (6 MONTH)	28	megestrol	28, 116
lidocaine hcl	8	LUPRON DEPOT-PED	114	MEKINIST	28
lidocaine in 5 % dextrose (pf)	73	LUPRON DEPOT-PED (3 MONTH)	114	MEKTOVI	28
lidocaine viscous	8	lutera (28)	90		
lidocaine-prilocaine	8				
LIDOTREX	8				
lillow (28).....	90				
lincomycin.....	13				

meloxicam	7, 8
melphalan hcl	28
memantine	38, 39
MENACTRA (PF)	124
MENEST	112
MENVEO A-C-Y-W-135-DIP (PF).....	124
meprobamate	11
mercaptopurine.....	28
meropenem	16
mesalamine.....	126
mesna.....	130
MESNEX	130
metaproterenol.....	138
metaxalone	140
metformin.....	43
methadone	4, 5
methadose.....	5
methazolamide	131
methenamine hippurate	13
methimazole	117
METHITEST.....	111
methocarbamol.....	140
methotrexate sodium	28
methotrexate sodium (pf)	28
methoxsalen.....	94
methscopolamine.....	107
methyclothiazide	79
methylergonovine.....	130
methylphenidate hcl	84, 85
methylprednisolone	113
methylprednisolone acetate..	113
methylprednisolone sodium succ	113
metipranolol	131
metoclopramide hcl.....	107, 108
metolazone	79
metoprolol succinate	74
metoprolol ta-hydrochlorothiaz	74
metoprolol tartrate	75
metronidazole	13, 50, 95
metronidazole in nacl (iso-os)	13
mexiletine	73
MIACALCIN.....	128
miconazole-3	48
microgestin 1.5/30 (21).....	90
microgestin 1/20 (21).....	90
microgestin fe 1.5/30 (28)	90
microgestin fe 1/20 (28)	90
midodrine.....	71
MIGERGOT	51
miglitol.....	43
miglustat	100
mili.....	90
milrinone.....	77
milrinone in 5 % dextrose.....	77
mimvey	112
mimvey lo	112
minitran.....	82
minocycline	19
minoxidil.....	82
mirtazapine	41
misoprostol	106
mitomycin.....	28
mitoxantrone.....	28
M-M-R II (PF)	124
modafinil.....	141
moexipril.....	73
moexipril-hydrochlorothiazide	73
molindone	58
mometasone	98, 105
mono-linyah.....	90
mononessa (28).....	90
montelukast.....	136, 137
morphine	5
MORPHINE	5
morphine (pf).....	5
morphine concentrate	5
MOVANTIK	108
MOVIPREP	108
moxifloxacin.....	18, 103
moxifloxacin-sod.ace,sul-water	18
moxifloxacin-sod.chloride(iso)	18
MOZOBIL	68
MULPLETA	68
MULTAQ	73
mupirocin	95
mupirocin calcium	95
MUSTARGEN.....	28
MVASI.....	29
mycophenolate mofetil.....	121
mycophenolate mofetil hcl...	121
mycophenolate sodium	121
MYLOTARG	29
myorisan.....	94
MYRBETRIQ	109
myzilra	90
N	
nabumetone	8
nadolol.....	75
nadolol-bendroflumethiazide .	75
nafcillin	17
nafcillin in dextrose iso-osm..	17
naftifine	48
NAFTIN	48
NAGLAZYME	101
nalbuphine	5
naloxone	9
naltrexone	9
naproxen.....	8
naproxen sodium.....	8
naratriptan	51
NARCAN	9
NATACYN	103
nateglinide	43
NATPARA.....	128
NEBUPENT	54
necon 0.5/35 (28)	90
necon 7/7/7 (28)	90
nefazodone	41
neomycin	12

neomycin-bacitracin-poly-hc	103
neomycin-bacitracin-polymyxin	
.....	103
neomycin-polymyxin b gu	95
neomycin-polymyxin b-	
dexameth	103
neomycin-polymyxin-	
gramicidin	103
neomycin-polymyxin-hc	103,
104	
neo-polycin hc	104
NERLYNX	29
NEULASTA	68
NEUPOGEN	68
NEUPRO	55
nevirapine	61
NEXAVAR	29
NEXIUM PACKET	106
niacin	80
niacor	80
nicardipine	78
NICOTROL NS	9
nifedipine	78
nikki (28)	90
nilutamide	29
nimodipine	78
NINLARO	29
NIPENT	29
nisoldipine	78
NITRO-BID	82
NITRO-DUR	82
nitrofurantoin macrocrystal	13
nitrofurantoin monohyd/m-cryst	
.....	13
nitroglycerin	82
nitroglycerin in 5 % dextrose	.82
NITROSTAT	82
NITYR	101
NIVESTYM	68
nizatidine	106
NOCDURNA (MEN)	115
NOCDURNA (WOMEN)	115
NOCTIVA	115
nora-be	90
NORDITROPIN FLEXPRO	115
norepinephrine bitartrate	77
norethindrone (contraceptive)	90
norethindrone acetate	116
norethindrone ac-eth estradiol	
.....	90, 112
norethindrone-e.estradiol-iron	90
norgestimate-ethynodiol	
.....	90, 91
norlyda	91
norlyroc	91
NORTHERA	71
nortrel 0.5/35 (28)	91
nortrel 1/35 (21)	91
nortrel 1/35 (28)	91
nortrel 7/7/7 (28)	91
nortriptyline	41
NORVIR	61, 62
NOVOLIN 70/30 U-100	
INSULIN	45
NOVOLIN 70-30 FLEXPEN U-	
100	45
NOVOLIN N NPH U-100	
INSULIN	45
NOVOLIN R REGULAR U-	
100 INSULN	45
NOVOLOG FLEXPEN U-100	
INSULIN	45
NOVOLOG MIX 70-30 U-100	
INSULN	45
NOVOLOG MIX 70-	
30FLEXPEN U-100	45
NOVOLOG PENFILL U-100	
INSULIN	45
NOVOLOG U-100 INSULIN	
ASPART	45
NOXAFILE	48
NPLATE	130
NUBEQA	29
NUCALA	139, 140
NUEDEXTA	85
NULOJIX	121
NUPLAZID	58
NUTRILIPID	70
NUVARING	91
nyamyc	48
nystatin	48
nystatin-triamcinolone	49
nystop	49
O	
ocella	91
OCREVUS	85
octreotide acetate	115
ODEFSEY	62
ODOMZO	29
OFEV	140
ofloxacin	18, 104
ogestrel (28)	91
okebo	20
olanzapine	58
olanzapine-fluoxetine	41
olmesartan	72
olmesartan-hydrochlorothiazide	
.....	72
olopatadine	102
OLUMIANT	121
omega-3 acid ethyl esters	80
omeprazole	106
ONCASPAR	29
ondansetron	53
ondansetron hcl	52, 53
ondansetron hcl (pf)	52
ONFI	11
ONIVYDE	29
ONPATTRO	130
OPDIVO	29
OPSUMIT	141
oralone	93
ORENCIA	121
ORENCIA CLICKJECT	121
ORILISSA	115
ORKAMBI	140

orphenadrine citrate.....	140	pimozide.....	58
orsythia.....	91	pimtreia (28).....	91
oseltamivir.....	63, 64	pindolol	75
OSMOPREP.....	108	pioglitazone.....	44
OTEZLA	121	pioglitazone-metformin.....	44
OTEZLA STARTER.....	121	piperacillin-tazobactam.....	18
oxacillin.....	17	PIQRAY	29
oxacillin in dextrose(iso-osm)	17	pirmella	91
oxaliplatin.....	29	piroxicam	8
oxandrolone.....	111	PLEGRIDY	85
oxaprozin.....	8	PLENVU	109
oxazepam.....	11	podofilox	94
oxcarbazepine.....	37	POLIVY	29
OXTELLAR XR	37	polycin.....	104
oxybutynin chloride.....	109, 110	POLYETHYLENE GLYCOL 3350(BULK)	109
oxycodone	5, 6	polymyxin b sulfate.....	13
oxycodone-acetaminophen.....	6	polymyxin b sulf-trimethoprim	104
oxycodone-aspirin	6	POMALYST	30
OXYCONTIN	6	portia 28	91
oxymorphone.....	6	PORTRAZZA	30
OZEMPIC	44	posaconazole	49
P		potassium acetate	133
pacerone	73	potassium chlorid-d5-0.45% nacl	133
paclitaxel	29	potassium chloride	133, 134
paliperidone.....	58	potassium chloride in 0.9% nacl	133
palonosetron	53	potassium chloride in 5 % dex	133
PALYNZIQ	101	potassium chloride in lr-d5 ..	133
pamidronate.....	128	potassium chloride in water .	133
PANRETIN	94	potassium chloride-0.45 % nacl	134
pantoprazole	106	potassium chloride-d5-0.2% nacl	134
PANZYGA.....	121	potassium chloride-d5-0.3% nacl	134
paricalcitol.....	128	potassium chloride-d5-0.9% nacl	134
PARICALCITOL	128	potassium citrate	134
paroex oral rinse.....	93		
paromomycin.....	54		
paroxetine hcl.....	41		
PASER	51		
PAXIL.....	41		
PCE.....	16		
PEDIARIX (PF)	124		
PEDVAX HIB (PF).....	124		
peg 3350-electrolytes ...	108, 109		
PEGANONE.....	37		
PEGASYS	64		
PEGASYS PROCLICK.....	64		
peg-electrolyte soln.....	109		
PEGINTRON.....	64		
PEN NEEDLE, DIABETIC	100		
penicillin g pot in dextrose	17		
penicillin g potassium.....	17		
penicillin g procaine	17		
penicillin v potassium.....	18		
PENTACEL (PF).....	124		
PENTACEL DTAP-IPV COMPNT (PF)	124		
PENTAM.....	54		
pentamidine	54		
PENTASA	126		
pentoxifylline.....	69		
PERFOROMIST.....	138		
perindopril erbumine	73		
periogard	93		
PERJETA.....	29		
permethrin.....	99		
perphenazine.....	58		
perphenazine-amitriptyline	41		
PERSERIS	58		
PEXEVA	41		
pfizerpen-g.....	18		
phenadoz.....	53		
phenelzine.....	41		
phenobarbital	37		
phenylephrine hcl	71, 102		
PHENYTEK	37		
phenytoin	37		
phenytoin sodium	37		
phenytoin sodium extended...	37		
philith.....	91		
PHOSPHOLINE IODIDE ...	131		
phrenilin forte(with caffeine)...	6		
PICATO	94		
PIFELTRO.....	62		
pilocarpine hcl	93, 131		
pimecrolimus	98		

POTELIGEO	30
PRADAXA.....	67
PRALUENT PEN	80
pramipexole.....	55
prasugrel	69
pravastatin	80, 81
praziquantel	54
prazosin	71
PRED-G	104
prednicarbate	98
prednisolone	113
prednisolone acetate	105
prednisolone sodium phosphate	105, 113, 114
prednisone	114
pregabalin.....	37
PREMARIN	112
PREMASOL 10 %	70
PREMASOL 6 %	70
PREMPHASE	112
PREMPRO	112
prenatal plus (calcium carb)	142
prenatal vitamin plus low iron	142
PREPOPIK	109
prevalite.....	81
previfem	91
PREVYMIS.....	64
PREZCOBIX.....	62
PREZISTA	62
PRIFTIN.....	51
PRIMAQUINE.....	54
primidone	37
PRIVIGEN	122
PROAIR HFA	138
PROAIR RESPICLICK	138
probenecid	49
probenecid-colchicine	49
procainamide	73, 74
prochlorperazine	53
prochlorperazine edisylate.....	53
prochlorperazine maleate	53
PROCERIT	68
PROCTOFOAM HC	98
procto-med hc	98
procto-pak.....	98
proctosol hc.....	98
proctozone-hc	98
PROCYSB.....	101
progesterone	116
progesterone micronized.....	116
PROGLYCEM.....	130
PROGRAF.....	122
PROLASTIN-C	140
PROLEUKIN.....	30
PROLIA.....	128
PROMACTA	68
promethazine	50, 53
promethegan	53
propafenone	74
propantheline	34
proparacaine.....	102
propranolol.....	75
propranolol-hydrochlorothiazid	75
propylthiouracil	117
PROQUAD (PF).....	124
PROSOL 20 %	70
protamine	68
protriptyline	41
PULMICORT FLEXHALER	136
PULMOZYME	101
PURIXAN	30
pyrazinamide	51
pyridostigmine bromide.....	130
Q	
QUADRACEL (PF)	125
quasense.....	91
quetiapine.....	58
quinapril	73
quinapril-hydrochlorothiazide	73
quinidine gluconate.....	74
quinidine sulfate	74
quinine sulfate.....	54
QVAR REDIHALER.....	136
R	
RABAVERT (PF)	125
rabeprazole.....	106
RADICAVA	85
rajani	91
raloxifene	112
ramelteon	141
ramipril	73
RANEXA	77
ranitidine hcl	106
ranolazine	77
RAPAMUNE	122
rasagiline	55
RAVICTI	108
REBETOL.....	65
REBIF (WITH ALBUMIN)	85
REBIF REBIDOSE.....	85
REBIF TITRATION PACK	85
reclipsen (28)	91
RECOMBIVAX HB (PF)	125
REGRANEX	95
RELENZA DISKHALER.....	64
RELISTOR	108
repaglinide	44
REPATHA PUSHTRONEX	81
REPATHA SURECLICK	81
REPATHA SYRINGE	81
RESCRIPTOR	62
RESTASIS	105
RETACRIT	68
RETROVIR	62
REVATIO	141
REVCovi	101
REVLIMID	30
revonto	140
REXULTI	59
REYATAZ	62
ribaspHERE	65
ribaspHERE ribapak	65
ribavirin	65

RIDAURA.....	122
rifabutin.....	51
rifampin.....	51
RIFATER	52
riluzole.....	85
rimantadine.....	64
ringer's	127, 134
risedronate	128
RISPERDAL CONSTA	59
risperidone.....	59
ritonavir.....	62
RITUXAN.....	30
RITUXAN HYCELA.....	30
rivastigmine.....	39
rivastigmine tartrate.....	39
rivelsa	91
rizatriptan	51
romidepsin.....	30
ropinirole	55
rosadan	95
rosuvastatin.....	81
ROTARIX	125
ROTAQUE VACCINE	125
ROZEREM.....	141
RUBRACA.....	30
RYDAPT	30
S	
SABRIL.....	37
SANTYL.....	95
SAPHRIS	59
SAVELLA.....	85
scopolamine base.....	53
selegiline hcl.....	55
selenium sulfide.....	96
SELZENTRY	62
SENSIPAR	128
SEREVENT DISKUS	138
SEROSTIM	115
sertraline	41
setlakin	91
sevelamer carbonate	109
sf 5000 plus	93
sharobel.....	91
SHINGRIX (PF)	125
SIGNIFOR.....	115
SIGNIFOR LAR.....	115
SIKLOS	68
sildenafil (pulm.hypertension)	142
SILENOR	141
silver sulfadiazine	96
SIMBRINZA	131
simliya (28).....	91
simpesse.....	91
SIMPONI.....	122
SIMULECT	130
simvastatin.....	81
sirolimus	122
SIRTURO	52
SIVEXTRO	13
SKYRIZI	122
sodium acetate	134
sodium chloride	127, 135
sodium chloride 0.45 %	134
sodium chloride 0.9 %	134
sodium chloride 3 %	134
sodium chloride 5 %	135
sodium lactate	135
sodium phenylbutyrate	108
sodium phosphate	135
sodium polystyrene sulfonate	108
solifenacin.....	110
SOLTAMOX	30
SOLU-CORTEF (PF)	114
SOLU-MEDROL (PF)	114
SOMATULINE DEPOT	115
SOMAVERT	115
sorbitol	127
sorbitol-mannitol	127
sorine	75
sotalol.....	75
sotalol af	75
spinosad	99
SPIRIVA RESPIMAT	138
SPIRIVA WITH HANDIHALER	138
spironolactone	79
spironolacton-hydrochlorothiaz	79
SPRAVATO	41
sprintec (28)	91
SPRITAM	37
SPRYCEL	30
sps (with sorbitol)	108
sronyx.....	91
ssd	96
stavudine	62
STELARA.....	122
STIOLTO RESPIMAT	138
STIVARGA	30
STRENSIQ	101
streptomycin.....	12
STRIBILD	62
STRIVERDI RESPIMAT	138
SUBLOCADE.....	9
SUBOXONE	10
subvenite	37
subvenite starter (blue) kit	37
subvenite starter (green) kit	38
subvenite starter (orange) kit	38
sucralfate	107
sulfacetamide sodium.....	104
sulfacetamide sodium (acne)	96
sulfacetamide-prednisolone	104
sulfadiazine	18
sulfamethoxazole-trimethoprim	18, 19
sulfasalazine	126
sulfatrim	19
sulindac	8
sumatriptan	51
sumatriptan succinate	51
SUPPRELIN LA	116
SUPRAX	15

SUPREP BOWEL PREP KIT	109
SURE COMFORT INS. SYR.	
U-100	100
SUTENT	30
syeda	91
SYLATRON	64
SYLVANT	30
SYMBICORT	136
SYMDEKO	140
SYMFI	63
SYMFI LO	62
SYMLINPEN 120	44
SYMLINPEN 60	44
SYMPAZAN	11
SYMTUZA	63
SYNAGIS	64
SYNAREL	116
SYNERCID	13
SYNJARDY	44
SYNJARDY XR	44
SYNRIBO	31
SYNTHROID	117
T	
TABLOID	31
tacrolimus	98, 122
tadalafil	142
tadalafil (pulm. hypertension)	
	142
TAFINLAR	31
TAGRISSO	31
TAKHZYRO	130
TALZENNA	31
tamoxifen	31
tamsulosin	110
TARCEVA	31
TARGETIN	31
tarina 24 fe	92
tarina fe 1/20 (28)	92
TASIGNA	31
TAVALISSE	69
tazarotene	99
tazicef	15
TAZORAC	99
taztia xt	76
TDVAX	125
TECENTRIQ	31
TECFIDERA	85, 86
TEFLARO	15
TEGSEDI	130
TEKTURNA	81
TEKTURNA HCT	81
telmisartan	72
telmisartan-amlodipine	72
telmisartan-hydrochlorothiazid	
	72
temazepam	11
TEMIXYS	63
TEMODAR	31
temsirolimus	31
tencon	6
TENIVAC (PF)	125
tenofovir disoproxil fumarate	63
terazosin	110
terbinafine hcl	49
terbutaline	138
terconazole	50
testosterone	111
testosterone cypionate	111
testosterone enanthate	111
TETANUS,DIPHTHERIA TOX	
PED(PF)	125
tetrabenazine	86
tetracycline	20
THALOMID	130
theophylline	138, 139
theophylline in dextrose 5 %	138
thioridazine	59
thiotepa	31
thiothixene	59
THYMOGLOBULIN	122
tiagabine	38
TIBSOVO	31
TICE BCG	125
tigecycline	20
TIGLUTIK	86
tilia fe	92
timolol maleate	75, 131, 132
tinidazole	54
TIVICAY	63
tizanidine	140
TOBI PODHALER	12
TOBRADEX	104
TOBRADEX ST	104
tobramycin	104
tobramycin in 0.225 % nacl	12
tobramycin in 0.9 % nacl	12
tobramycin sulfate	12
tobramycin with nebulizer	12
tobramycin-dexamethasone	104
TOLAK	95
tolazamide	47
tolbutamide	47
tolcapone	55
tolmetin	8
tolterodine	110
topiramate	38
toposar	31
topotecan	31
toremifene	31
TORISEL	31
torsemide	79
TOUJEO MAX U-300	
SOLOSTAR	45
TOUJEO SOLOSTAR U-300	
INSULIN	45
TRACLEER	142
TRADJENTA	44
tramadol	6
tramadol-acetaminophen	6
trandolapril	73
tranexamic acid	69
TRANSDERM-SCOP	53
tranylcypromine	42
TRAVASOL 10 %	70
TRAVATAN Z	132

trazodone	42	TRIUMEQ	63	VALSTAR	32
TREANDA	31	trivora (28)	92	vancomycin	14
TRECATOR	52	tri-vylibra	92	VANCOMYCIN	14
TRELEGY ELLIPTA	139	tri-vylibra lo	92	vancomycin in dextrose 5 %	13
TRELSTAR	32	TROGARZO	63	VANTAS	116
TRESIBA FLEXTOUCH U-100	45	TROKENDI XR	38	VAQTA (PF)	126
TRESIBA FLEXTOUCH U-200	45	TROPHAMINE 10 %	70	VARIVAX (PF)	126
TRESIBA U-100 INSULIN	45	tropicamide	102	VARIZIG	122
tretinoin	99	trospium	110	VARUBI	53
tretinoin (chemotherapy)	32	TRULICITY	44	VASCEPA	81
tretinoin microspheres	99	TRUMENBA	125	VASOSTRICT	116
tri femynor	92	TRUVADA	63	VECTIBIX	32
triamcinolone acetonide	93, 98, 99, 114	TUDORZA PRESSAIR	139	VELCADE	32
triamterene-hydrochlorothiazid	79	tulana	92	velvet triphasic regimen (28)	92
trianex	99	TURALIO	32	VELPHORO	109
triderm	99	TWINRIX (PF)	125	VELTASSA	108
TRIDESILON	99	TYBOST	130	VEMLIDY	63
trientine	110	tydemy	92	VENCLEXTA	32
tri-estarylla	92	TYKERB	32	VENCLEXTA STARTING PACK	32
trifluoperazine	59	TYMLOS	128	venlafaxine	42
trifluridine	104	TYPHIM VI	125	VENTAVIS	142
trihexyphenidyl	55	TYSABRI	122	VENTOLIN HFA	139
tri-legest fe	92	TYVASO	142	verapamil	76
tri-linyah	92	TYZINE	102	VERSACLOZ	59
tri-lo-estarylla	92	U		VERZENIO	32
tri-lo-marzia	92	UDENYCA	68	VESICARE	110
tri-lo-mili	92	ULORIC	49	vestura (28)	93
tri-lo-sprintec	92	UNITROID	117	VICTOZA	44
trilyte with flavor packets	109	UNITUXIN	32	VIDEX 2 GRAM PEDIATRIC	63
trimethoprim	13	UPTRAVI	142	VIDEX EC	63
tri-mili	92	ursodiol	108	vienna	93
trimipramine	42	UVADEX	95	vigabatrin	38
trinessa (28)	92	V		vigadron	38
trinessa lo	92	valacyclovir	65	VIIBRYD	42
TRINTELLIX	42	VALCHLOR	95	VIMPAT	38
tri-previfem (28)	92	valganciclovir	65	vinblastine	32
TRISENOX	32	valproate sodium	38	vincasar pfs	32
tri-sprintec (28)	92	valproic acid	38	vincristine	32
		valproic acid (as sodium salt)	38	vinorelbine	32
		valrubicin	32	viorele (28)	93
		valsartan	72	valsartan-hydrochlorothiazide	72

VIRACEPT	63	XIIDRA	105	zidovudine	63
VIRAMUNE	63	XOFLUZA.....	64	zileuton.....	137
VIREAD.....	63	XOLAIR	140	ZINPLAVA.....	122
VITRAKVI.....	33	XOSPATA.....	33	ZIOPTAN (PF)	132
VIVITROL	10	XPOVIO	33	ziprasidone hcl	59
VIZIMPRO.....	33	XTANDI.....	33	ZIRGAN	104
voriconazole	49	xulane.....	93	ZOLADEX.....	34
VOTRIENT	33	XULTOPHY 100/3.6.....	46	zoledronic acid.....	129
VPRI.....	101	xyton 10	7	zoledronic acid-mannitol-water	129
VRAYLAR.....	59	XYREM.....	141	zoledronic ac-mannitol-0.9nacl	129
vyfemla (28)	93	Y		ZOLINZA	34
vylibra.....	93	YERVOY.....	33	zolmitriptan.....	51
VYNNDAMAX	77	YF-VAX (PF)	126	zolpidem.....	141
VYNDAQEL.....	77	YONDELIS	33	zonisamide	38
VYXEOS.....	33	YONSA	33	ZONTIVITY	69
VYZULTA	132	YUPELRI	139	ZORBTIVE.....	116
W		yuvafem	112	ZORTRESS.....	122, 123
warfarin	67	Z		ZOSTAVAX (PF)	126
water for irrigation, sterile....	127	zafirlukast	137	zovia 1/35e (28)	93
WELCHOL	81	zaleplon.....	141	ZOVIRAX.....	95
wera (28)	93	ZALTRAP	33	ZULRESSO	42
wixela inhuh	136	ZANOSAR	33	zumandimine (28)	93
wymzya fe	93	zarah.....	93	ZURAMPIC	49
X		zebutal.....	7	ZYCLARA.....	95
XALKORI.....	33	ZEJULA.....	34	ZYDELIG	34
XARELTO	67	ZELBORAF.....	34	ZYKADIA	34
XATMEP	33	zenatane	95	ZYPREXA RELPREVV	59
XELJANZ	122	zenchent (28)	93	ZYTIGA.....	34
XELJANZ XR.....	122	ZENPEP.....	101		
XERMELO.....	108	ZERBAXA	15		
XGEVA.....	129	ZERIT	63		

This formulary was updated on December 1, 2019. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March – Sept.), or visit www.GeisingerGold.com