

Geisinger Gold \$0 Deductible Rx

2020 Formulary

(List of Covered Drugs)

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN

This formulary was updated on December 1, 2020. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711 8 a.m. to 8 p.m. (7 days a week, Oct. – Mar.) or 8 a.m. to 8 p.m. (Mon. – Fri., April – Sept.) or 8 a.m. to 2 p.m. (Sat, April-Sept.) or visit www.GeisingerGold.com.

Geisinger Gold Classic Advantage Rx (HMO)
Geisinger Gold Classic Complete Rx (HMO)
Geisinger Gold Classic Essential Rx (HMO)
Geisinger Gold Classic 360 Rx (HMO)
Geisinger Gold Preferred Advantage Rx (PPO)
Geisinger Gold Preferred Complete Rx (PPO)
Geisinger Gold Preferred Enhanced Rx (PPO)
Geisinger Gold Classic Rx (Employer Group) (HMO)

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Geisinger Health Plan. When it refers to “plan” or “our plan,” it means Geisinger Gold \$0Deductible Rx.

This document includes a list of the drugs (formulary) for our plan which is current as of December 1, 2020. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

Geisinger Gold Medicare Advantage HMO, PPO, and HMO SNP plans are offered by Geisinger Health Plan/Geisinger Indemnity Insurance Company, health plans with a Medicare contract. Continued enrollment in Geisinger Gold depends on annual contract renewal. The formulary may change at any time. You will receive notice when necessary.

What is the Geisinger Gold \$0 Deductible Rx Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Geisinger Gold network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Geisinger Gold \$0 Deductible Rx Formulary?”

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Geisinger Gold \$0 Deductible Rx Formulary?"

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year. The enclosed formulary is current as of December 1, 2020. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If nonmaintenance changes are made to the formulary during the plan year, we will communicate these changes in the member newsletter and within the monthly explanation of benefits (EOB).

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 9. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, "Cardiovascular Agents". If you know what your drug is used for, look for the category name in the list that begins on page 9. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from the plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides up to 16 tablets per prescription for sumatriptan. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 9. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Geisinger Gold \$0 Deductible Rx formulary?" for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Geisinger Gold \$0 Deductible Rx Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level if this drug is not on the specialty tier. If approved this would lower the amount you must pay for your drug.

- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For members being admitted to or discharged from a LTC facility, early refill edits are not used to limit appropriate and necessary access to their Part D benefit, and such enrollees are allowed to access a refill upon admission or discharge.

For more information

For more detailed information about your Geisinger Gold \$0 Deductible Rx prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Geisinger Gold \$0 Deductible Rx Formulary

The formulary that begins on page 9 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., BREO ELLIPTA) and generic drugs are listed in lower-case italics (e.g., *simvastatin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

**The following Utilization Management abbreviations may be found within the body of this document
COVERAGE NOTES ABBREVIATIONS**

| ABBREVIATION | DESCRIPTION | EXPLANATION |
|--|--|--|
| General | | |
| | The reference information | brand name in parenthesis is provided for <i>Generic</i> only to assist in identifying the generic medication (BRAND) and does NOT indicate formulary status or coverage. |
| Utilization Management Restrictions | | |
| PA | Prior Authorization Restriction | You (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug. |
| PA BvD | Prior Authorization Restriction for Part B vs Part D Determination | This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from our plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug. |
| PA-HRM | Prior Authorization Restriction for High Risk Medications | This drug has been deemed to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug. |
| PA NSO | Prior Authorization Restriction for New Starts Only | If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug. |
| QL | Quantity Limit Restriction | Our plan limits the amount of this drug that is covered per prescription, or within a specific time frame. |
| ST | Step Therapy Restriction | Before our plan will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you. |

The following additional coverage note abbreviations may be found within the body of this document

OTHER SPECIAL REQUIREMENTS FOR COVERAGE

| ABBREVIATION | DESCRIPTION | EXPLANATION |
|--------------|--------------------------|---|
| LA | Limited Access Drug | This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Services at (800) 988-4861, 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March-Sept.). TTY/TDD users should call 711. |
| NM | Non-Mail Order Drug | Drugs <u>not</u> available via your mail order benefit are noted with “NM” in the Requirements/Limits column of your formulary. |
| NDS | Non-Extended Days Supply | Drugs <u>not</u> available for an extended days supply (i.e. more than a one month supply) are noted with “NDS” in the Requirements/Limits column of your formulary. |
| GC | Gap Coverage | We may provide coverage of this prescription drug in the coverage gap. Please refer to your Evidence of Coverage for more information about this coverage. |

Every medication on the Geisinger Gold \$0 Deductible RX formulary is in one of six (6) cost-sharing tiers. In general, the higher the cost-sharing tier number, the higher the cost of the medication. As shown in the table below, the amount of the copayment or coinsurance depends on which cost-sharing tier your medication is in. Please note: what you pay for your medication depends on which “drug payment stage” you are in when you get the medication, where you get the medication filled, and if you qualify for any additional payment assistance.

Your share of the cost when you get a 30-day supply of a covered part D prescription drug prior to entering the coverage gap:

| | |
|------------------------------|-----------------|
| Tier 1 (preferred generic) | \$3 |
| Tier 2 (generic) | \$20 |
| Tier 3 (preferred brand) | \$47 |
| Tier 4 (non-preferred brand) | \$100 |
| Tier 5 (specialty tier) | 33% coinsurance |
| Tier 6 (vaccines) | \$0 |

Your share of the cost when you get a 84-100-day supply of a covered part D prescription drug prior to entering the coverage gap:

| Tier | When obtained at a Geisinger contracted retail network pharmacy | When obtained at a Geisinger contracted mail order pharmacy |
|------------------------------|---|---|
| Tier 1 (preferred generic) | \$7.50 | \$4.50 or less depending on your plan |
| Tier 2 (generic) | \$50 | \$30 or less depending on your plan |
| Tier 3 (preferred brand) | \$117.50 | \$70.50 |
| Tier 4 (non-preferred brand) | \$250 | \$150 |
| Tier 5 (specialty tier) | Extended supply not available | Extended supply not available |
| Tier 6 (vaccines) | \$0 | \$0 |

If you are a member of an employer group, these prices may not apply to you. Please refer to your benefit documents for appropriate cost sharing amounts.

Table of Contents

| | |
|--|-----|
| Analgesics..... | 11 |
| Anesthetics | 16 |
| Anti-Addiction/Substance Abuse Treatment Agents | 16 |
| Antianxiety Agents | 17 |
| Antibacterials..... | 19 |
| Anticancer Agents | 29 |
| Anticholinergic Agents..... | 46 |
| Anticonvulsants | 46 |
| Antidementia Agents..... | 51 |
| Antidepressants | 51 |
| Antidiabetic Agents | 55 |
| Antifungals..... | 60 |
| Antigout Agents..... | 63 |
| Antihistamines | 63 |
| Anti-Infectives (Skin And Mucous Membrane) | 63 |
| Antimigraine Agents | 64 |
| Antimycobacterials..... | 65 |
| Antinausea Agents..... | 66 |
| Antiparasite Agents..... | 67 |
| Antiparkinsonian Agents | 68 |
| Antipsychotic Agents..... | 70 |
| Antivirals (Systemic) | 75 |
| Blood Products/Modifiers/Volume Expanders..... | 81 |
| Caloric Agents | 86 |
| Cardiovascular Agents..... | 87 |
| Central Nervous System Agents..... | 100 |
| Contraceptives | 104 |

| | |
|---|-----|
| Dental And Oral Agents | 112 |
| Dermatological Agents | 113 |
| Devices | 119 |
| Enzyme Replacement/Modifiers | 120 |
| Eye, Ear, Nose, Throat Agents | 121 |
| Gastrointestinal Agents..... | 126 |
| Genitourinary Agents | 130 |
| Heavy Metal Antagonists..... | 131 |
| Hormonal Agents, Stimulant/Replacement/Modifying | 132 |
| Immunological Agents | 139 |
| Inflammatory Bowel Disease Agents | 149 |
| Irrigating Solutions | 150 |
| Metabolic Bone Disease Agents..... | 150 |
| Miscellaneous Therapeutic Agents | 152 |
| Ophthalmic Agents..... | 155 |
| Replacement Preparations | 157 |
| Respiratory Tract Agents | 160 |
| Skeletal Muscle Relaxants | 166 |
| Sleep Disorder Agents | 166 |
| Vasodilating Agents | 167 |
| Vitamins And Minerals..... | 168 |

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| Analgesics | | |
| Analgesics, Miscellaneous | | |
| acetaminophen-codeine oral solution 120-12 mg/5 ml | 2 | NM; NDS; QL (2700 per 30 days) |
| acetaminophen-codeine oral tablet 300-15 mg | 2 | NM; NDS; QL (390 per 30 days) |
| acetaminophen-codeine oral tablet 300-30 mg | 2 | NM; NDS; QL (360 per 30 days) |
| acetaminophen-codeine oral tablet 300-60 mg | 2 | NM; NDS; QL (180 per 30 days) |
| buprenorphine hcl injection solution (Buprenex) 0.3 mg/ml | 2 | NM; NDS |
| buprenorphine hcl injection syringe 0.3 mg/ml | 2 | NM; NDS |
| buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour | 2 | NM; NDS; QL (4 per 28 days) |
| butalbital-acetaminophen oral tablet (Tencon) 50-325 mg | 4 | QL (180 per 30 days) |
| butalbital-acetaminophen-caff oral capsule 50-300-40 mg | 4 | QL (180 per 30 days) |
| butalbital-acetaminophen-caff oral capsule 50-325-40 mg | 4 | QL (180 per 30 days) |
| butalbital-acetaminophen-caff oral tablet 50-325-40 mg | 4 | QL (180 per 30 days) |
| butalbital-aspirin-caffeine oral capsule 50-325-40 mg | 4 | QL (180 per 30 days) |
| butalbital-aspirin-caffeine oral tablet 50-325-40 mg | 4 | QL (180 per 30 days) |
| butorphanol injection solution 1 mg/ml, 2 mg/ml | 2 | NM; NDS |
| butorphanol nasal spray,non-aerosol 10 mg/ml | 2 | NM; NDS; QL (5 per 28 days) |
| endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg | 2 | NM; NDS; QL (360 per 30 days) |
| fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg | 5 | PA; NM; NDS; QL (120 per 30 days) |
| fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr | 2 | NM; NDS; QL (10 per 30 days) |
| hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml | 2 | NM; NDS; QL (2700 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------|------------------|----------------------------------|
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> | (Vicodin HP) | 2 | NM; NDS; QL (390 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> | (Lorcet HD) | 2 | NM; NDS; QL (360 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i> | | 2 | NM; NDS; QL (360 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 5-300 mg, 7.5-300 mg</i> | | 2 | NM; NDS; QL (390 per 30 days) |
| <i>hydrocodone-acetaminophen oral tablet 5-325 mg, 7.5-325 mg</i> | (Norco) | 2 | NM; NDS; QL (360 per 30 days) |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg</i> | (Ibudone) | 2 | NM; NDS; QL (150 per 30 days) |
| <i>hydrocodone-ibuprofen oral tablet 5-200 mg, 7.5-200 mg</i> | | 2 | NM; NDS; QL (150 per 30 days) |
| <i>hydromorphone (pf) injection solution 10 mg/ml, 4 mg/ml</i> | | 2 | NM; NDS |
| <i>hydromorphone injection solution 1 mg/ml</i> | | 2 | NM; NDS |
| <i>hydromorphone injection syringe 2 mg/ml</i> | | 2 | NM; NDS |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> | (Dilaudid) | 2 | NM; NDS; QL (180 per 30 days) |
| <i>ibuprofen-oxycodone oral tablet 400-5 mg</i> | | 2 | NM; NDS; QL (28 per 30 days) |
| <i>LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY</i> | | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>methadone injection solution 10 mg/ml</i> | | 2 | NM; NDS |
| <i>methadone oral concentrate 10 mg/ml</i> | (Methadone Intensol) | 2 | NM; NDS; QL (180 per 30 days) |
| <i>methadone oral solution 10 mg/5 ml</i> | | 2 | NM; NDS; QL (900 per 30 days) |
| <i>methadone oral solution 5 mg/5 ml</i> | | 2 | NM; NDS; QL (1800 per 30 days) |
| <i>methadone oral tablet 10 mg</i> | (Dolophine) | 2 | NM; NDS; QL (180 per 30 days) |
| <i>methadone oral tablet 5 mg</i> | (Dolophine) | 2 | NM; NDS; QL (360 per 30 days) |
| <i>methadose oral tablet,soluble 40 mg</i> | | 2 | NM; NDS; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| <i>morphine (pf) in 0.9 % sod chl intravenous pt controlled analgesia syring 30 mg/30 ml (1 mg/ml)</i> | 2 | NM; NDS |
| <i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml (Duramorph (PF))</i> | 2 | NM; NDS |
| <i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml</i> | 2 | NM; NDS |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> | 2 | NM; NDS; QL (200 per 30 days) |
| <i>morphine injection solution 5 mg/ml</i> | 2 | NM; NDS |
| MORPHINE INJECTION SYRINGE 10 MG/ML | 2 | NM; NDS |
| <i>morphine injection syringe 2 mg/ml, 4 mg/ml, 5 mg/ml, 8 mg/ml</i> | 2 | NM; NDS |
| <i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i> | 2 | NM; NDS |
| <i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml</i> | 2 | NM; NDS |
| <i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg</i> | 2 | NM; NDS; QL (30 per 30 days) |
| <i>morphine oral capsule, er multiphase 24 hr 75 mg, 90 mg</i> | 2 | NM; NDS; QL (60 per 30 days) |
| <i>morphine oral capsule, extend.release (Kadian) pellets 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg</i> | 2 | NM; NDS; QL (60 per 30 days) |
| <i>morphine oral solution 10 mg/5 ml</i> | 2 | NM; NDS; QL (700 per 30 days) |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i> | 2 | NM; NDS; QL (300 per 30 days) |
| MORPHINE ORAL TABLET 15 MG, 30 MG | 2 | NM; NDS; QL (180 per 30 days) |
| <i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg (MS Contin)</i> | 2 | NM; NDS; QL (90 per 30 days) |
| <i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i> | 2 | |
| <i>oxycodone oral capsule 5 mg</i> | 2 | NM; NDS; QL (180 per 30 days) |
| <i>oxycodone oral concentrate 20 mg/ml</i> | 2 | NM; NDS; QL (180 per 30 days) |
| <i>oxycodone oral solution 5 mg/5 ml</i> | 2 | NM; NDS; QL (1300 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| oxycodone oral tablet 10 mg, 20 mg | 2 | NM; NDS; QL (180 per 30 days) |
| oxycodone oral tablet 15 mg, 30 mg, 5 mg (Roxicodone) | 2 | NM; NDS; QL (180 per 30 days) |
| oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg (OxyContin) | 2 | ST; NM; NDS; QL (90 per 30 days) |
| oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg (Endocet) | 2 | NM; NDS; QL (360 per 30 days) |
| oxycodone-aspirin oral tablet 4.8355-325 mg | 2 | NM; NDS; QL (360 per 30 days) |
| OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG | 4 | ST; NM; NDS; QL (90 per 30 days) |
| oxymorphone oral tablet 10 mg, 5 mg | 2 | NM; NDS; QL (180 per 30 days) |
| phrenilin forte(with caffeine) oral capsule 50-300-40 mg | 4 | QL (180 per 30 days) |
| tencon oral tablet 50-325 mg | 4 | QL (180 per 30 days) |
| tramadol oral capsule,er biphasic 24 hr 17-83 300 mg (ConZip) | 2 | NM; NDS; QL (30 per 30 days) |
| tramadol oral capsule,er biphasic 24 hr 25-75 100 mg, 200 mg (ConZip) | 2 | NM; NDS; QL (30 per 30 days) |
| tramadol oral tablet 100 mg | 2 | NM; NDS; QL (120 per 30 days) |
| tramadol oral tablet 50 mg (Ultram) | 2 | NM; NDS; QL (240 per 30 days) |
| tramadol oral tablet extended release 24 hr 100 mg, 200 mg, 300 mg | 2 | NM; NDS; QL (30 per 30 days) |
| tramadol oral tablet, er multiphasic 24 hr 100 mg, 200 mg, 300 mg | 2 | NM; NDS; QL (30 per 30 days) |
| tramadol-acetaminophen oral tablet 37.5-325 mg (Ultracet) | 2 | NM; NDS; QL (240 per 30 days) |
| zebutal oral capsule 50-325-40 mg | 4 | QL (180 per 30 days) |
| Nonsteroidal Anti-Inflammatory Agents | | |
| celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg (Celebrex) | 2 | |
| diclofenac epolamine transdermal patch 12 hour 1.3 % (Flector) | 2 | PA; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>diclofenac potassium oral tablet 50 mg</i> | 2 | |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> | 2 | |
| <i>diclofenac sodium oral tablet,delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i> | 2 | |
| <i>diclofenac sodium topical gel 1 % (Arthritis Pain (diclofenac))</i> | 2 | |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> | 2 | |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> | 2 | |
| <i>diflunisal oral tablet 500 mg</i> | 2 | |
| <i>etodolac oral capsule 200 mg, 300 mg</i> | 2 | |
| <i>etodolac oral tablet 400 mg (Lodine)</i> | 2 | |
| <i>etodolac oral tablet 500 mg</i> | 2 | |
| <i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i> | 2 | |
| <i>fenoprofen oral tablet 600 mg (Nalfon)</i> | 2 | |
| <i>flurbiprofen oral tablet 100 mg, 50 mg</i> | 2 | |
| <i>ibu oral tablet 400 mg, 600 mg, 800 mg</i> | 2 | |
| <i>ibuprofen oral suspension 100 mg/5 ml (Children's Advil)</i> | 2 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 2 | |
| <i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i> | 2 | |
| <i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i> | 2 | |
| <i>meclofenamate oral capsule 100 mg, 50 mg</i> | 2 | |
| <i>mefenamic acid oral capsule 250 mg</i> | 2 | |
| <i>meloxicam oral tablet 15 mg, 7.5 mg (Mobic)</i> | 2 | |
| <i>nabumetone oral tablet 500 mg, 750 mg (Relafen)</i> | 2 | |
| <i>naproxen oral suspension 125 mg/5 ml (Naprosyn)</i> | 2 | |
| <i>naproxen oral tablet 250 mg, 375 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------------------------|------------------|----------------------------|
| <i>naproxen oral tablet 500 mg</i> | (Naprosyn) | 2 | |
| <i>naproxen oral tablet,delayed release (dr/ec) 375 mg, 500 mg</i> | (EC-Naprosyn) | 2 | |
| <i>naproxen sodium oral tablet 275 mg</i> | | 2 | |
| <i>naproxen sodium oral tablet 550 mg</i> | (Anaprox DS) | 2 | |
| <i>oxaprozin oral tablet 600 mg</i> | (Daypro) | 2 | |
| <i>piroxicam oral capsule 10 mg, 20 mg</i> | (Feldene) | 2 | |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | | 2 | |
| <i>tolmetin oral capsule 400 mg</i> | | 2 | |
| <i>tolmetin oral tablet 200 mg, 600 mg</i> | | 2 | |
| Anesthetics | | | |
| Local Anesthetics | | | |
| <i>glydo mucous membrane jelly in applicator 2 %</i> | | 2 | |
| <i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> | (Xylocaine-MPF) | 2 | PA BvD; (PA for ESRD only) |
| <i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i> | | 2 | PA BvD; (PA for ESRD only) |
| <i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i> | (Xylocaine (Cardiac) (PF)) | 2 | PA BvD; (PA for ESRD only) |
| <i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> | (Xylocaine) | 2 | PA BvD; (PA for ESRD only) |
| <i>lidocaine hcl mucous membrane jelly 2 %</i> | | 2 | |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i> | | 2 | |
| <i>lidocaine topical adhesive patch,medicated 5 %</i> | (Lidoderm) | 2 | PA; QL (90 per 30 days) |
| <i>lidocaine topical ointment 5 %</i> | | 4 | PA BvD; (PA for ESRD only) |
| <i>lidocaine viscous mucous membrane solution 2 %</i> | | 2 | |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i> | | 4 | PA BvD; (PA for ESRD only) |
| <i>LIDOTREX TOPICAL GEL 2 %-1 % -1.2 %</i> | | 2 | |
| <i>PRILOVIXIL TOPICAL KIT 2.5-2.5 %</i> | | 4 | PA BvD |
| Anti-Addiction/Substance Abuse Treatment Agents | | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| <i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i> | 2 | |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> | 2 | NM; NDS; QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> | 2 | NM; NDS; QL (90 per 30 days) |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> | 2 | NM; NDS; QL (90 per 30 days) |
| <i>bupropion hcl (smoking deterrent) oral tablet extended release 12 hr 150 mg</i> | 2 | QL (60 per 30 days) |
| CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG | 4 | QL (60 per 30 days) |
| CHANTIX ORAL TABLET 0.5 MG, 1 MG | 4 | QL (60 per 30 days) |
| CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42) | 4 | QL (53 per 180 days) |
| <i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse) | 2 | |
| LUCEMYRA ORAL TABLET 0.18 MG | 5 | PA; NM; NDS; QL (228 per 14 days) |
| <i>naloxone injection solution 0.4 mg/ml</i> | 1 | GC |
| <i>naloxone injection syringe 0.4 mg/ml</i> | 1 | GC |
| <i>naloxone injection syringe 1 mg/ml</i> | 2 | |
| <i>naltrexone oral tablet 50 mg</i> | 2 | |
| NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION | 3 | QL (4 per 28 days) |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML | 4 | |
| SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML | 5 | NM; NDS; (1 syringe); QL (0.5 per 28 days) |
| SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML | 5 | NM; NDS; (1 syringe); QL (1.5 per 28 days) |
| VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG | 5 | NM; NDS |
| Antianxiety Agents | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| Benzodiazepines | | |
| ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML | 3 | NM; NDS; QL (300 per 30 days) |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax) | 2 | NM; NDS; QL (120 per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> (Xanax) | 2 | NM; NDS; QL (150 per 30 days) |
| <i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg</i> (Xanax XR) | 2 | NM; NDS; QL (30 per 30 days) |
| <i>alprazolam oral tablet extended release 24 hr 2 mg</i> (Xanax XR) | 2 | NM; NDS; QL (150 per 30 days) |
| <i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR) | 2 | NM; NDS; QL (90 per 30 days) |
| <i>alprazolam oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg</i> | 2 | NM; NDS; QL (120 per 30 days) |
| <i>alprazolam oral tablet,disintegrating 2 mg</i> | 2 | NM; NDS; QL (150 per 30 days) |
| <i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> | 2 | |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin) | 2 | NM; NDS; QL (120 per 30 days) |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin) | 2 | NM; NDS; QL (300 per 30 days) |
| <i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 2 | NM; NDS; QL (120 per 30 days) |
| <i>clonazepam oral tablet,disintegrating 2 mg</i> | 2 | NM; NDS; QL (300 per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | 2 | NM; NDS; QL (180 per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg</i> | 2 | NM; NDS; QL (120 per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab) | 2 | NM; NDS; QL (120 per 30 days) |
| <i>diazepam 5 mg/ml oral conc 5 mg/ml</i> | 2 | NM; NDS; QL (240 per 30 days) |
| <i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol) | 2 | NM; NDS; QL (240 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> | 2 | NM; NDS; QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium) | 2 | NM; NDS; QL (120 per 30 days) |
| <i>estazolam oral tablet 1 mg, 2 mg</i> | 2 | NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan) | 2 | NM; NDS; QL (120 per 30 days) |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan) | 2 | NM; NDS; QL (90 per 30 days) |
| <i>lorazepam injection syringe 2 mg/ml</i> | 2 | NM; NDS; QL (120 per 30 days) |
| <i>lorazepam injection syringe 4 mg/ml</i> | 2 | NM; NDS; QL (90 per 30 days) |
| <i>lorazepam oral concentrate 2 mg/ml</i> (Lorazepam Intensol) | 2 | NM; NDS; QL (150 per 30 days) |
| <i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> (Ativan) | 2 | NM; NDS |
| <i>meprobamate oral tablet 200 mg, 400 mg</i> | 2 | PA; NM; NDS; PA-HRM; AGE (Max 64 Years) |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i> | 2 | NM; NDS; QL (120 per 30 days) |
| <i>temazepam oral capsule 15 mg, 30 mg, 7.5 mg</i> (Restoril) | 2 | NM; NDS; QL (30 per 30 days) |

Antibacterials

Aminoglycosides

| | | |
|---|---|---------------------------------------|
| <i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i> | 2 | |
| BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML | 5 | PA; NM; LA; NDS; QL (224 per 56 days) |
| <i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i> | 2 | |
| <i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i> | 2 | |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i> | 2 | |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i> | 2 | |
| <i>neomycin oral tablet 500 mg</i> | 2 | |
| <i>streptomycin intramuscular recon soln 1 gram</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG | 5 | PA; NM; NDS; QL (224 per 56 days) |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 5 | PA; NM; NDS; QL (280 per 28 days) |
| <i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i> | 4 | |
| <i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis) | 5 | PA; NM; NDS; QL (224 per 56 days) |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i> | 4 | |
| Antibacterials, Miscellaneous | | |
| <i>bacim intramuscular recon soln 50,000 unit</i> | 2 | |
| <i>bacitracin intramuscular recon soln 50,000 unit</i> | 2 | |
| <i>chloramphenicol sod succinate intravenous recon soln 1 gram</i> | 4 | |
| <i>clindamycin 75 mg/5 ml soln 75 mg/5 ml</i> (Clindamycin Pediatric) | 2 | |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl) | 2 | |
| <i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i> | 2 | |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> | 2 | |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i> | 2 | |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin) | 2 | |
| <i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> | 2 | |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral) | 2 | |
| <i>daptomycin intravenous recon soln 350 mg</i> | 4 | |
| <i>daptomycin intravenous recon soln 500 mg</i> (Cubicin) | 4 | |
| FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|---------------|------------------|---------------------------------|
| <i>lincomycin injection solution 300 mg/ml</i> | (Lincocin) | 4 | |
| <i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i> | | 4 | |
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> | (Zyvox) | 4 | |
| <i>linezolid oral tablet 600 mg</i> | (Zyvox) | 2 | QL (60 per 30 days) |
| <i>methenamine hippurate oral tablet 1 gram</i> | (Hiprex) | 2 | |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> | (Metro I.V.) | 2 | |
| <i>metronidazole oral capsule 375 mg</i> | (Flagyl) | 2 | |
| <i>metronidazole oral tablet 250 mg</i> | | 2 | |
| <i>metronidazole oral tablet 500 mg</i> | (Flagyl) | 2 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> | (Macrodantin) | 2 | |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> | (Macrobid) | 2 | |
| <i>polymyxin b sulfate injection recon soln 500,000 unit</i> | | 2 | |
| SIVEXTRO INTRAVENOUS RECON SOLN 200 MG | | 5 | PA; NM; NDS; QL (6 per 30 days) |
| SIVEXTRO ORAL TABLET 200 MG | | 5 | PA; NM; NDS; QL (6 per 30 days) |
| SYNERCID INTRAVENOUS RECON SOLN 500 MG | | 5 | PA; NM; NDS |
| <i>trimethoprim oral tablet 100 mg</i> | | 1 | GC |
| <i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i> | | 2 | |
| <i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i> | | 2 | |
| VANCOMYCIN INTRAVENOUS RECON SOLN 1.5 GRAM | | 2 | |
| <i>vancomycin oral capsule 125 mg, 250 mg</i> | (Vancocin) | 2 | |
| <i>vancomycin oral recon soln 50 mg/ml</i> | (Firvanq) | 2 | |
| <i>vancomycin-water inject (peg) intravenous piggyback 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml</i> | | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| XENLETA INTRAVENOUS SOLUTION 150 MG/15 ML | 5 | PA; NM; NDS; QL (60 per 30 days) |
| XENLETA ORAL TABLET 600 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| Cephalosporins | | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | 2 | |
| <i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i> | 2 | |
| <i>cefaclor oral tablet extended release 12 hr 500 mg</i> | 2 | |
| <i>cefadroxil oral capsule 500 mg</i> | 2 | |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2 | |
| <i>cefadroxil oral tablet 1 gram</i> | 2 | |
| <i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i> | 2 | |
| <i>cefdinir oral capsule 300 mg</i> | 2 | |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| <i>cefditoren pivoxil oral tablet 200 mg</i> | 2 | |
| <i>cefditoren pivoxil oral tablet 400 mg (Spectracef)</i> | 2 | |
| <i>cefepime injection recon soln 1 gram, 2 gram</i> | 4 | |
| <i>cefixime oral capsule 400 mg (Suprax)</i> | 4 | |
| <i>cefotaxime injection recon soln 1 gram</i> | 2 | |
| <i>cefotetan injection recon soln 1 gram, 2 gram</i> | 4 | |
| <i>cefotetan intravenous recon soln 10 gram</i> | 4 | |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i> | 2 | |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i> | 2 | |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 2 | |
| <i>ceftazidime injection recon soln 1 gram, 6 gram</i> | 2 | |
| <i>ceftazidime injection recon soln 2 gram</i> | 2 | |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 2 | |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i> | 2 | |
| <i>cefuroxime sodium injection recon soln 750 mg</i> | 2 | |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i> | 2 | |
| <i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i> | 2 | |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| <i>cephalexin oral tablet 250 mg, 500 mg</i> | 2 | |
| FETROJA INTRAVENOUS RECON SOLN 1 GRAM | 5 | PA; NM; NDS; QL (112 per 14 days) |
| <i>tazicef injection recon soln 1 gram, 6 gram</i> | 2 | |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG | 4 | |
| ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM | 5 | NM; NDS |
| Macrolides | | |
| <i>azithromycin intravenous recon soln 500 mg</i> | 2 | |
| <i>azithromycin oral packet 1 gram</i> | 2 | |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> | 2 | |
| <i>azithromycin oral tablet 250 mg</i> | 2 | |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i> | 2 | |
| <i>azithromycin oral tablet 500 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|---|-------------------|--------------------------------------|--|
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 2 | | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 2 | | |
| <i>clarithromycin oral tablet extended release 24 hr 500 mg</i> | 2 | | |
| <i>e.e.s. 400 oral tablet 400 mg</i> | 2 | | |
| <i>ery-tab oral tablet,delayed release (dr/ec) 250 mg, 500 mg</i> | 2 | | |
| ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 333 MG | 4 | | |
| <i>erythrocin (as stearate) oral tablet 250 mg</i> | 2 | | |
| ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG | 3 | | |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> | (E.E.S. Granules) | 2 | |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> | (EryPed 400) | 2 | |
| <i>erythromycin ethylsuccinate oral tablet 400 mg</i> | (E.E.S. 400) | 2 | |
| <i>erythromycin oral capsule,delayed release(dr/ec) 250 mg</i> | 2 | | |
| <i>erythromycin oral tablet 250 mg, 500 mg</i> | 2 | | |
| <i>erythromycin oral tablet,delayed release (dr/ec) 250 mg, 333 mg, 500 mg</i> | (Ery-Tab) | 2 | |
| Miscellaneous B-Lactam Antibiotics | | | |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> | (Azactam) | 4 | |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML | 5 | PA; NM; LA; NDS; QL (84 per 28 days) | |
| <i>doripenem intravenous recon soln 250 mg, 500 mg</i> | 4 | | |
| <i>ertapenem injection recon soln 1 gram</i> | (Invanz) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i> | 2 | |
| <i>imipenem-cilastatin intravenous (Primaxin IV) recon soln 500 mg</i> | 2 | |
| <i>meropenem intravenous recon soln 1 gram (Merrem)</i> | 4 | |
| <i>meropenem intravenous recon soln (Merrem) 500 mg</i> | 4 | |
| <i>meropenem-0.9% nacl 500 mg/50 500 mg/50 ml</i> | 4 | |
| RECARBRIOD INTRAVENOUS RECON SOLN 1.25 GRAM | 5 | PA; NM; NDS; QL (56 per 14 days) |
| Penicillins | | |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i> | 2 | |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 2 | |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i> | 2 | |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> | 2 | |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i> | 2 | |
| <i>ampicillin oral capsule 250 mg, 500 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i> | 2 | |
| <i>ampicillin-sulbactam injection recon (Unasyn) soln 1.5 gram, 15 gram, 3 gram</i> | 2 | |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML | 4 | |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i> | 2 | |
| <i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i> | 4 | |
| <i>nafcillin injection recon soln 1 gram</i> | 4 | |
| <i>nafcillin injection recon soln 10 gram, 2 gram</i> | 4 | |
| <i>oxacillin 1 gm add-vantage vl add- vantage, inner 1 gram</i> | 4 | |
| <i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i> | 4 | |
| <i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i> | 4 | |
| <i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i> | 2 | |
| <i>penicillin g potassium injection recon (Pfizerpen-G) soln 20 million unit</i> | 2 | |
| <i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i> | 2 | |
| <i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> | 2 | |
| <i>penicillin v potassium oral tablet 250 mg, 500 mg</i> | 2 | |
| <i>pfizerpen-g injection recon soln 20 million unit</i> | 2 | |
| <i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> | 4 | |
| Quinolones | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| BAXDELA INTRAVENOUS RECON SOLN 300 MG | 5 | PA; NM; NDS |
| BAXDELA ORAL TABLET 450 MG | 5 | PA; NM; NDS; QL (28 per 14 days) |
| ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg | 2 | QL (30 per 30 days) |
| ciprofloxacin hcl oral tablet 100 mg, 750 mg | 2 | |
| ciprofloxacin hcl oral tablet 250 mg, (Cipro) 500 mg | 2 | |
| ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml | 2 | |
| ciprofloxacin oral (Cipro) suspension,microcapsule recon 250 mg/5 ml, 500 mg/5 ml | 2 | |
| levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml | 2 | |
| levofloxacin intravenous solution 25 mg/ml | 2 | |
| levofloxacin oral solution 250 mg/10 ml | 2 | |
| levofloxacin oral tablet 250 mg, 500 mg, 750 mg | 2 | |
| moxifloxacin 400 mg/250 ml bag 400 mg/250 ml | 4 | |
| moxifloxacin oral tablet 400 mg | 2 | |
| moxifloxacin-sod.chloride(iso) (Avelox in NaCl (iso-intravenous piggyback 400 mg/250 ml osmotic)) | 4 | |
| ofloxacin oral tablet 300 mg, 400 mg | 2 | |
| Sulfonamides | | |
| sulfadiazine oral tablet 500 mg | 2 | |
| sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml | 2 | |
| sulfamethoxazole-trimethoprim oral (Sulfatrim) suspension 200-40 mg/5 ml | 2 | |
| sulfamethoxazole-trimethoprim oral (Bactrim) tablet 400-80 mg | 1 | GC |
| sulfamethoxazole-trimethoprim oral (Bactrim DS) tablet 800-160 mg | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| <i>sulfatrim oral suspension 200-40 mg/5 ml</i> | 2 | |
| Tetracyclines | | |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i> | 2 | |
| <i>doxy-100 intravenous recon soln 100 mg</i> | 2 | |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxycycline Hyclate) | 2 | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox) | 2 | |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> | 2 | |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 75 mg</i> | 4 | |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg, 50 mg</i> (Doryx) | 4 | |
| <i>doxycycline monohydrate oral capsule 100 mg, 75 mg</i> (Mondoxyne NL) | 2 | |
| <i>doxycycline monohydrate oral capsule 150 mg</i> | 2 | |
| <i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox) | 2 | |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin) | 2 | |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy) | 2 | |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i> | 2 | |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> | 2 | |
| <i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i> | 2 | |
| <i>minocycline oral tablet extended release 24 hr 135 mg</i> (CoreMino) | 2 | |
| <i>minocycline oral tablet extended release 24 hr 45 mg, 90 mg</i> (CoreMino) | 2 | QL (30 per 30 days) |
| NUZYRA (7 DAY WITH LOAD DOSE) ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (30 per 14 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| NUZYRA (7 DAY) ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (30 per 14 days) |
| NUZYRA INTRAVENOUS RECON SOLN 100 MG | 5 | PA; NM; NDS; QL (15 per 14 days) |
| NUZYRA ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (30 per 14 days) |
| <i>okebo oral capsule 75 mg</i> | 2 | |
| <i>tetracycline oral capsule 250 mg, 500 mg</i> | 2 | |
| <i>tigecycline intravenous recon soln 50 mg (Tygacil)</i> | 4 | |
| Anticancer Agents | | |
| Anticancer Agents | | |
| abiraterone oral tablet 250 mg (Zytiga) | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG | 5 | PA NSO; NM; NDS |
| ADCETRIS INTRAVENOUS RECON SOLN 50 MG | 5 | PA NSO; NM; NDS |
| <i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i> | 2 | PA BvD |
| AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG | 5 | PA NSO; NM; NDS; QL (112 per 28 days) |
| AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| ALECensa ORAL CAPSULE 150 MG | 5 | PA NSO; NM; LA; NDS; QL (240 per 30 days) |
| ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG | 5 | NM; NDS |
| ALIQOPA INTRAVENOUS RECON SOLN 60 MG | 5 | PA NSO; NM; NDS; QL (3 per 28 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23) | 5 | PA NSO; NM; LA; NDS; QL (30 per 180 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-------------|------------------|---|
| <i>anastrozole oral tablet 1 mg</i> | (Arimidex) | 2 | |
| ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML | | 5 | PA NSO; NM; NDS |
| <i>arsenic trioxide intravenous solution 1 mg/ml</i> | | 2 | |
| <i>arsenic trioxide intravenous solution 2 mg/ml</i> | (Trisenox) | 2 | |
| ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML | | 5 | PA NSO; NM; NDS |
| AVASTIN INTRAVENOUS SOLUTION 25 MG/ML | | 5 | NM; LA; NDS |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG | | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>azacitidine injection recon soln 100 mg</i> | (Vidaza) | 5 | NM; NDS |
| BALVERSA ORAL TABLET 3 MG | | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| BALVERSA ORAL TABLET 4 MG | | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| BALVERSA ORAL TABLET 5 MG | | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML | | 5 | PA NSO; NM; NDS |
| BELEODAQ INTRAVENOUS RECON SOLN 500 MG | | 5 | PA NSO; NM; NDS |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML | | 5 | NM; NDS |
| BESPONSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL) | | 5 | PA NSO; NM; NDS |
| <i>bexarotene oral capsule 75 mg</i> | (Targretin) | 5 | NM; NDS |
| <i>bicalutamide oral tablet 50 mg</i> | (Casodex) | 2 | QL (30 per 30 days) |
| BLENREP INTRAVENOUS RECON SOLN 100 MG | | 5 | PA NSO; NM; NDS |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i> | | 2 | PA BvD |
| BLINCYTO INTRAVENOUS KIT 35 MCG | | 5 | PA NSO; NM; NDS |
| BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG | | 5 | PA NSO; NM; NDS |
| BOSULIF ORAL TABLET 100 MG | | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| BOSULIF ORAL TABLET 400 MG, 500 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| BRAFTOVI ORAL CAPSULE 50 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| BRAFTOVI ORAL CAPSULE 75 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| <i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex) | 2 | |
| CABOMETYX ORAL TABLET 20 MG, 60 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| CABOMETYX ORAL TABLET 40 MG | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |
| CALQUENCE ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 100 MG | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |
| CAPRELSA ORAL TABLET 300 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| <i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin) | 2 | |
| <i>carmustine intravenous recon soln 100 mg</i> (BiCNU) | 2 | |
| <i>cisplatin intravenous recon soln 50 mg</i> | 2 | |
| <i>cisplatin intravenous solution 1 mg/ml</i> | 2 | |
| <i>cladribine intravenous solution 10 mg/10 ml</i> | 2 | PA BvD |
| <i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar) | 5 | PA NSO; NM; NDS |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1) | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3) | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY) | 5 | PA NSO; NM; LA; NDS; QL (90 per 30 days) |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| COTELLIC ORAL TABLET 20 MG | 5 | PA NSO; NM; LA; NDS; QL (90 per 30 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i> | 2 | |
| <i>cyclophosphamide intravenous solution 200 mg/ml</i> | 2 | |
| CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG | 4 | PA BvD |
| CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| <i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i> | 2 | PA BvD |
| <i>cytarabine injection solution 20 mg/ml</i> | 2 | PA BvD |
| <i>dacarbazine intravenous recon soln 100 mg, 200 mg</i> | 2 | |
| <i>dactinomycin intravenous recon soln (Cosmegen) 0.5 mg</i> | 2 | |
| DARZALEX 100 MG/5 ML VIAL 20 MG/ML | 5 | PA NSO; NM; LA; NDS |
| DARZALEX INTRAVENOUS SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS |
| <i>daunorubicin intravenous recon soln 20 mg</i> | 2 | |
| <i>daunorubicin intravenous solution 5 mg/ml</i> | 2 | |
| DAURISMO ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| DAURISMO ORAL TABLET 25 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>decitabine intravenous recon soln 50 mg (Dacogen)</i> | 5 | PA NSO; NM; NDS |
| DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml, 80 mg/8 ml (10 mg/ml)</i> | 2 | |
| <i>docetaxel intravenous solution 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> | 2 | |
| <i>doxorubicin intravenous recon soln 10 mg, 50 mg</i> | 2 | PA BvD |
| <i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> | 2 | PA BvD |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> | 2 | |
| DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG | 4 | |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG | 4 | |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG | 4 | |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG | 4 | |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH) | 4 | |
| EMCYT ORAL CAPSULE 140 MG | 3 | |
| EMPICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG | 5 | PA NSO; NM; NDS |
| ENHERTU INTRAVENOUS RECON SOLN 100 MG | 5 | PA NSO; NM; NDS |
| <i>epirubicin intravenous recon soln 200 mg, 50 mg</i> | 2 | |
| <i>epirubicin intravenous solution 200 mg/100 ml, 50 mg/25 ml</i> | 2 | |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML | 5 | NM; NDS |
| ERIVEDGE ORAL CAPSULE 150 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| ERLEADA ORAL TABLET 60 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>erlotinib oral tablet 100 mg, 150 mg</i> (Tarceva) | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>erlotinib oral tablet 25 mg</i> (Tarceva) | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| ERWINAZE INJECTION RECON SOLN 10,000 UNIT | 5 | PA NSO; NM; NDS |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG | 4 | |
| <i>etoposide intravenous solution 20 mg/ml</i> (Toposar) | 2 | |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg</i> (Afinitor) | 4 | PA NSO; NDS; QL (28 per 28 days) |
| <i>everolimus (antineoplastic) oral tablet 5 mg, 7.5 mg</i> (Afinitor) | 5 | PA NSO; NM; NDS; QL (28 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin) | 2 | |
| FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG | 5 | PA NSO; NM; LA; NDS; QL (6 per 21 days) |
| FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML | 5 | NM; NDS |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG | 4 | |
| <i>flouxuridine injection recon soln 0.5 gram</i> | 2 | PA BvD |
| <i>fludarabine intravenous recon soln 50 mg</i> | 2 | |
| <i>fludarabine intravenous solution 50 mg/2 ml</i> | 2 | |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i> | 2 | PA BvD |
| <i>flutamide oral capsule 125 mg</i> | 2 | |
| FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) | 5 | NM; NDS |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex) | 5 | NM; NDS |
| GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML | 5 | PA NSO; NM; LA; NDS |
| <i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i> | 2 | |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG | 4 | |
| HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML) | 5 | PA NSO; NM; NDS |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML | 5 | NM; NDS; QL (5 per 21 days) |
| HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG | 5 | PA BvD; NM; NDS |
| HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | NM; NDS |
| <i>hydroxyurea oral capsule 500 mg (Hydrea)</i> | 2 | |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 5 | PA NSO; NM; LA; NDS; QL (21 per 28 days) |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 5 | PA NSO; NM; NDS; QL (21 per 28 days) |
| ICLUSIG ORAL TABLET 15 MG | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |
| ICLUSIG ORAL TABLET 45 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| <i>idarubicin intravenous solution 1 mg/ml (Idamycin PFS)</i> | 2 | |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| <i>ifosfamide intravenous recon soln 1 gram, 3 gram</i> | 2 | PA BvD |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 2 | PA BvD |
| <i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i> | 2 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-------------|------------------|---|
| <i>imatinib oral tablet 100 mg</i> | (Gleevec) | 2 | NM; NDS; QL (90 per 30 days) |
| <i>imatinib oral tablet 400 mg</i> | (Gleevec) | 2 | NM; NDS; QL (60 per 30 days) |
| IMBRUVICA ORAL CAPSULE 140 MG | | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG | | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG | | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| IMFINZI INTRAVENOUS SOLUTION 50 MG/ML | | 5 | PA NSO; NM; NDS |
| IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML | | 5 | PA NSO; NM; NDS; QL (4 per 180 days) |
| IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML | | 5 | PA NSO; NM; NDS; QL (8 per 28 days) |
| INLYTA ORAL TABLET 1 MG | | 5 | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG | | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG | | 5 | PA NSO; NM; NDS; QL (5 per 28 days) |
| INREBIC ORAL CAPSULE 100 MG | | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| IRESSA ORAL TABLET 250 MG | | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| <i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> | (Camptosar) | 2 | |
| <i>irinotecan intravenous solution 500 mg/25 ml</i> | | 2 | |
| IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG | | 5 | PA NSO; NM; NDS |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG | | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION) | 5 | PA NSO; NM; NDS |
| KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG | 5 | PA NSO; NM; LA; NDS |
| KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA BvD; NM; NDS |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA NSO; NM; NDS |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG | 5 | PA NSO; NM; NDS; QL (91 per 28 days) |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3) | 5 | PA NSO; NM; NDS; QL (63 per 28 days) |
| KOSELUGO ORAL CAPSULE 10 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG | 5 | PA NSO; NM; NDS |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb) | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA NSO; NM; NDS |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) | 5 | PA NSO; NM; LA; NDS; QL (90 per 30 days) |
| LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |
| <i>letrozole oral tablet 2.5 mg</i> (Femara) | 2 | |
| LEUKERAN ORAL TABLET 2 MG | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> | 2 | |
| LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA NSO; NM; NDS |
| LONSURF ORAL TABLET 15-6.14 MG | 5 | PA NSO; NM; LA; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG | 5 | PA NSO; NM; LA; NDS; QL (80 per 28 days) |
| LORBRENA ORAL TABLET 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| LORBRENA ORAL TABLET 25 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| LUMOXITI INTRAVENOUS RECON SOLN 1 MG | 5 | PA NSO; NM; NDS |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG | 5 | NM; NDS |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 5 | NM; NDS |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG | 5 | NM; NDS |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG | 5 | NM; NDS |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG | 3 | |
| MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL | 5 | PA NSO; NM; NDS |
| MATULANE ORAL CAPSULE 50 MG | 5 | NM; LA; NDS |
| <i>megestrol oral tablet 20 mg, 40 mg</i> | 2 | |
| MEKINIST ORAL TABLET 0.5 MG | 5 | PA NSO; NM; LA; NDS; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| MEKINIST ORAL TABLET 2 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| MEKTOVI ORAL TABLET 15 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| <i>melphalan hcl intravenous recon soln</i> (Alkeran (as HCl)) 50 mg | 2 | |
| <i>mercaptopurine oral tablet 50 mg</i> | 2 | |
| <i>methotrexate sodium (pf) injection</i> <i>recon soln 1 gram</i> | 2 | PA BvD |
| <i>methotrexate sodium (pf) injection</i> <i>solution 25 mg/ml</i> | 2 | |
| <i>methotrexate sodium injection</i> <i>solution 25 mg/ml</i> | 2 | |
| <i>methotrexate sodium oral tablet 2.5</i> <i>mg</i> | 2 | |
| <i>mitomycin intravenous recon soln 20</i> (Mutamycin) <i>mg, 40 mg, 5 mg</i> | 2 | PA BvD |
| <i>mitoxantrone intravenous</i> <i>concentrate 2 mg/ml</i> | 2 | |
| MONJUVI INTRAVENOUS RECON SOLN 200 MG | 5 | PA NSO; NM; NDS |
| MVASI INTRAVENOUS SOLUTION 25 MG/ML | 5 | NM; NDS |
| MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC) | 5 | PA NSO; NM; NDS |
| NERLYNX ORAL TABLET 40 MG | 5 | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| NEXAVAR ORAL TABLET 200 MG | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i> (Nilandron) | 2 | QL (60 per 30 days) |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 5 | PA NSO; NM; NDS; QL (3 per 28 days) |
| NIPENT INTRAVENOUS RECON SOLN 10 MG | 4 | |
| NUBEQA ORAL TABLET 300 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | PA BvD; NM; NDS |
| ONCASPAR INJECTION SOLUTION 750 UNIT/ML | 5 | NM; NDS |
| ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML | 5 | PA NSO; NM; NDS |
| ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG | 5 | NM; NDS |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML | 5 | PA NSO; NM; NDS |
| <i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i> | 2 | |
| <i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i> | 2 | |
| <i>paclitaxel intravenous concentrate 6 mg/ml</i> | 2 | |
| PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG | 5 | PA NSO; NM; NDS |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 5 | PA NSO; NM; NDS; QL (14 per 21 days) |
| PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML) | 5 | NM; NDS |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1) | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG | 5 | PA NSO; NM; NDS |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 5 | PA NSO; NM; LA; NDS; QL (21 per 28 days) |
| PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML) | 5 | PA NSO; NM; LA; NDS; QL (100 per 21 days) |
| PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT | 5 | NM; NDS |
| PURIXAN ORAL SUSPENSION 20 MG/ML | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| QINLOCK ORAL TABLET 50 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML) | 5 | PA NSO; NM; NDS; QL (46.8 per 28 days) |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1600 MG/13.4 ML (120 MG/ML) | 5 | PA NSO; NM; NDS; QL (13.4 per 28 days) |
| RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML | 5 | PA NSO; NM; LA; NDS |
| <i>romidepsin intravenous recon soln 10 (Istodax) mg/2 ml</i> | 5 | PA NSO; NM; NDS |
| <i>romidepsin intravenous solution 5 mg/ml</i> | 5 | PA NSO; NM; NDS |
| ROZLYTREK ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| RYDAPT ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (224 per 28 days) |
| SARCLISA INTRAVENOUS SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML | 4 | |
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| SPRYCEL ORAL TABLET 20 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| STIVARGA ORAL TABLET 40 MG | 5 | PA NSO; NM; LA; NDS; QL (84 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG | 5 | PA NSO; NM; NDS |
| SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG | 5 | PA NSO; NM; NDS |
| TABLOID ORAL TABLET 40 MG | 3 | |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| TAGRISSO ORAL TABLET 40 MG, 80 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| TALZENNA ORAL CAPSULE 0.25 MG | 5 | PA NSO; NM; NDS; QL (90 per 30 days) |
| TALZENNA ORAL CAPSULE 1 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i> | 2 | |
| TARGRETIN TOPICAL GEL 1 % | 5 | NM; NDS |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TAZVERIK ORAL TABLET 200 MG | 5 | PA NSO; NM; NDS; QL (240 per 30 days) |
| TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML) | 5 | PA NSO; NM; NDS |
| TEMODAR INTRAVENOUS RECON SOLN 100 MG | 4 | |
| <i>temsirolimus intravenous recon soln (Torisel) 30 mg/3 ml (10 mg/ml) (first)</i> | 5 | PA NSO; NM; NDS |
| <i>thiotepa injection recon soln 100 mg, (Tepadina) 15 mg</i> | 2 | |
| TIBSOVO ORAL TABLET 250 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| <i>toposar intravenous solution 20 mg/ml</i> | 2 | |
| <i>topotecan intravenous recon soln 4 mg (Hycamtin)</i> | 2 | |
| <i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|------------|------------------|---|
| <i>toremifene oral tablet 60 mg</i> | (Fareston) | 2 | |
| TRAZIMERA INTRAVENOUS RECON SOLN 420 MG | | 5 | NM; NDS |
| TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG | | 5 | NM; NDS |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | | 5 | NM; NDS |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i> | | 5 | NM; NDS |
| TRISENOX INTRAVENOUS SOLUTION 2 MG/ML | | 5 | PA NSO; NM; NDS |
| TRODELVY INTRAVENOUS RECON SOLN 180 MG | | 5 | PA NSO; NM; NDS |
| TRUXIMA INTRAVENOUS CONCENTRATE 10 MG/ML | | 5 | PA NSO; NM; NDS |
| TUKYSA ORAL TABLET 150 MG, 50 MG | | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TURALIO ORAL CAPSULE 200 MG | | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| TYKERB ORAL TABLET 250 MG | | 5 | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML | | 5 | PA NSO; NM; NDS; QL (40 per 30 days) |
| <i>valrubicin intravesical solution 40 mg/ml</i> | (Valstar) | 2 | |
| VALSTAR INTRAVESICAL SOLUTION 40 MG/ML | | 4 | |
| VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) | | 5 | PA NSO; NM; NDS |
| VENCLEXTA ORAL TABLET 10 MG | | 4 | PA NSO; LA; QL (60 per 30 days) |
| VENCLEXTA ORAL TABLET 100 MG | | 5 | PA NSO; NM; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG | | 4 | PA NSO; LA; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG | 5 | PA NSO; NM; LA; NDS; QL (42 per 180 days) |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA NSO; NM; LA; NDS; QL (56 per 28 days) |
| <i>vinblastine intravenous solution 1 mg/ml</i> | 2 | PA BvD |
| <i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> | 2 | PA BvD |
| <i>vincristine intravenous solution 1 (Vincasar PFS) mg/ml, 2 mg/2 ml</i> | 2 | PA BvD |
| <i>vinorelbine intravenous solution 10 (Navelbine) mg/ml, 50 mg/5 ml</i> | 2 | |
| VITRAKVI ORAL CAPSULE 100 MG | 5 | PA NSO; NM; NDS; QL (60 per 30 days) |
| VITRAKVI ORAL CAPSULE 25 MG | 5 | PA NSO; NM; NDS; QL (180 per 30 days) |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 5 | PA NSO; NM; NDS; QL (300 per 30 days) |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| VOTRIENT ORAL TABLET 200 MG | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| VYXEOS INTRAVENOUS RECON SOLN 44-100 MG | 5 | PA NSO; NM; NDS |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML | 4 | PA NSO |
| XOSPATA ORAL TABLET 40 MG | 5 | PA NSO; NM; NDS |
| XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5) | 5 | PA NSO; NM; NDS; QL (20 per 28 days) |
| XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2) | 5 | PA NSO; NM; NDS; QL (8 per 28 days) |
| XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4) | 5 | PA NSO; NM; NDS; QL (16 per 28 days) |
| XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3) | 5 | PA NSO; NM; NDS; QL (12 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK) | 5 | PA NSO; NM; NDS; QL (24 per 28 days) |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK) | 5 | PA NSO; NM; NDS; QL (32 per 28 days) |
| XTANDI ORAL CAPSULE 40 MG | 5 | PA NSO; NM; LA; NDS; QL (120 per 30 days) |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) | 5 | PA NSO; NM; LA; NDS |
| YONDELIS INTRAVENOUS RECON SOLN 1 MG | 5 | PA NSO; NM; NDS |
| YONSA ORAL TABLET 125 MG | 5 | PA NSO; NM; NDS; QL (120 per 30 days) |
| ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) | 5 | PA NSO; NM; LA; NDS |
| ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM | 4 | |
| ZEJULA ORAL CAPSULE 100 MG | 5 | PA NSO; NM; LA; NDS; QL (90 per 30 days) |
| ZELBORAF ORAL TABLET 240 MG | 5 | PA NSO; NM; LA; NDS; QL (240 per 30 days) |
| ZEPZELCA INTRAVENOUS RECON SOLN 4 MG | 5 | PA NSO; NM; NDS |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG | 4 | |
| ZOLINZA ORAL CAPSULE 100 MG | 5 | NM; NDS; QL (120 per 30 days) |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |
| ZYKADIA ORAL CAPSULE 150 MG | 5 | PA NSO; NM; LA; NDS; QL (90 per 30 days) |
| ZYKADIA ORAL TABLET 150 MG | 5 | PA NSO; NM; LA; NDS; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| ZYTIGA ORAL TABLET 500 MG | 5 | PA NSO; NM; LA; NDS; QL (60 per 30 days) |
| Anticholinergic Agents | | |
| Antimuscarinics/Antispasmodics | | |
| <i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i> | 2 | |
| Anticonvulsants | | |
| Anticonvulsants | | |
| APTIOM ORAL TABLET 200 MG, 400 MG | 4 | PA NSO; QL (30 per 30 days) |
| APTIOM ORAL TABLET 600 MG, 800 MG | 4 | PA NSO; QL (60 per 30 days) |
| BANZEL ORAL SUSPENSION 40 MG/ML | 4 | PA NSO |
| BANZEL ORAL TABLET 200 MG, 400 MG | 4 | PA NSO |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML | 4 | PA NSO |
| BRIVIACT ORAL SOLUTION 10 MG/ML | 4 | PA NSO; QL (600 per 30 days) |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG | 4 | PA NSO; QL (60 per 30 days) |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> | 2 | |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> | 2 | |
| <i>carbamazepine oral tablet 200 mg</i> | 2 | |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> | 2 | |
| <i>carbamazepine oral tablet, chewable 100 mg</i> | 2 | |
| CELONTIN ORAL CAPSULE 300 MG | 4 | |
| <i>clobazam oral suspension 2.5 mg/ml</i> | 2 | |
| <i>clobazam oral tablet 10 mg, 20 mg</i> | 2 | |
| DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG | 4 | |
| DIASTAT RECTAL KIT 2.5 MG | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---------------------------------------|
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> | 2 | |
| <i>diazepam rectal kit 2.5 mg</i> | 2 | |
| DILANTIN EXTENDED ORAL CAPSULE 100 MG | 4 | |
| DILANTIN INFATABS ORAL TABLET,CHEWABLE 50 MG | 3 | |
| DILANTIN ORAL CAPSULE 30 MG | 4 | |
| <i>divalproex oral capsule, delayed release sprinkle 125 mg</i> | 2 | |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> | 2 | |
| <i>divalproex oral tablet,delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> | 2 | |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML | 4 | PA NSO |
| <i>epitol oral tablet 200 mg</i> | 2 | |
| <i>ethosuximide oral capsule 250 mg</i> | 2 | |
| <i>ethosuximide oral solution 250 mg/5 ml</i> | 2 | |
| <i>felbamate oral suspension 600 mg/5 ml</i> | 2 | |
| <i>felbamate oral tablet 400 mg, 600 mg</i> | 2 | |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML | 5 | PA NSO; NM; NDS; QL (360 per 30 days) |
| <i>fosphénytoïne injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> | 2 | |
| FYCOMPA ORAL SUSPENSION 0.5 MG/ML | 4 | PA NSO; QL (720 per 30 days) |
| FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> | 2 | |
| <i>gabapentin oral solution 250 mg/5 ml</i> | 2 | |
| <i>gabapentin oral tablet 600 mg, 800 mg</i> | 2 | |
| LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7) | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7) | 4 | |
| LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7) | 4 | |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite) | 2 | |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue)) | 2 | |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange)) | 2 | |
| <i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green)) | 2 | |
| <i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR) | 2 | |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal) | 2 | |
| <i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 2 | |
| <i>lamotrigine oral tablets,dose pack 25 mg (35)</i> (Subvenite Starter (Blue) Kit) | 2 | |
| <i>lamotrigine oral tablets,dose pack 25 mg (42) -100 mg (7)</i> (Subvenite Starter (Orange) Kit) | 2 | |
| <i>lamotrigine oral tablets,dose pack 25 mg (84) -100 mg (14)</i> (Subvenite Starter (Green) Kit) | 2 | |
| <i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i> | 2 | |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra) | 2 | |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra) | 2 | |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra) | 2 | |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| LYRICA ORAL SOLUTION 20 MG/ML | 4 | |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML) | 3 | QL (10 per 30 days) |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> | 2 | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> | 2 | |
| OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG | 4 | PA NSO |
| PEGANONE ORAL TABLET 250 MG | 3 | |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> | 2 | |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2 | |
| PHENYTEK ORAL CAPSULE 200 MG, 300 MG | 4 | |
| <i>phenytoin oral suspension 125 mg/5 ml</i> | 2 | |
| <i>phenytoin oral tablet, chewable 50 mg</i> | 2 | (Dilantin Infatabs) |
| <i>phenytoin sodium extended oral capsule 100 mg</i> | 2 | (Dilantin Extended) |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> | 2 | (Phenytek) |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i> | 2 | |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i> | 2 | |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> | 2 | (Lyrica) |
| <i>pregabalin oral solution 20 mg/ml</i> | 2 | (Lyrica) |
| <i>primidone oral tablet 250 mg, 50 mg</i> | 2 | (Mysoline) |
| SABRIL ORAL TABLET 500 MG | 5 | PA NSO; NM; LA; NDS |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG | 4 | ST |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------|
| <i>subvenite starter (blue) kit oral tablets,dose pack 25 mg (35)</i> | 2 | |
| <i>subvenite starter (green) kit oral tablets,dose pack 25 mg (84) -100 mg (14)</i> | 2 | |
| <i>subvenite starter (orange) kit oral tablets,dose pack 25 mg (42) -100 mg (7)</i> | 2 | |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG | 4 | PA NSO; QL (60 per 30 days) |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril) | 2 | |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax) | 2 | |
| <i>topiramate oral capsule,sprinkle,er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR) | 2 | PA NSO |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax) | 2 | |
| TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 50 MG | 4 | PA NSO |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> | 2 | |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> | 2 | |
| <i>valproic acid oral capsule 250 mg</i> | 2 | |
| VALTOCO NASAL SPRAY,NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 3 | QL (10 per 30 days) |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadron) | 5 | PA NSO; NM; NDS |
| <i>vigabatrin oral tablet 500 mg</i> (Sabril) | 5 | PA NSO; NM; NDS |
| <i>vigadron oral powder in packet 500 mg</i> | 5 | PA NSO; NM; NDS |
| VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML | 4 | PA NSO |
| VIMPAT ORAL SOLUTION 10 MG/ML | 4 | PA NSO |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|------------------------------------|
| VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 4 | PA NSO |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 4 | PA NSO; QL (60 per 30 days) |
| XCOPRI ORAL TABLET 100 MG, 50 MG | 4 | PA NSO; QL (30 per 30 days) |
| XCOPRI ORAL TABLET 150 MG, 200 MG | 4 | PA NSO; QL (60 per 30 days) |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 4 | PA NSO; QL (28 per 180 days) |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran) | 2 | |
| <i>zonisamide oral capsule 50 mg</i> | 2 | |
| Antidementia Agents | | |
| Antidementia Agents | | |
| <i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept) | 2 | QL (30 per 30 days) |
| <i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i> | 2 | QL (30 per 30 days) |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER) | 2 | QL (30 per 30 days) |
| <i>galantamine oral solution 4 mg/ml</i> | 2 | |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> | 2 | |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR) | 2 | QL (30 per 30 days) |
| <i>memantine oral solution 2 mg/ml</i> | 2 | |
| <i>memantine oral tablet 10 mg, 5 mg</i> (Namenda) | 2 | |
| <i>memantine oral tablets,dose pack 5- 10 mg</i> (Namenda Titration Pak) | 2 | |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 2 | |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i> (Exelon) | 2 | QL (30 per 30 days) |
| Antidepressants | | |
| Antidepressants | | |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> | 2 | PA NSO; PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|-------------------|------------------------------------|
| amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg | 2 | |
| amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg | 2 | |
| APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG | 4 | QL (30 per 30 days) |
| bupropion hcl oral tablet 100 mg, 75 mg | 2 | QL (180 per 30 days) |
| bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg | (Wellbutrin XL) 2 | QL (30 per 30 days) |
| bupropion hcl oral tablet extended release 24 hr 450 mg | (Forfivo XL) 2 | QL (30 per 30 days) |
| bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg | (Wellbutrin SR) 2 | QL (60 per 30 days) |
| citalopram oral solution 10 mg/5 ml | 2 | QL (600 per 30 days) |
| citalopram oral tablet 10 mg, 20 mg | (Celexa) 1 | GC; QL (45 per 30 days) |
| citalopram oral tablet 40 mg | (Celexa) 1 | GC; QL (30 per 30 days) |
| clomipramine oral capsule 25 mg, 50 mg, 75 mg | (Anafranil) 4 | PA NSO; PA-HRM; AGE (Max 64 Years) |
| desipramine oral tablet 10 mg, 25 mg | (Norpramin) 2 | |
| desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg | 2 | |
| DESVENLAFAKINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG | 2 | ST; QL (30 per 30 days) |
| DESVENLAFAKINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG | 2 | ST; QL (30 per 30 days) |
| desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg | (Pristiq) 2 | QL (30 per 30 days) |
| doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg | 2 | |
| doxepin oral concentrate 10 mg/ml | 2 | |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG | 4 | PA NSO; QL (60 per 30 days) |
| duloxetine oral capsule,delayed release(dr/ec) 20 mg, 30 mg, 60 mg | (Cymbalta) 2 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| <i>duloxetine oral capsule,delayed release(dr/ec) 40 mg</i> | 2 | QL (60 per 30 days) |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR | 5 | NM; NDS; QL (30 per 30 days) |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i> | 2 | QL (600 per 30 days) |
| <i>escitalopram oxalate oral tablet 10 mg, 5 mg</i> (Lexapro) | 2 | QL (45 per 30 days) |
| <i>escitalopram oxalate oral tablet 20 mg</i> (Lexapro) | 2 | QL (30 per 30 days) |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26) | 4 | PA NSO; QL (28 per 180 days) |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>fluoxetine oral capsule 10 mg</i> (Prozac) | 2 | QL (90 per 30 days) |
| <i>fluoxetine oral capsule 20 mg</i> (Prozac) | 2 | QL (120 per 30 days) |
| <i>fluoxetine oral capsule 40 mg</i> (Prozac) | 2 | QL (60 per 30 days) |
| <i>fluoxetine oral capsule,delayed release(dr/ec) 90 mg</i> | 2 | QL (4 per 28 days) |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> | 2 | QL (600 per 30 days) |
| <i>fluoxetine oral tablet 10 mg</i> (Sarafem) | 2 | QL (90 per 30 days) |
| <i>fluoxetine oral tablet 20 mg</i> (Sarafem) | 2 | QL (120 per 30 days) |
| FLUOXETINE ORAL TABLET 60 MG | 4 | QL (30 per 30 days) |
| <i>fluvoxamine oral capsule,extended release 24hr 100 mg, 150 mg</i> | 2 | QL (60 per 30 days) |
| <i>fluvoxamine oral tablet 100 mg</i> | 2 | QL (90 per 30 days) |
| <i>fluvoxamine oral tablet 25 mg</i> | 2 | QL (30 per 30 days) |
| <i>fluvoxamine oral tablet 50 mg</i> | 2 | QL (45 per 30 days) |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 2 | PA NSO; PA-HRM; AGE (Max 64 Years) |
| <i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i> | 2 | PA NSO; PA-HRM; AGE (Max 64 Years) |
| <i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i> | 2 | |
| MARPLAN ORAL TABLET 10 MG | 3 | |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron) | 2 | QL (30 per 30 days) |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i> | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| mirtazapine oral tablet,disintegrating (Remeron SolTab) 15 mg, 30 mg, 45 mg | 2 | QL (30 per 30 days) |
| nefazodone oral tablet 100 mg, 150 mg, 250 mg, 50 mg | 2 | QL (60 per 30 days) |
| nefazodone oral tablet 200 mg | 2 | QL (90 per 30 days) |
| nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg (Pamelor) | 1 | GC |
| nortriptyline oral solution 10 mg/5 ml | 2 | |
| olanzapine-fluoxetine oral capsule 12-25 mg | 4 | QL (30 per 30 days) |
| olanzapine-fluoxetine oral capsule 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg (Symbax) | 4 | QL (30 per 30 days) |
| paroxetine hcl oral tablet 10 mg, 40 mg (Paxil) | 1 | GC; QL (45 per 30 days) |
| paroxetine hcl oral tablet 20 mg (Paxil) | 1 | GC; QL (30 per 30 days) |
| paroxetine hcl oral tablet 30 mg (Paxil) | 1 | GC; QL (60 per 30 days) |
| paroxetine hcl oral tablet extended release 24 hr 12.5 mg (Paxil CR) | 2 | QL (30 per 30 days) |
| paroxetine hcl oral tablet extended release 24 hr 25 mg, 37.5 mg (Paxil CR) | 2 | QL (60 per 30 days) |
| PAXIL ORAL SUSPENSION 10 MG/5 ML | 4 | |
| perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg | 4 | |
| PEXEVA ORAL TABLET 10 MG, 40 MG | 4 | QL (45 per 30 days) |
| PEXEVA ORAL TABLET 20 MG | 4 | QL (30 per 30 days) |
| PEXEVA ORAL TABLET 30 MG | 4 | QL (60 per 30 days) |
| phenelzine oral tablet 15 mg (Nardil) | 2 | |
| protriptyline oral tablet 10 mg, 5 mg | 2 | |
| sertraline oral concentrate 20 mg/ml (Zoloft) | 2 | QL (300 per 30 days) |
| sertraline oral tablet 100 mg (Zoloft) | 1 | GC; QL (60 per 30 days) |
| sertraline oral tablet 25 mg, 50 mg (Zoloft) | 1 | GC; QL (45 per 30 days) |
| SPRAVATO NASAL SPRAY,NON-AEROSOL 56 MG (28 MG X 2) | 5 | PA NSO; NM; NDS; QL (16 per 28 days) |
| SPRAVATO NASAL SPRAY,NON-AEROSOL 84 MG (28 MG X 3) | 5 | PA NSO; NM; NDS; QL (24 per 28 days) |
| tranylcypromine oral tablet 10 mg (Parnate) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|---|------------------|------------------------------------|---------------------|
| <i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i> | 1 | GC | |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> | 2 | PA NSO; PA-HRM; AGE (Max 64 Years) | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 4 | PA NSO; QL (30 per 30 days) | |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg</i> | (Effexor XR) | 2 | QL (30 per 30 days) |
| <i>venlafaxine oral capsule, extended release 24hr 75 mg</i> | (Effexor XR) | 2 | QL (90 per 30 days) |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> | 2 | QL (90 per 30 days) | |
| <i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i> | 2 | QL (30 per 30 days) | |
| VIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG | 4 | PA NSO; QL (30 per 30 days) | |
| VIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23) | 4 | PA NSO; QL (30 per 180 days) | |
| ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML | 5 | PA NSO; NM; NDS | |
| Antidiabetic Agents | | | |
| Antidiabetic Agents, Miscellaneous | | | |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose) | 1 | GC; QL (90 per 30 days) | |
| ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 15-1,000 MG | 3 | QL (60 per 30 days) | |
| ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 30-1,000 MG | 3 | QL (30 per 30 days) | |
| BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML | 4 | ST; QL (3.4 per 28 days) | |
| BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML | 4 | ST; QL (4 per 28 days) | |
| BYETTA 10 MCG DOSE PEN INJ 10 MCG PER DOSE, SUV 10 MCG/DOSE(250 MCG/ML) 2.4 ML | 4 | ST; (1 pen); QL (2.4 per 30 days) | |
| BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML | 4 | ST; (1 pen); QL (2.4 per 30 days) | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML | 4 | ST; (1 pen); QL (1.2 per 30 days) |
| CYCLOSET ORAL TABLET 0.8 MG | 4 | PA; QL (180 per 30 days) |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 3 | QL (30 per 30 days) |
| INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50- 1,000 MG, 50-500 MG | 3 | QL (60 per 30 days) |
| INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG | 3 | QL (60 per 30 days) |
| INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG | 3 | QL (120 per 30 days) |
| INVOKANA ORAL TABLET 100 MG, 300 MG | 3 | QL (30 per 30 days) |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 3 | QL (30 per 30 days) |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG | 3 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG | 3 | QL (60 per 30 days) |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG | 3 | QL (30 per 30 days) |
| KORLYM ORAL TABLET 300 MG | 5 | PA; NM; LA; NDS; QL (120 per 30 days) |
| <i>metformin oral tablet 1,000 mg</i> (Glucophage) | 1 | GC; QL (75 per 30 days) |
| <i>metformin oral tablet 500 mg</i> (Glucophage) | 1 | GC; QL (150 per 30 days) |
| <i>metformin oral tablet 850 mg</i> (Glucophage) | 1 | GC; QL (90 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR) | 1 | GC; QL (120 per 30 days) |
| <i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR) | 1 | GC; QL (60 per 30 days) |
| <i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i> (Glyset) | 2 | QL (90 per 30 days) |
| <i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix) | 1 | GC; QL (90 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--|
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML) | 3 | (1 pen); QL (1.5 per 28 days) |
| OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML) | 3 | QL (3 per 28 days) |
| <i>pioglitazone oral tablet 15 mg</i> (Actos) | 1 | GC; QL (90 per 30 days) |
| <i>pioglitazone oral tablet 30 mg, 45 mg</i> (Actos) | 1 | GC; QL (30 per 30 days) |
| <i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET) | 2 | QL (90 per 30 days) |
| <i>repaglinide oral tablet 0.5 mg</i> | 1 | GC; QL (120 per 30 days) |
| <i>repaglinide oral tablet 1 mg</i> (Prandin) | 1 | GC; QL (120 per 30 days) |
| <i>repaglinide oral tablet 2 mg</i> (Prandin) | 1 | GC; QL (240 per 30 days) |
| RYBELSUS ORAL TABLET 14 MG, 7 MG | 3 | QL (30 per 30 days) |
| RYBELSUS ORAL TABLET 3 MG | 3 | QL (30 per 180 days) |
| SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML | 3 | PA; (4 pens); QL (10.8 per 28 days) |
| SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML | 3 | PA; QL (6 per 28 days) |
| SYNJARDY ORAL TABLET 12.5- 1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG | 3 | QL (60 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG | 3 | QL (30 per 30 days) |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 1,000 MG, 5-1,000 MG | 3 | QL (60 per 30 days) |
| TRADJENTA ORAL TABLET 5 MG | 3 | QL (30 per 30 days) |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 4 | ST; QL (2 per 28 days) |
| VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML) | 3 | QL (9 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| Insulins | | |
| <i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i> | 3 | |
| <i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i> | 3 | |
| <i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i> | 3 | |
| <i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i> | 3 | |
| <i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i> | 3 | |
| LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | |
| LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | |
| LEVEMIR FLEXTOUCH U-100 INSULN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | |
| LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | |
| NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30) | 3 | |
| NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 3 | |
| NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | |
| NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 3 | |
| NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------|
| NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML | 3 | |
| NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | |
| NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30) | 3 | |
| NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30) | 3 | |
| NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML | 3 | |
| NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) | 3 | |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) | 3 | |
| TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) | 3 | |
| TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML) | 3 | |
| TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML) | 3 | ST; QL (15 per 30 days) |
| Sulfonylureas | | |
| glimepiride oral tablet 1 mg (Amaryl) | 1 | GC; QL (240 per 30 days) |
| glimepiride oral tablet 2 mg (Amaryl) | 1 | GC; QL (120 per 30 days) |
| glimepiride oral tablet 4 mg (Amaryl) | 1 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------|------------------|--|
| <i>glipizide oral tablet 10 mg</i> | (Glucotrol) | 1 | GC; QL (120 per 30 days) |
| <i>glipizide oral tablet 5 mg</i> | (Glucotrol) | 1 | GC; QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 10 mg</i> | (Glucotrol XL) | 1 | GC; QL (60 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 2.5 mg</i> | (Glucotrol XL) | 1 | GC; QL (240 per 30 days) |
| <i>glipizide oral tablet extended release 24hr 5 mg</i> | (Glucotrol XL) | 1 | GC; QL (120 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i> | | 1 | GC; QL (240 per 30 days) |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | | 1 | GC; QL (120 per 30 days) |
| <i>glyburide micronized oral tablet 1.5 mg</i> | (Glynase) | 2 | PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years) |
| <i>glyburide micronized oral tablet 3 mg</i> | (Glynase) | 2 | PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years) |
| <i>glyburide micronized oral tablet 6 mg</i> | (Glynase) | 2 | PA; PA-HRM; QL (60 per 30 days); AGE (Max 64 Years) |
| <i>glyburide oral tablet 1.25 mg</i> | | 2 | PA; PA-HRM; QL (480 per 30 days); AGE (Max 64 Years) |
| <i>glyburide oral tablet 2.5 mg</i> | | 2 | PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years) |
| <i>glyburide oral tablet 5 mg</i> | | 2 | PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years) |
| <i>glyburide-metformin oral tablet 1.25-250 mg</i> | | 2 | PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years) |
| <i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> | | 2 | PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years) |
| <i>tolazamide oral tablet 250 mg</i> | | 2 | QL (120 per 30 days) |
| <i>tolazamide oral tablet 500 mg</i> | | 2 | QL (60 per 30 days) |
| <i>tolbutamide oral tablet 500 mg</i> | | 1 | GC; QL (180 per 30 days) |

Antifungals

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| Antifungals | | |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | 5 | PA BvD; NM; NDS |
| AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG | 5 | PA BvD; NM; NDS |
| <i>amphotericin b injection recon soln 50 mg</i> | 2 | PA BvD |
| <i>caspofungin intravenous recon soln (Cancidas) 50 mg, 70 mg</i> | 5 | NM; NDS |
| <i>ciclopirox topical cream 0.77 % (Ciclodan)</i> | 2 | |
| <i>ciclopirox topical gel 0.77 %</i> | 2 | |
| <i>ciclopirox topical shampoo 1 % (Loprox)</i> | 2 | |
| <i>ciclopirox topical solution 8 % (Ciclodan)</i> | 2 | |
| <i>ciclopirox topical suspension 0.77 % (Loprox (as olamine))</i> | 2 | |
| <i>clotrimazole mucous membrane troche 10 mg</i> | 2 | |
| <i>clotrimazole topical cream 1 % (Antifungal (clotrimazole))</i> | 2 | |
| <i>clotrimazole topical solution 1 %</i> | 2 | |
| <i>clotrimazole-betamethasone topical cream 1-0.05 %</i> | 2 | |
| <i>clotrimazole-betamethasone topical lotion 1-0.05 %</i> | 2 | |
| <i>econazole topical cream 1 %</i> | 2 | |
| ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG | 5 | PA; NM; NDS |
| ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 50 MG | 4 | PA; NM; NDS |
| <i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i> | 2 | |
| <i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> | 2 | |
| <i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | 2 | |
| <i>flucytosine oral capsule 250 mg, 500 mg</i> | 5 | NM; NDS |
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| <i>griseofulvin microsize oral tablet 500 mg</i> | 2 | |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i> | 2 | |
| <i>itraconazole oral capsule 100 mg (Sporanox)</i> | 2 | PA |
| <i>ketoconazole oral tablet 200 mg</i> | 2 | |
| <i>ketoconazole topical cream 2 %</i> | 2 | |
| <i>ketoconazole topical foam 2 % (Extina)</i> | 2 | |
| <i>ketoconazole topical shampoo 2 %</i> | 2 | |
| <i>miconazole-3 vaginal suppository 200 mg</i> | 2 | |
| <i>naftifine topical cream 1 %</i> | 2 | |
| <i>naftifine topical cream 2 % (Naftin)</i> | 2 | |
| <i>naftifine topical gel 1 % (Naftin)</i> | 2 | |
| <i>NAFTIN TOPICAL GEL 1 %, 2 %</i> | 3 | |
| <i>NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML</i> | 5 | PA; NM; NDS |
| <i>NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)</i> | 5 | PA; NM; NDS; QL (600 per 30 days) |
| <i>NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG</i> | 5 | PA; NM; NDS; QL (180 per 30 days) |
| <i>nyamyc topical powder 100,000 unit/gram</i> | 2 | |
| <i>nystatin oral suspension 100,000 unit/ml</i> | 2 | |
| <i>nystatin oral tablet 500,000 unit</i> | 2 | |
| <i>nystatin topical cream 100,000 unit/gram</i> | 2 | |
| <i>nystatin topical ointment 100,000 unit/gram</i> | 2 | |
| <i>nystatin topical powder 100,000 (Nyamyc) unit/gram</i> | 2 | |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i> | 2 | |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i> | 2 | |
| <i>nystop topical powder 100,000 unit/gram</i> | 2 | |
| <i>posaconazole oral tablet,delayed release (dr/ec) 100 mg (Noxafil)</i> | 5 | PA; NM; NDS; QL (180 per 30 days) |
| <i>terbinafine hcl oral tablet 250 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|-----------------------------------|------------------|-----------------------------------|
| <i>voriconazole intravenous recon soln 200 mg</i> | (Vfend IV) | 4 | |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> | (Vfend) | 5 | NM; NDS |
| <i>voriconazole oral tablet 200 mg, 50 mg</i> | (Vfend) | 2 | |
| Antigout Agents | | | |
| Antigout Agents, Other | | | |
| <i>allopurinol oral tablet 100 mg, 300 mg</i> | (Zyloprim) | 1 | GC |
| <i>colchicine oral capsule 0.6 mg</i> | (Mitigare) | 2 | QL (60 per 30 days) |
| <i>colchicine oral tablet 0.6 mg</i> | (Colcrys) | 2 | QL (60 per 30 days) |
| <i>DUZALLO ORAL TABLET 200- 200 MG, 200-300 MG</i> | | 4 | PA; QL (30 per 30 days) |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> | (Uloric) | 2 | ST; QL (30 per 30 days) |
| <i>probenecid oral tablet 500 mg</i> | | 2 | |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i> | | 2 | |
| Antihistamines | | | |
| Antihistamines | | | |
| <i>cetirizine oral solution 1 mg/ml</i> | (All Day Allergy (cetirizine)) | 2 | (Rx product only) |
| <i>cyproheptadine oral syrup 2 mg/5 ml</i> | | 2 | PA; PA-HRM; AGE (Max 64 Years) |
| <i>cyproheptadine oral tablet 4 mg</i> | | 2 | PA; PA-HRM; AGE (Max 64 Years) |
| <i>desloratadine oral tablet 5 mg</i> | (Clarinex) | 2 | QL (30 per 30 days) |
| <i>diphenhydramine hcl injection solution 50 mg/ml</i> | | 2 | |
| <i>diphenhydramine hcl injection syringe 50 mg/ml</i> | | 2 | |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i> | | 2 | |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | | 2 | |
| <i>levocetirizine oral tablet 5 mg</i> | (24HR Allergy Relief) | 2 | |
| <i>promethazine oral syrup 6.25 mg/5 ml</i> | | 2 | PA; PA-HRM; AGE (Max 64 Years) |
| Anti-Infectives (Skin And Mucous Membrane) | | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| Anti-Infectives (Skin And Mucous Membrane) | | |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin) | 2 | |
| CLINDESSE VAGINAL CREAM, EXTENDED RELEASE 2 % | 3 | |
| <i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal) | 2 | |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i> | 2 | |
| <i>terconazole vaginal suppository 80 mg</i> | 2 | |
| Antimigraine Agents | | |
| Antimigraine Agents | | |
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML | 3 | PA; QL (1 per 30 days) |
| AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 225 MG/1.5 ML | 4 | PA; QL (1.5 per 30 days) |
| AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML | 4 | PA; (1 pen); QL (1.5 per 30 days) |
| <i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i> | 2 | QL (16 per 28 days) |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 4 | QL (8 per 28 days) |
| EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML | 3 | PA; QL (2 per 30 days) |
| EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3) | 3 | PA; QL (3 per 30 days) |
| <i>ergotamine-caffeine oral tablet 1-100 mg</i> (Cafergot) | 2 | QL (40 per 28 days) |
| MIGERGOT RECTAL SUPPOSITORY 2-100 MG | 4 | QL (40 per 28 days) |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Amerge) | 2 | QL (16 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG | 4 | PA; QL (15 per 30 days) |
| REYVOW ORAL TABLET 100 MG | 4 | PA; QL (8 per 30 days) |
| REYVOW ORAL TABLET 50 MG | 4 | PA; QL (4 per 30 days) |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt) | 2 | QL (16 per 28 days) |
| <i>rizatriptan oral tablet 5 mg</i> | 2 | QL (16 per 28 days) |
| <i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt-MLT) | 2 | QL (16 per 28 days) |
| <i>rizatriptan oral tablet,disintegrating 5 mg</i> | 2 | QL (16 per 28 days) |
| <i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex) | 2 | QL (16 per 28 days) |
| <i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i> (Imitrex) | 2 | QL (16 per 28 days) |
| <i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml Refill</i> (Imitrex STATdose) | 2 | QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex STATdose Pen) | 2 | QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex) | 2 | QL (8 per 28 days) |
| <i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i> | 2 | QL (8 per 28 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 4 | PA; QL (16 per 28 days) |
| VYEPTI INTRAVENOUS SOLUTION 100 MG/ML | 4 | PA; QL (3 per 90 days) |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig) | 2 | QL (16 per 28 days) |
| <i>zolmitriptan oral tablet,disintegrating 2.5 mg, 5 mg</i> (Zomig ZMT) | 2 | QL (16 per 28 days) |
| Antimycobacterials | | |
| Antimycobacterials | | |
| CAPASTAT INJECTION RECON SOLN 1 GRAM | 4 | |
| <i>cycloserine oral capsule 250 mg</i> | 2 | |
| <i>dapsone oral tablet 100 mg, 25 mg</i> | 2 | |
| <i>ethambutol oral tablet 100 mg</i> | 2 | |
| <i>ethambutol oral tablet 400 mg</i> (Myambutol) | 2 | |
| <i>isoniazid injection solution 100 mg/ml</i> | 2 | |
| <i>isoniazid oral solution 50 mg/5 ml</i> | 2 | |
| <i>isoniazid oral tablet 100 mg, 300 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM | 4 | |
| PRETOMANID ORAL TABLET 200 MG | 3 | PA; QL (30 per 30 days) |
| PRIFTIN ORAL TABLET 150 MG | 3 | |
| <i>pyrazinamide oral tablet 500 mg</i> | 2 | |
| <i>rifabutin oral capsule 150 mg</i> (Mycobutin) | 2 | |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin) | 2 | |
| <i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin) | 2 | |
| RIFATER ORAL TABLET 50-120-300 MG | 4 | |
| SIRTURO ORAL TABLET 100 MG, 20 MG | 5 | PA; NM; NDS |
| TRECATOR ORAL TABLET 250 MG | 4 | |

Antinausea Agents

| Antinausea Agents | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG | 4 | PA; QL (2 per 28 days) |
| <i>aprepitant oral capsule 125 mg</i> | 2 | PA |
| <i>aprepitant oral capsule 40 mg, 80 mg</i> (Emend) | 2 | PA |
| <i>aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)</i> (Emend) | 2 | PA |
| BONJESTA ORAL TABLET,IR,DELAYED REL,BIPHASIC 20-20 MG | 4 | PA; QL (60 per 30 days) |
| <i>compro rectal suppository 25 mg</i> | 2 | |
| <i>dimenhydrinate injection solution 50 mg/ml</i> | 2 | |
| <i>doxylamine-pyridoxine (vit b6) oral tablet,delayed release (dr/ec) 10-10 mg</i> (Diclegis) | 2 | PA; QL (120 per 30 days) |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol) | 2 | PA; QL (60 per 30 days) |
| <i>gransetron (pf) intravenous solution 100 mcg/ml</i> | 2 | |
| <i>gransetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i> | 2 | |
| <i>gransetron hcl oral tablet 1 mg</i> | 2 | PA BvD |
| <i>meclizine oral tablet 12.5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-------------------------|------------------|----------------------------|
| <i>meclizine oral tablet 25 mg</i> | (Dramamine Less Drowsy) | 2 | |
| <i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i> | | 2 | |
| <i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i> | | 2 | |
| <i>ondansetron hcl intravenous solution 2 mg/ml</i> | | 2 | |
| <i>ondansetron hcl oral solution 4 mg/5 ml</i> | | 2 | PA BvD |
| <i>ondansetron hcl oral tablet 24 mg, 8 mg</i> | | 2 | PA BvD |
| <i>ondansetron hcl oral tablet 4 mg</i> | (Zofran) | 2 | PA BvD |
| <i>ondansetron oral tablet,disintegrating 4 mg, 8 mg</i> | | 2 | PA BvD |
| <i>palonosetron intravenous solution 0.25 mg/5 ml</i> | (Aloxi) | 2 | PA |
| <i>palonosetron intravenous syringe 0.25 mg/5 ml</i> | | 2 | PA |
| <i>phenadoz rectal suppository 12.5 mg, 25 mg</i> | | 2 | |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i> | | 2 | |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> | (Compazine) | 2 | |
| <i>prochlorperazine rectal suppository 25 mg</i> | (Compro) | 2 | |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> | | 2 | |
| <i>promethazine rectal suppository 12.5 mg, 50 mg</i> | (Promethegan) | 2 | |
| <i>promethazine rectal suppository 25 mg</i> | (Phenadoz) | 2 | |
| <i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i> | | 2 | |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> | (Transderm-Scop) | 2 | |
| TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS | | 4 | |
| VARUBI ORAL TABLET 90 MG | | 4 | PA; QL (4 per 28 days) |
| Antiparasite Agents | | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| Antiparasite Agents | | |
| <i>albendazole oral tablet 200 mg</i> (Albenza) | 2 | |
| ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML | 4 | PA |
| ALINIA ORAL TABLET 500 MG | 4 | PA |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron) | 2 | |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone) | 2 | |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric) | 2 | |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> | 2 | |
| COARTEM ORAL TABLET 20-120 MG | 4 | |
| DARAPRIM ORAL TABLET 25 MG | 5 | PA; NM; NDS |
| EMVERM ORAL TABLET,CHEWABLE 100 MG | 3 | PA |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil) | 2 | |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol) | 2 | |
| KRINTAFEL ORAL TABLET 150 MG | 4 | |
| <i>mefloquine oral tablet 250 mg</i> | 2 | |
| NEBUPENT INHALATION RECON SOLN 300 MG | 4 | PA BvD |
| <i>paromomycin oral capsule 250 mg</i> | 2 | |
| PENTAM INJECTION RECON SOLN 300 MG | 4 | |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent) | 2 | PA BvD |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam) | 2 | |
| <i>praziquantel oral tablet 600 mg</i> (Biltricide) | 2 | |
| PRIMAQUINE ORAL TABLET 26.3 MG | 4 | |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim) | 5 | PA; NM; NDS |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin) | 2 | PA |
| <i>tinidazole oral tablet 250 mg, 500 mg</i> | 2 | |
| Antiparkinsonian Agents | | |
| Antiparkinsonian Agents | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------|
| <i>amantadine hcl oral capsule 100 mg</i> | 2 | |
| <i>amantadine hcl oral solution 50 mg/5 ml</i> | 2 | |
| <i>amantadine hcl oral tablet 100 mg</i> | 2 | |
| APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML | 5 | NM; LA; NDS |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i> | 2 | |
| <i>bromocriptine oral capsule 5 mg (Parlodel)</i> | 2 | |
| <i>bromocriptine oral tablet 2.5 mg (Parlodel)</i> | 2 | |
| <i>cabergoline oral tablet 0.5 mg</i> | 2 | |
| <i>carbidopa oral tablet 25 mg (Lodosyn)</i> | 2 | |
| <i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg (Sinemet)</i> | 2 | |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | 2 | |
| <i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i> | 2 | |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg (Stalevo 50)</i> | 2 | |
| <i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg (Stalevo 75)</i> | 2 | |
| <i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg (Stalevo 100)</i> | 2 | |
| <i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg (Stalevo 125)</i> | 2 | |
| <i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg (Stalevo 150)</i> | 2 | |
| <i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg (Stalevo 200)</i> | 2 | |
| <i>entacapone oral tablet 200 mg (Comtan)</i> | 2 | |
| INBRIJA 42 MG INHALATION CAP 42 MG | 5 | NM; NDS; QL (300 per 30 days) |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG | 5 | NM; NDS; QL (300 per 30 days) |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR | 4 | ST |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| NOURIANZ ORAL TABLET 20 MG, 40 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> | 2 | |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect) | 2 | QL (30 per 30 days) |
| <i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i> | 2 | |
| <i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i> | 2 | |
| <i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 6 mg</i> | 2 | |
| <i>ropinirole oral tablet extended release 24 hr 4 mg, 8 mg</i> | 2 | |
| <i>selegiline hcl oral capsule 5 mg</i> | 2 | |
| <i>selegiline hcl oral tablet 5 mg</i> | 2 | |
| <i>tolcapone oral tablet 100 mg</i> (Tasmar) | 2 | |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i> | 2 | PA; PA-HRM; AGE (Max 64 Years) |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> | 2 | PA; PA-HRM; AGE (Max 64 Years) |
| Antipsychotic Agents | | |
| Antipsychotic Agents | | |
| ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG | 5 | PA NSO; NM; NDS; QL (1 per 28 days) |
| ABILITY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG | 5 | PA NSO; NM; NDS; QL (1 per 28 days) |
| ABILITY MYCITE ORAL TABLET WITH SENSOR AND PATCH 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG | 4 | PA NSO; QL (1 per 7 days) |
| <i>ariPIPRAZOLE oral solution 1 mg/ml</i> | 2 | |
| <i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify) | 2 | QL (30 per 30 days) |
| <i>ariPIPRAZOLE oral tablet,disintegrating 10 mg, 15 mg</i> | 5 | NM; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (2.4 per 180 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (3.9 per 56 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (1.6 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (2.4 per 28 days) |
| ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (3.2 per 28 days) |
| CAPLYTA ORAL CAPSULE 42 MG | 4 | PA NSO; QL (30 per 30 days) |
| <i>chlorpromazine injection solution 25 mg/ml</i> | 4 | |
| <i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i> | 4 | |
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg (Clozaril)</i> | 2 | |
| <i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i> | 2 | |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 4 | QL (60 per 30 days) |
| FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)- 6MG(2) | 4 | QL (8 per 28 days) |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i> | 2 | |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i> | 2 | |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | 2 | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> | 2 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.) | 3 | QL (60 per 30 days) |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate) | 2 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i> | 2 | |
| <i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate) | 2 | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol) | 2 | |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i> | 2 | |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 2 | |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 2 | |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (0.75 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (1 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (1.5 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML | 4 | PA NSO; (1 syringe); QL (0.25 per 28 days) |
| INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (0.5 per 28 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (0.88 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (1.32 per 84 days) |
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (1.75 per 84 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML | 5 | PA NSO; NM; NDS; (1 syringe); QL (2.63 per 84 days) |
| LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG | 4 | PA NSO; QL (30 per 30 days) |
| LATUDA ORAL TABLET 80 MG | 4 | PA NSO; QL (60 per 30 days) |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | |
| <i>molindone oral tablet 10 mg, 25 mg, 5 mg</i> | 2 | |
| NUPLAZID ORAL CAPSULE 34 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG | 5 | PA NSO; NM; LA; NDS; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln (Zyprexa) 10 mg</i> | 2 | QL (120 per 30 days) |
| <i>olanzapine oral tablet 10 mg, 15 mg, (Zyprexa) 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> | 2 | QL (30 per 30 days) |
| <i>olanzapine oral tablet,disintegrating (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg</i> | 2 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> | 2 | QL (30 per 30 days) |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> | 2 | QL (60 per 30 days) |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> | 2 | |
| PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION,EXTEND REL SYR KIT 120 MG, 90 MG | 5 | PA NSO; NM; NDS; QL (1 per 28 days) |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | 2 | |
| <i>quetiapine oral tablet 100 mg, 200 (Seroquel) mg, 25 mg, 50 mg</i> | 2 | QL (90 per 30 days) |
| <i>quetiapine oral tablet 300 mg, 400 (Seroquel) mg</i> | 2 | QL (60 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 300 mg, 400 mg, 50 mg</i> | 2 | QL (60 per 30 days) |
| <i>quetiapine oral tablet extended release 24 hr 200 mg</i> | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML | 4 | PA NSO; QL (2 per 28 days) |
| RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML | 5 | PA NSO; NM; NDS; QL (2 per 28 days) |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal) | 2 | QL (480 per 30 days) |
| <i>risperidone oral tablet 0.25 mg</i> | 2 | QL (60 per 30 days) |
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal) | 2 | QL (60 per 30 days) |
| <i>risperidone oral tablet 4 mg</i> (Risperdal) | 2 | QL (120 per 30 days) |
| <i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> | 2 | QL (60 per 30 days) |
| <i>risperidone oral tablet,disintegrating 4 mg</i> | 2 | QL (120 per 30 days) |
| SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG | 3 | PA NSO; QL (60 per 30 days) |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR | 4 | PA NSO; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | PA NSO; PA-HRM; AGE (Max 64 Years) |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 2 | |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> | 2 | |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | 4 | |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 5 | PA NSO; NM; NDS; QL (30 per 30 days) |
| VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6) | 4 | PA NSO; QL (7 per 180 days) |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon) | 2 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| ziprasidone mesylate intramuscular (Geodon) recon soln 20 mg/ml (final conc.) | 2 | QL (60 per 30 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG | 4 | PA NSO; QL (2 per 28 days) |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG | 5 | PA NSO; NM; NDS; QL (2 per 28 days) |
| Antivirals (Systemic) | | |
| Antiretrovirals | | |
| abacavir oral solution 20 mg/ml (Ziagen) | 2 | QL (960 per 30 days) |
| abacavir oral tablet 300 mg (Ziagen) | 2 | QL (60 per 30 days) |
| abacavir-lamivudine oral tablet 600-300 mg (Epzicom) | 2 | QL (30 per 30 days) |
| abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg (Trizivir) | 5 | NM; NDS; QL (60 per 30 days) |
| APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML | 4 | QL (380 per 30 days) |
| APTIVUS ORAL CAPSULE 250 MG | 4 | QL (120 per 30 days) |
| atazanavir oral capsule 150 mg, 200 mg (Reyataz) | 2 | QL (60 per 30 days) |
| atazanavir oral capsule 300 mg (Reyataz) | 2 | QL (30 per 30 days) |
| ATRIPLA ORAL TABLET 600-200-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| BIKTARVY ORAL TABLET 50-200-25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| CIMDUO ORAL TABLET 300-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| COMPLERA ORAL TABLET 200-25-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| CRIXIVAN ORAL CAPSULE 200 MG | 3 | QL (270 per 30 days) |
| CRIXIVAN ORAL CAPSULE 400 MG | 3 | QL (180 per 30 days) |
| DELSTRIGO ORAL TABLET 100-300-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| DESCOVY ORAL TABLET 200-25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| DOVATO ORAL TABLET 50-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| EDURANT ORAL TABLET 25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| <i>efavirenz oral capsule 200 mg</i> (Sustiva) | 2 | QL (90 per 30 days) |
| <i>efavirenz oral capsule 50 mg</i> (Sustiva) | 2 | QL (180 per 30 days) |
| <i>efavirenz oral tablet 600 mg</i> (Sustiva) | 2 | QL (30 per 30 days) |
| <i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla) | 5 | NM; NDS; QL (30 per 30 days) |
| <i>efavirenz-lamivu-tenofovir disop oral tablet 400-300-300 mg</i> (Symfi Lo) | 5 | NM; NDS; QL (30 per 30 days) |
| <i>efavirenz-lamivu-tenofovir disop oral tablet 600-300-300 mg</i> (Symfi) | 5 | NM; NDS; QL (30 per 30 days) |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva) | 2 | QL (30 per 30 days) |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada) | 5 | NM; NDS; QL (30 per 30 days) |
| EMTRIVA ORAL CAPSULE 200 MG | 3 | QL (30 per 30 days) |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 3 | QL (850 per 30 days) |
| EVOTAZ ORAL TABLET 300-150 MG | 5 | NM; NDS; QL (30 per 30 days) |
| <i>fosamprenavir oral tablet 700 mg</i> (Lexiva) | 2 | QL (120 per 30 days) |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG | 5 | NM; NDS; QL (60 per 30 days) |
| GENVOYA ORAL TABLET 150-150-200-10 MG | 5 | NM; NDS; QL (30 per 30 days) |
| INTELENCE ORAL TABLET 100 MG, 200 MG | 4 | QL (60 per 30 days) |
| INTELENCE ORAL TABLET 25 MG | 4 | QL (120 per 30 days) |
| INVIRASE ORAL TABLET 500 MG | 5 | NM; NDS; QL (120 per 30 days) |
| ISENTRESS HD ORAL TABLET 600 MG | 5 | NM; NDS; QL (60 per 30 days) |
| ISENTRESS ORAL POWDER IN PACKET 100 MG | 4 | QL (60 per 30 days) |
| ISENTRESS ORAL TABLET 400 MG | 5 | NM; NDS; QL (120 per 30 days) |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG | 5 | NM; NDS; QL (180 per 30 days) |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG | 3 | QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-------------------------------|
| JULUCA ORAL TABLET 50-25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| KALETRA ORAL TABLET 100-25 MG | 4 | QL (300 per 30 days) |
| KALETRA ORAL TABLET 200-50 MG | 5 | NM; NDS; QL (120 per 30 days) |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir) | 2 | QL (960 per 30 days) |
| <i>lamivudine oral tablet 100 mg</i> (Epivir HBV) | 2 | QL (30 per 30 days) |
| <i>lamivudine oral tablet 150 mg</i> (Epivir) | 2 | QL (60 per 30 days) |
| <i>lamivudine oral tablet 300 mg</i> (Epivir) | 2 | QL (30 per 30 days) |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir) | 2 | QL (60 per 30 days) |
| LEXIVA ORAL SUSPENSION 50 MG/ML | 4 | QL (1800 per 30 days) |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 2 | QL (480 per 30 days) |
| <i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune) | 2 | QL (1200 per 30 days) |
| <i>nevirapine oral tablet 200 mg</i> (Viramune) | 2 | QL (60 per 30 days) |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i> | 2 | QL (90 per 30 days) |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR) | 2 | QL (30 per 30 days) |
| NORVIR ORAL POWDER IN PACKET 100 MG | 3 | QL (360 per 30 days) |
| NORVIR ORAL SOLUTION 80 MG/ML | 3 | QL (480 per 30 days) |
| ODEFSEY ORAL TABLET 200-25-25 MG | 5 | NM; NDS; QL (30 per 30 days) |
| PIFELTRO ORAL TABLET 100 MG | 5 | NM; NDS; QL (60 per 30 days) |
| PREZCOBIX ORAL TABLET 800-150 MG-MG | 5 | NM; NDS; QL (30 per 30 days) |
| PREZISTA ORAL SUSPENSION 100 MG/ML | 5 | NM; NDS; QL (400 per 30 days) |
| PREZISTA ORAL TABLET 150 MG | 5 | NM; NDS; QL (180 per 30 days) |
| PREZISTA ORAL TABLET 600 MG | 5 | NM; NDS; QL (60 per 30 days) |
| PREZISTA ORAL TABLET 75 MG | 4 | NM; NDS; QL (480 per 30 days) |
| PREZISTA ORAL TABLET 800 MG | 5 | NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------|
| RESCRIPTOR ORAL TABLET 200 MG | 3 | QL (180 per 30 days) |
| RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG | 3 | QL (360 per 30 days) |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML | 4 | |
| REYATAZ ORAL POWDER IN PACKET 50 MG | 4 | QL (180 per 30 days) |
| <i>ritonavir oral tablet 100 mg</i> (Norvir) | 2 | QL (360 per 30 days) |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG | 5 | NM; NDS; QL (60 per 30 days) |
| SELZENTRY ORAL SOLUTION 20 MG/ML | 4 | NM; NDS; QL (1800 per 30 days) |
| SELZENTRY ORAL TABLET 150 MG, 75 MG | 5 | NM; NDS; QL (60 per 30 days) |
| SELZENTRY ORAL TABLET 25 MG | 4 | NM; NDS; QL (240 per 30 days) |
| SELZENTRY ORAL TABLET 300 MG | 5 | NM; NDS; QL (120 per 30 days) |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> | 2 | QL (60 per 30 days) |
| STRIBILD ORAL TABLET 150-150-200-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| SYMFI LO ORAL TABLET 400-300-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| SYMFI ORAL TABLET 600-300-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| SYMTUZA ORAL TABLET 800-150-200-10 MG | 5 | NM; NDS; QL (30 per 30 days) |
| TEMIXYS ORAL TABLET 300-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread) | 2 | QL (30 per 30 days) |
| TIVICAY ORAL TABLET 10 MG | 4 | QL (240 per 30 days) |
| TIVICAY ORAL TABLET 25 MG, 50 MG | 5 | NM; NDS; QL (60 per 30 days) |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG | 4 | QL (360 per 30 days) |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 5 | NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------------|
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML) | 5 | NM; NDS |
| TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG | 5 | NM; NDS; QL (30 per 30 days) |
| VEMLIDY ORAL TABLET 25 MG | 3 | QL (30 per 30 days) |
| VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL) | 3 | QL (1200 per 30 days) |
| VIDEX EC ORAL CAPSULE,DELAYED RELEASE(DR/EC) 125 MG | 3 | QL (60 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG | 5 | NM; NDS; QL (270 per 30 days) |
| VIRACEPT ORAL TABLET 625 MG | 5 | NM; NDS; QL (120 per 30 days) |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM) | 4 | QL (240 per 30 days) |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 3 | QL (30 per 30 days) |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir) | 2 | QL (180 per 30 days) |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir) | 2 | QL (1920 per 30 days) |
| <i>zidovudine oral tablet 300 mg</i> | 2 | QL (60 per 30 days) |
| Antivirals, Miscellaneous | | |
| <i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir) | 4 | PA BvD |
| <i>oseltamivir oral capsule 30 mg</i> (Tamiflu) | 2 | QL (84 per 180 days) |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu) | 2 | QL (48 per 180 days) |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu) | 2 | QL (42 per 180 days) |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2 | QL (540 per 180 days) |
| PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML, 480 MG/24 ML | 5 | PA; NM; NDS |
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 3 | QL (60 per 180 days) |
| <i>rimantadine oral tablet 100 mg</i> (Flumadine) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML | 5 | PA; NM; NDS |
| XOFLUZA ORAL TABLET 20 MG, 40 MG | 4 | QL (4 per 180 days) |
| Hcv Antivirals | | |
| <i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni) | 5 | PA; NM; NDS; QL (28 per 28 days) |
| MAVYRET ORAL TABLET 100-40 MG | 5 | PA; NM; NDS; QL (84 per 28 days) |
| <i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa) | 5 | PA; NM; NDS; QL (28 per 28 days) |
| Interferons | | |
| INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML) | 4 | |
| INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML | 4 | |
| PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML | 5 | NM; NDS; QL (2 per 28 days) |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 5 | NM; NDS; QL (4 per 28 days) |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML | 5 | NM; NDS; QL (2 per 28 days) |
| PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML | 5 | NM; NDS; QL (2 per 28 days) |
| SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG | 5 | PA NSO; NM; NDS |
| Nucleosides And Nucleotides | | |
| <i>acyclovir oral capsule 200 mg</i> | 2 | |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax) | 2 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 2 | |
| <i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i> | 2 | PA BvD |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 2 | PA BvD |
| <i>adefovir oral tablet 10 mg</i> (Hepsera) | 2 | |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML | 5 | NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| <i>cidofovir intravenous solution 75 mg/ml</i> | 2 | |
| <i>entecavir oral tablet 0.5 mg, 1 mg (Baraclude)</i> | 2 | QL (30 per 30 days) |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 2 | |
| <i>ganciclovir sodium intravenous recon soln 500 mg</i> | 2 | PA BvD |
| <i>ganciclovir sodium intravenous solution 50 mg/ml</i> | 2 | PA BvD |
| REBETOL ORAL SOLUTION 40 MG/ML | 4 | |
| <i>ribasphere oral capsule 200 mg</i> | 2 | |
| <i>ribasphere oral tablet 600 mg</i> | 2 | |
| <i>ribasphere ribapak oral tablets,dose pack 600 mg (7)- 400 mg (7)</i> | 2 | |
| <i>ribavirin inhalation recon soln 6 gram</i> | 5 | PA; NM; NDS |
| <i>ribavirin oral capsule 200 mg</i> | 2 | |
| <i>ribavirin oral tablet 200 mg</i> | 2 | |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> | 2 | |
| <i>valganciclovir oral tablet 450 mg</i> | 2 | |
| Blood | | |
| Products/Modifiers/Volume | | |
| Expanders | | |
| Anticoagulants | | |
| BEVYXXA ORAL CAPSULE 40 MG, 80 MG | 4 | QL (30 per 30 days) |
| COUMADIN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG | 4 | |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS) | 3 | QL (74 per 180 days) |
| ELIQUIS ORAL TABLET 2.5 MG | 3 | QL (60 per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | 3 | QL (120 per 30 days) |
| <i>enoxaparin subcutaneous solution 300 mg/3 ml</i> | 2 | QL (28 per 14 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml</i> | 2 | QL (28 per 14 days) |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> | 2 | (28 syringes); QL (22.4 per 14 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| <i>enoxaparin subcutaneous syringe 150 mg/ml</i> (Lovenox) | 4 | NM; NDS; QL (28 per 14 days) |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox) | 2 | (28 syringes); QL (8.4 per 14 days) |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox) | 2 | (28 syringes); QL (11.2 per 14 days) |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox) | 2 | (28 syringes); QL (16.8 per 14 days) |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra) | 4 | (14 syringes); QL (11.2 per 14 days) |
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra) | 4 | (14 syringes); QL (7 per 14 days) |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra) | 4 | (14 syringes); QL (5.6 per 14 days) |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra) | 4 | (14 syringes); QL (8.4 per 14 days) |
| <i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i> | 2 | |
| <i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i> | 2 | |
| <i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i> | 2 | PA BvD; (PA for ESRD only) |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 2 | PA BvD; (PA for ESRD only) |
| <i>heparin (porcine) injection solution 10,000 unit/ml</i> | 2 | |
| <i>heparin (porcine) injection syringe 5,000 unit/ml</i> | 2 | PA BvD; (PA for ESRD only) |
| <i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i> | 2 | PA BvD; (PA for ESRD only) |
| <i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i> | 2 | PA BvD; (PA for ESRD only) |
| <i>heparin, porcine (pf) subcutaneous syringe 5,000 unit/0.5 ml</i> | 2 | PA BvD; (PA for ESRD only) |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG | 4 | ST; QL (60 per 30 days) |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven) | 1 | GC |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9) | 3 | QL (51 per 180 days) |
| XARELTO ORAL TABLET 10 MG, 20 MG | 3 | QL (30 per 30 days) |
| XARELTO ORAL TABLET 15 MG, 2.5 MG | 3 | QL (60 per 30 days) |
| Blood Formation Modifiers | | |
| ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML | 4 | PA |
| ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML | 4 | PA |
| CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML) | 5 | PA; NM; LA; NDS |
| DOPTELET (10 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (10 per 30 days) |
| DOPTELET (15 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (15 per 30 days) |
| DOPTELET (30 TAB PACK) ORAL TABLET 20 MG | 5 | PA; NM; NDS; QL (15 per 30 days) |
| EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; QL (12 per 28 days) |
| FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT | 5 | PA; NM; LA; NDS |
| LEUKINE INJECTION RECON SOLN 250 MCG | 5 | PA; NM; NDS |
| MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML) | 5 | NM; NDS |
| MULPLETA ORAL TABLET 3 MG | 5 | PA; NM; NDS; QL (7 per 30 days) |
| NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |
| NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML | 5 | PA; NM; NDS |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML | 5 | PA; NM; NDS |
| NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG | 5 | PA; NM; LA; NDS |
| PROCIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 4 | PA; QL (12 per 28 days) |
| PROCIT INJECTION SOLUTION 40,000 UNIT/ML | 4 | PA; QL (6 per 28 days) |
| PROMACTA ORAL POWDER IN PACKET 12.5 MG, 25 MG | 5 | PA; NM; NDS |
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG | 5 | PA; NM; NDS |
| REBLOZYL SUBCUTANEOUS RECON SOLN 25 MG, 75 MG | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3 | PA; QL (12 per 28 days) |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML | 3 | PA; QL (6 per 28 days) |
| UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML | 5 | PA; NM; NDS |
| Hematologic Agents, Miscellaneous | | |
| ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML | 5 | PA; NM; NDS |
| <i>aminocaproic acid intravenous solution 250 mg/ml</i> | 2 | |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin) | 2 | |
| <i>anagrelide oral capsule 1 mg</i> | 2 | |
| GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML | 5 | PA; NM; NDS |
| OXBRYTA ORAL TABLET 500 MG | 5 | PA; NM; NDS; QL (90 per 30 days) |
| <i>protamine intravenous solution 10 mg/ml</i> | 2 | PA BvD; (PA for ESRD only) |
| SIKLOS ORAL TABLET 1,000 MG, 100 MG | 4 | PA |
| TAVALISSE ORAL TABLET 100 MG, 150 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| <i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i> | 2 | |
| <i>tranexamic acid oral tablet 650 mg</i> (Lysteda) | 2 | |
| Platelet-Aggregation Inhibitors | | |
| <i>aspirin-dipyridamole oral capsule, er</i> (Aggrenox) <i>multiphase 12 hr 25-200 mg</i> | 2 | |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 3 | |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 2 | |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix) | 2 | |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i> | 2 | |
| <i>pentoxifylline oral tablet extended release 400 mg</i> | 2 | |
| <i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient) | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| ZONTIVITY ORAL TABLET 2.08 MG | 4 | PA |
| Caloric Agents | | |
| Caloric Agents | | |
| AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |
| AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 % | 4 | PA BvD |
| AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 % | 4 | PA BvD |
| AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |
| AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 % | 4 | PA BvD |
| AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 % | 4 | PA BvD |
| AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 % | 4 | PA BvD |
| AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 % | 4 | PA BvD |
| AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 % | 4 | PA BvD |
| AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD |
| AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 % | 4 | PA BvD |
| AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 % | 4 | PA BvD |
| CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 % | 4 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits | |
|---|------------------|----------------------------|----|
| CLINOLIPID INTRAVENOUS EMULSION 20 % | 4 | PA BvD | |
| <i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i> | 2 | PA BvD | |
| <i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i> | 2 | PA BvD | |
| <i>dextrose 25 % in water (d25w) intravenous syringe</i> | 2 | PA BvD | |
| <i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i> | 2 | PA BvD | |
| <i>dextrose 5 % in ringer's intravenous parenteral solution 5 %</i> | 2 | | |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i> | 2 | | |
| <i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i> | 2 | | |
| <i>dextrose 50 % in water (d50w) intravenous parenteral solution</i> | 2 | PA BvD | |
| <i>dextrose 50 % in water (d50w) intravenous syringe</i> | 2 | PA BvD | |
| <i>dextrose 70 % in water (d70w) intravenous parenteral solution</i> | 2 | PA BvD | |
| INTRALIPID INTRAVENOUS EMULSION 20 % | 3 | PA BvD | |
| INTRALIPID INTRAVENOUS EMULSION 30 % | 4 | PA BvD | |
| NUTRILIPID INTRAVENOUS EMULSION 20 % | 4 | PA BvD | |
| PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD | |
| PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 % | 4 | PA BvD | |
| PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION | 4 | PA BvD | |
| TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 4 | PA BvD | |
| TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 % | 3 | PA BvD | |
| Cardiovascular Agents | | | |
| Alpha-Adrenergic Agents | | | |
| clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg | (Catapres) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|------------------|------------------|--|
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> | (Catapres-TTS-1) | 2 | |
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> | (Catapres-TTS-2) | 2 | |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> | (Catapres-TTS-3) | 2 | |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> | (Cardura) | 2 | |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> | | 2 | |
| NORTHERA ORAL CAPSULE 100 MG | | 5 | PA; NM; LA; NDS; QL (90 per 30 days) |
| NORTHERA ORAL CAPSULE 200 MG, 300 MG | | 5 | PA; NM; LA; NDS; QL (180 per 30 days) |
| <i>phenylephrine hcl injection solution 10 mg/ml</i> | (Vazculep) | 2 | |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> | (Minipress) | 2 | |
| Angiotensin II Receptor Antagonists | | | |
| <i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i> | (Atacand) | 1 | GC; QL (60 per 30 days) |
| <i>candesartan oral tablet 32 mg</i> | (Atacand) | 1 | GC; QL (30 per 30 days) |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg</i> | (Atacand HCT) | 2 | QL (60 per 30 days) |
| <i>candesartan-hydrochlorothiazid oral tablet 32-12.5 mg, 32-25 mg</i> | (Atacand HCT) | 2 | QL (30 per 30 days) |
| EDARBI ORAL TABLET 40 MG, 80 MG | | 4 | QL (30 per 30 days) |
| EDARBYCLOL ORAL TABLET 40-12.5 MG, 40-25 MG | | 4 | QL (30 per 30 days) |
| ENTRESTO ORAL TABLET 24-26 MG | | 3 | QL (180 per 30 days) |
| ENTRESTO ORAL TABLET 49-51 MG | | 3 | QL (90 per 30 days) |
| ENTRESTO ORAL TABLET 97- 103 MG | | 3 | QL (60 per 30 days) |
| <i>eprosartan oral tablet 600 mg</i> | | 2 | QL (45 per 30 days) |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> | (Avapro) | 1 | GC; QL (30 per 30 days) |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> | (Avalide) | 1 | GC; QL (30 per 30 days) |
| <i>losartan oral tablet 100 mg</i> | (Cozaar) | 1 | GC; QL (45 per 30 days) |
| <i>losartan oral tablet 25 mg, 50 mg</i> | (Cozaar) | 1 | GC; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------|------------------|----------------------------|
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> | (Hyzaar) | 1 | GC; QL (30 per 30 days) |
| <i>olmesartan oral tablet 20 mg, 40 mg</i> | (Benicar) | 1 | GC; QL (30 per 30 days) |
| <i>olmesartan oral tablet 5 mg</i> | (Benicar) | 1 | GC; QL (60 per 30 days) |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> | (Benicar HCT) | 1 | GC; QL (30 per 30 days) |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> | (Micardis) | 1 | GC; QL (30 per 30 days) |
| <i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> | (Twynsta) | 2 | QL (30 per 30 days) |
| <i>telmisartan-hydrochlorothiazide oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> | (Micardis HCT) | 2 | QL (30 per 30 days) |
| <i>valsartan oral tablet 160 mg, 40 mg, 80 mg</i> | (Diovan) | 1 | GC; QL (60 per 30 days) |
| <i>valsartan oral tablet 320 mg</i> | (Diovan) | 1 | GC; QL (30 per 30 days) |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 80-12.5 mg</i> | (Diovan HCT) | 1 | GC; QL (60 per 30 days) |
| <i>valsartan-hydrochlorothiazide oral tablet 160-25 mg, 320-12.5 mg, 320-25 mg</i> | (Diovan HCT) | 1 | GC; QL (30 per 30 days) |
| Angiotensin-Converting Enzyme Inhibitors | | | |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> | (Lotensin) | 1 | GC; QL (60 per 30 days) |
| <i>benazepril oral tablet 5 mg</i> | | 1 | GC; QL (60 per 30 days) |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | (Lotensin HCT) | 1 | GC; QL (60 per 30 days) |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i> | | 1 | GC; QL (60 per 30 days) |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | | 1 | GC |
| <i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i> | | 1 | GC |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | (Vasotec) | 1 | GC; QL (60 per 30 days) |
| <i>enalaprilat intravenous solution 1.25 mg/ml</i> | | 2 | QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------|------------------|----------------------------|
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> | (Vaseretic) | 1 | GC; QL (60 per 30 days) |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> | | 1 | GC; QL (60 per 30 days) |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> | | 1 | GC; QL (60 per 30 days) |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> | | 2 | QL (120 per 30 days) |
| <i>lisinopril oral tablet 10 mg, 20 mg</i> | (Prinivil) | 1 | GC; QL (60 per 30 days) |
| <i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg, 5 mg</i> | (Zestril) | 1 | GC; QL (60 per 30 days) |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | (Zestoretic) | 1 | GC; QL (60 per 30 days) |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i> | | 1 | GC |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | | 2 | QL (60 per 30 days) |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | (Accupril) | 1 | GC; QL (60 per 30 days) |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | (Accuretic) | 1 | GC; QL (60 per 30 days) |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> | (Altace) | 1 | GC; QL (60 per 30 days) |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | | 1 | GC; QL (60 per 30 days) |
| Antiarrhythmic Agents | | | |
| <i>amiodarone intravenous solution 50 mg/ml</i> | | 2 | |
| <i>amiodarone intravenous syringe 150 mg/3 ml</i> | | 2 | |
| <i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> | (Pacerone) | 2 | |
| <i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> | (Norpace) | 2 | |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> | (Tikosyn) | 2 | |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i> | | 2 | |
| <i>lidocaine (pf) intravenous syringe 50 mg/5 ml (1 %)</i> | | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i> | 2 | |
| <i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i> | 2 | |
| MULTAQ ORAL TABLET 400 MG | 3 | |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> | 2 | |
| <i>procainamide injection solution 100 mg/ml, 500 mg/ml</i> | 2 | |
| <i>procainamide intravenous syringe 100 mg/ml</i> | 2 | |
| <i>propafenone oral capsule,extended release 12 hr 225 mg, 325 mg, 425 mg</i> | 2 | |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i> | 2 | |
| <i>quinidine gluconate oral tablet extended release 324 mg</i> | 2 | |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i> | 2 | |
| Beta-Adrenergic Blocking Agents | | |
| <i>acebutolol oral capsule 200 mg, 400 mg</i> | 1 | GC |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> | 1 | GC |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg</i> | 2 | |
| <i>atenolol-chlorthalidone oral tablet 50-25 mg</i> | 2 | |
| <i>betaxolol oral tablet 10 mg, 20 mg</i> | 2 | |
| <i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i> | 2 | |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5- 6.25 mg</i> | 1 | GC |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> | 1 | GC |
| <i>labetalol intravenous solution 5 mg/ml</i> | 2 | |
| <i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> | 2 | |
| <i>metoprolol succinate oral tablet (Toprol XL) extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> | 2 | |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i> | 2 | |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> | 2 | |
| <i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> | 2 | |
| <i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i> | 2 | |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> | 1 | GC |
| <i>metoprolol tartrate oral tablet 25 mg</i> | 1 | GC |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> | 2 | |
| <i>nadolol-bendroflumethiazide oral tablet 40-5 mg, 80-5 mg</i> | 2 | |
| <i>pindolol oral tablet 10 mg, 5 mg</i> | 2 | |
| <i>propranolol intravenous solution 1 mg/ml</i> | 2 | |
| <i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> | 2 | |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i> | 2 | |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> | 2 | |
| <i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i> | 2 | |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> | 2 | |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> | 2 | |
| <i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> | 2 | |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | |
| Calcium-Channel Blocking Agents | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | 2 | |
| <i>diltiazem hcl intravenous recon soln 100 mg</i> | 2 | |
| <i>diltiazem hcl intravenous solution 5 mg/ml</i> | 2 | |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i> | 2 | |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> | (Taztia XT) | 2 |
| <i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> | (Tiadylt ER) | 2 |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> | (Cartia XT) | 2 |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> | (Cardizem) | 2 |
| <i>diltiazem hcl oral tablet 90 mg</i> | | 2 |
| <i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | (Matzim LA) | 2 |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> | | 2 |
| <i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | | 2 |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> | | 2 |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> | | 2 |
| <i>verapamil intravenous solution 2.5 mg/ml</i> | | 2 |
| <i>verapamil intravenous syringe 2.5 mg/ml</i> | | 2 |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> | (Verelan PM) | 2 |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> | (Verelan) | 2 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> | 2 | |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> | 2 | |
| Cardiovascular Agents, Miscellaneous | | |
| CORLANOR ORAL TABLET 5 MG, 7.5 MG | 4 | PA; QL (60 per 30 days) |
| DEMSER ORAL CAPSULE 250 MG | 5 | PA; NM; NDS |
| <i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> | 2 | |
| <i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> | 2 | |
| <i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i> | 2 | |
| DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML) | 4 | |
| <i>digoxin oral tablet 125 mcg (0.125 mg) (Digitek)</i> | 2 | |
| <i>digoxin oral tablet 250 mcg (0.25 mg) (Digitek)</i> | 2 | |
| <i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i> | 2 | PA BvD |
| <i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml), 500 mg/40 ml (12.5 mg/ml)</i> | 2 | PA BvD |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> | 2 | QL (4 per 30 days) |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> | 2 | QL (4 per 30 days) |
| <i>hydralazine injection solution 20 mg/ml</i> | 2 | |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> | 5 | PA; NM; NDS; QL (18 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| LANOXIN ORAL TABLET 125 MCG (0.125 MG), 187.5 MCG (0.1875 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) | 4 | |
| <i>metyrosine oral capsule 250 mg</i> (Demser) | 5 | PA; NM; NDS |
| <i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i> | 2 | PA BvD |
| <i>milrinone intravenous solution 1 mg/ml</i> | 2 | PA BvD |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> | 2 | |
| VYNDAMAX ORAL CAPSULE 61 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| VYNDAQEL ORAL CAPSULE 20 MG | 5 | PA; NM; NDS; QL (120 per 30 days) |
| Dihydropyridines | | |
| <i>afeditab cr oral tablet extended release 30 mg</i> | 2 | |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, (Norvasc) 5 mg</i> | 1 | GC |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> | 2 | |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg</i> | 2 | |
| <i>amlodipine-valsartan oral tablet 10- 160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> | 2 | |
| <i>amlodipine-valsartan-hcthiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5- 160-25 mg</i> | 2 | |
| <i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i> | 2 | |
| <i>isradipine oral capsule 2.5 mg, 5 mg</i> | 2 | |
| <i>nicardipine intravenous solution 25 mg/10 ml</i> | 2 | |
| <i>nicardipine oral capsule 20 mg, 30 mg</i> | 2 | |
| <i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-------------|------------------|-----------------------------------|
| <i>nifedipine oral tablet extended release 30 mg, 90 mg</i> | (Adalat CC) | 2 | |
| <i>nifedipine oral tablet extended release 60 mg</i> | (Adalat CC) | 2 | |
| <i>nimodipine oral capsule 30 mg</i> | | 2 | |
| <i>nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg</i> | (Sular) | 2 | |
| <i>nisoldipine oral tablet extended release 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg</i> | | 2 | |
| Diuretics | | | |
| <i>ALDACTAZIDE ORAL TABLET 50-50 MG</i> | | 4 | |
| <i>amiloride oral tablet 5 mg</i> | | 2 | |
| <i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i> | | 2 | |
| <i>bumetanide injection solution 0.25 mg/ml</i> | | 2 | |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> | | 2 | |
| <i>chlorothiazide oral tablet 250 mg, 500 mg</i> | | 2 | |
| <i>chlorothiazide sodium intravenous recon soln 500 mg</i> | (Diuril IV) | 2 | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | | 2 | |
| <i>furosemide injection solution 10 mg/ml</i> | | 2 | |
| <i>furosemide injection syringe 10 mg/ml</i> | | 2 | |
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> | | 2 | |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> | (Lasix) | 1 | GC |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | | 1 | GC |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | | 1 | GC |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | | 1 | GC |
| <i>JYNARQUE ORAL TABLET 15 MG, 30 MG</i> | | 5 | PA; NM; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM) | 5 | PA; NM; NDS; QL (56 per 28 days) |
| <i>methyclothiazide oral tablet 5 mg</i> | 2 | |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> | 2 | |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i> | 2 | |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> | 1 | GC |
| <i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i> | 2 | |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> | 1 | GC |
| <i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> | 1 | GC |
| Dyslipidemics | | |
| <i>amlodipine-atorvastatin oral tablet (Caduet) 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> | 2 | QL (30 per 30 days) |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i> | 2 | QL (30 per 30 days) |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 1 | GC; QL (45 per 30 days) |
| <i>atorvastatin oral tablet 80 mg</i> | 1 | GC; QL (30 per 30 days) |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> | 2 | |
| <i>cholestyramine light oral powder 4 gram</i> | 2 | |
| <i>cholestyramine light packet 4 gram</i> | 2 | |
| <i>colesevelam oral powder in packet 3.75 gram</i> | 2 | |
| <i>colesevelam oral tablet 625 mg</i> | 2 | |
| <i>colestipol oral packet 5 gram</i> | 2 | |
| <i>colestipol oral tablet 1 gram</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|---|----------------------------|------------------|--------------------------------------|
| <i>ezetimibe oral tablet 10 mg</i> | (Zetia) | 1 | GC |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> | (Vytorin 10-10) | 2 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> | (Vytorin 10-20) | 2 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> | (Vytorin 10-40) | 2 | QL (30 per 30 days) |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> | (Vytorin 10-80) | 2 | QL (30 per 30 days) |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i> | | 2 | |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> | (Tricor) | 2 | |
| <i>fenofibrate oral capsule 150 mg, 50 mg</i> | (Lipofen) | 2 | |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i> | | 2 | |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> | (Trilipix) | 2 | |
| <i>fenofibric acid oral tablet 105 mg, 35 mg</i> | (Fibrincor) | 2 | |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i> | (Lescol) | 2 | QL (60 per 30 days) |
| <i>gemfibrozil oral tablet 600 mg</i> | (Lopid) | 2 | |
| <i>JUXTAPIID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG</i> | | 5 | PA; NM; LA; NDS; QL (30 per 30 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg</i> | | 1 | GC; QL (45 per 30 days) |
| <i>lovastatin oral tablet 40 mg</i> | | 1 | GC; QL (60 per 30 days) |
| <i>NEXLETOL ORAL TABLET 180 MG</i> | | 3 | PA; QL (30 per 30 days) |
| <i>NEXLIZET ORAL TABLET 180-10 MG</i> | | 3 | PA; QL (30 per 30 days) |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> | (Niaspan Extended-Release) | 2 | QL (60 per 30 days) |
| <i>niacor oral tablet 500 mg</i> | | 2 | |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> | (Lovaza) | 2 | |
| <i>PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML</i> | | 3 | PA; QL (2 per 28 days) |
| <i>pravastatin oral tablet 10 mg</i> | | 1 | GC; QL (45 per 30 days) |
| <i>pravastatin oral tablet 20 mg, 40 mg</i> | (Pravachol) | 1 | GC; QL (45 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>pravastatin oral tablet 80 mg</i> | 1 | GC; QL (30 per 30 days) |
| <i>prevalite oral powder in packet 4 gram</i> | 2 | |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML | 3 | PA; QL (3.5 per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML | 3 | PA; QL (3 per 28 days) |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML | 3 | PA; QL (3 per 28 days) |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg (Crestor)</i> | 1 | GC; QL (45 per 30 days) |
| <i>rosuvastatin oral tablet 40 mg (Crestor)</i> | 1 | GC; QL (30 per 30 days) |
| <i>simvastatin oral tablet 10 mg, 20 mg (Zocor)</i> | 1 | GC; QL (45 per 30 days) |
| <i>simvastatin oral tablet 40 mg (Zocor)</i> | 1 | PA; GC; (PA only w/ amiodarone); QL (45 per 30 days) |
| <i>simvastatin oral tablet 5 mg</i> | 1 | GC; QL (45 per 30 days) |
| <i>simvastatin oral tablet 80 mg (Zocor)</i> | 1 | PA; GC; (PA only w/ amiodarone); QL (30 per 30 days) |
| VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM | 4 | QL (120 per 30 days) |
| Renin-Angiotensin-Aldosterone System Inhibitors | | |
| <i>aliskiren oral tablet 150 mg, 300 mg (Tekturna)</i> | 2 | QL (30 per 30 days) |
| <i>eplerenone oral tablet 25 mg, 50 mg (Inspira)</i> | 2 | |
| TEKTURNNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG | 4 | |
| Vasodilators | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i> | 2 | |
| <i>isosorbide dinitrate oral tablet 40 mg (Isordil)</i> | 2 | |
| <i>isosorbide dinitrate oral tablet 5 mg (Isordil Titradoser)</i> | 2 | |
| <i>isosorbide dinitrate oral tablet (ISOCHRON) extended release 40 mg</i> | 2 | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 2 | |
| <i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 2 | |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 2 | |
| NITRO-BID TRANSDERMAL OINTMENT 2 % | 4 | |
| NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR | 4 | |
| <i>nitroglycerin in 5 % dextrose intravenous solution 25 mg/250 ml (100 mcg/ml)</i> | 2 | |
| <i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i> | 2 | |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> | 2 | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 2 | |
| <i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> | 2 | |
| NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG | 3 | |

Central Nervous System

Agents

| Central Nervous System Agents | | | |
|--|-------------|---|-----------------------------------|
| <i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> | (Strattera) | 2 | PA |
| AUBAGIO ORAL TABLET 14 MG | | 5 | NM; NDS; QL (28 per 28 days) |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG | | 5 | PA; NM; NDS; QL (120 per 30 days) |
| AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG | | 5 | NM; NDS; QL (4 per 28 days) |
| AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML | | 5 | NM; NDS; QL (1 per 28 days) |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML | | 5 | NM; NDS; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------|
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML | 5 | NM; NDS; QL (1 per 28 days) |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 5 | NM; NDS; QL (14 per 28 days) |
| <i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> | 2 | |
| <i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i> | 2 | |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> | 2 | QL (60 per 30 days) |
| <i>dextmethylphenidate oral capsule,er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> | 2 | NM; NDS |
| <i>dextmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> | 2 | NM; NDS |
| <i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> | 2 | NM; NDS |
| <i>dextroamphetamine oral solution 5 mg/5 ml</i> | 2 | NM; NDS |
| <i>dextroamphetamine oral tablet 10 mg, 5 mg</i> | 2 | NM; NDS |
| <i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 2 | NM; NDS |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | 2 | NM; NDS |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> | 5 | NM; NDS; QL (120 per 180 days) |
| <i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg, 240 mg</i> | 5 | NM; NDS; QL (60 per 30 days) |
| EXTAVIA SUBCUTANEOUS KIT 0.3 MG | 5 | NM; NDS; QL (14 per 28 days) |
| <i>flumazenil intravenous solution 0.1 mg/ml</i> | 2 | |
| GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG | 5 | NM; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> | 5 | NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone) | 5 | NM; NDS; QL (12 per 28 days) |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> | 2 | PA |
| INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21) | 5 | PA; NM; NDS; QL (28 per 180 days) |
| INGREZZA ORAL CAPSULE 40 MG, 80 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> | 2 | |
| <i>lithium carbonate oral tablet 300 mg</i> | 2 | |
| <i>lithium carbonate oral tablet extended release 300 mg</i> | 2 | |
| <i>lithium carbonate oral tablet extended release 450 mg</i> | 2 | |
| <i>lithium citrate oral solution 8 meq/5 ml</i> | 2 | |
| LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HR 165 MG, 82.5 MG | 4 | PA; QL (90 per 30 days) |
| LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HR 330 MG | 4 | PA; QL (60 per 30 days) |
| MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (20 per 334 days) |
| MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (8 per 332 days) |
| MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (10 per 334 days) |
| MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (12 per 334 days) |
| MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (14 per 334 days) |
| MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (16 per 334 days) |
| MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (18 per 334 days) |
| MAYZENT ORAL TABLET 0.25 MG | 5 | NM; NDS; QL (150 per 30 days) |
| MAYZENT ORAL TABLET 2 MG | 5 | NM; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral capsule,er (Ritalin LA) biphasic 50-50 10 mg</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral tablet extended release 10 mg</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral tablet (Metadate ER) extended release 20 mg</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 36 mg (bx rating), 54 mg (bx rating)</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral tablet (Concerta) extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral tablet (Relexxii) extended release 24hr 72 mg</i> | 2 | NM; NDS |
| <i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i> | 2 | NM; NDS |
| <i>NUEDEXTA ORAL CAPSULE 20-10 MG</i> | 4 | PA |
| <i>OCREVUS INTRAVENOUS SOLUTION 30 MG/ML</i> | 5 | PA; NM; NDS; QL (20 per 180 days) |
| <i>PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</i> | 5 | NM; NDS; QL (1 per 28 days) |
| <i>PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML</i> | 5 | NM; NDS; QL (1 per 28 days) |
| <i>RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML</i> | 5 | PA; NM; NDS; QL (2800 per 28 days) |
| <i>REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML</i> | 5 | NM; NDS; QL (6 per 28 days) |
| <i>REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML</i> | 5 | NM; NDS; QL (6 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 5 | NM; NDS; QL (4.2 per 28 days) |
| REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6) | 5 | NM; NDS; QL (4.2 per 28 days) |
| <i>riluzole oral tablet 50 mg</i> (Rilutek) | 2 | |
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 3 | |
| SAVELLA ORAL TABLETS,DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42) | 3 | |
| TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)-240 MG (46) | 5 | NM; LA; NDS; QL (120 per 180 days) |
| TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 240 MG | 5 | NM; LA; NDS; QL (60 per 30 days) |
| <i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine) | 5 | NM; NDS; QL (120 per 30 days) |
| TIGLUTIK ORAL SUSPENSION 50 MG/10 ML | 5 | PA; NM; NDS; QL (600 per 30 days) |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG | 5 | NM; NDS; QL (120 per 30 days) |
| Contraceptives | | |
| Contraceptives | | |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> | 2 | |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | |
| <i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>apri oral tablet 0.15-0.03 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i> | 2 | |
| <i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>aubra oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | 2 | |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> | 2 | |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 2 | |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 2 | |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 2 | |
| <i>aviane oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>ayuna oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 2 | |
| <i>balziva (28) oral tablet 0.4-35 mg-mcg</i> | 2 | |
| <i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 2 | |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 2 | |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 2 | |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 2 | |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i> | 2 | |
| <i>camila oral tablet 0.35 mg</i> | 2 | |
| <i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | 2 | |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i> | 2 | |
| <i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | |
| <i>cyred oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> | 2 | |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | 2 | |
| <i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>deblitane oral tablet 0.35 mg</i> | 2 | |
| <i>delyla (28) oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>desog-e.estradiol/e.estriadiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28)) | 2 | |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Aprí) | 2 | |
| <i>drospirenone-e.estriadiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i> (Beyaz) | 2 | |
| <i>drospirenone-e.estriadiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i> (Tydemy) | 2 | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Gianvi (28)) | 2 | |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Ocella) | 2 | |
| <i>elinet oral tablet 0.3-30 mg-mcg</i> | 2 | |
| ELLA ORAL TABLET 30 MG | 3 | |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> | 2 | |
| <i>emoquette oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | 2 | |
| <i>enskyce oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>errin oral tablet 0.35 mg</i> | 2 | |
| <i>estarrylla oral tablet 0.25-35 mg-mcg</i> | 2 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28)) | 2 | |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> | 2 | |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>falmina</i> (28) oral tablet 0.1-20 mg-mcg | 2 | |
| <i>fayosim</i> oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg | 2 | |
| <i>femynor</i> oral tablet 0.25-35 mg-mcg | 2 | |
| <i>gianvi</i> (28) oral tablet 3-0.02 mg | 2 | |
| <i>hailey 24 fe</i> oral tablet 1 mg-20 mcg (24)/75 mg (4) | 2 | |
| <i>hailey fe 1.5/30</i> (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | 2 | |
| <i>hailey fe 1/20</i> (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 2 | |
| <i>hailey</i> oral tablet 1.5-30 mg-mcg | 2 | |
| <i>heather</i> oral tablet 0.35 mg | 2 | |
| <i>incassia</i> oral tablet 0.35 mg | 2 | |
| <i>introvale</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) | 2 | |
| <i>isibloom</i> oral tablet 0.15-0.03 mg | 2 | |
| <i>jaimiess</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7) | 2 | |
| <i>jasmiel</i> (28) oral tablet 3-0.02 mg | 2 | |
| <i>jencycla</i> oral tablet 0.35 mg | 2 | |
| <i>jolessa</i> oral tablets,dose pack,3 month 0.15 mg-30 mcg (91) | 2 | |
| <i>jolivette</i> oral tablet 0.35 mg | 2 | |
| <i>juleber</i> oral tablet 0.15-0.03 mg | 2 | |
| <i>junel 1.5/30</i> (21) oral tablet 1.5-30 mg-mcg | 2 | |
| <i>junel 1/20</i> (21) oral tablet 1-20 mg-mcg | 2 | |
| <i>junel fe 1.5/30</i> (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7) | 2 | |
| <i>junel fe 1/20</i> (28) oral tablet 1 mg-20 mcg (21)/75 mg (7) | 2 | |
| <i>junel fe 24</i> oral tablet 1 mg-20 mcg (24)/75 mg (4) | 2 | |
| <i>kaitlib fe</i> oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4) | 2 | |
| <i>kalliga</i> oral tablet 0.15-0.03 mg | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 2 | |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> | 2 | |
| <i>kelnor 1-50 oral tablet 1-50 mg-mcg</i> | 2 | |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>l norgest/e.estriadiol-e.estrad oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>l norgest/e.estriadiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | 2 | |
| <i>l norgest/e.estriadiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | 2 | |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> | 2 | |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 2 | |
| <i>larinfe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 2 | |
| <i>larinfe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 2 | |
| <i>larissia oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>layolis fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i> | 2 | |
| <i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i> | 2 | |
| <i>lessina oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i> | 2 | |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse) | 2 | |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>lillow (28) oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>lojaimies oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>loryna (28) oral tablet 3-0.02 mg</i> | 2 | |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> | 2 | |
| <i>lo-zumandimine (28) oral tablet 3-0.02 mg</i> | 2 | |
| <i>lutera (28) oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>lyza oral tablet 0.35 mg</i> | 2 | |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> | 2 | |
| <i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> | 2 | |
| <i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i> | 2 | |
| <i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | 2 | |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 2 | |
| <i>mihi oral tablet 0.25-35 mg-mcg</i> | 2 | |
| <i>mono-linyah oral tablet 0.25-35 mg-mcg</i> | 2 | |
| <i>mononessa (28) oral tablet 0.25-35 mg-mcg</i> | 2 | |
| <i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | 2 | |
| <i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | 2 | |
| <i>nikki (28) oral tablet 3-0.02 mg</i> | 2 | |
| <i>nora-be oral tablet 0.35 mg</i> | 2 | |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila) | 2 | |
| <i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21)) | 2 | |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21)) | 2 | |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28)) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|---------------------------|----------------------------|
| <i>norethindrone-e.estriadiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | (Aurovela 24 Fe) | 2 |
| <i>norethindrone-e.estriadiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (Aurovela Fe 1.5/30 (28)) | 2 |
| <i>norgestimate-ethynodiol dihydrooral tablet 0.18/0.215/0.25 mg-25 mcg</i> | (Tri-Lo-Estarrylla) | 2 |
| <i>norgestimate-ethynodiol dihydrooral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | (Tri Femynor) | 2 |
| <i>norgestimate-ethynodiol dihydrooral tablet 0.25-35 mg-mcg</i> | (Estarrylla) | 2 |
| <i>norlyda oral tablet 0.35 mg</i> | | 2 |
| <i>norlyroc oral tablet 0.35 mg</i> | | 2 |
| <i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i> | | 2 |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i> | | 2 |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> | | 2 |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> | | 2 |
| <i>NUVARING VAGINAL RING 0.12-0.015 MG/24 HR</i> | | 3 |
| <i>ocella oral tablet 3-0.03 mg</i> | | 2 |
| <i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i> | | 2 |
| <i>orsythia oral tablet 0.1-20 mg-mcg</i> | | 2 |
| <i>philith oral tablet 0.4-35 mg-mcg</i> | | 2 |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | | 2 |
| <i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i> | | 2 |
| <i>portia 28 oral tablet 0.15-0.03 mg</i> | | 2 |
| <i>previfem oral tablet 0.25-35 mg-mcg</i> | | 2 |
| <i>rajani oral tablet 3-0.02-0.451 mg (24) (4)</i> | | 2 |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i> | | 2 |
| <i>rivilsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | | 2 |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | | 2 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>sharobel oral tablet 0.35 mg</i> | 2 | |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 2 | |
| <i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | 2 | |
| <i>sprintec (28) oral tablet 0.25-35 mg-mcg</i> | 2 | |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>syeda oral tablet 3-0.03 mg</i> | 2 | |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> | 2 | |
| <i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | 2 | |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | 2 | |
| <i>tri-femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | |
| <i>tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> | 2 | |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | |
| <i>tri-lo-estarrylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | 2 | |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | 2 | |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | 2 | |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | 2 | |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | |
| <i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> | 2 | |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> | 2 | |
| <i>tulana oral tablet 0.35 mg</i> | 2 | |
| <i>tydemy oral tablet 3-0.03-0.451 mg (21) (7)</i> | 2 | |
| <i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> | 2 | |
| <i>vienva oral tablet 0.1-20 mg-mcg</i> | 2 | |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 2 | |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | 2 | |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i> | 2 | |
| <i>vylibra oral tablet 0.25-35 mg-mcg</i> | 2 | |
| <i>wera (28) oral tablet 0.5-35 mg-mcg</i> | 2 | |
| <i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i> | 2 | |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i> | 2 | |
| <i>zarah oral tablet 3-0.03 mg</i> | 2 | |
| <i>zenchent (28) oral tablet 0.4-35 mg-mcg</i> | 2 | |
| <i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i> | 2 | |
| <i>zumandimine (28) oral tablet 3-0.03 mg</i> | 2 | |

Dental And Oral Agents

Dental And Oral Agents

| | | |
|---|---|--|
| <i>cevimeline oral capsule 30 mg (Evoxac)</i> | 2 | |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | 2 | |
| <i>denta 5000 plus dental cream 1.1 %</i> | 2 | |
| <i>dentagel dental gel 1.1 %</i> | 2 | |
| <i>oralone dental paste 0.1 %</i> | 2 | |
| <i>paroex oral rinse mucous membrane mouthwash 0.12 %</i> | 2 | |
| <i>periogard mucous membrane mouthwash 0.12 %</i> | 2 | |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))</i> | 2 | |
| <i>sf 5000 plus dental cream 1.1 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|--------------------------------|------------------|----------------------------|
| sodium fluoride-pot nitrate dental paste 1.1-5 % | (Fluoridex Sensitivity Relief) | 2 | |
| triamcinolone acetonide dental paste 0.1 % | (Oralone) | 2 | |
| Dermatological Agents | | | |
| Dermatological Agents, Other | | | |
| acitretin oral capsule 10 mg | (Soriatane) | 2 | PA; QL (60 per 30 days) |
| acitretin oral capsule 17.5 mg | | 2 | PA; QL (60 per 30 days) |
| acitretin oral capsule 25 mg | (Soriatane) | 2 | PA |
| acyclovir topical cream 5 % | (Zovirax) | 2 | QL (5 per 30 days) |
| acyclovir topical ointment 5 % | (Zovirax) | 2 | |
| ALCOHOL PADS TOPICAL PADS, MEDICATED | | 2 | |
| ammonium lactate topical cream 12 % | (Geri-Hydrolac) | 2 | |
| ammonium lactate topical lotion 12 % | (Geri-Hydrolac) | 2 | |
| amnesteem oral capsule 10 mg, 20 mg, 40 mg | | 2 | |
| azelaic acid topical gel 15 % | (Finacea) | 2 | |
| calcipotriene scalp solution 0.005 % | | 2 | |
| calcipotriene topical cream 0.005 % | (Dovonex) | 2 | |
| calcipotriene topical ointment 0.005 % | | 2 | |
| calcipotriene-betamethasone topical ointment 0.005-0.064 % | (Taclonex) | 4 | |
| calcitrene topical ointment 0.005 % | | 2 | |
| calcitriol topical ointment 3 mcg/gram | (Vectical) | 2 | |
| claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg | | 2 | |
| CONDYLOX TOPICAL GEL 0.5 % | | 3 | |
| DENAVIR TOPICAL CREAM 1 % | | 4 | QL (5 per 30 days) |
| fluorouracil topical cream 0.5 % | (Carac) | 2 | |
| fluorouracil topical cream 5 % | (Efudex) | 2 | |
| fluorouracil topical solution 2 %, 5 % | | 2 | |
| imiquimod topical cream in metered-dose pump 3.75 % | (Zyclara) | 2 | |
| imiquimod topical cream in packet 5 % | (Aldara) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>isotretinoin oral capsule 10 mg, 20 mg, 40 mg</i> (Amnesteem) | 2 | |
| <i>isotretinoin oral capsule 30 mg</i> (Claravis) | 2 | |
| LEVULAN TOPICAL SOLUTION 20 % | 4 | |
| <i>methoxsalen oral capsule,liqd-filled,rapid rel 10 mg</i> (Oxsoralen Ultra) | 2 | |
| <i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 2 | |
| PANRETIN TOPICAL GEL 0.1 % | 5 | NM; NDS |
| PICATO TOPICAL GEL 0.015 % | 4 | QL (3 per 30 days) |
| PICATO TOPICAL GEL 0.05 % | 4 | QL (2 per 30 days) |
| <i>podofilox topical solution 0.5 %</i> | 2 | |
| REGRANEX TOPICAL GEL 0.01 % | 5 | NM; NDS |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM | 3 | |
| TOLAK TOPICAL CREAM 4 % | 4 | |
| UVADEX INJECTION SOLUTION 20 MCG/ML | 4 | |
| VALCHLOR TOPICAL GEL 0.016 % | 5 | PA NSO; NM; LA; NDS |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 2 | |
| ZYCLARA TOPICAL CREAM IN METERED-DOSE PUMP 2.5 % | 4 | |
| Dermatological Antibacterials | | |
| <i>clindamycin phosphate topical foam 1 %</i> (Evoclin) | 2 | |
| <i>clindamycin phosphate topical gel 1 %</i> (Cleocin T) | 2 | |
| <i>clindamycin phosphate topical lotion 1 %</i> (Cleocin T) | 2 | |
| <i>clindamycin phosphate topical solution 1 %</i> (Cleocin T) | 2 | |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ) | 2 | |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Neuac) | 2 | |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzaclin) | 2 | |
| <i>ery pads topical swab 2 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>erythromycin with ethanol topical gel 2 %</i> | 2 | |
| <i>erythromycin with ethanol topical solution 2 %</i> | 2 | |
| <i>erythromycin with ethanol topical swab 2 %</i> | 2 | |
| <i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> | 2 | |
| <i>gentamicin topical cream 0.1 %</i> | 2 | |
| <i>gentamicin topical ointment 0.1 %</i> | 2 | |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan) | 2 | |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan) | 2 | |
| <i>metronidazole topical gel 1 %</i> (Metrogel) | 2 | |
| <i>metronidazole topical lotion 0.75 %</i> (MetroLotion) | 2 | |
| <i>mupirocin calcium topical cream 2 %</i> | 2 | |
| <i>mupirocin topical ointment 2 %</i> (Centany) | 2 | |
| <i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i> | 2 | |
| <i>rosadan topical cream 0.75 %</i> | 2 | |
| <i>selenium sulfide topical lotion 2.5 %</i> | 2 | |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD) | 2 | |
| <i>ssd topical cream 1 %</i> | 2 | |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> | 2 | |
| Dermatological Anti-Inflammatory Agents | | |
| <i>ala-cort topical cream 1 %</i> | 2 | |
| <i>ala-scalp topical lotion 2 %</i> | 2 | |
| <i>alclometasone topical cream 0.05 %</i> | 2 | |
| <i>alclometasone topical ointment 0.05 %</i> | 2 | |
| <i>amcinonide topical cream 0.1 %</i> | 2 | |
| <i>amcinonide topical lotion 0.1 %</i> | 2 | |
| <i>amcinonide topical ointment 0.1 %</i> | 2 | |
| <i>betamethasone dipropionate topical cream 0.05 %</i> | 2 | |
| <i>betamethasone dipropionate topical lotion 0.05 %</i> | 2 | |
| <i>betamethasone dipropionate topical ointment 0.05 %</i> | 2 | |
| <i>betamethasone valerate topical cream 0.1 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>betamethasone valerate topical foam 0.12 %</i> (Luxiq) | 2 | |
| <i>betamethasone valerate topical lotion 0.1 %</i> | 2 | |
| <i>betamethasone valerate topical ointment 0.1 %</i> | 2 | |
| <i>betamethasone, augmented topical cream 0.05 %</i> | 2 | |
| <i>betamethasone, augmented topical gel 0.05 %</i> | 2 | |
| <i>betamethasone, augmented topical lotion 0.05 %</i> | 2 | |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2 | |
| <i>clobetasol scalp solution 0.05 %</i> | 2 | |
| <i>clobetasol topical cream 0.05 %</i> (Temovate) | 2 | |
| <i>clobetasol topical foam 0.05 %</i> (Olux) | 2 | |
| <i>clobetasol topical gel 0.05 %</i> | 2 | |
| <i>clobetasol topical lotion 0.05 %</i> (Clobex) | 2 | |
| <i>clobetasol topical ointment 0.05 %</i> (Temovate) | 2 | |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex) | 2 | |
| <i>clobetasol topical spray,non-aerosol 0.05 %</i> (Clobex) | 2 | |
| <i>clobetasol-emollient topical cream 0.05 %</i> | 2 | |
| <i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E) | 2 | |
| <i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm) | 2 | |
| <i>cormax scalp solution 0.05 %</i> | 2 | |
| <i>desonide topical cream 0.05 %</i> (Tridesilon) | 2 | |
| <i>desonide topical lotion 0.05 %</i> (DesOwen) | 2 | |
| <i>desonide topical ointment 0.05 %</i> | 2 | |
| <i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort) | 2 | |
| <i>desoximetasone topical gel 0.05 %</i> (Topicort) | 2 | |
| <i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort) | 2 | |
| <i>diflorasone topical cream 0.05 %</i> (Psorcon) | 2 | |
| <i>diflurasone topical ointment 0.05 %</i> | 2 | |
| EPIFOAM TOPICAL FOAM 1-1 % | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| EUCRISA TOPICAL OINTMENT 2 % | 4 | PA |
| <i>fluocinolone 0.01% body oil 0.01 %</i> (Derma-Smoothe/FS Body Oil) | 2 | |
| <i>fluocinolone and shower cap scalp oil 0.01 %</i> (Derma-Smoothe/FS Scalp Oil) | 2 | |
| <i>fluocinolone topical cream 0.01 %</i> | 2 | |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar) | 2 | |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar) | 2 | |
| <i>fluocinolone topical solution 0.01 %</i> (Synalar) | 2 | |
| <i>fluocinonide topical cream 0.05 %</i> | 2 | |
| <i>fluocinonide topical cream 0.1 %</i> (Vanos) | 2 | |
| <i>fluocinonide topical gel 0.05 %</i> | 2 | |
| <i>fluocinonide topical ointment 0.05 %</i> | 2 | |
| <i>fluocinonide topical solution 0.05 %</i> | 2 | |
| <i>fluocinonide-e topical cream 0.05 %</i> | 2 | |
| <i>fluticasone propionate topical cream 0.05 %</i> (Cutivate) | 2 | |
| <i>fluticasone propionate topical lotion 0.05 %</i> (Beser) | 2 | |
| <i>fluticasone propionate topical ointment 0.005 %</i> | 2 | |
| <i>halobetasol propionate topical cream 0.05 %</i> | 2 | |
| <i>halobetasol propionate topical ointment 0.05 %</i> | 2 | |
| <i>hydrocort buty 0.1% lipo cream 0.1 %</i> (Locoid Lipocream) | 2 | |
| <i>hydrocortisone butyrate topical cream 0.1 %</i> | 2 | |
| <i>hydrocortisone butyrate topical ointment 0.1 %</i> | 2 | |
| <i>hydrocortisone butyrate topical solution 0.1 %</i> | 2 | |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort) | 2 | |
| <i>hydrocortisone topical cream 2.5 %</i> | 2 | |
| <i>hydrocortisone topical lotion 2.5 %</i> | 2 | |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC)) | 2 | |
| <i>hydrocortisone topical ointment 2.5 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>hydrocortisone valerate topical cream 0.2 %</i> | 2 | |
| <i>hydrocortisone valerate topical ointment 0.2 %</i> | 2 | |
| <i>mometasone topical cream 0.1 %</i> | 2 | |
| <i>mometasone topical ointment 0.1 %</i> | 2 | |
| <i>mometasone topical solution 0.1 %</i> | 2 | |
| <i>pimecrolimus topical cream 1 %</i> (Elidel) | 2 | PA |
| <i>prednicarbate topical cream 0.1 %</i> | 2 | |
| <i>prednicarbate topical ointment 0.1 %</i> | 2 | |
| PROCTOFOAM HC RECTAL FOAM 1-1 % | 4 | |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> | 2 | |
| <i>procto-pak topical cream with perineal applicator 1 %</i> | 2 | |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> | 2 | |
| <i>protozone-hc topical cream with perineal applicator 2.5 %</i> | 2 | |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic) | 2 | QL (60 per 30 days) |
| <i>triamcinolone acetonide topical cream 0.025 %</i> | 2 | |
| <i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm) | 2 | |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i> | 2 | |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> | 2 | |
| <i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex) | 2 | |
| <i>trianex topical ointment 0.05 %</i> | 2 | |
| <i>triderm topical cream 0.1 %, 0.5 %</i> | 2 | |
| TRIDESILON TOPICAL CREAM 0.05 % | 2 | |
| Dermatological Retinoids | | |
| <i>adapalene 0.3% gel pump 0.3 %</i> (Differin) | 2 | |
| <i>adapalene topical cream 0.1 %</i> (Differin) | 2 | |
| <i>adapalene topical gel 0.1 %</i> (Differin) | 2 | |
| <i>adapalene topical gel 0.3 %</i> (Differin) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|---------------------------|----------------------------|
| <i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i> (Epiduo) | 2 | |
| <i>avita topical cream 0.025 %</i> | 2 | PA |
| <i>avita topical gel 0.025 %</i> | 2 | PA |
| FABIOR TOPICAL FOAM 0.1 % | 4 | PA |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac) | 2 | |
| TAZORAC TOPICAL CREAM 0.05 % | 4 | PA |
| TAZORAC TOPICAL GEL 0.05 %, 0.1 % | 4 | PA |
| <i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> (Retin-A Micro) | 4 | PA |
| <i>tretinoin topical cream 0.025 %</i> (Avita) | 2 | PA |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A) | 2 | PA |
| <i>tretinoin topical gel 0.01 %</i> (Retin-A) | 2 | PA |
| <i>tretinoin topical gel 0.025 %</i> (Avita) | 2 | PA |
| <i>tretinoin topical gel 0.05 %</i> (Atralin) | 2 | PA |
| Scabicides And Pediculicides | | |
| <i>lindane topical shampoo 1 %</i> | 2 | |
| <i>malathion topical lotion 0.5 %</i> (Ovide) | 2 | |
| <i>permethrin topical cream 5 %</i> (Elimite) | 2 | |
| Devices | | |
| Devices | | |
| ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2" | 3 | |
| BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32" | 2 | |
| BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64" | 2 | |
| BD VEO INS SYRINGE 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64" | 2 | |
| BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64" | 2 | |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 " | 2 | |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE | (Ultilet Insulin Syringe) | 2 |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" | (Advocate Syringes) | 2 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|------------------------------|------------------|----------------------------------|
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE | (Lite Touch Insulin Syringe) | 2 | |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" | (1st Tier Unifine Pentips) | 2 | |
| V-GO 40 DISPOSABLE DEVICE | | 3 | |
| Enzyme Replacement/Modifiers | | | |
| Enzyme Replacement/Modifiers | | | |
| ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML | | 5 | NM; LA; NDS |
| ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML | | 5 | PA; NM; NDS |
| CEREZYME INTRAVENOUS RECON SOLN 400 UNIT | | 5 | PA; NM; NDS |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | | 3 | |
| ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML | | 5 | PA; NM; NDS |
| EELYSO INTRAVENOUS RECON SOLN 200 UNIT | | 5 | PA; NM; LA; NDS |
| ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG | | 5 | PA; NM; NDS |
| FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG | | 5 | PA; NM; NDS |
| GALAFOLD ORAL CAPSULE 123 MG | | 5 | PA; NM; NDS; QL (14 per 28 days) |
| KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG | | 5 | PA; NM; LA; NDS |
| KUVAN ORAL TABLET,SOLUBLE 100 MG | | 5 | PA; NM; LA; NDS |
| MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML | | 5 | PA; NM; NDS |
| <i>miglustat oral capsule 100 mg</i> (Zavesca) | | 5 | PA; NM; NDS; QL (90 per 30 days) |
| NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML | | 5 | PA; NM; NDS |
| NITYR ORAL TABLET 10 MG, 2 MG, 5 MG | | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|-----------------------------------|
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML | 5 | PA; NM; NDS; QL (15 per 30 days) |
| PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML | 5 | PA; NM; NDS; QL (4.5 per 30 days) |
| PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML | 5 | PA; NM; NDS; QL (60 per 30 days) |
| PULMOZYME INHALATION SOLUTION 1 MG/ML | 5 | PA; NM; NDS |
| REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML) | 5 | PA; NM; NDS |
| <i>sapropterin oral powder in packet</i> (Kuvan) 100 mg, 500 mg | 5 | PA; NM; NDS |
| <i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan) | 5 | PA; NM; NDS |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML | 5 | PA; NM; LA; NDS |
| VPRIV INTRAVENOUS RECON SOLN 400 UNIT | 5 | PA; NM; LA; NDS |
| ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000- 126,000- 168,000 UNIT, 5,000- 17,000- 24,000 UNIT | 3 | |
| Eye, Ear, Nose, Throat Agents | | |
| Eye, Ear, Nose, Throat Agents, Miscellaneous | | |
| AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 % | 4 | |
| ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 % | 4 | |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i> | 2 | |
| <i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine) | 2 | |
| <i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-------------------------------------|
| <i>azelastine nasal spray,non-aerosol 0.15 % (205.5 mcg)</i> | 2 | |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i> | 2 | |
| <i>cromolyn ophthalmic (eye) drops 4 %</i> | 2 | |
| <i>cyclopentolate ophthalmic (eye) (Cyclogyl) drops 0.5 %, 1 %, 2 %</i> | 2 | |
| CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 % | 5 | NM; LA; NDS |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i> | 2 | |
| <i>ipratropium bromide nasal spray,non-aerosol 0.03 %, 42 mcg (0.06 %)</i> | 2 | |
| <i>olopatadine nasal spray,non-aerosol (Patanase) 0.6 %</i> | 2 | |
| <i>olopatadine ophthalmic (eye) drops (Pataday) 0.1 %</i> | 2 | |
| <i>olopatadine ophthalmic (eye) drops (Pataday) 0.2 %</i> | 2 | ST |
| OXERVATE OPHTHALMIC (EYE) DROPS 0.002 % | 5 | PA; NM; NDS; QL (56 per 28 days) |
| <i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i> | 2 | |
| <i>proparacaine ophthalmic (eye) drops (Alcaine) 0.5 %</i> | 2 | |
| TEPEZZA INTRAVENOUS RECON SOLN 500 MG | 5 | PA; NM; NDS |
| <i>tropicamide ophthalmic (eye) drops 0.5 %</i> | 2 | |
| <i>tropicamide ophthalmic (eye) drops 1 (Mydriacyl) %</i> | 2 | |
| TYZINE NASAL DROPS 0.1 % | 3 | |
| TYZINE NASAL SPRAY,NON- AEROSOL 0.1 % | 4 | |
| Eye, Ear, Nose, Throat Anti- Infectives Agents | | |
| <i>acetic acid otic (ear) solution 2 %</i> | 2 | |
| <i>acetic acid-aluminum acetate otic (ear) drops 2 %</i> | 2 | |
| AZASITE OPHTHALMIC (EYE) DROPS 1 % | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> (Baciguent) | 2 | |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin) | 2 | |
| BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 % | 4 | |
| <i>bleph-10 ophthalmic (eye) drops 10 %</i> | 2 | |
| BLEPHAMIDE OPHTHALMIC (EYE) DROPS,SUSPENSION 10-0.2 % | 4 | |
| BLEPHAMIDE S.O.P. OPHTHALMIC (EYE) OINTMENT 10-0.2 % | 3 | |
| CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 % | 3 | |
| CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 % | 3 | |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan) | 2 | |
| <i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal) | 2 | |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex) | 2 | |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> | 2 | |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid) | 2 | |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i> | 2 | |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i> | 2 | |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i> | 2 | |
| <i>levofloxacin ophthalmic (eye) drops 0.5 %</i> | 2 | |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox) | 2 | |
| NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 % | 4 | |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|---------------|------------------|----------------------------|
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> | (Neo-Polycin) | 2 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> | (Maxitrol) | 2 | |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> | (Maxitrol) | 2 | |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i> | | 2 | |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i> | | 2 | |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> | | 2 | |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i> | | 2 | |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> | | 2 | |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> | (Ocuflax) | 2 | |
| <i>ofloxacin otic (ear) drops 0.3 %</i> | | 2 | |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> | | 2 | |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | (Polytrim) | 2 | |
| PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 % | | 4 | |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> | (Bleph-10) | 2 | |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i> | | 2 | |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i> | | 2 | |
| TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 % | | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 % | 4 | |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i> | 2 | |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> | 2 | |
| <i>trifluridine ophthalmic (eye) drops 1 %</i> | 2 | |
| ZIRGAN OPHTHALMIC (EYE) GEL 0.15 % | 4 | |
| Eye, Ear, Nose, Throat Anti-Inflammatory Agents | | |
| ALOCRIL OPHTHALMIC (EYE) DROPS 2 % | 4 | |
| ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 % | 4 | |
| BECONASE AQ NASAL SPRAY,NON-AEROSOL 42 MCG (0.042 %) | 4 | PA |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i> | 2 | |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i> | 2 | |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i> | 2 | |
| DUREZOL OPHTHALMIC (EYE) DROPS 0.05 % | 4 | |
| FLAREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 % | 4 | |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i> | 2 | |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> | 2 | |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> | 2 | |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i> | 2 | |
| <i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> | 2 | (Rx product only) |
| FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 % | 4 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| FML S.O.P. OPHTHALMIC (EYE) OINTMENT 0.1 % | 4 | |
| <i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS) | 2 | |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular) | 2 | |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax) | 2 | |
| MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 % | 4 | |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex) | 2 | |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte) | 2 | |
| <i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i> | 2 | |
| RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 % | 4 | |
| XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 % | 4 | |
| Gastrointestinal Agents | | |
| Antiulcer Agents And Acid Suppressants | | |
| CARAFATE ORAL SUSPENSION 100 MG/ML | 4 | |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i> | 2 | |
| <i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine)) | 2 | |
| <i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i> | 2 | |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg, 40 mg</i> (Nexium) | 2 | |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg, 40 mg</i> (Nexium Packet) | 2 | ST |
| <i>esomeprazole sodium intravenous recon soln 20 mg</i> | 2 | PA |
| <i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV) | 2 | PA |
| <i>famotidine (pf) intravenous solution 20 mg/2 ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml | 2 | |
| famotidine intravenous solution 10 mg/ml | 2 | |
| famotidine oral suspension 40 mg/5 ml (8 mg/ml) | 2 | |
| famotidine oral tablet 20 mg (Acid Controller) | 1 | GC |
| famotidine oral tablet 40 mg (Pepcid) | 1 | GC |
| lansoprazole oral capsule,delayed release(dr/ec) 15 mg, 30 mg | 2 | |
| misoprostol oral tablet 100 mcg, 200 mcg (Cytotec) | 2 | |
| NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 20 MG, 40 MG | 4 | ST |
| nizatidine oral capsule 150 mg, 300 mg | 2 | |
| nizatidine oral solution 150 mg/10 ml | 2 | |
| omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg | 1 | GC |
| pantoprazole intravenous recon soln 40 mg (Protonix) | 2 | |
| pantoprazole oral tablet,delayed release (dr/ec) 20 mg, 40 mg (Protonix) | 1 | GC |
| rabeprazole oral tablet,delayed release (dr/ec) 20 mg (AcipHex) | 2 | |
| ranitidine hcl oral syrup 15 mg/ml | 2 | |
| ranitidine hcl oral tablet 150 mg, 300 mg | 1 | GC |
| sucralfate oral suspension 100 mg/ml (Carafate) | 2 | |
| sucralfate oral tablet 1 gram (Carafate) | 2 | |
| Gastrointestinal Agents, Other | | |
| AMITIZA ORAL CAPSULE 24 MCG, 8 MCG | 3 | QL (60 per 30 days) |
| CARBAGLU ORAL TABLET, DISPERISIBLE 200 MG | 5 | PA; NM; NDS |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG | 5 | PA; NM; NDS |
| constulose oral solution 10 gram/15 ml | 2 | |
| cromolyn oral concentrate 100 mg/5 ml (Gastrocrom) | 2 | |
| dicyclomine oral capsule 10 mg | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| <i>dicyclomine oral solution 10 mg/5 ml</i> | 2 | |
| <i>dicyclomine oral tablet 20 mg</i> | 2 | |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i> | 2 | |
| <i>diphenoxylate-atropine oral tablet (Lomotil) 2.5-0.025 mg</i> | 2 | |
| <i>enulose oral solution 10 gram/15 ml</i> | 2 | |
| GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG | 5 | PA; NM; LA; NDS |
| <i>generlac oral solution 10 gram/15 ml</i> | 2 | |
| <i>glycopyrrolate injection solution 0.2 mg/ml</i> | 2 | |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 2 | |
| <i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i> | 2 | |
| <i>lactulose oral solution 10 gram/15 ml (Constulose)</i> | 2 | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 3 | QL (30 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM | 4 | PA; QL (34 per 30 days) |
| LOKELMA ORAL POWDER IN PACKET 5 GRAM | 4 | PA; QL (30 per 30 days) |
| <i>loperamide oral capsule 2 mg (Anti-Diarrheal (loperamide))</i> | 2 | |
| <i>methscopolamine oral tablet 2.5 mg, 5 mg</i> | 2 | |
| <i>metoclopramide hcl injection solution 5 mg/ml</i> | 2 | |
| <i>metoclopramide hcl injection syringe 5 mg/ml</i> | 2 | |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i> | 2 | |
| <i>metoclopramide hcl oral tablet 10 (Reglan) mg, 5 mg</i> | 1 | GC |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG | 3 | QL (30 per 30 days) |
| <i>propantheline oral tablet 15 mg</i> | 2 | |
| RAVICTI ORAL LIQUID 1.1 GRAM/ML | 5 | PA; NM; LA; NDS; QL (525 per 30 days) |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML | 4 | PA; (1 per day); QL (18 per 30 days) |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML | 4 | PA; (1 per day); QL (18 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--------------------------------------|
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML | 4 | PA; (1 per day); QL (12 per 30 days) |
| sodium phenylbutyrate oral powder (Buphenyl) 0.94 gram/gram | 5 | NM; NDS |
| sodium phenylbutyrate oral tablet (Buphenyl) 500 mg | 5 | NM; NDS |
| sodium polystyrene (sorb free) oral suspension 15 gram/60 ml | 2 | |
| sodium polystyrene sulfonate oral powder | 2 | |
| sps (with sorbitol) oral suspension 15-20 gram/60 ml | 2 | |
| ursodiol oral capsule 300 mg (Actigall) | 2 | |
| ursodiol oral tablet 250 mg (URSO 250) | 2 | |
| ursodiol oral tablet 500 mg (URSO Forte) | 2 | |
| VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM | 4 | PA; LA; QL (30 per 30 days) |
| XERMELO ORAL TABLET 250 MG | 5 | PA; NM; LA; NDS; QL (90 per 30 days) |
| Laxatives | | |
| CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML | 4 | |
| gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram | 2 | |
| gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram | 2 | |
| gavilyte-n oral recon soln 420 gram | 2 | |
| GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM | 4 | |
| MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM | 4 | |
| OSMOPREP ORAL TABLET 1.5 GRAM | 4 | |
| peg 3350-electrolytes oral recon soln (GaviLyte-G) 236-22.74-6.74 -5.86 gram | 2 | |
| peg 3350-electrolytes oral recon soln (Gavilyte-C) 240-22.72-6.72 -5.84 gram | 2 | |
| peg3350-sod sul-nacl-kcl-asp-c oral powder in packet 100-7.5-2.691 gram | 2 | |
| peg-electrolyte soln oral recon soln (GaviLyte-N) 420 gram | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM | 4 | |
| PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM | 4 | |
| SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM | 4 | |
| <i>trilyte with flavor packets oral recon soln 420 gram</i> | 2 | |
| Phosphate Binders | | |
| AURYXIA ORAL TABLET 210 MG IRON | 5 | PA; NM; NDS; QL (360 per 30 days) |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i> | 2 | |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i> | 2 | |
| FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG | 3 | |
| <i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i> | 2 | |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> | 2 | |
| <i>sevelamer carbonate oral tablet 800 mg</i> | 2 | |
| VELPHORO ORAL TABLET,CHEWABLE 500 MG | 5 | ST; NM; NDS |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> | 2 | |
| <i>flavoxate oral tablet 100 mg</i> | 2 | |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG | 3 | QL (30 per 30 days) |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i> | 2 | |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 2 | |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> | 2 | |
| <i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|-------------------|------------------|----------------------------|
| <i>solifenacin oral tablet 10 mg, 5 mg</i> | (Vesicare) | 2 | QL (30 per 30 days) |
| <i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> | (Detrol LA) | 2 | QL (30 per 30 days) |
| <i>tolterodine oral tablet 1 mg, 2 mg</i> | (Detrol) | 2 | |
| <i>trospium oral capsule,extended release 24hr 60 mg</i> | | 2 | |
| <i>trospium oral tablet 20 mg</i> | | 2 | |
| Genitourinary Agents, Miscellaneous | | | |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> | (Uroxatral) | 1 | GC |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG | | 4 | LA |
| <i>dutasteride oral capsule 0.5 mg</i> | (Avodart) | 2 | |
| <i>finasteride oral tablet 5 mg</i> | (Proscar) | 1 | GC |
| PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG | | 5 | PA; NM; LA; NDS |
| <i>tamsulosin oral capsule 0.4 mg</i> | (Flomax) | 1 | GC |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | | 1 | GC |
| Heavy Metal Antagonists | | | |
| Heavy Metal Antagonists | | | |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> | (Jadenu Sprinkle) | 5 | PA; NM; NDS |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> | (Jadenu) | 5 | PA; NM; NDS |
| <i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> | (Exjade) | 5 | PA; NM; NDS |
| <i>deferiprone oral tablet 500 mg</i> | (Ferriprox) | 5 | PA; NM; NDS |
| <i>deferoxamine injection recon soln 2 gram, 500 mg</i> | (Desferal) | 2 | PA BvD; (PA for ESRD only) |
| DEPEN TITRATABS ORAL TABLET 250 MG | | 4 | |
| EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG | | 5 | PA; NM; LA; NDS |
| FERRIPROX ORAL TABLET 1,000 MG, 500 MG | | 5 | PA; NM; LA; NDS |
| JADENU ORAL TABLET 180 MG, 360 MG, 90 MG | | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG | 5 | PA; NM; NDS |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs) | 2 | |
| <i>trientine oral capsule 250 mg</i> (Clovique) | 5 | PA; NM; NDS |
| Hormonal Agents, Stimulant/Replacement/Modifying | | |
| Androgens | | |
| ANADROL-50 ORAL TABLET 50 MG | 3 | |
| ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR | 4 | |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 2 | |
| METHITEST ORAL TABLET 10 MG | 4 | |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin) | 2 | |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone) | 2 | |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> | 2 | |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i> | 2 | |
| <i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> (Fortesta) | 2 | |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo) | 2 | |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel) | 2 | |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram), 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)</i> (AndroGel) | 2 | |
| Estrogens And Antiestrogens | | |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 2 | |
| DUAVEE ORAL TABLET 0.45-20 MG | 4 | PA |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> | 2 | |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 2 | |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> | 2 | |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> | 2 | |
| <i>estradiol vaginal tablet 10 mcg</i> | 2 | |
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> | 2 | |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> | 2 | |
| ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR) | 4 | |
| FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR | 4 | QL (1 per 90 days) |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 2 | |
| <i>jinteli oral tablet 1-5 mg-mcg</i> | 2 | |
| <i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i> | 2 | |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG | 4 | |
| <i>mimvey lo oral tablet 0.5-0.1 mg</i> | 2 | |
| <i>mimvey oral tablet 1-0.5 mg</i> | 2 | |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> | 2 | |
| PREMARIN INJECTION RECON SOLN 25 MG | 3 | |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM | 3 | |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14) | 3 | |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 3 | |
| <i>raloxifene oral tablet 60 mg</i> (Evista) | 2 | |
| <i>yuvafem vaginal tablet 10 mcg</i> | 2 | |
| Glucocorticoids/Mineralocorticoids | | |
| <i>a-hydrocort injection recon soln 100 mg</i> | 2 | |
| <i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan) | 2 | |
| <i>cortisone oral tablet 25 mg</i> | 2 | |
| <i>deltasone oral tablet 20 mg</i> | 2 | PA BvD |
| DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML | 4 | |
| <i>dexamethasone oral elixir 0.5 mg/5 ml</i> | 2 | PA BvD |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron) | 2 | PA BvD |
| <i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i> | 2 | PA BvD |
| <i>dexamethasone oral tablets,dose pack 1.5 mg (21 tabs)</i> (HiDex) | 2 | |
| <i>dexamethasone oral tablets,dose pack 1.5 mg (35 tabs), 1.5 mg (51 tabs)</i> | 2 | |
| <i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i> | 2 | |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i> | 2 | |
| <i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i> | 2 | |
| EMFLAZA ORAL SUSPENSION 22.75 MG/ML | 5 | PA; NM; LA; NDS |
| EMFLAZA ORAL TABLET 18 MG | 5 | PA; NM; LA; NDS; QL (30 per 30 days) |
| EMFLAZA ORAL TABLET 30 MG, 6 MG | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |
| EMFLAZA ORAL TABLET 36 MG | 5 | PA; NM; LA; NDS |
| <i>fludrocortisone oral tablet 0.1 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| hydrocortisone oral tablet 10 mg, 20 mg, 5 mg (Cortef) | 2 | |
| methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml (Depo-Medrol) | 2 | |
| methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg (Medrol) | 2 | |
| methylprednisolone oral tablets,dose pack 4 mg (Medrol (Pak)) | 2 | |
| methylprednisolone sodium succ injection recon soln 125 mg, 40 mg | 2 | |
| methylprednisolone sodium succ intravenous recon soln 1,000 mg, 500 mg (Solu-Medrol) | 2 | |
| prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml) | 2 | PA BvD |
| prednisolone oral solution 15 mg/5 ml | 2 | PA BvD |
| prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml) | 2 | PA BvD |
| prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml) (Pediapred) | 2 | PA BvD |
| prednisolone sodium phosphate oral tablet,disintegrating 10 mg, 15 mg, 30 mg (Orapred ODT) | 2 | PA BvD |
| prednisone oral solution 5 mg/5 ml | 2 | PA BvD |
| prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg | 2 | PA BvD |
| prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack) | 2 | |
| SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML | 3 | |
| SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML | 3 | |
| SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML | 3 | |
| triamcinolone acetonide injection suspension 40 mg/ml (Kenalog) | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| Pituitary | | |
| CHORIONIC GONADOTROPIN, (Novarel) HUMAN INTRAMUSCULAR RECON SOLN 10,000 UNIT | 4 | PA |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i> | 2 | |
| <i>desmopressin injection solution 4 mcg/ml</i> | 2 | |
| <i>desmopressin nasal spray,non- aerosol 10 mcg/spray (0.1 ml)</i> | 2 | |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> | 2 | |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML | 5 | NM; NDS |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG | 5 | NM; NDS |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG | 5 | NM; NDS |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG | 5 | NM; NDS |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG | 5 | NM; NDS |
| NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG | 4 | PA; QL (30 per 30 days) |
| NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG | 4 | PA; QL (30 per 30 days) |
| NORDITROPIN FLEXPRESS SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 4 | PA |
| <i>octreotide acetate injection solution 1,000 mcg/ml</i> | 5 | NM; NDS |
| <i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| <i>octreotide acetate injection solution 200 mcg/ml</i> | 2 | |
| <i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i> | 2 | |
| ORILISSA ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| ORILISSA ORAL TABLET 200 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG | 5 | PA; NM; NDS |
| SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10 MG, 20 MG, 30 MG, 40 MG, 60 MG | 5 | PA; NM; LA; NDS; QL (1 per 28 days) |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML | 5 | NM; NDS |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | NM; LA; NDS |
| SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY) | 4 | PA |
| SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML | 5 | NM; NDS |
| TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG | 5 | PA; NM; NDS; QL (1 per 168 days) |
| VANTAS IMPLANT KIT 50 MG (50 MCG/DAY) | 4 | |
| VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML | 4 | |
| ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG | 5 | PA; NM; NDS |
| Progestins | | |
| CRINONE VAGINAL GEL 4 %, 8 % | 4 | PA |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML | 4 | |
| <i>hydroxyprogesterone (pf)(preg presv) intramuscular oil 250 mg/ml (1 ml)</i> (Makena) | 5 | NM; NDS |
| <i>hydroxyprogesterone cap(ppres) intramuscular oil 250 mg/ml</i> (Makena) | 5 | NM; NDS |
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera) | 2 | |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera) | 2 | |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera) | 2 | |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i> | 2 | |
| <i>norethindrone acetate oral tablet 5 mg</i> (Aygestin) | 2 | |
| <i>progesterone intramuscular oil 50 mg/ml</i> | 2 | |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium) | 2 | |
| Thyroid And Antithyroid Agents | | |
| <i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 2 | |
| <i>LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG</i> | 4 | |
| <i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i> | 2 | |
| <i>levothyroxine intravenous solution 100 mcg/ml, 20 mcg/ml, 40 mcg/ml</i> | 2 | |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1 | GC |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T) | 1 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|-----------------------------------|
| LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG | 4 | |
| <i>liothyronine intravenous solution 10 mcg/ml</i> (Triostat) | 2 | |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel) | 2 | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole) | 2 | |
| <i>propylthiouracil oral tablet 50 mg</i> | 2 | |
| SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | 4 | |
| UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG | 4 | |
| Immunological Agents | | |
| Immunological Agents | | |
| ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML | 5 | PA; NM; NDS; QL (3.6 per 28 days) |
| ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML) | 5 | PA; NM; NDS; QL (40 per 30 days) |
| ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML | 5 | PA; NM; NDS; QL (3.6 per 28 days) |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG | 5 | PA; NM; LA; NDS |
| ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG | 4 | PA NSO |
| ATGAM INTRAVENOUS SOLUTION 50 MG/ML | 3 | |
| AVSOLA INTRAVENOUS RECON SOLN 100 MG | 5 | PA; NM; NDS |
| AZASAN ORAL TABLET 100 MG, 75 MG | 4 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|------------------------------------|
| <i>azathioprine oral tablet 50 mg</i> (Imuran) | 2 | PA BvD |
| <i>azathioprine sodium injection recon soln 100 mg</i> | 2 | PA BvD |
| BIVIGAM INTRAVENOUS SOLUTION 10 % | 5 | PA; NM; NDS |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS) | 5 | PA; NM; NDS; QL (3 per 28 days) |
| CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2) | 5 | PA; NM; NDS; QL (3 per 28 days) |
| COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML | 5 | PA; NM; NDS |
| COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML | 5 | PA; NM; NDS |
| CUTAQUIG SUBCUTANEOUS SOLUTION 16.5 % | 5 | PA; NM; NDS |
| CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %) | 5 | PA; NM; NDS |
| <i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml | 2 | PA BvD |
| <i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg | 2 | PA BvD |
| <i>cyclosporine modified oral capsule</i> 50 mg | 2 | PA BvD |
| <i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml | 2 | PA BvD |
| <i>cyclosporine oral capsule</i> 100 mg, 25 mg (Sandimmune) | 2 | PA BvD |
| DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML | 5 | PA; NM; NDS; QL (8 per 28 days) |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML | 5 | PA; NM; NDS; QL (4.56 per 28 days) |
| DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML | 5 | PA; NM; NDS; QL (8 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML) | 5 | PA; NM; NDS; (8 syringes); QL (8 per 28 days) |
| ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML) | 5 | PA; NM; NDS; (8 vials); QL (8 per 28 days) |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML | 5 | PA; NM; NDS; QL (8 per 28 days) |
| ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5) | 5 | PA; NM; NDS; QL (8.16 per 28 days) |
| ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML (1 ML) | 5 | PA; NM; NDS; (8 syringes); QL (8 per 28 days) |
| ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML) | 5 | PA; NM; NDS; (8 syringes); QL (8 per 28 days) |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG | 4 | PA BvD |
| <i>everolimus (immunosuppressive) oral (Zortress) tablet 0.25 mg, 0.5 mg, 0.75 mg</i> | 2 | PA NSO |
| FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 % | 5 | PA; NM; NDS |
| GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE | 3 | PA |
| GAMMAGARD LIQUID INJECTION SOLUTION 10 % | 5 | PA; NM; NDS |
| GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM | 5 | PA; NM; NDS |
| GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML) | 5 | PA; NM; NDS |
| GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) | 5 | PA; NM; NDS |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | 2 | PA BvD |
| <i>gengraf oral solution 100 mg/ml</i> | 2 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) | 5 | PA; NM; NDS |
| HIZENTRA SUBCUTANEOUS SYRINGE 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) | 5 | PA; NM; NDS |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; NM; NDS; (1 starter kit); QL (3 per 28 days) |
| HUMIRA PEDIATRIC CROHN'S STARTER 40 MG/0.8 ML SYRINGE 40 MG/0.8 ML | 5 | PA; NM; NDS |
| HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS; (1 starter kit); QL (6 per 28 days) |
| HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML | 5 | PA; NM; NDS; QL (2 per 28 days) |
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML | 5 | PA; NM; NDS; (1 starter kit); QL (3 per 28 days) |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NM; NDS; QL (2 per 28 days) |
| HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML | 5 | PA; NM; NDS; (1 starter kit); QL (3 per 28 days) |
| HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML | 5 | PA; NM; NDS; (1 starter kit); QL (3 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML | 5 | PA; NM; NDS; QL (2 per 28 days) |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %) | 5 | PA; NM; LA; NDS |
| ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML | 5 | PA; NM; LA; NDS; QL (2 per 28 days) |
| ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; NM; NDS |
| INFLECTRA INTRAVENOUS RECON SOLN 100 MG | 5 | PA; NM; NDS |
| KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML | 5 | PA; NM; NDS; (2 pens); QL (2.28 per 28 days) |
| KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML | 5 | PA; NM; NDS; (2 syringes); QL (2.28 per 28 days) |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML | 5 | PA; NM; NDS |
| <i>leflunomide oral tablet 10 mg, 20 mg (Arava)</i> | 2 | |
| <i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> | 2 | PA BvD |
| <i>mycophenolate mofetil oral capsule 250 mg</i> | 2 | PA BvD |
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> | 2 | PA BvD |
| <i>mycophenolate mofetil oral tablet 500 mg</i> | 2 | PA BvD |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> | 2 | PA BvD |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG | 5 | PA NSO; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| OLUMIANT ORAL TABLET 1 MG, 2 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML | 5 | PA; NM; NDS; (4 syringes); QL (1.6 per 28 days) |
| ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML | 5 | PA; NM; NDS; (4 syringes); QL (2.8 per 28 days) |
| OTEZLA ORAL TABLET 30 MG | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG(19) | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |
| PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML) | 5 | PA; NM; NDS |
| PRIVIGEN INTRAVENOUS SOLUTION 10 % | 5 | PA; NM; NDS |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML | 4 | PA BvD |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG | 4 | PA BvD |
| RENFLEXIS INTRAVENOUS RECON SOLN 100 MG | 5 | PA; NM; NDS |
| RIDAURA ORAL CAPSULE 3 MG | 3 | |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML | 5 | PA; NM; NDS; (1 syringe); QL (0.5 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; NM; NDS; QL (4 per 28 days) |
| SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML | 5 | PA; NM; NDS; (1 syringe); QL (0.5 per 28 days) |
| SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG | 5 | PA BvD; NM; NDS |
| <i>sirolimus oral solution 1 mg/ml</i> (Rapamune) | 2 | PA BvD |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune) | 2 | PA BvD |
| SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2) | 5 | PA; NM; NDS; QL (1 per 28 days) |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML | 5 | PA; NM; NDS |
| STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML | 5 | PA; NM; NDS |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf) | 2 | PA BvD |
| THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG | 5 | NM; NDS |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG | 4 | |
| TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML | 5 | PA; NM; LA; NDS |
| VARIZIG INTRAMUSCULAR SOLUTION 125 UNIT/1.2 ML | 4 | |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML | 5 | PA; NM; NDS |
| ZORTRESS ORAL TABLET 0.25 MG | 4 | PA NSO |
| ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG, 1 MG | 5 | PA NSO; NM; NDS |
| Vaccines | | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 6 | GC |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 6 | GC |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 6 | GC |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG | 6 | GC |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML | 6 | GC |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML | 6 | GC |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML | 6 | GC |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML | 6 | GC |
| ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML | 6 | PA BvD; GC |
| ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML | 6 | PA BvD; GC |
| ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML | 6 | PA BvD; GC |
| GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML | 6 | GC |
| GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML | 6 | GC |
| HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML | 6 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML | 6 | GC |
| HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML | 6 | GC |
| IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT | 6 | PA BvD; GC |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML | 6 | GC |
| INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML | 6 | GC |
| IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML | 6 | GC |
| IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML | 6 | GC |
| KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML | 6 | GC |
| KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML | 6 | GC |
| MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML | 6 | GC |
| MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML | 6 | GC |
| MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML | 6 | GC |
| M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML | 6 | GC |
| PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML | 6 | GC |
| PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML | 6 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML | 6 | GC |
| PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 62 DU/0.5 ML | 6 | GC |
| PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5 | 6 | GC |
| QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML | 6 | GC |
| RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT | 6 | PA BvD; GC |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML | 6 | PA BvD; GC |
| RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML | 6 | PA BvD; GC |
| ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML | 6 | GC |
| ROTAQUE VACCINE ORAL SOLUTION 2 ML | 6 | GC |
| SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML | 6 | GC; QL (2 per 365 days) |
| TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML | 6 | GC |
| TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML | 6 | GC |
| TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML | 6 | GC |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| TETANUS,DIPHTHERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML | 6 | GC |
| TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML | 6 | GC |
| TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML | 6 | GC |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML | 6 | GC |
| TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML | 6 | GC |
| VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML | 6 | GC |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML | 6 | GC |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML | 6 | GC |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML | 6 | GC |
| ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML | 6 | GC |
| Inflammatory Bowel Disease Agents | | |
| Inflammatory Bowel Disease Agents | | |
| alosetron oral tablet 0.5 mg, 1 mg (Lotronex) | 2 | QL (60 per 30 days) |
| balsalazide oral capsule 750 mg (Colazal) | 2 | |
| budesonide oral capsule,delayed,extend.release 3 mg (Entocort EC) | 2 | |
| colocort rectal enema 100 mg/60 ml | 2 | |
| DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| DIPENTUM ORAL CAPSULE 250 MG | 4 | |
| hydrocortisone rectal enema 100 mg/60 ml | 2 | |
| mesalamine oral capsule (with del rel tablets) 400 mg | 2 | |
| mesalamine oral tablet,delayed release (dr/ec) 1.2 gram | 2 | |
| mesalamine oral tablet,delayed release (dr/ec) 800 mg | 2 | |
| mesalamine rectal enema 4 gram/60 ml | 2 | |
| mesalamine rectal suppository 1,000 mg | 2 | |
| PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG | 4 | |
| sulfasalazine oral tablet 500 mg | 2 | |
| sulfasalazine oral tablet,delayed release (dr/ec) 500 mg | 2 | |

Irrigating Solutions

Irrigating Solutions

| | | |
|---|---|--|
| acetic acid irrigation solution 0.25 % | 2 | |
| ringer's irrigation solution | 2 | |
| sorbitol irrigation solution 3 %, 3.3 % | 2 | |
| sorbitol-mannitol transurethral solution 2.7-0.54 gram/100 ml | 2 | |
| water for irrigation, sterile irrigation solution (Aqua Care Sterile Water) | 2 | |

Metabolic Bone Disease Agents

Metabolic Bone Disease Agents

| | | |
|--|---|----------------------------|
| alendronate oral solution 70 mg/75 ml | 2 | |
| alendronate oral tablet 10 mg, 5 mg | 1 | GC; QL (30 per 30 days) |
| alendronate oral tablet 35 mg | 1 | GC; QL (4 per 28 days) |
| alendronate oral tablet 40 mg | 2 | |
| alendronate oral tablet 70 mg (Fosamax) | 1 | GC; QL (4 per 28 days) |
| calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation | 2 | PA BvD; (PA for ESRD only) |
| calcitriol intravenous solution 1 mcg/ml | 2 | PA BvD; (PA for ESRD only) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|---|
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol) | 2 | PA BvD; (PA for ESRD only) |
| <i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol) | 2 | PA BvD; (PA for ESRD only) |
| <i>cinacalcet oral tablet 30 mg</i> (Sensipar) | 2 | PA BvD; (PA for ESRD only); QL (60 per 30 days) |
| <i>cinacalcet oral tablet 60 mg, 90 mg</i> (Sensipar) | 5 | PA BvD; NM; NDS; (PA for ESRD only) |
| <i>doxercalciferol 4 mcg/2 ml vl outer,muv,latex-free 4 mcg/2 ml</i> (Hectorol) | 4 | PA BvD |
| <i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol) | 4 | PA BvD; (PA for ESRD only) |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i> | 4 | PA BvD; (PA for ESRD only) |
| <i>etidronate disodium oral tablet 200 mg, 400 mg</i> | 2 | |
| EVENITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML | 5 | PA; NM; NDS; QL (2.34 per 30 days) |
| EVENITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2) | 5 | PA; NM; NDS; QL (2.34 per 30 days) |
| FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML) | 5 | PA; NM; NDS; (1 pen); QL (2.4 per 28 days) |
| FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT | 3 | |
| <i>ibandronate intravenous solution 3 mg/3 ml</i> | 2 | PA |
| <i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva) | 2 | PA |
| <i>ibandronate oral tablet 150 mg</i> (Boniva) | 2 | |
| MIACALCIN INJECTION SOLUTION 200 UNIT/ML | 3 | PA BvD; (PA for ESRD only) |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE | 5 | PA; NM; LA; NDS; QL (2 per 28 days) |
| <i>pamidronate intravenous recon soln 30 mg, 90 mg</i> | 2 | PA BvD; (PA for ESRD only) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml) | 2 | PA BvD; (PA for ESRD only) |
| paricalcitol hemodialysis port injection solution 2 mcg/ml | 4 | PA BvD; (PA for ESRD only) |
| PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCg/ML | 3 | PA BvD; (PA for ESRD only) |
| paricalcitol oral capsule 1 mcg, 2 mcg (Zemplar) | 2 | PA BvD; (PA for ESRD only) |
| paricalcitol oral capsule 4 mcg | 2 | PA BvD; (PA for ESRD only) |
| PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML | 4 | PA |
| risedronate oral tablet 150 mg, 35 mg, 5 mg (Actonel) | 2 | |
| risedronate oral tablet 30 mg, 35 mg (12 pack), 35 mg (4 pack) | 2 | |
| risedronate oral tablet, delayed release (dr/ec) 35 mg (Atelvia) | 2 | QL (4 per 28 days) |
| teriparatide subcutaneous pen injector 20 mcg/dose - 620 mcg/2.48 ml | 5 | PA; NM; NDS; QL (2.4 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML) | 5 | PA; NM; NDS; (1 pen); QL (1.56 per 30 days) |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML) | 5 | PA NSO; NM; NDS |
| zoledronic acid intravenous recon soln 4 mg | 2 | PA BvD; (PA for ESRD only) |
| zoledronic acid intravenous solution 4 mg/5 ml | 2 | PA BvD; (PA for ESRD only) |
| zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml (Reclast) | 2 | PA BvD; (PA for ESRD only) |
| zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml | 2 | PA BvD; (PA for ESRD only) |
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML | 5 | NM; LA; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | | Drug Tier | Requirements/Limits |
|--|----------|------------------|-----------------------------------|
| <i>amifostine crystalline intravenous recon soln 500 mg</i> | (Ethyol) | 2 | |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION | | 3 | |
| BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG | | 5 | PA; NM; LA; NDS |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML | | 5 | PA; NM; NDS; QL (4 per 28 days) |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML | | 5 | PA; NM; NDS; QL (4 per 28 days) |
| CABLIVI INJECTION KIT 11 MG | | 5 | PA; NM; NDS; QL (28 per 28 days) |
| CRYSVITA SUBCUTANEOUS SOLUTION 10 MG/ML | | 5 | PA; NM; NDS; QL (2 per 28 days) |
| CRYSVITA SUBCUTANEOUS SOLUTION 20 MG/ML | | 5 | PA; NM; NDS; QL (8 per 28 days) |
| CRYSVITA SUBCUTANEOUS SOLUTION 30 MG/ML | | 5 | PA; NM; NDS; QL (6 per 28 days) |
| <i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i> | | 2 | |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem) | | 2 | |
| <i>droperidol injection solution 2.5 mg/ml</i> | | 2 | |
| ELMIRON ORAL CAPSULE 100 MG | | 3 | |
| ENDARI ORAL POWDER IN PACKET 5 GRAM | | 5 | PA; NM; NDS; QL (180 per 30 days) |
| <i>ergoloid oral tablet 1 mg</i> | | 2 | |
| EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML | | 5 | PA; NM; LA; NDS |
| FIRDAPSE ORAL TABLET 10 MG | | 5 | PA; NM; NDS; QL (240 per 30 days) |
| <i>fomepizole intravenous solution 1 gram/ml</i> | | 5 | NM; NDS |
| GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG | | 3 | |
| GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG | | 3 | |
| <i>guanidine oral tablet 125 mg</i> | | 2 | |
| GVOKE HYPOOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML | | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| GVOKE HYPOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML | 3 | |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML | 3 | |
| GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML | 3 | |
| GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML | 3 | |
| <i>hydroxyzine pamoate oral capsule 100 mg</i> | 2 | |
| <i>hydroxyzine pamoate oral capsule 25 (Vistaril) mg, 50 mg</i> | 2 | |
| KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG | 5 | NM; NDS |
| <i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i> | 2 | |
| <i>leucovorin calcium injection solution 10 mg/ml</i> | 2 | |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i> | 2 | |
| <i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor) | 2 | PA BvD; (PA for ESRD only) |
| <i>levocarnitine oral tablet 330 mg</i> (Carnitor) | 2 | PA BvD; (PA for ESRD only) |
| LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG | 4 | |
| <i>levoleucovorin calcium intravenous recon soln 50 mg</i> (Fusilev) | 2 | |
| <i>levoleucovorin calcium intravenous solution 10 mg/ml</i> | 5 | NM; NDS |
| <i>mesna intravenous solution 100 mg/ml</i> (Mesnex) | 2 | |
| MESNEX ORAL TABLET 400 MG | 4 | |
| <i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------------|
| ONPATTRO INTRAVENOUS SOLUTION 2 MG/ML | 5 | PA; NM; NDS; QL (15 per 21 days) |
| PROCYSBI ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG | 5 | PA; NM; NDS |
| PROGLYCEM ORAL SUSPENSION 50 MG/ML | 3 | |
| <i>pyridostigmine bromide oral tablet 30 mg</i> | 2 | |
| <i>pyridostigmine bromide oral tablet (Mestinon) 60 mg</i> | 2 | |
| RECTIV RECTAL OINTMENT 0.4 % (W/W) | 4 | |
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML) | 5 | PA; NM; NDS; QL (4 per 28 days) |
| TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML | 5 | PA; NM; NDS; QL (6 per 28 days) |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG | 5 | NM; NDS |
| TYBOST ORAL TABLET 150 MG | 3 | QL (30 per 30 days) |
| VYONDYS-53 INTRAVENOUS SOLUTION 50 MG/ML | 5 | PA; NM; NDS |
| Ophthalmic Agents | | |
| Antiglaucoma Agents | | |
| <i>acetazolamide oral capsule, extended release 500 mg</i> | 2 | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 2 | |
| <i>acetazolamide sodium injection recon soln 500 mg</i> | 2 | |
| ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 % | 3 | |
| AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 % | 3 | |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i> | 2 | |
| BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 % | 4 | |
| <i>bimatoprost ophthalmic (eye) drops 0.03 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>brimonidine ophthalmic (eye) drops</i> (Alphagan P) 0.15 % | 2 | |
| <i>brimonidine ophthalmic (eye) drops</i> 0.2 % | 2 | |
| <i>carteolol ophthalmic (eye) drops 1 %</i> | 1 | GC |
| COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 % | 3 | |
| <i>dorzolamide ophthalmic (eye) drops</i> (Trusopt) 2 % | 2 | |
| <i>dorzolamide-timolol ophthalmic (eye)</i> (Cosopt) drops 22.3-6.8 mg/ml | 2 | |
| <i>latanoprost ophthalmic (eye) drops</i> (Xalatan) 0.005 % | 1 | GC |
| <i>levobunolol ophthalmic (eye) drops</i> 0.5 % | 2 | |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % | 4 | ST |
| <i>methazolamide oral tablet 25 mg, 50 mg</i> | 2 | |
| <i>metipranolol ophthalmic (eye) drops</i> 0.3 % | 2 | |
| PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 % | 4 | |
| <i>pilocarpine hcl ophthalmic (eye)</i> (Isopto Carpine) drops 1 %, 2 %, 4 % | 2 | |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 % | 3 | |
| <i>timolol maleate ophthalmic (eye)</i> (Timoptic) drops 0.25 %, 0.5 % | 1 | GC |
| <i>timolol maleate ophthalmic (eye)</i> (Istalol) drops, once daily 0.5 % | 1 | GC |
| <i>timolol maleate ophthalmic (eye) gel</i> (Timoptic-XE) forming solution 0.25 % | 2 | |
| <i>timolol maleate ophthalmic (eye) gel</i> (Timoptic-XE) forming solution 0.5 % | 2 | |
| TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 % | 3 | |
| <i>travoprost ophthalmic (eye) drops</i> (Travatan Z) 0.004 % | 2 | |
| VYZULTA OPHTHALMIC (EYE) DROPS 0.024 % | 4 | ST |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 % | 3 | ST |
| ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 % | 3 | |
| Replacement Preparations | | |
| Replacement Preparations | | |
| <i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i> | 2 | |
| <i>calcium gluconate intravenous solution 100 mg/ml (10%)</i> | 2 | |
| <i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> | 2 | |
| <i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i> | 2 | |
| <i>dextrose 5 %-lactated ringers intravenous parenteral solution</i> | 2 | |
| <i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i> | 2 | |
| <i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i> | 2 | |
| <i>electrolyte-48 in d5w intravenous parenteral solution</i> | 2 | |
| KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ | 3 | |
| KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ | 3 | |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> | 2 | |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> | 2 | |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> | 2 | |
| <i>klor-con sprinkle oral capsule, extended release 8 meq</i> | 2 | |
| K-SOL ORAL LIQUID 20 MEQ/15 ML | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i> | 2 | |
| <i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i> | 2 | |
| <i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i> | 2 | |
| <i>magnesium sulfate injection solution 4 meq/ml (50 %)</i> | 2 | |
| <i>magnesium sulfate injection syringe 4 meq/ml</i> | 2 | |
| <i>potassium acetate intravenous solution 2 meq/ml</i> | 2 | |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i> | 2 | |
| <i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i> | 2 | |
| <i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i> | 2 | |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> | 2 | |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>potassium chloride oral packet 20 meq (Klor-Con)</i> | 2 | |
| <i>potassium chloride oral tablet extended release 10 meq (Klor-Con 10)</i> | 2 | |
| <i>potassium chloride oral tablet extended release 20 meq (K-Tab)</i> | 2 | |
| <i>potassium chloride oral tablet extended release 8 meq (Klor-Con 8)</i> | 2 | |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq (Klor-Con M10)</i> | 2 | |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq (Klor-Con M20)</i> | 2 | |
| <i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i> | 2 | |
| <i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i> | 2 | |
| <i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i> | 2 | |
| <i>potassium citrate oral tablet extended release 10 meq (Urocit-K 10)</i> | 2 | |
| <i>potassium citrate oral tablet extended release 15 meq (Urocit-K 15)</i> | 2 | |
| <i>potassium citrate oral tablet extended release 5 meq (Urocit-K 5)</i> | 2 | |
| <i>ringer's intravenous parenteral solution</i> | 2 | |
| <i>sodium acetate intravenous solution 2 meq/ml</i> | 2 | |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i> | 2 | |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i> | 2 | |
| <i>sodium chloride 3 % intravenous parenteral solution 3 %</i> | 2 | |
| <i>sodium chloride 5 % intravenous parenteral solution 5 %</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| sodium chloride intravenous parenteral solution 2.5 meq/ml | 2 | |
| sodium lactate intravenous solution 5 meq/ml | 2 | |
| sodium phosphate intravenous solution 3 mmol/ml | 2 | |
| Respiratory Tract Agents | | |
| Anti-Inflammatories, Inhaled Corticosteroids | | |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION | 3 | |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 3 | |
| ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION | 4 | ST |
| ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ACTUATION (30), 220 MCG/ACTUATION (120), 220 MCG/ACTUATION (14), 220 MCG/ACTUATION (30), 220 MCG/ACTUATION (60) | 4 | ST |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE | 3 | |
| budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml | 2 | PA BvD |
| budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation | 2 | ST |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION | 3 | |
| DULERA INHALATION HFA AEROSOL INHALER 50-5 MCG/ACTUATION | 3 | |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 250 MCG/ACTUATION | 3 | |
| FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/ACTUATION | 3 | |
| FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION, 44 MCG/ACTUATION | 3 | |
| <i>fluticasone propion-salmeterol</i> (AirDuo RespiClick) <i>inhalation aerosol powdr breath activated 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation</i> | 2 | QL (1 per 30 days) |
| <i>fluticasone propion-salmeterol</i> (Wixela Inhub) <i>inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | 2 | QL (60 per 30 days) |
| PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION | 3 | |
| QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION | 3 | |
| SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION | 4 | ST |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>wixela inhlu inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | 2 | QL (60 per 30 days) |
| Antileukotrienes | | |
| <i>montelukast oral granules in packet 4 mg</i> | 2 | |
| <i>montelukast oral tablet 10 mg</i> (Singulair) | 2 | |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> | 2 | |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate) | 2 | |
| <i>zileuton oral tablet, er multiphase 12 hr 600 mg</i> | 4 | QL (120 per 30 days) |
| Bronchodilators | | |
| <i>albuterol 5 mg/ml solution 5 mg/ml</i> | 2 | PA BvD |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> | 2 | |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503), 90 mcg/actuation (nda020983)</i> | 2 | |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> | 2 | PA BvD |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i> | 2 | |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i> | 2 | |
| <i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i> | 2 | |
| <i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i> | 2 | |
| <i>ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION</i> | 3 | |
| <i>ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION</i> | 3 | |
| <i>BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML</i> | 4 | PA |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION | 3 | |
| <i>elixophyllin oral elixir 80 mg/15 ml</i> | 2 | |
| INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION | 3 | |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 2 | PA BvD |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> | 2 | PA BvD |
| <i>levalbuterol hcl inhalation solution (Xopenex) for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i> | 2 | PA BvD |
| <i>levalbuterol hcl inhalation solution (Xopenex Concentrate) for nebulization 1.25 mg/0.5 ml</i> | 2 | PA BvD |
| <i>levalbuterol tartrate inhalation hfa (Xopenex HFA) aerosol inhaler 45 mcg/actuation</i> | 2 | |
| <i>metaproterenol oral syrup 10 mg/5 ml</i> | 2 | |
| <i>metaproterenol oral tablet 10 mg, 20 mg</i> | 2 | |
| PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML | 4 | PA |
| PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION | 3 | |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE | 3 | |
| SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION | 3 | |
| SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 3 | |
| SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG | 3 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION | 3 | |
| STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION | 3 | |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i> | 2 | |
| <i>terbutaline subcutaneous solution 1 mg/ml</i> | 2 | |
| <i>theophylline in dextrose 5 % intravenous parenteral solution 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml</i> | 2 | |
| <i>theophylline oral solution 80 mg/15 ml</i> | 2 | |
| <i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i> | 2 | |
| <i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> | 2 | |
| TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG | 3 | QL (60 per 30 days) |
| TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION, 400 MCG/ACTUATION (30 ACTUAT) | 4 | ST |
| YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML | 5 | PA BvD; NM; NDS; QL (90 per 30 days) |
| Respiratory Tract Agents, Other | | |
| <i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)</i> | 2 | PA BvD |
| <i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> | 2 | PA BvD |
| ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG | 5 | PA; NM; NDS |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> | 2 | PA BvD |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---------------------------------------|
| DALIRESP ORAL TABLET 250 MCG, 500 MCG | 4 | PA; QL (30 per 30 days) |
| ESBRIET ORAL CAPSULE 267 MG | 5 | PA; NM; LA; NDS; QL (270 per 30 days) |
| ESBRIET ORAL TABLET 267 MG | 5 | PA; NM; LA; NDS; QL (270 per 30 days) |
| ESBRIET ORAL TABLET 801 MG | 5 | PA; NM; LA; NDS; QL (90 per 30 days) |
| FASENRA PEN SUBCUTANEOUS AUTO-Injector 30 MG/ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML | 5 | PA; NM; NDS; QL (1 per 28 days) |
| KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| KALYDECO ORAL TABLET 150 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| NUCALA SUBCUTANEOUS AUTO-Injector 100 MG/ML | 5 | PA; NM; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG | 5 | PA; NM; LA; NDS; QL (3 per 28 days) |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML | 5 | PA; NM; NDS; QL (3 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG | 5 | PA; NM; NDS; QL (60 per 30 days) |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 5 | PA; NM; LA; NDS; QL (120 per 30 days) |
| PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+/-)/20 ML | 5 | PA; NM; LA; NDS |
| PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG | 5 | PA; NM; LA; NDS |
| SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N) | 5 | PA; NM; NDS; QL (90 per 30 days) |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG | 5 | PA; NM; NDS |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|--------------------------------------|
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML | 5 | PA; NM; NDS |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | 2 | |
| <i>chlorzoxazone oral tablet 500 mg</i> | 2 | |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> | 2 | |
| <i>dantrolene intravenous recon soln 20 mg (Revonto)</i> | 2 | |
| <i>dantrolene oral capsule 100 mg</i> | 2 | |
| <i>dantrolene oral capsule 25 mg, 50 mg (Dantrium)</i> | 2 | |
| <i>metaxalone oral tablet 400 mg</i> | 2 | |
| <i>metaxalone oral tablet 800 mg (Metaxall)</i> | 2 | |
| <i>methocarbamol injection solution 100 mg/ml (Robaxin)</i> | 2 | |
| <i>methocarbamol oral tablet 500 mg</i> | 2 | |
| <i>methocarbamol oral tablet 750 mg (Robaxin-750)</i> | 2 | |
| <i>orphenadrine citrate injection solution 30 mg/ml</i> | 2 | |
| <i>orphenadrine citrate oral tablet extended release 100 mg</i> | 2 | |
| <i>revonto intravenous recon soln 20 mg</i> | 2 | |
| <i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex) | 2 | |
| <i>tizanidine oral tablet 2 mg</i> | 2 | |
| <i>tizanidine oral tablet 4 mg (Zanaflex)</i> | 2 | |
| Sleep Disorder Agents | | |
| Sleep Disorder Agents | | |
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg (Nuvigil)</i> | 2 | PA |
| <i>eszopiclone oral tablet 1 mg, 2 mg (Lunesta)</i> | 2 | QL (90 per 365 days) |
| <i>HETLIOZ ORAL CAPSULE 20 MG</i> | 5 | PA; NM; LA; NDS; QL (30 per 30 days) |
| <i>modafinil oral tablet 100 mg, 200 mg (Provigil)</i> | 2 | PA |
| <i>ramelteon oral tablet 8 mg (Rozerem)</i> | 2 | QL (30 per 30 days) |
| <i>SILENOR ORAL TABLET 3 MG, 6 MG</i> | 3 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|--|
| SUNOSI ORAL TABLET 150 MG, 75 MG | 4 | PA; QL (30 per 30 days) |
| XYREM ORAL SOLUTION 500 MG/ML | 5 | PA; NM; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i> | 2 | PA; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years) |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien) | 2 | PA; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years) |
| <i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR) | 2 | PA; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years) |

Vasodilating Agents

Vasodilating Agents

| | | |
|---|---|---|
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 5 | PA; NM; LA; NDS; QL (90 per 30 days) |
| <i>alyq oral tablet 20 mg</i> | 2 | PA; QL (60 per 30 days) |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis) | 5 | PA; NM; NDS; QL (30 per 30 days) |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer) | 5 | PA; NM; NDS; QL (60 per 30 days) |
| <i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan) | 2 | PA; LA |
| OPSUMIT ORAL TABLET 10 MG | 5 | PA; NM; NDS; QL (30 per 30 days) |
| REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML | 5 | PA; NM; NDS |
| <i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio) | 2 | PA |
| <i>sildenafil (pulm.hypertension) oral suspension for reconstitution 10 mg/ml</i> (Revatio) | 5 | PA; NM; NDS |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio) | 2 | PA |
| <i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq) | 2 | PA; QL (60 per 30 days) |
| <i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis) | 2 | PA; QL (30 per 30 days) |
| <i>tadalafil oral tablet 20 mg</i> (Cialis) | 2 | PA; QL (60 per 30 days) |
| TRACLEER ORAL TABLET FOR SUSPENSION 32 MG | 5 | PA; NM; NDS; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|---|
| TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML) | 5 | PA; NM; LA; NDS; QL (81.2 per 28 days) |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 5 | PA; NM; LA; NDS; QL (60 per 30 days) |
| UPTRAVI ORAL TABLET 200 MCG | 5 | PA; NM; LA; NDS; QL (140 per 28 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60) | 5 | PA; NM; LA; NDS; QL (200 per 180 days) |
| VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML | 5 | PA; NM; LA; NDS |
| Vitamins And Minerals | | |
| Vitamins And Minerals | | |
| FLUORIDE (SODIUM) ORAL TABLET 1 MG (2.2 MG SOD. FLUORIDE) | 2 | |
| LUIDENT FLUORIDE 1 MG TAB CHEW D/F, S/F, CHEWABLE (RX) 1 MG (2.2 MG SOD. FLUORIDE) | 2 | |
| <i>pnv prenatal plus multivit tab s/f, gluten-free (rx) 27 mg iron- 1 mg</i> | 2 | |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> | 2 | |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

A

abacavir 75
 abacavir-lamivudine 75
 abacavir-lamivudine-zidovudine 75
 ABELCET 61
 ABILIFY MAINTENA 70
 ABILIFY MYCITE 70
 abiraterone 29
 ABRAXANE 29
 acamprostate 17
 acarbose 55
 acebutolol 91
 acetaminophen-codeine 11
 acetazolamide 155
 acetazolamide sodium 155
 acetic acid 122, 150
 acetic acid-aluminum acetate 122
 acetylcysteine 164
 acitretin 113
 ACTEMRA 139
 ACTEMRA ACTPEN 139
 ACTHIB (PF) 146
 ACTIMMUNE 152
 ACTOPLUS MET XR 55
 acyclovir 80, 113
 acyclovir sodium 80
 ADACEL(TDAP
 ADOLESN/ADULT)(PF) 146
 ADAGEN 120
 ADAKVEO 85
 adapalene 118
 adapalene-benzoyl peroxide 119
 ADASUVE 70
 ADCETRIS 29
 adefovir 80
 ADEMPAS 167

adrucil 29
 ADVAIR HFA 160
 afeditab cr 95
 AFINITOR 29
 AFINITOR DISPERZ 29
 afirmelle 104
 a-hydrocort 134
 AIMOVIG AUTOINJECTOR 64
 AJOVY AUTOINJECTOR ... 64
 AJOVY SYRINGE 64
 AKTEN (PF) 121
 AKYNZEO (NETUPITANT) 66
 ala-cort 115
 ala-scalp 115
 albendazole 68
 albuterol sulfate 162
 alclometasone 115
 ALCOHOL PADS 113
 ALDACTAZIDE 96
 ALDURAZYME 120
 ALECENSA 29
 alendronate 150
 alfuzosin 131
 ALIMTA 29
 ALINIA 68
 ALIQOPA 29
 aliskiren 99
 allopurinol 63
 almotriptan malate 64
 ALOCRIL 125
 ALOMIDE 121
 alosetron 149
 ALPHAGAN P 155
 alprazolam 18
 ALPRAZOLAM INTENSOL 18
 ALREX 125
 altavera (28) 104
 ALUNBRIG 29
 alyacen 1/35 (28) 104
 alyacen 7/7/7 (28) 104
 alyq 167
 amabelz 132
 amantadine hcl 69
 AMBISOME 61
 ambrisentan 167
 amcinonide 115
 amethia 104
 amethia lo 104
 amifostine crystalline 153
 amikacin 19
 amiloride 96
 amiloride-hydrochlorothiazide 96
 aminocaproic acid 85
 aminophylline 162
 AMINOSYN 10 % 86
 AMINOSYN 7 % WITH
 ELECTROLYTES 86
 AMINOSYN 8.5 % 86
 AMINOSYN II 10 % 86
 AMINOSYN II 15 % 86
 AMINOSYN II 7 % 86
 AMINOSYN II 8.5 % -
 ELECTROLYTES 86
 AMINOSYN M 3.5 % 86
 AMINOSYN-HBC 7% 86
 AMINOSYN-PF 10 % 86
 AMINOSYN-PF 7 %
 (SULFITE-FREE) 86
 AMINOSYN-RF 5.2 % 86
 amiodarone 90
 AMITIZA 127
 amitriptyline 51

| | |
|--------------------------------|----------|
| amitriptyline-chlordiazepoxide | 30 |
| | 52 |
| amlodipine | 95 |
| amlodipine-atorvastatin | 97 |
| amlodipine-benazepril | 95 |
| amlodipine-valsartan | 95 |
| amlodipine-valsartan-hcthiazid | 95 |
| ammonium lactate | 113 |
| amnesteem | 113 |
| amoxapine | 52 |
| amoxicillin | 25 |
| amoxicillin-pot clavulanate | 25 |
| amphotericin b | 61 |
| ampicillin | 25 |
| ampicillin sodium | 26 |
| ampicillin-sulbactam | 26 |
| ANADROL-50 | 132 |
| anagrelide | 85 |
| anastrozole | 30 |
| ANDRODERM | 132 |
| ANORO ELLIPTA | 162 |
| APLENZIN | 52 |
| APOKYN | 69 |
| apraclonidine | 121 |
| aprepitant | 66 |
| apri | 104 |
| APTIOM | 46 |
| APTIVUS | 75 |
| APTIVUS (WITH VITAMIN E) | 75 |
| ARALAST NP | 164 |
| aranelle (28) | 105 |
| ARANESP (IN POLYSORBATE) | 83 |
| ARCALYST | 139 |
| ariPIPrazole | 70 |
| ARISTADA | 71 |
| ARISTADA INITIO | 71 |
| armodafinil | 166 |
| ARNUITY ELLIPTA | 160 |
| ARRANON | 30 |
| arsenic trioxide | 30 |
| ARZERRA | 30 |
| ashlyna | 105 |
| ASMANEX HFA | 160 |
| ASMANEX TWISTHALER | 160 |
| aspirin-dipyridamole | 85 |
| ASSURE ID INSULIN SAFETY | 119 |
| ASTAGRAF XL | 139 |
| atazanavir | 75 |
| atenolol | 91 |
| atenolol-chlorthalidone | 91 |
| ATGAM | 139 |
| atomoxetine | 100 |
| atorvastatin | 97 |
| atovaquone | 68 |
| atovaquone-proguanil | 68 |
| ATRIPLA | 75 |
| atropine | 46, 121 |
| ATROVENT HFA | 162 |
| AUBAGIO | 100 |
| aubra | 105 |
| aurovela 1.5/30 (21) | 105 |
| aurovela 1/20 (21) | 105 |
| aurovela 24 fe | 105 |
| aurovela fe 1.5/30 (28) | 105 |
| aurovela fe 1-20 (28) | 105 |
| AURYXIA | 130 |
| AUSTEDO | 100 |
| AVASTIN | 30 |
| aviane | 105 |
| avita | 119 |
| AVONEX | 100, 101 |
| AVONEX (WITH ALBUMIN) | 100 |
| AVSOLA | 139 |
| ayuna | 105 |
| AYVAKIT | 30 |
| azacitidine | 30 |
| AZASAN | 139 |
| AZASITE | 122 |
| azathioprine | 140 |
| azathioprine sodium | 140 |
| azelaic acid | 113 |
| azelastine | 121, 122 |
| azithromycin | 23 |
| AZOPT | 155 |
| aztreonam | 24 |
| azurette (28) | 105 |
| B | |
| baciim | 20 |
| bacitracin | 20, 123 |
| bacitracin-polymyxin b | 123 |
| baclofen | 166 |
| balsalazide | 149 |
| BALVERSA | 30 |
| balziva (28) | 105 |
| BANZEL | 46 |
| BAQSIMI | 153 |
| BARACLUDE | 80 |
| BAVENCIO | 30 |
| BAXDELA | 27 |
| BCG VACCINE, LIVE (PF) | 146 |
| BD ULTRA-FINE NANO PEN NEEDLE | 119 |
| BD VEO INSULIN SYR HALF UNIT | 119 |
| BD VEO INSULIN SYRINGE UF | 119 |
| BECONASE AQ | 125 |
| bekyree (28) | 105 |
| BELEODAQ | 30 |
| benazepril | 89 |
| benazepril-hydrochlorothiazide | 89 |
| BENDEKA | 30 |
| BENLYSTA | 153 |
| benztropine | 69 |
| BESIVANCE | 123 |
| BESPONSA | 30 |
| betamethasone acet,sod phos | 134 |
| betamethasone dipropionate. | 115 |
| betamethasone valerate | 115, 116 |
| betamethasone, augmented .. | 116 |

| | |
|---------------------------------------|---------------|
| BETASERON | 101 |
| betaxolol | 91, 155 |
| bethanechol chloride | 130 |
| BETHKIS | 19 |
| BETOPTIC S..... | 155 |
| BEVYXXA | 81 |
| bexarotene | 30 |
| BEXSERO..... | 146 |
| bicalutamide | 30 |
| BICILLIN L-A | 26 |
| BIKTARVY | 75 |
| bimatoprost..... | 155 |
| bisoprolol fumarate | 91 |
| bisoprolol-hydrochlorothiazide | 91 |
| BIVIGAM | 140 |
| BLENREP | 30 |
| bleomycin | 30 |
| bleph-10..... | 123 |
| BLEPHAMIDE | 123 |
| BLEPHAMIDE S.O.P..... | 123 |
| BLINCYTO..... | 30 |
| blisovi 24 fe | 105 |
| blisovi fe 1.5/30 (28) | 105 |
| blisovi fe 1/20 (28) | 105 |
| BONJESTA | 66 |
| BOOSTRIX TDAP | 146 |
| BORTEZOMIB | 30 |
| bosentan..... | 167 |
| BOSULIF | 30, 31 |
| BRAFTOVI..... | 31 |
| BREO ELLIPTA..... | 160 |
| briellyn | 105 |
| BRILINTA | 85 |
| brimonidine | 156 |
| BRIVIACT | 46 |
| bromfenac..... | 125 |
| bromocriptine | 69 |
| BROVANA | 162 |
| BRUKINSA | 31 |
| budesonide..... | 149, 160 |
| budesonide-formoterol | 160 |
| bumetanide..... | 96 |
| buprenorphine | 11 |
| buprenorphine hcl | 11, 17 |
| buprenorphine-naloxone | 17 |
| bupropion hcl | 52 |
| bupropion hcl (smoking deter) | 17 |
| buspirone | 18 |
| busulfan | 31 |
| butalbital-acetaminophen..... | 11 |
| butalbital-acetaminophen-caff | 11 |
| butalbital-aspirin-caffeine..... | 11 |
| butorphanol | 11 |
| BYDUREON | 55 |
| BYDUREON BCISE..... | 55 |
| BYETTA | 55, 56 |
| C | |
| cabergoline..... | 69 |
| CABLIVI | 153 |
| CABOMETYX | 31 |
| caffeine citrate | 101 |
| calcipotriene | 113 |
| calcipotriene-betamethasone | 113 |
| calcitonin (salmon) | 150 |
| calcitrene | 113 |
| calcitriol | 113, 150, 151 |
| calcium acetate(phosphat bind) | 130 |
| calcium chloride | 157 |
| calcium gluconate | 157 |
| CALQUENCE | 31 |
| camila..... | 105 |
| camrese | 105 |
| camrese lo | 105 |
| candesartan | 88 |
| candesartan-hydrochlorothiazid | 88 |
| CAPASTAT | 65 |
| CAPLYTA | 71 |
| CAPRELSA..... | 31 |
| captopril | 89 |
| captopril-hydrochlorothiazide | 89 |
| CARAFATE | 126 |
| CARBAGLU..... | 127 |
| carbamazepine..... | 46 |
| carbidopa | 69 |
| carbidopa-levodopa | 69 |
| carbidopa-levodopa-entacapone | 69 |
| carboplatin..... | 31 |
| carmustine | 31 |
| carteolol | 156 |
| cartia xt | 93 |
| carvedilol | 91 |
| caspofungin | 61 |
| CAYSTON..... | 24 |
| caziant (28)..... | 105 |
| cefaclor | 22 |
| cefadroxil | 22 |
| cefazolin | 22 |
| cefdinir | 22 |
| cefditoren pivoxil | 22 |
| cefepime | 22 |
| cefixime | 22 |
| cefotaxime | 22 |
| cefotetan | 22 |
| cefoxitin | 22 |
| cefpodoxime | 22 |
| cefprozil | 23 |
| ceftazidime | 23 |
| ceftriaxone | 23 |
| cefuroxime axetyl | 23 |
| cefuroxime sodium | 23 |
| celecoxib | 14 |
| CELONTIN | 46 |
| cephalexin | 23 |
| CEREZYME | 120 |
| cetirizine | 63 |
| cevimeline | 112 |
| CHANTIX | 17 |
| CHANTIX CONTINUING MONTH BOX | 17 |
| CHANTIX STARTING MONTH BOX | 17 |

| | |
|--------------------------------------|---------------|
| chloramphenicol sod succinate | 20 |
| chlorhexidine gluconate | 112 |
| chloroquine phosphate..... | 68 |
| chlorothiazide | 96 |
| chlorothiazide sodium | 96 |
| chlorpromazine..... | 71 |
| chlorthalidone..... | 96 |
| chlorzoxazone..... | 166 |
| CHOLBAM | 127 |
| cholestyramine (with sugar) ... | 97 |
| cholestyramine light | 97 |
| CHORIONIC | |
| GONADOTROPIN, | |
| HUMAN | 136 |
| ciclopirox..... | 61 |
| cidofovir | 81 |
| cilostazol..... | 85 |
| CILOXAN | 123 |
| CIMDUO..... | 75 |
| cimetidine | 126 |
| cimetidine hcl | 126 |
| CIMZIA..... | 140 |
| CIMZIA POWDER FOR | |
| RECONST | 140 |
| cinacalcet | 151 |
| CINRYZE..... | 83 |
| CIPRODEX | 123 |
| ciprofloxacin..... | 27 |
| ciprofloxacin (mixture) | 27 |
| ciprofloxacin hcl..... | 27, 123 |
| ciprofloxacin in 5 % dextrose.27 | |
| ciprofloxacin-dexamethasone | 123 |
| cisplatin | 31 |
| citalopram..... | 52 |
| cladribine..... | 31 |
| claravis | 113 |
| clarithromycin | 24 |
| CLENPIQ | 129 |
| clindamycin hcl | 20 |
| clindamycin in 5 % dextrose ..20 | |
| clindamycin palmitate hcl..... | 20 |
| clindamycin pediatric | 20 |
| clindamycin phosphate ... | 20, 64, |
| 114 | |
| clindamycin-benzoyl peroxide | 114 |
| CLINDESSE..... | 64 |
| CLINISOL SF 15 % | 86 |
| CLINOLIPID | 87 |
| clobazam..... | 46 |
| clobetasol | 116 |
| clobetasol-emollient..... | 116 |
| clocortolone pivalate..... | 116 |
| clofarabine | 31 |
| clomipramine | 52 |
| clonazepam | 18 |
| clonidine | 88 |
| clonidine hcl | 87 |
| clopidogrel | 85 |
| clorazepate dipotassium | 18 |
| clotrimazole | 61 |
| clotrimazole-betamethasone .. | 61 |
| clozapine | 71 |
| COARTEM..... | 68 |
| colchicine..... | 63 |
| colesevelam | 97 |
| colestipol..... | 97 |
| colistin (colistimethate na).... | 20 |
| cocolort | 149 |
| COMBIGAN | 156 |
| COMBIVENT RESPIMAT. | 163 |
| COMETRIQ | 31, 32 |
| COMPLERA | 75 |
| compro | 66 |
| CONDYLOX | 113 |
| constulose | 127 |
| COPIKTRA | 32 |
| CORLANOR | 94 |
| cormax | 116 |
| cortisone..... | 134 |
| COSENTYX (2 SYRINGES) | |
| | 140 |
| COSENTYX PEN (2 PENS)..... | 140 |
| COTELLIC | 32 |
| COUMADIN..... | 81 |
| CREON | 120 |
| CRINONE | 137 |
| CRIXIVAN | 75 |
| cromolyn | 122, 127, 164 |
| cryselle (28) | 105 |
| CRYSVITA..... | 153 |
| CUTAQUIG..... | 140 |
| CUVITRU..... | 140 |
| cyclafem 1/35 (28) | 106 |
| cyclafem 7/7/7 (28) | 106 |
| cyclobenzaprine | 166 |
| cyclopentolate | 122 |
| cyclophosphamide..... | 32 |
| CYCLOPHOSPHAMIDE..... | 32 |
| cycloserine | 65 |
| CYCLOSET | 56 |
| cyclosporine | 140 |
| cyclosporine modified..... | 140 |
| cyproheptadine | 63 |
| CYRAMZA..... | 32 |
| cyred..... | 106 |
| CYSTAGON..... | 131 |
| CYSTARAN | 122 |
| cytarabine | 32 |
| cytarabine (pf) | 32 |
| D | |
| d10 %-0.45 % sodium chloride | 157 |
| d2.5 %-0.45 % sodium chloride | 157 |
| d5 % and 0.9 % sodium chloride | 157 |
| d5 %-0.45 % sodium chloride | 157 |
| dacarbazine | 32 |
| dactinomycin..... | 32 |
| dalfampridine | 101 |
| DALIRESP | 165 |
| danazol | 132 |

| | |
|---|----------|
| dantrolene | 166 |
| dapsone..... | 65 |
| DAPTACEL (DTAP PEDIATRIC) (PF)..... | 146 |
| daptomycin | 20 |
| DARAPRIM..... | 68 |
| DARZALEX | 32 |
| dasetta 1/35 (28)..... | 106 |
| dasetta 7/7/7 (28)..... | 106 |
| daunorubicin..... | 32 |
| DAURISMO..... | 32 |
| daysee | 106 |
| deblitane | 106 |
| decitabine | 32 |
| deferasirox..... | 131 |
| deferiprone | 131 |
| deferoxamine | 131 |
| DELSTRIGO..... | 75 |
| deltasone..... | 134 |
| delyla (28) | 106 |
| DELZICOL | 149 |
| demeclocycline..... | 28 |
| DEMSER..... | 94 |
| DENAVIR..... | 113 |
| denta 5000 plus..... | 112 |
| dentagel | 112 |
| DEPEN TITRATABS | 131 |
| DEPO-PROVERA | 138 |
| DESCOVERY | 75 |
| desipramine | 52 |
| desloratadine..... | 63 |
| desmopressin | 136 |
| desog-e.estradiol/e.estradiol. | 106 |
| desogestrel-ethinyl estradiol. | 106 |
| desonide..... | 116 |
| desoximetasone | 116 |
| DESVENLAFAKINE | 52 |
| DESVENLAFAKINE FUMARATE..... | 52 |
| desvenlafaxine succinate | 52 |
| dexamethasone | 134 |
| DEXAMETHASONE | |
| INTENSOL..... | 134 |
| dexamethasone sodium phos (pf) | 134 |
| dexamethasone sodium phosphate | 125, 134 |
| dexamethylphenidate..... | 101 |
| dexrazoxane hcl | 153 |
| dextroamphetamine | 101 |
| dextroamphetamine- amphetamine..... | 101 |
| dextrose 10 % and 0.2 % nacl | 157 |
| dextrose 10 % in water (d10w) | 87 |
| dextrose 20 % in water (d20w) | 87 |
| dextrose 25 % in water (d25w) | 87 |
| dextrose 40 % in water (d40w) | 87 |
| dextrose 5 % in ringer's | 87 |
| dextrose 5 % in water (d5w).. | 87 |
| dextrose 5 %-lactated ringers | 157 |
| dextrose 5%-0.2 % sod chloride | 157 |
| dextrose 5%-0.3 % sod.chloride | 157 |
| dextrose 50 % in water (d50w) | 87 |
| dextrose 70 % in water (d70w) | 87 |
| DIASTAT | 46 |
| DIASTAT ACUDIAL | 46 |
| diazepam | 18, 47 |
| diazepam intensol | 18 |
| diazoxide..... | 153 |
| diclofenac epolamine | 14 |
| diclofenac potassium | 15 |
| diclofenac sodium..... | 15, 125 |
| diclofenac-misoprostol | 15 |
| dicloxacillin..... | 26 |
| dicyclomine..... | 127, 128 |
| didanosine | 75 |
| diflorasone..... | 116 |
| diflunisal | 15 |
| digitek | 94 |
| digox | 94 |
| digoxin | 94 |
| DIGOXIN | 94 |
| dihydroergotamine | 64 |
| DILANTIN | 47 |
| DILANTIN EXTENDED | 47 |
| DILANTIN INFATABS | 47 |
| diltiazem hcl..... | 93 |
| dilt-xr..... | 93 |
| dimenhydrinate | 66 |
| dimethyl fumarate | 101 |
| DIPENTUM | 150 |
| diphenhydramine hcl..... | 63 |
| diphenoxylate-atropine | 128 |
| dipyridamole | 85 |
| disopyramide phosphate..... | 90 |
| disulfiram | 17 |
| divalproex | 47 |
| dobutamine | 94 |
| dobutamine in d5w..... | 94 |
| DOCEFREZ..... | 32 |
| docetaxel | 33 |
| dofetilide | 90 |
| donepezil | 51 |
| DOPTELET (10 TAB PACK)83 | |
| DOPTELET (15 TAB PACK)83 | |
| DOPTELET (30 TAB PACK)83 | |
| doripenem | 24 |
| dorzolamide..... | 156 |
| dorzolamide-timolol..... | 156 |
| dotti | 133 |
| DOVATO..... | 76 |
| doxazosin | 88 |
| doxepin..... | 52 |
| doxercalciferol | 151 |
| doxorubicin | 33 |

| | |
|--|------------|
| doxorubicin, peg-liposomal..... | 33 |
| doxy-100..... | 28 |
| doxycycline hyclate..... | 28 |
| doxycycline monohydrate | 28 |
| doxylamine-pyridoxine (vit b6) | 66 |
| DRIZALMA SPRINKLE..... | 52 |
| dronabinol..... | 66 |
| droperidol | 153 |
| drospirenone-e.estriadiol-lm.fa | 106 |
| drospirenone-ethinyl estradiol | 106 |
| DROXIA..... | 33 |
| DUAVEE | 133 |
| DULERA..... | 161 |
| duloxetine | 52, 53 |
| DUPIXENT PEN | 140 |
| DUPIXENT SYRINGE..... | 140 |
| DUREZOL | 125 |
| dutasteride | 131 |
| DUZALLO | 63 |
| E | |
| e.e.s. 400 | 24 |
| econazole | 61 |
| EDARBI | 88 |
| EDARBYCLO..... | 88 |
| EDURANT | 76 |
| efavirenz | 76 |
| efavirenz-emtricitab-tenofov | 76 |
| efavirenz-lamivu-tenofov disop | 76 |
| ELAPRASE..... | 120 |
| electrolyte-48 in d5w | 157 |
| ELELYSO | 120 |
| ELIGARD | 33 |
| ELIGARD (3 MONTH) | 33 |
| ELIGARD (4 MONTH) | 33 |
| ELIGARD (6 MONTH) | 33 |
| elinest | 106 |
| ELIQUIS | 81 |
| ELIQUIS DVT-PE TREAT START..... | 81 |
| ELITEK | 120 |
| elixophyllin..... | 163 |
| ELLA | 106 |
| ELMIRON | 153 |
| eluryng | 106 |
| EMCYT | 33 |
| EMFLAZA | 134 |
| EMGALITY PEN | 64 |
| EMGALITY SYRINGE..... | 64 |
| emoquette..... | 106 |
| EMPLICITI | 33 |
| EMSAM..... | 53 |
| emtricitabine | 76 |
| emtricitabine-tenofovir (tdf) .. | 76 |
| EMTRIVA | 76 |
| EMVERM..... | 68 |
| enalapril maleate..... | 89 |
| enalaprilat | 89 |
| enalapril-hydrochlorothiazide | 90 |
| ENBREL..... | 141 |
| ENBREL MINI..... | 141 |
| ENBREL SURECLICK | 141 |
| ENDARI | 153 |
| endocet..... | 11 |
| ENGERIX-B (PF)..... | 146 |
| ENGERIX-B PEDIATRIC (PF) | 146 |
| ENHERTU..... | 33 |
| enoxaparin | 81, 82 |
| enpresse | 106 |
| enskyce | 106 |
| entacapone | 69 |
| entecavir..... | 81 |
| ENTRESTO..... | 88 |
| enulose | 128 |
| ENVARSUS XR..... | 141 |
| EPIDIOLEX | 47 |
| EPIFOAM..... | 116 |
| epinastine | 122 |
| epinephrine | 94 |
| epirubicin | 33 |
| epitol | 47 |
| plerenone | 99 |
| EPOGEN | 83 |
| epoprostenol (glycine) | 167 |
| eprosartan | 88 |
| ERAXIS(WATER DILUENT) | 61 |
| ERBITUX | 33 |
| ergoloid | 153 |
| ergotamine-caffeine | 64 |
| ERIVEDGE..... | 33 |
| ERLEADA | 33 |
| erlotinib | 34 |
| errin | 106 |
| ertapenem | 24 |
| ERWINAZE..... | 34 |
| ery pads | 114 |
| ery-tab | 24 |
| ERY-TAB | 24 |
| ERYTHROCIN..... | 24 |
| erythrocin (as stearate) | 24 |
| erythromycin | 24, 123 |
| erythromycin ethylsuccinate .. | 24 |
| erythromycin with ethanol ... | 115 |
| erythromycin-benzoyl peroxide | 115 |
| ESBRIET | 165 |
| escitalopram oxalate..... | 53 |
| esomeprazole magnesium | 126 |
| esomeprazole sodium..... | 126 |
| estarrylla | 106 |
| estazolam | 18 |
| estradiol | 133 |
| estradiol valerate | 133 |
| estradiol-norethindrone acet. | 133 |
| ESTRING..... | 133 |
| eszopiclone | 166 |
| ethambutol | 65 |
| ethosuximide | 47 |
| ethynodiol diac-eth estradiol | 106 |
| etidronate disodium..... | 151 |

| | | | | | |
|---|-----|---|----------|---|-----|
| etodolac | 15 | fenoprofen..... | 15 | fluticasone propion-salmeterol | 161 |
| etonogestrel-ethinyl estradiol | 106 | fentanyl | 11 | fluvastatin..... | 98 |
| ETOPOPHOS..... | 34 | fentanyl citrate | 11 | fluvoxamine | 53 |
| etoposide..... | 34 | FERRIPROX | 131 | FML FORTE..... | 125 |
| EUCRISA..... | 117 | FETROJA | 23 | FML S.O.P..... | 126 |
| euthyrox..... | 138 | FETZIMA | 53 | FOLOTYN..... | 34 |
| EVENITY..... | 151 | finasteride | 131 | fomepizole..... | 153 |
| everolimus (antineoplastic) | 34 | FINTEPLA | 47 | fondaparinux | 82 |
| everolimus (immunosuppressive) | 141 | FIRDAPSE | 153 | FORTEO | 151 |
| EVOTAZ..... | 76 | FIRMAGON KIT W DILUENT SYRINGE | 34 | FOSAMAX PLUS D | 151 |
| exemestane | 34 | FIRVANQ | 20 | fosamprenavir | 76 |
| EXJADE..... | 131 | FLAREX..... | 125 | foscarnet | 79 |
| EXONDYS-51 | 153 | flavoxate | 130 | fosinopril | 90 |
| EXTAVIA | 101 | FLEBOGAMMA DIF | 141 | fosinopril-hydrochlorothiazide | 90 |
| ezetimibe | 98 | flecainide | 90 | fosphenytoin..... | 47 |
| ezetimibe-simvastatin..... | 98 | FLOVENT DISKUS..... | 161 | FOSRENOL..... | 130 |
| F | | FLOVENT HFA | 161 | FULPHILA | 83 |
| FABIOR | 119 | floxuridine | 34 | fulvestrant | 34 |
| FABRAZYME | 120 | fluconazole..... | 61 | furosemide..... | 96 |
| falmina (28) | 107 | fluconazole in nacl (iso-osm) | 61 | FUZEON | 76 |
| famciclovir | 81 | flucytosine | 61 | fyavolv | 133 |
| famotidine..... | 127 | fludarabine | 34 | FYCOMPA | 47 |
| famotidine (pf)..... | 126 | fludrocortisone..... | 134 | G | |
| famotidine (pf)-nacl (iso-os)..... | 127 | flumazenil | 101 | gabapentin | 47 |
| FANAPT | 71 | flunisolide | 125 | GALAFOLD | 120 |
| FARYDAK..... | 34 | fluocinolone | 117 | galantamine | 51 |
| FASENRA..... | 165 | fluocinolone acetonide oil | 125 | GAMASTAN..... | 141 |
| FASENRA PEN | 165 | fluocinolone and shower cap | 117 | GAMMAGARD LIQUID.... | 141 |
| FASLODEX | 34 | fluocinonide | 117 | GAMMAGARD S-D (IGA < 1 MCG/ML) | 141 |
| fayosim | 107 | fluocinonide-e..... | 117 | GAMMAPLEX..... | 141 |
| febuxostat | 63 | FLUORIDE (SODIUM) | 168 | GAMUNEX-C | 141 |
| felbamate | 47 | fluorometholone | 125 | ganciclovir sodium..... | 81 |
| felodipine..... | 95 | fluorouracil | 34, 113 | GARDASIL 9 (PF) | 146 |
| FEMRING..... | 133 | fluoxetine | 53 | gatifloxacin | 123 |
| femynor | 107 | FLUOXETINE | 53 | GATTEX 30-VIAL..... | 128 |
| fenofibrate | 98 | fluphenazine decanoate..... | 71 | GAUZE PAD | 119 |
| fenofibrate micronized | 98 | fluphenazine hcl..... | 71 | gavilyte-c..... | 129 |
| fenofibrate nanocrystallized | 98 | flurbiprofen | 15 | gavilyte-g | 129 |
| fenofibric acid | 98 | flurbiprofen sodium | 125 | gavilyte-n | 129 |
| fenofibric acid (choline) | 98 | flutamide | 34 | | |
| | | fluticasone propionate.. | 117, 125 | | |

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|--------------|--|----------|---|---------------|---------------|----|-------------------|-----|---|-----|---------------|-----|---------------|----|----------------|----|--------------------|-----|-----------|----|---------------------------|----|----------------|-----|-----------------|----|---------------------------|----|--------------|-----|---------------------------|----|---------------------|-----|--|-----|----------------|----|------------|----|------------------|-----|---------------|----|----------------|----|---|-----|------------------|----|---------------|-----|--|-----|--------------|----|-----------------------|----|------------------|-----|------------------|----|-----------------------|----|---|-----|------------------------|----|--------------|--------|---------------------|-----|------------------|-----|------------------------------|--------|---------------------------------------|-----|--------------|-----|---------------------------------|----|--|--|----------------|----|------------------|-----|--|--|----------------|----|-----------------|-----|--|--|---------------|----|--------------------------------|----------|--|--|--------------------------|----|--------------------------------|-----|--|--|--|--|
| GAZYVA | 34 | GVOKE PFS 1-PACK SYRINGE | 154 | HUMIRA(CF) PEN PSOR-UV- ADOL HS | 142 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gemcitabine | 34, 35 | GVOKE PFS 2-PACK SYRINGE | 154 | hydralazine | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gemfibrozil | 98 | H | | hydrochlorothiazide | 96 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| generlac | 128 | HAEGARDA | 84 | hydrocodone-acetaminophen 11, 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gengraf..... | 141 | hailey | 107 | hydrocodone-ibuprofen..... | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gentak | 123 | hailey 24 fe | 107 | hydrocortisone..... | 117, 135, 150 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gentamicin | 19, 115, 123 | hailey fe 1.5/30 (28)..... | 107 | hydrocortisone butyrate | 117 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gentamicin in nacl (iso-osm) | 19 | hailey fe 1/20 (28)..... | 107 | hydrocortisone butyr-emollient | 117 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gentamicin sulfate (ped) (pf) | 19 | HALAVEN..... | 35 | hydrocortisone valerate..... | 118 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gentamicin sulfate (pf) | 19 | halobetasol propionate | 117 | hydrocortisone-acetic acid ... | 123 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GENVOYA | 76 | haloperidol | 72 | hydromorphone | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GEODON | 72 | haloperidol decanoate | 72 | hydromorphone (pf) | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| gianvi (28) | 107 | haloperidol lactate..... | 72 | hydroxychloroquine | 68 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GILENYA | 101 | HAVRIX (PF)..... | 146, 147 | hydroxyprogester(pf)(preg presv) | 138 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GILOTrif..... | 35 | heather | 107 | hydroxyprogesterone cap(ppres) | 138 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GIVLAARI..... | 85 | heparin (porcine)..... | 82 | hydroxyurea | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glatiramer | 101, 102 | heparin (porcine) in 5 % dex . | 82 | hydroxyzine hcl..... | 63 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GLEOSTINE | 35 | heparin (porcine) in nacl (pf). | 82 | hydroxyzine pamoate | 154 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glimepiride | 59 | heparin, porcine (pf) | 82 | HYQVIA | 143 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glipizide..... | 60 | HERCEPTIN | 35 | I | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glipizide-metformin..... | 60 | HERCEPTIN HYLECTA..... | 35 | GLUCAGEN HYPOKIT | 153 | HERZUMA | 35 | ibandronate | 151 | GLUCAGON EMERGENCY KIT (HUMAN) | 153 | HETLIOZ | 166 | IBRANCE | 35 | glyburide..... | 60 | HIBERIX (PF) | 147 | ibu | 15 | glyburide micronized..... | 60 | HIZENTRA | 142 | ibuprofen | 15 | glyburide-metformin | 60 | HUMIRA | 142 | ibuprofen-oxycodone | 12 | glycopyrrolate..... | 128 | HUMIRA PEDIATRIC CROHNS START | 142 | icatibant..... | 94 | glydo..... | 16 | HUMIRA PEN | 142 | ICLUSIG | 35 | GLYXAMBI | 56 | HUMIRA PEN CROHNS-UC- HS START | 142 | idarubicin | 35 | GOLYTELY..... | 129 | HUMIRA PEN PSOR- UVEITS-ADOL HS | 142 | IDHIFA | 35 | granisetron (pf)..... | 66 | HUMIRA(CF) | 143 | ifosfamide | 35 | granisetron hcl | 66 | HUMIRA(CF) PEDI CROHNS STARTER | 142 | ifosfamide-mesna | 35 | GRANIX | 83, 84 | HUMIRA(CF) PEN..... | 143 | ILARIS (PF)..... | 143 | griseofulvin microsize | 61, 62 | HUMIRA(CF) PEN CROHNS- UC-HS | 142 | ILUMYA | 143 | griseofulvin ultramicrosize.... | 62 | | | imatinib | 36 | guanfacine | 102 | | | IMBRUVICA..... | 36 | guanidine | 153 | | | IMFINZI | 36 | GVOKE HYPOOPEN 1-PACK | 153, 154 | | | imipenem-cilastatin..... | 25 | GVOKE HYPOOPEN 2-PACK | 154 | | | | |
| GLUCAGEN HYPOKIT | 153 | HERZUMA | 35 | ibandronate | 151 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GLUCAGON EMERGENCY KIT (HUMAN) | 153 | HETLIOZ | 166 | IBRANCE | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glyburide..... | 60 | HIBERIX (PF) | 147 | ibu | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glyburide micronized..... | 60 | HIZENTRA | 142 | ibuprofen | 15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glyburide-metformin | 60 | HUMIRA | 142 | ibuprofen-oxycodone | 12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glycopyrrolate..... | 128 | HUMIRA PEDIATRIC CROHNS START | 142 | icatibant..... | 94 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| glydo..... | 16 | HUMIRA PEN | 142 | ICLUSIG | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GLYXAMBI | 56 | HUMIRA PEN CROHNS-UC- HS START | 142 | idarubicin | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GOLYTELY..... | 129 | HUMIRA PEN PSOR- UVEITS-ADOL HS | 142 | IDHIFA | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| granisetron (pf)..... | 66 | HUMIRA(CF) | 143 | ifosfamide | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| granisetron hcl | 66 | HUMIRA(CF) PEDI CROHNS STARTER | 142 | ifosfamide-mesna | 35 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GRANIX | 83, 84 | HUMIRA(CF) PEN..... | 143 | ILARIS (PF)..... | 143 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| griseofulvin microsize | 61, 62 | HUMIRA(CF) PEN CROHNS- UC-HS | 142 | ILUMYA | 143 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| griseofulvin ultramicrosize.... | 62 | | | imatinib | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| guanfacine | 102 | | | IMBRUVICA..... | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| guanidine | 153 | | | IMFINZI | 36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GVOKE HYPOOPEN 1-PACK | 153, 154 | | | imipenem-cilastatin..... | 25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| GVOKE HYPOOPEN 2-PACK | 154 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | | | |
|---|----------|----------------------------|---------|---------------------------------------|--------|
| imipramine hcl..... | 53 | ISENTRESS HD..... | 76 | kariva (28)..... | 108 |
| imipramine pamoate | 53 | isibloom | 107 | kelnor 1/35 (28)..... | 108 |
| imiquimod | 113 | isoniazid..... | 65 | kelnor 1-50 | 108 |
| IMLYGIC..... | 36 | isosorbide dinitrate | 99 | KEPIVANCE..... | 154 |
| IMOVAX RABIES VACCINE (PF)..... | 147 | isosorbide mononitrate .. | 99, 100 | ketoconazole | 62 |
| INBRIJA..... | 69 | isotretinoin..... | 114 | ketoprofen | 15 |
| incassia | 107 | isradipine | 95 | ketorolac..... | 126 |
| INCRELEX | 136 | itraconazole..... | 62 | KEVZARA | 143 |
| INCRUSE ELLIPTA..... | 163 | ivermectin | 68 | KEYTRUDA..... | 37 |
| indapamide | 96 | IXEMPRA | 36 | KINERET | 143 |
| INFANRIX (DTAP) (PF).... | 147 | IXIARO (PF) | 147 | KINRIX (PF) | 147 |
| INFLECTRA..... | 143 | J | | kionex (with sorbitol)..... | 128 |
| INGREZZA..... | 102 | JADENU | 131 | KISQALI..... | 37 |
| INGREZZA INITIATION PACK | 102 | JADENU SPRINKLE..... | 132 | KISQALI FEMARA CO-PACK | |
| INLYTA | 36 | jaimiess | 107 | | 37 |
| INQOVI..... | 36 | JAKAFI | 36 | KLOR-CON 10..... | 157 |
| INREBIC..... | 36 | jantoven | 82 | KLOR-CON 8..... | 157 |
| insulin asp prt-insulin aspart .. | 58 | JARDIANCE | 56 | klor-con m10..... | 157 |
| insulin aspart u-100 | 58 | jasmiel (28)..... | 107 | klor-con m15..... | 157 |
| INSULIN SYRINGE-NEEDLE U-100..... | 119, 120 | jencycla..... | 107 | klor-con m20..... | 157 |
| INTELENCE | 76 | JENTADUETO | 56 | klor-con sprinkle | 157 |
| INTRALIPID | 87 | JENTADUETO XR..... | 56 | KORLYM | 56 |
| INTRON A..... | 80 | JEVTANA | 37 | KOSELUGO | 37 |
| introvale..... | 107 | jintel..... | 133 | KRINTAFEL | 68 |
| INVEGA SUSTENNA..... | 72 | jolessa | 107 | K-SOL | 157 |
| INVEGA TRINZA..... | 72, 73 | jolivette | 107 | kurvelo (28)..... | 108 |
| INVIRASE | 76 | juleber | 107 | KUVAN | 120 |
| INVOKAMET..... | 56 | JULUCA | 77 | KYPROLIS | 37 |
| INVOKAMET XR..... | 56 | junel 1.5/30 (21) | 107 | L | |
| INVOKANA | 56 | junel 1/20 (21) | 107 | I norgest/e.estradiol-e.estrad .. | 108 |
| IPOL | 147 | junel fe 1.5/30 (28) | 107 | labetalol..... | 91, 92 |
| ipratropium bromide.... | 122, 163 | junel fe 1/20 (28) | 107 | lactulose | 128 |
| ipratropium-albuterol | 163 | junel fe 24 | 107 | LAMICTAL XR STARTER (BLUE) | 47 |
| irbesartan | 88 | JUXTAPID | 98 | LAMICTAL XR STARTER (GREEN)..... | 48 |
| irbesartan-hydrochlorothiazide | 88 | JYNARQUE | 96, 97 | LAMICTAL XR STARTER (ORANGE) | 48 |
| IRESSA | 36 | K | | lamivudine..... | 77 |
| irinotecan..... | 36 | KADCYLA..... | 37 | lamivudine-zidovudine | 77 |
| ISENTRESS | 76 | kaitlib fe | 107 | lamotrigine | 48 |
| | | KALETRA..... | 77 | LANOXIN | 95 |
| | | kalliga | 107 | | |
| | | KALYDECO | 165 | | |
| | | KANJINTI..... | 37 | | |

| | |
|--|---------|
| lansoprazole..... | 127 |
| lanthanum..... | 130 |
| LANTUS SOLOSTAR U-100 INSULIN..... | 58 |
| LANTUS U-100 INSULIN | 58 |
| lapatinib..... | 37 |
| larin 1.5/30 (21)..... | 108 |
| larin 1/20 (21)..... | 108 |
| larin 24 fe | 108 |
| larin fe 1.5/30 (28)..... | 108 |
| larin fe 1/20 (28)..... | 108 |
| larissa..... | 108 |
| LARTRUVO | 37 |
| latanoprost | 156 |
| LATUDA | 73 |
| layolis fe | 108 |
| LAZANDA..... | 12 |
| ledipasvir-sofosbuvir..... | 80 |
| leena 28 | 108 |
| leflunomide..... | 143 |
| LENVIMA | 37 |
| lessina | 108 |
| letrozole..... | 37 |
| leucovorin calcium | 154 |
| LEUKERAN | 37 |
| LEUKINE..... | 84 |
| leuprolide..... | 38 |
| levalbuterol hcl..... | 163 |
| levalbuterol tartrate | 163 |
| LEVEMIR FLEXTOUCH U- 100 INSULN | 58 |
| LEVEMIR U-100 INSULIN .. | 58 |
| levetiracetam | 48 |
| levetiracetam in nacl (iso-os) .. | 48 |
| levobunolol..... | 156 |
| levocarnitine | 154 |
| levocarnitine (with sugar).... | 154 |
| levocetirizine | 63 |
| levofloxacin | 27, 123 |
| levofloxacin in d5w | 27 |
| levoleucovorin calcium | 154 |
| LEVOLEUCOVORIN CALCIUM | 154 |
| levonest (28) | 108 |
| levonorgestrel-ethinyl estrad .. | 108 |
| levonorg-eth estrad triphasic .. | 109 |
| levora-28 | 109 |
| LEVO-T | 138 |
| levothyroxine | 138 |
| LEVOXYL | 139 |
| LEVULAN | 114 |
| LEXIVA | 77 |
| LIBTAYO..... | 38 |
| lidocaine..... | 16 |
| lidocaine (pf)..... | 16, 90 |
| lidocaine hcl..... | 16 |
| lidocaine in 5 % dextrose (pf) | 91 |
| lidocaine viscous..... | 16 |
| lidocaine-prilocaine | 16 |
| LIDOTREX | 16 |
| lillow (28) | 109 |
| lincomycin | 21 |
| lindane | 119 |
| linezolid | 21 |
| linezolid in dextrose 5% | 21 |
| linezolid-0.9% sodium chloride | |
| | 21 |
| LINZESS | 128 |
| liothyronine..... | 139 |
| lisinopril..... | 90 |
| lisinopril-hydrochlorothiazide | 90 |
| lithium carbonate | 102 |
| lithium citrate..... | 102 |
| lojaimiess | 109 |
| LOKELMA..... | 128 |
| LONSURF..... | 38 |
| loperamide | 128 |
| lopinavir-ritonavir..... | 77 |
| lopreeza..... | 133 |
| lorazepam..... | 19 |
| LORBRENA..... | 38 |
| loryna (28) | 109 |
| losartan..... | 88 |
| losartan-hydrochlorothiazide . | 89 |
| loteprednol etabonate | 126 |
| lovastatin | 98 |
| low-ogestrel (28) | 109 |
| loxapine succinate | 73 |
| lo-zumandimine (28)..... | 109 |
| LUCEMYRA | 17 |
| LUIDENT FLUORIDE..... | 168 |
| LUMIGAN..... | 156 |
| LUMOXITI..... | 38 |
| LUPRON DEPOT..... | 38, 136 |
| LUPRON DEPOT (3 MONTH) | |
| | 38, 136 |
| LUPRON DEPOT (4 MONTH) | |
| | 38 |
| LUPRON DEPOT (6 MONTH) | |
| | 38 |
| LUPRON DEPOT-PED..... | 136 |
| LUPRON DEPOT-PED (3 MONTH)..... | 136 |
| lutera (28)..... | 109 |
| LYNPARZA | 38 |
| LYRICA | 49 |
| LYRICA CR | 102 |
| LYSODREN | 38 |
| lyza | 109 |
| M | |
| magnesium sulfate | 158 |
| magnesium sulfate in d5w ... | 158 |
| magnesium sulfate in water . | 158 |
| malathion..... | 119 |
| maprotiline | 53 |
| marlissa (28)..... | 109 |
| MARPLAN | 53 |
| MARQIBO | 38 |
| MATULANE | 38 |
| matzim la..... | 93 |
| MAVENCLAD (10 TABLET PACK)..... | 102 |
| MAVENCLAD (4 TABLET PACK)..... | 102 |

| | |
|-------------------------------------|-------------|
| MAVENCLAD (5 TABLET PACK)..... | 102 |
| MAVENCLAD (6 TABLET PACK)..... | 102 |
| MAVENCLAD (7 TABLET PACK)..... | 102 |
| MAVENCLAD (8 TABLET PACK)..... | 102 |
| MAVENCLAD (9 TABLET PACK)..... | 102 |
| MAVYRET | 80 |
| MAXIDEX | 126 |
| MAYZENT | 102 |
| meclizine | 66, 67 |
| meclofenamate | 15 |
| medroxyprogesterone | 138 |
| mefenamic acid | 15 |
| mefloquine..... | 68 |
| megestrol | 38, 138 |
| MEKINIST | 38, 39 |
| MEKTOVI | 39 |
| meloxicam | 15 |
| melphalan hcl | 39 |
| memantine | 51 |
| MENACTRA (PF) | 147 |
| MENEST | 133 |
| MENQUADFI (PF)..... | 147 |
| MENVEO A-C-Y-W-135-DIP (PF)..... | 147 |
| meprobamate | 19 |
| MEPSEVII | 120 |
| mercaptopurine..... | 39 |
| meropenem | 25 |
| meropenem-0.9% sodium chloride..... | 25 |
| mesalamine..... | 150 |
| mesna..... | 154 |
| MESNEX | 154 |
| metaproterenol..... | 163 |
| metaxalone | 166 |
| metformin..... | 56 |
| methadone | 12 |
| methadose | 12 |
| methazolamide | 156 |
| methenamine hippurate..... | 21 |
| methimazole..... | 139 |
| METHITEST | 132 |
| methocarbamol | 166 |
| methotrexate sodium..... | 39 |
| methotrexate sodium (pf)..... | 39 |
| methoxsalen | 114 |
| methscopolamine | 128 |
| methyclothiazide..... | 97 |
| methylergonovine | 154 |
| methylphenidate hcl..... | 103 |
| methylprednisolone | 135 |
| methylprednisolone acetate . | 135 |
| methylprednisolone sodium succ .. | 135 |
| metipranolol..... | 156 |
| metoclopramide hcl | 128 |
| metolazone..... | 97 |
| metoprolol succinate..... | 92 |
| metoprolol ta-hydrochlorothiaz .. | 92 |
| metoprolol tartrate | 92 |
| metronidazole | 21, 64, 115 |
| metronidazole in nacl (iso-os) | 21 |
| metyrosine | 95 |
| mexiletine | 91 |
| MIACALCIN..... | 151 |
| miconazole-3 | 62 |
| microgestin 1.5/30 (21)..... | 109 |
| microgestin 1/20 (21)..... | 109 |
| microgestin fe 1.5/30 (28) .. | 109 |
| microgestin fe 1/20 (28) .. | 109 |
| midodrine..... | 88 |
| MIGERGOT | 64 |
| miglitol..... | 56 |
| miglustat | 120 |
| mili..... | 109 |
| milrinone | 95 |
| milrinone in 5 % dextrose..... | 95 |
| mimvey | 133 |
| mimvey lo | 133 |
| minitran | 100 |
| minocycline..... | 28 |
| minoxidil | 100 |
| mirtazapine..... | 53, 54 |
| misoprostol..... | 127 |
| mitomycin | 39 |
| mitoxantrone | 39 |
| M-M-R II (PF) | 147 |
| modafinil | 166 |
| moexipril | 90 |
| molindone | 73 |
| mometasone | 118, 126 |
| MONJUVI..... | 39 |
| mono-linyah | 109 |
| mononessa (28) | 109 |
| montelukast | 162 |
| morphine | 13 |
| MORPHINE..... | 13 |
| morphine (pf) | 13 |
| morphine (pf) in 0.9 % sod chl .. | 13 |
| morphine concentrate..... | 13 |
| MOVANTIK..... | 128 |
| MOVIPREP | 129 |
| moxifloxacin | 27, 123 |
| moxifloxacin-sod.ace,sul-water .. | 27 |
| moxifloxacin-sod.chloride(iso) .. | 27 |
| MOZOBIL | 84 |
| MULPLETA | 84 |
| MULTAQ | 91 |
| mupirocin | 115 |
| mupirocin calcium | 115 |
| MVASI | 39 |
| mycophenolate mofetil..... | 143 |
| mycophenolate mofetil (hcl) | 143 |
| mycophenolate sodium | 143 |
| MYLOTARG | 39 |
| myorisan..... | 114 |
| MYRBETRIQ | 130 |

| | |
|----------------------------------|----------|
| myzilra..... | 109 |
| N | |
| nabumetone | 15 |
| nadolol..... | 92 |
| nadolol-bendroflumethiazide . | 92 |
| nafcillin..... | 26 |
| nafcillin in dextrose iso-osm .. | 26 |
| naftifine | 62 |
| NAFTIN | 62 |
| NAGLAZYME..... | 120 |
| nalbuphine | 13 |
| naloxone | 17 |
| naltrexone | 17 |
| naproxen | 15, 16 |
| naproxen sodium | 16 |
| naratriptan..... | 64 |
| NARCAN | 17 |
| NATACYN | 123 |
| nateglinide | 56 |
| NATPARA | 151 |
| NAYZILAM..... | 49 |
| NEBUPENT | 68 |
| necon 0.5/35 (28)..... | 109 |
| nefazodone | 54 |
| neomycin | 19 |
| neomycin-bacitracin-poly-hc | 123 |
| neomycin-bacitracin-polymyxin | |
| | 124 |
| neomycin-polymyxin b gu ... | 115 |
| neomycin-polymyxin b- | |
| dexameth | 124 |
| neomycin-polymyxin- | |
| gramicidin..... | 124 |
| neomycin-polymyxin-hc | 124 |
| neo-polycin hc | 124 |
| NERLYNX..... | 39 |
| NEULASTA..... | 84 |
| NEUPOGEN | 84 |
| NEUPRO | 69 |
| nevirapine | 77 |
| NEXAVAR | 39 |
| NEXIUM PACKET | 127 |
| NEXLETOL | 98 |
| NEXLIZET | 98 |
| niacin | 98 |
| niacor | 98 |
| nicardipine | 95 |
| NICOTROL NS | 17 |
| nifedipine | 95, 96 |
| nikki (28) | 109 |
| nilutamide | 39 |
| nimodipine | 96 |
| NINLARO | 39 |
| NIPENT | 39 |
| nisoldipine | 96 |
| NITRO-BID | 100 |
| NITRO-DUR | 100 |
| nitrofurantoin macrocrystal ... | 21 |
| nitrofurantoin monohyd/m-cryst | |
| | 21 |
| nitroglycerin..... | 100 |
| nitroglycerin in 5 % dextrose | 100 |
| NITROSTAT | 100 |
| NITYR | 120 |
| NIVESTYM..... | 84 |
| nizatidine | 127 |
| NOCDURNA (MEN) | 136 |
| NOCDURNA (WOMEN) ... | 136 |
| nora-be | 109 |
| NORDITROPIN FLEXPRO | 136 |
| norethindrone (contraceptive) | |
| | 109 |
| norethindrone acetate..... | 138 |
| norethindrone ac-eth estradiol | |
| | 109, 133 |
| norethindrone-e.estradiol-iron | |
| | 109, 110 |
| norgestimate-ethynodiol | |
| | 110 |
| norlyda | 110 |
| norlyroc | 110 |
| NORTHERA | 88 |
| nortrel 0.5/35 (28)..... | 110 |
| nortrel 1/35 (21)..... | 110 |
| nortrel 1/35 (28) | 110 |
| nortrel 7/7/7 (28) | 110 |
| nortriptyline..... | 54 |
| NORVIR | 77 |
| NOURIANZ..... | 70 |
| NOVOLIN 70/30 U-100 | |
| INSULIN..... | 58 |
| NOVOLIN 70-30 FLEXPEN U- | |
| 100..... | 58 |
| NOVOLIN N FLEXPEN | 58 |
| NOVOLIN N NPH U-100 | |
| INSULIN..... | 58 |
| NOVOLIN R FLEXPEN | 58 |
| NOVOLIN R REGULAR U- | |
| 100 INSULN..... | 59 |
| NOVOLOG FLEXPEN U-100 | |
| INSULIN..... | 59 |
| NOVOLOG MIX 70-30 U-100 | |
| INSULN..... | 59 |
| NOVOLOG MIX 70- | |
| 30FLEXPEN U-100..... | 59 |
| NOVOLOG PENFILL U-100 | |
| INSULIN..... | 59 |
| NOVOLOG U-100 INSULIN | |
| ASPART | 59 |
| NOXAFIL | 62 |
| NPLATE | 84 |
| NUBEQA | 39 |
| NUCALA | 165 |
| NUEDEXTA | 103 |
| NULOJIX..... | 143 |
| NUPLAZID | 73 |
| NURTEC ODT | 65 |
| NUTRILIPID | 87 |
| NUVARING | 110 |
| NUZYRA | 29 |
| NUZYRA (7 DAY WITH | |
| LOAD DOSE)..... | 28 |
| NUZYRA (7 DAY)..... | 29 |
| nyamyc | 62 |
| nystatin | 62 |
| nystatin-triamcinolone | 62 |

| | |
|---------------------------------------|----------|
| nystop | 62 |
| O | |
| ocella | 110 |
| OCREVUS | 103 |
| octreotide acetate..... | 136, 137 |
| ODEFSEY | 77 |
| ODOMZO | 39 |
| OFEV | 165 |
| ofloxacin..... | 27, 124 |
| ogestrel (28)..... | 110 |
| OGIVRI..... | 40 |
| okebo | 29 |
| olanzapine..... | 73 |
| olanzapine-fluoxetine | 54 |
| olmesartan | 89 |
| olmesartan-hydrochlorothiazide | 89 |
| olopatadine | 122 |
| OLUMIANT..... | 144 |
| omega-3 acid ethyl esters | 98 |
| omeprazole | 127 |
| ONCASPAR | 40 |
| ondansetron | 67 |
| ondansetron hcl | 67 |
| ondansetron hcl (pf) | 67 |
| ONIVYDE..... | 40 |
| ONPATTRO..... | 155 |
| ONTRUZANT | 40 |
| OPDIVO..... | 40 |
| OPSUMIT | 167 |
| oralone | 112 |
| ORENCIA | 144 |
| ORENCIA CLICKJECT | 144 |
| ORILISSA..... | 137 |
| ORKAMBI..... | 165 |
| orphenadrine citrate..... | 166 |
| orsythia..... | 110 |
| oseltamivir..... | 79 |
| OSMOPREP..... | 129 |
| OTEZLA | 144 |
| OTEZLA STARTER..... | 144 |
| oxacillin..... | 26 |
| oxacillin in dextrose(iso-osm) | 26 |
| oxaliplatin | 40 |
| oxandrolone | 132 |
| oxaprozin | 16 |
| oxazepam | 19 |
| OXBRYTA..... | 85 |
| oxcarbazepine | 49 |
| OXERVATE..... | 122 |
| OXTELLAR XR..... | 49 |
| oxybutynin chloride..... | 130 |
| oxycodone..... | 13, 14 |
| oxycodone-acetaminophen | 14 |
| oxycodone-aspirin | 14 |
| OXYCONTIN | 14 |
| oxymorphone | 14 |
| OZEMPIC..... | 57 |
| P | |
| pacerone | 91 |
| paclitaxel..... | 40 |
| PADCEV | 40 |
| paliperidone | 73 |
| palonosetron..... | 67 |
| PALYNZIQ | 121 |
| pamidronate | 151, 152 |
| PANRETIN | 114 |
| pantoprazole..... | 127 |
| PANZYGA | 144 |
| paricalcitol | 152 |
| PARICALCITOL | 152 |
| paroex oral rinse | 112 |
| paromomycin | 68 |
| paroxetine hcl | 54 |
| PASER | 66 |
| PAXIL | 54 |
| PEDIARIX (PF) | 147 |
| PEDVAX HIB (PF) | 147 |
| peg 3350-electrolytes..... | 129 |
| peg3350-sod sul-nacl-kcl-asb-c | 129 |
| PEGANONE | 49 |
| PEGASYS | 80 |
| PEGASYS PROCLICK..... | 80 |
| peg-electrolyte soln | 129 |
| PEGINTRON | 80 |
| PEMAZYRE | 40 |
| PEN NEEDLE, DIABETIC. | 120 |
| penicillamine | 132 |
| penicillin g pot in dextrose..... | 26 |
| penicillin g potassium | 26 |
| penicillin g procaine..... | 26 |
| penicillin v potassium | 26 |
| PENTACEL (PF) | 148 |
| PENTACEL DTAP-IPV COMPNT (PF)..... | 148 |
| PENTAM | 68 |
| pentamidine | 68 |
| PENTASA..... | 150 |
| pentoxifylline | 85 |
| PERFOROMIST | 163 |
| perindopril erbumine..... | 90 |
| periogard | 112 |
| PERJETA | 40 |
| permethrin | 119 |
| perphenazine | 73 |
| perphenazine-amitriptyline | 54 |
| PERSERIS | 73 |
| PEXEVA | 54 |
| pfizerpen-g | 26 |
| phenadoxz | 67 |
| phenelzine | 54 |
| phenobarbital..... | 49 |
| phenylephrine hcl..... | 88, 122 |
| PHENYTEK | 49 |
| phenytoin..... | 49 |
| phenytoin sodium | 49 |
| phenytoin sodium extended | 49 |
| philith | 110 |
| PHOSPHOLINE IODIDE | 156 |
| phrenilin forte(with caffeine). | 14 |
| PICATO | 114 |
| PIFELTRO | 77 |
| pilocarpine hcl..... | 112, 156 |
| pimecrolimus..... | 118 |
| pimozide..... | 73 |

| | |
|--------------------------------------|----------|
| pimtrea (28) | 110 |
| pindolol..... | 92 |
| pioglitazone | 57 |
| pioglitazone-metformin..... | 57 |
| piperacillin-tazobactam | 26 |
| PIQRAY | 40 |
| pirmella..... | 110 |
| piroxicam..... | 16 |
| PLEGRIDY | 103 |
| PLENU | 130 |
| podoflox | 114 |
| POLIVY | 40 |
| polycin..... | 124 |
| polymyxin b sulfate..... | 21 |
| polymyxin b sulf-trimethoprim | 124 |
| POMALYST | 40 |
| portia 28..... | 110 |
| PORTRAZZA | 40 |
| posaconazole | 62 |
| potassium acetate..... | 158 |
| potassium chlorid-d5-0.45%nacl | 158 |
| potassium chloride..... | 158, 159 |
| potassium chloride in 0.9%nacl | 158 |
| potassium chloride in 5 % dex | 158 |
| potassium chloride in lr-d5...158 | |
| potassium chloride in water..158 | |
| potassium chloride-0.45 % nacl | 159 |
| potassium chloride-d5-0.2%nacl | 159 |
| potassium chloride-d5-0.3%nacl | 159 |
| potassium chloride-d5-0.9%nacl | 159 |
| potassium citrate..... | 159 |
| PRADAXA..... | 83 |
| PRALUENT PEN | 98 |
| pramipexole..... | 70 |
| prasugrel | 85 |
| pravastatin..... | 98, 99 |
| praziquantel | 68 |
| prazosin..... | 88 |
| PRED-G..... | 124 |
| prednicarbate | 118 |
| prednisolone..... | 135 |
| prednisolone acetate | 126 |
| prednisolone sodium phosphate | 126, 135 |
| prednisone..... | 135 |
| pregabalin | 49 |
| PREMARIN..... | 133, 134 |
| PREMASOL 10 %..... | 87 |
| PREMASOL 6 %..... | 87 |
| PREMPHASE..... | 134 |
| PREMPRO..... | 134 |
| prenatal plus (calcium carb) | 168 |
| prenatal vitamin plus low iron | 168 |
| PREPOPIK | 130 |
| PRETOMANID | 66 |
| prevalite | 99 |
| previfem..... | 110 |
| PREVYMIS | 79 |
| PREZCOBIX | 77 |
| PREZISTA..... | 77 |
| PRIFTIN | 66 |
| PRILOVIXIL..... | 16 |
| PRIMAQUINE | 68 |
| primidone..... | 49 |
| PRIVIGEN..... | 144 |
| PROAIR RESPICLICK..... | 163 |
| probencid | 63 |
| probencid-colchicine..... | 63 |
| procainamide | 91 |
| prochlorperazine | 67 |
| prochlorperazine edisylate.... | 67 |
| prochlorperazine maleate..... | 67 |
| PROCIT | 84 |
| PROCTOFOAM HC | 118 |
| procto-med hc | 118 |
| procto-pak | 118 |
| proctosol hc | 118 |
| protozone-hc..... | 118 |
| PROCYSBI | 131, 155 |
| progesterone | 138 |
| progesterone micronized..... | 138 |
| PROGLYCEM | 155 |
| PROGRAF | 144 |
| PROLASTIN-C..... | 165 |
| PROLEUKIN | 40 |
| PROLIA | 152 |
| PROMACTA | 84 |
| promethazine..... | 63, 67 |
| promethegan..... | 67 |
| propafenone..... | 91 |
| propantheline..... | 128 |
| proparacaine | 122 |
| propranolol | 92 |
| propranolol-hydrochlorothiazid | 92 |
| propylthiouracil..... | 139 |
| PROQUAD (PF) | 148 |
| PROSOL 20 % | 87 |
| protamine | 85 |
| protriptyline..... | 54 |
| PULMICORT FLEXHALER | 161 |
| PULMOZYME | 121 |
| PURIXAN | 40 |
| pyrazinamide..... | 66 |
| pyridostigmine bromide | 155 |
| pyrimethamine | 68 |
| Q | |
| QINLOCK..... | 41 |
| QUADRACEL (PF) | 148 |
| quetiapine | 73 |
| quinapril | 90 |
| quinapril-hydrochlorothiazide | 90 |
| quinidine gluconate | 91 |
| quinidine sulfate..... | 91 |
| quine sulfate..... | 68 |
| QVAR REDIHALER..... | 161 |

| | |
|--------------------------------------|----------|
| R | |
| RABAVERT (PF) | 148 |
| rabeprazole | 127 |
| RADICAVA..... | 103 |
| rajani..... | 110 |
| raloxifene..... | 134 |
| ramelteon..... | 166 |
| ramipril | 90 |
| ranitidine hcl..... | 127 |
| ranolazine | 95 |
| rasagiline | 70 |
| RAVICTI..... | 128 |
| REBETOL..... | 81 |
| REBIF (WITH ALBUMIN)..... | 103 |
| REBIF REBIDOSE..... | 103, 104 |
| REBIF TITRATION PACK | 104 |
| REBLOZYL | 84 |
| RECARBRIOS..... | 25 |
| reclipsen (28)..... | 110 |
| RECOMBIVAX HB (PF) | 148 |
| RECTIV | 155 |
| REGRANEX | 114 |
| RELENZA DISKHALER | 79 |
| RELISTOR..... | 128, 129 |
| RENFLEXIS | 144 |
| repaglinide | 57 |
| REPATHA PUSHTRONEX | 99 |
| REPATHA SURECLICK | 99 |
| REPATHA SYRINGE | 99 |
| RESCRIPTOR..... | 78 |
| RESTASIS | 126 |
| RETACRIT | 85 |
| RETEVMO..... | 41 |
| RETROVIR | 78 |
| REVATIO | 167 |
| REVCovi..... | 121 |
| REVLIMID | 41 |
| revonto..... | 166 |
| REXULTI..... | 74 |
| REYATAZ | 78 |
| REYVOW | 65 |
| ribasphere | 81 |
| ribasphere ribapak..... | 81 |
| ribavirin | 81 |
| RIDAURA | 144 |
| rifabutin | 66 |
| rifampin | 66 |
| RIFATER..... | 66 |
| riluzole | 104 |
| rimantadine | 79 |
| ringer's | 150, 159 |
| RINVOQ..... | 144 |
| risedronate | 152 |
| RISPERDAL CONSTA | 74 |
| risperidone | 74 |
| ritonavir | 78 |
| RITUXAN | 41 |
| RITUXAN HYCELA | 41 |
| rivastigmine | 51 |
| rivastigmine tartrate | 51 |
| rivelsa..... | 110 |
| rizatriptan..... | 65 |
| romidepsin | 41 |
| ropinirole | 70 |
| rosadan..... | 115 |
| rosuvastatin | 99 |
| ROTARIX | 148 |
| ROTATEQ VACCINE..... | 148 |
| ROZLYTREK | 41 |
| RUBRACA..... | 41 |
| RUKOBIA | 78 |
| RYBELSUS..... | 57 |
| RYDAPT | 41 |
| S | |
| SABRIL | 49 |
| SANTYL | 114 |
| SAPHRIS..... | 74 |
| sapropterin | 121 |
| SARCLISA..... | 41 |
| SAVELLA | 104 |
| scopolamine base | 67 |
| SECUADO | 74 |
| selegiline hcl..... | 70 |
| selenium sulfide | 115 |
| SELZENTRY..... | 78 |
| SEREVENT DISKUS..... | 163 |
| SEROSTIM..... | 137 |
| sertraline..... | 54 |
| setlakin | 110 |
| sevelamer carbonate..... | 130 |
| sf 5000 plus | 112 |
| sharobel | 111 |
| SHINGRIX (PF) | 148 |
| SIGNIFOR | 137 |
| SIGNIFOR LAR | 137 |
| SIKLOS..... | 85 |
| sildenafil (pulg.hypertension) | 167 |
| SILENOR..... | 166 |
| silver sulfadiazine | 115 |
| SIMBRINZA..... | 156 |
| simliya (28) | 111 |
| simpesse | 111 |
| SIMPONI | 144, 145 |
| SIMULECT..... | 145 |
| simvastatin | 99 |
| sirolimus..... | 145 |
| SIRTURO | 66 |
| SIVEXTRO | 21 |
| SKYRIZI..... | 145 |
| sodium acetate..... | 159 |
| sodium chloride..... | 160 |
| sodium chloride 0.45 % | 159 |
| sodium chloride 0.9 % | 159 |
| sodium chloride 3 % | 159 |
| sodium chloride 5 % | 159 |
| sodium fluoride-pot nitrate | 113 |
| sodium lactate | 160 |
| sodium phenylbutyrate..... | 129 |
| sodium phosphate..... | 160 |
| sodium polystyrene (sorb free) | 129 |
| sodium polystyrene sulfonate | 129 |
| sofosbuvir-velpatasvir..... | 80 |
| solifenacin | 131 |

| | |
|---|----------|
| SOLTAMOX..... | 41 |
| SOLU-CORTEF ACT-O-VIAL (PF)..... | 135 |
| SOLU-MEDROL (PF) | 135 |
| SOMATULINE DEPOT | 137 |
| SOMAVERT | 137 |
| sorbitol..... | 150 |
| sorbitol-mannitol | 150 |
| sorine | 92 |
| sotalol | 92 |
| sotalol af | 92 |
| SPIRIVA RESPIMAT | 163 |
| SPIRIVA WITH HANDIHALER..... | 163 |
| spironolactone | 97 |
| spironolacton-hydrochlorothiaz | 97 |
| SPRAVATO..... | 54 |
| sprintec (28)..... | 111 |
| SPRITAM..... | 49 |
| SPRYCEL | 41 |
| sps (with sorbitol)..... | 129 |
| sronyx | 111 |
| ssd..... | 115 |
| stavudine..... | 78 |
| STELARA..... | 145 |
| STIOLTO RESPIMAT | 164 |
| STIVARGA..... | 41 |
| STRENSIQ..... | 121 |
| streptomycin | 19 |
| STRIBILD..... | 78 |
| STRIVERDI RESPIMAT | 164 |
| SUBLOCADE..... | 17 |
| subvenite..... | 49 |
| subvenite starter (blue) kit..... | 50 |
| subvenite starter (green) kit.... | 50 |
| subvenite starter (orange) kit.. | 50 |
| sucralfate | 127 |
| sulfacetamide sodium..... | 124 |
| sulfacetamide sodium (acne) | 115 |
| sulfacetamide-prednisolone.. | 124 |
| sulfadiazine..... | 27 |
| sulfamethoxazole-trimethoprim | 27 |
| sulfasalazine..... | 150 |
| sulfatrim..... | 28 |
| sulindac..... | 16 |
| sumatriptan | 65 |
| sumatriptan succinate | 65 |
| SUNOSI..... | 167 |
| SUPPRELIN LA..... | 137 |
| SUPREP BOWEL PREP KIT | 130 |
| SUTENT | 42 |
| syeda | 111 |
| SYLATRON | 80 |
| SYLVANT..... | 42 |
| SYMBICORT | 161 |
| SYMDEKO | 165 |
| SYMFİ | 78 |
| SYMFİ LO..... | 78 |
| SYMLINPEN 120 | 57 |
| SYMLINPEN 60 | 57 |
| SYMPAZAN | 50 |
| SYMTUZA | 78 |
| SYNAGIS | 80 |
| SYNAREL..... | 137 |
| SYNERCID | 21 |
| SYNJARDY | 57 |
| SYNJARDY XR..... | 57 |
| SYNRIBO..... | 42 |
| SYNTHROID | 139 |
| T | |
| TABLOID..... | 42 |
| TABRECTA | 42 |
| tacrolimus | 118, 145 |
| tadalafil | 167 |
| tadalafil (pulm. hypertension) | 167 |
| TAFINLAR | 42 |
| TAGRISSO..... | 42 |
| TAKHZYRO | 155 |
| TALZENNA | 42 |
| tamoxifen | 42 |
| tamsulosin | 131 |
| TARGETIN | 42 |
| tarina 24 fe | 111 |
| tarina fe 1/20 (28)..... | 111 |
| TASIGNA | 42 |
| TAVALISSE | 85 |
| tazarotene | 119 |
| tazicef | 23 |
| TAZORAC | 119 |
| taztia xt | 93 |
| TAZVERIK..... | 42 |
| TDVAX | 148 |
| TECENTRIQ | 42 |
| TECFIDERA..... | 104 |
| TEFLARO | 23 |
| TEGSEDI | 155 |
| TEKURNA HCT | 99 |
| telmisartan..... | 89 |
| telmisartan-amlodipine | 89 |
| telmisartan-hydrochlorothiazid | 89 |
| temazepam | 19 |
| TEMIXYS | 78 |
| TEMODAR | 42 |
| temsirolimus..... | 42 |
| tencon | 14 |
| TENIVAC (PF)..... | 148 |
| tenofovir disoproxil fumarate | 78 |
| TEPEZZA | 122 |
| terazosin | 131 |
| terbinafine hcl | 62 |
| terbutaline | 164 |
| terconazole | 64 |
| teriparatide | 152 |
| testosterone | 132 |
| testosterone cypionate | 132 |
| testosterone enanthate | 132 |
| TETANUS,DIPHTHERIA TOX PED(PF)..... | 149 |
| tetrabenazine | 104 |
| tetracycline..... | 29 |
| THALOMID | 155 |

| | | | | | |
|------------------------------|---------|--------------------------------|------|-----------------------------|-----|
| theophylline | 164 | TRADJENTA | 57 | tri-lo-mili | 111 |
| theophylline in dextrose 5 % | 164 | tramadol | 14 | tri-lo-sprintec | 111 |
| thioridazine | 74 | tramadol-acetaminophen | 14 | trilyte with flavor packets | 130 |
| thiotepa | 42 | trandolapril | 90 | trimethoprim | 21 |
| thiothixene | 74 | tranexamic acid | 85 | tri-mili | 111 |
| THYMOGLOBULIN | 145 | TRANSDERM-SCOP | 67 | trimipramine | 55 |
| tiadylt er. | 93 | tranylcypromine | 54 | TRINTELLIX | 55 |
| tiagabine | 50 | TRAVASOL 10 % | 87 | tri-previfem (28) | 111 |
| TIBSOVO | 42 | TRAVATAN Z | 156 | TRIPTODUR | 137 |
| TICE BCG | 145 | travoprost | 156 | TRISENOX | 43 |
| tigecycline | 29 | TRAZIMERA | 43 | tri-sprintec (28) | 111 |
| TIGLUTIK | 104 | trazodone | 55 | TRIUMEQ | 78 |
| tilia fe | 111 | TREANDA | 43 | trivora (28) | 111 |
| timolol maleate | 92, 156 | TRECATOR | 66 | tri-vylibra | 112 |
| tinidazole | 68 | TRELEGY ELLIPTA | 164 | tri-vylibra lo | 111 |
| TIVICAY | 78 | TRELSTAR | 43 | TRODELVY | 43 |
| TIVICAY PD | 78 | TRESIBA FLEXTOUCH U-100 | 59 | TROGARZO | 79 |
| tizanidine | 166 | TRESIBA FLEXTOUCH U-200 | 59 | TROKENDI XR | 50 |
| TOBI PODHALER | 20 | TRESIBA U-100 INSULIN | 59 | TROPHAMINE 10 % | 87 |
| TOBRADEX | 124 | tretinoin | 119 | tropicamide | 122 |
| TOBRADEX ST | 125 | tretinoin (antineoplastic) | 43 | trospium | 131 |
| tobramycin | 20, 125 | tretinoin microspheres | 119 | TRULICITY | 57 |
| tobramycin in 0.225 % nacl | 20 | tri femynor | 111 | TRUMENBA | 149 |
| tobramycin in 0.9 % nacl | 20 | triacminolone acetonide | 113, | TRUVADA | 79 |
| tobramycin sulfate | 20 | 118, 135 | | TRUXIMA | 43 |
| tobramycin-dexamethasone | 125 | triamterene-hydrochlorothiazid | 97 | TUDORZA PRESSAIR | 164 |
| TOLAK | 114 | trianex | 118 | TUKYSA | 43 |
| tolazamide | 60 | triderm | 118 | tulana | 112 |
| tolbutamide | 60 | TRIDESILON | 118 | TURALIO | 43 |
| tolcapone | 70 | trientine | 132 | TWINRIX (PF) | 149 |
| tolmetin | 16 | tri-estarrylla | 111 | TYBOST | 155 |
| tolterodine | 131 | trifluoperazine | 74 | tydemy | 112 |
| topiramate | 50 | trifluridine | 125 | TYKERB | 43 |
| toposar | 42 | trihexyphenidyl | 70 | TYMLOS | 152 |
| topotecan | 42 | TRIKAFTA | 165 | TYPHIM VI | 149 |
| toremifene | 43 | tri-legest fe | 111 | TYSABRI | 145 |
| torsemide | 97 | tri-linyah | 111 | TYVASO | 168 |
| TOUJE MAX U-300 | | tri-lo-estarrylla | 111 | TYZINE | 122 |
| SOLOSTAR | 59 | tri-lo-marzia | 111 | U | |
| TOUJE SOLOSTAR U-300 | | | | UBRELVY | 65 |
| INSULIN | 59 | | | UDENYCA | 85 |
| TRACLEER | 167 | | | UNITROID | 139 |

| | |
|--------------------------------------|----------|
| UNITUXIN | 43 |
| UPTRAVI..... | 168 |
| ursodiol..... | 129 |
| UVADEX | 114 |
| V | |
| valacyclovir | 81 |
| VALCHLOR | 114 |
| valganciclovir | 81 |
| valproate sodium | 50 |
| valproic acid | 50 |
| valproic acid (as sodium salt) | 50 |
| valrubicin..... | 43 |
| valsartan | 89 |
| valsartan-hydrochlorothiazide | 89 |
| VALSTAR | 43 |
| VALTOCO..... | 50 |
| vancomycin | 21 |
| VANCOMYCIN | 21 |
| vancomycin in dextrose 5 % | 21 |
| vancomycin-water inject (peg) | 21 |
| VANTAS..... | 137 |
| VAQTA (PF)..... | 149 |
| VARIVAX (PF) | 149 |
| VARIZIG | 145 |
| VARUBI..... | 67 |
| VASCEPA..... | 99 |
| VASOSTRICT | 137 |
| VECTIBIX | 43 |
| velvet triphasic regimen (28) | 112 |
| VELPHORO..... | 130 |
| VELTASSA | 129 |
| VEMLIDY | 79 |
| VENCLEXTA..... | 43 |
| VENCLEXTA STARTING PACK | 44 |
| venlafaxine | 55 |
| VENTAVIS | 168 |
| verapamil | 93, 94 |
| VERSACLOZ | 74 |
| VERZENIO..... | 44 |
| V-GO 40 | 120 |
| VICTOZA..... | 57 |
| VIDEX 2 GRAM PEDIATRIC | 79 |
| VIDEX EC..... | 79 |
| vienna..... | 112 |
| vigabatrin | 50 |
| vigadronе | 50 |
| VIIBRYD..... | 55 |
| VIMPAT | 50, 51 |
| vinblastine..... | 44 |
| vincasar pfs | 44 |
| vincristine | 44 |
| vinorelbine | 44 |
| viorele (28) | 112 |
| VIRACEPT..... | 79 |
| VIREAD | 79 |
| VITRAKVI..... | 44 |
| VIVITROL | 17 |
| VIZIMPRO | 44 |
| volnea (28) | 112 |
| voriconazole..... | 63 |
| VOTRIENT | 44 |
| VPRI..... | 121 |
| VRAYLAR | 74 |
| VUMERTY | 104 |
| VYEPTI..... | 65 |
| vyfemla (28) | 112 |
| vylibra..... | 112 |
| VYNDAMAX | 95 |
| VYNDAQEL | 95 |
| VYONDYS-53 | 155 |
| VYXEOS | 44 |
| VYZULTA | 156 |
| W | |
| warfarin..... | 83 |
| water for irrigation, sterile ... | 150 |
| wera (28) | 112 |
| wixela inhub | 162 |
| wymzya fe..... | 112 |
| X | |
| XALKORI | 44 |
| XARELTO | 83 |
| XARELTO DVT-PE TREAT 30D START | 83 |
| XATMEP | 44 |
| XCOPRI | 51 |
| XCOPRI MAINTENANCE PACK | 51 |
| XCOPRI TITRATION PACK | 51 |
| XELJANZ | 145 |
| XELJANZ XR | 145 |
| XELPROS | 157 |
| XENLETA | 22 |
| XERMELO | 129 |
| XGEVA | 152 |
| XXIIDRA | 126 |
| XOFLUZA | 80 |
| XOLAIR | 165, 166 |
| XOSPATA | 44 |
| XPOVIO | 44, 45 |
| XTANDI | 45 |
| xulane | 112 |
| XULTOPHY 100/3.6 | 59 |
| XYREM | 167 |
| Y | |
| YERVOY | 45 |
| YF-VAX (PF) | 149 |
| YONDELIS | 45 |
| YONSA | 45 |
| YUPELRI | 164 |
| yuvafem..... | 134 |
| Z | |
| zafirlukast | 162 |
| zaleplon | 167 |
| ZALTRAP | 45 |
| ZANOSAR | 45 |
| zarah | 112 |
| zebutal | 14 |
| ZEJULA | 45 |
| ZELBORAF | 45 |
| zenatane | 114 |
| zenchent (28)..... | 112 |

| | | | | | |
|----------------------------|-----|---|-----|------------------------|-----|
| ZENPEP | 121 | ZOLADEX | 45 | ZORBTIVE..... | 137 |
| ZEPZELCA | 45 | zoledronic acid..... | 152 | ZORTRESS..... | 145 |
| ZERBAXA | 23 | zoledronic acid-mannitol-water | 152 | ZOSTAVAX (PF)..... | 149 |
| zidovudine | 79 | zoledronic ac-mannitol-0.9nacl | 152 | zovia 1/35e (28) | 112 |
| ZIEXTENZO..... | 85 | ZOLINZA..... | 45 | ZULRESSO | 55 |
| zileuton | 162 | zolmitriptan..... | 65 | zumandimine (28) | 112 |
| ZINPLAVA | 145 | zolpidem | 167 | ZYCLARA..... | 114 |
| ZIOPTAN (PF)..... | 157 | zonisamide | 51 | ZYDELIG | 45 |
| ziprasidone hcl..... | 74 | ZONTIVITY..... | 86 | ZYKADIA | 45 |
| ziprasidone mesylate | 75 | | | ZYPREXA RELPREVV | 75 |
| ZIRGAN | 125 | | | ZYTIGA..... | 46 |

This formulary was updated on December 1, 2020. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711, 8 a.m. to 8 p.m. (7 days a week, Oct. – Mar.) or 8 a.m. to 8 p.m. (Mon. – Fri., April – Sept.) or 8 a.m. to 2 p.m. (Sat, April- Sept.) or visit www.GeisingerGold.com