

Geisinger Gold Standard Rx
2020 Formulary
(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE
COVER IN THIS PLAN**

This formulary was updated on December 1, 2020. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711 8 a.m. to 8 p.m. (7 days a week, Oct. – Mar.) or 8 a.m. to 8 p.m. (Mon. – Fri., April – Sept.) or 8 a.m. to 2 p.m. (Sat, April-Sept.) or visit www.GeisingerGold.com

GHS_20517_000_15622_01012020_v18

Version 18

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us”, or “our,” it means Geisinger Health Plan. When it refers to “plan” or “our plan,” it means Geisinger Gold Standard Rx.

This document includes a list of the drugs (formulary) for our plan which is current as of December 1, 2020. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

Geisinger Gold Medicare Advantage HMO, PPO, and HMO SNP plans are offered by Geisinger Health Plan/Geisinger Indemnity Insurance Company, health plans with a Medicare contract. Continued enrollment in Geisinger Gold depends on annual contract renewal. The formulary may change at any time. You will receive notice when necessary.

What is the Geisinger Gold Standard Rx Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Geisinger Gold network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Geisinger Gold Standard Rx Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Geisinger Gold Standard Rx Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of December 1, 2020. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If nonmaintenance

changes are made to the formulary during the plan year, we will communicate these changes in the member newsletter and within the monthly explanation of benefits (EOB).

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 8. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from the plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides up to 16 tablets per prescription for sumatriptan. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 9. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Geisinger Gold Standard Rx formulary?" for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Geisinger Gold Standard Rx Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.

- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, or utilization restriction exception. **When you request a formulary or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception. For members being admitted to or discharged from a LTC facility, early refill edits are not used to limit appropriate and necessary access to their Part D benefit, and such enrollees are allowed to access a refill upon admission or discharge.

For more information

For more detailed information about your Geisinger Gold Standard Rx prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Geisinger Gold Standard Rx Formulary

The formulary that begins on page 8 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., BREO ELLIPTA) and generic drugs are listed in lower-case italics (e.g., *simvastatin*).

The information in the Requirements/Limits column tells you if <Plan Name> has any special requirements for coverage of your drug.

The following Utilization Management abbreviations may be found within the body of this document COVERAGE NOTES ABBREVIATIONS

ABBREVIATION	DESCRIPTION	EXPLANATION
General		
	<i>Generic</i> (BRAND)	The reference brand name in parenthesis is provided for information only to assist in identifying the generic medication and does NOT indicate formulary status or coverage.
Utilization Management Restrictions		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from our plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 years or older are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.

PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
QL	Quantity Limit Restriction	Our plan limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before our plan will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

The following additional coverage note abbreviations may be found within the body of this document
OTHER SPECIAL REQUIREMENTS FOR COVERAGE

ABBREVIATION	DESCRIPTION	EXPLANATION
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Services at (800) 988-4861, 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March- Sept.). TTY/TDD users should call 711.
NM	Non-Mail Order Drug	Drugs <u>not</u> available via your mail order benefit are noted with “NM” in the Requirements/Limits column of your formulary.
NDS	Non-Extended Days Supply	Drugs <u>not</u> available for an extended days supply (i.e. more than a one month supply) are noted with “NDS” in the Requirements/Limits column of your formulary.

Every medication on the Geisinger Gold Standard Rx formulary is in a single cost-sharing tier, which is associated with a 25% coinsurance. Please note: what you pay for your medication depends on which “drug payment stage” you are in when you get the medication, where you get the medication filled, and if you qualify for any additional payment assistance.

If you also receive Pennsylvania Medical Assistance (Medicaid) benefits, some drugs that are not covered by our plan may be covered by your Pennsylvania Medical Assistance (Medicaid) coverage. To find out which drugs are covered by Pennsylvania Medical Assistance, please contact your local Human Services/County Assistance Office, or call the Pennsylvania Medical Assistance Benefit Helpline at 1-800-692-7462 for more information.

If you are a member of an employer group, these prices may not apply to you. Please refer to your benefit documents for appropriate cost sharing amounts.

Table of Contents

Analgesics	11
Anesthetics	16
Anti-Addiction/Substance Abuse Treatment Agents	16
Antianxiety Agents	17
Antibacterials	19
Anticancer Agents	29
Anticholinergic Agents	46
Anticonvulsants	46
Antidementia Agents	51
Antidepressants	51
Antidiabetic Agents	55
Antifungals	60
Antigout Agents	62
Antihistamines	63
Anti-Infectives (Skin And Mucous Membrane)	63
Antimigraine Agents	64
Antimycobacterials	65
Antinausea Agents	66
Antiparasite Agents	67
Antiparkinsonian Agents	68
Antipsychotic Agents	70
Antivirals (Systemic)	75
Blood Products/Modifiers/Volume Expanders	81
Caloric Agents	85
Cardiovascular Agents	87
Central Nervous System Agents	100
Contraceptives	104

Dental And Oral Agents	112
Dermatological Agents	112
Devices	119
Enzyme Replacement/Modifiers	119
Eye, Ear, Nose, Throat Agents	121
Gastrointestinal Agents	126
Genitourinary Agents	130
Heavy Metal Antagonists	131
Hormonal Agents, Stimulant/Replacement/Modifying	131
Immunological Agents	139
Inflammatory Bowel Disease Agents	149
Irrigating Solutions	150
Metabolic Bone Disease Agents	150
Miscellaneous Therapeutic Agents	152
Ophthalmic Agents	155
Replacement Preparations	156
Respiratory Tract Agents	159
Skeletal Muscle Relaxants	165
Sleep Disorder Agents	166
Vasodilating Agents	167
Vitamins And Minerals	168

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution</i> 120-12 mg/5 ml	1	NM; NDS; QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-15 mg	1	NM; NDS; QL (390 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-30 mg	1	NM; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet</i> 300-60 mg	1	NM; NDS; QL (180 per 30 days)
<i>buprenorphine hcl injection solution</i> (Buprenex) 0.3 mg/ml	1	NM; NDS
<i>buprenorphine hcl injection syringe</i> 0.3 mg/ml	1	NM; NDS
<i>buprenorphine transdermal patch</i> (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour	1	NM; NDS; QL (4 per 28 days)
<i>butalbital-acetaminophen oral tablet</i> (Tencon) 50-325 mg	1	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-300-40 mg (Fioricet)	1	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule</i> 50-325-40 mg (Zebutal)	1	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet</i> 50-325-40 mg (Esgic)	1	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule</i> 50-325-40 mg (Fiorinal)	1	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet</i> 50-325-40 mg	1	QL (180 per 30 days)
<i>butorphanol injection solution</i> 1 mg/ml, 2 mg/ml	1	NM; NDS
<i>butorphanol nasal spray,non-aerosol</i> 10 mg/ml	1	NM; NDS; QL (5 per 28 days)
<i>endocet oral tablet</i> 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg	1	NM; NDS; QL (360 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle</i> 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg (Actiq)	1	PA; NM; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour</i> 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr (Duragesic)	1	NM; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution</i> 7.5-325 mg/15 ml	1	NM; NDS; QL (2700 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i>	(Vicodin HP)	1	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i>	(Lorcet HD)	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i>		1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg, 7.5-300 mg</i>		1	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg, 7.5-325 mg</i>	(Norco)	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg</i>	(Ibudone)	1	NM; NDS; QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 5-200 mg, 7.5-200 mg</i>		1	NM; NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 mg/ml, 4 mg/ml</i>		1	NM; NDS
<i>hydromorphone injection solution 1 mg/ml</i>		1	NM; NDS
<i>hydromorphone injection syringe 2 mg/ml</i>		1	NM; NDS
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i>	(Dilaudid)	1	NM; NDS; QL (180 per 30 days)
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>		1	NM; NDS; QL (28 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY		1	PA; NM; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>		1	NM; NDS
<i>methadone oral concentrate 10 mg/ml</i>	(Methadone Intensol)	1	NM; NDS; QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>		1	NM; NDS; QL (900 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>		1	NM; NDS; QL (1800 per 30 days)
<i>methadone oral tablet 10 mg</i>	(Dolophine)	1	NM; NDS; QL (180 per 30 days)
<i>methadone oral tablet 5 mg</i>	(Dolophine)	1	NM; NDS; QL (360 per 30 days)
<i>methadose oral tablet, soluble 40 mg</i>		1	NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>morphine (pf) in 0.9 % sod chl intravenous pt controlled analgesia syring 30 mg/30 ml (1 mg/ml)</i>	1	NM; NDS
<i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml</i> (Duramorph (PF))	1	NM; NDS
<i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml</i>	1	NM; NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	NM; NDS; QL (200 per 30 days)
<i>morphine injection solution 5 mg/ml</i>	1	NM; NDS
MORPHINE INJECTION SYRINGE 10 MG/ML	1	NM; NDS
<i>morphine injection syringe 2 mg/ml, 4 mg/ml, 5 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>morphine oral capsule, er multiphase 24 hr 75 mg, 90 mg</i>	1	NM; NDS; QL (60 per 30 days)
<i>morphine oral capsule,extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg</i> (Kadian)	1	NM; NDS; QL (60 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	NM; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	NM; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG, 30 MG	1	NM; NDS; QL (180 per 30 days)
<i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i> (MS Contin)	1	NM; NDS; QL (90 per 30 days)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	1	
<i>oxycodone oral capsule 5 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	1	NM; NDS; QL (1300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxycodone oral tablet 10 mg, 20 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg, 5 mg</i> (Roxicodone)	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	1	ST; NM; NDS; QL (90 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> (Endocet)	1	NM; NDS; QL (360 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	NM; NDS; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	1	ST; NM; NDS; QL (90 per 30 days)
<i>oxymorphone oral tablet 10 mg, 5 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>phrenilin forte(with caffeine) oral capsule 50-300-40 mg</i>	1	QL (180 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	1	QL (180 per 30 days)
<i>tramadol oral capsule,er biphas 24 hr 17-83 300 mg</i> (ConZip)	1	NM; NDS; QL (30 per 30 days)
<i>tramadol oral capsule,er biphas 24 hr 25-75 100 mg, 200 mg</i> (ConZip)	1	NM; NDS; QL (30 per 30 days)
<i>tramadol oral tablet 100 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	NM; NDS; QL (240 per 30 days)
<i>tramadol oral tablet extended release 24 hr 100 mg, 200 mg, 300 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>tramadol oral tablet, er multiphas 24 hr 100 mg, 200 mg, 300 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	1	NM; NDS; QL (240 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	1	QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	1	
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	1	PA; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac potassium oral tablet 50 mg</i>	1	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	1	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	1	
<i>diclofenac sodium topical gel 1 %</i> (Arthritis Pain (diclofenac))	1	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	
<i>diflunisal oral tablet 500 mg</i>	1	
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	
<i>etodolac oral tablet 500 mg</i>	1	
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	1	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	1	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	1	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	1	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	1	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	1	
<i>meclofenamate oral capsule 100 mg, 50 mg</i>	1	
<i>mefenamic acid oral capsule 250 mg</i>	1	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Relafen)	1	
<i>naproxen oral suspension 125 mg/5 ml</i> (Naprosyn)	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	1	
<i>naproxen sodium oral tablet 275 mg</i>	1	
<i>naproxen sodium oral tablet 550 mg</i> (Anaprox DS)	1	
<i>oxaprozin oral tablet 600 mg</i> (Daypro)	1	
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	1	
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
<i>tolmetin oral capsule 400 mg</i>	1	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	1	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	PA BvD; (PA for ESRD only)
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	PA BvD; (PA for ESRD only)
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i> (Xylocaine (Cardiac (PF)))	1	PA BvD; (PA for ESRD only)
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	PA BvD; (PA for ESRD only)
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	
<i>lidocaine topical adhesive patch, medicated 5 %</i> (Lidoderm)	1	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	1	PA BvD; (PA for ESRD only)
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	1	PA BvD; (PA for ESRD only)
LIDOTREX TOPICAL GEL 2 %-1 % -1.2 %	1	
PRILOVIXIL TOPICAL KIT 2.5-2.5 %	1	PA BvD
Anti-Addiction/Substance Abuse Treatment Agents		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	1	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	1	NM; NDS; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>	1	QL (60 per 30 days)
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	1	QL (60 per 30 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	1	QL (60 per 30 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	1	QL (53 per 180 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	1	
LUCEMYRA ORAL TABLET 0.18 MG	1	PA; NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	
<i>naltrexone oral tablet 50 mg</i>	1	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	1	QL (4 per 28 days)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	1	
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	1	NM; NDS; (1 syringe); QL (0.5 per 28 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	1	NM; NDS; (1 syringe); QL (1.5 per 28 days)
VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG	1	NM; NDS
Antianxiety Agents		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Benzodiazepines		
ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML	1	NM; NDS; QL (300 per 30 days)
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NM; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg</i> (Xanax XR)	1	NM; NDS; QL (30 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 2 mg</i> (Xanax XR)	1	NM; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	1	NM; NDS; QL (90 per 30 days)
<i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet, disintegrating 2 mg</i>	1	NM; NDS; QL (150 per 30 days)
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	NM; NDS; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	1	NM; NDS; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	NM; NDS; QL (120 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	1	NM; NDS; QL (240 per 30 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	1	NM; NDS; QL (240 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	NM; NDS; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	NM; NDS; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg, 2 mg</i>	1	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	NM; NDS; QL (120 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	1	NM; NDS; QL (90 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	NM; NDS; QL (120 per 30 days)
<i>lorazepam injection syringe 4 mg/ml</i>	1	NM; NDS; QL (90 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i> (Lorazepam Intensol)	1	NM; NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> (Ativan)	1	NM; NDS
<i>meprobamate oral tablet 200 mg, 400 mg</i>	1	PA; NM; NDS; PA-HRM; AGE (Max 64 Years)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg, 7.5 mg</i> (Restoril)	1	NM; NDS; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	1	
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	1	PA; NM; LA; NDS; QL (224 per 56 days)
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	1	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	1	PA; NM; NDS; QL (224 per 56 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	1	PA; NM; NDS; QL (280 per 28 days)
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	1	
<i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)	1	PA; NM; NDS; QL (224 per 56 days)
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	1	
Antibacterials, Miscellaneous		
<i>baciim intramuscular recon soln 50,000 unit</i>	1	
<i>bacitracin intramuscular recon soln 50,000 unit</i>	1	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	1	
<i>clindamycin 75 mg/5 ml soln 75 mg/5 ml</i> (Clindamycin Pediatric)	1	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	1	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	1	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	1	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i>	1	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	1	
<i>daptomycin intravenous recon soln 350 mg</i>	1	
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	1	
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lincomycin injection solution 300 mg/ml</i> (Lincocin)	1	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	1	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	1	
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	QL (60 per 30 days)
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	
<i>metronidazole oral capsule 375 mg</i> (Flagyl)	1	
<i>metronidazole oral tablet 250 mg</i>	1	
<i>metronidazole oral tablet 500 mg</i> (Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	1	
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	1	
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG	1	PA; NM; NDS; QL (6 per 30 days)
SIVEXTRO ORAL TABLET 200 MG	1	PA; NM; NDS; QL (6 per 30 days)
SYNERCID INTRAVENOUS RECON SOLN 500 MG	1	PA; NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	1	
VANCOMYCIN INTRAVENOUS RECON SOLN 1.5 GRAM	1	
<i>vancomycin oral capsule 125 mg, 250 mg</i> (Vancocin)	1	
<i>vancomycin oral recon soln 50 mg/ml</i> (Firvanq)	1	
<i>vancomycin-water inject (peg) intravenous piggyback 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XENLETA INTRAVENOUS SOLUTION 150 MG/15 ML	1	PA; NM; NDS; QL (60 per 30 days)
XENLETA ORAL TABLET 600 MG	1	PA; NM; NDS; QL (60 per 30 days)
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	1	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	
<i>cefadroxil oral tablet 1 gram</i>	1	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefditoren pivoxil oral tablet 200 mg</i>	1	
<i>cefditoren pivoxil oral tablet 400 mg</i> (Spectracef)	1	
<i>cefepime injection recon soln 1 gram, 2 gram</i>	1	
<i>cefixime oral capsule 400 mg</i> (Suprax)	1	
<i>cefotaxime injection recon soln 1 gram</i>	1	
<i>cefotetan injection recon soln 1 gram, 2 gram</i> (Cefotan)	1	
<i>cefotetan intravenous recon soln 10 gram</i>	1	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	
<i>ceftazidime injection recon soln 1 gram, 6 gram</i> (Tazicef)	1	
<i>ceftazidime injection recon soln 2 gram</i> (Fortaz)	1	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i> (Keflex)	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	
FETROJA INTRAVENOUS RECON SOLN 1 GRAM	1	PA; NM; NDS; QL (112 per 14 days)
<i>tazicef injection recon soln 1 gram, 6 gram</i>	1	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	1	
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	1	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	
<i>azithromycin oral packet 1 gram</i> (Zithromax)	1	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	
<i>azithromycin oral tablet 250 mg</i> (Zithromax)	1	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 500 mg</i> (Zithromax)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	
<i>e.e.s. 400 oral tablet 400 mg</i>	1	
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 500 mg</i>	1	
ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 333 MG	1	
<i>erythrocin (as stearate) oral tablet 250 mg</i>	1	
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	1	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	
<i>erythromycin ethylsuccinate oral tablet 400 mg</i> (E.E.S. 400)	1	
<i>erythromycin oral capsule, delayed release (dr/ec) 250 mg</i>	1	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	
<i>erythromycin oral tablet, delayed release (dr/ec) 250 mg, 333 mg, 500 mg</i> (Ery-Tab)	1	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	1	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	1	PA; NM; LA; NDS; QL (84 per 28 days)
<i>doripenem intravenous recon soln 250 mg, 500 mg</i>	1	
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	
<i>meropenem intravenous recon soln 1 gram</i> (Merrem)	1	
<i>meropenem intravenous recon soln 500 mg</i> (Merrem)	1	
<i>meropenem-0.9% nacl 500 mg/500 mg/50 ml</i>	1	
RECARBRIO INTRAVENOUS RECON SOLN 1.25 GRAM	1	PA; NM; NDS; QL (56 per 14 days)
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	1	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	1	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	1	
<i>nafcillin injection recon soln 1 gram</i>	1	
<i>nafcillin injection recon soln 10 gram, 2 gram</i>	1	
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	1	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	1	
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>	1	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	1	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i>	1	
Quinolones		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BAXDELA INTRAVENOUS RECON SOLN 300 MG	1	PA; NM; NDS
BAXDELA ORAL TABLET 450 MG	1	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i>	1	QL (30 per 30 days)
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i>	1	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i>	1	
<i>moxifloxacin 400 mg/250 ml bag 400 mg/250 ml</i>	1	
<i>moxifloxacin oral tablet 400 mg</i>	1	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	1	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	1	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	1	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	1	
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	
<i>doxy-100 intravenous recon soln 100 mg</i>	1	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 75 mg</i>	1	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg, 50 mg</i> (Doryx)	1	
<i>doxycycline monohydrate oral capsule 100 mg, 75 mg</i> (Mondoxyne NL)	1	
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	
<i>doxycycline monohydrate oral capsule 50 mg</i> (Monodox)	1	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	1	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	1	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>	1	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	1	
<i>minocycline oral tablet extended release 24 hr 135 mg</i> (CoreMino)	1	
<i>minocycline oral tablet extended release 24 hr 45 mg, 90 mg</i> (CoreMino)	1	QL (30 per 30 days)
NUZYRA (7 DAY WITH LOAD DOSE) ORAL TABLET 150 MG	1	PA; NM; NDS; QL (30 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUZYRA (7 DAY) ORAL TABLET 150 MG	1	PA; NM; NDS; QL (30 per 14 days)
NUZYRA INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS; QL (15 per 14 days)
NUZYRA ORAL TABLET 150 MG	1	PA; NM; NDS; QL (30 per 14 days)
<i>okebo oral capsule 75 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	1	
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i> (Zytiga)	1	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	1	PA NSO; NM; NDS
ADCETRIS INTRAVENOUS RECON SOLN 50 MG	1	PA NSO; NM; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	1	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG	1	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	1	PA NSO; NM; LA; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	1	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	1	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	1	PA NSO; NM; LA; NDS; QL (30 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	1	PA NSO; NM; NDS
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	1	
<i>arsenic trioxide intravenous solution 2 mg/ml</i> (Trisenox)	1	
ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML	1	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	1	NM; LA; NDS
AYVAKIT ORAL TABLET 100 MG, 200 MG, 300 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	1	NM; NDS
BALVERSA ORAL TABLET 3 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
BALVERSA ORAL TABLET 4 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
BALVERSA ORAL TABLET 5 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	1	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	1	NM; NDS
BESPOLSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	1	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	1	NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	QL (30 per 30 days)
BLENREP INTRAVENOUS RECON SOLN 100 MG	1	PA NSO; NM; NDS
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	PA BvD
BLINCYTO INTRAVENOUS KIT 35 MCG	1	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	1	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BOSULIF ORAL TABLET 400 MG, 500 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)	1	
CABOMETYX ORAL TABLET 20 MG, 60 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i> (Paraplatin)	1	
<i>carmustine intravenous recon soln 100 mg</i> (BiCNU)	1	
<i>cisplatin intravenous recon soln 50 mg</i>	1	
<i>cisplatin intravenous solution 1 mg/ml</i>	1	
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	PA BvD
<i>clofarabine intravenous solution 20 mg/20 ml</i> (Clolar)	1	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	1	PA NSO; NM; LA; NDS; QL (90 per 30 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
COTELLIC ORAL TABLET 20 MG	1	PA NSO; NM; LA; NDS; QL (90 per 30 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	
<i>cyclophosphamide intravenous solution 200 mg/ml</i>	1	
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	1	PA BvD
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO; NM; NDS
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	1	PA BvD
<i>cytarabine injection solution 20 mg/ml</i>	1	PA BvD
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	1	
<i>dactinomycin intravenous recon soln 0.5 mg (Cosmegen)</i>	1	
DARZALEX 100 MG/5 ML VIAL 20 MG/ML	1	PA NSO; NM; LA; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; NM; NDS
<i>daunorubicin intravenous recon soln 20 mg</i>	1	
<i>daunorubicin intravenous solution 5 mg/ml</i>	1	
DAURISMO ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg (Dacogen)</i>	1	PA NSO; NM; NDS
DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml, 80 mg/8 ml (10 mg/ml)</i>	1	
<i>docetaxel intravenous solution 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> (Taxotere)	1	
<i>doxorubicin intravenous recon soln 10 mg, 50 mg</i> (Adriamycin)	1	PA BvD
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	1	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	1	
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	1	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	1	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	1	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	1	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	1	
EMCYT ORAL CAPSULE 140 MG	1	
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	1	PA NSO; NM; NDS
ENHERTU INTRAVENOUS RECON SOLN 100 MG	1	PA NSO; NM; NDS
<i>epirubicin intravenous recon soln 200 mg, 50 mg</i>	1	
<i>epirubicin intravenous solution 200 mg/100 ml, 50 mg/25 ml</i> (Ellence)	1	
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	1	NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>erlotinib oral tablet 100 mg, 150 mg</i> (Tarceva)	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>erlotinib oral tablet 25 mg</i> (Tarceva)	1	PA NSO; NM; NDS; QL (90 per 30 days)
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	1	PA NSO; NM; NDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	1	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	
<i>everolimus (antineoplastic) oral tablet 2.5 mg</i> (Afinitor)	1	PA NSO; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet 5 mg, 7.5 mg</i> (Afinitor)	1	PA NSO; NM; NDS; QL (28 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	1	PA NSO; NM; LA; NDS; QL (6 per 21 days)
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	1	NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	1	
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD
<i>fludarabine intravenous recon soln 50 mg</i>	1	
<i>fludarabine intravenous solution 50 mg/2 ml</i>	1	
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>	1	PA BvD
<i>flutamide oral capsule 125 mg</i>	1	
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	1	NM; NDS
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	1	NM; NDS
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	1	PA NSO; NM; LA; NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	1	
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	1	
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	1	PA NSO; NM; NDS
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	1	NM; NDS; QL (5 per 21 days)
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	1	PA BvD; NM; NDS
HERZUMA INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	1	PA NSO; NM; LA; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	1	PA NSO; NM; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>idarubicin intravenous solution 1 mg/ml</i> (Idamycin PFS)	1	
IDHIFA ORAL TABLET 100 MG, 50 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i> (Ifex)	1	PA BvD
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	PA BvD
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	NM; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	1	PA NSO; NM; NDS; QL (4 per 180 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	1	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	1	PA NSO; NM; LA; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	1	PA NSO; NM; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar)	1	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	1	PA NSO; NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	1	PA NSO; NM; NDS
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	1	PA NSO; NM; LA; NDS
KANJINTI INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA BvD; NM; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	1	PA NSO; NM; NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG	1	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	1	PA NSO; NM; NDS; QL (63 per 28 days)
KOSELUGO ORAL CAPSULE 10 MG	1	PA NSO; NM; NDS; QL (240 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	1	PA NSO; NM; NDS
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	1	PA NSO; NM; NDS; QL (180 per 30 days)
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML	1	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1)	1	PA NSO; NM; LA; NDS; QL (90 per 30 days)
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2)	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	1	PA NSO; NM; NDS
LONSURF ORAL TABLET 15-6.14 MG	1	PA NSO; NM; LA; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	1	PA NSO; NM; LA; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	1	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	1	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	1	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	1	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	1	NM; NDS
LYNPARZA ORAL TABLET 100 MG, 150 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	1	
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	1	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	1	NM; LA; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	
MEKINIST ORAL TABLET 0.5 MG	1	PA NSO; NM; LA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MEKINIST ORAL TABLET 2 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln</i> (Alkeran (as HCl)) 50 mg	1	
<i>mercaptopurine oral tablet</i> 50 mg	1	
<i>methotrexate sodium (pf) injection recon soln</i> 1 gram	1	PA BvD
<i>methotrexate sodium (pf) injection solution</i> 25 mg/ml	1	
<i>methotrexate sodium injection solution</i> 25 mg/ml	1	
<i>methotrexate sodium oral tablet</i> 2.5 mg	1	
<i>mitomycin intravenous recon soln</i> 20 (Mutamycin) mg, 40 mg, 5 mg	1	PA BvD
<i>mitoxantrone intravenous concentrate</i> 2 mg/ml	1	
MONJUVI INTRAVENOUS RECON SOLN 200 MG	1	PA NSO; NM; NDS
MVASI INTRAVENOUS SOLUTION 25 MG/ML	1	NM; NDS
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	1	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	1	PA NSO; NM; LA; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet</i> 150 mg (Nilandron)	1	QL (60 per 30 days)
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	1	PA NSO; NM; NDS; QL (3 per 28 days)
NIPENT INTRAVENOUS RECON SOLN 10 MG	1	
NUBEQA ORAL TABLET 300 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	PA BvD; NM; NDS
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	1	NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	1	PA NSO; NM; NDS
ONTRUZANT INTRAVENOUS RECON SOLN 150 MG, 420 MG	1	NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	1	PA NSO; NM; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>	1	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	
PADCEV INTRAVENOUS RECON SOLN 20 MG, 30 MG	1	PA NSO; NM; NDS
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	1	PA NSO; NM; NDS; QL (14 per 21 days)
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	1	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	1	PA NSO; NM; NDS; QL (30 per 30 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	1	PA NSO; NM; NDS; QL (60 per 30 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG, 30 MG	1	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	1	PA NSO; NM; LA; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	1	PA NSO; NM; LA; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	1	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
QINLOCK ORAL TABLET 50 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML)	1	PA NSO; NM; NDS; QL (46.8 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1600 MG/13.4 ML (120 MG/ML)	1	PA NSO; NM; NDS; QL (13.4 per 28 days)
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	1	PA NSO; NM; LA; NDS
<i>romidepsin intravenous recon soln 10 mg/2 ml (Istodax)</i>	1	PA NSO; NM; NDS
<i>romidepsin intravenous solution 5 mg/ml</i>	1	PA NSO; NM; NDS
ROZLYTREK ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	1	PA NSO; NM; NDS; QL (224 per 28 days)
SARCLISA INTRAVENOUS SOLUTION 20 MG/ML	1	PA NSO; NM; NDS
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	1	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	1	PA NSO; NM; LA; NDS; QL (84 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	1	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	1	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	1	
TABRECTA ORAL TABLET 150 MG, 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	1	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TARGRETIN TOPICAL GEL 1 %	1	NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TAZVERIK ORAL TABLET 200 MG	1	PA NSO; NM; NDS; QL (240 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	1	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	1	
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i> (Torisel)	1	PA NSO; NM; NDS
<i>thiotepa injection recon soln 100 mg, 15 mg</i> (Tepadina)	1	
TIBSOVO ORAL TABLET 250 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	1	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	1	
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	
TRAZIMERA INTRAVENOUS RECON SOLN 420 MG	1	NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	1	NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	1	NM; NDS
<i>tretinoin (antineoplastic) oral capsule 10 mg</i>	1	NM; NDS
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	1	PA NSO; NM; NDS
TRODELVY INTRAVENOUS RECON SOLN 180 MG	1	PA NSO; NM; NDS
TRUXIMA INTRAVENOUS CONCENTRATE 10 MG/ML	1	PA NSO; NM; NDS
TUKYSA ORAL TABLET 150 MG, 50 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TURALIO ORAL CAPSULE 200 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
TYKERB ORAL TABLET 250 MG	1	PA NSO; NM; LA; NDS; QL (180 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	1	PA NSO; NM; NDS; QL (40 per 30 days)
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	1	
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	1	
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	1	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	1	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	1	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	1	PA NSO; LA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	1	PA NSO; NM; LA; NDS; QL (42 per 180 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	1	PA NSO; NM; LA; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	1	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	1	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	1	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	1	
VITRAKVI ORAL CAPSULE 100 MG	1	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	1	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	1	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	1	PA NSO; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	1	PA NSO
XOSPATA ORAL TABLET 40 MG	1	PA NSO; NM; NDS
XPOVIO ORAL TABLET 100 MG/WEEK (20 MG X 5)	1	PA NSO; NM; NDS; QL (20 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (20 MG X 2)	1	PA NSO; NM; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4)	1	PA NSO; NM; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 60 MG/WEEK (20 MG X 3)	1	PA NSO; NM; NDS; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	1	PA NSO; NM; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	1	PA NSO; NM; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	1	PA NSO; NM; LA; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	1	PA NSO; NM; LA; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	1	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	1	PA NSO; NM; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	1	PA NSO; NM; LA; NDS
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	1	
ZEJULA ORAL CAPSULE 100 MG	1	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	1	PA NSO; NM; LA; NDS; QL (240 per 30 days)
ZEPZELCA INTRAVENOUS RECON SOLN 4 MG	1	PA NSO; NM; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	1	
ZOLINZA ORAL CAPSULE 100 MG	1	NM; NDS; QL (120 per 30 days)
ZYDELIG ORAL TABLET 100 MG, 150 MG	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	1	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	1	PA NSO; NM; LA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYTIGA ORAL TABLET 500 MG	1	PA NSO; NM; LA; NDS; QL (60 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	1	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	1	PA NSO; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	1	PA NSO; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	1	PA NSO
BANZEL ORAL TABLET 200 MG, 400 MG	1	PA NSO
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	1	PA NSO
BRIVIACT ORAL SOLUTION 10 MG/ML	1	PA NSO; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	1	PA NSO; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	1	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	
CELONTIN ORAL CAPSULE 300 MG	1	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	1	
DIASTAT RECTAL KIT 2.5 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>	(Diastat AcuDial)	1	
<i>diazepam rectal kit 2.5 mg</i>	(Diastat)	1	
DILANTIN EXTENDED ORAL CAPSULE 100 MG		1	
DILANTIN INFATABS ORAL TABLET,CHEWABLE 50 MG		1	
DILANTIN ORAL CAPSULE 30 MG		1	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i>	(Depakote Sprinkles)	1	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i>	(Depakote ER)	1	
<i>divalproex oral tablet,delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i>	(Depakote)	1	
EPIDIOLEX ORAL SOLUTION 100 MG/ML		1	PA NSO
<i>epitol oral tablet 200 mg</i>		1	
<i>ethosuximide oral capsule 250 mg</i>	(Zarontin)	1	
<i>ethosuximide oral solution 250 mg/5 ml</i>	(Zarontin)	1	
<i>felbamate oral suspension 600 mg/5 ml</i>	(Felbatol)	1	
<i>felbamate oral tablet 400 mg, 600 mg</i>	(Felbatol)	1	
FINTEPLA ORAL SOLUTION 2.2 MG/ML		1	PA NSO; NM; NDS; QL (360 per 30 days)
<i>fospheyntoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i>	(Cerebyx)	1	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML		1	PA NSO; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG		1	PA NSO; QL (30 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i>	(Neurontin)	1	
<i>gabapentin oral solution 250 mg/5 ml</i>	(Neurontin)	1	
<i>gabapentin oral tablet 600 mg, 800 mg</i>	(Neurontin)	1	
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	1	
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	1	
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	1	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))	1	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	1	
<i>lamotrigine oral tablets,dose pack 25 mg (35)</i> (Subvenite Starter (Blue) Kit)	1	
<i>lamotrigine oral tablets,dose pack 25 mg (42) -100 mg (7)</i> (Subvenite Starter (Orange) Kit)	1	
<i>lamotrigine oral tablets,dose pack 25 mg (84) -100 mg (14)</i> (Subvenite Starter (Green) Kit)	1	
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	1	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LYRICA ORAL SOLUTION 20 MG/ML	1	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	1	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	1	PA NSO
PEGANONE ORAL TABLET 250 MG	1	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	1	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	1	
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	
SABRIL ORAL TABLET 500 MG	1	PA NSO; NM; LA; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG	1	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>subvenite starter (blue) kit oral tablets,dose pack 25 mg (35)</i>	1	
<i>subvenite starter (green) kit oral tablets,dose pack 25 mg (84) -100 mg (14)</i>	1	
<i>subvenite starter (orange) kit oral tablets,dose pack 25 mg (42) -100 mg (7)</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	1	PA NSO; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	1	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	
<i>topiramate oral capsule,sprinkle,er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR)	1	PA NSO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 50 MG	1	PA NSO
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>	1	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	
<i>valproic acid oral capsule 250 mg</i>	1	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	1	QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)	1	PA NSO; NM; NDS
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	1	PA NSO; NM; NDS
<i>vigadrone oral powder in packet 500 mg</i>	1	PA NSO; NM; NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	1	PA NSO
VIMPAT ORAL SOLUTION 10 MG/ML	1	PA NSO

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	1	PA NSO
XCOPRI MAINTENANCE PACK ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 350 MG/DAY (200 MG X1-150MG X1)	1	PA NSO; QL (60 per 30 days)
XCOPRI ORAL TABLET 100 MG, 50 MG	1	PA NSO; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	1	PA NSO; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14), 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	1	PA NSO; QL (28 per 180 days)
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	
<i>zonisamide oral capsule 50 mg</i>	1	
Antidementia Agents		
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet,disintegrating 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>	1	
<i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	
<i>memantine oral tablets,dose pack 5-10 mg</i> (Namenda Titration Pak)	1	
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i> (Exelon)	1	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG	1	QL (30 per 30 days)
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	QL (180 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	QL (30 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 450 mg</i> (Forfivo XL)	1	QL (30 per 30 days)
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	QL (60 per 30 days)
<i>citalopram oral solution 10 mg/5 ml</i>	1	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg</i> (Celexa)	1	QL (45 per 30 days)
<i>citalopram oral tablet 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	1	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	
DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG	1	ST; QL (30 per 30 days)
DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG	1	ST; QL (30 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG	1	PA NSO; QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	1	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	1	NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	QL (600 per 30 days)
<i>escitalopram oxalate oral tablet 10 mg, 5 mg</i> (Lexapro)	1	QL (45 per 30 days)
<i>escitalopram oxalate oral tablet 20 mg</i> (Lexapro)	1	QL (30 per 30 days)
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	1	PA NSO; QL (28 per 180 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	1	PA NSO; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg</i> (Prozac)	1	QL (90 per 30 days)
<i>fluoxetine oral capsule 20 mg</i> (Prozac)	1	QL (120 per 30 days)
<i>fluoxetine oral capsule 40 mg</i> (Prozac)	1	QL (60 per 30 days)
<i>fluoxetine oral capsule, delayed release(dr/ec) 90 mg</i>	1	QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	QL (600 per 30 days)
<i>fluoxetine oral tablet 10 mg</i> (Sarafem)	1	QL (90 per 30 days)
<i>fluoxetine oral tablet 20 mg</i> (Sarafem)	1	QL (120 per 30 days)
FLUOXETINE ORAL TABLET 60 MG	1	QL (30 per 30 days)
<i>fluvoxamine oral capsule, extended release 24hr 100 mg, 150 mg</i>	1	QL (60 per 30 days)
<i>fluvoxamine oral tablet 100 mg</i>	1	QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>	1	QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>	1	QL (45 per 30 days)
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	
MARPLAN ORAL TABLET 10 MG	1	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	QL (30 per 30 days)
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mirtazapine oral tablet, disintegrating</i> (Remeron SolTab) 15 mg, 30 mg, 45 mg	1	QL (30 per 30 days)
<i>nefazodone oral tablet</i> 100 mg, 150 mg, 250 mg, 50 mg	1	QL (60 per 30 days)
<i>nefazodone oral tablet</i> 200 mg	1	QL (90 per 30 days)
<i>nortriptyline oral capsule</i> 10 mg, 25 mg, 50 mg, 75 mg (Pamelor)	1	
<i>nortriptyline oral solution</i> 10 mg/5 ml	1	
<i>olanzapine-fluoxetine oral capsule</i> 12-25 mg	1	QL (30 per 30 days)
<i>olanzapine-fluoxetine oral capsule</i> 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg (Symbyax)	1	QL (30 per 30 days)
<i>paroxetine hcl oral tablet</i> 10 mg, 40 mg (Paxil)	1	QL (45 per 30 days)
<i>paroxetine hcl oral tablet</i> 20 mg (Paxil)	1	QL (30 per 30 days)
<i>paroxetine hcl oral tablet</i> 30 mg (Paxil)	1	QL (60 per 30 days)
<i>paroxetine hcl oral tablet extended release</i> 24 hr 12.5 mg (Paxil CR)	1	QL (30 per 30 days)
<i>paroxetine hcl oral tablet extended release</i> 24 hr 25 mg, 37.5 mg (Paxil CR)	1	QL (60 per 30 days)
PAXIL ORAL SUSPENSION 10 MG/5 ML	1	
<i>perphenazine-amitriptyline oral tablet</i> 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg	1	
PEXEVA ORAL TABLET 10 MG, 40 MG	1	QL (45 per 30 days)
PEXEVA ORAL TABLET 20 MG	1	QL (30 per 30 days)
PEXEVA ORAL TABLET 30 MG	1	QL (60 per 30 days)
<i>phenelzine oral tablet</i> 15 mg (Nardil)	1	
<i>protriptyline oral tablet</i> 10 mg, 5 mg	1	
<i>sertraline oral concentrate</i> 20 mg/ml (Zoloft)	1	QL (300 per 30 days)
<i>sertraline oral tablet</i> 100 mg (Zoloft)	1	QL (60 per 30 days)
<i>sertraline oral tablet</i> 25 mg, 50 mg (Zoloft)	1	QL (45 per 30 days)
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2)	1	PA NSO; NM; NDS; QL (16 per 28 days)
SPRAVATO NASAL SPRAY, NON-AEROSOL 84 MG (28 MG X 3)	1	PA NSO; NM; NDS; QL (24 per 28 days)
<i>tranlycypromine oral tablet</i> 10 mg (Parnate)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	1	PA NSO; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg</i> (Effexor XR)	1	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 75 mg</i> (Effexor XR)	1	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	QL (90 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>	1	QL (30 per 30 days)
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	1	PA NSO; QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	1	PA NSO; QL (30 per 180 days)
ZULRESSO INTRAVENOUS SOLUTION 5 MG/ML	1	PA NSO; NM; NDS
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	QL (90 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 15-1,000 MG	1	QL (60 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 30-1,000 MG	1	QL (30 per 30 days)
BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML	1	ST; QL (3.4 per 28 days)
BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML	1	ST; QL (4 per 28 days)
BYETTA 10 MCG DOSE PEN INJ 10 MCG PER DOSE, SUV 10 MCG/DOSE(250 MCG/ML) 2.4 ML	1	ST; (1 pen); QL (2.4 per 30 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	1	ST; (1 pen); QL (2.4 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	1	ST; (1 pen); QL (1.2 per 30 days)
CYCLOSET ORAL TABLET 0.8 MG	1	PA; QL (180 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	1	QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	1	QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG	1	QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG	1	QL (120 per 30 days)
INVOKANA ORAL TABLET 100 MG, 300 MG	1	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	1	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	1	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	1	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	1	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	1	PA; NM; LA; NDS; QL (120 per 30 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	1	QL (60 per 30 days)
<i>miglitol oral tablet 100 mg, 25 mg, 50 mg</i> (Glyset)	1	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix)	1	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	1	(1 pen); QL (1.5 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML)	1	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg</i> (Actos)	1	QL (90 per 30 days)
<i>pioglitazone oral tablet 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET)	1	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	1	QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	1	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	1	QL (240 per 30 days)
RYBELSUS ORAL TABLET 14 MG, 7 MG	1	QL (30 per 30 days)
RYBELSUS ORAL TABLET 3 MG	1	QL (30 per 180 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	1	PA; (4 pens); QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	1	PA; QL (6 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	1	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	1	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	1	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	1	QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	1	ST; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	1	QL (9 per 30 days)
Insulins		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>insulin asp prt-insulin aspart subcutaneous insulin pen 100 unit/ml (70-30)</i>	(Novolog Mix 70-30FlexPen U-100)	1
<i>insulin asp prt-insulin aspart subcutaneous solution 100 unit/ml (70-30)</i>	(Novolog Mix 70-30 U-100 Insuln)	1
<i>insulin aspart u-100 subcutaneous cartridge 100 unit/ml</i>	(Novolog PenFill U-100 Insulin)	1
<i>insulin aspart u-100 subcutaneous insulin pen 100 unit/ml (3 ml)</i>	(Novolog Flexpen U-100 Insulin)	1
<i>insulin aspart u-100 subcutaneous solution 100 unit/ml</i>	(Novolog U-100 Insulin aspart)	1
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	
LEVEMIR FLEXTOUCH U-100 INSULN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	
LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	1	
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	1	
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	1	
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	
NOVOLIN R REGULAR U-100 INSULN INJECTION SOLUTION 100 UNIT/ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	1	
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	1	
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	1	
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	1	
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	1	
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	1	
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	1	
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	1	
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	1	ST; QL (15 per 30 days)
Sulfonylureas		
<i>glimepiride oral tablet 1 mg</i> (Amaryl)	1	QL (240 per 30 days)
<i>glimepiride oral tablet 2 mg</i> (Amaryl)	1	QL (120 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glipizide oral tablet extended release 24hr 2.5 mg</i> (Glucotrol XL)	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i> (Glucotrol XL)	1	QL (120 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg</i> (Glynase)	1	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide micronized oral tablet 3 mg</i> (Glynase)	1	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>glyburide micronized oral tablet 6 mg</i> (Glynase)	1	PA; PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg</i>	1	PA; PA-HRM; QL (480 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 2.5 mg</i>	1	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 5 mg</i>	1	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg</i>	1	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>tolazamide oral tablet 250 mg</i>	1	QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	1	QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	1	QL (180 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	1	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	1	PA BvD; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amphotericin b injection recon soln</i> 50 mg	1	PA BvD
<i>casprofungin intravenous recon soln</i> (Cancidas) 50 mg, 70 mg	1	NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	
<i>ciclopirox topical gel 0.77 %</i>	1	
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	1	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	1	
<i>clotrimazole mucous membrane</i> <i>troche 10 mg</i>	1	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	
<i>clotrimazole topical solution 1 %</i>	1	
<i>clotrimazole-betamethasone topical</i> <i>cream 1-0.05 %</i>	1	
<i>clotrimazole-betamethasone topical</i> <i>lotion 1-0.05 %</i>	1	
<i>econazole topical cream 1 %</i>	1	
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG	1	PA; NM; NDS
<i>fluconazole in nacl (iso-osm)</i> <i>intravenous piggyback 100 mg/50 ml,</i> <i>200 mg/100 ml, 400 mg/200 ml</i>	1	
<i>fluconazole oral suspension for</i> (Diflucan) <i>reconstitution 10 mg/ml, 40 mg/ml</i>	1	
<i>fluconazole oral tablet 100 mg, 150</i> (Diflucan) <i>mg, 200 mg, 50 mg</i>	1	
<i>flucytosine oral capsule 250 mg, 500</i> (Ancobon) <i>mg</i>	1	NM; NDS
<i>griseofulvin microsize oral</i> <i>suspension 125 mg/5 ml</i>	1	
<i>griseofulvin microsize oral tablet 500</i> <i>mg</i>	1	
<i>griseofulvin ultramicrosize oral</i> <i>tablet 125 mg, 250 mg</i>	1	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	1	PA
<i>ketoconazole oral tablet 200 mg</i>	1	
<i>ketoconazole topical cream 2 %</i>	1	
<i>ketoconazole topical foam 2 %</i> (Extina)	1	
<i>ketoconazole topical shampoo 2 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>micronazole-3 vaginal suppository</i> 200 mg	1	
<i>naftifine topical cream 1 %</i>	1	
<i>naftifine topical cream 2 %</i> (Naftin)	1	
<i>naftifine topical gel 1 %</i> (Naftin)	1	
NAFTIN TOPICAL GEL 1 %, 2 %	1	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	1	PA; NM; NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	1	PA; NM; NDS; QL (600 per 30 days)
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG	1	PA; NM; NDS; QL (180 per 30 days)
<i>nyamyc topical powder 100,000</i> <i>unit/gram</i>	1	
<i>nystatin oral suspension 100,000</i> <i>unit/ml</i>	1	
<i>nystatin oral tablet 500,000 unit</i>	1	
<i>nystatin topical cream 100,000</i> <i>unit/gram</i>	1	
<i>nystatin topical ointment 100,000</i> <i>unit/gram</i>	1	
<i>nystatin topical powder 100,000</i> (Nyamyc) <i>unit/gram</i>	1	
<i>nystatin-triamcinolone topical cream</i> <i>100,000-0.1 unit/g-%</i>	1	
<i>nystatin-triamcinolone topical</i> <i>ointment 100,000-0.1 unit/gram-%</i>	1	
<i>nystop topical powder 100,000</i> <i>unit/gram</i>	1	
<i>posaconazole oral tablet, delayed</i> (Noxafil) <i>release (dr/ec) 100 mg</i>	1	PA; NM; NDS; QL (180 per 30 days)
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln</i> (Vfend IV) <i>200 mg</i>	1	
<i>voriconazole oral suspension for</i> (Vfend) <i>reconstitution 200 mg/5 ml (40</i> <i>mg/ml)</i>	1	NM; NDS
<i>voriconazole oral tablet 200 mg, 50</i> (Vfend) <i>mg</i>	1	
Antigout Agents		
Antigout Agents, Other		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	1	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	1	QL (60 per 30 days)
DUZALLO ORAL TABLET 200-200 MG, 200-300 MG	1	PA; QL (30 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	1	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	
Antihistamines		
Antihistamines		
<i>cetirizine oral solution 1 mg/ml</i> (All Day Allergy (cetirizine))	1	(Rx product only)
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	PA; PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>	1	PA; PA-HRM; AGE (Max 64 Years)
<i>desloratadine oral tablet 5 mg</i> (Clarinet)	1	QL (30 per 30 days)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	PA; PA-HRM; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	
CLINDESSE VAGINAL CREAM,EXTENDED RELEASE 2 %	1	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	1	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>terconazole vaginal suppository 80 mg</i>	1	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 140 MG/ML, 70 MG/ML	1	PA; QL (1 per 30 days)
AJOVY AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 225 MG/1.5 ML	1	PA; QL (1.5 per 30 days)
AJOVY SYRINGE SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	1	PA; (1 pen); QL (1.5 per 30 days)
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	1	QL (16 per 28 days)
<i>dihydroergotamine nasal spray,non- aerosol 0.5 mg/pump act. (4 mg/ml)</i>	(Migranal)	1 QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	1	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	1	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	1	PA; QL (3 per 30 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i>	(Cafergot)	1 QL (40 per 28 days)
MIGERGOT RECTAL SUPPOSITORY 2-100 MG	1	QL (40 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	(Amerge)	1 QL (16 per 28 days)
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	1	PA; QL (15 per 30 days)
REYVOW ORAL TABLET 100 MG	1	PA; QL (8 per 30 days)
REYVOW ORAL TABLET 50 MG	1	PA; QL (4 per 30 days)
<i>rizatriptan oral tablet 10 mg</i>	(Maxalt)	1 QL (16 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>		1 QL (16 per 28 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i>	(Maxalt-MLT)	1 QL (16 per 28 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i>		1 QL (16 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sumatriptan nasal spray,non-aerosol</i> (Imitrex) 20 mg/actuation, 5 mg/actuation	1	QL (16 per 28 days)
<i>sumatriptan succinate oral tablet</i> 100 mg, 25 mg, 50 mg (Imitrex)	1	QL (16 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge</i> 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex STATdose Refill)	1	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector</i> 4 mg/0.5 ml, 6 mg/0.5 ml (Imitrex STATdose Pen)	1	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous solution</i> 6 mg/0.5 ml (Imitrex)	1	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous syringe</i> 6 mg/0.5 ml	1	QL (8 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	1	PA; QL (16 per 28 days)
VYEPTI INTRAVENOUS SOLUTION 100 MG/ML	1	PA; QL (3 per 90 days)
<i>zolmitriptan oral tablet</i> 2.5 mg, 5 mg (Zomig)	1	QL (16 per 28 days)
<i>zolmitriptan oral tablet,disintegrating</i> 2.5 mg, 5 mg (Zomig ZMT)	1	QL (16 per 28 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	1	
<i>cycloserine oral capsule</i> 250 mg	1	
<i>dapsone oral tablet</i> 100 mg, 25 mg	1	
<i>ethambutol oral tablet</i> 100 mg	1	
<i>ethambutol oral tablet</i> 400 mg (Myambutol)	1	
<i>isoniazid injection solution</i> 100 mg/ml	1	
<i>isoniazid oral solution</i> 50 mg/5 ml	1	
<i>isoniazid oral tablet</i> 100 mg, 300 mg	1	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	1	
PRETOMANID ORAL TABLET 200 MG	1	PA; QL (30 per 30 days)
PRIFTIN ORAL TABLET 150 MG	1	
<i>pyrazinamide oral tablet</i> 500 mg	1	
<i>rifabutin oral capsule</i> 150 mg (Mycobutin)	1	
<i>rifampin intravenous recon soln</i> 600 mg (Rifadin)	1	
<i>rifampin oral capsule</i> 150 mg, 300 mg (Rifadin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RIFATER ORAL TABLET 50-120-300 MG	1	
SIRTURO ORAL TABLET 100 MG, 20 MG	1	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	1	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	1	PA; QL (2 per 28 days)
<i>aprepitant oral capsule 125 mg</i>	1	PA
<i>aprepitant oral capsule 40 mg, 80 mg</i> (Emend)	1	PA
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA
BONJESTA ORAL TABLET, IR, DELAYED REL, BIPHASIC 20-20 MG	1	PA; QL (60 per 30 days)
<i>compro rectal suppository 25 mg</i>	1	
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	
<i>doxylamine-pyridoxine (vit b6) oral tablet, delayed release (dr/ec) 10-10 mg</i> (Diclegis)	1	PA; QL (120 per 30 days)
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	PA; QL (60 per 30 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	1	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	1	
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	1	PA BvD
<i>ondansetron hcl oral tablet 24 mg, 8 mg</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron hcl oral tablet 4 mg</i> (Zofran)	1	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	1	PA BvD
<i>palonosetron intravenous solution 0.25 mg/5 ml</i> (Aloxi)	1	PA
<i>palonosetron intravenous syringe 0.25 mg/5 ml</i>	1	PA
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	
<i>prochlorperazine rectal suppository 25 mg</i> (Compro)	1	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 12.5 mg, 50 mg</i> (Promethegan)	1	
<i>promethazine rectal suppository 25 mg</i> (Phenadoz)	1	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	1	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	1	
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	1	
VARUBI ORAL TABLET 90 MG	1	PA; QL (4 per 28 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i> (Albenza)	1	
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	1	PA
ALINIA ORAL TABLET 500 MG	1	PA
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	1	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	1	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	1	
COARTEM ORAL TABLET 20-120 MG	1	
DARAPRIM ORAL TABLET 25 MG	1	PA; NM; NDS
EMVERM ORAL TABLET,CHEWABLE 100 MG	1	PA
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	
KRINTAFEL ORAL TABLET 150 MG	1	QL (2 per 180 days)
<i>mefloquine oral tablet 250 mg</i>	1	
NEBUPENT INHALATION RECON SOLN 300 MG	1	PA BvD
<i>paromomycin oral capsule 250 mg</i>	1	
PENTAM INJECTION RECON SOLN 300 MG	1	
<i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)	1	PA BvD
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	1	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	1	
PRIMAQUINE ORAL TABLET 26.3 MG	1	
<i>pyrimethamine oral tablet 25 mg</i> (Daraprim)	1	PA; NM; NDS
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	1	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	1	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<i>amantadine hcl oral tablet 100 mg</i>	1	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	1	NM; LA; NDS
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	
<i>cabergoline oral tablet 0.5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>	1	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	
INBRIJA 42 MG INHALATION CAP 42 MG	1	NM; NDS; QL (300 per 30 days)
INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG	1	NM; NDS; QL (300 per 30 days)
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	1	ST
NOURIANZ ORAL TABLET 20 MG, 40 MG	1	PA; NM; NDS; QL (30 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	QL (30 per 30 days)
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i> (Requip)	1	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 6 mg</i> (Requip XL)	1	
<i>ropinirole oral tablet extended release 24 hr 4 mg, 8 mg</i>	1	
<i>selegiline hcl oral capsule 5 mg</i>	1	
<i>selegiline hcl oral tablet 5 mg</i>	1	
<i>tolcapone oral tablet 100 mg</i> (Tasmar)	1	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	PA; PA-HRM; AGE (Max 64 Years)
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	PA; PA-HRM; AGE (Max 64 Years)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	1	PA NSO; NM; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	1	PA NSO; NM; NDS; QL (1 per 28 days)
ABILIFY MYCITE ORAL TABLET WITH SENSOR AND PATCH 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	1	PA NSO; QL (1 per 7 days)
<i>aripiprazole oral solution 1 mg/ml</i>	1	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	QL (30 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg, 15 mg</i>	1	NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	1	PA NSO; NM; NDS; (1 syringe); QL (2.4 per 180 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	1	PA NSO; NM; NDS; (1 syringe); QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	1	PA NSO; NM; NDS; (1 syringe); QL (1.6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	1	PA NSO; NM; NDS; (1 syringe); QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	1	PA NSO; NM; NDS; (1 syringe); QL (3.2 per 28 days)
CAPLYTA ORAL CAPSULE 42 MG	1	PA NSO; QL (30 per 30 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	1	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	1	
<i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)	1	
<i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i>	1	
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	1	QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	1	QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	1	QL (60 per 30 days)
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml), 50 mg/ml(1ml)</i>	1	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>haloperidol lactate injection solution</i> (Haldol) <i>5 mg/ml</i>	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	1	PA NSO; NM; NDS; (1 syringe); QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	1	PA NSO; NM; NDS; (1 syringe); QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	1	PA NSO; NM; NDS; (1 syringe); QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	1	PA NSO; (1 syringe); QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	1	PA NSO; NM; NDS; (1 syringe); QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	1	PA NSO; NM; NDS; (1 syringe); QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	1	PA NSO; NM; NDS; (1 syringe); QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	1	PA NSO; NM; NDS; (1 syringe); QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	1	PA NSO; NM; NDS; (1 syringe); QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	1	PA NSO; QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	1	PA NSO; QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
<i>molindone oral tablet 10 mg, 25 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUPLAZID ORAL CAPSULE 34 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	1	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln</i> (Zyprexa) 10 mg	1	QL (120 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating</i> (Zyprexa Zydis) 10 mg, 15 mg, 20 mg, 5 mg	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTEND REL SYR KIT 120 MG, 90 MG	1	PA NSO; NM; NDS; QL (1 per 28 days)
<i>pimozide oral tablet 1 mg, 2 mg</i>	1	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	1	QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	1	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	1	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 200 mg</i> (Seroquel XR)	1	QL (30 per 30 days)
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 12.5 MG/2 ML, 25 MG/2 ML	1	PA NSO; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RISPERDAL CONSTA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 37.5 MG/2 ML, 50 MG/2 ML	1	PA NSO; NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	1	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	1	QL (120 per 30 days)
<i>risperidone oral tablet,disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet,disintegrating 4 mg</i>	1	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	1	PA NSO; QL (60 per 30 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	1	PA NSO; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	1	
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	1	PA NSO; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	1	PA NSO; QL (7 per 180 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	QL (60 per 30 days)
<i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon)	1	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	1	PA NSO; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG	1	PA NSO; NM; NDS; QL (2 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	QL (960 per 30 days)
<i>abacavir oral tablet 300 mg</i> (Ziagen)	1	QL (60 per 30 days)
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	1	QL (30 per 30 days)
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	1	NM; NDS; QL (60 per 30 days)
APTIVUS (WITH VITAMIN E) ORAL SOLUTION 100 MG/ML	1	QL (380 per 30 days)
APTIVUS ORAL CAPSULE 250 MG	1	QL (120 per 30 days)
<i>atazanavir oral capsule 150 mg, 200 mg</i> (Reyataz)	1	QL (60 per 30 days)
<i>atazanavir oral capsule 300 mg</i> (Reyataz)	1	QL (30 per 30 days)
ATRIPLA ORAL TABLET 600-200-300 MG	1	NM; NDS; QL (30 per 30 days)
BIKTARVY ORAL TABLET 50-200-25 MG	1	NM; NDS; QL (30 per 30 days)
CIMDUO ORAL TABLET 300-300 MG	1	NM; NDS; QL (30 per 30 days)
COMPLERA ORAL TABLET 200-25-300 MG	1	NM; NDS; QL (30 per 30 days)
CRIXIVAN ORAL CAPSULE 200 MG	1	QL (270 per 30 days)
CRIXIVAN ORAL CAPSULE 400 MG	1	QL (180 per 30 days)
DELSTRIGO ORAL TABLET 100-300-300 MG	1	NM; NDS; QL (30 per 30 days)
DESCOVY ORAL TABLET 200-25 MG	1	NM; NDS; QL (30 per 30 days)
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i>	1	QL (30 per 30 days)
DOVATO ORAL TABLET 50-300 MG	1	NM; NDS; QL (30 per 30 days)
EDURANT ORAL TABLET 25 MG	1	NM; NDS; QL (30 per 30 days)
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	1	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	1	QL (180 per 30 days)
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	QL (30 per 30 days)
<i>efavirenz-emtricitabin-tenofof oral tablet 600-200-300 mg</i> (Atripla)	1	NM; NDS; QL (30 per 30 days)
<i>efavirenz-lamivu-tenofof disop oral tablet 400-300-300 mg</i> (Symfi Lo)	1	NM; NDS; QL (30 per 30 days)
<i>efavirenz-lamivu-tenofof disop oral tablet 600-300-300 mg</i> (Symfi)	1	NM; NDS; QL (30 per 30 days)
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	1	QL (30 per 30 days)
<i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)	1	NM; NDS; QL (30 per 30 days)
EMTRIVA ORAL CAPSULE 200 MG	1	QL (30 per 30 days)
EMTRIVA ORAL SOLUTION 10 MG/ML	1	QL (850 per 30 days)
EVOTAZ ORAL TABLET 300-150 MG	1	NM; NDS; QL (30 per 30 days)
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	QL (120 per 30 days)
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	1	NM; NDS; QL (60 per 30 days)
GENVOYA ORAL TABLET 150-150-200-10 MG	1	NM; NDS; QL (30 per 30 days)
INTELENCE ORAL TABLET 100 MG, 200 MG	1	QL (60 per 30 days)
INTELENCE ORAL TABLET 25 MG	1	QL (120 per 30 days)
INVIRASE ORAL TABLET 500 MG	1	NM; NDS; QL (120 per 30 days)
ISENTRESS HD ORAL TABLET 600 MG	1	NM; NDS; QL (60 per 30 days)
ISENTRESS ORAL POWDER IN PACKET 100 MG	1	QL (60 per 30 days)
ISENTRESS ORAL TABLET 400 MG	1	NM; NDS; QL (120 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	1	NM; NDS; QL (180 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	1	QL (180 per 30 days)
JULUCA ORAL TABLET 50-25 MG	1	NM; NDS; QL (30 per 30 days)
KALETRA ORAL TABLET 100-25 MG	1	QL (300 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KALETRA ORAL TABLET 200-50 MG	1	NM; NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	QL (960 per 30 days)
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	QL (30 per 30 days)
<i>lamivudine oral tablet 150 mg</i> (Epivir)	1	QL (60 per 30 days)
<i>lamivudine oral tablet 300 mg</i> (Epivir)	1	QL (30 per 30 days)
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	QL (60 per 30 days)
LEXIVA ORAL SUSPENSION 50 MG/ML	1	QL (1800 per 30 days)
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	QL (480 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i> (Viramune)	1	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i>	1	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	1	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	1	QL (360 per 30 days)
NORVIR ORAL SOLUTION 80 MG/ML	1	QL (480 per 30 days)
ODEFSEY ORAL TABLET 200-25-25 MG	1	NM; NDS; QL (30 per 30 days)
PIFELTRO ORAL TABLET 100 MG	1	NM; NDS; QL (60 per 30 days)
PREZCOBIX ORAL TABLET 800-150 MG-MG	1	NM; NDS; QL (30 per 30 days)
PREZISTA ORAL SUSPENSION 100 MG/ML	1	NM; NDS; QL (400 per 30 days)
PREZISTA ORAL TABLET 150 MG	1	NM; NDS; QL (180 per 30 days)
PREZISTA ORAL TABLET 600 MG	1	NM; NDS; QL (60 per 30 days)
PREZISTA ORAL TABLET 75 MG	1	NM; NDS; QL (480 per 30 days)
PREZISTA ORAL TABLET 800 MG	1	NM; NDS; QL (30 per 30 days)
RESCRIPTOR ORAL TABLET 200 MG	1	QL (180 per 30 days)
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	1	QL (360 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	1	
REYATAZ ORAL POWDER IN PACKET 50 MG	1	QL (180 per 30 days)
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	QL (360 per 30 days)
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	1	NM; NDS; QL (60 per 30 days)
SELZENTRY ORAL SOLUTION 20 MG/ML	1	NM; NDS; QL (1800 per 30 days)
SELZENTRY ORAL TABLET 150 MG, 75 MG	1	NM; NDS; QL (60 per 30 days)
SELZENTRY ORAL TABLET 25 MG	1	NM; NDS; QL (240 per 30 days)
SELZENTRY ORAL TABLET 300 MG	1	NM; NDS; QL (120 per 30 days)
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	QL (60 per 30 days)
STRIBILD ORAL TABLET 150-150-200-300 MG	1	NM; NDS; QL (30 per 30 days)
SYMFI LO ORAL TABLET 400-300-300 MG	1	NM; NDS; QL (30 per 30 days)
SYMFI ORAL TABLET 600-300-300 MG	1	NM; NDS; QL (30 per 30 days)
SYMTUZA ORAL TABLET 800-150-200-10 MG	1	NM; NDS; QL (30 per 30 days)
TEMIXYS ORAL TABLET 300-300 MG	1	NM; NDS; QL (30 per 30 days)
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	QL (30 per 30 days)
TIVICAY ORAL TABLET 10 MG	1	QL (240 per 30 days)
TIVICAY ORAL TABLET 25 MG, 50 MG	1	NM; NDS; QL (60 per 30 days)
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	1	QL (360 per 30 days)
TRIUMEQ ORAL TABLET 600-50-300 MG	1	NM; NDS; QL (30 per 30 days)
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	1	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	1	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VEMLIDY ORAL TABLET 25 MG	1	QL (30 per 30 days)
VIDEX 2 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	1	QL (1200 per 30 days)
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG	1	QL (60 per 30 days)
VIRACEPT ORAL TABLET 250 MG	1	NM; NDS; QL (270 per 30 days)
VIRACEPT ORAL TABLET 625 MG	1	NM; NDS; QL (120 per 30 days)
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	1	QL (240 per 30 days)
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	1	QL (30 per 30 days)
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	QL (180 per 30 days)
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	QL (1920 per 30 days)
<i>zidovudine oral tablet 300 mg</i>	1	QL (60 per 30 days)
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	1	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML, 480 MG/24 ML	1	PA; NM; NDS
PREVYMIS ORAL TABLET 240 MG, 480 MG	1	PA; NM; NDS; QL (30 per 30 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	1	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	1	PA; NM; NDS
XOFLUZA ORAL TABLET 20 MG, 40 MG	1	QL (4 per 180 days)
Hcv Antivirals		
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	1	PA; NM; NDS; QL (28 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAVYRET ORAL TABLET 100-40 MG	1	PA; NM; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	1	PA; NM; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	1	
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	1	
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	1	NM; NDS; QL (2 per 28 days)
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	1	NM; NDS; QL (4 per 28 days)
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	1	NM; NDS; QL (2 per 28 days)
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	1	NM; NDS; QL (2 per 28 days)
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	1	PA NSO; NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i>	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	
<i>acyclovir oral tablet 400 mg, 800 mg</i>	1	
<i>acyclovir sodium intravenous recon soln 1,000 mg, 500 mg</i>	1	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	
BARACLUDGE ORAL SOLUTION 0.05 MG/ML	1	NM; NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	1	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	QL (30 per 30 days)
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
REBETOL ORAL SOLUTION 40 MG/ML	1	
<i>ribasphere oral capsule 200 mg</i>	1	
<i>ribasphere oral tablet 600 mg</i>	1	
<i>ribasphere ribapak oral tablets,dose pack 600 mg (7)- 400 mg (7)</i>	1	
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	1	PA; NM; NDS
<i>ribavirin oral capsule 200 mg</i>	1	
<i>ribavirin oral tablet 200 mg</i>	1	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	1	QL (30 per 30 days)
COUMADIN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	1	
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	1	QL (74 per 180 days)
ELIQUIS ORAL TABLET 2.5 MG	1	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	1	QL (120 per 30 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	1	QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml</i> (Lovenox)	1	QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	1	(28 syringes); QL (22.4 per 14 days)
<i>enoxaparin subcutaneous syringe 150 mg/ml</i> (Lovenox)	1	NM; NDS; QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	1	(28 syringes); QL (8.4 per 14 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	1	(28 syringes); QL (11.2 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	1	(28 syringes); QL (16.8 per 14 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	1	(14 syringes); QL (11.2 per 14 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	1	(14 syringes); QL (7 per 14 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	1	(14 syringes); QL (5.6 per 14 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	1	(14 syringes); QL (8.4 per 14 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i>	1	
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i>	1	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	1	PA BvD; (PA for ESRD only)
<i>heparin (porcine) injection solution 1,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	PA BvD; (PA for ESRD only)
<i>heparin (porcine) injection solution 10,000 unit/ml</i>	1	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	1	PA BvD; (PA for ESRD only)
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	1	PA BvD; (PA for ESRD only)
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	1	PA BvD; (PA for ESRD only)
<i>heparin, porcine (pf) subcutaneous syringe 5,000 unit/0.5 ml</i>	1	PA BvD; (PA for ESRD only)
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	1	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	1	QL (51 per 180 days)
XARELTO ORAL TABLET 10 MG, 20 MG	1	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	1	QL (60 per 30 days)
Blood Formation Modifiers		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	1	PA
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML	1	PA
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	1	PA; NM; LA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	1	PA; NM; NDS; QL (10 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	1	PA; NM; NDS; QL (15 per 30 days)
DOPTELET (30 TAB PACK) ORAL TABLET 20 MG	1	PA; NM; NDS; QL (15 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	1	PA; NM; LA; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	1	PA; NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	1	NM; NDS
MULPLETA ORAL TABLET 3 MG	1	PA; NM; NDS; QL (7 per 30 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	1	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	1	PA; NM; NDS
NPLATE SUBCUTANEOUS RECON SOLN 125 MCG, 250 MCG, 500 MCG	1	PA; NM; LA; NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	1	PA; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG, 25 MG	1	PA; NM; NDS
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	1	PA; NM; NDS
REBLOZYL SUBCUTANEOUS RECON SOLN 25 MG, 75 MG	1	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	1	PA; QL (12 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	1	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS
ZIEXTENZO SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	1	PA; NM; NDS
Hematologic Agents, Miscellaneous		
ADAKVEO INTRAVENOUS SOLUTION 10 MG/ML	1	PA; NM; NDS
<i>aminocaproic acid intravenous solution 250 mg/ml</i>	1	
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	
<i>anagrelide oral capsule 1 mg</i>	1	
GIVLAARI SUBCUTANEOUS SOLUTION 189 MG/ML	1	PA; NM; NDS
OXBRYTA ORAL TABLET 500 MG	1	PA; NM; NDS; QL (90 per 30 days)
<i>protamine intravenous solution 10 mg/ml</i>	1	PA BvD; (PA for ESRD only)
SIKLOS ORAL TABLET 1,000 MG, 100 MG	1	PA
TAVALISSE ORAL TABLET 100 MG, 150 MG	1	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	1	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> (Aggrenox)	1	
BRILINTA ORAL TABLET 60 MG, 90 MG	1	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	QL (30 per 30 days)
ZONTIVITY ORAL TABLET 2.08 MG	1	PA
Caloric Agents		
Caloric Agents		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	1	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN II 8.5 %- ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	1	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	1	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	1	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	1	PA BvD
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	1	PA BvD
CLINOLIPID INTRAVENOUS EMULSION 20 %	1	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	1	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	1	PA BvD
<i>dextrose 5 % in ringer's intravenous parenteral solution 5 %</i>	1	
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	1	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	1	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	1	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %, 30 %	1	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	1	PA BvD
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 %	1	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	1	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	1	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
NORTHERA ORAL CAPSULE 100 MG	1	PA; NM; LA; NDS; QL (90 per 30 days)
NORTHERA ORAL CAPSULE 200 MG, 300 MG	1	PA; NM; LA; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i> (Atacand)	1	QL (60 per 30 days)
<i>candesartan oral tablet 32 mg</i> (Atacand)	1	QL (30 per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg</i> (Atacand HCT)	1	QL (60 per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	QL (30 per 30 days)
EDARBI ORAL TABLET 40 MG, 80 MG	1	QL (30 per 30 days)
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	1	QL (30 per 30 days)
ENTRESTO ORAL TABLET 24-26 MG	1	QL (180 per 30 days)
ENTRESTO ORAL TABLET 49-51 MG	1	QL (90 per 30 days)
ENTRESTO ORAL TABLET 97-103 MG	1	QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	QL (45 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	QL (30 per 30 days)
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	QL (30 per 30 days)
<i>losartan oral tablet 100 mg</i> (Cozaar)	1	QL (45 per 30 days)
<i>losartan oral tablet 25 mg, 50 mg</i> (Cozaar)	1	QL (60 per 30 days)
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	QL (30 per 30 days)
<i>olmesartan oral tablet 20 mg, 40 mg</i> (Benicar)	1	QL (30 per 30 days)
<i>olmesartan oral tablet 5 mg</i> (Benicar)	1	QL (60 per 30 days)
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	QL (30 per 30 days)
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	1	QL (30 per 30 days)
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	QL (30 per 30 days)
<i>valsartan oral tablet 160 mg, 40 mg, 80 mg</i> (Diovan)	1	QL (60 per 30 days)
<i>valsartan oral tablet 320 mg</i> (Diovan)	1	QL (30 per 30 days)
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 80-12.5 mg</i> (Diovan HCT)	1	QL (60 per 30 days)
<i>valsartan-hydrochlorothiazide oral tablet 160-25 mg, 320-12.5 mg, 320-25 mg</i> (Diovan HCT)	1	QL (30 per 30 days)
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	QL (60 per 30 days)
<i>benazepril oral tablet 5 mg</i>	1	QL (60 per 30 days)
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	QL (60 per 30 days)
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	QL (60 per 30 days)
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	QL (60 per 30 days)
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	QL (120 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	QL (60 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	QL (60 per 30 days)
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	QL (60 per 30 days)
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lisinopril oral tablet 10 mg, 20 mg</i> (Prinivil)	1	QL (60 per 30 days)
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	QL (60 per 30 days)
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	QL (60 per 30 days)
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	QL (60 per 30 days)
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	QL (60 per 30 days)
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	QL (60 per 30 days)
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	QL (60 per 30 days)
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	QL (60 per 30 days)
Antiarrhythmic Agents		
<i>amiodarone intravenous solution 50 mg/ml</i>	1	
<i>amiodarone intravenous syringe 150 mg/3 ml</i>	1	
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>lidocaine (pf) intravenous syringe 50 mg/5 ml (1 %)</i>	1	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	
MULTAQ ORAL TABLET 400 MG	1	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>procainamide intravenous syringe 100 mg/ml</i>	1	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>	(Rythmol SR) 1	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i>	(Tenormin) 1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i>	(Tenoretic 100) 1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i>	(Tenoretic 50) 1	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>	(Ziac) 1	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i>	(Coreg) 1	
<i>labetalol intravenous solution 5 mg/ml</i>	1	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i>	(Toprol XL) 1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>	(Lopressor HCT) 1	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i>	(Lopressor) 1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	1	
<i>nadolol-bendroflumethiazide oral tablet 40-5 mg, 80-5 mg</i>	1	
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	1	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Sorine)	1	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	
Calcium-Channel Blocking Agents		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i>	1	
<i>diltiazem hcl intravenous recon soln 100 mg</i>	1	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg</i> (Taztia XT)	1	
<i>diltiazem hcl oral capsule,extended release 24 hr 420 mg</i> (Tiadylt ER)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)	1	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	
<i>diltiazem hcl oral tablet 90 mg</i>	1	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)	1	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i>	1	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	
<i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	1	
<i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	
<i>verapamil intravenous solution 2.5 mg/ml</i>	1	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	1	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	
<i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> (Verelan)	1	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL TABLET 5 MG, 7.5 MG	1	PA; QL (60 per 30 days)
DEMSER ORAL CAPSULE 250 MG	1	PA; NM; NDS
<i>digitek oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	
<i>digox oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>	1	
DIGOXIN ORAL SOLUTION 50 MCG/ML (0.05 MG/ML)	1	
<i>digoxin oral tablet 125 mcg (0.125 mg)</i> (Digitek)	1	
<i>digoxin oral tablet 250 mcg (0.25 mg)</i> (Digitek)	1	
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>	1	PA BvD
<i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml), 500 mg/40 ml (12.5 mg/ml)</i>	1	PA BvD
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	1	QL (4 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	1	PA; NM; NDS; QL (18 per 30 days)
LANOXIN ORAL TABLET 125 MCG (0.125 MG), 187.5 MCG (0.1875 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG)	1	
<i>metyrosine oral capsule 250 mg</i> (Demser)	1	PA; NM; NDS
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	1	PA BvD
<i>milrinone intravenous solution 1 mg/ml</i>	1	PA BvD
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> (Ranexa)	1	
VYNDAMAX ORAL CAPSULE 61 MG	1	PA; NM; NDS; QL (30 per 30 days)
VYNDAQEL ORAL CAPSULE 20 MG	1	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Dihydropyridines		
<i>afeditab cr oral tablet extended release 30 mg</i>	1	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	1	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	
<i>amlodipine-valsartan-hcthiazyd oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	
<i>nicardipine intravenous solution 25 mg/10 ml</i> (Cardene IV)	1	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	
<i>nifedipine oral tablet extended release 30 mg, 90 mg</i> (Adalat CC)	1	
<i>nifedipine oral tablet extended release 60 mg</i> (Adalat CC)	1	
<i>nimodipine oral capsule 30 mg</i>	1	
<i>nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg</i> (Sular)	1	
<i>nisoldipine oral tablet extended release 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg</i>	1	
Diuretics		
ALDACTAZIDE ORAL TABLET 50-50 MG	1	
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bumetanide injection solution 0.25 mg/ml</i>	1	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	1	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	1	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i>	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG	1	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 15 MG (AM)/ 15 MG (PM), 30 MG (AM)/ 15 MG (PM), 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	1	PA; NM; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	1	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	1	
<i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	QL (30 per 30 days)
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Lipitor)	1	QL (45 per 30 days)
<i>atorvastatin oral tablet 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	
<i>cholestyramine light oral powder 4 gram</i>	1	
<i>cholestyramine light packet 4 gram</i>	1	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	1	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	1	
<i>colestipol oral packet 5 gram</i> (Colestid)	1	
<i>colestipol oral tablet 1 gram</i> (Colestid)	1	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	1	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	1	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	
<i>fenofibrate oral capsule 150 mg, 50 mg</i> (Lipofen)	1	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	1	
<i>fenofibric acid oral tablet 105 mg, 35 mg</i> (Fibricor)	1	
<i>fluvastatin oral capsule 20 mg, 40 mg</i> (Lescol)	1	QL (60 per 30 days)
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG	1	PA; NM; LA; NDS; QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg</i>	1	QL (45 per 30 days)
<i>lovastatin oral tablet 40 mg</i>	1	QL (60 per 30 days)
NEXLETOL ORAL TABLET 180 MG	1	PA; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	1	PA; QL (30 per 30 days)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	1	QL (60 per 30 days)
<i>niacor oral tablet 500 mg</i>	1	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	1	PA; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg</i>	1	QL (45 per 30 days)
<i>pravastatin oral tablet 20 mg, 40 mg</i> (Pravachol)	1	QL (45 per 30 days)
<i>pravastatin oral tablet 80 mg</i>	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	1	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	1	PA; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	1	PA; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	1	PA; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i> (Crestor)	1	QL (45 per 30 days)
<i>rosuvastatin oral tablet 40 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg</i> (Zocor)	1	QL (45 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>simvastatin oral tablet 40 mg</i> (Zocor)	1	PA; (PA only w/ amiodarone); QL (45 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	QL (45 per 30 days)
<i>simvastatin oral tablet 80 mg</i> (Zocor)	1	PA; (PA only w/ amiodarone); QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM	1	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	1	QL (30 per 30 days)
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	1	
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	
<i>isosorbide dinitrate oral tablet 40 mg</i> (Isordil)	1	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)	1	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	1	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
NITRO-BID TRANSDERMAL OINTMENT 2 %	1	
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	1	
<i>nitroglycerin in 5 % dextrose intravenous solution 25 mg/250 ml (100 mcg/ml)</i>	1	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Minitran)	1	
<i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> (Nitrolingual)	1	
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG	1	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> (Strattera)	1	PA
AUBAGIO ORAL TABLET 14 MG	1	NM; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG	1	PA; NM; NDS; QL (120 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	1	NM; NDS; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR 30 MCG/0.5 ML	1	NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	1	NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	1	NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	1	NM; NDS; QL (14 per 28 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	1	
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	QL (60 per 30 days)
<i>dexmethylphenidate oral capsule, er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	1	NM; NDS
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	NM; NDS
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>dextroamphetamine oral solution 5 mg/5 ml</i>	(ProCentra)	1	NM; NDS
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i>	(Zenzedi)	1	NM; NDS
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i>	(Adderall XR)	1	NM; NDS
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i>	(Adderall)	1	NM; NDS
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i>	(Tecfidera)	1	NM; NDS; QL (120 per 180 days)
<i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg, 240 mg</i>	(Tecfidera)	1	NM; NDS; QL (60 per 30 days)
EXTAVIA SUBCUTANEOUS KIT 0.3 MG		1	NM; NDS; QL (14 per 28 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>		1	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG		1	NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i>	(Copaxone)	1	NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i>	(Copaxone)	1	NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i>	(Intuniv ER)	1	PA
INGREZZA INITIATION PACK ORAL CAPSULE, DOSE PACK 40 MG (7)- 80 MG (21)		1	PA; NM; NDS; QL (28 per 180 days)
INGREZZA ORAL CAPSULE 40 MG, 80 MG		1	PA; NM; NDS; QL (30 per 30 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>		1	
<i>lithium carbonate oral tablet 300 mg</i>		1	
<i>lithium carbonate oral tablet extended release 300 mg</i>	(Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>		1	
<i>lithium citrate oral solution 8 meq/5 ml</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HR 165 MG, 82.5 MG	1	PA; QL (90 per 30 days)
LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HR 330 MG	1	PA; QL (60 per 30 days)
MAVENCLAD (10 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS; QL (20 per 334 days)
MAVENCLAD (4 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS; QL (8 per 332 days)
MAVENCLAD (5 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS; QL (10 per 334 days)
MAVENCLAD (6 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS; QL (12 per 334 days)
MAVENCLAD (7 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS; QL (14 per 334 days)
MAVENCLAD (8 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS; QL (16 per 334 days)
MAVENCLAD (9 TABLET PACK) ORAL TABLET 10 MG	1	PA; NM; NDS; QL (18 per 334 days)
MAYZENT ORAL TABLET 0.25 MG	1	NM; NDS; QL (150 per 30 days)
MAYZENT ORAL TABLET 2 MG	1	NM; NDS; QL (30 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	1	NM; NDS
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg</i> (Ritalin LA)	1	NM; NDS
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	NM; NDS
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 36 mg (bx rating), 54 mg (bx rating)</i>	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet</i> (Concerta) <i>extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i>	1	NM; NDS
<i>methylphenidate hcl oral tablet</i> (Relexxii) <i>extended release 24hr 72 mg</i>	1	NM; NDS
<i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i>	1	NM; NDS
NUEDEXTA ORAL CAPSULE 20-10 MG	1	PA
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	1	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	1	NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	1	NM; NDS; QL (1 per 28 days)
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	1	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	1	NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	1	NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	1	NM; NDS; QL (4.2 per 28 days)
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	1	NM; NDS; QL (4.2 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	1	
SAVELLA ORAL TABLETS, DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	1	
TECFIDERA ORAL CAPSULE, DELAYED RELEASE(DR/EC) 120 MG (14)-240 MG (46)	1	NM; LA; NDS; QL (120 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 240 MG	1	NM; LA; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	1	NM; NDS; QL (120 per 30 days)
TIGLUTIK ORAL SUSPENSION 50 MG/10 ML	1	PA; NM; NDS; QL (600 per 30 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	1	NM; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	1	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	1	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>apri oral tablet 0.15-0.03 mg</i>	1	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>aubra oral tablet 0.1-20 mg-mcg</i>	1	
<i>aurovela 1.5/30 (21) oral tablet 1.5- 30 mg-mcg</i>	1	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aviane oral tablet 0.1-20 mg-mcg</i>	1	
<i>ayuna oral tablet 0.15-0.03 mg</i>	1	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	1	
<i>camila oral tablet 0.35 mg</i>	1	
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>cyred oral tablet 0.15-0.03 mg</i>	1	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>deblitane oral tablet 0.35 mg</i>	1	
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	1	
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i> (Beyaz)	1	
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i> (Tydemy)	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Gianvi (28))	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Ocella)	1	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	1	
ELLA ORAL TABLET 30 MG	1	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	1	
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50)	1	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)	1	
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>fayosim oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	
<i>gianvi (28) oral tablet 3-0.02 mg</i>	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>hailey oral tablet 1.5-30 mg-mcg</i>	1	
<i>heather oral tablet 0.35 mg</i>	1	
<i>incassia oral tablet 0.35 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	
<i>isibloom oral tablet 0.15-0.03 mg</i>	1	
<i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	1	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	
<i>jolivette oral tablet 0.35 mg</i>	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	1	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>kaitlib fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	1	
<i>kalliga oral tablet 0.15-0.03 mg</i>	1	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	1	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (Amethia Lo)	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Fayosim)	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	1	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	
<i>layolis fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	1	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))	1	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i> (Amethyst (28))	1	
<i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i> (Introvale)	1	
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	1	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	1	
<i>lojaimiess oral tablets, dose pack, 3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	1	
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	1	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>mili oral tablet 0.25-35 mg-mcg</i>	1	
<i>mono-lynyah oral tablet 0.25-35 mg-mcg</i>	1	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nikki (28) oral tablet 3-0.02 mg</i>	1	
<i>nora-be oral tablet 0.35 mg</i>	1	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i> (Aurovela 1.5/30 (21))	1	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Aurovela 24 Fe)	1	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28))	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Tri Femynor)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	1	
<i>norlyda oral tablet 0.35 mg</i>	1	
<i>norlyroc oral tablet 0.35 mg</i>	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	1	
<i>ocella oral tablet 3-0.03 mg</i>	1	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	1	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	1	
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>pirmella oral tablet 0.5/0.75/1 mg-35 mcg, 1-35 mg-mcg</i>	1	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	1	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	
<i>rajani oral tablet 3-0.02-0.451 mg (24) (4)</i>	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	
<i>rivelsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	
<i>sharobel oral tablet 0.35 mg</i>	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	
<i>syeda oral tablet 3-0.03 mg</i>	1	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri femynor oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	1	
<i>tri-estarylla oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-lo-estarylla oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-lo-marzia oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-sprintec oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-previfem (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	1	
<i>tri-sprintec (28) oral tablet</i> 0.18/0.215/0.25 mg-35 mcg (28)	1	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>tri-vylibra lo oral tablet</i> 0.18/0.215/0.25 mg-25 mcg	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tulana oral tablet 0.35 mg</i>	1	
<i>tydemy oral tablet 3-0.03-0.451 mg (21) (7)</i>	1	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	1	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)	1	
xulane transdermal patch weekly 150-35 mcg/24 hr	1	
zarah oral tablet 3-0.03 mg	1	
zenchent (28) oral tablet 0.4-35 mg- mcg	1	
zovia 1/35e (28) oral tablet 1-35 mg- mcg	1	
zumandimine (28) oral tablet 3-0.03 mg	1	
Dental And Oral Agents		
Dental And Oral Agents		
cevimeline oral capsule 30 mg (Evoxac)	1	
chlorhexidine gluconate mucous membrane mouthwash 0.12 % (Paroex Oral Rinse)	1	
denta 5000 plus dental cream 1.1 %	1	
dentagel dental gel 1.1 %	1	
oralone dental paste 0.1 %	1	
paroex oral rinse mucous membrane mouthwash 0.12 %	1	
periogard mucous membrane mouthwash 0.12 %	1	
pilocarpine hcl oral tablet 5 mg, 7.5 mg (Salagen (pilocarpine))	1	
sf 5000 plus dental cream 1.1 %	1	
sodium fluoride-pot nitrate dental paste 1.1-5 % (Fluoridex Sensitivity Relief)	1	
triamcinolone acetonide dental paste 0.1 % (Oralone)	1	
Dermatological Agents		
Dermatological Agents, Other		
acitretin oral capsule 10 mg (Soriatane)	1	PA; QL (60 per 30 days)
acitretin oral capsule 17.5 mg	1	PA; QL (60 per 30 days)
acitretin oral capsule 25 mg (Soriatane)	1	PA
acyclovir topical cream 5 % (Zovirax)	1	QL (5 per 30 days)
acyclovir topical ointment 5 % (Zovirax)	1	
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	
ammonium lactate topical cream 12 % (Geri-Hydrolac)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ammonium lactate topical lotion 12 %</i> (Geri-Hydrolac)	1	
<i>amneesteem oral capsule 10 mg, 20 mg, 40 mg</i>	1	
<i>azelaic acid topical gel 15 %</i> (Finacea)	1	
<i>calcipotriene scalp solution 0.005 %</i>	1	
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	1	
<i>calcipotriene topical ointment 0.005 %</i>	1	
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i> (Taclonex)	1	
<i>calcitrene topical ointment 0.005 %</i>	1	
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	1	
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
CONDYLOX TOPICAL GEL 0.5 %	1	
DENAVIR TOPICAL CREAM 1 %	1	QL (5 per 30 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	1	
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	
<i>imiquimod topical cream in metered-dose pump 3.75 %</i> (Zyclara)	1	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	1	
<i>isotretinoin oral capsule 10 mg, 20 mg, 40 mg</i> (Amneesteem)	1	
<i>isotretinoin oral capsule 30 mg</i> (Claravis)	1	
LEVULAN TOPICAL SOLUTION 20 %	1	
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	1	
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
PANRETIN TOPICAL GEL 0.1 %	1	NM; NDS
PICATO TOPICAL GEL 0.015 %	1	QL (3 per 30 days)
PICATO TOPICAL GEL 0.05 %	1	QL (2 per 30 days)
<i>podofilox topical solution 0.5 %</i>	1	
REGRANEX TOPICAL GEL 0.01 %	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	1	
TOLAK TOPICAL CREAM 4 %	1	
UVADEX INJECTION SOLUTION 20 MCG/ML	1	
VALCHLOR TOPICAL GEL 0.016 %	1	PA NSO; NM; LA; NDS
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	1	
ZYCLARA TOPICAL CREAM IN METERED-DOSE PUMP 2.5 %	1	
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam</i> (Evoclin) 1 %	1	
<i>clindamycin phosphate topical gel</i> 1 %	1	
<i>clindamycin phosphate topical lotion</i> 1 %	1	
<i>clindamycin phosphate topical</i> <i>solution</i> 1 %	1	
<i>clindamycin phosphate topical swab</i> 1 %	1	
<i>clindamycin-benzoyl peroxide topical</i> <i>gel</i> 1.2 %(1 % base) -5 %	1	
<i>clindamycin-benzoyl peroxide topical</i> <i>gel</i> 1-5 %	1	
<i>ery pads topical swab</i> 2 %	1	
<i>erythromycin with ethanol topical gel</i> 2 %	1	
<i>erythromycin with ethanol topical</i> <i>solution</i> 2 %	1	
<i>erythromycin with ethanol topical</i> <i>swab</i> 2 %	1	
<i>erythromycin-benzoyl peroxide</i> <i>topical gel</i> 3-5 %	1	
<i>gentamicin topical cream</i> 0.1 %	1	
<i>gentamicin topical ointment</i> 0.1 %	1	
<i>metronidazole topical cream</i> 0.75 % (Rosadan)	1	
<i>metronidazole topical gel</i> 0.75 % (Rosadan)	1	
<i>metronidazole topical gel</i> 1 % (Metrogel)	1	
<i>metronidazole topical lotion</i> 0.75 % (MetroLotion)	1	
<i>mupirocin calcium topical cream</i> 2 %	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mupirocin topical ointment 2 %</i> (Centany)	1	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	
<i>rosadan topical cream 0.75 %</i>	1	
<i>selenium sulfide topical lotion 2.5 %</i>	1	
<i>silver sulfadiazine topical cream 1 %</i> (SSD)	1	
<i>ssd topical cream 1 %</i>	1	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	
<i>ala-scalp topical lotion 2 %</i>	1	
<i>alclometasone topical cream 0.05 %</i>	1	
<i>alclometasone topical ointment 0.05 %</i>	1	
<i>amcinonide topical cream 0.1 %</i>	1	
<i>amcinonide topical lotion 0.1 %</i>	1	
<i>amcinonide topical ointment 0.1 %</i>	1	
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	
<i>betamethasone valerate topical cream 0.1 %</i>	1	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	1	
<i>betamethasone valerate topical lotion 0.1 %</i>	1	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented))	1	
<i>clobetasol scalp solution 0.05 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clobetasol topical cream 0.05 %</i> (Temovate)	1	
<i>clobetasol topical foam 0.05 %</i> (Olux)	1	
<i>clobetasol topical gel 0.05 %</i>	1	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	1	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	1	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	1	
<i>clobetasol topical spray,non-aerosol 0.05 %</i> (Clobex)	1	
<i>clobetasol-emollient topical cream 0.05 %</i>	1	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	1	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	1	
<i>cormax scalp solution 0.05 %</i>	1	
<i>desonide topical cream 0.05 %</i> (Tridesilon)	1	
<i>desonide topical lotion 0.05 %</i> (DesOwen)	1	
<i>desonide topical ointment 0.05 %</i>	1	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	1	
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	1	
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	1	
<i>diflorasone topical cream 0.05 %</i> (Psorcon)	1	
<i>diflorasone topical ointment 0.05 %</i>	1	
EPIFOAM TOPICAL FOAM 1-1 %	1	
EUCRISA TOPICAL OINTMENT 2 %	1	PA
<i>fluocinolone 0.01% body oil 0.01 %</i> (Derma-Smoothe/FS Body Oil)	1	
<i>fluocinolone and shower cap scalp oil 0.01 %</i> (Derma-Smoothe/FS Scalp Oil)	1	
<i>fluocinolone topical cream 0.01 %</i>	1	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical solution 0.01 %</i> (Synalar)	1	
<i>fluocinonide topical cream 0.05 %</i>	1	
<i>fluocinonide topical cream 0.1 %</i> (Vanos)	1	
<i>fluocinonide topical gel 0.05 %</i>	1	
<i>fluocinonide topical ointment 0.05 %</i>	1	
<i>fluocinonide topical solution 0.05 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinonide-e topical cream 0.05 %</i>	1	
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	1	
<i>fluticasone propionate topical lotion 0.05 %</i> (Beser)	1	
<i>fluticasone propionate topical ointment 0.005 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i>	1	
<i>halobetasol propionate topical ointment 0.05 %</i>	1	
<i>hydrocort buty 0.1% lipo cream 0.1 %</i> (Locoid Lipocream)	1	
<i>hydrocortisone butyrate topical cream 0.1 %</i>	1	
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	1	
<i>hydrocortisone butyrate topical solution 0.1 %</i>	1	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream 2.5 %</i>	1	
<i>hydrocortisone topical lotion 2.5 %</i>	1	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	1	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	1	
<i>mometasone topical cream 0.1 %</i>	1	
<i>mometasone topical ointment 0.1 %</i>	1	
<i>mometasone topical solution 0.1 %</i>	1	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	1	PA
<i>prednicarbate topical cream 0.1 %</i>	1	
<i>prednicarbate topical ointment 0.1 %</i>	1	
PROCTOFOAM HC RECTAL FOAM 1-1 %	1	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	1	
<i>procto-pak topical cream with perineal applicator 1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	1	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	1	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	1	QL (60 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.05 %</i> (Trianex)	1	
<i>trianex topical ointment 0.05 %</i>	1	
<i>triderm topical cream 0.1 %, 0.5 %</i>	1	
TRIDESILON TOPICAL CREAM 0.05 %	1	
Dermatological Retinoids		
<i>adapalene 0.3% gel pump 0.3 %</i> (Differin)	1	
<i>adapalene topical cream 0.1 %</i> (Differin)	1	
<i>adapalene topical gel 0.1 %</i> (Differin)	1	
<i>adapalene topical gel 0.3 %</i> (Differin)	1	
<i>adapalene-benzoyl peroxide topical gel with pump 0.1-2.5 %</i> (Epiduo)	1	
<i>avita topical cream 0.025 %</i>	1	PA
<i>avita topical gel 0.025 %</i>	1	PA
FABIOR TOPICAL FOAM 0.1 %	1	PA
<i>tazarotene topical cream 0.1 %</i> (Tazorac)	1	
TAZORAC TOPICAL CREAM 0.05 %	1	PA
TAZORAC TOPICAL GEL 0.05 %, 0.1 %	1	PA
<i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> (Retin-A Micro)	1	PA
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Scabicides And Pediculicides		
<i>lindane topical shampoo 1 %</i>	1	
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	
<i>permethrin topical cream 5 %</i> (Elimite)	1	
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	1	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	1	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	1	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	1	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	1	
V-GO 40 DISPOSABLE DEVICE	1	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	1	NM; LA; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	1	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	1	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	1	PA; NM; NDS
ELELYSO INTRAVENOUS RECON SOLN 200 UNIT	1	PA; NM; LA; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	1	PA; NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	1	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	1	PA; NM; NDS; QL (14 per 28 days)
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG	1	PA; NM; LA; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	1	PA; NM; LA; NDS
MEPSEVII INTRAVENOUS SOLUTION 2 MG/ML	1	PA; NM; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	1	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	1	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	1	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	1	PA; NM; NDS; QL (15 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	1	PA; NM; NDS; QL (4.5 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML	1	PA; NM; NDS; QL (60 per 30 days)
PULMOZYME INHALATION SOLUTION 1 MG/ML	1	PA; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	1	PA; NM; NDS
<i>sapropterin oral powder in packet</i> (Kuvan) <i>100 mg, 500 mg</i>	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	1	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	1	PA; NM; LA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	1	PA; NM; LA; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000 - 84,000 UNIT, 25,000-79,000 - 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000 - 168,000 UNIT, 5,000-17,000 - 24,000 UNIT	1	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	1	
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	1	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	1	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	
<i>azelastine nasal aerosol, spray 137 mcg (0.1 %)</i>	1	
<i>azelastine nasal spray, non-aerosol 0.15 % (205.5 mcg)</i>	1	
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	1	NM; LA; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>ipratropium bromide nasal spray, non-aerosol 0.03 %, 42 mcg (0.06 %)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olopatadine nasal spray,non-aerosol</i> (Patanase) 0.6 %	1	
<i>olopatadine ophthalmic (eye) drops</i> (Pataday) 0.1 %	1	
<i>olopatadine ophthalmic (eye) drops</i> (Pataday) 0.2 %	1	ST
OXERVATE OPHTHALMIC (EYE) DROPS 0.002 %	1	PA; NM; NDS; QL (56 per 28 days)
<i>phenylephrine hcl ophthalmic (eye) drops</i> 10 %, 2.5 %	1	
<i>proparacaine ophthalmic (eye) drops</i> (Alcaine) 0.5 %	1	
TEPEZZA INTRAVENOUS RECON SOLN 500 MG	1	PA; NM; NDS
<i>tropicamide ophthalmic (eye) drops</i> 0.5 %	1	
<i>tropicamide ophthalmic (eye) drops</i> 1 % (Mydriacyl)	1	
TYZINE NASAL DROPS 0.1 %	1	
TYZINE NASAL SPRAY, NON-AEROSOL 0.1 %	1	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution</i> 2 %	1	
<i>acetic acid-aluminum acetate otic (ear) drops</i> 2 %	1	
AZASITE OPHTHALMIC (EYE) DROPS 1 %	1	
<i>bacitracin ophthalmic (eye) ointment</i> (Baciguent) 500 unit/gram	1	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment</i> 500-10,000 unit/gram (Polycin)	1	
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	1	
<i>bleph-10 ophthalmic (eye) drops</i> 10 %	1	
BLEPHAMIDE OPHTHALMIC (EYE) DROPS,SUSPENSION 10-0.2 %	1	
BLEPHAMIDE S.O.P. OPHTHALMIC (EYE) OINTMENT 10-0.2 %	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	1	
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	1	
<i>ciprofloxacin hcl ophthalmic (eye)</i> (Ciloxan) <i>drops 0.3 %</i>	1	
<i>ciprofloxacin hcl otic (ear)</i> (Cetraxal) <i>dropperette 0.2 %</i>	1	
<i>ciprofloxacin-dexamethasone otic</i> (Ciprodex) <i>(ear) drops,suspension 0.3-0.1 %</i>	1	
<i>erythromycin ophthalmic (eye)</i> <i>ointment 5 mg/gram (0.5 %)</i>	1	
<i>gatifloxacin ophthalmic (eye) drops</i> (Zymaxid) <i>0.5 %</i>	1	
<i>gentak ophthalmic (eye) ointment 0.3</i> <i>% (3 mg/gram)</i>	1	
<i>gentamicin ophthalmic (eye) drops</i> <i>0.3 %</i>	1	
<i>hydrocortisone-acetic acid otic (ear)</i> <i>drops 1-2 %</i>	1	
<i>levofloxacin ophthalmic (eye) drops</i> <i>0.5 %</i>	1	
<i>moxifloxacin ophthalmic (eye) drops</i> (Vigamox) <i>0.5 %</i>	1	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	1	
<i>neomycin-bacitracin-poly-hc</i> (Neo-Polycin HC) <i>ophthalmic (eye) ointment 3.5-400-</i> <i>10,000 mg-unit/g-1%</i>	1	
<i>neomycin-bacitracin-polymyxin</i> (Neo-Polycin) <i>ophthalmic (eye) ointment 3.5-400-</i> <i>10,000 mg-unit-unit/g</i>	1	
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) drops,suspension</i> <i>3.5mg/ml-10,000 unit/ml-0.1 %</i>	1	
<i>neomycin-polymyxin b-dexameth</i> (Maxitrol) <i>ophthalmic (eye) ointment 3.5 mg/g-</i> <i>10,000 unit/g-0.1 %</i>	1	
<i>neomycin-polymyxin-gramicidin</i> <i>ophthalmic (eye) drops 1.75 mg-</i> <i>10,000 unit-0.025mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	1	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> (Polytrim)	1	
PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 %	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> (Bleph-10)	1	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	1	
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	1	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex)	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex)	1	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALOCRILOPHthalmic (EYE) DROPS 2 %	1	
ALREX OPHthalmic (EYE) DROPS,SUSPENSION 0.2 %	1	
BECONASE AQ NASAL SPRAY, NON-AEROSOL 42 MCG (0.042 %)	1	PA
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	1	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	
DUREZOL OPHthalmic (EYE) DROPS 0.05 %	1	
FLAREX OPHthalmic (EYE) DROPS,SUSPENSION 0.1 %	1	
<i>flunisolide nasal spray, non-aerosol 25 mcg (0.025 %)</i>	1	
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	1	
<i>fluorometholone ophthalmic (eye) drops, suspension 0.1 %</i> (FML Liquifilm)	1	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	
<i>fluticasone propionate nasal spray, suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	(Rx product only)
FML FORTE OPHthalmic (EYE) DROPS,SUSPENSION 0.25 %	1	
FML S.O.P. OPHthalmic (EYE) OINTMENT 0.1 %	1	
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	1	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	
<i>loteprednol etabonate ophthalmic (eye) drops, suspension 0.5 %</i> (Lotemax)	1	
MAXIDEX OPHthalmic (EYE) DROPS,SUSPENSION 0.1 %	1	
<i>mometasone nasal spray, non-aerosol 50 mcg/actuation</i> (Nasonex)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	1	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	1	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	1	
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
CARAFATE ORAL SUSPENSION 100 MG/ML	1	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	1	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	1	
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg, 40 mg</i> (Nexium)	1	
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg, 40 mg</i> (Nexium Packet)	1	ST
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	PA
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	PA
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	
<i>famotidine intravenous solution 10 mg/ml</i>	1	
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>	1	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg, 30 mg</i> (Prevacid)	1	
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 20 MG, 40 MG	1	ST
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	
<i>nizatidine oral solution 150 mg/10 ml</i>	1	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	1	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i> (Protonix)	1	
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)	1	
<i>ranitidine hcl oral syrup 15 mg/ml</i>	1	
<i>ranitidine hcl oral tablet 150 mg, 300 mg</i>	1	
<i>sucralfate oral suspension 100 mg/ml</i> (Carafate)	1	
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	1	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	1	PA; NM; NDS
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	1	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	1	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	1	
<i>dicyclomine oral capsule 10 mg</i>	1	
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	
<i>dicyclomine oral tablet 20 mg</i>	1	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	
<i>enulose oral solution 10 gram/15 ml</i>	1	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	1	PA; NM; LA; NDS
<i>generlac oral solution 10 gram/15 ml</i>	1	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	1	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	
<i>lactulose oral solution 10 gram/15 ml (Constulose)</i>	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	1	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	1	PA; QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	1	PA; QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	1	QL (30 per 30 days)
<i>propantheline oral tablet 15 mg</i>	1	
RAVICTI ORAL LIQUID 1.1 GRAM/ML	1	PA; NM; LA; NDS; QL (525 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	1	PA; (1 per day); QL (18 per 30 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	1	PA; (1 per day); QL (18 per 30 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	1	PA; (1 per day); QL (12 per 30 days)
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> (Buphenyl)	1	NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	1	NM; NDS
<i>sodium polystyrene (sorb free) oral suspension 15 gram/60 ml</i>	1	
<i>sodium polystyrene sulfonate oral powder</i>	1	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ursodiol oral capsule 300 mg</i> (Actigall)	1	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	1	PA; LA; QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	1	PA; NM; LA; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	1	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	1	
<i>gavilyte-n oral recon soln 420 gram</i>	1	
GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM	1	
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	1	
OSMOPREP ORAL TABLET 1.5 GRAM	1	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	1	
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i> (Gavilyte-C)	1	
<i>peg3350-sod sul-nacl-kcl-asb-c oral powder in packet 100-7.5-2.691 gram</i> (MoviPrep)	1	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	1	
PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM	1	
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	1	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	1	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	1	
Phosphate Binders		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AURYXIA ORAL TABLET 210 MG IRON	1	PA; NM; NDS; QL (360 per 30 days)
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i>	1	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i>	1	
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	1	
<i>lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	1	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	1	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	
VELPHORO ORAL TABLET,CHEWABLE 500 MG	1	ST; NM; NDS
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
<i>flavoxate oral tablet 100 mg</i>	1	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	1	QL (30 per 30 days)
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	
<i>oxybutynin chloride oral tablet 5 mg</i>	1	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	1	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	1	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	QL (30 per 30 days)
<i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	QL (30 per 30 days)
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	
<i>tropium oral capsule,extended release 24hr 60 mg</i>	1	
<i>tropium oral tablet 20 mg</i>	1	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	1	LA
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	1	PA; NM; LA; NDS
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)	1	PA; NM; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)	1	PA; NM; NDS
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	1	PA; NM; NDS
<i>deferiprone oral tablet 500 mg</i> (Ferriprox)	1	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	1	PA BvD; (PA for ESRD only)
DEPEN TITRATABS ORAL TABLET 250 MG	1	
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	1	PA; NM; LA; NDS
FERRIPROX ORAL TABLET 1,000 MG, 500 MG	1	PA; NM; LA; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	1	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	1	PA; NM; NDS
<i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)	1	
<i>trientine oral capsule 250 mg</i> (Clovique)	1	PA; NM; NDS
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	1	
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	
METHITEST ORAL TABLET 10 MG	1	
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	1	
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>	1	
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> (Fortesta)	1	
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	1	
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	1	
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram), 1.62 % (20.25 mg/1.25 gram), 1.62 % (40.5 mg/2.5 gram)</i> (AndroGel)	1	
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	
DUAVEE ORAL TABLET 0.45-20 MG	1	PA
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol transdermal patch weekly</i> (Climara) 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr	1	
<i>estradiol vaginal cream 0.01 %</i> (0.1 mg/gram) (Estrace)	1	
<i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)	1	
<i>estradiol valerate intramuscular oil</i> (Delestrogen) 20 mg/ml, 40 mg/ml	1	
<i>estradiol-norethindrone acet oral</i> (Amabelz) <i>tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	1	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	1	QL (1 per 90 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg,</i> <i>1-5 mg-mcg</i>	1	
<i>jinteli oral tablet 1-5 mg-mcg</i>	1	
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5</i> <i>mg</i>	1	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	1	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	1	
<i>mimvey oral tablet 1-0.5 mg</i>	1	
<i>norethindrone ac-eth estradiol oral</i> (Fyavolv) <i>tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	
PREMARIN INJECTION RECON SOLN 25 MG	1	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	1	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	1	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	1	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	1	
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	
<i>yuvafem vaginal tablet 10 mcg</i>	1	
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100</i> <i>mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	
<i>cortisone oral tablet 25 mg</i>	1	
<i>deltasone oral tablet 20 mg</i>	1	PA BvD
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	1	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i>	1	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD
<i>dexamethasone oral tablets,dose pack 1.5 mg (21 tabs)</i> (HiDex)	1	
<i>dexamethasone oral tablets,dose pack 1.5 mg (35 tabs), 1.5 mg (51 tabs)</i>	1	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	1	PA; NM; LA; NDS
EMFLAZA ORAL TABLET 18 MG	1	PA; NM; LA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 6 MG	1	PA; NM; LA; NDS; QL (60 per 30 days)
EMFLAZA ORAL TABLET 36 MG	1	PA; NM; LA; NDS
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	1	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylprednisolone sodium succ</i> (Solu-Medrol) <i>intravenous recon soln 1,000 mg, 500 mg</i>	1	
<i>prednisolone 15 mg/5 ml soln a/f, d/f</i> <i>15 mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml)</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	1	PA BvD
<i>prednisolone sodium phosphate oral tablet, disintegrating 10 mg, 15 mg, 30 mg</i> (Orapred ODT)	1	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
SOLU-CORTEF ACT-O-VIAL (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	1	
SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML	1	
SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML	1	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	
Pituitary		
CHORIONIC GONADOTROPIN, HUMAN INTRAMUSCULAR RECON SOLN 10,000 UNIT (Novarel)	1	PA
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	1	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	1	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	1	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	1	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	1	NM; NDS
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	1	PA; QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	1	PA; QL (30 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	1	PA
<i>octreotide acetate injection solution 1,000 mcg/ml</i>	1	NM; NDS
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> (Sandostatin)	1	
<i>octreotide acetate injection solution 200 mcg/ml</i>	1	
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	1	
ORILISSA ORAL TABLET 150 MG	1	PA; NM; NDS; QL (30 per 30 days)
ORILISSA ORAL TABLET 200 MG	1	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	1	PA; NM; NDS
SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10 MG, 20 MG, 30 MG, 40 MG, 60 MG	1	PA; NM; LA; NDS; QL (1 per 28 days)
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	1	PA; NM; LA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	1	NM; NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	1	NM; LA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	1	PA
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	1	NM; NDS
TRIPTODUR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG	1	PA; NM; NDS; QL (1 per 168 days)
VANTAS IMPLANT KIT 50 MG (50 MCG/DAY)	1	
VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML	1	
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	1	PA; NM; NDS
Progestins		
CRINONE VAGINAL GEL 4 %, 8 %	1	PA
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	1	
<i>hydroxyprogesterone (pf)(preg presv)</i> <i>intramuscular oil 250 mg/ml (1 ml)</i> (Makena)	1	NM; NDS
<i>hydroxyprogesterone cap(ppres)</i> <i>intramuscular oil 250 mg/ml</i> (Makena)	1	NM; NDS
<i>medroxyprogesterone intramuscular</i> <i>suspension 150 mg/ml</i> (Depo-Provera)	1	
<i>medroxyprogesterone intramuscular</i> <i>syringe 150 mg/ml</i> (Depo-Provera)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>	1	
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	
<i>progesterone intramuscular oil 50 mg/ml</i>	1	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	
Thyroid And Antithyroid Agents		
<i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i>	1	
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	1	
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	1	
<i>levothyroxine intravenous solution 100 mcg/ml, 20 mcg/ml, 40 mcg/ml</i>	1	
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	1	
<i>liothyronine intravenous solution 10 mcg/ml</i> (Triostat)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	1	
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	1	
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	1	PA; NM; NDS; QL (3.6 per 28 days)
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	1	PA; NM; NDS; QL (40 per 30 days)
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	1	PA; NM; NDS; QL (3.6 per 28 days)
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	1	PA; NM; LA; NDS
ASTAGRAF XL ORAL CAPSULE, EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	1	PA NSO
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	1	
AVSOLA INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
AZASAN ORAL TABLET 100 MG, 75 MG	1	PA BvD
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
BIVIGAM INTRAVENOUS SOLUTION 10 %	1	PA; NM; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	1	PA; NM; NDS; QL (3 per 28 days)
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	1	PA; NM; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	1	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	1	PA; NM; NDS
CUTAQUIG SUBCUTANEOUS SOLUTION 16.5 %	1	PA; NM; NDS
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	1	PA; NM; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	1	PA BvD
<i>cyclosporine modified oral capsule</i> (Gengraf) 100 mg, 25 mg	1	PA BvD
<i>cyclosporine modified oral capsule</i> 50 mg	1	PA BvD
<i>cyclosporine modified oral solution</i> (Gengraf) 100 mg/ml	1	PA BvD
<i>cyclosporine oral capsule 100 mg, 25</i> (Sandimmune) <i>mg</i>	1	PA BvD
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	1	PA; NM; NDS; QL (8 per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	1	PA; NM; NDS; QL (4.56 per 28 days)
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 300 MG/2 ML	1	PA; NM; NDS; QL (8 per 28 days)
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	1	PA; NM; NDS; (8 syringes); QL (8 per 28 days)
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	1	PA; NM; NDS; (8 vials); QL (8 per 28 days)
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	1	PA; NM; NDS; QL (8 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5)	1	PA; NM; NDS; QL (8.16 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML (1 ML)	1	PA; NM; NDS; (8 syringes); QL (8 per 28 days)
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	1	PA; NM; NDS; (8 syringes); QL (8 per 28 days)
ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	1	PA BvD
<i>everolimus (immunosuppressive) oral (Zortress) tablet 0.25 mg, 0.5 mg, 0.75 mg</i>	1	PA NSO
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	1	PA; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	1	PA
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	1	PA; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	1	PA; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	1	PA; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	1	PA; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	1	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	1	PA; NM; NDS
HIZENTRA SUBCUTANEOUS SYRINGE 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	1	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	1	PA; NM; NDS; (1 starter kit); QL (3 per 28 days)
HUMIRA PEDIATRIC CROHN'S STARTER 40 MG/0.8 ML SYRINGE 40 MG/0.8 ML	1	PA; NM; NDS
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	1	PA; NM; NDS; (1 starter kit); QL (6 per 28 days)
HUMIRA PEN PSOR-UVEITS- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	1	PA; NM; NDS; QL (4 per 28 days)
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	1	PA; NM; NDS; QL (4 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	1	PA; NM; NDS; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	1	PA; NM; NDS; QL (4 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML	1	PA; NM; NDS; (1 starter kit); QL (3 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	1	PA; NM; NDS; QL (2 per 28 days)
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	1	PA; NM; NDS; (1 starter kit); QL (3 per 28 days)
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	1	PA; NM; NDS; (1 starter kit); QL (3 per 28 days)
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	1	PA; NM; NDS; QL (4 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	1	PA; NM; NDS; QL (2 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	1	PA; NM; NDS; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	1	PA; NM; LA; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	1	PA; NM; LA; NDS; QL (2 per 28 days)
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; NM; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	1	PA; NM; NDS; (2 pens); QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	1	PA; NM; NDS; (2 syringes); QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	1	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	
<i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	PA BvD
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	1	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	1	PA NSO; NM; NDS
OLUMIANT ORAL TABLET 1 MG, 2 MG	1	PA; NM; NDS; QL (30 per 30 days)
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	1	PA; NM; NDS; (4 syringes); QL (1.6 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	1	PA; NM; NDS; (4 syringes); QL (2.8 per 28 days)
OTEZLA ORAL TABLET 30 MG	1	PA; NM; LA; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)	1	PA; NM; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG(19)	1	PA; NM; LA; NDS; QL (60 per 30 days)
PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML)	1	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	1	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	1	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	1	PA BvD
RENFLEXIS INTRAVENOUS RECON SOLN 100 MG	1	PA; NM; NDS
RIDAURA ORAL CAPSULE 3 MG	1	
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG	1	PA; NM; NDS; QL (30 per 30 days)
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)
SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML	1	PA; NM; NDS; (1 syringe); QL (0.5 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML	1	PA; NM; NDS; (1 syringe); QL (0.5 per 28 days)
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	1	PA BvD; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	PA BvD
SKYRIZI SUBCUTANEOUS SYRINGE KIT 150MG/1.66ML(75 MG/0.83 ML X2)	1	PA; NM; NDS; QL (1 per 28 days)
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	1	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	1	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	1	NM; NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	1	
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	1	PA; NM; LA; NDS
VARIZIG INTRAMUSCULAR SOLUTION 125 UNIT/1.2 ML	1	
XELJANZ ORAL TABLET 10 MG, 5 MG	1	PA; NM; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG	1	PA; NM; NDS; QL (30 per 30 days)
ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML	1	PA; NM; NDS
ZORTRESS ORAL TABLET 0.25 MG	1	PA NSO
ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG, 1 MG	1	PA NSO; NM; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	1	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	1	
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	1	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	1	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	1	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	1	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	1	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	1	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	1	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	1	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	1	
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	1	
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	1	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	1	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	1	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25-58-10 LF-MCG-LF/0.5ML	1	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	1	
IPOL INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	1	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	1	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	1	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	1	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	1	
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	1	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	1	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	1	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	1	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	1	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML, 15 LF-48 MCG- 62 DU/0.5 ML	1	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	1	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	1	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	1	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	1	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	1	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	1	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	1	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	1	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	1	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	1	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	1	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	1	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	1	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	1	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	1	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	1	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	1	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	1	
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	1	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	1	

Inflammatory Bowel Disease Agents

Inflammatory Bowel Disease Agents		
<i>alosetron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	1	QL (60 per 30 days)
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	1	
<i>colocort rectal enema 100 mg/60 ml</i>	1	
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	1	
DIPENTUM ORAL CAPSULE 250 MG	1	
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i> (Delzicol)	1	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	1	
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i> (Asacol HD)	1	
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	1	
<i>mesalamine rectal suppository 1,000 mg</i> (Canasa)	1	
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG	1	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	1	
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	1	
<i>ringer's irrigation solution</i>	1	
<i>sorbitol irrigation solution 3 %, 3.3 %</i>	1	
<i>sorbitol-mannitol transurethral solution 2.7-0.54 gram/100 ml</i>	1	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	1	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	1	
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	1	
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	1	PA BvD; (PA for ESRD only)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	PA BvD; (PA for ESRD only)
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	PA BvD; (PA for ESRD only)
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	PA BvD; (PA for ESRD only)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	1	PA BvD; (PA for ESRD only); QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg, 90 mg</i> (Sensipar)	1	PA BvD; NM; NDS; (PA for ESRD only)
<i>doxercalciferol 4 mcg/2 ml vial, outer, muv, latex-free 4 mcg/2 ml</i> (Hectorol)	1	PA BvD
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	1	PA BvD; (PA for ESRD only)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	1	PA BvD; (PA for ESRD only)
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	1	
EVENTITY 105 MG/1.17 ML SYRINGE 105 MG/1.17 ML	1	PA; NM; NDS; QL (2.34 per 30 days)
EVENTITY SUBCUTANEOUS SYRINGE 210MG/2.34ML (105MG/1.17MLX2)	1	PA; NM; NDS; QL (2.34 per 30 days)
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE (600MCG/2.4ML)	1	PA; NM; NDS; (1 pen); QL (2.4 per 28 days)
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT	1	
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	PA
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	1	PA
<i>ibandronate oral tablet 150 mg</i> (Boniva)	1	
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	1	PA BvD; (PA for ESRD only)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	1	PA; NM; LA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	PA BvD; (PA for ESRD only)
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	PA BvD; (PA for ESRD only)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	1	PA BvD; (PA for ESRD only)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	1	PA BvD; (PA for ESRD only)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar)	1	PA BvD; (PA for ESRD only)
<i>paricalcitol oral capsule 4 mcg</i>	1	PA BvD; (PA for ESRD only)
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	1	PA
<i>risedronate oral tablet 150 mg, 35 mg, 5 mg</i> (Actonel)	1	
<i>risedronate oral tablet 30 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	1	
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	1	QL (4 per 28 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose - 620 mcg/2.48 ml</i>	1	PA; NM; NDS; QL (2.4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	1	PA; NM; NDS; (1 pen); QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	1	PA NSO; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	PA BvD; (PA for ESRD only)
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	PA BvD; (PA for ESRD only)
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	PA BvD; (PA for ESRD only)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	1	PA BvD; (PA for ESRD only)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	1	NM; LA; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	1	
BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION	1	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	1	PA; NM; LA; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	1	PA; NM; NDS; QL (4 per 28 days)
CABLIVI INJECTION KIT 11 MG	1	PA; NM; NDS; QL (28 per 28 days)
CRYSVITA SUBCUTANEOUS SOLUTION 10 MG/ML	1	PA; NM; NDS; QL (2 per 28 days)
CRYSVITA SUBCUTANEOUS SOLUTION 20 MG/ML	1	PA; NM; NDS; QL (8 per 28 days)
CRYSVITA SUBCUTANEOUS SOLUTION 30 MG/ML	1	PA; NM; NDS; QL (6 per 28 days)
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i>	1	
<i>diazoxide oral suspension 50 mg/ml (Proglycem)</i>	1	
<i>droperidol injection solution 2.5 mg/ml</i>	1	
ELMIRON ORAL CAPSULE 100 MG	1	
ENDARI ORAL POWDER IN PACKET 5 GRAM	1	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	
EXONDYS-51 INTRAVENOUS SOLUTION 50 MG/ML	1	PA; NM; LA; NDS
FIRDAPSE ORAL TABLET 10 MG	1	PA; NM; NDS; QL (240 per 30 days)
<i>fomepizole intravenous solution 1 gram/ml</i>	1	NM; NDS
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	1	
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	1	
<i>guanidine oral tablet 125 mg</i>	1	
GVOKE HYPOPEN 1PK 0.5 MG/0.1 ML 0.5 MG/0.1 ML	1	
GVOKE HYPOPEN 1-PK 1 MG/0.2 ML 1 MG/0.2 ML	1	
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GVOKE PFS 1PK 0.5 MG/0.1 ML SYR 0.5 MG/0.1 ML	1	
GVOKE PFS 1-PK 1 MG/0.2 ML SYR 1 MG/0.2 ML	1	
GVOKE PFS 2-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	1	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	
<i>hydroxyzine pamoate oral capsule 25 (Vistaril) mg, 50 mg</i>	1	
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	1	NM; NDS
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg, 500 mg</i>	1	
<i>leucovorin calcium injection solution 10 mg/ml</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	
<i>levocarnitine (with sugar) oral (Carnitor) solution 100 mg/ml</i>	1	PA BvD; (PA for ESRD only)
<i>levocarnitine oral tablet 330 mg (Carnitor)</i>	1	PA BvD; (PA for ESRD only)
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	1	
<i>levoleucovorin calcium intravenous (Fusilev) recon soln 50 mg</i>	1	
<i>levoleucovorin calcium intravenous solution 10 mg/ml</i>	1	NM; NDS
<i>mesna intravenous solution 100 (Mesnex) mg/ml</i>	1	
MESNEX ORAL TABLET 400 MG	1	
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	1	
ONPATTRO INTRAVENOUS SOLUTION 2 MG/ML	1	PA; NM; NDS; QL (15 per 21 days)
PROCYSBI ORAL GRANULES DEL RELEASE IN PACKET 300 MG, 75 MG	1	PA; NM; NDS
PROGLYCEM ORAL SUSPENSION 50 MG/ML	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pyridostigmine bromide oral tablet</i> 30 mg	1	
<i>pyridostigmine bromide oral tablet</i> (Mestinon) 60 mg	1	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	1	
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	1	PA; NM; NDS; QL (4 per 28 days)
TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML	1	PA; NM; NDS; QL (6 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	1	NM; NDS
TYBOST ORAL TABLET 150 MG	1	QL (30 per 30 days)
VYONDYS-53 INTRAVENOUS SOLUTION 50 MG/ML	1	PA; NM; NDS
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release</i> 500 mg	1	
<i>acetazolamide oral tablet</i> 125 mg, 250 mg	1	
<i>acetazolamide sodium injection recon soln</i> 500 mg	1	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	1	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	1	
<i>betaxolol ophthalmic (eye) drops</i> 0.5 %	1	
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	1	
<i>bimatoprost ophthalmic (eye) drops</i> 0.03 %	1	
<i>brimonidine ophthalmic (eye) drops</i> (Alphagan P) 0.15 %	1	
<i>brimonidine ophthalmic (eye) drops</i> 0.2 %	1	
<i>carteolol ophthalmic (eye) drops</i> 1 %	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dorzolamide ophthalmic (eye) drops</i> (Trusopt) 2 %	1	
<i>dorzolamide-timolol ophthalmic (eye) drops</i> (Cosopt) 22.3-6.8 mg/ml	1	
<i>latanoprost ophthalmic (eye) drops</i> (Xalatan) 0.005 %	1	
<i>levobunolol ophthalmic (eye) drops</i> 0.5 %	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	1	ST
<i>methazolamide oral tablet</i> 25 mg, 50 mg	1	
<i>metipranolol ophthalmic (eye) drops</i> 0.3 %	1	
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	1	
<i>pilocarpine hcl ophthalmic (eye) drops</i> (Isopto Carpine) 1 %, 2 %, 4 %	1	
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	1	
<i>timolol maleate ophthalmic (eye) drops</i> (Timoptic) 0.25 %, 0.5 %	1	
<i>timolol maleate ophthalmic (eye) drops, once daily</i> (Istalol) 0.5 %	1	
<i>timolol maleate ophthalmic (eye) gel forming solution</i> (Timoptic-XE) 0.25 %	1	
<i>timolol maleate ophthalmic (eye) gel forming solution</i> (Timoptic-XE) 0.5 %	1	
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	1	
<i>travoprost ophthalmic (eye) drops</i> (Travatan Z) 0.004 %	1	
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	1	ST
XELPROS OPHTHALMIC (EYE) DROPS, EMULSION 0.005 %	1	ST
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	1	
Replacement Preparations		
Replacement Preparations		
<i>calcium chloride intravenous syringe</i> 100 mg/ml (10 %)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcium gluconate intravenous solution 100 mg/ml (10%)</i>	1	
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	1	
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	1	
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	1	
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	1	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	1	
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	1	
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	1	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	1	
K-SOL ORAL LIQUID 20 MEQ/15 ML	1	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	1	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	1	
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	
<i>potassium acetate intravenous solution 2 meq/ml</i>	1	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	1	
<i>potassium chloride intravenous solution 2 meq/ml, 2 meq/ml (20 ml)</i>	1	
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	
<i>potassium chloride oral packet 20 meq</i> (Klor-Con)	1	
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)	1	
<i>potassium chloride oral tablet extended release 20 meq</i> (K-Tab)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	1	
<i>potassium chloride oral tablet, er particles/crystals 10 meq</i> (Klor-Con M10)	1	
<i>potassium chloride oral tablet, er particles/crystals 20 meq</i> (Klor-Con M20)	1	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	
<i>ringer's intravenous parenteral solution</i>	1	
<i>sodium acetate intravenous solution 2 meq/ml</i>	1	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	
<i>sodium chloride 3 % intravenous parenteral solution 3 %</i>	1	
<i>sodium chloride 5 % intravenous parenteral solution 5 %</i>	1	
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	1	
<i>sodium lactate intravenous solution 5 meq/ml</i>	1	
<i>sodium phosphate intravenous solution 3 mmol/ml</i>	1	

Respiratory Tract Agents

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	1	
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	1	
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	1	ST
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ACTUATION (30), 220 MCG/ACTUATION (120), 220 MCG/ACTUATION (14), 220 MCG/ACTUATION (30), 220 MCG/ACTUATION (60)	1	ST
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	1	
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	1	PA BvD
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Symbicort)	1	ST
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	1	
DULERA INHALATION HFA AEROSOL INHALER 50-5 MCG/ACTUATION	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 250 MCG/ACTUATION	1	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/ACTUATION	1	
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION, 44 MCG/ACTUATION	1	
<i>fluticasone propion-salmeterol</i> (AirDuo RespiClick) <i>inhalation aerosol powdr breath</i> <i>activated 113-14 mcg/actuation, 232-</i> <i>14 mcg/actuation, 55-14</i> <i>mcg/actuation</i>	1	QL (1 per 30 days)
<i>fluticasone propion-salmeterol</i> (Wixela Inhub) <i>inhalation blister with device 100-50</i> <i>mcg/dose, 250-50 mcg/dose, 500-50</i> <i>mcg/dose</i>	1	QL (60 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	1	
QVAR REDIHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	1	
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	1	ST
<i>wixela inhub inhalation blister with</i> <i>device 100-50 mcg/dose, 250-50</i> <i>mcg/dose, 500-50 mcg/dose</i>	1	QL (60 per 30 days)
Antileukotrienes		
<i>montelukast oral granules in packet 4</i> (Singulair) <i>mg</i>	1	
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4</i> (Singulair) <i>mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	1	
<i>zileuton oral tablet, er multiphase 12 hr 600 mg</i>	1	QL (120 per 30 days)
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	1	PA BvD
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (ProAir HFA)	1	
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503), 90 mcg/actuation (nda020983)</i>	1	
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	1	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>	1	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	1	
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	1	
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML	1	PA
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	1	
<i>elixophyllin oral elixir 80 mg/15 ml</i>	1	
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	1	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i> (Xopenex)	1	PA BvD
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i> (Xopenex Concentrate)	1	PA BvD
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i> (Xopenex HFA)	1	
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	1	
PERFOROMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML	1	PA
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	1	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	1	
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	1	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	1	
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	1	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	1	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	1	
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>theophylline in dextrose 5 % intravenous parenteral solution 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml</i>	1	
<i>theophylline oral solution 80 mg/15 ml</i>	1	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i>	1	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	1	QL (60 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION, 400 MCG/ACTUATION (30 ACTUAT)	1	ST
YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML	1	PA BvD; NM; NDS; QL (90 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution (Acetadote) 200 mg/ml (20 %)</i>	1	PA BvD
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	1	PA BvD
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	1	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	PA BvD
DALIRESP ORAL TABLET 250 MCG, 500 MCG	1	PA; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	1	PA; NM; LA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	1	PA; NM; LA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	1	PA; NM; LA; NDS; QL (90 per 30 days)
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	1	PA; NM; NDS; QL (1 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	1	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	1	PA; NM; NDS; QL (60 per 30 days)
KALYDECO ORAL TABLET 150 MG	1	PA; NM; NDS; QL (60 per 30 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	1	PA; NM; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	1	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	1	PA; NM; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	1	PA; NM; LA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	1	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	1	PA; NM; LA; NDS; QL (120 per 30 days)
PROLASTIN C 1,000 MG/20 ML VL PRICE/ONE MG,L/F,SUV 1,000 MG (+-)/20 ML	1	PA; NM; LA; NDS
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	1	PA; NM; LA; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	1	PA; NM; NDS; QL (60 per 30 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N)	1	PA; NM; NDS; QL (90 per 30 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	1	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	1	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	
<i>chlorzoxazone oral tablet 500 mg</i>	1	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dantrolene intravenous recon soln 20 mg</i> (Revonto)	1	
<i>dantrolene oral capsule 100 mg</i>	1	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	1	
<i>metaxalone oral tablet 400 mg</i>	1	
<i>metaxalone oral tablet 800 mg</i> (Metaxall)	1	
<i>methocarbamol injection solution 100 mg/ml</i> (Robaxin)	1	
<i>methocarbamol oral tablet 500 mg</i>	1	
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	1	
<i>orphenadrine citrate injection solution 30 mg/ml</i>	1	
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	1	
<i>revonto intravenous recon soln 20 mg</i>	1	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	1	
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA
<i>eszopiclone oral tablet 1 mg, 2 mg</i> (Lunesta)	1	QL (90 per 365 days)
HETLIOZ ORAL CAPSULE 20 MG	1	PA; NM; LA; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg, 200 mg</i> (Provigil)	1	PA
<i>ramelteon oral tablet 8 mg</i> (Rozerem)	1	QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	1	QL (30 per 30 days)
SUNOSI ORAL TABLET 150 MG, 75 MG	1	PA; QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	1	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	PA; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	PA; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	PA; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	1	PA; NM; LA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	1	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	1	PA; NM; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	1	PA; NM; NDS; QL (60 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	1	PA; LA
OPSUMIT ORAL TABLET 10 MG	1	PA; NM; NDS; QL (30 per 30 days)
REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML	1	PA; NM; NDS
<i>sildenafil (pulm.hypertension) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA
<i>sildenafil (pulm.hypertension) oral suspension for reconstitution 10 mg/ml</i> (Revatio)	1	PA; NM; NDS
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)	1	PA
<i>tadalafil (pulm. hypertension) oral tablet 20 mg</i> (Alyq)	1	PA; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	1	PA; QL (30 per 30 days)
<i>tadalafil oral tablet 20 mg</i> (Cialis)	1	PA; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	1	PA; NM; NDS; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	1	PA; NM; LA; NDS; QL (81.2 per 28 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	1	PA; NM; LA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	1	PA; NM; LA; NDS; QL (140 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	1	PA; NM; LA; NDS; QL (200 per 180 days)
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	1	PA; NM; LA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
FLUORIDE (SODIUM) ORAL TABLET 1 MG (2.2 MG SOD. FLUORIDE)	1	
LUDENT FLUORIDE 1 MG TAB CHEW D/F, S/F, CHEWABLE (RX) 1 MG (2.2 MG SOD. FLUORIDE)	1	
<i>pnv prenatal plus multivit tab s/f, gluten-free (rx) 27 mg iron- 1 mg</i>	1	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

A		
abacavir	75	
abacavir-lamivudine	75	
abacavir-lamivudine-zidovudine	75	
ABELCET	60	
ABILIFY MAINTENA	70	
ABILIFY MYCITE	70	
abiraterone	29	
ABRAXANE	29	
acamprosate	17	
acarbose	55	
acebutolol	91	
acetaminophen-codeine	11	
acetazolamide	155	
acetazolamide sodium	155	
acetic acid	122, 150	
acetic acid-aluminum acetate	122	
acetylcysteine	164	
acitretin	112	
ACTEMRA	139	
ACTEMRA ACTPEN	139	
ACTHIB (PF)	145	
ACTIMMUNE	152	
ACTOPLUS MET XR	55	
acyclovir	80, 112	
acyclovir sodium	80	
ADACEL(TDAP ADOLESN/ADULT)(PF)	145, 146	
ADAGEN	119	
ADAKVEO	85	
adapalene	118	
adapalene-benzoyl peroxide	118	
ADASUVE	70	
ADCETRIS	29	
adefovir	80	
ADEMPAS	167	
adrucil	29	
ADVAIR HFA	160	
afeditab cr	95	
AFINITOR	29	
AFINITOR DISPERZ	29	
afirmelle	104	
a-hydrocort	133	
AIMOVIG AUTOINJECTOR	64	
AJOVY AUTOINJECTOR	64	
AJOVY SYRINGE	64	
AKTEN (PF)	121	
AKYNZEO (NETUPITANT)	66	
ala-cort	115	
ala-scalp	115	
albendazole	67	
albuterol sulfate	162	
alclometasone	115	
ALCOHOL PADS	112	
ALDACTAZIDE	95	
ALDURAZYME	119	
ALECENSA	29	
alendronate	150	
alfuzosin	130	
ALIMTA	29	
ALINIA	67	
ALIQOPA	29	
aliskiren	99	
allopurinol	63	
almotriptan malate	64	
ALOCRIL	125	
ALOMIDE	121	
alosetron	149	
ALPHAGAN P	155	
alprazolam	18	
ALPRAZOLAM INTENSOL	18	
ALREX	125	
altavera (28)	104	
ALUNBRIG	29	
alyacen 1/35 (28)	104	
alyacen 7/7/7 (28)	104	
alyq	167	
amabelz	132	
amantadine hcl	68	
AMBISOME	60	
ambrisentan	167	
amcinonide	115	
amethia	104	
amethia lo	104	
amifostine crystalline	152	
amikacin	19	
amiloride	95	
amiloride-hydrochlorothiazide	95	
aminocaproic acid	85	
aminophylline	162	
AMINOSYN 10 %	86	
AMINOSYN 7 % WITH ELECTROLYTES	86	
AMINOSYN 8.5 %	86	
AMINOSYN II 10 %	86	
AMINOSYN II 15 %	86	
AMINOSYN II 7 %	86	
AMINOSYN II 8.5 %- ELECTROLYTES	86	
AMINOSYN M 3.5 %	86	
AMINOSYN-HBC 7%	86	
AMINOSYN-PF 10 %	86	
AMINOSYN-PF 7 % (SULFITE-FREE)	86	
AMINOSYN-RF 5.2 %	86	
amiodarone	90	
AMITIZA	127	

amitriptyline	51	ARRANON	30	azathioprine	139
amitriptyline-chlordiazepoxide		arsenic trioxide	30	azathioprine sodium	139
.....	52	ARZERRA.....	30	azelaic acid.....	113
amlodipine.....	95	ashlyna.....	104	azelastine.....	121
amlodipine-atorvastatin.....	97	ASMANEX HFA	160	azithromycin	23
amlodipine-benazepril.....	95	ASMANEX TWISTHALER	160	AZOPT.....	155
amlodipine-valsartan	95	aspirin-dipyridamole.....	85	aztreonam.....	24
amlodipine-valsartan-hcthiazid		ASSURE ID INSULIN		azurette (28)	105
.....	95	SAFETY	119	B	
ammonium lactate	112, 113	ASTAGRAF XL.....	139	baciim.....	20
amnesteem.....	113	atazanavir.....	75	bacitracin.....	20, 122
amoxapine	52	atenolol	91	bacitracin-polymyxin b	122
amoxicillin.....	25	atenolol-chlorthalidone.....	91	baclofen.....	165
amoxicillin-pot clavulanate	25	ATGAM.....	139	balsalazide.....	149
amphotericin b.....	61	atomoxetine	100	BALVERSA	30
ampicillin.....	25	atorvastatin.....	97	balziva (28)	105
ampicillin sodium.....	26	atovaquone.....	67	BANZEL.....	46
ampicillin-sulbactam	26	atovaquone-proguanil	67	BAQSIMI.....	152
ANADROL-50	131	ATRIPLA	75	BARACLUDGE	80
anagrelide	85	atropine	46, 121	BAVENCIO.....	30
anastrozole.....	30	ATROVENT HFA.....	162	BAXDELA	27
ANDRODERM	132	AUBAGIO.....	100	BCG VACCINE, LIVE (PF)	146
ANORO ELLIPTA	162	aubra	104	BD ULTRA-FINE NANO PEN	
APLENZIN	52	aurovela 1.5/30 (21).....	104	NEEDLE	119
APOKYN	68	aurovela 1/20 (21).....	104	BD VEO INSULIN SYR HALF	
apraclonidine	121	aurovela 24 fe	104	UNIT.....	119
aprepitant.....	66	aurovela fe 1.5/30 (28).....	104	BD VEO INSULIN SYRINGE	
apri.....	104	aurovela fe 1-20 (28)	104	UF	119
APTIOM.....	46	AURYXIA.....	130	BECONASE AQ.....	125
APTIVUS.....	75	AUSTEDO.....	100	bekyree (28)	105
APTIVUS (WITH VITAMIN		AVASTIN.....	30	BELEODAQ.....	30
E).....	75	aviane.....	105	benazepril.....	89
ARALAST NP	164	avita	118	benazepril-hydrochlorothiazide	
aranelle (28).....	104	AVONEX	100	89
ARANESP (IN		AVONEX (WITH ALBUMIN)		BENDEKA	30
POLYSORBATE).....	83	100	BENLYSTA.....	152, 153
ARCALYST.....	139	AVSOLA	139	benztropine.....	68
aripiprazole.....	70	ayuna.....	105	BESIVANCE	122
ARISTADA.....	70, 71	AYVAKIT	30	BESPONSA	30
ARISTADA INITIO	70	azacitidine.....	30	betamethasone acet,sod phos	134
armodafinil	166	AZASAN	139	betamethasone dipropionate.	115
ARNUITY ELLIPTA.....	160	AZASITE.....	122	betamethasone valerate	115

betamethasone, augmented...	115	budesonide-formoterol.....	160	captopril-hydrochlorothiazide	89
BETASERON	100	bumetanide.....	96	CARAFATE	126
betaxolol.....	91, 155	buprenorphine.....	11	CARBAGLU.....	127
bethanechol chloride	130	buprenorphine hcl.....	11, 17	carbamazepine.....	46
BETHKIS	19	buprenorphine-naloxone.....	17	carbidopa.....	69
BETOPTIC S.....	155	bupropion hcl.....	52	carbidopa-levodopa.....	69
BEVYXXA	81	bupropion hcl (smoking deter)	17	carbidopa-levodopa-entacapone	69
bexarotene	30	17	69
BEXSERO.....	146	buspirone	18	carboplatin.....	31
bicalutamide	30	busulfan	31	carmustine	31
BICILLIN L-A	26	butalbital-acetaminophen.....	11	carteolol.....	155
BIKTARVY	75	butalbital-acetaminophen-caff	11	cartia xt.....	92
bimatoprost.....	155	butalbital-aspirin-caffeine.....	11	carvedilol.....	91
bisoprolol fumarate	91	butorphanol.....	11	caspofungin	61
bisoprolol-hydrochlorothiazide	91	BYDUREON.....	55	CAYSTON.....	24
.....	91	BYDUREON BCISE.....	55	caziant (28).....	105
BIVIGAM	139	BYETTA	55, 56	cefaclor.....	22
BLENREP	30	C		cefadroxil	22
bleomycin.....	30	cabergoline.....	68	cefazolin.....	22
bleph-10.....	122	CABLIVI.....	153	cefdinir	22
BLEPHAMIDE	122	CABOMETYX.....	31	cefditoren pivoxil	22
BLEPHAMIDE S.O.P.....	122	caffeine citrate	100	cefepime	22
BLINCYTO.....	30	calcipotriene.....	113	cefixime.....	22
blisovi 24 fe.....	105	calcipotriene-betamethasone	113	cefotaxime.....	22
blisovi fe 1.5/30 (28).....	105	calcitonin (salmon)	150	cefotetan	22
blisovi fe 1/20 (28).....	105	calcitrene.....	113	cefoxitin	22
BONJESTA.....	66	calcitriol.....	113, 150	cefpodoxime.....	22
BOOSTRIX TDAP	146	calcium acetate(phosphat bind)	130	cefprozil	23
BORTEZOMIB.....	30	130	ceftazidime.....	23
bosentan.....	167	calcium chloride	156	ceftriaxone.....	23
BOSULIF	30, 31	calcium gluconate	157	cefuroxime axetil	23
BRAFTOVI.....	31	CALQUENCE.....	31	cefuroxime sodium.....	23
BREO ELLIPTA	160	camila.....	105	celecoxib	14
briellyn	105	camrese	105	CELONTIN.....	46
BRILINTA	85	camrese lo.....	105	cephalexin	23
brimonidine	155	candesartan	88	CEREZYME.....	119
BRIVIACT	46	candesartan-hydrochlorothiazid	88	cetirizine.....	63
bromfenac.....	125	88	cevimeline	112
bromocriptine	68	CAPASTAT.....	65	CHANTIX.....	17
BROVANA	162	CAPLYTA.....	71	CHANTIX CONTINUING	
BRUKINSA	31	CAPRELSA.....	31	MONTH BOX	17
budesonide.....	149, 160	captopril.....	89		

CHANTIX STARTING		
MONTH BOX.....	17	
chloramphenicol sod succinate		
.....	20	
chlorhexidine gluconate	112	
chloroquine phosphate.....	68	
chlorothiazide	96	
chlorothiazide sodium	96	
chlorpromazine.....	71	
chlorthalidone.....	96	
chlorzoxazone.....	165	
CHOLBAM.....	127	
cholestyramine (with sugar)...	97	
cholestyramine light	97	
CHORIONIC		
GONADOTROPIN,		
HUMAN.....	135	
ciclopirox.....	61	
cidofovir	80	
cilostazol.....	85	
CILOXAN.....	123	
CIMDUO.....	75	
cimetidine	126	
cimetidine hcl	126	
CIMZIA.....	139	
CIMZIA POWDER FOR		
RECONST.....	139	
cinacalcet.....	151	
CINRYZE.....	83	
CIPRODEX.....	123	
ciprofloxacin.....	27	
ciprofloxacin (mixture)	27	
ciprofloxacin hcl.....	27, 123	
ciprofloxacin in 5 % dextrose.	27	
ciprofloxacin-dexamethasone		
.....	123	
cisplatin	31	
citalopram.....	52	
cladribine.....	31	
claravis	113	
clarithromycin	24	
CLENPIQ.....	129	
clindamycin hcl.....	20	
clindamycin in 5 % dextrose .	20	
clindamycin palmitate hcl.....	20	
clindamycin pediatric	20	
clindamycin phosphate ...	20, 63,	
114		
clindamycin-benzoyl peroxide		
.....	114	
CLINDESSE.....	63	
CLINISOL SF 15 %	86	
CLINOLIPID.....	86	
clobazam	46	
clobetasol	115, 116	
clobetasol-emollient.....	116	
clocortolone pivalate.....	116	
clofarabine	31	
clomipramine	52	
clonazepam	18	
clonidine	87	
clonidine hcl	87	
clopidogrel	85	
clorazepate dipotassium.....	18	
clotrimazole	61	
clotrimazole-betamethasone ..	61	
clozapine	71	
COARTEM.....	68	
colchicine.....	63	
colesevelam	97	
colestipol.....	97	
colistin (colistimethate na)....	20	
colocort	149	
COMBIGAN	155	
COMBIVENT RESPIMAT.	162	
COMETRIQ	31, 32	
COMPLERA	75	
compro	66	
CONDYLOX.....	113	
constulose	127	
COPIKTRA	32	
CORLANOR	93	
cormax	116	
cortisone.....	134	
COSENTYX (2 SYRINGES)		
.....	140	
COSENTYX PEN (2 PENS)	140	
COTELLIC	32	
COUMADIN.....	81	
CREON.....	120	
CRINONE.....	137	
CRIXIVAN	75	
cromolyn	121, 127, 164	
cryselle (28)	105	
CRYSVITA.....	153	
CUTAQUIG.....	140	
CUVITRU.....	140	
cyclafem 1/35 (28)	105	
cyclafem 7/7/7 (28).....	105	
cyclobenzaprine	165	
cyclopentolate	121	
cyclophosphamide.....	32	
CYCLOPHOSPHAMIDE.....	32	
cycloserine	65	
CYCLOSET	56	
cyclosporine	140	
cyclosporine modified.....	140	
cyproheptadine	63	
CYRAMZA.....	32	
cyred.....	105	
CYSTAGON.....	131	
CYSTARAN	121	
cytarabine	32	
cytarabine (pf).....	32	
D		
d10 %-0.45 % sodium chloride		
.....	157	
d2.5 %-0.45 % sodium chloride		
.....	157	
d5 % and 0.9 % sodium chloride		
.....	157	
d5 %-0.45 % sodium chloride		
.....	157	
dacarbazine	32	
dactinomycin.....	32	
dalfampridine	100	

DALIRESP.....	164	dexamethasone.....	134	diclofenac-misoprostol.....	15
danazol	132	DEXAMETHASONE		dicloxacillin.....	26
dantrolene	166	INTENSOL.....	134	dicyclomine.....	127
dapsone.....	65	dexamethasone sodium phos		didanosine	75
DAPTACEL (DTAP		(pf)	134	diflorasone.....	116
PEDIATRIC) (PF).....	146	dexamethasone sodium		diflunisal	15
daptomycin	20	phosphate	125, 134	digitek	93
DARAPRIM.....	68	dexmethylphenidate.....	100	digox	93
DARZALEX	32	dextrazoxane hcl	153	digoxin	94
dasetta 1/35 (28).....	105	dextroamphetamine	100, 101	DIGOXIN	94
dasetta 7/7/7 (28).....	105	dextroamphetamine-		dihydroergotamine	64
daunorubicin.....	32	amphetamine.....	101	DILANTIN	47
DAURISMO.....	32	dextrose 10 % and 0.2 % nacl		DILANTIN EXTENDED	47
daysee	105	157	DILANTIN INFATABS	47
deblitane	105	dextrose 10 % in water (d10w)		diltiazem hcl.....	92, 93
decitabine	32	86	dilt-xr.....	93
deferasirox	131	dextrose 20 % in water (d20w)		dimenhydrinate	66
deferiprone	131	86	dimethyl fumarate	101
deferoxamine.....	131	dextrose 25 % in water (d25w)		DIPENTUM	149
DELSTRIGO.....	75	87	diphenhydramine hcl.....	63
deltasone.....	134	dextrose 40 % in water (d40w)		diphenoxylate-atropine	127
delyla (28)	105	87	dipyridamole	85
DELZICOL	149	dextrose 5 % in ringer's	87	disopyramide phosphate.....	90
demeclocycline.....	28	dextrose 5 % in water (d5w)..	87	disulfiram	17
DEM SER.....	93	dextrose 5 %-lactated ringers		divalproex	47
DENAVIR.....	113	157	dobutamine.....	94
denta 5000 plus.....	112	dextrose 5%-0.2 % sod chloride		dobutamine in d5w.....	94
dentagel	112	157	DOCEFREZ.....	32
DEPEN TITRATABS	131	dextrose 5%-0.3 % sod.chloride		docetaxel	33
DEPO-PROVERA	137	157	dofetilide	90
DESCOVY	75	dextrose 50 % in water (d50w)		donepezil	51
desipramine	52	87	DOPTELET (10 TAB PACK)83	
desloratadine.....	63	dextrose 70 % in water (d70w)		DOPTELET (15 TAB PACK)83	
desmopressin	135, 136	87	DOPTELET (30 TAB PACK)83	
desog-e.estradiol/e.estradiol.	105	DIASTAT	46	doripenem	24
desogestrel-ethinyl estradiol.	106	DIASTAT ACUDIAL	46	dorzolamide.....	156
desonide.....	116	diazepam	18, 47	dorzolamide-timolol.....	156
desoximetasone	116	diazepam intensol	18	dotti	132
DESVENLAFAXINE	52	diazoxide.....	153	DOVATO.....	75
DESVENLAFAXINE		diclofenac epolamine	14	doxazosin	87
FUMARATE.....	52	diclofenac potassium	15	doxepin.....	52
desvenlafaxine succinate	52	diclofenac sodium.....	15, 125	doxercalciferol	151

doxorubicin.....	33	ELIQUIS.....	81	epinephrine.....	94
doxorubicin, peg-liposomal....	33	ELIQUIS DVT-PE TREAT 30D		epirubicin	33
doxy-100.....	28	START.....	81	epitol	47
doxycycline hyclate.....	28	ELITEK	120	eplerenone	99
doxycycline monohydrate	28	elixophyllin.....	162	EPOGEN.....	83
doxylamine-pyridoxine (vit b6)		ELLA.....	106	epoprostenol (glycine)	167
.....	66	ELMIRON	153	eprosartan.....	88
DRIZALMA SPRINKLE.....	52	eluryng.....	106	ERAXIS(WATER DILUENT)	
dronabinol.....	66	EMCYT	33	61
droperidol	153	EMFLAZA	134	ERBITUX	33
drospirenone-e.estradiol-lm.fa		EMGALITY PEN.....	64	ergoloid	153
.....	106	EMGALITY SYRINGE	64	ergotamine-caffeine	64
drospirenone-ethinyl estradiol		emoquette.....	106	ERIVEDGE.....	33
.....	106	EMPLICITI	33	ERLEADA.....	33
DROXIA	33	EMSAM.....	53	erlotinib.....	34
DUAVEE	132	emtricitabine	76	errin.....	106
DULERA.....	160	emtricitabine-tenofovir (tdf) ..	76	ertapenem.....	24
duloxetine	52, 53	EMTRIVA.....	76	ERWINAZE.....	34
DUPIXENT PEN	140	EMVERM.....	68	ery pads	114
DUPIXENT SYRINGE.....	140	enalapril maleate.....	89	ery-tab	24
DUREZOL	125	enalaprilat	89	ERY-TAB	24
dutasteride	131	enalapril-hydrochlorothiazide	89	ERYTHROCIN.....	24
DUZALLO	63	ENBREL.....	140, 141	erythrocin (as stearate).....	24
E		ENBREL MINI.....	140	erythromycin	24, 123
e.e.s. 400.....	24	ENBREL SURECLICK	141	erythromycin ethylsuccinate ..	24
econazole.....	61	ENDARI	153	erythromycin with ethanol ...	114
EDARBI.....	88	endocet.....	11	erythromycin-benzoyl peroxide	
EDARBYCLOR.....	88	ENGERIX-B (PF).....	146	114
EDURANT.....	75	ENGERIX-B PEDIATRIC (PF)		ESBRIET	164
efavirenz	75, 76	146	escitalopram oxalate.....	53
efavirenz-emtricitabin-tenofov		ENHERTU.....	33	esomeprazole magnesium	126
.....	76	enoxaparin	81, 82	esomeprazole sodium.....	126
efavirenz-lamivu-tenofov disop		enpresse	106	estarylla	106
.....	76	enskyce	106	estazolam.....	18
ELAPRASE.....	120	entacapone	69	estradiol.....	132, 133
electrolyte-48 in d5w.....	157	entecavir.....	80	estradiol valerate	133
ELELYSO	120	ENTRESTO.....	88	estradiol-norethindrone acet.	133
ELIGARD	33	enulose	127	ESTRING.....	133
ELIGARD (3 MONTH).....	33	ENVARUSUS XR.....	141	eszopiclone.....	166
ELIGARD (4 MONTH).....	33	EPIDIOLEX	47	ethambutol.....	65
ELIGARD (6 MONTH).....	33	EPIFOAM.....	116	ethosuximide	47
elinst	106	epinastine	121	ethynodiol diac-eth estradiol	106

etidronate disodium	151	fenofibric acid (choline)	98	fluticasone propionate ..	117, 125
etodolac	15	fenopropfen.....	15	fluticasone propion-salmeterol	
etonogestrel-ethinyl estradiol		fantanyl	11	161
.....	106	fantanyl citrate	11	fluvastatin.....	98
ETOPOPHOS.....	34	FERRIPROX	131	fluvoxamine	53
etoposide.....	34	FETROJA	23	FML FORTE.....	125
EUCRISA.....	116	FETZIMA	53	FML S.O.P.....	125
euthyrox.....	138	finasteride	131	FOLOTYN.....	34
EVENTY.....	151	FINTEPLA	47	fomepizole.....	153
everolimus (antineoplastic)	34	FIRDAPSE	153	fondaparinux	82
everolimus		FIRMAGON KIT W DILUENT		FORTEO	151
(immunosuppressive)	141	SYRINGE.....	34	FOSAMAX PLUS D	151
EVOTAZ.....	76	FIRVANQ	20	fosamprenavir	76
exemestane	34	FLAREX.....	125	foscarnet.....	79
EXJADE.....	131	flavoxate	130	fosinopril.....	89
EXONDYS-51	153	FLEBOGAMMA DIF	141	fosinopril-hydrochlorothiazide	
EXTAVIA	101	flecainide	90	89
ezetimibe	97	FLOVENT DISKUS.....	161	fosphenytoin.....	47
ezetimibe-simvastatin.....	97	FLOVENT HFA	161	FOSRENOL	130
F		floxuridine	34	FULPHILA	83
FABIOR	118	fluconazole.....	61	fulvestrant	34
FABRAZYME	120	fluconazole in nacl (iso-osm) 61		furosemide.....	96
falmina (28).....	106	flucytosine	61	FUZEON.....	76
famciclovir	80	fludarabine.....	34	fyavolv	133
famotidine.....	126	fludrocortisone.....	134	FYCOMPA	47
famotidine (pf).....	126	flumazenil	101	G	
famotidine (pf)-nacl (iso-os)126		flunisolide	125	gabapentin	47
FANAPT	71	fluocinolone	116	GALAFOLD	120
FARYDAK.....	34	fluocinolone acetamide oil ...	125	galantamine.....	51
FASENRA.....	165	fluocinolone and shower cap	116	GAMASTAN.....	141
FASENRA PEN	164	fluocinonide	116	GAMMAGARD LIQUID....	141
FASLODEX	34	fluocinonide-e.....	117	GAMMAGARD S-D (IGA < 1	
fayosim	106	FLUORIDE (SODIUM).....	168	MCG/ML).....	141
febuxostat	63	fluorometholone.....	125	GAMMAPLEX.....	141
felbamate	47	fluorouracil	34, 113	GAMUNEX-C	141
felodipine.....	95	fluoxetine	53	ganciclovir sodium.....	80, 81
FEMRING	133	FLUOXETINE	53	GARDASIL 9 (PF)	146
femynor	106	fluphenazine decanoate.....	71	gatifloxacin	123
fenofibrate	97	fluphenazine hcl.....	71	GATTEX 30-VIAL.....	127
fenofibrate micronized	97	flurbiprofen.....	15	GAUZE PAD	119
fenofibrate nanocrystallized ...	97	flurbiprofen sodium	125	gavilyte-c.....	129
fenofibric acid	98	flutamide.....	34	gavilyte-g	129

gavilyte-n.....	129	GVOKE HYPOPEN 2-PACK		HUMIRA(CF) PEN CROHNS-UC-HS.....	142
GAZYVA.....	34	153	HUMIRA(CF) PEN PSOR-UV-ADOL HS	142
gemcitabine	34, 35	GVOKE PFS 1-PACK		hydralazine	94
gemfibrozil	98	SYRINGE.....	154	hydrochlorothiazide	96
generlac	127	GVOKE PFS 2-PACK		hydrocodone-acetaminophen 11, 12	
gengraf.....	141	SYRINGE.....	154	hydrocodone-ibuprofen.....	12
gentak	123	H		hydrocortisone.....	117, 134, 149
gentamicin	19, 114, 123	HAEGARDA.....	84	hydrocortisone butyrate	117
gentamicin in nacl (iso-osm) ..	19	hailey	106	hydrocortisone butyr-emollient	117
gentamicin sulfate (ped) (pf) ..	19	hailey 24 fe	106	hydrocortisone valerate.....	117
gentamicin sulfate (pf)	19	hailey fe 1.5/30 (28).....	106	hydrocortisone-acetic acid ..	123
GENVOYA	76	hailey fe 1/20 (28).....	106	hydromorphone	12
GEODON	71	HALAVEN.....	35	hydromorphone (pf)	12
gianvi (28)	106	halobetasol propionate.....	117	hydroxychloroquine	68
GILENYA	101	haloperidol	72	hydroxyprogest(pf)(preg presv)	137
GILOTRIF.....	35	haloperidol decanoate	71	hydroxyprogesterone cap(ppres)	137
GIVLAARI.....	85	haloperidol lactate.....	72	hydroxyurea	35
glatiramer	101	HAVRIX (PF).....	146	hydroxyzine hcl.....	63
GLEOSTINE.....	35	heather	106	hydroxyzine pamoate	154
glimepiride	59	heparin (porcine).....	82	HYQVIA.....	143
glipizide.....	59, 60	heparin (porcine) in 5 % dex .	82	I	
glipizide-metformin.....	60	heparin (porcine) in nacl (pf) .	82	ibandronate.....	151
GLUCAGEN HYPOKIT	153	heparin, porcine (pf)	82	IBRANCE.....	35
GLUCAGON EMERGENCY KIT (HUMAN)	153	HERCEPTIN	35	ibu	15
glyburide.....	60	HERCEPTIN HYLECTA.....	35	ibuprofen	15
glyburide micronized.....	60	HERZUMA	35	ibuprofen-oxycodone	12
glyburide-metformin	60	HETLIOZ	166	icatibant.....	94
glycopyrrolate.....	127, 128	HIBERIX (PF).....	146	ICLUSIG.....	35
glydo.....	16	HIZENTRA	141	idarubicin	35
GLYXAMBI	56	HUMIRA	142	IDHIFA	35
GOLYTELY.....	129	HUMIRA PEDIATRIC CROHNS START	142	ifosfamide	35
granisetron (pf).....	66	HUMIRA PEN	142	ifosfamide-mesna.....	35
granisetron hcl	66	HUMIRA PEN CROHNS-UC-HS START	142	ILARIS (PF).....	143
GRANIX	83	HUMIRA PEN PSOR- UVEITS-ADOL HS	142	ILUMYA.....	143
griseofulvin microsize	61	HUMIRA(CF)	142	imatinib	36
griseofulvin ultramicrosize.....	61	HUMIRA(CF) PEDI CROHNS STARTER	142	IMBRUVICA.....	36
guanfacine	101	HUMIRA(CF) PEN.....	142		
guanidine	153				
GVOKE HYPOPEN 1-PACK	153				

IMFINZI.....	36	irinotecan	36	KALYDECO.....	165
imipenem-cilastatin	25	ISENTRESS	76	KANJINTI	37
imipramine hcl.....	53	ISENTRESS HD.....	76	kariva (28).....	107
imipramine pamoate.....	53	isibloom	107	kelnor 1/35 (28).....	107
imiquimod	113	isoniazid.....	65	kelnor 1-50.....	107
IMLYGIC.....	36	isosorbide dinitrate	99	KEPIVANCE.....	154
IMOVAX RABIES VACCINE		isosorbide mononitrate	99	ketoconazole	61
(PF).....	147	isotretinoin.....	113	ketoprofen	15
INBRIJA.....	69	isradipine	95	ketorolac.....	125
incassia	106	itraconazole.....	61	KEVZARA	143
INCRELEX	136	ivermectin	68	KEYTRUDA.....	37
INCRUSE ELLIPTA.....	162	IXEMPRA	36	KINERET	143
indapamide	96	IXIARO (PF).....	147	KINRIX (PF)	147
INFANRIX (DTAP) (PF).....	147	J		kionex (with sorbitol).....	128
INFLECTRA	143	JADENU.....	131	KISQALI.....	37
INGREZZA	101	JADENU SPRINKLE.....	131	KISQALI FEMARA CO-PACK	
INGREZZA INITIATION		jaimiess	107	37
PACK	101	JAKAFI	36	KLOR-CON 10.....	157
INLYTA.....	36	jantoven	82	KLOR-CON 8.....	157
INQOVI.....	36	JARDIANCE.....	56	klor-con m10.....	157
INREBIC.....	36	jasmiel (28).....	107	klor-con m15.....	157
insulin asp prt-insulin aspart ..	58	jencycla.....	107	klor-con m20.....	157
insulin aspart u-100	58	JENTADUETO	56	klor-con sprinkle	157
INSULIN SYRINGE-NEEDLE		JENTADUETO XR.....	56	KORLYM	56
U-100.....	119	JEVTANA	37	KOSELUGO	37
INTELENCE	76	jinteli.....	133	KRINTAFEL	68
INTRALIPID	87	jolessa	107	K-SOL.....	157
INTRON A.....	80	jolivette	107	kurvelo (28).....	107
introvale.....	107	juleber	107	KUVAN	120
INVEGA SUSTENNA.....	72	JULUCA.....	76	KYPROLIS	37
INVEGA TRINZA.....	72	junel 1.5/30 (21)	107	L	
INVIRASE	76	junel 1/20 (21)	107	l norgest/e.estradiol-e.estrad	107
INVOKAMET.....	56	junel fe 1.5/30 (28)	107	labetalol.....	91
INVOKAMET XR	56	junel fe 1/20 (28)	107	lactulose	128
INVOKANA	56	junel fe 24	107	LAMICTAL XR STARTER	
IPOL.....	147	JUXTAPID	98	(BLUE)	47
ipratropium bromide.....	121, 162	JYNARQUE	96	LAMICTAL XR STARTER	
ipratropium-albuterol	163	K		(GREEN).....	48
irbesartan	88	KADCYLA.....	37	LAMICTAL XR STARTER	
irbesartan-hydrochlorothiazide		kaitlib fe.....	107	(ORANGE)	48
.....	88	KALETRA.....	76, 77	lamivudine.....	77
IRESSA	36	kalliga	107	lamivudine-zidovudine	77

lamotrigine	48	levoleucovorin calcium.....	154	losartan	88
LANOXIN.....	94	LEVOLEUCOVORIN		losartan-hydrochlorothiazide .	88
lansoprazole.....	126	CALCIUM.....	154	loteprednol etabonate	125
lanthanum	130	levonest (28)	108	lovastatin	98
LANTUS SOLOSTAR U-100		levonorgestrel-ethinyl estrad	108	low-ogestrel (28).....	108
INSULIN.....	58	levonorg-eth estrad triphasic	108	loxapine succinate.....	72
LANTUS U-100 INSULIN....	58	levora-28.....	108	lo-zumandimine (28).....	108
lapatinib.....	37	LEVO-T.....	138	LUCEMYRA	17
larin 1.5/30 (21).....	107	levothyroxine.....	138	LUDENT FLUORIDE.....	168
larin 1/20 (21).....	108	LEVOXYL	138	LUMIGAN.....	156
larin 24 fe	108	LEVULAN	113	LUMOXITI.....	38
larin fe 1.5/30 (28).....	108	LEXIVA	77	LUPRON DEPOT.....	38, 136
larin fe 1/20 (28).....	108	LIBTAYO.....	38	LUPRON DEPOT (3 MONTH)	
larissia.....	108	lidocaine.....	16	38, 136
LARTRUVO	37	lidocaine (pf).....	16, 90	LUPRON DEPOT (4 MONTH)	
latanoprost	156	lidocaine hcl.....	16	38
LATUDA	72	lidocaine in 5 % dextrose (pf)	90	LUPRON DEPOT (6 MONTH)	
layolis fe	108	lidocaine viscous.....	16	38
LAZANDA.....	12	lidocaine-prilocaine	16	LUPRON DEPOT-PED.....	136
ledipasvir-sofosbuvir	79	LIDOTREX	16	LUPRON DEPOT-PED (3	
leena 28	108	lillow (28)	108	MONTH).....	136
leflunomide.....	143	lincomycin	21	lutera (28).....	108
LENVIMA	37	lindane	119	LYNPARZA	38
lessina.....	108	linezolid	21	LYRICA.....	49
letrozole.....	37	linezolid in dextrose 5%	21	LYRICA CR	102
leucovorin calcium	154	linezolid-0.9% sodium chloride		LYSODREN	38
LEUKERAN	37	21	lyza.....	108
LEUKINE.....	84	LINZESS	128	M	
leuprolide.....	38	liothyronine.....	138	magnesium sulfate	158
levabuterol hcl.....	163	lisinopril.....	90	magnesium sulfate in d5w ...	157
levabuterol tartrate	163	lisinopril-hydrochlorothiazide	90	magnesium sulfate in water	157,
LEVEMIR FLEXTOUCH U-		lithium carbonate	101	158	
100 INSULN	58	lithium citrate.....	101	malathion.....	119
LEVEMIR U-100 INSULIN..	58	lojaimiess	108	maprotiline	53
levetiracetam	48	LOKELMA.....	128	marlissa (28).....	108
levetiracetam in nacl (iso-os)	48	LONSURF.....	38	MARPLAN.....	53
levobunolol.....	156	loperamide	128	MARQIBO.....	38
levocarnitine	154	lopinavir-ritonavir.....	77	MATULANE	38
levocarnitine (with sugar)....	154	lopreeza.....	133	matzim la.....	93
levocetirizine	63	lorazepam.....	19	MAVENCLAD (10 TABLET	
levofloxacin	27, 123	LORBRENA.....	38	PACK).....	102
levofloxacin in d5w	27	loryna (28)	108		

MAVENCLAD (4 TABLET PACK).....	102	metformin	56	milrinone in 5 % dextrose	94
MAVENCLAD (5 TABLET PACK).....	102	methadone.....	12	mimvey	133
MAVENCLAD (6 TABLET PACK).....	102	methadose	12	mimvey lo	133
MAVENCLAD (7 TABLET PACK).....	102	methazolamide.....	156	minitran	99
MAVENCLAD (8 TABLET PACK).....	102	methenamine hippurate.....	21	minocycline.....	28
MAVENCLAD (9 TABLET PACK).....	102	methimazole.....	138	minoxidil	99
MAVYRET	80	METHITEST	132	mirtazapine.....	53, 54
MAXIDEX	125	methocarbamol	166	misoprostol.....	126
MAYZENT	102	methotrexate sodium.....	39	mitomycin	39
meclizine	66	methotrexate sodium (pf).....	39	mitoxantrone	39
meclofenamate	15	methoxsalen	113	M-M-R II (PF)	147
medroxyprogesterone ...	137, 138	methscopolamine	128	modafinil	166
mefenamic acid	15	methylclothiazide.....	96	moexipril	90
mefloquine.....	68	methylergonovine	154	molindone	72
megestrol	38, 138	methylphenidate hcl....	102, 103	mometasone	117, 125
MEKINIST.....	38, 39	methylprednisolone	134	MONJUVI.....	39
MEKTOVI	39	methylprednisolone acetate .	134	mono-lynyah	109
meloxicam	15	methylprednisolone sodium succ	134, 135	mononessa (28).....	109
melphalan hcl	39	134, 135	montelukast.....	161
memantine	51	metipranolol.....	156	morphine	13
MENACTRA (PF)	147	metoclopramide hcl	128	MORPHINE.....	13
MENEST	133	metolazone.....	96	morphine (pf)	13
MENQUADFI (PF).....	147	metoprolol succinate.....	91	morphine (pf) in 0.9 % sod chl	13
MENVEO A-C-Y-W-135-DIP (PF).....	147	metoprolol ta-hydrochlorothiaz	91	13
meprobamate	19	91	morphine concentrate.....	13
MEPSEVII	120	metoprolol tartrate	91, 92	MOVANTIK.....	128
mercaptopurine.....	39	metronidazole	21, 63, 114	MOVIPREP	129
meropenem	25	metronidazole in nacl (iso-os)	21	moxifloxacin	27, 123
meropenem-0.9% sodium	25	metyrosine	94	moxifloxacin-sod.ace,sul-water	27
chloride.....	25	mexiletine	90	27
mesalamine.....	150	MIACALCIN.....	151	moxifloxacin-sod.chloride(iso)	27
mesna.....	154	miconazole-3	62	27
MESNEX	154	microgestin 1.5/30 (21).....	108	MOZOBIL	84
metaproterenol.....	163	microgestin 1/20 (21).....	109	MULPLETA	84
metaxalone	166	microgestin fe 1.5/30 (28) ..	109	MULTAQ	90
		microgestin fe 1/20 (28)	109	mupirocin	115
		midodrine.....	88	mupirocin calcium	114
		MIGERGOT	64	MVASI.....	39
		miglitol.....	56	mycophenolate mofetil.....	143
		miglustat	120	mycophenolate mofetil (hcl)	143
		mili.....	109	mycophenolate sodium	143
		milrinone.....	94	MYLOTARG.....	39

myorisan.....	113	NEXAVAR.....	39	nortrel 0.5/35 (28).....	109
MYRBETRIQ	130	NEXIUM PACKET.....	127	nortrel 1/35 (21).....	109
myzilra.....	109	NEXLETOL	98	nortrel 1/35 (28).....	110
N		NEXLIZET	98	nortrel 7/7/7 (28).....	110
nabumetone	15	niacin	98	nortriptyline.....	54
nadolol.....	92	niacor	98	NORVIR	77
nadolol-bendroflumethiazide ..	92	nicardipine	95	NOURIANZ.....	69
nafcillin.....	26	NICOTROL NS.....	17	NOVOLIN 70/30 U-100	
nafcillin in dextrose iso-osm ..	26	nifedipine	95	INSULIN.....	58
naftifine	62	nikki (28)	109	NOVOLIN 70-30 FLEXPEN U-	
NAFTIN	62	nilutamide	39	100.....	58
NAGLAZYME.....	120	nimodipine	95	NOVOLIN N FLEXPEN	58
nalbuphine	13	NINLARO	39	NOVOLIN N NPH U-100	
naloxone	17	NIPENT	39	INSULIN.....	58
naltrexone	17	nisoldipine	95	NOVOLIN R FLEXPEN	58
naproxen	15, 16	NITRO-BID.....	99	NOVOLIN R REGULAR U-	
naproxen sodium	16	NITRO-DUR	99	100 INSULN.....	58
naratriptan.....	64	nitrofurantoin macrocrystal ...	21	NOVOLOG FLEXPEN U-100	
NARCAN.....	17	nitrofurantoin monohyd/m-cryst		INSULIN.....	59
NATACYN	123	21	NOVOLOG MIX 70-30 U-100	
nateglinide	56	nitroglycerin.....	99, 100	INSULN.....	59
NATPARA.....	151	nitroglycerin in 5 % dextrose. 99		NOVOLOG MIX 70-	
NAYZILAM.....	49	NITROSTAT	100	30FLEXPEN U-100.....	59
NEBUPENT	68	NITYR.....	120	NOVOLOG PENFILL U-100	
necon 0.5/35 (28).....	109	NIVESTYM.....	84	INSULIN.....	59
nefazodone	54	nizatidine	127	NOVOLOG U-100 INSULIN	
neomycin	19	NOCDURNA (MEN).....	136	ASPART	59
neomycin-bacitracin-poly-hc	123	NOCDURNA (WOMEN) ...	136	NOXAFIL	62
neomycin-bacitracin-polymyxin		nora-be	109	NPLATE	84
.....	123	NORDITROPIN FLEXPRO	136	NUBEQA.....	39
neomycin-polymyxin b gu ...	115	norethindrone (contraceptive)		NUCALA.....	165
neomycin-polymyxin b-		109	NUEDEXTA.....	103
dexameth	123	norethindrone acetate.....	138	NULOJIX.....	143
neomycin-polymyxin-		norethindrone ac-eth estradiol		NUPLAZID.....	73
gramicidin.....	123	109, 133	NURTEC ODT	64
neomycin-polymyxin-hc	124	norethindrone-e.estradiol-iron		NUTRILIPID	87
neo-polycin hc	124	109	NUVARING	110
NERLYNX.....	39	norgestimate-ethinyl estradiol		NUZYRA	29
NEULASTA.....	84	109	NUZYRA (7 DAY WITH	
NEUPOGEN	84	norlyda.....	109	LOAD DOSE).....	28
NEUPRO.....	69	norlyroc.....	109	NUZYRA (7 DAY).....	29
nevirapine	77	NORTHERA	88	nyamyc	62

nystatin	62	OTEZLA STARTER.....	144	PEGASYS.....	80
nystatin-triamcinolone.....	62	oxacillin	26	PEGASYS PROCLICK	80
nystop	62	oxacillin in dextrose(iso-osm) 26		peg-electrolyte soln.....	129
O		oxaliplatin	40	PEGINTRON.....	80
ocella	110	oxandrolone	132	PEMAZYRE.....	40
OCREVUS	103	oxaprozin	16	PEN NEEDLE, DIABETIC .	119
octreotide acetate.....	136	oxazepam	19	penicillamine.....	131
ODEFSEY	77	OXBRYTA.....	85	penicillin g pot in dextrose.....	26
ODOMZO	39	oxcarbazepine	49	penicillin g potassium	26
OFEV	165	OXERVATE.....	122	penicillin g procaine.....	26
ofloxacin.....	27, 124	OXTELLAR XR.....	49	penicillin v potassium	26
ogestrel (28).....	110	oxybutynin chloride.....	130	PENTACEL (PF).....	147
OGIVRI.....	40	oxycodone.....	13, 14	PENTACEL DTAP-IPV	
okebo	29	oxycodone-acetaminophen	14	COMPNT (PF).....	148
olanzapine.....	73	oxycodone-aspirin	14	PENTAM	68
olanzapine-fluoxetine	54	OXYCONTIN	14	pentamidine.....	68
olmesartan	88	oxymorphone	14	PENTASA.....	150
olmesartan-hydrochlorothiazide		OZEMPIC.....	57	pentoxifylline	85
.....	88	P		PERFOROMIST	163
olopatadine	122	pacerone.....	90	perindopril erbumine.....	90
OLUMIANT.....	143	paclitaxel.....	40	perio gard	112
omega-3 acid ethyl esters	98	PADCEV	40	PERJETA	40
omeprazole	127	paliperidone	73	permethrin	119
ONCASPAR	40	palonosetron.....	67	perphenazine	73
ondansetron	67	PALYNZIQ	120	perphenazine-amitriptyline	54
ondansetron hcl	66, 67	pamidronate	151	PERSERIS	73
ondansetron hcl (pf)	66	PANRETIN	113	PEXEVA.....	54
ONIVYDE.....	40	pantoprazole.....	127	pfizerpen-g	26
ONPATTRO.....	154	PANZYGA	144	phenadoz	67
ONTRUZANT	40	paricalcitol	151, 152	phenelzine	54
OPDIVO.....	40	PARICALCITOL	152	phenobarbital.....	49
OPSUMIT	167	paroex oral rinse	112	phenylephrine hcl.....	88, 122
oralone.....	112	paromomycin	68	PHENYTEK	49
ORENCIA	143, 144	paroxetine hcl	54	phenytoin.....	49
ORENCIA CLICKJECT	143	PASER.....	65	phenytoin sodium.....	49
ORLISSA	136	PAXIL	54	phenytoin sodium extended ...	49
ORKAMBI.....	165	PEDIARIX (PF)	147	philith	110
orphenadrine citrate.....	166	PEDVAX HIB (PF).....	147	PHOSPHOLINE IODIDE ...	156
orsythia.....	110	peg 3350-electrolytes.....	129	phrenilin forte(with caffeine) .	14
oseltamivir.....	79	peg3350-sod sul-nacl-kcl-asb-c		PICATO	113
OSMOPREP.....	129	129	PIFELTRO	77
OTEZLA	144	PEGANONE.....	49	pilocarpine hcl.....	112, 156

pimecrolimus.....	117	PRALUENT PEN.....	98	PROCTOFOAM HC.....	117
pimozide.....	73	pramipexole.....	69	procto-med hc.....	117
pimtree (28).....	110	prasugrel.....	85	procto-pak.....	117
pindolol.....	92	pravastatin.....	98	proctosol hc.....	118
pioglitazone.....	57	praziquantel.....	68	proctozone-hc.....	118
pioglitazone-metformin.....	57	prazosin.....	88	PROCYSBI.....	131, 154
piperacillin-tazobactam.....	26	PRED-G.....	124	progesterone.....	138
PIQRAY.....	40	prednicarbate.....	117	progesterone micronized.....	138
pirmella.....	110	prednisolone.....	135	PROGLYCEM.....	154
piroxicam.....	16	prednisolone acetate.....	126	PROGRAF.....	144
PLEGRIDY.....	103	prednisolone sodium phosphate		PROLASTIN-C.....	165
PLENVU.....	129	126, 135	PROLEUKIN.....	40
podofilox.....	113	prednisone.....	135	PROLIA.....	152
POLIVY.....	40	pregabalin.....	49	PROMACTA.....	84
polycin.....	124	PREMARIN.....	133	promethazine.....	63, 67
polymyxin b sulfate.....	21	PREMASOL 10 %.....	87	promethegan.....	67
polymyxin b sulf-trimethoprim		PREMASOL 6 %.....	87	propafenone.....	91
.....	124	PREMPHASE.....	133	propantheline.....	128
POMALYST.....	40	PREMPRO.....	133	proparacaine.....	122
portia 28.....	110	prenatal plus (calcium carb)	168	propranolol.....	92
PORTRAZZA.....	40	prenatal vitamin plus low iron		propranolol-hydrochlorothiazid	
posaconazole.....	62	168	92
potassium acetate.....	158	PREPOPIK.....	129	propylthiouracil.....	138
potassium chlorid-d5-0.45%nacl		PRETOMANID.....	65	PROQUAD (PF).....	148
.....	158	prevalite.....	98	PROSOL 20 %.....	87
potassium chloride.....	158, 159	previfem.....	110	protamine.....	85
potassium chloride in 0.9%nacl		PREVYMIS.....	79	protriptyline.....	54
.....	158	PREZCOBIX.....	77	PULMICORT FLEXHALER	
potassium chloride in 5 % dex		PREZISTA.....	77	161
.....	158	PRIFTIN.....	65	PULMOZYME.....	120
potassium chloride in lr-d5...	158	PRILOVIXIL.....	16	PURIXAN.....	40
potassium chloride in water..	158	PRIMAQUINE.....	68	pyrazinamide.....	65
potassium chloride-0.45 % nacl		primidone.....	49	pyridostigmine bromide.....	155
.....	159	PRIVIGEN.....	144	pyrimethamine.....	68
potassium chloride-d5-0.2%nacl		PROAIR RESPICLICK.....	163	Q	
.....	159	probenecid.....	63	QINLOCK.....	41
potassium chloride-d5-0.3%nacl		probenecid-colchicine.....	63	QUADRACEL (PF).....	148
.....	159	procainamide.....	90, 91	quetiapine.....	73
potassium chloride-d5-0.9%nacl		prochlorperazine.....	67	quinapril.....	90
.....	159	prochlorperazine edisylate.....	67	quinapril-hydrochlorothiazide	90
potassium citrate.....	159	prochlorperazine maleate.....	67	quinidine gluconate.....	91
PRADAXA.....	82	PROCRIT.....	84	quinidine sulfate.....	91

quinine sulfate	68	REYVOW	64	selegiline hcl	70
QVAR REDIHALER.....	161	ribasphere.....	81	selenium sulfide	115
R		ribasphere ribapak.....	81	SELZENTRY.....	78
RABAVERT (PF)	148	ribavirin	81	SEREVENT DISKUS.....	163
rabeprazole	127	RIDAURA.....	144	SEROSTIM.....	137
RADICAVA.....	103	rifabutin	65	sertraline.....	54
rajani.....	110	rifampin	65	setlakin	110
raloxifene.....	133	RIFATER.....	66	sevelamer carbonate.....	130
ramelteon.....	166	riluzole.....	103	sf 5000 plus.....	112
ramipril.....	90	rimantadine	79	sharobel.....	110
ranitidine hcl.....	127	ringer's	150, 159	SHINGRIX (PF)	148
ranolazine	94	RINVOQ.....	144	SIGNIFOR	137
rasagiline	69	risedronate	152	SIGNIFOR LAR	137
RAVICTI.....	128	RISPERDAL CONSTA ..	73, 74	SIKLOS.....	85
REBETOL.....	81	risperidone	74	sildenafil (pulm.hypertension)	
REBIF (WITH ALBUMIN).103		ritonavir	78	167
REBIF REBIDOSE	103	RITUXAN	41	SILENOR.....	166
REBIF TITRATION PACK	103	RITUXAN HYCELA	41	silver sulfadiazine	115
REBLOZYL.....	84	rivastigmine	51	SIMBRINZA.....	156
RECARBRIO.....	25	rivastigmine tartrate.....	51	simliya (28).....	110
reclipsen (28).....	110	rivelsa.....	110	simpesse	110
RECOMBIVAX HB (PF) ...	148	rizatriptan.....	64	SIMPONI	144
RECTIV	155	romidepsin	41	SIMULECT.....	144
REGANEX	113	ropinirole	69, 70	simvastatin	98, 99
RELENZA DISKHALER	79	rosadan.....	115	sirolimus.....	144, 145
RELISTOR.....	128	rosuvastatin.....	98	SIRTURO	66
RENFLEXIS	144	ROTARIX	148	SIVEXTRO.....	21
repaglinide.....	57	ROTATEQ VACCINE.....	148	SKYRIZI.....	145
REPATHA PUSHTRONEX ..	98	ROZLYTREK	41	sodium acetate.....	159
REPATHA SURECLICK	98	RUBRACA.....	41	sodium chloride.....	159
REPATHA SYRINGE	98	RUKOBIA.....	78	sodium chloride 0.45 %	159
RESCRIPTOR.....	77	RYBELSUS.....	57	sodium chloride 0.9 %	159
RESTASIS	126	RYDAPT	41	sodium chloride 3 %	159
RETACRIT	84, 85	S		sodium chloride 5 %	159
RETEVMO.....	41	SABRIL	49	sodium fluoride-pot nitrate ..	112
RETROVIR.....	78	SANTYL	114	sodium lactate	159
REVATIO	167	SAPHRIS.....	74	sodium phenylbutyrate.....	128
REVCovi.....	120	sapropterin	120, 121	sodium phosphate.....	159
REVLIMID	41	SARCLISA.....	41	sodium polystyrene (sorb free)	
revonto.....	166	SAVELLA.....	103	128
REXULTI.....	73	scopolamine base.....	67	sodium polystyrene sulfonate	
REYATAZ	78	SECUADO	74	128

sofosbuvir-velpatasvir	80	sulfacetamide-prednisolone .	124	TALZENNA	42
solifenacin	130	sulfadiazine	27	tamoxifen	42
SOLTAMOX.....	41	sulfamethoxazole-trimethoprim		tamsulosin	131
SOLU-CORTEF ACT-O-VIAL		27	TARGRETIN.....	42
(PF).....	135	sulfasalazine.....	150	tarina 24 fe	110
SOLU-MEDROL (PF).....	135	sulfatrim.....	28	tarina fe 1/20 (28).....	110
SOMATULINE DEPOT	137	sulindac.....	16	TASIGNA	42
SOMAVERT	137	sumatriptan	65	TAVALISSE.....	85
sorbitol.....	150	sumatriptan succinate	65	tazarotene	118
sorbitol-mannitol	150	SUNOSI.....	166	tazicef.....	23
sorine	92	SUPPRELIN LA.....	137	TAZORAC.....	118
sotalol	92	SUPREP BOWEL PREP KIT		taztia xt.....	93
sotalol af.....	92	129	TAZVERIK.....	42
SPIRIVA RESPIMAT	163	SUTENT	42	TDVAX.....	148
SPIRIVA WITH		syeda	110	TECENTRIQ	42
HANDIHALER.....	163	SYLATRON.....	80	TECFIDERA.....	103, 104
spironolactone	96	SYLVANT.....	42	TEFLARO.....	23
spironolacton-hydrochlorothiaz		SYMBICORT	161	TEGSEDI.....	155
.....	96	SYMDEKO	165	TEKTRUNA HCT	99
SPRAVATO.....	54	SYMFI.....	78	telmisartan.....	89
sprintec (28).....	110	SYMFI LO.....	78	telmisartan-amlodipine	89
SPRITAM.....	49	SYMLINPEN 120	57	telmisartan-hydrochlorothiazid	
SPRYCEL	41	SYMLINPEN 60	57	89
sps (with sorbitol).....	128	SYMPAZAN	50	temazepam	19
sronyx.....	110	SYMTUZA	78	TEMIXYS.....	78
ssd.....	115	SYNAGIS	79	TEMODAR.....	42
stavudine.....	78	SYNAREL.....	137	temsirolimus.....	42
STELARA	145	SYNERCID	21	tencon.....	14
STIOLTO RESPIMAT	163	SYNJARDY	57	TENIVAC (PF).....	148
STIVARGA.....	41	SYNJARDY XR.....	57	tenofovir disoproxil fumarate	78
STRENSIQ.....	121	SYNRIBO.....	42	TEPEZZA	122
streptomycin	19	SYNTHROID	139	terazosin	131
STRIBILD.....	78	T		terbinafine hcl	62
STRIVERDI RESPIMAT	163	TABLOID.....	42	terbutaline	163
SUBLOCADE.....	17	TABRECTA	42	terconazole	63, 64
subvenite.....	49	tacrolimus	118, 145	teriparatide	152
subvenite starter (blue) kit.....	50	tadalafil	167	testosterone	132
subvenite starter (green) kit....	50	tadalafil (pulm. hypertension)		testosterone cypionate.....	132
subvenite starter (orange) kit..	50	167	testosterone enanthate	132
sucalfate	127	TAFINLAR	42	TETANUS,DIPHThERIA TOX	
sulfacetamide sodium.....	124	TAGRISSO.....	42	PED(PF).....	148
sulfacetamide sodium (acne)	115	TAKHZYRO	155	tetrabenazine	104

tetracycline	29	TOUJEO SOLOSTAR U-300	tri-linyah.....	111
THALOMID.....	155	INSULIN	tri-lo-estarylla.....	111
theophylline.....	164	TRACLEER.....	tri-lo-marzia	111
theophylline in dextrose 5 %	164	TRADJENTA	tri-lo-mili.....	111
thioridazine.....	74	tramadol.....	tri-lo-sprintec.....	111
thiotepa.....	42	tramadol-acetaminophen	trilyte with flavor packets	129
thiothixene.....	74	trandolapril.....	trimethoprim	21
THYMOGLOBULIN.....	145	tranexamic acid.....	tri-mili	111
tiadylt er.....	93	TRANSDERM-SCOP	trimipramine.....	55
tiagabine	50	tranylcypromine.....	TRINTELLIX	55
TIBSOVO.....	42	TRAVASOL 10 %.....	tri-previfem (28).....	111
TICE BCG.....	145	TRAVATAN Z.....	TRIPTODUR	137
tigecycline	29	travoprost	TRISENOX.....	43
TIGLUTIK	104	TRAZIMERA	tri-sprintec (28)	111
tilia fe.....	110	trazodone	TRIUMEQ	78
timolol maleate.....	92, 156	TREANDA	trivora (28)	111
tinidazole	68	TRECATOR	tri-vylibra	111
TIVICAY	78	TRELEGY ELLIPTA.....	tri-vylibra lo	111
TIVICAY PD	78	TRELSTAR.....	TRODELVY.....	43
tizanidine	166	TRESIBA FLEXTOUCH U-100	TROGARZO.....	78
TOBI PODHALER	20	TROKENDI XR.....	50
TOBRADEX	124	TRESIBA FLEXTOUCH U-200	TROPHAMINE 10 %	87
TOBRADEX ST	124	tropicamide	122
tobramycin.....	20, 124	TRESIBA U-100 INSULIN ..	trospium	130
tobramycin in 0.225 % nacl ...	20	TRULICITY	57
tobramycin in 0.9 % nacl.....	20	tretinoin.....	TRUMENBA	149
tobramycin sulfate	20	tretinoin (antineoplastic).....	TRUVADA	78
tobramycin-dexamethasone..	124	tretinoin microspheres	TRUXIMA.....	43
TOLAK	114	tri femynor	TUDORZA PRESSAIR.....	164
tolazamide	60	triamcinolone acetonide.....	TUKYSA	43
tolbutamide.....	60	118, 135	tulana.....	111
tolcapone	70	triamterene-hydrochlorothiazid	TURALIO	43
tolmetin.....	16	TWINRIX (PF)	149
tolterodine.....	130	trianex	TYBOST	155
topiramate.....	50	triderm	tydemy.....	111
toposar	42	TRIDESILON.....	TYKERB.....	43
topotecan	42	trientine.....	TYMLOS	152
toremifene.....	43	tri-estarylla.....	TYPHIM VI.....	149
torsemide	96	trifluoperazine.....	TYSABRI	145
TOUJEO MAX U-300		trifluridine	TYVASO	167
SOLOSTAR	59	trihexyphenidyl.....	TYZINE	122
		TRIKAFTA		
		tri-legest fe.....		

U		
UBRELVY	65	
UDENYCA	85	
UNITHROID.....	139	
UNITUXIN	43	
UPTRAVI.....	167, 168	
ursodiol.....	129	
UVADEX.....	114	
V		
valacyclovir	81	
VALCHLOR	114	
valganciclovir	81	
valproate sodium	50	
valproic acid	50	
valproic acid (as sodium salt).....	50	
valrubicin.....	43	
valsartan	89	
valsartan-hydrochlorothiazide.....	89	
VALSTAR	43	
VALTOCO.....	50	
vancomycin	21	
VANCOMYCIN	21	
vancomycin in dextrose 5 %	21	
vancomycin-water inject (peg)	21	
VANTAS.....	137	
VAQTA (PF).....	149	
VARIVAX (PF)	149	
VARIZIG	145	
VARUBL.....	67	
VASCEPA.....	99	
VASOSTRICT	137	
VECTIBIX	43	
velivet triphasic regimen (28)	111	
VELPHORO.....	130	
VELTASSA	129	
VEMLIDY	79	
VENCLEXTA	43	
VENCLEXTA STARTING PACK	44	
venlafaxine	55	
VENTAVIS	168	
verapamil	93	
VERSACLOZ.....	74	
VERZENIO	44	
V-GO 40	119	
VICTOZA.....	57	
VIDEX 2 GRAM PEDIATRIC	79	
VIDEX EC.....	79	
vienna.....	111	
vigabatrin	50	
vigadrone	50	
VIIBRYD.....	55	
VIMPAT	50, 51	
vinblastine.....	44	
vincasar pfs	44	
vincristine	44	
vinorelbine.....	44	
viorele (28)	111	
VIRACEPT.....	79	
VIREAD	79	
VITRAKVI.....	44	
VIVITROL	17	
VIZIMPRO.....	44	
volnea (28).....	111	
voriconazole.....	62	
VOTRIENT	44	
VPRIV	121	
VRAYLAR.....	74	
VUMERITY	104	
VYEPTI.....	65	
vyfemla (28)	111	
vylibra.....	111	
VYNDAMAX	94	
VYNDAQEL	94	
VYONDYS-53	155	
VYXEOS	44	
VYZULTA	156	
W		
warfarin.....	82	
water for irrigation, sterile ...	150	
wera (28).....	111	
wixela inhub.....	161	
wymzya fe.....	112	
X		
XALKORI.....	44	
XARELTO.....	83	
XARELTO DVT-PE TREAT 30D START	83	
XATMEP	44	
XCOPRI.....	51	
XCOPRI MAINTENANCE PACK.....	51	
XCOPRI TITRATION PACK	51	
XELJANZ.....	145	
XELJANZ XR	145	
XELPROS.....	156	
XENLETA	22	
XERMELO	129	
XGEVA.....	152	
XIIDRA.....	126	
XOFLUZA.....	79	
XOLAIR	165	
XOSPATA	44	
XPOVIO	44, 45	
XTANDI	45	
xulane.....	112	
XULTOPHY 100/3.6.....	59	
XYREM	166	
Y		
YERVOY	45	
YF-VAX (PF)	149	
YONDELIS.....	45	
YONSA.....	45	
YUPELRI.....	164	
yuvafem.....	133	
Z		
zafirlukast.....	162	
zaleplon	166	
ZALTRAP.....	45	
ZANOSAR.....	45	
zarah	112	
zebutal	14	

ZEJULA	45	ziprasidone mesylate.....	74	ZORBTIVE.....	137
ZELBORAF	45	ZIRGAN	124	ZORTRESS.....	145
zenatane.....	114	ZOLADEX	45	ZOSTAVAX (PF).....	149
zenchent (28).....	112	zoledronic acid.....	152	zovia 1/35e (28)	112
ZENPEP	121	zoledronic acid-mannitol-water		ZULRESSO	55
ZEPZELCA.....	45	152	zumandimine (28).....	112
ZERBAXA.....	23	zoledronic ac-mannitol-0.9nacl		ZYCLARA.....	114
zidovudine	79	152	ZYDELIG	45
ZIEXTENZO.....	85	ZOLINZA	45	ZYKADIA	45
zileuton.....	162	zolmitriptan.....	65	ZYPREXA RELPREVV .	74, 75
ZINPLAVA.....	145	zolpidem	166, 167	ZYTIGA.....	46
ZIOPTAN (PF).....	156	zonisamide	51		
ziprasidone hcl.....	74	ZONTIVITY.....	85		

This formulary was updated on December 1, 2020. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711 8a.m. to 8 p.m. (7 days a week, Oct. – Mar.) or 8 a.m. to 8 p.m. (Mon. – Fri., April – Sept.), or 8 a.m. to 2 p.m. (Sat, April-Sept.) or visit www.GeisingerGold.com