

Geisinger Gold Triple Tier Employer Group Rx 2020 Formulary (List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on August 28, 2019. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711, 8 a.m. to 8 p.m. (7 days a week, Oct. – Mar.) or 8 a.m. to 8 p.m. (Mon. – Fri., April – Sept.) or 8 a.m. to 2 p.m. (Sat, April- Sept.) or visit www.GeisingerGold.com

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Geisinger Health Plan. When it refers to “plan” or “our plan,” it means Geisinger Gold Triple Tier Employer Group Rx.

This document includes a list of the drugs (formulary) for our plan which is current as of August 28, 2019. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2020, and from time to time during the year.

Geisinger Gold Medicare Advantage HMO, PPO, and HMO SNP plans are offered by Geisinger Health Plan/Geisinger Indemnity Insurance Company, health plans with a Medicare contract. Continued enrollment in Geisinger Gold depends on annual contract renewal. The formulary may change at any time. You will receive notice when necessary.

What is the Geisinger Gold Triple Tier Employer Group Rx Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Geisinger Gold network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Most changes in drug coverage happen on January 1, but our plan may add or remove drugs on the Drug List during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost-sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
 - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Geisinger Gold Triple Tier Employer Group Rx Formulary?”
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.

- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.
 - If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to the Geisinger Gold Triple Tier Employer Group Rx Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2020 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2020 coverage year except as described above. This means these drugs will remain available at the same cost-sharing and with no new restrictions for those members taking them for the remainder of the coverage year.

The enclosed formulary is current as of August 28, 2019. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If non-maintenance changes are made to the formulary during the plan year, Geisinger Gold Triple Tier Employer Group Rx communicates these changes in the member newsletter and within the monthly explanation of benefits (EOB).

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 8. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 8. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from our plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides up to 16 tablets per prescription for sumatriptan. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 8. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Geisinger Gold Triple Tier Employer Group Rx formulary?" for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Geisinger Gold Triple Tier Employer Group Rx Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level. If approved this would lower the amount you must pay for your drug.

- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. After your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For members being admitted to or discharged from a LTC facility, early refill edits are not used to limit appropriate and necessary access to their Part D benefit, and such enrollees are allowed to access a refill upon admission or discharge.

For more information

For more detailed information about your Geisinger Gold Triple Tier Employer Group Rx prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Geisinger Gold Triple Tier Employer Group Rx Formulary

The formulary that begins on page 8 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., BREO ELLIPTA) and generic drugs are listed in lower-case italics (e.g., *simvastatin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

The following Utilization Management abbreviations may be found within the body of this document
COVERAGE NOTES ABBREVIATIONS

ABBREVIATION	DESCRIPTION	EXPLANATION
General		
	<i>Generic</i> (BRAND)	The reference brand name in parenthesis is provided for information only to assist in identifying the generic medication and does NOT indicate formulary status or coverage.
Utilization Management Restrictions		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from our plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
PA-HRM	Prior Authorization Restriction for High Risk Medications	This drug has been deemed to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries 65 years or older. Members age 65 yrs or older are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
QL	Quantity Limit Restriction	Our plan limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before our plan will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

OTHER SPECIAL REQUIREMENTS FOR COVERAGE

ABBREVIATION	DESCRIPTION	EXPLANATION
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Services at (800) 988-4861, 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March- Sept.). TTY/TDD users should call 711.
NM	Non-Mail Order Drug	Drugs <u>not</u> available via your mail order benefit are noted with “NM” in the Requirements/Limits column of your formulary.
NDS	Non-Extended Days Supply	Drugs <u>not</u> available for an extended days supply (i.e. more than a one month supply) are noted with “NDS” in the Requirements/Limits column of your formulary.

Employer group members should refer to their benefit documents for appropriate cost sharing amounts.

Table of Contents

Analgesics	10
Anesthetics	15
Anti-Addiction/Substance Abuse Treatment Agents	15
Antianxiety Agents	16
Antibacterials	18
Anticancer Agents	26
Anticholinergic Agents	39
Anticonvulsants	39
Antidementia Agents	43
Antidepressants	44
Antidiabetic Agents	47
Antifungals	51
Antigout Agents	53
Antihistamines	54
Anti-Infectives (Skin And Mucous Membrane)	54
Antimigraine Agents	54
Antimycobacterials	55
Antinausea Agents	56
Antiparasite Agents	57
Antiparkinsonian Agents	58
Antipsychotic Agents	59
Antivirals (Systemic)	63
Blood Products/Modifiers/Volume Expanders	69
Caloric Agents	73
Cardiovascular Agents	74

Central Nervous System Agents	85
Contraceptives	88
Dental And Oral Agents	95
Dermatological Agents	95
Devices	101
Enzyme Replacement/Modifiers	101
Eye, Ear, Nose, Throat Agents	102
Gastrointestinal Agents	106
Genitourinary Agents	110
Heavy Metal Antagonists	111
Hormonal Agents, Stimulant/Replacement/Modifying	111
Immunological Agents	118
Inflammatory Bowel Disease Agents	127
Irrigating Solutions	127
Metabolic Bone Disease Agents	127
Miscellaneous Therapeutic Agents	129
Ophthalmic Agents	131
Replacement Preparations	132
Respiratory Tract Agents	135
Skeletal Muscle Relaxants	140
Sleep Disorder Agents	141
Vasodilating Agents	141
Vitamins And Minerals	142

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	NM; NDS; QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	1	NM; NDS; QL (390 per 30 days)
<i>acetaminophen-codeine oral tablet 300-30 mg</i> (Tylenol-Codeine #3)	1	NM; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i> (Tylenol-Codeine #4)	1	NM; NDS; QL (180 per 30 days)
<i>astramorph-pf 10 mg/10 ml vial 5's, sdv, p/f,l/f 1 mg/ml</i>	1	NM; NDS
<i>astramorph-pf injection solution 1 mg/ml</i>	1	NM; NDS
<i>buprenorphine hcl injection solution 0.3 mg/ml</i> (Buprenex)	1	NM; NDS
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	1	NM; NDS
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans)	1	NM; NDS; QL (4 per 28 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i> (Tencon)	3	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)	3	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i> (Esgic)	3	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic)	3	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> (Fiorinal)	3	NM; NDS; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	3	NM; NDS; QL (180 per 30 days)
<i>butorphanol tartrate injection solution 1 mg/ml, 2 mg/ml</i>	1	NM; NDS
<i>butorphanol tartrate nasal spray,non-aerosol 10 mg/ml</i>	1	NM; NDS; QL (5 per 28 days)
<i>capacet oral capsule 50-325-40 mg</i>	3	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	1	NM; NDS; QL (360 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	3	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> (Duragesic)	1	NM; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i>	1	NM; NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	1	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> (Lorcet HD)	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i>	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg</i> (Vicodin)	1	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Lorcet (hydrocodone))	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-300 mg</i> (Vicodin ES)	1	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i> (Lorcet Plus)	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i> (Ibudone)	1	NM; NDS; QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	1	NM; NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 mg/ml</i>	1	NM; NDS
<i>hydromorphone injection solution 1 mg/ml, 4 mg/ml</i>	1	NM; NDS
<i>hydromorphone injection syringe 2 mg/ml</i>	1	NM; NDS
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	NM; NDS; QL (180 per 30 days)
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>	1	NM; NDS; QL (28 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	3	PA; NM; NDS; QL (30 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	1	NM; NDS
<i>methadone oral concentrate 10 mg/ml</i> (Methadone Intensol)	1	NM; NDS; QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	NM; NDS; QL (900 per 30 days)
<i>methadone oral solution 5 mg/5 ml</i>	1	NM; NDS; QL (1800 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methadone oral tablet 10 mg</i> (Dolophine)	1	NM; NDS; QL (180 per 30 days)
<i>methadone oral tablet 5 mg</i> (Dolophine)	1	NM; NDS; QL (360 per 30 days)
<i>methadose oral tablet,soluble 40 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml</i> (Astramorph-PF)	1	NM; NDS
<i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml, 30 mg/30 ml</i>	1	NM; NDS
<i>morphine 8 mg/ml carpuproject sdv, l/f, outer 8 mg/ml</i>	1	NM; NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	NM; NDS; QL (200 per 30 days)
<i>morphine injection solution 5 mg/ml</i>	1	NM; NDS
<i>morphine injection syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 5 mg/ml</i>	1	NM; NDS
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine intravenous syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>morphine oral capsule, er multiphase 24 hr 75 mg, 90 mg</i>	1	NM; NDS; QL (60 per 30 days)
<i>morphine oral capsule,extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg</i> (Kadian)	1	NM; NDS; QL (60 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	NM; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	NM; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG, 30 MG	1	NM; NDS; QL (180 per 30 days)
<i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i> (MS Contin)	1	NM; NDS; QL (90 per 30 days)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	1	
<i>oxycodone oral capsule 5 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	1	NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxycodone oral solution 5 mg/5 ml</i>	1	NM; NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 20 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg, 5 mg</i> (Roxicodone)	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	1	ST; NM; NDS; QL (90 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> (Endocet)	1	NM; NDS; QL (360 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	NM; NDS; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	ST; NM; NDS; QL (90 per 30 days)
<i>oxymorphone oral tablet 10 mg, 5 mg</i> (Opana)	1	NM; NDS; QL (180 per 30 days)
<i>phrenilin forte(with caffeine) oral capsule 50-300-40 mg</i>	3	QL (180 per 30 days)
<i>tencon oral tablet 50-325 mg</i>	3	QL (180 per 30 days)
<i>tramadol oral capsule,er biphase 24 hr 17-83 300 mg</i> (ConZip)	1	NM; NDS; QL (30 per 30 days)
<i>tramadol oral capsule,er biphase 24 hr 25-75 100 mg, 200 mg</i> (ConZip)	1	NM; NDS; QL (30 per 30 days)
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	NM; NDS; QL (240 per 30 days)
<i>tramadol oral tablet extended release 24 hr 100 mg, 200 mg, 300 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>tramadol oral tablet, er multiphase 24 hr 100 mg, 200 mg, 300 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	1	NM; NDS; QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	1	NM; NDS; QL (150 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	3	QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	1	
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	1	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	1	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	1	
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	1	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	
<i>diflunisal oral tablet 500 mg</i>	1	
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	
<i>etodolac oral tablet 500 mg</i>	1	
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	1	
<i>fenoprofen oral tablet 600 mg</i> (Nalfon)	1	
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	1	
<i>ibu oral tablet 400 mg, 600 mg, 800 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)	1	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	1	
<i>ketoprofen oral capsule, ext rel. pellets 24 hr 200 mg</i>	1	
<i>meclofenamate oral capsule 100 mg, 50 mg</i>	1	
<i>mefenamic acid oral capsule 250 mg</i>	1	
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	1	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	
<i>naproxen oral suspension 125 mg/5 ml</i> (Naprosyn)	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	1	
<i>naproxen sodium oral tablet 275 mg</i>	1	
<i>naproxen sodium oral tablet 550 mg</i> (Anaprox DS)	1	
<i>oxaprozin oral tablet 600 mg</i> (Daypro)	1	
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
<i>tolmetin oral capsule 400 mg</i>	1	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	1	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	PA BvD; (PA for ESRD only)
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	PA BvD; (PA for ESRD only)
<i>lidocaine (pf) intravenous solution 20 mg/ml (2 %)</i> (Xylocaine (Cardiac (PF)))	1	PA BvD; (PA for ESRD only)
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	PA BvD; (PA for ESRD only)
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm)	1	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	3	PA BvD; (PA for ESRD only)
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	3	PA BvD; (PA for ESRD only)
LIDOTREX TOPICAL GEL 2 %-1 %-1.2 %	1	
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>	1	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	1	NM; NDS; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>	1	NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> (Zyban)	1	QL (60 per 30 days)
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (60 per 30 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (60 per 30 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS,DOSE PACK 0.5 MG (11)- 1 MG (42)	3	QL (53 per 180 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	1	
LUCEMYRA ORAL TABLET 0.18 MG	3	PA; NM; NDS; QL (228 per 14 days)
<i>naloxone injection solution 0.4 mg/ml</i>	1	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	
<i>naltrexone oral tablet 50 mg</i>	1	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	2	QL (4 per 28 days)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	3	
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	3	NM; NDS; (1 syringe); QL (0.5 per 28 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	3	NM; NDS; (1 syringe); QL (1.5 per 28 days)
VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG	3	NM; NDS
Antianxiety Agents		
Benzodiazepines		
ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML	2	NM; NDS; QL (300 per 30 days)
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NM; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg</i> (Xanax XR)	1	NM; NDS; QL (30 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 2 mg</i> (Xanax XR)	1	NM; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	1	NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet, disintegrating 2 mg</i>	1	NM; NDS; QL (150 per 30 days)
<i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	NM; NDS; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	1	NM; NDS; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	NM; NDS; QL (120 per 30 days)
<i>diazepam 5 mg/ml oral conc 5 mg/ml</i>	1	NM; NDS; QL (240 per 30 days)
<i>diazepam oral concentrate 5 mg/ml</i> (Diazepam Intensol)	1	NM; NDS; QL (240 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	NM; NDS; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	NM; NDS; QL (120 per 30 days)
<i>estazolam oral tablet 1 mg, 2 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	NM; NDS; QL (120 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	1	NM; NDS; QL (90 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	NM; NDS; QL (120 per 30 days)
<i>lorazepam injection syringe 4 mg/ml</i>	1	NM; NDS; QL (90 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i> (Lorazepam Intensol)	1	NM; NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> (Ativan)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>meprobamate oral tablet 200 mg, 400 mg</i>	1	PA; NM; NDS; PA-HRM; AGE (Max 64 Years)
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg, 7.5 mg</i> (Restoril)	1	NM; NDS; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	1	
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	3	PA; NM; LA; NDS; QL (224 per 56 days)
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	1	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	
<i>neomycin oral tablet 500 mg</i>	1	
<i>streptomycin intramuscular recon soln 1 gram</i>	1	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	3	PA; NM; NDS; QL (224 per 56 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	3	PA; NM; NDS; QL (280 per 28 days)
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	3	
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	3	
<i>tobramycin with nebulizer inhalation solution for nebulization 300 mg/5 ml</i> (Kitabis Pak)	3	PA; NM; NDS; QL (280 per 28 days)
Antibacterials, Miscellaneous		
<i>baciim intramuscular recon soln 50,000 unit</i>	1	
<i>bacitracin intramuscular recon soln 50,000 unit</i> (BACiM)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	3	
<i>clindamycin 75 mg/5 ml soln 75 mg/5 ml</i> (Cleocin Pediatric)	1	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i>	1	
<i>clindamycin pediatric oral recon soln 75 mg/5 ml</i>	1	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	1	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> (Cleocin)	1	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	1	
<i>daptomycin intravenous recon soln 350 mg</i>	3	
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	3	
FIRVANQ ORAL RECON SOLN 25 MG/ML, 50 MG/ML	2	
<i>lincomycin injection solution 300 mg/ml</i> (Lincocin)	3	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	3	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	3	
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	QL (60 per 30 days)
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	
<i>metronidazole oral capsule 375 mg</i> (Flagyl)	1	
<i>metronidazole oral tablet 250 mg, 500 mg</i> (Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	1	
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	1	
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG	3	PA; NM; NDS; QL (6 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SIVEXTRO ORAL TABLET 200 MG	3	PA; NM; NDS; QL (6 per 30 days)
SYNERCID INTRAVENOUS RECON SOLN 500 MG	3	PA; NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 250 mg, 5 gram, 500 mg, 750 mg</i>	1	
VANCOMYCIN INTRAVENOUS RECON SOLN 1.5 GRAM	1	
<i>vancomycin oral capsule 125 mg, 250 mg</i> (Vancocin)	1	
Cephalosporins		
<i>cefaclor oral capsule 250 mg, 500 mg</i>	1	
<i>cefaclor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	
<i>cefaclor oral tablet extended release 12 hr 500 mg</i>	1	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	
<i>cefadroxil oral tablet 1 gram</i>	1	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefditoren pivoxil oral tablet 200 mg</i>	1	
<i>cefditoren pivoxil oral tablet 400 mg</i> (Spectracef)	1	
<i>cefepime injection recon soln 1 gram, 2 gram</i> (Maxipime)	3	
<i>cefixime oral capsule 400 mg</i> (Suprax)	3	
<i>cefotaxime injection recon soln 1 gram</i>	1	
<i>cefotetan injection recon soln 1 gram, 2 gram</i> (Cefotan)	3	
<i>cefotetan intravenous recon soln 10 gram</i>	3	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefepodoxime oral tablet 100 mg, 200 mg</i>	1	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	
<i>ceftazidime injection recon soln 1 gram (Fortaz)</i>	1	
<i>ceftazidime injection recon soln 2 gram, 6 gram (Tazicef)</i>	1	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg (Keflex)</i>	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	
<i>tazicef injection recon soln 1 gram, 6 gram</i>	1	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	3	
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	3	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg (Zithromax)</i>	1	
<i>azithromycin oral packet 1 gram (Zithromax)</i>	1	
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml (Zithromax)</i>	1	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg (Zithromax)</i>	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	
<i>e.e.s. 400 oral tablet 400 mg</i>	1	
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ERY-TAB ORAL TABLET,DELAYED RELEASE (DR/EC) 333 MG	3	
<i>erythrocin (as stearate) oral tablet 250 mg</i>	1	
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)	1	
<i>erythromycin ethylsuccinate oral tablet 400 mg</i> (E.E.S. 400)	1	
<i>erythromycin oral capsule, delayed release(dr/ec) 250 mg</i>	1	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	
<i>erythromycin oral tablet, delayed release (dr/ec) 250 mg, 333 mg, 500 mg</i> (Ery-Tab)	1	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	3	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	3	PA; NM; LA; NDS; QL (84 per 28 days)
<i>doripenem intravenous recon soln 250 mg, 500 mg</i>	3	
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	3	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	
<i>meropenem intravenous recon soln 1 gram, 500 mg</i> (Merrem)	3	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	1	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	3	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	
<i>nafcillin 1 gm/ 50 ml inj 1 gram/50 ml</i>	3	
<i>nafcillin injection recon soln 1 gram</i>	3	
<i>nafcillin injection recon soln 10 gram, 2 gram</i>	3	
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	3	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	3	
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	3	
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>	1	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	1	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> (Zosyn)	3	
Quinolones		
BAXDELA INTRAVENOUS RECON SOLN 300 MG	3	PA; NM; NDS
BAXDELA ORAL TABLET 450 MG	3	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i> (Cipro XR)	1	QL (30 per 30 days)
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 400 mg/200 ml</i> (Cipro in D5W)	1	
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	
<i>levofloxacin oral tablet 250 mg</i>	1	
<i>levofloxacin oral tablet 500 mg, 750 mg</i> (Levaquin)	1	
<i>moxifloxacin 400 mg/250 ml bag 400 mg/250 ml</i>	3	
<i>moxifloxacin oral tablet 400 mg</i>	1	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	3	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	1	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	1	
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	
<i>doxy-100 intravenous recon soln 100 mg</i>	1	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 75 mg</i>	3	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 150 mg</i> (Soloxide)	3	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg, 50 mg</i> (Doryx)	3	
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg</i> (Mondoxyne NL)	1	
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	1	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	1	
<i>minocycline oral capsule 100 mg, 75 mg</i>	1	
<i>minocycline oral capsule 50 mg</i> (Minocin)	1	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	1	
<i>minocycline oral tablet extended release 24 hr 135 mg</i> (CoreMino)	1	
<i>minocycline oral tablet extended release 24 hr 45 mg, 90 mg</i> (CoreMino)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>okebo oral capsule 75 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	3	
Anticancer Agents		
Anticancer Agents		
<i>abiraterone oral tablet 250 mg</i> (Zytiga)	3	PA NSO; NM; NDS; QL (120 per 30 days)
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	3	PA NSO; NM; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	3	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG	3	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	3	PA NSO; NM; LA; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	3	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	3	PA NSO; NM; NDS; QL (3 per 28 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	3	PA NSO; NM; LA; NDS; QL (30 per 180 days)
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	3	PA NSO; NM; NDS
<i>arsenic trioxide intravenous solution 1 mg/ml</i>	1	
ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML	3	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	3	NM; LA; NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BALVERSA ORAL TABLET 3 MG	3	PA NSO; NM; NDS; QL (90 per 30 days)
BALVERSA ORAL TABLET 4 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
BALVERSA ORAL TABLET 5 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	3	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	3	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	3	NM; NDS
BESPOLSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	3	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	3	NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	QL (30 per 30 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	PA BvD
BLINCYTO INTRAVENOUS KIT 35 MCG	3	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	3	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	3	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 50 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	3	PA NSO; NM; NDS; QL (180 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)	1	
CABOMETYX ORAL TABLET 20 MG, 60 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 100 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CAPRELSA ORAL TABLET 300 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	1	
<i>carmustine intravenous recon soln 100 mg (BiCNU)</i>	1	
<i>cisplatin intravenous recon soln 50 mg</i>	1	
<i>cisplatin intravenous solution 1 mg/ml</i>	1	
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	PA BvD
<i>clofarabine intravenous solution 20 mg/20 ml (Clolar)</i>	3	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
COTELLIC ORAL TABLET 20 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	3	PA BvD
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	3	PA NSO; NM; NDS
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	1	PA BvD
<i>cytarabine injection solution 20 mg/ml</i>	1	PA BvD
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	1	
<i>dactinomycin intravenous recon soln 0.5 mg (Cosmegen)</i>	1	
DARZALEX 100 MG/5 ML VIAL 20 MG/ML	3	PA NSO; NM; LA; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	3	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>daunorubicin intravenous recon soln 20 mg</i>	1	
<i>daunorubicin intravenous solution 5 mg/ml</i>	1	
DAURISMO ORAL TABLET 100 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	3	PA NSO; NM; NDS
DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG	3	NM; NDS
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml), 20 mg/ml, 80 mg/8 ml (10 mg/ml)</i>	1	
<i>docetaxel intravenous solution 20 mg/ml (1 ml), 80 mg/4 ml (20 mg/ml)</i> (Taxotere)	1	
<i>doxorubicin intravenous recon soln 10 mg, 50 mg</i> (Adriamycin)	1	PA BvD
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	1	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	1	
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	3	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	3	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	3	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	3	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	3	
EMCYT ORAL CAPSULE 140 MG	2	
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	3	PA NSO; NM; NDS
<i>epirubicin intravenous recon soln 200 mg, 50 mg</i>	1	
<i>epirubicin intravenous solution 200 mg/100 ml, 50 mg/25 ml</i> (Ellence)	1	
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ERIVEDGE ORAL CAPSULE 150 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 150 mg</i> (Tarceva)	3	PA NSO; NM; NDS; QL (30 per 30 days)
<i>erlotinib oral tablet 25 mg</i> (Tarceva)	3	PA NSO; NM; NDS; QL (90 per 30 days)
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	3	PA NSO; NM; NDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	3	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	3	PA NSO; NM; LA; NDS; QL (6 per 21 days)
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	3	NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	3	
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD
<i>fludarabine intravenous recon soln 50 mg</i>	1	
<i>fludarabine intravenous solution 50 mg/2 ml</i>	1	
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	1	PA BvD
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Adrucil)	1	PA BvD
<i>flutamide oral capsule 125 mg</i>	1	
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	3	NM; NDS
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	3	NM; NDS
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	3	PA NSO; NM; LA; NDS
<i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	1	
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	3	
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	3	PA NSO; NM; NDS
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	3	PA BvD; NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	3	PA NSO; NM; LA; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>idarubicin intravenous solution 1 mg/ml</i> (Idamycin PFS)	1	
IDHIFA ORAL TABLET 100 MG, 50 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i> (Ifex)	1	PA BvD
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	PA BvD
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	1	PA BvD
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	NM; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	NM; NDS; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	3	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	3	PA NSO; NM; NDS; QL (4 per 180 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	3	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	3	PA NSO; NM; LA; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> (Camptosar)	1	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	3	PA NSO; NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	3	PA NSO; NM; NDS
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	3	PA NSO; NM; LA; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	3	PA NSO; NM; NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG	3	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	3	PA NSO; NM; NDS; QL (63 per 28 days)
KYPROLIS INTRAVENOUS RECON SOLN 10 MG, 30 MG, 60 MG	3	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML	3	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 4 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
LENVIMA ORAL CAPSULE 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1)	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
LENVIMA ORAL CAPSULE 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2)	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	2	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	
LIBTAYO INTRAVENOUS SOLUTION 50 MG/ML	3	PA NSO; NM; NDS
LONSURF ORAL TABLET 15-6.14 MG	3	PA NSO; NM; LA; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	3	PA NSO; NM; LA; NDS; QL (80 per 28 days)
LORBRENA ORAL TABLET 100 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
LORBRENA ORAL TABLET 25 MG	3	PA NSO; NM; NDS; QL (90 per 30 days)
LUMOXITI INTRAVENOUS RECON SOLN 1 MG	3	PA NSO; NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	3	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	3	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	3	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LYNPARZA ORAL TABLET 100 MG, 150 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	2	
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	3	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	3	NM; LA; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	
MEKINIST ORAL TABLET 0.5 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	3	PA NSO; NM; NDS; QL (180 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i> (Alkeran (as HCl))	1	
<i>mercaptapurine oral tablet 50 mg</i>	1	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	
<i>mitomycin intravenous recon soln 20 mg, 40 mg, 5 mg</i> (Mutamycin)	1	PA BvD
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	3	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	3	PA NSO; NM; LA; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	QL (60 per 30 days)
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	3	PA NSO; NM; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NIPENT INTRAVENOUS RECON SOLN 10 MG	3	
ODOMZO ORAL CAPSULE 200 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	3	NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	3	PA NSO; NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	3	PA NSO; NM; NDS
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	1	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	3	NM; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	3	PA NSO; NM; NDS; QL (30 per 30 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	3	PA NSO; NM; NDS; QL (60 per 30 days)
POLIVY INTRAVENOUS RECON SOLN 140 MG	3	PA NSO; NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	3	PA NSO; NM; LA; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	3	PA NSO; NM; LA; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	3	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	3	
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML)	3	PA NSO; NM; NDS; QL (46.8 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1600 MG/13.4 ML (120 MG/ML)	3	PA NSO; NM; NDS; QL (13.4 per 28 days)
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	3	PA NSO; NM; LA; NDS
<i>romidepsin intravenous recon soln 10 mg/2 ml</i> (Istodax)	3	PA NSO; NM; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	3	PA NSO; NM; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	3	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	3	PA NSO; NM; NDS; QL (90 per 30 days)
STIVARGA ORAL TABLET 40 MG	3	PA NSO; NM; LA; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	3	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	3	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	2	
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TALZENNA ORAL CAPSULE 0.25 MG	3	PA NSO; NM; NDS; QL (90 per 30 days)
TALZENNA ORAL CAPSULE 1 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TARGRETIN TOPICAL GEL 1 %	3	NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML)	3	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	3	
<i>temsirolimus intravenous recon soln 30 mg/3 ml (10 mg/ml) (first)</i> (Torisel)	3	PA NSO; NM; NDS
<i>thiotepa injection recon soln 15 mg</i> (Tepadina)	1	
TIBSOVO ORAL TABLET 250 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
<i>toposar intravenous solution 20 mg/ml</i>	1	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	1	
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	1	
<i>toremifene oral tablet 60 mg</i> (Fareston)	1	
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	3	NM; NDS
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	3	NM; NDS
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	3	NM; NDS
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	3	PA NSO; NM; NDS
TYKERB ORAL TABLET 250 MG	3	PA NSO; NM; LA; NDS; QL (180 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	3	PA NSO; NM; NDS; QL (40 per 30 days)
<i>valrubicin intravesical solution 40 mg/ml</i> (Valstar)	1	
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	3	
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	3	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	3	PA NSO; NM; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG-100 MG	3	PA NSO; NM; LA; NDS; QL (42 per 180 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	PA NSO; NM; LA; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	1	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	1	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i>	1	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, (Navelbine) 50 mg/5 ml</i>	1	
VITRAKVI ORAL CAPSULE 100 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	3	PA NSO; NM; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	3	PA NSO; NM; NDS; QL (300 per 30 days)
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
VOTRIENT ORAL TABLET 200 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	3	PA NSO; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	3	PA NSO
XOSPATA ORAL TABLET 40 MG	3	PA NSO; NM; NDS
XTANDI ORAL CAPSULE 40 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	3	PA NSO; NM; LA; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	3	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	3	PA NSO; NM; LA; NDS
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	3	
ZEJULA ORAL CAPSULE 100 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	3	PA NSO; NM; LA; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	3	
ZOLINZA ORAL CAPSULE 100 MG	3	NM; NDS; QL (120 per 30 days)
ZYDELIG ORAL TABLET 100 MG, 150 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZYKADIA ORAL TABLET 150 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZYTIGA ORAL TABLET 500 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	1	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	3	PA NSO; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	3	PA NSO; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	3	PA NSO
BANZEL ORAL TABLET 200 MG, 400 MG	3	PA NSO
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BRIVIACT ORAL SOLUTION 10 MG/ML	3	PA NSO; NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	1	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	
CELONTIN ORAL CAPSULE 300 MG	3	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	1	NM; NDS
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	1	NM; NDS
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	3	NM; NDS
DIASTAT RECTAL KIT 2.5 MG	3	NM; NDS
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	1	NM; NDS
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	1	NM; NDS
DILANTIN EXTENDED ORAL CAPSULE 100 MG	3	
DILANTIN INFATABS ORAL TABLET, CHEWABLE 50 MG	2	
DILANTIN ORAL CAPSULE 30 MG	3	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	1	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	
EPIDIOLEX ORAL SOLUTION 100 MG/ML	3	PA NSO; NM; NDS
<i>epitol oral tablet 200 mg</i>	1	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	1	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	3	PA NSO; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	1	
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	
<i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)	1	
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL,DOSE PACK 25 MG (21) -50 MG (7)	3	
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL,DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	3	
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL,DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	3	
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i> (Lamictal ODT Starter (Blue))	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	1	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i> (Lamictal ODT Starter (Green))	1	
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	
<i>lamotrigine oral tablet,disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	1	
<i>lamotrigine oral tablets,dose pack 25 mg (35)</i> (Lamictal Starter (Blue) Kit)	1	
<i>lamotrigine oral tablets,dose pack 25 mg (42) -100 mg (7)</i> (Lamictal Starter (Orange) Kit)	1	
<i>lamotrigine oral tablets,dose pack 25 mg (84) -100 mg (14)</i> (Lamictal Starter (Green) Kit)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	1	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	3	NM; NDS
LYRICA ORAL SOLUTION 20 MG/ML	3	NM; NDS
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	3	PA NSO
PEGANONE ORAL TABLET 250 MG	2	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	NM; NDS
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	NM; NDS
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	3	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 300 mg, 50 mg, 75 mg</i> (Lyrica)	1	NM; NDS
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	
SABRIL ORAL TABLET 500 MG	3	PA NSO; NM; LA; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG	3	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
<i>subvenite starter (blue) kit oral tablets,dose pack 25 mg (35)</i>	1	
<i>subvenite starter (green) kit oral tablets,dose pack 25 mg (84) -100 mg (14)</i>	1	
<i>subvenite starter (orange) kit oral tablets,dose pack 25 mg (42) -100 mg (7)</i>	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	1	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	
<i>topiramate oral capsule,sprinkle,er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR)	1	PA NSO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
TROKENDI XR ORAL CAPSULE,EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 50 MG	3	PA NSO
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> (Depacon)	1	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>	1	
<i>valproic acid oral capsule 250 mg</i> (Depakene)	1	
<i>vigabatrin oral powder in packet 500 mg</i> (Sabril)	3	PA NSO; NM; NDS
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	3	PA NSO; NM; NDS
<i>vigadrone oral powder in packet 500 mg</i>	3	PA NSO; NM; NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	PA NSO
VIMPAT ORAL SOLUTION 10 MG/ML	3	PA NSO
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	PA NSO
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	1	
<i>zonisamide oral capsule 50 mg</i>	1	

Antidementia Agents

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antidementia Agents		
<i>donepezil oral tablet 10 mg, 23 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Razadyne ER)	1	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i>	1	
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> (Razadyne)	1	
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg</i> (Namenda XR)	1	QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i>	1	
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	1	
<i>memantine oral tablets, dose pack 5-10 mg</i> (Namenda Titration Pak)	1	
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>	1	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr</i> (Exelon)	1	QL (30 per 30 days)
Antidepressants		
Antidepressants		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>	1	NM; NDS
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>	1	
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG	3	QL (30 per 30 days)
<i>bupropion hcl oral tablet 100 mg, 75 mg</i>	1	QL (180 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)	1	QL (30 per 30 days)
<i>bupropion hcl oral tablet extended release 24 hr 450 mg</i> (Forfivo XL)	1	QL (30 per 30 days)
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	1	QL (60 per 30 days)
<i>citalopram oral solution 10 mg/5 ml</i>	1	QL (600 per 30 days)
<i>citalopram oral tablet 10 mg, 20 mg</i> (Celexa)	1	QL (45 per 30 days)
<i>citalopram oral tablet 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	3	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	
DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG	1	ST; QL (30 per 30 days)
DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG	1	ST; QL (30 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	1	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	3	NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	QL (600 per 30 days)
<i>escitalopram oxalate oral tablet 10 mg, 5 mg</i> (Lexapro)	1	QL (45 per 30 days)
<i>escitalopram oxalate oral tablet 20 mg</i> (Lexapro)	1	QL (30 per 30 days)
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	3	PA NSO; QL (28 per 180 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	3	PA NSO; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg</i> (Prozac)	1	QL (90 per 30 days)
<i>fluoxetine oral capsule 20 mg</i> (Prozac)	1	QL (120 per 30 days)
<i>fluoxetine oral capsule 40 mg</i> (Prozac)	1	QL (60 per 30 days)
<i>fluoxetine oral capsule, delayed release(dr/ec) 90 mg</i>	1	QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	QL (600 per 30 days)
<i>fluoxetine oral tablet 10 mg</i> (Sarafem)	1	QL (90 per 30 days)
<i>fluoxetine oral tablet 20 mg</i> (Sarafem)	1	QL (120 per 30 days)
FLUOXETINE ORAL TABLET 60 MG	3	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluvoxamine oral capsule, extended release</i> 24hr 100 mg, 150 mg	1	QL (60 per 30 days)
<i>fluvoxamine oral tablet 100 mg</i>	1	QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>	1	QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>	1	QL (45 per 30 days)
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Tofranil)	1	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	
MARPLAN ORAL TABLET 10 MG	2	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	QL (30 per 30 days)
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	QL (30 per 30 days)
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	QL (30 per 30 days)
<i>nefazodone oral tablet 100 mg, 150 mg, 250 mg, 50 mg</i>	1	QL (60 per 30 days)
<i>nefazodone oral tablet 200 mg</i>	1	QL (90 per 30 days)
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	
<i>olanzapine-fluoxetine oral capsule 12-25 mg</i>	3	QL (30 per 30 days)
<i>olanzapine-fluoxetine oral capsule 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i> (Symbyax)	3	QL (30 per 30 days)
<i>paroxetine hcl oral tablet 10 mg, 40 mg</i> (Paxil)	1	QL (45 per 30 days)
<i>paroxetine hcl oral tablet 20 mg</i> (Paxil)	1	QL (30 per 30 days)
<i>paroxetine hcl oral tablet 30 mg</i> (Paxil)	1	QL (60 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg</i> (Paxil CR)	1	QL (30 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr 25 mg, 37.5 mg</i> (Paxil CR)	1	QL (60 per 30 days)
PAXIL ORAL SUSPENSION 10 MG/5 ML	3	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	3	
PEXEVA ORAL TABLET 10 MG, 40 MG	3	QL (45 per 30 days)
PEXEVA ORAL TABLET 20 MG	3	QL (30 per 30 days)
PEXEVA ORAL TABLET 30 MG	3	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	QL (300 per 30 days)
<i>sertraline oral tablet 100 mg</i> (Zoloft)	1	QL (60 per 30 days)
<i>sertraline oral tablet 25 mg, 50 mg</i> (Zoloft)	1	QL (45 per 30 days)
SPRAVATO NASAL SPRAY, NON-AEROSOL 56 MG (28 MG X 2)	3	PA NSO; NM; NDS; QL (16 per 28 days)
SPRAVATO NASAL SPRAY, NON-AEROSOL 84 MG (28 MG X 3)	3	PA NSO; NM; NDS; QL (24 per 28 days)
<i>tranlycypromine oral tablet 10 mg</i> (Parnate)	1	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	PA NSO; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg</i> (Effexor XR)	1	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 75 mg</i> (Effexor XR)	1	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	QL (90 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>	1	QL (30 per 30 days)
VIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	PA NSO; QL (30 per 30 days)
VIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	PA NSO; QL (30 per 180 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	QL (90 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 15-1,000 MG	2	QL (60 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 30-1,000 MG	2	QL (30 per 30 days)
BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML	3	ST; QL (3.4 per 28 days)
BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML	3	ST; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	3	ST; (1 pen); QL (2.4 per 30 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	3	ST; (1 pen); QL (1.2 per 30 days)
CYCLOSET ORAL TABLET 0.8 MG	3	PA; QL (180 per 30 days)
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	2	QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG	2	QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG	2	QL (120 per 30 days)
INVOKANA ORAL TABLET 100 MG, 300 MG	2	QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	3	PA; NM; LA; NDS; QL (120 per 30 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	1	QL (60 per 30 days)
<i>migliitol oral tablet 100 mg, 25 mg, 50 mg</i> (Glyset)	1	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix)	1	QL (90 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	2	(1 pen); QL (1.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/DOSE (2 MG/1.5 ML)	2	QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg</i> (Actos)	1	QL (90 per 30 days)
<i>pioglitazone oral tablet 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET)	1	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	1	QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	1	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	1	QL (240 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	PA; (4 pens); QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	PA; QL (6 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	2	QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	3	ST; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	2	QL (9 per 30 days)
Insulins		
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	
LEVEMIR FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	
LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	2	
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	2	
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	2	
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	
TRESIBA U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	ST; QL (15 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Sulfonylureas		
<i>glimepiride oral tablet 1 mg</i> (Amaryl)	1	QL (240 per 30 days)
<i>glimepiride oral tablet 2 mg</i> (Amaryl)	1	QL (120 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg</i> (Glucotrol XL)	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i> (Glucotrol XL)	1	QL (120 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg</i> (Glynase)	1	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide micronized oral tablet 3 mg</i> (Glynase)	1	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>glyburide micronized oral tablet 6 mg</i> (Glynase)	1	PA; PA-HRM; QL (60 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg</i>	1	PA; PA-HRM; QL (480 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 2.5 mg</i>	1	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 5 mg</i>	1	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg</i>	1	PA; PA-HRM; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	PA; PA-HRM; QL (120 per 30 days); AGE (Max 64 Years)
<i>tolazamide oral tablet 250 mg</i>	1	QL (120 per 30 days)
<i>tolazamide oral tablet 500 mg</i>	1	QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	1	QL (180 per 30 days)
Antifungals		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	3	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	1	PA BvD
<i>casposfungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	3	NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	
<i>ciclopirox topical gel 0.77 %</i>	1	
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	1	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	1	
<i>clotrimazole mucous membrane troche 10 mg</i>	1	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	
<i>clotrimazole topical solution 1 %</i>	1	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i> (Lotrisone)	1	
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	1	
<i>econazole topical cream 1 %</i>	1	
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG	3	PA; NM; NDS
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	1	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	1	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	1	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	3	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	1	
<i>griseofulvin microsize oral tablet 500 mg</i>	1	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	1	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	1	PA
<i>ketoconazole oral tablet 200 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ketoconazole topical cream 2 %</i>	1	
<i>ketoconazole topical foam 2 %</i> (Extina)	1	
<i>ketoconazole topical shampoo 2 %</i> (Nizoral)	1	
<i>miconazole-3 vaginal suppository 200 mg</i>	1	
<i>naftifine topical cream 1 %</i>	1	
<i>naftifine topical cream 2 %</i> (Naftin)	1	
<i>naftifine topical gel 1 %</i> (Naftin)	1	
NAFTIN TOPICAL GEL 1 %, 2 %	2	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	3	PA; NM; NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	3	PA; NM; NDS; QL (600 per 30 days)
NOXAFIL ORAL TABLET,DELAYED RELEASE (DR/EC) 100 MG	3	PA; NM; NDS; QL (180 per 30 days)
<i>nyamyc topical powder 100,000 unit/gram</i>	1	
<i>nystatin oral suspension 100,000 unit/ml</i>	1	
<i>nystatin oral tablet 500,000 unit</i>	1	
<i>nystatin topical cream 100,000 unit/gram</i>	1	
<i>nystatin topical ointment 100,000 unit/gram</i>	1	
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	1	
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	1	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	1	
<i>nystop topical powder 100,000 unit/gram</i>	1	
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	3	
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	3	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	1	
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	1	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcris)	1	QL (60 per 30 days)
DUZALLO ORAL TABLET 200-200 MG, 200-300 MG	3	PA; QL (30 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	1	ST; QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	
ULORIC ORAL TABLET 40 MG, 80 MG	3	ST; QL (30 per 30 days)
Antihistamines		
Antihistamines		
<i>cetirizine oral solution 1 mg/ml</i> (All Day Allergy (cetirizine))	1	(Rx product only)
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	PA; PA-HRM; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>	1	PA; PA-HRM; AGE (Max 64 Years)
<i>desloratadine oral tablet 5 mg</i> (Clarinet)	1	QL (30 per 30 days)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	PA; PA-HRM; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	
CLINDESSE VAGINAL CREAM,EXTENDED RELEASE 2 %	2	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	1	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	
<i>terconazole vaginal suppository 80 mg</i>	1	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
AJOVY SUBCUTANEOUS SYRINGE 225 MG/1.5 ML	3	PA; (1 pen); QL (1.5 per 30 days)
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	1	QL (16 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	(Migranal)	3	QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML		3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 100 MG/ML		3	PA; QL (3 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML		3	PA; QL (2 per 30 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i>	(Cafergot)	1	QL (40 per 28 days)
MIGERGOT RECTAL SUPPOSITORY 2-100 MG		3	QL (40 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	(Amerge)	1	QL (16 per 28 days)
<i>rizatriptan oral tablet 10 mg</i>	(Maxalt)	1	QL (16 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>		1	QL (16 per 28 days)
<i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg</i>	(Maxalt-MLT)	1	QL (16 per 28 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i>	(Imitrex)	1	QL (16 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	(Imitrex)	1	QL (16 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i>	(Imitrex STATdose Refill)	1	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	(Imitrex STATdose Pen)	1	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	(Imitrex)	1	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous syringe 6 mg/0.5 ml</i>		1	QL (8 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	(Zomig)	1	QL (16 per 28 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	(Zomig ZMT)	1	QL (16 per 28 days)
Antimycobacterials			
Antimycobacterials			
CAPASTAT INJECTION RECON SOLN 1 GRAM		3	
<i>cycloserine oral capsule 250 mg</i>		1	
<i>dapsone oral tablet 100 mg, 25 mg</i>		1	
<i>ethambutol oral tablet 100 mg</i>		1	
<i>ethambutol oral tablet 400 mg</i>	(Myambutol)	1	
<i>isoniazid injection solution 100 mg/ml</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>isoniazid oral solution 50 mg/5 ml</i>	1	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	3	
PRIFTIN ORAL TABLET 150 MG	2	
<i>pyrazinamide oral tablet 500 mg</i>	1	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	1	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	1	
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	1	
RIFATER ORAL TABLET 50-120-300 MG	3	
SIRTURO ORAL TABLET 100 MG	3	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	3	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	3	PA; QL (2 per 28 days)
<i>aprepitant oral capsule 125 mg, 40 mg, 80 mg</i> (Emend)	1	PA
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA
BONJESTA ORAL TABLET, IR, DELAYED REL, BIPHASIC 20-20 MG	3	PA; QL (60 per 30 days)
<i>compro rectal suppository 25 mg</i>	1	
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	
<i>doxylamine-pyridoxine (vit b6) oral tablet, delayed release (dr/ec) 10-10 mg</i> (Diclegis)	1	PA; QL (120 per 30 days)
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	PA; NM; NDS; QL (60 per 30 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	1	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	1	
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	
<i>ondansetron hcl oral solution 4 mg/5 ml</i>	1	PA BvD
<i>ondansetron hcl oral tablet 24 mg</i>	1	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Zofran)	1	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>	1	PA BvD
<i>palonosetron intravenous solution 0.25 mg/5 ml</i> (Aloxi)	1	PA
<i>palonosetron intravenous syringe 0.25 mg/5 ml</i>	1	PA
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml), 5 mg/ml</i>	1	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	
<i>prochlorperazine rectal suppository 25 mg</i> (Compazine)	1	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Phenadoz)	1	
<i>promethazine rectal suppository 50 mg</i> (Phenergan)	1	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	1	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	1	
TRANSDERM-SCOP TRANSDERMAL PATCH 3 DAY 1 MG OVER 3 DAYS	3	
VARUBI ORAL TABLET 90 MG	3	PA; QL (4 per 28 days)
Antiparasite Agents		
Antiparasite Agents		
<i>albendazole oral tablet 200 mg</i> (Albenza)	1	
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	3	PA
ALINIA ORAL TABLET 500 MG	3	PA
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	1	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	1	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	1	
COARTEM ORAL TABLET 20-120 MG	3	
DARAPRIM ORAL TABLET 25 MG	3	PA; NM; NDS
EMVERM ORAL TABLET,CHEWABLE 100 MG	2	PA
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	
<i>mefloquine oral tablet 250 mg</i>	1	
NEBUPENT INHALATION RECON SOLN 300 MG	3	PA BvD
<i>paromomycin oral capsule 250 mg</i>	1	
PENTAM INJECTION RECON SOLN 300 MG	3	
<i>pentamidine injection recon soln 300 mg</i> (Pentam)	1	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	1	
PRIMAQUINE ORAL TABLET 26.3 MG	3	
<i>quinine sulfate oral capsule 324 mg</i> (Quaalquin)	1	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	1	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<i>amantadine hcl oral tablet 100 mg</i>	1	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	3	NM; LA; NDS
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	
<i>cabergoline oral tablet 0.5 mg</i>	1	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Sinemet CR)	1	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	ST
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	QL (30 per 30 days)
<i>ropinirole oral tablet 0.25 mg, 3 mg, 5 mg</i> (Requip)	1	
<i>ropinirole oral tablet 0.5 mg, 1 mg, 2 mg, 4 mg</i>	1	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> (Requip XL)	1	
<i>selegiline hcl oral capsule 5 mg</i>	1	
<i>selegiline hcl oral tablet 5 mg</i>	1	
<i>tolcapone oral tablet 100 mg</i> (Tasmar)	1	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	PA; PA-HRM; AGE (Max 64 Years)
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	PA; PA-HRM; AGE (Max 64 Years)

Antipsychotic Agents

Antipsychotic Agents

ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	3	PA NSO; NM; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	3	PA NSO; NM; NDS; QL (1 per 28 days)
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	3	PA NSO; QL (1 per 7 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>aripiprazole oral solution 1 mg/ml</i>	1	
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	QL (30 per 30 days)
<i>aripiprazole oral tablet, disintegrating 10 mg, 15 mg</i>	3	NM; NDS; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 675 MG/2.4 ML	3	PA NSO; NM; NDS; (1 syringe); QL (2.4 per 180 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 1,064 MG/3.9 ML	3	PA NSO; NM; NDS; (1 syringe); QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 441 MG/1.6 ML	3	PA NSO; NM; NDS; (1 syringe); QL (1.6 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 662 MG/2.4 ML	3	PA NSO; NM; NDS; (1 syringe); QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION, EXTENDED REL SYRING 882 MG/3.2 ML	3	PA NSO; NM; NDS; (1 syringe); QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	3	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	3	
<i>clozapine oral tablet 100 mg, 25 mg</i> (Clozaril)	1	
<i>clozapine oral tablet 200 mg, 50 mg</i>	1	
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i> (FazaClo)	1	
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	3	QL (60 per 30 days)
FANAPT ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	3	QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	2	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>haloperidol dec 50 mg/ml vial mdv 50 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	1	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	3	PA NSO; NM; NDS; (1 syringe); QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	3	PA NSO; NM; NDS; (1 syringe); QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	3	PA NSO; NM; NDS; (1 syringe); QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	PA NSO; (1 syringe); QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	3	PA NSO; NM; NDS; (1 syringe); QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	3	PA NSO; NM; NDS; (1 syringe); QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	3	PA NSO; NM; NDS; (1 syringe); QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	3	PA NSO; NM; NDS; (1 syringe); QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	3	PA NSO; NM; NDS; (1 syringe); QL (2.63 per 84 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	PA NSO; QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	PA NSO; QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
<i>molindone oral tablet 10 mg, 25 mg, 5 mg</i>	1	
NUPLAZID ORAL CAPSULE 34 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	1	QL (120 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	
PERSERIS ABDOMINAL SUBCUTANEOUS SUSPENSION, EXTEND REL SYR KIT 120 MG, 90 MG	3	PA NSO; NM; NDS; QL (1 per 28 days)
<i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)	1	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	1	QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	1	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	1	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 200 mg</i> (Seroquel XR)	1	QL (30 per 30 days)
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	3	PA NSO; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	3	PA NSO; NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	1	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	1	QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 4 mg</i>	1	QL (120 per 30 days)
SAPHRIS SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	2	PA NSO; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	PA NSO; PA-HRM; AGE (Max 64 Years)
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
VERSACLOZ ORAL SUSPENSION 50 MG/ML	3	
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE, DOSE PACK 1.5 MG (1)- 3 MG (6)	3	PA NSO; QL (7 per 180 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	3	PA NSO; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG	3	PA NSO; NM; NDS; QL (2 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	QL (960 per 30 days)
<i>abacavir oral tablet 300 mg</i> (Ziagen)	1	QL (60 per 30 days)
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	1	QL (30 per 30 days)
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	3	NM; NDS; QL (60 per 30 days)
APTIVUS ORAL CAPSULE 250 MG	3	QL (120 per 30 days)
APTIVUS ORAL SOLUTION 100 MG/ML	3	QL (380 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>atazanavir oral capsule 150 mg, 200 mg</i> (Reyataz)	1	QL (60 per 30 days)
<i>atazanavir oral capsule 300 mg</i> (Reyataz)	1	QL (30 per 30 days)
ATRIPLA ORAL TABLET 600-200-300 MG	3	NM; NDS; QL (30 per 30 days)
BIKTARVY ORAL TABLET 50-200-25 MG	3	NM; NDS; QL (30 per 30 days)
CIMDUO ORAL TABLET 300-300 MG	3	NM; NDS; QL (30 per 30 days)
COMPLERA ORAL TABLET 200-25-300 MG	3	NM; NDS; QL (30 per 30 days)
CRIXIVAN ORAL CAPSULE 200 MG	2	QL (270 per 30 days)
CRIXIVAN ORAL CAPSULE 400 MG	2	QL (180 per 30 days)
DELSTRIGO ORAL TABLET 100-300-300 MG	3	NM; NDS; QL (30 per 30 days)
DESCOVY ORAL TABLET 200-25 MG	3	NM; NDS; QL (30 per 30 days)
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i> (Videx EC)	1	QL (30 per 30 days)
DOVATO ORAL TABLET 50-300 MG	3	NM; NDS; QL (30 per 30 days)
EDURANT ORAL TABLET 25 MG	3	NM; NDS; QL (30 per 30 days)
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	1	QL (90 per 30 days)
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	1	QL (180 per 30 days)
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	QL (30 per 30 days)
EMTRIVA ORAL CAPSULE 200 MG	2	QL (30 per 30 days)
EMTRIVA ORAL SOLUTION 10 MG/ML	2	QL (850 per 30 days)
EVOTAZ ORAL TABLET 300-150 MG	3	NM; NDS; QL (30 per 30 days)
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	QL (120 per 30 days)
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	3	NM; NDS; QL (60 per 30 days)
GENVOYA ORAL TABLET 150-150-200-10 MG	3	NM; NDS; QL (30 per 30 days)
INTELENCE ORAL TABLET 100 MG, 200 MG	3	QL (60 per 30 days)
INTELENCE ORAL TABLET 25 MG	3	QL (120 per 30 days)
INVIRASE ORAL TABLET 500 MG	3	NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ISENTRESS HD ORAL TABLET 600 MG	3	NM; NDS; QL (60 per 30 days)
ISENTRESS ORAL POWDER IN PACKET 100 MG	3	QL (60 per 30 days)
ISENTRESS ORAL TABLET 400 MG	3	NM; NDS; QL (120 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	3	NM; NDS; QL (180 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	2	QL (180 per 30 days)
JULUCA ORAL TABLET 50-25 MG	3	NM; NDS; QL (30 per 30 days)
KALETRA ORAL TABLET 100-25 MG	3	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	3	NM; NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	QL (960 per 30 days)
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	QL (30 per 30 days)
<i>lamivudine oral tablet 150 mg</i> (Epivir)	1	QL (60 per 30 days)
<i>lamivudine oral tablet 300 mg</i> (Epivir)	1	QL (30 per 30 days)
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	QL (60 per 30 days)
LEXIVA ORAL SUSPENSION 50 MG/ML	3	QL (1800 per 30 days)
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	QL (480 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i> (Viramune)	1	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i> (Viramune XR)	1	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	1	QL (30 per 30 days)
NORVIR ORAL CAPSULE 100 MG	2	QL (360 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	2	QL (360 per 30 days)
NORVIR ORAL SOLUTION 80 MG/ML	2	QL (480 per 30 days)
ODEFSEY ORAL TABLET 200-25-25 MG	3	NM; NDS; QL (30 per 30 days)
PIFELTRO ORAL TABLET 100 MG	3	NM; NDS; QL (60 per 30 days)
PREZCOBIX ORAL TABLET 800-150 MG-MG	3	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PREZISTA ORAL SUSPENSION 100 MG/ML	3	NM; NDS; QL (400 per 30 days)
PREZISTA ORAL TABLET 150 MG	3	NM; NDS; QL (180 per 30 days)
PREZISTA ORAL TABLET 600 MG	3	NM; NDS; QL (60 per 30 days)
PREZISTA ORAL TABLET 75 MG	3	NM; NDS; QL (480 per 30 days)
PREZISTA ORAL TABLET 800 MG	3	NM; NDS; QL (30 per 30 days)
RESCRIPTOR ORAL TABLET 200 MG	2	QL (180 per 30 days)
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	2	QL (360 per 30 days)
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	3	
REYATAZ ORAL POWDER IN PACKET 50 MG	3	QL (180 per 30 days)
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	QL (360 per 30 days)
SELZENTRY ORAL SOLUTION 20 MG/ML	3	NM; NDS; QL (1800 per 30 days)
SELZENTRY ORAL TABLET 150 MG, 75 MG	3	NM; NDS; QL (60 per 30 days)
SELZENTRY ORAL TABLET 25 MG	3	NM; NDS; QL (240 per 30 days)
SELZENTRY ORAL TABLET 300 MG	3	NM; NDS; QL (120 per 30 days)
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>	1	QL (60 per 30 days)
STRIBILD ORAL TABLET 150-150-200-300 MG	3	NM; NDS; QL (30 per 30 days)
SYMFI LO ORAL TABLET 400-300-300 MG	3	NM; NDS; QL (30 per 30 days)
SYMFI ORAL TABLET 600-300-300 MG	3	NM; NDS; QL (30 per 30 days)
SYMTUZA ORAL TABLET 800-150-200-10 MG	3	NM; NDS; QL (30 per 30 days)
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	QL (30 per 30 days)
TIVICAY ORAL TABLET 10 MG	3	QL (60 per 30 days)
TIVICAY ORAL TABLET 25 MG, 50 MG	3	NM; NDS; QL (60 per 30 days)
TRIUMEQ ORAL TABLET 600-50-300 MG	3	NM; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	3	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	3	NM; NDS; QL (30 per 30 days)
VEMLIDY ORAL TABLET 25 MG	2	QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	2	QL (1200 per 30 days)
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	2	QL (1200 per 30 days)
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG	2	QL (60 per 30 days)
VIRACEPT ORAL TABLET 250 MG	3	NM; NDS; QL (270 per 30 days)
VIRACEPT ORAL TABLET 625 MG	3	NM; NDS; QL (120 per 30 days)
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	3	QL (240 per 30 days)
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	QL (30 per 30 days)
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	QL (180 per 30 days)
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	QL (1920 per 30 days)
<i>zidovudine oral tablet 300 mg</i>	1	QL (60 per 30 days)
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	3	PA BvD
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	1	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	1	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	1	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	QL (540 per 180 days)
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML, 480 MG/24 ML	3	PA; NM; NDS
PREVYMIS ORAL TABLET 240 MG, 480 MG	3	PA; NM; NDS; QL (30 per 30 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	QL (60 per 180 days)
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	3	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
XOFLUZA ORAL TABLET 20 MG, 40 MG	3	QL (4 per 180 days)
Hcv Antivirals		
<i>ledipasvir-sofosbuvir oral tablet 90-400 mg</i> (Harvoni)	3	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	3	PA; NM; NDS; QL (84 per 28 days)
<i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> (Epclusa)	3	PA; NM; NDS; QL (28 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	3	
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	3	
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 180 MCG/0.5 ML	3	NM; NDS; QL (2 per 28 days)
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	3	NM; NDS; QL (4 per 28 days)
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	3	NM; NDS; QL (2 per 28 days)
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	3	NM; NDS; QL (2 per 28 days)
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	3	PA NSO; NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i> (Zovirax)	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	
<i>acyclovir oral tablet 400 mg, 800 mg</i> (Zovirax)	1	
<i>acyclovir sodium intravenous recon soln 500 mg</i>	1	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	1	
BARACLUDGE ORAL SOLUTION 0.05 MG/ML	3	NM; NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	1	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	QL (30 per 30 days)
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ganciclovir sodium intravenous recon soln</i> (Cytovene) 500 mg	1	PA BvD
<i>ganciclovir sodium intravenous solution</i> 50 mg/ml	1	PA BvD
REBETOL ORAL SOLUTION 40 MG/ML	3	
<i>ribasphere oral capsule 200 mg</i>	1	
<i>ribasphere oral tablet 600 mg</i>	1	
<i>ribasphere ribapak 600-400 mg 600 mg</i> (7)- 400 mg (7)	1	
<i>ribasphere ribapak oral tablets,dose pack</i> 600-400 mg (28)-mg (28)	1	
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	3	PA; NM; NDS
<i>ribavirin oral capsule 200 mg</i> (Ribasphere)	1	
<i>ribavirin oral tablet 200 mg</i> (Moderiba)	1	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	1	
Blood Products/Modifiers/Volume Expanders		
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	3	QL (30 per 30 days)
COUMADIN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	3	
ELIQUIS ORAL TABLET 2.5 MG	2	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	2	QL (120 per 30 days)
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	QL (74 per 180 days)
<i>enoxaparin subcutaneous solution 300</i> <i>mg/3 ml</i> (Lovenox)	1	QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 100</i> <i>mg/ml</i> (Lovenox)	1	QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 120</i> <i>mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	1	(28 syringes); QL (22.4 per 14 days)
<i>enoxaparin subcutaneous syringe 150</i> <i>mg/ml</i> (Lovenox)	3	NM; NDS; QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 30</i> <i>mg/0.3 ml</i> (Lovenox)	1	(28 syringes); QL (8.4 per 14 days)
<i>enoxaparin subcutaneous syringe 40</i> <i>mg/0.4 ml</i> (Lovenox)	1	(28 syringes); QL (11.2 per 14 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	1	(28 syringes); QL (16.8 per 14 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	3	(14 syringes); QL (11.2 per 14 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	3	(14 syringes); QL (7 per 14 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	3	(14 syringes); QL (5.6 per 14 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	3	(14 syringes); QL (8.4 per 14 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i>	1	
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i>	1	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	1	PA BvD; (PA for ESRD only)
<i>heparin (porcine) injection solution 1,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	PA BvD; (PA for ESRD only)
<i>heparin (porcine) injection solution 10,000 unit/ml</i>	1	
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	1	PA BvD; (PA for ESRD only)
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	1	PA BvD; (PA for ESRD only)
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	1	PA BvD; (PA for ESRD only)
<i>heparin, porcine (pf) subcutaneous syringe 5,000 unit/0.5 ml</i>	1	PA BvD; (PA for ESRD only)
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	3	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Coumadin)	1	
XARELTO ORAL TABLET 10 MG, 20 MG	2	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG, 2.5 MG	2	QL (60 per 30 days)
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	QL (51 per 180 days)
Blood Formation Modifiers		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	3	PA
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML	3	PA
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	3	PA; NM; LA; NDS
DOPTELET (10 TAB PACK) ORAL TABLET 20 MG	3	PA; NM; NDS; QL (10 per 30 days)
DOPTELET (15 TAB PACK) ORAL TABLET 20 MG	3	PA; NM; NDS; QL (15 per 30 days)
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; QL (12 per 28 days)
FULPHILA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	3	PA; NM; NDS
GRANIX SUBCUTANEOUS SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	3	PA; NM; NDS
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	3	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	3	PA; NM; LA; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	3	PA; NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	3	NM; NDS
MULPLETA ORAL TABLET 3 MG	3	PA; NM; NDS; QL (7 per 30 days)
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	3	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	3	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	3	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	3	PA; NM; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	3	PA; NM; NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (6 per 28 days)
PROMACTA ORAL POWDER IN PACKET 12.5 MG	3	PA; NM; NDS
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	3	PA; NM; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	2	PA; QL (6 per 28 days)
UDENYCA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	3	PA; NM; NDS
Hematologic Agents, Miscellaneous		
<i>aminocaproic acid intravenous solution 250 mg/ml</i>	1	
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	
<i>anagrelide oral capsule 1 mg</i>	1	
<i>protamine intravenous solution 10 mg/ml</i>	1	PA BvD; (PA for ESRD only)
TAVALISSE ORAL TABLET 100 MG, 150 MG	3	PA; NM; NDS; QL (60 per 30 days)
<i>tranexamic acid intravenous solution</i> (Cyklokapron) <i>1,000 mg/10 ml (100 mg/ml)</i>	1	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er</i> (Aggrenox) <i>multiphase 12 hr 25-200 mg</i>	1	
BRILINTA ORAL TABLET 60 MG, 90 MG	2	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	QL (30 per 30 days)
ZONTIVITY ORAL TABLET 2.08 MG	3	PA
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	3	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	3	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	3	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	3	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	3	PA BvD
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	3	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	1	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	1	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 5 % in ringer's intravenous parenteral solution 5 %</i>	1	
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	1	PA BvD
<i>dextrose 50 % in water (d50w) intravenous syringe</i>	1	PA BvD
<i>dextrose 70 % in water (d70w) intravenous parenteral solution</i>	1	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %	2	PA BvD
INTRALIPID INTRAVENOUS EMULSION 30 %	3	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	3	PA BvD
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 %	3	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	3	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD
Cardiovascular Agents		
Alpha-Adrenergic Agents		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Catapres)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)	1	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)	1	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)	1	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
NORTHERA ORAL CAPSULE 100 MG	3	PA; NM; LA; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NORTHERA ORAL CAPSULE 200 MG, 300 MG	3	PA; NM; LA; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i> (Vazculep)	1	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	1	
Angiotensin II Receptor Antagonists		
<i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i> (Atacand)	1	QL (60 per 30 days)
<i>candesartan oral tablet 32 mg</i> (Atacand)	1	QL (30 per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg</i> (Atacand HCT)	1	QL (60 per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	QL (30 per 30 days)
EDARBI ORAL TABLET 40 MG, 80 MG	3	QL (30 per 30 days)
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	QL (30 per 30 days)
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	2	PA; QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	QL (45 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	QL (30 per 30 days)
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	QL (30 per 30 days)
<i>losartan oral tablet 100 mg</i> (Cozaar)	1	QL (45 per 30 days)
<i>losartan oral tablet 25 mg, 50 mg</i> (Cozaar)	1	QL (60 per 30 days)
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	QL (30 per 30 days)
<i>olmesartan oral tablet 20 mg, 40 mg</i> (Benicar)	1	QL (30 per 30 days)
<i>olmesartan oral tablet 5 mg</i> (Benicar)	1	QL (60 per 30 days)
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	QL (30 per 30 days)
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	QL (30 per 30 days)
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	1	QL (30 per 30 days)
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	QL (30 per 30 days)
<i>valsartan oral tablet 160 mg, 40 mg, 80 mg</i> (Diovan)	1	QL (60 per 30 days)
<i>valsartan oral tablet 320 mg</i> (Diovan)	1	QL (30 per 30 days)
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 80-12.5 mg</i> (Diovan HCT)	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>valsartan-hydrochlorothiazide oral tablet 160-25 mg, 320-12.5 mg, 320-25 mg</i> (Diovan HCT)	1	QL (30 per 30 days)
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	QL (60 per 30 days)
<i>benazepril oral tablet 5 mg</i>	1	QL (60 per 30 days)
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	1	QL (60 per 30 days)
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>	1	QL (60 per 30 days)
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>	1	
<i>captopril-hydrochlorothiazide oral tablet 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg</i>	1	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	QL (60 per 30 days)
<i>enalaprilat intravenous solution 1.25 mg/ml</i>	1	QL (120 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	1	QL (60 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>	1	QL (60 per 30 days)
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>	1	QL (60 per 30 days)
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>	1	QL (120 per 30 days)
<i>lisinopril oral tablet 10 mg, 20 mg, 5 mg</i> (Prinivil)	1	QL (60 per 30 days)
<i>lisinopril oral tablet 2.5 mg, 30 mg, 40 mg</i> (Zestril)	1	QL (60 per 30 days)
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	QL (60 per 30 days)
<i>moexipril oral tablet 15 mg, 7.5 mg</i>	1	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>	1	QL (60 per 30 days)
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	QL (60 per 30 days)
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	1	QL (60 per 30 days)
<i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> (Altace)	1	QL (60 per 30 days)
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>	1	QL (60 per 30 days)
Antiarrhythmic Agents		
<i>amiodarone intravenous solution 50 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amiodarone intravenous syringe 150 mg/3 ml</i>	1	
<i>amiodarone oral tablet 100 mg, 200 mg, 400 mg</i> (Pacerone)	1	
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>lidocaine (pf) intravenous syringe 50 mg/5 ml (1 %)</i>	1	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	
MULTAQ ORAL TABLET 400 MG	2	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	1	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol intravenous solution 5 mg/ml</i>	1	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	1	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> (Lopressor)	1	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	1	
<i>nadolol-bendroflumethiazide oral tablet 40-5 mg, 80-5 mg</i>	1	
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	1	
<i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	
<i>sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Betapace)	1	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>	1	
Calcium-Channel Blocking Agents		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cartia xt oral capsule, extended release</i> 24hr 120 mg, 180 mg, 240 mg, 300 mg	1	
<i>diltiazem hcl intravenous recon soln 100 mg</i>	1	
<i>diltiazem hcl intravenous solution 5 mg/ml</i>	1	
<i>diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg</i>	1	
<i>diltiazem hcl oral capsule, extended release 24 hr 360 mg</i> (Taztia XT)	1	
<i>diltiazem hcl oral capsule, extended release 24 hr 420 mg</i> (Tiazac)	1	
<i>diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cardizem CD)	1	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)	1	
<i>diltiazem hcl oral tablet 90 mg</i>	1	
<i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Cardizem LA)	1	
<i>dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg</i>	1	
<i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i>	1	
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i>	1	
<i>verapamil intravenous solution 2.5 mg/ml</i>	1	
<i>verapamil intravenous syringe 2.5 mg/ml</i>	1	
<i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i> (Verelan PM)	1	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg</i> (Verelan)	1	
<i>verapamil oral tablet 120 mg, 80 mg</i> (Calan)	1	
<i>verapamil oral tablet 40 mg</i>	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Calan SR)	1	
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	PA; QL (60 per 30 days)
DEMSEER ORAL CAPSULE 250 MG	3	PA; NM; NDS
<i>digitek oral tablet 125 mcg, 250 mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>digox oral tablet 125 mcg, 250 mcg</i>	1	
<i>digoxin injection syringe 250 mcg/ml</i>	1	
DIGOXIN ORAL SOLUTION 50 MCG/ML	3	
<i>digoxin oral tablet 125 mcg, 250 mcg</i> (Digitek)	1	
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>	1	PA BvD
<i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml), 500 mg/40 ml (12.5 mg/ml)</i>	1	PA BvD
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	1	QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	3	PA; NM; LA; NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	3	PA; NM; NDS; QL (18 per 30 days)
LANOXIN ORAL TABLET 125 MCG, 187.5 MCG, 250 MCG, 62.5 MCG	3	
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	1	PA BvD
<i>milrinone intravenous solution 1 mg/ml</i>	1	PA BvD
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> (Ranexa)	1	
Dihydropyridines		
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	1	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	1	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>amlodipine-valsartan-hctiazid oral tablet</i> (Exforge HCT) 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg	1	
<i>felodipine oral tablet extended release 24 hr</i> 10 mg, 2.5 mg, 5 mg	1	
<i>isradipine oral capsule</i> 2.5 mg, 5 mg	1	
<i>nicardipine intravenous solution 25 mg/10 ml</i> (Cardene IV)	1	
<i>nicardipine oral capsule</i> 20 mg, 30 mg	1	
<i>nifedipine oral tablet extended release 24hr</i> 30 mg, 60 mg, 90 mg (Procardia XL)	1	
<i>nifedipine oral tablet extended release 30 mg</i> (Adalat CC)	1	
<i>nifedipine oral tablet extended release 60 mg, 90 mg</i> (Adalat CC)	1	
<i>nimodipine oral capsule</i> 30 mg	1	
<i>nisoldipine oral tablet extended release 24 hr</i> 17 mg, 34 mg, 8.5 mg (Sular)	1	
<i>nisoldipine oral tablet extended release 24 hr</i> 20 mg, 25.5 mg, 30 mg, 40 mg	1	
Diuretics		
ALDACTAZIDE ORAL TABLET 50-50 MG	3	
<i>amiloride oral tablet</i> 5 mg	1	
<i>amiloride-hydrochlorothiazide oral tablet</i> 5-50 mg	1	
<i>bumetanide injection solution</i> 0.25 mg/ml	1	
<i>bumetanide oral tablet</i> 0.5 mg, 1 mg, 2 mg	1	
<i>chlorothiazide oral tablet</i> 250 mg, 500 mg	1	
<i>chlorothiazide sodium intravenous recon soln</i> 500 mg (Diuril IV)	1	
<i>chlorthalidone oral tablet</i> 25 mg, 50 mg	1	
<i>furosemide injection solution</i> 10 mg/ml	1	
<i>furosemide injection syringe</i> 10 mg/ml	1	
<i>furosemide oral solution</i> 10 mg/ml, 40 mg/5 ml (8 mg/ml)	1	
<i>furosemide oral tablet</i> 20 mg, 40 mg, 80 mg (Lasix)	1	
<i>hydrochlorothiazide oral capsule</i> 12.5 mg (Microzide)	1	
<i>hydrochlorothiazide oral tablet</i> 12.5 mg, 25 mg, 50 mg	1	
<i>indapamide oral tablet</i> 1.25 mg, 2.5 mg	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JYNARQUE ORAL TABLET 15 MG, 30 MG	3	PA; NM; NDS; QL (120 per 30 days)
JYNARQUE ORAL TABLETS, SEQUENTIAL 45 MG (AM)/ 15 MG (PM), 60 MG (AM)/ 30 MG (PM), 90 MG (AM)/ 30 MG (PM)	3	PA; NM; NDS; QL (56 per 28 days)
<i>methyclothiazide oral tablet 5 mg</i>	1	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	1	
<i>toremide oral tablet 10 mg, 100 mg, 5 mg</i>	1	
<i>toremide oral tablet 20 mg</i> (Demadex)	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	QL (30 per 30 days)
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Lipitor)	1	QL (45 per 30 days)
<i>atorvastatin oral tablet 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	
<i>cholestyramine light oral powder 4 gram</i>	1	
<i>cholestyramine light packet 4 gram</i>	1	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	1	
<i>colesevelam oral tablet 625 mg</i> (WelChol)	1	
<i>colestipol oral packet 5 gram</i> (Colestid)	1	
<i>colestipol oral tablet 1 gram</i> (Colestid)	1	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	1	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	1	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	
<i>fenofibrate oral capsule 150 mg, 50 mg</i> (Lipofen)	1	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	1	
<i>fenofibric acid oral tablet 105 mg, 35 mg</i> (Fibricor)	1	
<i>fluvastatin oral capsule 20 mg, 40 mg</i> (Lescol)	1	QL (60 per 30 days)
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG	3	PA; NM; LA; NDS; QL (30 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg</i>	1	QL (45 per 30 days)
<i>lovastatin oral tablet 40 mg</i>	1	QL (60 per 30 days)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	1	QL (60 per 30 days)
<i>niacor oral tablet 500 mg</i>	1	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	2	PA; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg</i>	1	QL (45 per 30 days)
<i>pravastatin oral tablet 20 mg, 40 mg</i> (Pravachol)	1	QL (45 per 30 days)
<i>pravastatin oral tablet 80 mg</i> (Pravachol)	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	1	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	2	PA; QL (3.5 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	2	PA; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	2	PA; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i> (Crestor)	1	QL (45 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rosuvastatin oral tablet 40 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg</i> (Zocor)	1	QL (45 per 30 days)
<i>simvastatin oral tablet 40 mg</i> (Zocor)	1	PA; (PA only w/ amiodarone); QL (45 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	QL (45 per 30 days)
<i>simvastatin oral tablet 80 mg</i> (Zocor)	1	PA; (PA only w/ amiodarone); QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM	3	QL (120 per 30 days)
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	1	QL (30 per 30 days)
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	
TEKTURNA HCT ORAL TABLET 150-12.5 MG, 150-25 MG, 300-12.5 MG, 300-25 MG	3	
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradoso)	1	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	1	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
NITRO-BID TRANSDERMAL OINTMENT 2 %	3	
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	3	
<i>nitroglycerin in 5 % dextrose intravenous solution 25 mg/250 ml (100 mcg/ml)</i>	1	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nitroglycerin transdermal patch 24 hour</i> (Minitran) 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr	1	
<i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> (Nitrolingual)	1	
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG	2	
Central Nervous System Agents		
Central Nervous System Agents		
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> (Strattera)	1	PA
AUBAGIO ORAL TABLET 14 MG	3	NM; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG	3	PA; NM; NDS; QL (120 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	3	NM; NDS; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	3	NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	3	NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	3	NM; NDS; QL (14 per 28 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	1	
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	1	PA; QL (60 per 30 days)
<i>dexmethylphenidate oral capsule, er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	1	NM; NDS
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	NM; NDS
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	1	NM; NDS
<i>dextroamphetamine oral solution 5 mg/5 ml</i> (ProCentra)	1	NM; NDS
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i> (Zenedi)	1	NM; NDS
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> (Adderall XR)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	NM; NDS
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	3	NM; NDS; QL (14 per 28 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	1	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	3	NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	3	NM; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	3	NM; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	PA
INGREZZA INITIATION PACK ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	3	PA; NM; NDS; QL (28 per 180 days)
INGREZZA ORAL CAPSULE 40 MG, 80 MG	3	PA; NM; NDS; QL (30 per 30 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	
LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HR 165 MG, 82.5 MG	3	PA; NM; NDS; QL (90 per 30 days)
LYRICA CR ORAL TABLET EXTENDED RELEASE 24 HR 330 MG	3	PA; NM; NDS; QL (60 per 30 days)
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	1	NM; NDS
<i>methylphenidate hcl oral capsule,er biphasic 50-50 10 mg</i> (Ritalin LA)	1	NM; NDS
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	NM; NDS
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 36 mg (bx rating), 54 mg (bx rating)</i>	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i> (Concerta)	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	1	NM; NDS
<i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i>	1	NM; NDS
NUEDEXTA ORAL CAPSULE 20-10 MG	3	PA
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	3	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	3	NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	3	NM; NDS; QL (1 per 28 days)
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	3	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	3	NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	3	NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	3	NM; NDS; QL (4.2 per 28 days)
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	3	NM; NDS; QL (4.2 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	
SAVELLA ORAL TABLETS, DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	3	NM; LA; NDS; QL (120 per 180 days)
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 240 MG	3	NM; LA; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	3	NM; NDS; QL (120 per 30 days)
TIGLUTIK ORAL SUSPENSION 50 MG/10 ML	3	PA; NM; NDS; QL (600 per 30 days)

Contraceptives

Contraceptives

<i>afirmelle oral tablet 0.1-20 mg-mcg</i>	1	
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	1	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>apri oral tablet 0.15-0.03 mg</i>	1	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg- mcg</i>	1	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>aubra oral tablet 0.1-20 mg-mcg</i>	1	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>aurovela 1/20 (21) oral tablet 1-20 mg- mcg</i>	1	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg- 30 mcg (21)/75 mg (7)</i>	1	
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	1	
<i>ayuna oral tablet 0.15-0.03 mg</i>	1	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	1	
<i>camila oral tablet 0.35 mg</i>	1	
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>cyred oral tablet 0.15-0.03 mg</i>	1	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>deblitane oral tablet 0.35 mg</i>	1	
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))	1	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	1	
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i> (Beyaz)	1	
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i> (Safyral)	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Gianvi (28))	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Ocella)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>elinest oral tablet 0.3-30 mg-mcg</i>	1	
ELLA ORAL TABLET 30 MG	2	
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1- 35 mg-mcg (Kelnor 1/35 (28))</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1- 50 mg-mcg (Kelnor 1-50)</i>	1	
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>fayosim oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	
<i>gianvi (28) oral tablet 3-0.02 mg</i>	1	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>heather oral tablet 0.35 mg</i>	1	
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	
<i>isibloom oral tablet 0.15-0.03 mg</i>	1	
<i>jasmiel (28) oral tablet 3-0.02 mg</i>	1	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	
<i>jolivette oral tablet 0.35 mg</i>	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	1	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>kaitlib fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	1	
<i>kalliga oral tablet 0.15-0.03 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	1	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i>	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (Amethia Lo)	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Fayosim)	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	1	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	
<i>layolis fe oral tablet,chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	1	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.1-20 mg-mcg</i> (Afirmelle)	1	
<i>levonorgestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Altavera (28))	1	
<i>levonorgestrel-ethinyl estradiol oral tablet 90-20 mcg (28)</i> (Amethyst (28))	1	
<i>levonorgestrel-ethinyl estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> (Introvale)	1	
<i>levonorg-eth estradiol triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	1	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	
<i>lillow (28) oral tablet 0.15-0.03 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>	1	
<i>lutura (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	1	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>mili oral tablet 0.25-35 mg-mcg</i>	1	
<i>mono-linyah oral tablet 0.25-35 mg-mcg</i>	1	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nikki (28) oral tablet 3-0.02 mg</i>	1	
<i>nora-be oral tablet 0.35 mg</i>	1	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Aurovela 1/20 (21))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Aurovela 24 Fe)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Tri-Lo-Estarylla)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Ortho Tri-Cyclen (28))	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	1	
<i>norlyda oral tablet 0.35 mg</i>	1	
<i>norlyroc oral tablet 0.35 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	1	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	2	
<i>ocella oral tablet 3-0.03 mg</i>	1	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	1	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	1	
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	
<i>pimtreea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	1	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	1	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	
<i>rajani oral tablet 3-0.02-0.451 mg (24) (4)</i>	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	
<i>rivelsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	1	
<i>sharobel oral tablet 0.35 mg</i>	1	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	
<i>syeda oral tablet 3-0.03 mg</i>	1	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-linyah oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tulana oral tablet 0.35 mg</i>	1	
<i>tydemy oral tablet 3-0.03-0.451 mg (21) (7)</i>	1	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	1	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	1	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	1	
<i>zarah oral tablet 3-0.03 mg</i>	1	
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	1	
<i>zumandimine (28) oral tablet 3-0.03 mg</i>	1	
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	1	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	1	
<i>dentagel dental gel 1.1 %</i>	1	
<i>oralone dental paste 0.1 %</i>	1	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	1	
<i>sf 5000 plus dental cream 1.1 %</i>	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralene)	1	
Dermatological Agents		
Dermatological Agents, Other		
<i>acitretin oral capsule 10 mg, 17.5 mg</i> (Soriatane)	1	PA; QL (60 per 30 days)
<i>acitretin oral capsule 25 mg</i> (Soriatane)	1	PA
<i>acyclovir topical cream 5 %</i> (Zovirax)	1	QL (5 per 30 days)
<i>acyclovir topical ointment 5 %</i> (Zovirax)	1	
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	1	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	1	
<i>amnestem oral capsule 10 mg, 20 mg, 40 mg</i>	1	
<i>azelaic acid topical gel 15 %</i> (Finacea)	1	
<i>calcipotriene scalp solution 0.005 %</i>	1	
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	1	
<i>calcipotriene topical ointment 0.005 %</i> (Calcitrene)	1	
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i> (Taclonex)	3	
<i>calcitrene topical ointment 0.005 %</i>	1	
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	1	
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
CONDYLOX TOPICAL GEL 0.5 %	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
DENAVIR TOPICAL CREAM 1 %	3	QL (5 per 30 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	1	
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	
<i>imiquimod topical cream in metered-dose pump 3.75 %</i> (Zyclara)	1	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	1	
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Absorica)	1	
LEVULAN TOPICAL SOLUTION 20 %	3	
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	1	
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
PANRETIN TOPICAL GEL 0.1 %	3	NM; NDS
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 30 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 30 days)
<i>podofilox topical solution 0.5 %</i>	1	
REGRANEX TOPICAL GEL 0.01 %	3	NM; NDS
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	2	
TOLAK TOPICAL CREAM 4 %	3	
UVADEX INJECTION SOLUTION 20 MCG/ML	3	
VALCHLOR TOPICAL GEL 0.016 %	3	PA NSO; NM; LA; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
ZYCLARA TOPICAL CREAM IN METERED-DOSE PUMP 2.5 %	3	
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i> (Evoclin)	1	
<i>clindamycin phosphate topical gel 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical lotion 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical swab 1 %</i> (Cleocin T)	1	
<i>clindamycin-benzoyl peroxide topical gel 1.2 %(1 % base) -5 %</i> (Duac)	1	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzaclin)	1	
<i>ery pads topical swab 2 %</i>	1	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>erythromycin with ethanol topical solution 2 %</i>	1	
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	1	
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Aktipak)	1	
<i>gentamicin topical cream 0.1 %</i>	1	
<i>gentamicin topical ointment 0.1 %</i>	1	
<i>metronidazole topical cream 0.75 %</i> (MetroCream)	1	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	
<i>mupirocin calcium topical cream 2 %</i>	1	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	
<i>rosadan topical cream 0.75 %</i>	1	
<i>selenium sulfide topical lotion 2.5 %</i>	1	
<i>silver sulfadiazine topical cream 1 %</i> (Silvadene)	1	
<i>ssd topical cream 1 %</i>	1	
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %</i>	1	
<i>ala-scalp topical lotion 2 %</i>	1	
<i>alclometasone topical cream 0.05 %</i>	1	
<i>alclometasone topical ointment 0.05 %</i>	1	
<i>amcinonide topical cream 0.1 %</i>	1	
<i>amcinonide topical lotion 0.1 %</i>	1	
<i>amcinonide topical ointment 0.1 %</i>	1	
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	
<i>betamethasone valerate topical cream 0.1 %</i>	1	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone valerate topical lotion 0.1 %</i>	1	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene)	1	
<i>clobetasol scalp solution 0.05 %</i> (Cormax)	1	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	1	
<i>clobetasol topical foam 0.05 %</i> (Olux)	1	
<i>clobetasol topical gel 0.05 %</i>	1	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	1	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	1	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	1	
<i>clobetasol topical spray, non-aerosol 0.05 %</i> (Clobex)	1	
<i>clobetasol-emollient topical cream 0.05 %</i>	1	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	1	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	1	
<i>cormax scalp solution 0.05 %</i>	1	
<i>desonide topical cream 0.05 %</i> (DesOwen)	1	
<i>desonide topical lotion 0.05 %</i> (DesOwen)	1	
<i>desonide topical ointment 0.05 %</i>	1	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	1	
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	1	
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	1	
<i>diflorasone topical cream 0.05 %</i> (Psorcon)	1	
<i>diflorasone topical ointment 0.05 %</i>	1	
EPIFOAM TOPICAL FOAM 1-1 %	2	
EUCRISA TOPICAL OINTMENT 2 %	3	PA
<i>fluocinolone 0.01% body oil 0.01 %</i> (Derma-Smoothe/FS Body Oil)	1	
<i>fluocinolone and shower cap scalp oil 0.01 %</i> (Derma-Smoothe/FS Scalp Oil)	1	
<i>fluocinolone topical cream 0.01 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical solution 0.01 %</i> (Synalar)	1	
<i>fluocinonide topical cream 0.05 %</i>	1	
<i>fluocinonide topical gel 0.05 %</i>	1	
<i>fluocinonide topical ointment 0.05 %</i>	1	
<i>fluocinonide topical solution 0.05 %</i>	1	
<i>fluocinonide-e topical cream 0.05 %</i>	1	
<i>fluticasone propionate topical cream 0.05 %</i> (Cutivate)	1	
<i>fluticasone propionate topical lotion 0.05 %</i> (Beser)	1	
<i>fluticasone propionate topical ointment 0.005 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i> (Ultravate)	1	
<i>halobetasol propionate topical ointment 0.05 %</i> (Ultravate)	1	
<i>hydrocort buty 0.1% lipo cream 0.1 %</i> (Locoid Lipocream)	1	
<i>hydrocortisone butyrate topical cream 0.1 %</i> (Locoid)	1	
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	1	
<i>hydrocortisone butyrate topical solution 0.1 %</i> (Locoid)	1	
<i>hydrocortisone topical cream 1 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical cream 2.5 %</i>	1	
<i>hydrocortisone topical lotion 2.5 %</i>	1	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	1	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	1	
<i>mometasone topical cream 0.1 %</i> (Elocon)	1	
<i>mometasone topical ointment 0.1 %</i>	1	
<i>mometasone topical solution 0.1 %</i>	1	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	1	PA
<i>prednicarbate topical cream 0.1 %</i>	1	
<i>prednicarbate topical ointment 0.1 %</i> (Dermatop)	1	
PROCTOFOAM HC RECTAL FOAM 1-1 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	1	
<i>procto-pak topical cream with perineal applicator 1 %</i>	1	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	1	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	1	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	1	QL (60 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	
<i>trianex topical ointment 0.05 %</i>	1	
<i>triderm topical cream 0.1 %, 0.5 %</i>	1	
TRIDESILON TOPICAL CREAM 0.05 %	1	
Dermatological Retinoids		
<i>adapalene 0.3% gel pump 0.3 %</i> (Differin)	1	
<i>adapalene topical cream 0.1 %</i> (Differin)	1	
<i>adapalene topical gel 0.1 %, 0.3 %</i> (Differin)	1	
<i>avita topical cream 0.025 %</i>	1	PA
<i>avita topical gel 0.025 %</i>	1	PA
FABIOR TOPICAL FOAM 0.1 %	3	PA
<i>tazarotene topical cream 0.1 %</i> (Avage)	1	
TAZORAC TOPICAL CREAM 0.05 %	3	PA
TAZORAC TOPICAL GEL 0.05 %, 0.1 %	3	PA
<i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> (Retin-A Micro)	3	PA
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	PA
Scabicides And Pediculicides		
<i>lindane topical shampoo 1 %</i>	1	
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	
<i>permethrin topical cream 5 %</i> (Elimite)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	1	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	1	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	1	
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	1	
V-GO 40 DISPOSABLE DEVICE	2	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	3	NM; LA; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	3	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	3	PA; NM; NDS
CREON ORAL CAPSULE, DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 -120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	3	PA; NM; NDS
ELELYSO INTRAVENOUS RECON SOLN 200 UNIT	3	PA; NM; LA; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	3	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	3	PA; NM; NDS
GALAFOLD ORAL CAPSULE 123 MG	3	PA; NM; NDS; QL (14 per 28 days)
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG	3	PA; NM; LA; NDS
KUVAN ORAL TABLET,SOLUBLE 100 MG	3	PA; NM; LA; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	3	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	3	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	3	PA; NM; NDS
PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML	3	PA; NM; NDS; QL (15 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 2.5 MG/0.5 ML	3	PA; NM; NDS; QL (4.5 per 30 days)
PALYNZIQ SUBCUTANEOUS SYRINGE 20 MG/ML	3	PA; NM; NDS; QL (60 per 30 days)
PULMOZYME INHALATION SOLUTION 1 MG/ML	3	PA; NM; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	3	PA; NM; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	3	PA; NM; LA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	3	PA; NM; LA; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 -63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 -14,000-UNIT, 40,000-126,000-168,000 UNIT, 5,000-17,000- 24,000 UNIT	2	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	3	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i>	1	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	1	
<i>azelastine nasal spray,non-aerosol 0.15 % (205.5 mcg)</i> (Astepro)	1	
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	3	NM; LA; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %, 42 mcg (0.06 %)</i>	1	
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	1	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Patanol)	1	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday)	1	ST
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	1	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i> (Alcaine)	1	
<i>tropicamide ophthalmic (eye) drops 0.5 %</i>	1	
<i>tropicamide ophthalmic (eye) drops 1 %</i> (Mydracyl)	1	
TYZINE NASAL DROPS 0.1 %	2	
TYZINE NASAL SPRAY,NON-AEROSOL 0.1 %	3	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	1	
AZASITE OPHTHALMIC (EYE) DROPS 1 %	3	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (AK-Poly-Bac)	1	
BESIVANCE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.6 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	
BLEPHAMIDE OPHTHALMIC (EYE) DROPS,SUSPENSION 10-0.2 %	3	
BLEPHAMIDE S.O.P. OPHTHALMIC (EYE) OINTMENT 10-0.2 %	2	
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	2	
CIPRODEX OTIC (EAR) DROPS,SUSPENSION 0.3-0.1 %	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciloxan)	1	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 %</i> (Cetraxal)	1	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	
<i>gatifloxacin ophthalmic (eye) drops 0.5 %</i> (Zymaxid)	1	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	1	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	1	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	1	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	3	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	1	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	1	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	
<i>ofloxacin ophthalmic (eye) drops 0.3 % (Ocuflox)</i>	1	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml (Polytrim)</i>	1	
PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 %	3	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 % (Bleph-10)</i>	1	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	2	
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	3	
<i>tobramycin ophthalmic (eye) drops 0.3 % (Tobrex)</i>	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 % (TobraDex)</i>	1	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	1	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALOCRILOPHTHALMIC (EYE) DROPS 2 %	3	
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	
BECONASE AQ NASAL SPRAY,NON-AEROSOL 42 MCG (0.042 %)	3	PA
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
FLAREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	1	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	1	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	(Rx product only)
FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	
FML S.O.P. OPHTHALMIC (EYE) OINTMENT 0.1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	1	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Lotemax)	1	
MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	3	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	1	
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)	1	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
CARAFATE ORAL SUSPENSION 100 MG/ML	3	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name		Drug Tier	Requirements/Limits
<i>cimetidine oral tablet 200 mg</i>	(Acid Reducer (cimetidine))	1	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>		1	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i>	(Heartburn Treatment)	1	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i>	(Nexium)	1	
<i>esomeprazole sodium intravenous recon soln 20 mg</i>		1	PA
<i>esomeprazole sodium intravenous recon soln 40 mg</i>	(Nexium IV)	1	PA
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>		1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>		1	
<i>famotidine intravenous solution 10 mg/ml</i>		1	
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i>		1	
<i>famotidine oral tablet 20 mg</i>	(Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i>	(Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i>	(Heartburn Treatment 24 Hour)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i>	(Prevacid)	1	
<i>misoprostol oral tablet 100 mcg, 200 mcg</i>	(Cytotec)	1	
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 20 MG, 40 MG		3	ST
<i>nizatidine oral capsule 150 mg, 300 mg</i>		1	
<i>nizatidine oral solution 150 mg/10 ml</i>		1	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>		1	
<i>pantoprazole intravenous recon soln 40 mg</i>	(Protonix)	1	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i>	(Protonix)	1	
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i>	(AcipHex)	1	
<i>ranitidine hcl oral syrup 15 mg/ml</i>		1	
<i>ranitidine hcl oral tablet 150 mg</i>	(Acid Control (ranitidine))	1	
<i>ranitidine hcl oral tablet 300 mg</i>	(Zantac)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	2	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	3	PA; NM; NDS
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	3	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	1	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	1	
<i>dicyclomine oral capsule 10 mg</i>	1	
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	
<i>dicyclomine oral tablet 20 mg</i>	1	
<i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>	1	NM; NDS
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	1	NM; NDS
<i>enulose oral solution 10 gram/15 ml</i>	1	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	3	PA; NM; LA; NDS
<i>generlac oral solution 10 gram/15 ml</i>	1	
<i>glycopyrrolate injection solution 0.2 mg/ml</i>	1	
<i>glycopyrrolate oral tablet 1 mg, 2 mg</i>	1	
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM	3	PA; QL (34 per 30 days)
LOKELMA ORAL POWDER IN PACKET 5 GRAM	3	PA; QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	2	QL (30 per 30 days)
<i>propantheline oral tablet 15 mg</i>	1	
RAVICTI ORAL LIQUID 1.1 GRAM/ML	3	PA; NM; LA; NDS; QL (525 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	3	PA; (1 per day); QL (18 per 30 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	3	PA; (1 per day); QL (18 per 30 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	3	PA; (1 per day); QL (12 per 30 days)
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> (Buphenyl)	3	NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	3	NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>	1	
<i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i>	1	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	
<i>ursodiol oral capsule 300 mg</i> (Actigall)	1	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	PA; LA; QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	3	PA; NM; LA; NDS; QL (90 per 30 days)
Laxatives		
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	1	
<i>gavilyte-n oral recon soln 420 gram</i>	1	
GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM	3	
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	3	
OSMOPREP ORAL TABLET 1.5 GRAM	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	1	
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i> (Colyte with Flavor Packs)	1	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	1	
PLENVU ORAL POWDER IN PACKET, SEQUENTIAL 140-9-5.2 GRAM	3	
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	1	
Phosphate Binders		
AURYXIA ORAL TABLET 210 MG IRON	3	PA; NM; NDS; QL (360 per 30 days)
<i>calcium acetate oral capsule 667 mg</i>	1	
<i>calcium acetate oral tablet 667 mg</i> (Calphron)	1	
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	2	
<i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	1	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	1	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	
VELPHORO ORAL TABLET, CHEWABLE 500 MG	3	ST; NM; NDS
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> (Urecholine)	1	
<i>flavoxate oral tablet 100 mg</i>	1	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	QL (30 per 30 days)
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	
<i>oxybutynin chloride oral tablet 5 mg</i>	1	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 5 mg</i> (Ditropan XL)	1	
<i>oxybutynin chloride oral tablet extended release 24hr 15 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	1	QL (30 per 30 days)
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	QL (30 per 30 days)
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	
<i>tropium oral capsule, extended release 24hr 60 mg</i>	1	
<i>tropium oral tablet 20 mg</i>	1	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	3	LA
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	3	PA; NM; LA; NDS
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferasirox oral tablet, dispersible 125 mg, 250 mg, 500 mg</i> (Exjade)	3	PA; NM; NDS
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	1	PA BvD; (PA for ESRD only)
DEPEN TITRATABS ORAL TABLET 250 MG	3	
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	3	PA; NM; LA; NDS
FERRIPROX ORAL TABLET 500 MG	3	PA; NM; LA; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	3	PA; NM; NDS
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	3	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	3	PA; NM; NDS
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	2	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	3	NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	
METHITEST ORAL TABLET 10 MG	3	NM; NDS
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	NM; NDS
<i>testosterone cypionate intramuscular oil</i> (Depo-Testosterone) <i>100 mg/ml, 200 mg/ml</i>	1	NM; NDS
<i>testosterone cypionate intramuscular oil</i> <i>200 mg/ml (1 ml)</i>	1	NM; NDS
<i>testosterone enanthate intramuscular oil</i> <i>200 mg/ml</i>	1	NM; NDS
<i>testosterone transdermal gel in metered- dose pump 10 mg/0.5 gram /actuation</i> (Fortesta)	1	NM; NDS
<i>testosterone transdermal gel in metered- dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	1	NM; NDS
<i>testosterone transdermal gel in metered- dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)	1	NM; NDS
<i>testosterone transdermal gel in packet 1 %</i> (AndroGel) <i>(25 mg/2.5gram), 1 % (50 mg/5 gram),</i> <i>1.62 % (20.25 mg/1.25 gram), 1.62 %</i> <i>(40.5 mg/2.5 gram)</i>	1	NM; NDS
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr,</i> <i>0.075 mg/24 hr, 0.1 mg/24 hr</i>	1	
DUAVEE ORAL TABLET 0.45-20 MG	3	PA
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	
<i>estradiol transdermal patch semiweekly</i> (Alora) <i>0.025 mg/24 hr, 0.05 mg/24 hr, 0.075</i> <i>mg/24 hr, 0.1 mg/24 hr</i>	1	
<i>estradiol transdermal patch semiweekly</i> (Dotti) <i>0.0375 mg/24 hr</i>	1	
<i>estradiol transdermal patch weekly 0.025</i> (Climara) <i>mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr,</i> <i>0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24</i> <i>hr</i>	1	
<i>estradiol vaginal cream 0.01 % (0.1</i> (Estrace) <i>mg/gram)</i>	1	
<i>estradiol vaginal tablet 10 mcg</i> (Vagifem)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Activella)	1	
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	3	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	3	QL (1 per 90 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	
<i>jinteli oral tablet 1-5 mg-mcg</i>	1	
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG, 2.5 MG	3	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	1	
<i>mimvey oral tablet 1-0.5 mg</i>	1	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg</i> (Femhrt Low Dose)	1	
<i>norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg</i> (Fyavolv)	1	
PREMARIN INJECTION RECON SOLN 25 MG	2	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	2	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	2	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	
<i>yuvafem vaginal tablet 10 mcg</i>	1	
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	1	
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	
<i>cortisone oral tablet 25 mg</i>	1	
<i>deltasone oral tablet 20 mg</i>	1	PA BvD
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	3	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i> (Decadron)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD
<i>dexamethasone oral tablets,dose pack 1.5 mg (21 tabs)</i> (DexPak 6 Day)	1	
<i>dexamethasone oral tablets,dose pack 1.5 mg (35 tabs)</i> (DexPak 10 day)	1	
<i>dexamethasone oral tablets,dose pack 1.5 mg (51 tabs)</i> (DexPak 13 Day)	1	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	3	PA; NM; LA; NDS
EMFLAZA ORAL TABLET 18 MG	3	PA; NM; LA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 6 MG	3	PA; NM; LA; NDS; QL (60 per 30 days)
EMFLAZA ORAL TABLET 36 MG	3	PA; NM; LA; NDS
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	1	PA BvD
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone sodium phosphate oral tablet, disintegrating 10 mg, 15 mg, 30 mg</i> (Orapred ODT)	1	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD
<i>prednisone oral tablet 1 mg, 2.5 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablet 10 mg</i>	1	PA BvD
<i>prednisone oral tablet 20 mg</i> (Deltasone)	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	
SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML	2	
SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML	2	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	
Pituitary		
CHORIONIC GONADOTROPIN, HUMAN INTRAMUSCULAR RECON SOLN 10,000 UNIT (Novarel)	3	PA
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i> (DDAVP)	1	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	3	NM; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	3	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	3	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	3	NM; NDS
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NOCDURNA (MEN) SUBLINGUAL TABLET,DISINTEGRATING 55.3 MCG	3	PA; QL (30 per 30 days)
NOCDURNA (WOMEN) SUBLINGUAL TABLET,DISINTEGRATING 27.7 MCG	3	PA; QL (30 per 30 days)
NORDITROPIN FLEXPRO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	3	PA
<i>octreotide acetate injection solution 1,000 mcg/ml</i>	3	NM; NDS
<i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> (Sandostatin)	1	
<i>octreotide acetate injection solution 200 mcg/ml</i>	1	
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml), 500 mcg/ml (1 ml)</i>	1	
ORILISSA ORAL TABLET 150 MG	3	PA; NM; NDS; QL (30 per 30 days)
ORILISSA ORAL TABLET 200 MG	3	PA; NM; NDS; QL (60 per 30 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	3	PA; NM; NDS
SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10 MG, 20 MG, 30 MG, 40 MG, 60 MG	3	PA; NM; LA; NDS; QL (1 per 28 days)
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	3	PA; NM; LA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	3	NM; NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	3	NM; LA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	3	PA
SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML	3	NM; NDS
VANTAS IMPLANT KIT 50 MG (50 MCG/DAY)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML	3	
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	3	PA; NM; NDS
Progestins		
CRINONE VAGINAL GEL 4 %, 8 %	3	PA
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	3	
<i>hydroxyprogesterone (pf)(preg preserv) intramuscular oil 250 mg/ml (1 ml)</i> (Makena)	3	NM; NDS
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	3	NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml</i>	1	
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	
<i>progesterone intramuscular oil 50 mg/ml</i>	1	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	
Thyroid And Antithyroid Agents		
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	1	
<i>levothyroxine intravenous solution 100 mcg/ml, 20 mcg/ml, 40 mcg/ml</i>	1	
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox)	1	
<i>levothyroxine oral tablet 300 mcg</i> (Levo-T)	1	
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>liothyronine intravenous solution 10 mcg/ml</i> (Triostat)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	1	
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	
Immunological Agents		
Immunological Agents		
ACTEMRA ACTPEN SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	3	PA; NM; NDS; QL (3.6 per 28 days)
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	3	PA; NM; NDS; QL (40 per 30 days)
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	3	PA; NM; NDS; QL (3.6 per 28 days)
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	3	PA; NM; LA; NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	3	PA NSO
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	2	
AZASAN ORAL TABLET 100 MG, 75 MG	3	PA BvD
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
BIVIGAM INTRAVENOUS SOLUTION 10 %	3	PA; NM; NDS
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	3	PA; NM; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	3	PA; NM; NDS; QL (3 per 28 days)
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	3	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	3	PA; NM; NDS
CUTAQUIG SUBCUTANEOUS SOLUTION 16.5 %	3	PA; NM; NDS
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	3	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	1	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	1	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	1	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	1	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	1	PA BvD
DUPIXENT SUBCUTANEOUS SYRINGE 200 MG/1.14 ML	3	PA; NM; NDS; QL (4.56 per 28 days)
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	3	PA; NM; NDS; QL (8 per 28 days)
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	3	PA; NM; NDS; (8 vials); QL (8 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5)	3	PA; NM; NDS; QL (8.16 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML (1 ML)	3	PA; NM; NDS; (8 syringes); QL (7.84 per 28 days)
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	3	PA; NM; NDS; (8 syringes); QL (7.84 per 28 days)
ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	3	PA BvD
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	3	PA; NM; NDS
GAMASTAN INTRAMUSCULAR SOLUTION 15-18 % RANGE	2	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	3	PA; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	3	PA; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	3	PA; NM; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	3	PA; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg</i>	1	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	3	PA; NM; NDS
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	3	PA; NM; NDS; QL (3 per 28 days)
HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 PACK)	3	PA; NM; NDS; (1 starter kit); QL (6 per 28 days)
HUMIRA PEN CROHNS-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	3	PA; NM; NDS; (1 starter kit); QL (6 per 28 days)
HUMIRA PEN PSOR-UVEITS-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	3	PA; NM; NDS; QL (4 per 28 days)
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	3	PA; NM; NDS; QL (4 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML	3	PA; NM; NDS; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	3	PA; NM; NDS; QL (4 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML	3	PA; NM; NDS; (1 starter kit); QL (3 per 28 days)
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	3	PA; NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	3	PA; NM; NDS; (1 starter kit); QL (3 per 28 days)
HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	3	PA; NM; NDS; (1 starter kit); QL (3 per 28 days)
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML	3	PA; NM; NDS; QL (4 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML	3	PA; NM; NDS; QL (2 per 28 days)
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 40 MG/0.4 ML	3	PA; NM; NDS; QL (4 per 28 days)
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	3	PA; NM; LA; NDS
ILARIS (PF) SUBCUTANEOUS RECON SOLN 150 MG/ML	3	PA; NM; LA; NDS; QL (2 per 28 days)
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	3	PA; NM; LA; NDS; QL (2 per 28 days)
ILUMYA SUBCUTANEOUS SYRINGE 100 MG/ML	3	PA; NM; NDS
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	3	PA; NM; NDS
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	3	PA; NM; NDS; (2 pens); QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	3	PA; NM; NDS; (2 syringes); QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	3	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	PA BvD
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	1	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	3	PA NSO; NM; NDS
OLUMIANT ORAL TABLET 2 MG	3	PA; NM; NDS; QL (30 per 30 days)
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	3	PA; NM; NDS; (4 syringes); QL (1.6 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	3	PA; NM; NDS; (4 syringes); QL (2.8 per 28 days)
OTEZLA ORAL TABLET 30 MG	3	PA; NM; LA; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)	3	PA; NM; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (4)-30 MG (19)	3	PA; NM; LA; NDS; QL (60 per 30 days)
PANZYGA INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML), 10 % (25 ML), 10 % (300 ML), 10 % (50 ML)	3	PA; NM; NDS
PRIVIGEN INTRAVENOUS SOLUTION 10 %	3	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	3	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	3	PA BvD
RIDAURA ORAL CAPSULE 3 MG	2	
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML	3	PA; NM; NDS; (1 syringe); QL (0.5 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML	3	PA; NM; NDS; (1 syringe); QL (0.5 per 28 days)
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	3	PA BvD; NM; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	1	PA BvD
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	PA BvD
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	3	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	3	NM; NDS
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	3	
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	3	PA; NM; LA; NDS
VARIZIG INTRAMUSCULAR SOLUTION 125 UNIT/1.2 ML	3	
XELJANZ ORAL TABLET 10 MG, 5 MG	3	PA; NM; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	3	PA; NM; NDS; QL (30 per 30 days)
ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML	3	PA; NM; NDS
ZORTRESS ORAL TABLET 0.25 MG	3	PA NSO
ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG, 1 MG	3	PA NSO; NM; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF- (2.5-5-3-5 MCG)-5LF/0.5 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	2	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15- 10-5 LF-MCG-LF/0.5ML	2	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25- 58-10 LF-MCG-LF/0.5ML	2	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	
IPOL INJECTION SUSPENSION 40-8- 32 UNIT/0.5 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	2	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	2	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML	2	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	
PENTACEL (PF) INTRAMUSCULAR KIT 15 LF UNIT-20 MCG-5 LF/0.5 ML	2	
PENTACEL DTAP-IPV COMPNT (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	2	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	2	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	2	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	2	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits	
Inflammatory Bowel Disease Agents			
Inflammatory Bowel Disease Agents			
<i>alosetron oral tablet 0.5 mg, 1 mg</i>	(Lotronex)	1	QL (60 per 30 days)
<i>balsalazide oral capsule 750 mg</i>	(Colazal)	1	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	(Entocort EC)	1	
<i>colocort rectal enema 100 mg/60 ml</i>		1	
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG		2	
DIPENTUM ORAL CAPSULE 250 MG		3	
<i>hydrocortisone rectal enema 100 mg/60 ml</i>	(Cortenema)	1	
<i>mesalamine oral capsule (with del rel tablets) 400 mg</i>	(Delzicol)	1	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i>	(Lialda)	1	
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>	(Asacol HD)	1	
<i>mesalamine rectal enema 4 gram/60 ml</i>	(Rowasa)	1	
<i>mesalamine rectal suppository 1,000 mg</i>	(Canasa)	1	
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG		3	
<i>sulfasalazine oral tablet 500 mg</i>	(Azulfidine)	1	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i>	(Azulfidine EN-tabs)	1	
Irrigating Solutions			
Irrigating Solutions			
<i>acetic acid irrigation solution 0.25 %</i>		1	
<i>ringer's irrigation solution</i>		1	
<i>sorbitol irrigation solution 3 %, 3.3 %</i>		1	
<i>sorbitol-mannitol transurethral solution 2.7-0.54 gram/100 ml</i>		1	
<i>water for irrigation, sterile irrigation solution</i>	(Aqua Care Sterile Water)	1	
Metabolic Bone Disease Agents			
Metabolic Bone Disease Agents			
<i>alendronate oral solution 70 mg/75 ml</i>		1	
<i>alendronate oral tablet 10 mg, 5 mg</i>		1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>		1	QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>		1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	1	PA BvD; (PA for ESRD only)
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	PA BvD; (PA for ESRD only)
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	PA BvD; (PA for ESRD only)
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	PA BvD; (PA for ESRD only)
<i>cinacalcet oral tablet 30 mg</i> (Sensipar)	1	PA BvD; (PA for ESRD only); QL (60 per 30 days)
<i>cinacalcet oral tablet 60 mg, 90 mg</i> (Sensipar)	3	PA BvD; NM; NDS; (PA for ESRD only)
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	3	PA BvD; (PA for ESRD only)
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	3	PA BvD; (PA for ESRD only)
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	1	
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	3	PA; NM; NDS; (1 pen); QL (2.4 per 28 days)
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT	2	
<i>ibandronate intravenous solution 3 mg/3 ml</i>	1	PA
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	1	PA
<i>ibandronate oral tablet 150 mg</i> (Boniva)	1	
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	2	PA BvD; (PA for ESRD only)
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	3	PA; NM; LA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	PA BvD; (PA for ESRD only)
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	PA BvD; (PA for ESRD only)
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	3	PA BvD; (PA for ESRD only)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	PA BvD; (PA for ESRD only)
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemlar)	1	PA BvD; (PA for ESRD only)
<i>paricalcitol oral capsule 4 mcg</i>	1	PA BvD; (PA for ESRD only)
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	PA
<i>risedronate oral tablet 150 mg, 35 mg, 5 mg</i> (Actonel)	1	
<i>risedronate oral tablet 30 mg, 35 mg (12 pack), 35 mg (4 pack)</i>	1	
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	1	QL (4 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; NM; NDS; (1 pen); QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	3	PA NSO; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	PA BvD; (PA for ESRD only)
<i>zoledronic acid intravenous solution 4 mg/5 ml</i>	1	PA BvD; (PA for ESRD only)
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	PA BvD; (PA for ESRD only)
<i>zoledronic ac-mannitol-0.9nacl intravenous piggyback 4 mg/100 ml</i>	1	PA BvD; (PA for ESRD only)
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	3	NM; LA; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	1	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	3	PA; NM; LA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
CRYSVITA SUBCUTANEOUS SOLUTION 10 MG/ML	3	PA; NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CRYSVITA SUBCUTANEOUS SOLUTION 20 MG/ML	3	PA; NM; NDS; QL (8 per 28 days)
CRYSVITA SUBCUTANEOUS SOLUTION 30 MG/ML	3	PA; NM; NDS; QL (6 per 28 days)
<i>dexrazoxane hcl intravenous recon soln</i> (Zinecard (as HCl)) 250 mg, 500 mg	1	
<i>droperidol injection solution 2.5 mg/ml</i>	1	
ELMIRON ORAL CAPSULE 100 MG	2	
ENDARI ORAL POWDER IN PACKET 5 GRAM	3	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	3	PA; NM; LA; NDS
FIRDAPSE ORAL TABLET 10 MG	3	PA; NM; NDS; QL (240 per 30 days)
<i>fomepizole intravenous solution 1 gram/ml</i>	3	NM; NDS
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	2	
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION RECON SOLN 1 MG	2	
<i>guanidine oral tablet 125 mg</i>	1	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	3	NM; NDS
<i>leucovorin calcium injection recon soln</i> 100 mg, 200 mg, 350 mg, 50 mg, 500 mg	1	
<i>leucovorin calcium injection solution 10 mg/ml</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	
<i>levocarnitine (with sugar) oral solution</i> (Carnitor) 100 mg/ml	1	PA BvD; (PA for ESRD only)
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	PA BvD; (PA for ESRD only)
LEVOLEUCOVORIN CALCIUM INTRAVENOUS RECON SOLN 175 MG	3	
<i>levoleucovorin calcium intravenous recon soln</i> (Fusilev) 50 mg	1	
<i>levoleucovorin calcium intravenous solution 10 mg/ml</i>	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	1	
MESNEX ORAL TABLET 400 MG	3	
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	1	
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	3	PA; NM; LA; NDS
ONPATTRO INTRAVENOUS SOLUTION 2 MG/ML	3	PA; NM; NDS; QL (15 per 21 days)
PROGLYCEM ORAL SUSPENSION 50 MG/ML	2	
<i>pyridostigmine bromide oral tablet 30 mg</i>	1	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	1	
RECTIV RECTAL OINTMENT 0.4 % (W/W)	3	
TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML)	3	PA; NM; NDS; QL (4 per 28 days)
TEGSEDI SUBCUTANEOUS SYRINGE 284 MG/1.5 ML	3	PA; NM; NDS; QL (6 per 28 days)
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	3	NM; NDS
TYBOST ORAL TABLET 150 MG	2	QL (30 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	2	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	
<i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)	1	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	1	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	
<i>levobunolol ophthalmic (eye) drops 0.5 %</i>	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	ST
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	3	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> (Isopto Carpine)	1	
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i> (Istalol)	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	1	
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	2	
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	3	ST
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	2	

Replacement Preparations

Replacement Preparations

<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	1	
<i>calcium gluconate intravenous solution 100 mg/ml (10%)</i>	1	
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	1	
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	1	
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	1	
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	1	
<i>dextrose with sodium chloride intravenous parenteral solution 5-0.2 %</i>	1	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	1	
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	2	
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	2	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	
<i>klor-con sprinkle oral capsule, extended release 8 meq</i>	1	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	1	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	1	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	1	
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	
<i>potassium acetate intravenous solution 2 meq/ml</i>	1	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	1	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	1	
<i>potassium chloride oral capsule, extended release 10 meq</i>	1	
<i>potassium chloride oral capsule, extended release 8 meq</i> (Klor-Con Sprinkle)	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	
<i>potassium chloride oral packet 20 meq</i> (Klor-Con)	1	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> (K-Tab)	1	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	1	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	1	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	
<i>ringer's intravenous parenteral solution</i>	1	
<i>sodium acetate intravenous solution 2 meq/ml</i>	1	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	
<i>sodium chloride 0.45 % intravenous piggyback 0.45 %</i>	1	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	
<i>sodium chloride 3 % intravenous parenteral solution 3 %</i>	1	
<i>sodium chloride 5 % intravenous parenteral solution 5 %</i>	1	
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	1	
<i>sodium lactate intravenous solution 5 meq/ml</i>	1	
<i>sodium phosphate intravenous solution 3 mmol/ml</i>	1	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	2	
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION	3	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (120), 220 MCG/ ACTUATION (14), 220 MCG/ ACTUATION (30), 220 MCG/ ACTUATION (60)	3	ST
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	2	
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	1	PA BvD
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	2	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 250 MCG/ACTUATION	2	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/ACTUATION	2	
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION, 44 MCG/ACTUATION	2	
<i>fluticasone propion-salmeterol inhalation aerosol powdr breath activated 113-14 mcg/actuation, 232-14 mcg/actuation, 55-14 mcg/actuation</i> (AirDuo RespiClick)	1	QL (1 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Advair Diskus)	1	QL (60 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
QVAR REDHALER INHALATION HFA AEROSOL BREATH ACTIVATED 40 MCG/ACTUATION, 80 MCG/ACTUATION	2	
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	ST
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500- 50 mcg/dose</i>	1	QL (60 per 30 days)
Antileukotrienes		
<i>montelukast oral granules in packet 4 mg</i> (Singulair)	1	
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	1	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	1	
<i>zileuton oral tablet, er multiphase 12 hr 600 mg</i>	3	QL (120 per 30 days)
Bronchodilators		
<i>albuterol 5 mg/ml solution 5 mg/ml</i>	1	PA BvD
<i>albuterol sulfate inhalation hfa aerosol</i> (ProAir HFA) <i>inhaler 90 mcg/actuation</i>	1	
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503), 90 mcg/actuation (nda020983)</i>	1	
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>	1	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>	1	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML	3	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	
<i>elixophyllin oral elixir 80 mg/15 ml</i>	1	
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	2	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i> (Xopenex)	1	PA BvD
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i> (Xopenex Concentrate)	1	PA BvD
<i>levalbuterol tartrate inhalation hfa aerosol inhaler 45 mcg/actuation</i> (Xopenex HFA)	1	
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	1	
PERFORMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML	3	PA
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	2	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>theophylline in dextrose 5 % intravenous parenteral solution 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml</i>	1	
<i>theophylline oral solution 80 mg/15 ml</i>	1	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg</i> (Theochron)	1	
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	1	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	2	QL (60 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION, 400 MCG/ACTUATION (30 ACTUAT)	3	ST
YUPELRI INHALATION SOLUTION FOR NEBULIZATION 175 MCG/3 ML	3	PA BvD; NM; NDS; QL (90 per 30 days)
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i> (Acetadote)	1	PA BvD
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	1	PA BvD
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	3	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	PA BvD
DALIRESP ORAL TABLET 250 MCG, 500 MCG	3	PA; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	3	PA; NM; LA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	3	PA; NM; LA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	3	PA; NM; LA; NDS; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	3	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 25 MG, 50 MG, 75 MG	3	PA; NM; NDS; QL (60 per 30 days)
KALYDECO ORAL TABLET 150 MG	3	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	3	PA; NM; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	3	PA; NM; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	3	PA; NM; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	3	PA; NM; LA; NDS; QL (60 per 30 days)
ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG	3	PA; NM; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	3	PA; NM; LA; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	3	PA; NM; LA; NDS
SYMDEKO ORAL TABLETS, SEQUENTIAL 100-150 MG (D)/ 150 MG (N), 50-75 MG (D)/ 75 MG (N)	3	PA; NM; NDS; QL (60 per 30 days)
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	3	PA; NM; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 75 MG/0.5 ML	3	PA; NM; NDS

Skeletal Muscle Relaxants

Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	
<i>chlorzoxazone oral tablet 500 mg</i>	1	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	
<i>dantrolene oral capsule 100 mg</i>	1	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	1	
<i>metaxalone oral tablet 400 mg</i>	1	
<i>metaxalone oral tablet 800 mg</i> (Metaxall)	1	
<i>methocarbamol injection solution 100 mg/ml</i> (Robaxin)	1	
<i>methocarbamol oral tablet 500 mg</i>	1	
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	1	
<i>orphenadrine citrate injection solution 30 mg/ml</i>	1	
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	1	
<i>revonto intravenous recon soln 20 mg</i>	1	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	1	
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA; NM; NDS
<i>eszopiclone oral tablet 1 mg, 2 mg</i> (Lunesta)	1	NM; NDS; QL (90 per 365 days)
HETLIOZ ORAL CAPSULE 20 MG	3	PA; NM; LA; NDS; QL (30 per 30 days)
<i>modafinil oral tablet 100 mg, 200 mg</i> (Provigil)	1	PA; NM; NDS
<i>ramelteon oral tablet 8 mg</i> (Rozerem)	1	ST; QL (30 per 30 days)
ROZEREM ORAL TABLET 8 MG	3	ST; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	2	QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	3	PA; NM; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i>	1	PA; NM; NDS; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	PA; NM; NDS; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	PA; NM; NDS; PA-HRM; QL (90 per 365 days); AGE (Max 64 Years)
Vasodilating Agents		
Vasodilating Agents		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	3	PA; NM; LA; NDS; QL (90 per 30 days)
<i>alyq oral tablet 20 mg</i>	1	PA; QL (60 per 30 days)
<i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)	3	PA; NM; NDS; QL (30 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	3	PA; NM; NDS; QL (60 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	1	PA; LA
OPSUMIT ORAL TABLET 10 MG	3	PA; NM; NDS; QL (30 per 30 days)
REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML	3	PA; NM; NDS
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sildenafil (antihypertensive) oral suspension for reconstitution 10 mg/ml</i> (Revatio)	3	PA; NM; NDS
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	1	PA
<i>tadalafil (antihypertensive) oral tablet 20 mg</i> (Adcirca)	1	PA; QL (60 per 30 days)
<i>tadalafil oral tablet 2.5 mg, 5 mg</i> (Cialis)	1	PA; QL (30 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	3	PA; NM; NDS; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	3	PA; NM; LA; NDS; QL (81.2 per 28 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	3	PA; NM; LA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	3	PA; NM; LA; NDS; QL (140 per 28 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	3	PA; NM; LA; NDS; QL (200 per 180 days)
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	3	PA; NM; LA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
FLUORIDE (SODIUM) ORAL TABLET 1 MG (2.2 MG SOD. FLUORIDE)	1	
LUDENT FLUORIDE 1 MG TAB CHEW D/F, S/F, CHEWABLE (OTC) 1 MG (2.2 MG SOD. FLUORIDE)	1	
<i>pnv prenatal plus multivit tab s/f, gluten-free 27 mg iron- 1 mg</i>	1	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

A		
abacavir	63	
abacavir-lamivudine	63	
abacavir-lamivudine-zidovudine	63	
ABELCET	52	
ABILIFY MAINTENA	59	
abiraterone	26	
ABRAXANE	26	
acamprosate	15	
acarbose	47	
acebutolol	77	
acetaminophen-codeine	10	
acetazolamide	131	
acetazolamide sodium	131	
acetic acid	103, 127	
acetylcysteine	139	
acitretin	95	
ACTEMRA	118	
ACTEMRA ACTPEN	118	
ACTHIB (PF)	123	
ACTIMMUNE	129	
ACTOPLUS MET XR	47	
acyclovir	68, 95	
acyclovir sodium	68	
ADACEL(TDAP ADOLESN/ADULT)(PF)	123	
ADAGEN	101	
adapalene	100	
ADASUVE	59	
adefovir	68	
ADEMPAS	141	
adrucil	26	
ADVAIR HFA	135	
afeditab cr	80	
AFINITOR	26	
AFINITOR DISPERZ	26	
afirmelle	88	
a-hydrocort	113	
AIMOVIG AUTOINJECTOR	54	
AJOVY	54	
AKTEN (PF)	102	
AKYNZEO (NETUPITANT)	56	
ala-cort	97	
ala-scalp	97	
albendazole	57	
albuterol sulfate	137	
alclometasone	97	
ALCOHOL PADS	95	
ALDACTAZIDE	81	
ALDURAZYME	101	
ALECENSA	26	
alendronate	127, 128	
alfuzosin	111	
ALIMTA	26	
ALINIA	57	
ALIQOPA	26	
aliskiren	84	
allopurinol	53	
almotriptan malate	54	
ALOCRIAL	105	
ALOMIDE	103	
alosetron	127	
ALPHAGAN P	131	
alprazolam	16, 17	
ALPRAZOLAM INTENSOL	16	
ALREX	105	
altavera (28)	88	
ALUNBRIG	26	
alyacen 1/35 (28)	88	
alyacen 7/7/7 (28)	88	
alyq	141	
amabelz	112	
amantadine hcl	58	
AMBISOME	52	
ambrisentan	141	
amcinonide	97	
amethia	88	
amethia lo	88	
amifostine crystalline	129	
amikacin	18	
amiloride	81	
amiloride-hydrochlorothiazide	81	
aminocaproic acid	72	
aminophylline	137	
AMINOSYN 10 %	73	
AMINOSYN 7 % WITH ELECTROLYTES	73	
AMINOSYN 8.5 %	73	
AMINOSYN II 10 %	73	
AMINOSYN II 15 %	73	
AMINOSYN II 7 %	73	
AMINOSYN II 8.5 %- ELECTROLYTES	73	
AMINOSYN M 3.5 %	73	
AMINOSYN-HBC 7%	73	
AMINOSYN-PF 10 %	73	
AMINOSYN-PF 7 % (SULFITE-FREE)	73	
AMINOSYN-RF 5.2 %	73	
amiodarone	76, 77	
AMITIZA	108	
amitriptyline	44	
amitriptyline-chlordiazepoxide	44	
amlodipine	80	
amlodipine-atorvastatin	82	
amlodipine-benazepril	80	
amlodipine-valsartan	80	

amlodipine-valsartan-hcthiazid	81
ammonium lactate	95
amnesteam	95
amoxapine	44
amoxicillin	22
amoxicillin-pot clavulanate	22, 23
amphotericin b	52
ampicillin	23
ampicillin sodium	23
ampicillin-sulbactam	23
ANADROL-50	111
anagrelide	72
anastrozole	26
ANDRODERM	112
ANORO ELLIPTA	137
APLENZIN	44
APOKYN	58
apraclonidine	103
aprepitant	56
apri	88
APTIOM	39
APTIVUS	63
ARALAST NP	139
aranelle (28)	88
ARANESP (IN POLYSORBATE)	71
ARCALYST	118
aripiprazole	60
ARISTADA	60
ARISTADA INITIO	60
armodafinil	141
ARNUIITY ELLIPTA	135
ARRANON	26
arsenic trioxide	26
ARZERRA	26
ashlyna	88
ASMANEX HFA	135
ASMANEX TWISTHALER	136
aspirin-dipyridamole	72

ASSURE ID INSULIN SAFETY	101
ASTAGRAF XL	118
astramorph-pf	10
atazanavir	64
atenolol	77
atenolol-chlorthalidone	77
ATGAM	118
atomoxetine	85
atorvastatin	82
atovaquone	57
atovaquone-proguanil	57, 58
ATRIPLA	64
atropine	39, 103
ATROVENT HFA	137
AUBAGIO	85
aubra	88
aurovela 1.5/30 (21)	88
aurovela 1/20 (21)	88
aurovela 24 fe	88
aurovela fe 1.5/30 (28)	88
aurovela fe 1-20 (28)	88
AURYXIA	110
AUSTEDO	85
AVASTIN	26
aviane	88
avita	100
AVONEX	85
AVONEX (WITH ALBUMIN)	85
ayuna	88
azacitidine	26
AZASAN	118
AZASITE	103
azathioprine	118
azathioprine sodium	118
azelaic acid	95
azelastine	103
azithromycin	21
AZOPT	131
aztreonam	22
azurette (28)	88

B	
baciiim	18
bacitracin	18, 103
bacitracin-polymyxin b	103
baclofen	140
balsalazide	127
BALVERSA	27
balziva (28)	89
BANZEL	39
BARACLUDGE	68
BAVENCIO	27
BAXDELA	24
BCG VACCINE, LIVE (PF)	124
BD ULTRA-FINE NANO PEN NEEDLE	101
BD VEO INSULIN SYR HALF UNIT	101
BD VEO INSULIN SYRINGE UF	101
BECONASE AQ	105
bekyree (28)	89
BELEODAQ	27
benazepril	76
benazepril-hydrochlorothiazide	76
BENDEKA	27
BENLYSTA	129
benztropine	58
BESIVANCE	103
BESPONSA	27
betamethasone acet,sod phos	113
betamethasone dipropionate	97
betamethasone valerate	97, 98
betamethasone, augmented	98
BETASERON	85
betaxolol	77, 131
bethanechol chloride	110
BETHKIS	18
BETOPTIC S	131
BEVYXXA	69
bexarotene	27
BEXSERO	124

bicalutamide.....	27	butalbital-aspirin-caffeine.....	10	CAYSTON.....	22
BICILLIN L-A.....	23	butorphanol tartrate.....	10	caziant (28).....	89
BIKTARVY.....	64	BYDUREON.....	47	cefaclor.....	20
bimatoprost.....	131	BYDUREON BCISE.....	47	cefadroxil.....	20
bisoprolol fumarate.....	77	BYETTA.....	48	cefazolin.....	20
bisoprolol-hydrochlorothiazide	77	C		cefdinir.....	20
BIVIGAM.....	118	cabergoline.....	58	cefditoren pivoxil.....	20
bleomycin.....	27	CABOMETYX.....	27	cefepime.....	20
bleph-10.....	104	caffeine citrate.....	85	cefixime.....	20
BLEPHAMIDE.....	104	calcipotriene.....	95	cefotaxime.....	20
BLEPHAMIDE S.O.P.....	104	calcipotriene-betamethasone .	95	cefotetan.....	20
BLINCYTO.....	27	calcitonin (salmon).....	128	cefoxitin.....	20
blisovi 24 fe.....	89	calcitrene.....	95	cefpodoxime.....	20, 21
blisovi fe 1.5/30 (28).....	89	calcitriol.....	95, 128	cefprozil.....	21
blisovi fe 1/20 (28).....	89	calcium acetate.....	110	ceftazidime.....	21
BONJESTA.....	56	calcium chloride.....	132	ceftriaxone.....	21
BOOSTRIX TDAP.....	124	calcium gluconate.....	132	cefuroxime axetil.....	21
BORTEZOMIB.....	27	CALQUENCE.....	27	cefuroxime sodium.....	21
bosentan.....	141	camila.....	89	celecoxib.....	13
BOSULIF.....	27	camrese.....	89	CELONTIN.....	40
BRAFTOVI.....	27	camrese lo.....	89	cephalexin.....	21
BREO ELLIPTA.....	136	candesartan.....	75	CEREZYME.....	101
briellyn.....	89	candesartan-hydrochlorothiazid	75	cetirizine.....	54
BRILINTA.....	72	capacet.....	10	cevimeline.....	95
brimonidine.....	131	CAPASTAT.....	55	CHANTIX.....	16
BRIVIACT.....	39, 40	CAPRELSA.....	27, 28	CHANTIX CONTINUING MONTH BOX.....	16
bromfenac.....	105	captopril.....	76	CHANTIX STARTING MONTH BOX.....	16
bromocriptine.....	58	captopril-hydrochlorothiazide	76	chloramphenicol sod succinate	19
BROVANA.....	137	CARAFATE.....	106	chlorhexidine gluconate.....	95
budesonide.....	127, 136	CARBAGLU.....	108	chloroquine phosphate.....	58
bumetanide.....	81	carbamazepine.....	40	chlorothiazide.....	81
buprenorphine.....	10	carbidopa.....	58	chlorothiazide sodium.....	81
buprenorphine hcl.....	10, 15	carbidopa-levodopa.....	58	chlorpromazine.....	60
buprenorphine-naloxone.....	15	carbidopa-levodopa-entacapone	58, 59	chlorthalidone.....	81
bupropion hcl.....	44	carboplatin.....	28	chlorzoxazone.....	140
bupropion hcl (smoking deter)	16	carmustine.....	28	CHOLBAM.....	108
bupirone.....	17	carteolol.....	131	cholestyramine (with sugar)...	82
busulfan.....	27	cartia xt.....	79	cholestyramine light.....	82
butalbital-acetaminophen.....	10	carvedilol.....	78		
butalbital-acetaminophen-caff10		caspofungin.....	52		

CHORIONIC	clonazepam	17	cyclophosphamide.....	28
GONADOTROPIN,	clonidine	74	CYCLOPHOSPHAMIDE.....	28
HUMAN.....	clonidine hcl	74	cycloserine	55
ciclopirox.....	clopidogrel.....	72	CYCLOSET	48
cidofovir	clorazepate dipotassium.....	17	cyclosporine	119
cilostazol.....	clotrimazole	52	cyclosporine modified.....	119
CILOXAN.....	clotrimazole-betamethasone ..	52	cyproheptadine.....	54
CIMDUO.....	clozapine.....	60	CYRAMZA.....	28
cimetidine.....	COARTEM.....	58	cyred.....	89
cimetidine hcl.....	colchicine.....	53	CYSTAGON.....	111
CIMZIA.....	colesevelam	82	CYSTARAN	103
CIMZIA POWDER FOR	colestipol.....	82	cytarabine.....	28
RECONST.....	colistin (colistimethate na).....	19	cytarabine (pf).....	28
cinacalcet.....	colocort	127	D	
CINRYZE.....	COMBIGAN	132	d10 %-0.45 % sodium chloride	
CIPRODEX.....	COMBIVENT RESPIMAT.	138	132
ciprofloxacin.....	COMETRIQ	28	d2.5 %-0.45 % sodium chloride	
ciprofloxacin (mixture)	COMPLERA	64	132
ciprofloxacin hcl.....	compro	56	d5 % and 0.9 % sodium chloride	
ciprofloxacin in 5 % dextrose.	CONDYLOX.....	95	132
cisplatin	constulose	108	d5 %-0.45 % sodium chloride	
citalopram.....	COPIKTRA	28	133
cladribine.....	CORLANOR	79	dacarbazine	28
claravis	cormax	98	dactinomycin.....	28
clarithromycin	cortisone.....	113	dalfampridine	85
CLENPIQ.....	COSENTYX (2 SYRINGES)		DALIRESP	139
clindamycin hcl	119	danazol	112
clindamycin in 5 % dextrose ..	COSENTYX PEN (2 PENS)	119	dantrolene.....	140
clindamycin palmitate hcl	COTELLIC.....	28	dapsone	55
clindamycin pediatric	COUMADIN	69	DAPTACEL (DTAP	
clindamycin phosphate.....	CREON.....	101	PEDIATRIC) (PF)	124
96	CRINONE	117	daptomycin.....	19
clindamycin-benzoyl peroxide	CRIXIVAN.....	64	DARAPRIM	58
.....	cromolyn.....	103, 108, 139	DARZALEX.....	28
.....	cryselle (28).....	89	dasetta 1/35 (28).....	89
CLINDESSE	CRYSVITA	129, 130	dasetta 7/7/7 (28).....	89
CLINISOL SF 15 %.....	CUTAQUIG	119	daunorubicin	29
clobazam.....	CUVITRU	119	DAURISMO	29
clobetasol.....	cyclafem 1/35 (28).....	89	daysee.....	89
clobetasol-emollient	cyclafem 7/7/7 (28).....	89	deblitane.....	89
clocortolone pivalate	cyclobenzaprine	140	decitabine	29
clofarabine.....	cyclopentolate.....	103	deferasirox.....	111
clomipramine.....				

deferoxamine.....	111	dextrose 25 % in water (d25w)	73	DIPENTUM.....	127
DELSTRIGO.....	64	73	diphenhydramine hcl.....	54
deltasone.....	113	dextrose 40 % in water (d40w)	73	diphenoxylate-atropine	108
delyla (28)	89	73	dipyridamole	72
DELZICOL	127	dextrose 5 % in ringer's	74	disopyramide phosphate.....	77
demeclocycline.....	25	dextrose 5 % in water (d5w)..	74	disulfiram	16
DEMSER.....	79	dextrose 5 %-lactated ringers	133	divalproex	40
DENAVIR.....	96	133	dobutamine.....	80
denta 5000 plus.....	95	dextrose 5%-0.2 % sod chloride	133	dobutamine in d5w.....	80
dentagel	95	133	DOCEFREZ.....	29
DEPEN TITRATABS	111	dextrose 5%-0.3 % sod.chloride	133	docetaxel	29
DEPO-PROVERA	117	133	dofetilide	77
DESCOVY	64	dextrose 50 % in water (d50w)	74	donepezil.....	44
desipramine	44, 45	74	DOPTELET (10 TAB PACK)71	
desloratadine.....	54	dextrose 70 % in water (d70w)	74	DOPTELET (15 TAB PACK)71	
desmopressin	115	74	doripenem	22
desog-e.estradiol/e.estradiol...89		dextrose with sodium chloride	133	dorzolamide.....	132
desogestrel-ethinyl estradiol...89		133	dorzolamide-timolol.....	132
desonide.....	98	DIASTAT	40	dotti	112
desoximetasone	98	DIASTAT ACUDIAL	40	DOVATO.....	64
DESVENLAFAXINE	45	diazepam.....	17, 40	doxazosin	74
DESVENLAFAXINE		diazepam intensol	17	doxepin.....	45
FUMARATE.....	45	diclofenac epolamine.....	13	doxercalciferol	128
desvenlafaxine succinate	45	diclofenac potassium	13	doxorubicin	29
dexamethasone	113, 114	diclofenac sodium.....	14, 106	doxorubicin, peg-liposomal ...	29
DEXAMETHASONE		diclofenac-misoprostol	14	doxy-100	25
INTENSOL	113	dicloxacillin	23	doxycycline hyclate	25
dexamethasone sodium phos		dicyclomine	108	doxycycline monohydrate.....	25
(pf).....	114	didanosine.....	64	doxylamine-pyridoxine (vit b6)	
dexamethasone sodium		diflorasone	98	56
phosphate.....	106, 114	diflunisal	14	dronabinol	56
dexmethylphenidate	85	digitek	79	droperidol.....	130
dexrazoxane hcl.....	130	digox	80	drospirenone-e.estradiol-lm.fa89	
dextroamphetamine	85	digoxin.....	80	drospirenone-ethinyl estradiol89	
dextroamphetamine-		DIGOXIN	80	DROXIA	29
amphetamine	85, 86	dihydroergotamine.....	55	DUAVEE	112
dextrose 10 % and 0.2 % nacl		DILANTIN	40	DULERA	136
.....	133	DILANTIN EXTENDED.....	40	duloxetine.....	45
dextrose 10 % in water (d10w)		DILANTIN INFATABS.....	40	DUPIXENT.....	119
.....	73	diltiazem hcl	79	DUREZOL.....	106
dextrose 20 % in water (d20w)		dilt-xr	79	dutasteride	111
.....	73	dimenhydrinate	56	DUZALLO.....	53

E		
e.e.s. 400.....	21	
econazole.....	52	
EDARBI.....	75	
EDARBYCLOR.....	75	
EDURANT.....	64	
efavirenz.....	64	
ELAPRASE.....	101	
electrolyte-48 in d5w.....	133	
ELELYSO.....	101	
ELIGARD.....	29	
ELIGARD (3 MONTH).....	29	
ELIGARD (4 MONTH).....	29	
ELIGARD (6 MONTH).....	29	
elinest.....	90	
ELIQUIS.....	69	
ELITEK.....	101	
elixophyllin.....	138	
ELLA.....	90	
ELMIRON.....	130	
EMCYT.....	29	
EMFLAZA.....	114	
EMGALITY PEN.....	55	
EMGALITY SYRINGE.....	55	
emoquette.....	90	
EMPLICITI.....	29	
EMSAM.....	45	
EMTRIVA.....	64	
EMVERM.....	58	
enalapril maleate.....	76	
enalaprilat.....	76	
enalapril-hydrochlorothiazide.....	76	
ENBREL.....	119	
ENBREL SURECLICK.....	119	
ENDARI.....	130	
endocet.....	10	
ENGERIX-B (PF).....	124	
ENGERIX-B PEDIATRIC (PF)	124	
enoxaparin.....	69, 70	
enpresse.....	90	
enskyce.....	90	
entacapone.....	59	
entecavir.....	68	
ENTRESTO.....	75	
enulose.....	108	
ENVARUSUS XR.....	119	
EPIDIOLEX.....	40	
EPIFOAM.....	98	
epinastine.....	103	
epinephrine.....	80	
epirubicin.....	29	
epitol.....	40	
eplerenone.....	84	
EPOGEN.....	71	
epoprostenol (glycine).....	141	
eprosartan.....	75	
ERAXIS(WATER DILUENT)	52	
ERBITUX.....	29	
ergoloid.....	130	
ergotamine-caffeine.....	55	
ERIVEDGE.....	30	
ERLEADA.....	30	
erlotinib.....	30	
errin.....	90	
ertapenem.....	22	
ERWINAZE.....	30	
ery pads.....	96	
ery-tab.....	21	
ERY-TAB.....	22	
ERYTHROCIN.....	22	
erythrocin (as stearate).....	22	
erythromycin.....	22, 104	
erythromycin ethylsuccinate..	22	
erythromycin with ethanol	96, 97	
erythromycin-benzoyl peroxide	97	
ESBRIET.....	139	
escitalopram oxalate.....	45	
esomeprazole magnesium....	107	
esomeprazole sodium.....	107	
estarylla.....	90	
estazolam.....	17	
estradiol.....	112	
estradiol valerate.....	113	
estradiol-norethindrone acet.	113	
ESTRING.....	113	
eszopiclone.....	141	
ethambutol.....	55	
ethosuximide.....	40	
ethynodiol diac-eth estradiol..	90	
etidronate disodium.....	128	
etodolac.....	14	
ETOPOPHOS.....	30	
etoposide.....	30	
EUCRISA.....	98	
EVOTAZ.....	64	
exemestane.....	30	
EXJADE.....	111	
EXONDYS 51.....	130	
EXTAVIA.....	86	
ezetimibe.....	82	
ezetimibe-simvastatin.....	82, 83	
F		
FABIOR.....	100	
FABRAZYME.....	102	
falmina (28).....	90	
famciclovir.....	68	
famotidine.....	107	
famotidine (pf).....	107	
famotidine (pf)-nacl (iso-os)	107	
FANAPT.....	60	
FARYDAK.....	30	
FASENRA.....	139	
FASLODEX.....	30	
fayosim.....	90	
febuxostat.....	53	
felbamate.....	40	
felodipine.....	81	
FEMRING.....	113	
femynor.....	90	
fenofibrate.....	83	
fenofibrate micronized.....	83	
fenofibrate nanocrystallized...	83	
fenofibric acid.....	83	

fenofibric acid (choline).....	83	fluticasone propion-salmeterol	136	GAZYVA.....	30
fenoprofen	14	136	gemcitabine.....	30, 31
fentanyl.....	11	fluvastatin	83	gemfibrozil.....	83
fentanyl citrate.....	10	fluvoxamine.....	46	generlac	108
FERRIPROX.....	111	FML FORTE	106	gengraf	120
FETZIMA.....	45	FML S.O.P.....	106	gentak.....	104
finasteride.....	111	FOLOTYN.....	30	gentamicin.....	18, 97, 104
FIRAZYR.....	80	fomepizole	130	gentamicin in nacl (iso-osm)..	18
FIRDAPSE.....	130	fondaparinux.....	70	gentamicin sulfate (ped) (pf)..	18
FIRMAGON KIT W DILUENT		FORTEO.....	128	gentamicin sulfate (pf)	18
SYRINGE.....	30	FOSAMAX PLUS D.....	128	GENVOYA.....	64
FIRVANQ	19	fosamprenavir	64	GEODON.....	60
FLAREX	106	foscarnet.....	67	gianvi (28).....	90
flavoxate.....	110	fosinopril.....	76	GILENYA.....	86
FLEBOGAMMA DIF	119	fosinopril-hydrochlorothiazide		GILOTRIF	31
flecainide	77	76	glatiramer	86
FLOVENT DISKUS	136	fosphenytoin	40	GLEOSTINE.....	31
FLOVENT HFA.....	136	FOSRENOL.....	110	glimepiride	51
floxuridine	30	FULPHILA	71	glipizide.....	51
fluconazole	52	fulvestrant	30	glipizide-metformin	51
fluconazole in nacl (iso-osm) ..	52	furosemide	81	GLUCAGEN HYPOKIT	130
flucytosine	52	FUZEON	64	GLUCAGON EMERGENCY	
fludarabine.....	30	fyavolv	113	KIT (HUMAN).....	130
fludrocortisone	114	FYCOMPA.....	41	glyburide	51
flumazenil.....	86	G		glyburide micronized	51
flunisolide.....	106	gabapentin.....	41	glyburide-metformin.....	51
fluocinolone.....	98, 99	GALAFOLD.....	102	glycopyrrolate	108
fluocinolone acetonide oil	106	galantamine.....	44	glydo	15
fluocinolone and shower cap..	98	GAMASTAN.....	119	GLYXAMBI.....	48
fluocinonide.....	99	GAMMAGARD LIQUID ...	120	GOLYTELY	109
fluocinonide-e.....	99	GAMMAGARD S-D (IGA < 1		granisetron (pf).....	56
FLUORIDE (SODIUM).....	142	MCG/ML).....	120	granisetron hcl.....	56
fluorometholone	106	GAMMAPLEX	120	GRANIX.....	71
fluorouracil.....	30, 96	GAMUNEX-C.....	120	griseofulvin microsize.....	52
fluoxetine.....	45	ganciclovir sodium	69	griseofulvin ultramicrosize ...	52
FLUOXETINE.....	45	GARDASIL 9 (PF).....	124	guanfacine	86
fluphenazine decanoate	60	gatifloxacin	104	guanidine.....	130
fluphenazine hcl	60	GATTEX 30-VIAL	108	H	
flurbiprofen.....	14	GAUZE PAD.....	101	HAEGARDA	71
flurbiprofen sodium.....	106	gavilyte-c	109	hailey 24 fe.....	90
flutamide.....	30	gavilyte-g.....	109	HALAVEN	31
fluticasone propionate	99, 106	gavilyte-n.....	109	halobetasol propionate	99

haloperidol.....	61	hydroxyprogest(pf)(preg presv)	117	INSULIN SYRINGE-NEEDLE	
haloperidol decanoate.....	61	hydroxyprogesterone caproate	117	U-100	101
haloperidol lactate	61	hydroxyurea.....	31	INTELENCE.....	64
HAVRIX (PF)	124	hydroxyzine hcl	54	INTRALIPID	74
heather	90	hydroxyzine pamoate.....	130	INTRON A.....	68
heparin (porcine)	70	HYQVIA	121	introvale	90
heparin (porcine) in 5 % dex ..	70	I		INVEGA SUSTENNA	61
heparin (porcine) in nacl (pf) .	70	ibandronate	128	INVEGA TRINZA.....	61
heparin, porcine (pf).....	70	IBRANCE.....	31	INVIRASE	64
HERCEPTIN	31	ibu	14	INVOKAMET	48
HETLIOZ	141	ibuprofen.....	14	INVOKAMET XR.....	48
HIBERIX (PF).....	124	ibuprofen-oxycodone.....	11	INVOKANA	48
HIZENTRA	120	icatibant	80	IPOL.....	124, 125
HUMIRA.....	120	ICLUSIG	31	ipratropium bromide	103, 138
HUMIRA PEDIATRIC		idarubicin	31	ipratropium-albuterol	138
CROHNS START	120	IDHIFA.....	31	irbesartan.....	75
HUMIRA PEN	120	ifosfamide	31	irbesartan-hydrochlorothiazide	75
HUMIRA PEN CROHNS-UC-		ifosfamide-mesna.....	31	IRESSA.....	32
HS START	120	ILARIS (PF)	121	irinotecan.....	32
HUMIRA PEN PSOR-		ILUMYA	121	ISENTRESS.....	65
UVEITS-ADOL HS	120	imatinib.....	31	ISENTRESS HD.....	65
HUMIRA(CF)	121	IMBRUVICA	31, 32	isibloom.....	90
HUMIRA(CF) PEDI CROHNS		IMFINZI	32	isoniazid	55, 56
STARTER	120	imipenem-cilastatin	22	isosorbide dinitrate.....	84
HUMIRA(CF) PEN.....	121	imipramine hcl.....	46	isosorbide mononitrate.....	84
HUMIRA(CF) PEN CROHNS-		imipramine pamoate	46	isotretinoin	96
UC-HS	121	imiquimod.....	96	isradipine.....	81
HUMIRA(CF) PEN PSOR-UV-		IMLYGIC	32	itraconazole.....	52
ADOL HS.....	121	IMOVAX RABIES VACCINE		ivermectin	58
hydralazine	80	(PF)	124	IXEMPRA.....	32
hydrochlorothiazide.....	81	incassia.....	90	IXIARO (PF)	125
hydrocodone-acetaminophen .	11	INCRELEX	115	J	
hydrocodone-ibuprofen	11	INCRUSE ELLIPTA.....	138	JADENU	111
hydrocortisone.....	99, 114, 127	indapamide.....	81	JADENU SPRINKLE.....	111
hydrocortisone butyrate.....	99	INFANRIX (DTAP) (PF)....	124	JAKAFI.....	32
hydrocortisone butyr-emollient	99	INFLECTRA	121	jantoven.....	70
.....	99	INGREZZA	86	JARDIANCE	48
hydrocortisone valerate	99	INGREZZA INITIATION		jasmiel (28)	90
hydrocortisone-acetic acid....	104	PACK.....	86	jencycla	90
hydromorphone	11	INLYTA	32	JENTADUETO.....	48
hydromorphone (pf)	11			JENTADUETO XR	48
hydroxychloroquine	58				

JEVTANA.....	32	KUVAN.....	102	levalbuterol hcl.....	138
jinteli.....	113	KYPROLIS.....	32	levalbuterol tartrate	138
jolessa.....	90	L		LEVEMIR FLEXTOUCH U-	
jolivette.....	90	l norgest/e.estradiol-e.estrad..	91	100 INSULN.....	49
juleber.....	90	labetalol	78	LEVEMIR U-100 INSULIN..	49
JULUCA.....	65	lactulose.....	108	levetiracetam.....	42
junel 1.5/30 (21).....	90	LAMICTAL XR STARTER		levetiracetam in nacl (iso-os) .	42
junel 1/20 (21).....	90	(BLUE).....	41	levobunolol	132
junel fe 1.5/30 (28).....	90	LAMICTAL XR STARTER		levocarnitine.....	130
junel fe 1/20 (28).....	90	(GREEN).....	41	levocarnitine (with sugar)	130
junel fe 24.....	90	LAMICTAL XR STARTER		levocetirizine.....	54
JUXTAPID.....	83	(ORANGE).....	41	levofloxacin.....	24, 104
JYNARQUE.....	82	lamivudine.....	65	levofloxacin in d5w.....	24
K		lamivudine-zidovudine	65	levoleucovorin calcium.....	130
KADCYLA	32	lamotrigine.....	41	LEVOLEUCOVORIN	
kaitlib fe.....	90	LANOXIN.....	80	CALCIUM	130
KALETRA	65	lansoprazole.....	107	levonest (28).....	91
kalliga.....	90	lanthanum	110	levonorgestrel-ethinyl estrad..	91
KALYDECO.....	139	LANTUS SOLOSTAR U-100		levonorg-eth estrad triphasic..	91
kariva (28).....	91	INSULIN	49	levora-28	91
kelnor 1/35 (28).....	91	LANTUS U-100 INSULIN ...	49	LEVO-T	117
kelnor 1-50	91	larin 1.5/30 (21).....	91	levothyroxine	117
KEPIVANCE	130	larin 1/20 (21).....	91	LEVOXYL.....	117
ketoconazole.....	52, 53	larin 24 fe.....	91	LEVULAN.....	96
ketoprofen.....	14	larin fe 1.5/30 (28).....	91	LEXIVA.....	65
ketorolac.....	106	larin fe 1/20 (28).....	91	LIBTAYO.....	33
KEVZARA.....	121	larissia.....	91	lidocaine.....	15
KEYTRUDA.....	32	LARTRUVO	33	lidocaine (pf).....	15, 77
KINERET.....	121	latanoprost	132	lidocaine hcl.....	15
KINRIX (PF).....	125	LATUDA.....	62	lidocaine in 5 % dextrose (pf) 77	
kionex (with sorbitol).....	108	layolis fe	91	lidocaine viscous.....	15
KISQALI.....	32	LAZANDA	11	lidocaine-prilocaine.....	15
KISQALI FEMARA CO-PACK		ledipasvir-sofosbuvir	68	LIDOTREX.....	15
.....	32	leena 28.....	91	lillow (28).....	91
KLOR-CON 10	133	leflunomide.....	121	lincomycin.....	19
KLOR-CON 8	133	LENVIMA.....	33	lindane.....	100
klor-con m10	133	lessina	91	linezolid.....	19
klor-con m15	133	letrozole	33	linezolid in dextrose 5%.....	19
klor-con m20	133	leucovorin calcium	130	linezolid-0.9% sodium chloride	
klor-con sprinkle	133	LEUKERAN.....	33	19
KORLYM.....	48	LEUKINE.....	71	LINZESS.....	108
kurvelo (28).....	91	leuprolide.....	33	liothyronine.....	118

lisinopril	76	magnesium sulfate in water .	133	methotrexate sodium (pf).....	34
lisinopril-hydrochlorothiazide	76	malathion	100	methoxsalen	96
lithium carbonate.....	86	maprotiline.....	46	methscopolamine	108
lithium citrate	86	marlissa (28)	92	methyclothiazide.....	82
LOKELMA	108	MARPLAN.....	46	methylergonovine	131
LONSURF.....	33	MARQIBO	34	methylphenidate hcl.....	86, 87
loperamide.....	108	MATULANE.....	34	methylprednisolone.....	114
lopinavir-ritonavir	65	matzim la	79	methylprednisolone acetate..	114
lopreeza	113	MAVYRET	68	methylprednisolone sodium succ	114
lorazepam	17	MAXIDEX	106	114
LORBRENA	33	meclizine.....	56	metipranolol	132
loryna (28).....	92	meclofenamate.....	14	metoclopramide hcl.....	108, 109
losartan	75	medroxyprogesterone	117	metolazone	82
losartan-hydrochlorothiazide..	75	mefenamic acid.....	14	metoprolol succinate	78
loteprednol etabonate	106	mefloquine	58	metoprolol ta-hydrochlorothiaz	78
lovastatin	83	megestrol	34, 117	78
low-ogestrel (28)	92	MEKINIST	34	metoprolol tartrate.....	78
loxapine succinate	62	MEKTOVI.....	34	metronidazole.....	19, 54, 97
lo-zumandimine (28).....	92	meloxicam	14	metronidazole in nacl (iso-os)	19
LUCEMYRA	16	melphalan hcl.....	34	mexiletine.....	77
LUDENT FLUORIDE	142	memantine	44	MIACALCIN.....	128
LUMIGAN.....	132	MENACTRA (PF).....	125	miconazole-3.....	53
LUMOXITI.....	33	MENEST	113	microgestin 1.5/30 (21).....	92
LUPRON DEPOT	33, 115	MENVEO A-C-Y-W-135-DIP		microgestin 1/20 (21).....	92
LUPRON DEPOT (3 MONTH)		(PF).....	125	microgestin fe 1.5/30 (28).....	92
.....	33, 115	meprobamate	18	microgestin fe 1/20 (28).....	92
LUPRON DEPOT (4 MONTH)		mercaptopurine	34	midodrine	74
.....	33	meropenem	22	MIGERGOT	55
LUPRON DEPOT (6 MONTH)		mesalamine	127	miglitol.....	48
.....	33	mesna.....	131	miglustat.....	102
LUPRON DEPOT-PED	115	MESNEX.....	131	mili	92
LUPRON DEPOT-PED (3		metaproterenol.....	138	milrinone	80
MONTH).....	115	metaxalone.....	140	milrinone in 5 % dextrose.....	80
lutra (28).....	92	metformin	48	mimvey	113
LYNPARZA.....	34	methadone.....	11, 12	mimvey lo	113
LYRICA.....	42	methadose	12	minitrans	84
LYRICA CR.....	86	methazolamide.....	132	minocycline.....	25
LYSODREN.....	34	methenamine hippurate.....	19	minoxidil	84
lyza	92	methimazole.....	118	mirtazapine.....	46
M		METHITEST	112	misoprostol.....	107
magnesium sulfate.....	133	methocarbamol	140	mitomycin	34
magnesium sulfate in d5w....	133	methotrexate sodium.....	34	mitoxantrone	34

M-M-R II (PF).....	125	naltrexone	16	nitrofurantoin macrocrystal....	19
modafinil	141	naproxen	14	nitrofurantoin monohyd/m-cryst	19
moexipril	76	naproxen sodium.....	14	19
molindone.....	62	naratriptan.....	55	nitroglycerin.....	84, 85
mometasone.....	99, 106	NARCAN	16	nitroglycerin in 5 % dextrose.	84
mono-linyah	92	NATACYN.....	104	NITROSTAT	85
mononessa (28)	92	nateglinide	48	NITYR	102
montelukast	137	NATPARA	128	NIVESTYM.....	72
morphine.....	12	NEBUPENT	58	nizatidine.....	107
MORPHINE.....	12	necon 0.5/35 (28).....	92	NOCDURNA (MEN)	116
morphine (pf).....	12	nefazodone.....	46	NOCDURNA (WOMEN)....	116
morphine concentrate	12	neomycin	18	nora-be	92
MOVANTIK	109	neomycin-bacitracin-poly-hc	104	NORDITROPIN FLEXP	116
MOVIPREP.....	109	neomycin-bacitracin-polymyxin	104	norethindrone (contraceptive)	92
moxifloxacin.....	24, 104	104	norethindrone acetate	117
moxifloxacin-sod.ace,sul-water	24	neomycin-polymyxin b gu.....	97	norethindrone ac-eth estradiol	92, 113
.....	24	neomycin-polymyxin b-	104	norethindrone-e.estradiol-iron	92
moxifloxacin-sod.chloride(iso)	24	dexameth.....	104	norgestimate-ethinyl estradiol	92
.....	24	neomycin-polymyxin-	104	norlyda	92
MOZOBIL.....	71	gramicidin.....	104	norlyroc	92
MULPLETA.....	71	neomycin-polymyxin-hc.....	105	NORTHERA.....	74, 75
MULTAQ.....	77	neo-polycin hc	105	nortrel 0.5/35 (28).....	93
mupirocin	97	NERLYNX	34	nortrel 1/35 (21)	93
mupirocin calcium.....	97	NEULASTA	71	nortrel 1/35 (28).....	93
mycophenolate mofetil.....	121	NEUPOGEN.....	71	nortrel 7/7/7 (28).....	93
mycophenolate mofetil hcl...	121	NEUPRO	59	nortriptyline.....	46
mycophenolate sodium.....	122	nevirapine	65	NORVIR	65
MYLOTARG	34	NEXAVAR.....	34	NOVOLIN 70/30 U-100	50
myorisan	96	NEXIUM PACKET.....	107	INSULIN.....	50
MYRBETRIQ	110	niacin	83	NOVOLIN 70-30 FLEXPEN U-	50
myzilra.....	92	niacor	83	100.....	50
N		nicardipine	81	NOVOLIN N NPH U-100	50
nabumetone	14	NICOTROL NS.....	16	INSULIN.....	50
nadolol.....	78	nifedipine	81	NOVOLIN R REGULAR U-	50
nadolol-bendroflumethiazide .	78	nikki (28)	92	100 INSULN.....	50
nafcillin.....	23	nilutamide	34	NOVOLOG FLEXPEN U-100	50
nafcillin in dextrose iso-osm ..	23	nimodipine	81	INSULIN.....	50
naftifine	53	NINLARO	34	NOVOLOG MIX 70-30 U-100	50
NAFTIN	53	NIPENT	35	INSULN.....	50
NAGLAZYME.....	102	nisoldipine	81	NOVOLOG MIX 70-	50
nalbuphine	12	NITRO-BID.....	84	30FLEXPEN U-100.....	50
naloxone	16	NITRO-DUR	84		

NOVOLOG PENFILL U-100		PASER	56
INSULIN	50	PAXIL	46
NOVOLOG U-100 INSULIN		PEDIARIX (PF).....	125
ASPART.....	50	PEDVAX HIB (PF)	125
NOXAFIL	53	peg 3350-electrolytes	110
NPLATE.....	131	PEGANONE.....	42
NUCALA	140	PEGASYS.....	68
NUEDEXTA	87	PEGASYS PROCLICK.....	68
NULOJIX.....	122	peg-electrolyte soln.....	110
NUPLAZID.....	62	PEGINTRON.....	68
NUTRILIPID	74	PEN NEEDLE, DIABETIC.	101
NUVARING.....	93	penicillin g pot in dextrose.....	23
nyamyc	53	penicillin g potassium	23
nystatin	53	penicillin g procaine.....	23
nystatin-triamcinolone.....	53	penicillin v potassium	24
nystop	53	PENTACEL (PF).....	125
O		PENTACEL DTAP-IPV	
ocella	93	COMPNT (PF).....	125
OCREVUS	87	PENTAM	58
octreotide acetate.....	116	pentamidine.....	58
ODEFSEY	65	PENTASA.....	127
ODOMZO	35	pentoxifylline	73
OFEV	140	PERFOROMIST	138
ofloxacin.....	24, 105	perindopril erbumine.....	76
ogestrel (28).....	93	periogard	95
okebo	26	PERJETA	35
olanzapine.....	62	permethrin	100
olanzapine-fluoxetine	46	perphenazine	62
olmesartan	75	perphenazine-amitriptyline ...	46
olmesartan-hydrochlorothiazide		PERSERIS	62
.....	75	PEXEVA.....	46
olopatadine	103	pfizerpen-g	24
OLUMIANT.....	122	phenadoz	57
omega-3 acid ethyl esters	83	phenelzine	47
omeprazole	107	phenobarbital.....	42
ONCASPAR.....	35	phenylephrine hcl.....	75, 103
ondansetron	57	PHENYTEK	42
ondansetron hcl	57	phenytoin.....	42
ondansetron hcl (pf)	56, 57	phenytoin sodium.....	42
ONIVYDE.....	35	phenytoin sodium extended ...	42
ONPATTRO.....	131	philith	93
OPDIVO.....	35	PHOSPHOLINE IODIDE ...	132
OPSUMIT.....	141		
oralone	95		
ORENCIA	122		
ORENCIA CLICKJECT	122		
ORLISSA	116		
ORKAMBI	140		
orphenadrine citrate	140		
orsythia	93		
oseltamivir	67		
OSMOPREP	109		
OTEZLA.....	122		
OTEZLA STARTER.....	122		
oxacillin	23		
oxacillin in dextrose(iso-osm)	23		
oxaliplatin	35		
oxandrolone	112		
oxaprozin	14		
oxazepam.....	18		
oxcarbazepine	42		
OXTELLAR XR.....	42		
oxybutynin chloride.....	110		
oxycodone.....	12, 13		
oxycodone-acetaminophen	13		
oxycodone-aspirin	13		
OXYCONTIN	13		
oxymorphone.....	13		
OZEMPIC.....	48, 49		
P			
pacerone.....	77		
paclitaxel.....	35		
paliperidone	62		
palonosetron.....	57		
PALYNZIQ	102		
pamidronate	128		
PANRETIN	96		
pantoprazole.....	107		
PANZYGA	122		
paricalcitol	128, 129		
PARICALCITOL	129		
paroex oral rinse	95		
paromomycin	58		
paroxetine hcl	46		

phrenilin forte(with caffeine) .13	potassium chloride-d5-0.9%nacl	prochlorperazine maleate 57
PICATO96 134	PROCRIT 72
PIFELTRO65	potassium citrate 134, 135	PROCTOFOAM HC..... 99
pilocarpine hcl95, 132	PRADAXA 70	procto-med hc 100
pimecrolimus.....99	PRALUENT PEN..... 83	procto-pak 100
pimozide62	pramipexole 59	proctosol hc..... 100
pimtree (28)93	prasugrel 73	proctozone-hc..... 100
pindolol.....78	pravastatin..... 83	PROCYSBI..... 111
pioglitazone49	praziquantel 58	progesterone..... 117
pioglitazone-metformin.....49	prazosin..... 75	progesterone micronized..... 117
piperacillin-tazobactam24	PRED-G..... 105	PROGLYCEM..... 131
PIQRAY35	prednicarbate 99	PROGRAF 122
pirmella.....93	prednisolone..... 114	PROLASTIN-C..... 140
piroxicam..... 14	prednisolone acetate 106	PROLEUKIN..... 35
PLEGRIDY87	prednisolone sodium phosphate	PROLIA 129
PLENVU 110 106, 114, 115	PROMACTA 72
podofilox96	prednisone..... 115	promethazine..... 54, 57
POLIVY35	pregabalin 42	promethegan..... 57
polycin..... 105	PREMARIN..... 113	propafenone..... 77
polymyxin b sulfate..... 19	PREMASOL 10 % 74	propantheline..... 109
polymyxin b sulf-trimethoprim	PREMASOL 6 % 74	proparacaine..... 103
..... 105	PREMPHASE..... 113	propranolol..... 78
POMALYST35	PREMPRO 113	propranolol-hydrochlorothiazid
portia 28.....93	prenatal plus (calcium carb) 142 78
PORTRAZZA35	prenatal vitamin plus low iron	propylthiouracil..... 118
potassium acetate..... 133 142	PROQUAD (PF) 125
potassium chlorid-d5-0.45%nacl	PREPOPIK 110	PROSOL 20 %..... 74
..... 133, 134	prevalite 83	protamine 72
potassium chloride..... 134	previfem..... 93	protriptyline..... 47
potassium chloride in 0.9%nacl	PREVYMIS..... 67	PULMICORT FLEXHALER
..... 134	PREZCOBIX..... 65 136
potassium chloride in 5 % dex	PREZISTA..... 66	PULMOZYME 102
..... 134	PRIFTIN 56	PURIXAN..... 35
potassium chloride in lr-d5... 134	PRIMAQUINE 58	pyrazinamide..... 56
potassium chloride in water.. 134	primidone..... 43	pyridostigmine bromide 131
potassium chloride-0.45 % nacl	PRIVIGEN..... 122	Q
..... 134	PROAIR RESPICLICK..... 138	QUADRACEL (PF)..... 125
potassium chloride-d5-0.2%nacl	probenecid 53	quetiapine 62
..... 134	probenecid-colchicine..... 54	quinapril 76
potassium chloride-d5-0.3%nacl	procainamide 77	quinapril-hydrochlorothiazide 76
..... 134	prochlorperazine 57	quinidine gluconate..... 77
	prochlorperazine edisylate..... 57	quinidine sulfate..... 77

quinine sulfate	58	rifabutin	56	SIGNIFOR	116
QVAR REDIHALER.....	137	rifampin	56	SIGNIFOR LAR.....	116
R		RIFATER.....	56	sildenafil (antihypertensive) 141,	
RABAVERT (PF)	125	riluzole	87	142	
rabeprazole	107	rimantadine	67	SILENOR.....	141
RADICAVA.....	87	ringer's	127, 135	silver sulfadiazine	97
rajani.....	93	risedronate	129	SIMBRINZA.....	132
raloxifene.....	113	RISPERDAL CONSTA ..	62, 63	simliya (28).....	93
ramelteon.....	141	risperidone	63	simpesse	93
ramipril.....	76	ritonavir	66	SIMPONI	122, 123
ranitidine hcl.....	107	RITUXAN	36	SIMULECT.....	123
ranolazine	80	RITUXAN HYCELA	35, 36	simvastatin	84
rasagiline	59	rivastigmine	44	sirolimus.....	123
RAVICTI.....	109	rivastigmine tartrate.....	44	SIRTURO	56
REBETOL.....	69	rivelsa.....	93	SIVEXTRO.....	19, 20
REBIF (WITH ALBUMIN)...	87	rizatriptan.....	55	sodium acetate.....	135
REBIF REBIDOSE	87	romidepsin	36	sodium chloride.....	135
REBIF TITRATION PACK...	87	ropinirole	59	sodium chloride 0.45 %	135
reclipsen (28).....	93	rosadan.....	97	sodium chloride 0.9 %	135
RECOMBIVAX HB (PF)	125	rosuvastatin.....	83, 84	sodium chloride 3 %	135
RECTIV	131	ROTARIX	126	sodium chloride 5 %	135
REGRANEX	96	ROTATEQ VACCINE.....	126	sodium lactate	135
RELENZA DISKHALER.....	67	ROZEREM	141	sodium phenylbutyrate.....	109
RELISTOR.....	109	RUBRACA	36	sodium phosphate.....	135
repaglinide.....	49	RYDAPT	36	sodium polystyrene sulfonate	
REPATHA PUSHTRONEX ..	83	S		109
REPATHA SURECLICK	83	SABRIL	43	sofosbuvir-velpatasvir.....	68
REPATHA SYRINGE	83	SANTYL	96	solifenacin	111
RESCRIPTOR.....	66	SAPHRIS.....	63	SOLTAMOX	36
RESTASIS	106	SAVELLA	87	SOLU-CORTEF (PF)	115
RETACRIT	72	scopolamine base.....	57	SOLU-MEDROL (PF).....	115
RETROVIR.....	66	selegiline hcl.....	59	SOMATULINE DEPOT.....	116
REVATIO	141	selenium sulfide.....	97	SOMAVERT.....	116
REVCOVI	102	SELZENTRY	66	sorbitol	127
REVLIMID	35	SEREVENT DISKUS	138	sorbitol-mannitol.....	127
revonto.....	140	SEROSTIM	116	sorine.....	78
REXULTI.....	62	sertraline	47	sotalol.....	78
REYATAZ	66	setlakin.....	93	sotalol af.....	78
ribasphere	69	sevelamer carbonate	110	SPIRIVA RESPIMAT	138
ribasphere ribapak	69	sf 5000 plus.....	95	SPIRIVA WITH	
ribavirin	69	sharobel.....	93	HANDIHALER	138
RIDAURA.....	122	SHINGRIX (PF).....	126	spironolactone	82

spironolacton-hydrochlorothiaz	SYMDEKO	140	telmisartan-hydrochlorothiazid	75
.....82	SYMFI	66	temazepam	18
SPRAVATO.....47	SYMFI LO.....	66	TEMODAR.....	37
sprintec (28).....	SYMLINPEN 120	49	temsirrolimus.....	37
SPRITAM.....43	SYMLINPEN 60	49	tencon.....	13
SPRYCEL	SYMPAZAN	43	TENIVAC (PF).....	126
36	SYMTUZA.....	66	tenofovir disoproxil fumarate	66
sps (with sorbitol).....	SYNAGIS.....	67	terazosin	111
109	SYNAREL.....	116	terbinafine hcl	53
sronyx.....93	SYNERCID	20	terbutaline	138
ssd.....97	SYNJARDY	49	terconazole	54
stavudine.....66	SYNJARDY XR.....	49	testosterone	112
STELARA.....123	SYNRIBO.....	36	testosterone cypionate.....	112
STIOLTO RESPIMAT	SYNTHROID	118	testosterone enanthate	112
138	T		TETANUS,DIPHThERIA TOX	
STIVARGA.....36	TABLOID.....	36	PED(PF).....	126
STRENSIQ.....102	tacrolimus	100, 123	tetrabenazine	88
streptomycin.....	tadalafil	142	tetracycline.....	26
18	tadalafil (antihypertensive)..	142	THALOMID	131
STRIBILD.....66	TAFINLAR	36	theophylline.....	139
STRIVERDI RESPIMAT	TAGRISSE.....	36	theophylline in dextrose 5 %	139
138	TAKHZYRO	131	thioridazine	63
SUBLOCADE.....16	TALZENNA.....	36	thiotepa.....	37
subvenite.....43	tamoxifen.....	36	thiothixene.....	63
subvenite starter (blue) kit.....	tamsulosin.....	111	THYMOGLOBULIN	123
43	TARGRETIN.....	36	tiagabine.....	43
subvenite starter (green) kit....	tarina 24 fe.....	93	TIBSOVO	37
43	tarina fe 1/20 (28)	93	TICE BCG	123
subvenite starter (orange) kit..	TASIGNA.....	36	tigecycline.....	26
43	TAVALISSE	72	TIGLUTIK.....	88
sucralfate	tazarotene.....	100	tilia fe	93
108	tazicef.....	21	timolol maleate.....	78, 132
sulfacetamide sodium.....	TAZORAC	100	tinidazole.....	58
105	taztia xt	79	TIVICAY	66
sulfacetamide sodium (acne)..	TDVAX	126	tizanidine.....	140
97	TECENTRIQ.....	37	TOBI PODHALER.....	18
sulfacetamide-prednisolone..	TECFIDERA	88	TOBRADEX.....	105
105	TEFLARO	21	TOBRADEX ST	105
sulfadiazine.....	TEGSEDI.....	131	tobramycin	105
24	TEKTRUNA HCT.....	84	tobramycin in 0.225 % nacl ...	18
sulfamethoxazole-trimethoprim	telmisartan	75	tobramycin in 0.9 % nacl	18
.....25	telmisartan-amlodipine	75		
sulfasalazine				
127				
sulfatrim				
25				
sulindac.....				
15				
sumatriptan.....				
55				
sumatriptan succinate				
55				
SUPPRELIN LA				
116				
SUPREP BOWEL PREP KIT				
.....110				
SUTENT.....				
36				
syeda.....				
93				
SYLATRON.....				
68				
SYLVANT				
36				
SYMBICORT.....				
137				

tobramycin sulfate.....	18	triamcinolone acetonide 95, 100, 115	tydemy.....	94
tobramycin with nebulizer.....	18	triamterene-hydrochlorothiazid	TYKERB.....	37
tobramycin-dexamethasone..	105	TYMLOS.....	129
TOLAK.....	96	TYPHIM VI.....	126
tolazamide.....	51	trianex.....	TYSABRI.....	123
tolbutamide.....	51	triderm.....	TYVASO.....	142
tolcapone.....	59	TRIDESILON.....	TYZINE.....	103
tolmetin.....	15	trientine.....	U	
tolterodine.....	111	tri-estarylla.....	UDENYCA.....	72
topiramate.....	43	trifluoperazine.....	ULORIC.....	54
toposar.....	37	trifluridine.....	UNITHROID.....	118
topotecan.....	37	trihexyphenidyl.....	UNITUXIN.....	37
toremifene.....	37	tri-legest fe.....	UPTRAVI.....	142
torse mide.....	82	tri-linyah.....	ursodiol.....	109
TOUJEO MAX U-300 SOLOSTAR.....	50	tri-lo-estarylla.....	UVADEX.....	96
TOUJEO SOLOSTAR U-300 INSULIN.....	50	tri-lo-marzia.....	V	
TRACLEER.....	142	tri-lo-mili.....	valacyclovir.....	69
TRADJENTA.....	49	tri-lo-sprintec.....	VALCHLOR.....	96
tramadol.....	13	trilyte with flavor packets....	valganciclovir.....	69
tramadol-acetaminophen.....	13	trimethoprim.....	valproate sodium.....	43
trandolapril.....	76	tri-mili.....	valproic acid.....	43
tranexamic acid.....	72	trimipramine.....	valproic acid (as sodium salt)	43
TRANSDERM-SCOP.....	57	TRINTELLIX.....	valrubicin.....	37
tranylcypro mine.....	47	tri-previfem (28).....	valsartan.....	75
TRAVASOL 10 %.....	74	TRISENOX.....	valsartan-hydrochlorothiazide	75, 76
TRAVATAN Z.....	132	tri-sprintec (28).....	VALSTAR.....	37
trazodone.....	47	TRIUMEQ.....	vancomycin.....	20
TREANDA.....	37	trivora (28).....	VANCOMYCIN.....	20
TRECATOR.....	56	tri-vylibra.....	vancomycin in dextrose 5 %..	20
TRELEGY ELLIPTA.....	139	tri-vylibra lo.....	VANTAS.....	116
TRELSTAR.....	37	TROGARZO.....	VAQTA (PF).....	126
TRESIBA FLEXTOUCH U-100	50	TROKENDI XR.....	VARIVAX (PF).....	126
TRESIBA FLEXTOUCH U-200	50	TROPHAMINE 10 %.....	VARIZIG.....	123
TRESIBA U-100 INSULIN...	50	tropicamide.....	VARUBI.....	57
tretinoin.....	100	trospium.....	VASCEPA.....	84
tretinoin (chemotherapy).....	37	TRULICITY.....	VASOSTRICT.....	117
tretinoin microspheres.....	100	TRUMENBA.....	VECTIBIX.....	37
tri femynor.....	93	TRUVADA.....	velivet triphasic regimen (28)	94
		TUDORZA PRESSAIR.....	VELPHORO.....	110
		tulana.....	VELTASSA.....	109
		TWINRIX (PF).....	VEMLIDY.....	67
		TYBOST.....		

VENCLEXTA.....	37	VYXEOS.....	38	ZANOSAR.....	39
VENCLEXTA STARTING PACK.....	38	VYZULTA.....	132	zarah.....	94
venlafaxine.....	47	W		zebotal.....	13
VENTAVIS.....	142	warfarin.....	70	ZEJULA.....	39
verapamil.....	79	water for irrigation, sterile...	127	ZELBORAF.....	39
VERSACLOZ.....	63	wera (28).....	94	zenatane.....	96
VERZENIO.....	38	wixela inhub.....	137	zenchent (28).....	94
V-GO 40.....	101	wymzya fe.....	94	ZENPEP.....	102
VICTOZA.....	49	X		ZERBAXA.....	21
VIDEX 2 GRAM PEDIATRIC	67	XALKORI.....	38	zidovudine.....	67
VIDEX 4 GRAM PEDIATRIC	67	XARELTO.....	70	zileuton.....	137
VIDEX EC.....	67	XATMEP.....	38	ZINPLAVA.....	123
vienna.....	94	XELJANZ.....	123	ZIOPTAN (PF).....	132
vigabatrin.....	43	XELJANZ XR.....	123	ziprasidone hcl.....	63
vigadrone.....	43	XERMELO.....	109	ZIRGAN.....	105
VIIBRYD.....	47	XGEVA.....	129	ZOLADEX.....	39
VIMPAT.....	43	XIIDRA.....	106	zoledronic acid.....	129
vinblastine.....	38	XOFLUZA.....	68	zoledronic acid-mannitol-water	129
vincasar pfs.....	38	XOLAIR.....	140	zoledronic ac-mannitol-0.9nacl	129
vincristine.....	38	XOSPATA.....	38	ZOLINZA.....	39
vinorelbine.....	38	XTANDI.....	38	zolmitriptan.....	55
viorele (28).....	94	xulane.....	94	zolpidem.....	141
VIRACEPT.....	67	XULTOPHY 100/3.6.....	50	zonisamide.....	43
VIREAD.....	67	xylon 10.....	13	ZONTIVITY.....	73
VITRAKVI.....	38	XYREM.....	141	ZORBIVE.....	117
VIVITROL.....	16	Y		ZORTRESS.....	123
VIZIMPRO.....	38	YERVOY.....	38	ZOSTAVAX (PF).....	126
voriconazole.....	53	YF-VAX (PF).....	126	zovia 1/35e (28).....	95
VOTRIENT.....	38	YONDELIS.....	38	zumandimine (28).....	95
VPRIV.....	102	YONSA.....	38	ZYCLARA.....	96
VRAYLAR.....	63	YUPELRI.....	139	ZYDELIG.....	39
vyfemla (28).....	94	yuvaferm.....	113	ZYKADIA.....	39
vylibra.....	94	Z		ZYPREXA RELPREVV.....	63
		zafirlukast.....	137	ZYTIGA.....	39
		zaleplon.....	141		
		ZALTRAP.....	39		

This formulary was updated on August 28, 2019. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711, 8 a.m. to 8 p.m. (7 days a week, Oct. – Mar.) or 8 a.m. to 8 p.m. (Mon. – Fri., April – Sept.) or 8 a.m. to 2 p.m. (Sat, April- Sept.) or visit www.GeisingerGold.com

