

Geisinger Gold Triple Tier Employer Group Rx
2019 Formulary
(List of Covered Drugs)

**PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION
ABOUT THE DRUGS WE COVER IN THIS PLAN**

This formulary was updated on August 30, 2018. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March – Sept.), or visit www.GeisingerGold.com

Note to existing members: This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this drug list (formulary) refers to “we,” “us,” or “our,” it means Geisinger Health Plan. When it refers to “plan” or “our plan,” it means Geisinger Gold Triple Tier Employer Group Rx.

This document includes a list of the drugs (formulary) for our plan which is current as of August 30, 2018. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2019, and from time to time during the year.

Geisinger Gold Medicare Advantage HMO, PPO, and HMO SNP plans are offered by Geisinger Health Plan/Geisinger Indemnity Insurance Company, health plans with a Medicare contract. Continued enrollment in Geisinger Gold depends on annual contract renewal. The formulary may change at any time. You will receive notice when necessary.

What is the Geisinger Gold Triple Tier Employer Group Rx Formulary?

A formulary is a list of covered drugs selected by our plan in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program. Our plan will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a Geisinger Gold network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

Can the Formulary (drug list) change?

Generally, if you are taking a drug on our 2019 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2019 coverage year except when a new, less expensive generic drug becomes available, when new information about the safety or effectiveness of a drug is released, or the drug is removed from the market. (See bullets below for more information on changes that affect members currently taking the drug.) Other types of formulary changes, such as removing a drug from our formulary, will not affect members who are currently taking the drug. It will remain available at the same cost-sharing for those members taking it for the remainder of the coverage year. Below are changes to the drug list that will also affect members currently taking a drug:

- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug’s manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost-sharing tier. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher

cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

The enclosed formulary is current as of August 30, 2018. To get updated information about the drugs covered by our plan, please contact us. Our contact information appears on the front and back cover pages. If non-maintenance changes are made to the formulary during the plan year, Geisinger Gold Triple Tier Employer Group Rx communicates these changes in the member newsletter and within the monthly explanation of benefits (EOB).

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, “Cardiovascular Agents”. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page I-1. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

Our plan covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs cost less than brand name drugs.

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** Our plan requires you or your physician to get prior authorization for certain drugs. This means that you will need to get approval from the plan before you fill your prescriptions. If you don't get approval, our plan may not cover the drug.
- **Quantity Limits:** For certain drugs, our plan limits the amount of the drug that our plan will cover. For example, our plan provides up to 16 tablets per prescription for sumatriptan. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, our plan requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, our plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, our plan will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our Web site. We have posted on line documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask our plan to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to the Geisinger Gold Triple Tier Employer Group Rx formulary?" for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that our plan does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by our plan. When you receive the list, show it to your doctor and ask him or her to prescribe a similar drug that is covered by our plan.
- You can ask our plan to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to the Geisinger Gold Triple Tier Employer Group Rx Formulary?

You can ask our plan to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to cover a formulary drug at a lower cost-sharing level. If approved this would lower the amount you must pay for your drug.
- You can ask us to waive coverage restrictions or limits on your drug. For example, for certain drugs, our plan limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.

Generally, our plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug or additional utilization restrictions would not be as effective in treating your condition and/or would cause you to have adverse medical effects.

You should contact us to ask us for an initial coverage decision for a formulary, tiering or utilization restriction exception. **When you request a formulary, tiering, or utilization restriction exception you should submit a statement from your prescriber or physician supporting your request.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can request an expedited (fast) exception if you or your doctor believe that your health could be seriously harmed by waiting up to 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get a supporting statement from your doctor or other prescriber.

What do I do before I can talk to my doctor about changing my drugs or requesting an exception?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but your ability to get it is limited. For example, you may need a prior authorization from us before you can fill your prescription. You should talk to your doctor to decide if you should switch to an appropriate drug that we cover or request a formulary exception so that we will cover the drug you take. While you talk to your doctor to determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or if your ability to get your drugs is limited, we will cover a temporary 30-day supply in the retail setting, or a 31-day supply in the long-term care setting. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication in the retail setting, or a 31-day supply in the long-term care setting. After your first 30 or 31-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For members being admitted to or discharged from a LTC facility, early refill edits are not used to limit appropriate and necessary access to their Part D benefit, and such enrollees are allowed to access a refill upon admission or discharge.

For more information

For more detailed information about your Geisinger Gold Triple Tier Employer Group Rx prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about our plan, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

Geisinger Gold Triple Tier Employer Group Rx Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by our plan. If you have trouble finding your drug in the list, turn to the Index that begins on page I-1.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., BREO ELLIPTA) and generic drugs are listed in lower-case italics (e.g., *simvastatin*).

The information in the Requirements/Limits column tells you if our plan has any special requirements for coverage of your drug.

The following Utilization Management abbreviations may be found within the body of this document

COVERAGE NOTES ABBREVIATIONS

ABBREVIATION	DESCRIPTION	EXPLANATION
General		
	<i>Generic</i> (BRAND)	The reference brand name in parenthesis is provided for information only to assist in identifying the generic medication and does NOT indicate formulary status or coverage.
Utilization Management Restrictions		
PA	Prior Authorization Restriction	You (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
PA BvD	Prior Authorization Restriction for Part B vs Part D Determination	This drug may be eligible for payment under Medicare Part B or Part D. You (or your physician) are required to get prior authorization from our plan to determine that this drug is covered under Medicare Part D before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
PA-HRM	Prior Authorization Restriction for	This drug has been deemed to be potentially harmful and therefore, a High Risk Medication for Medicare beneficiaries

ABBREVIATION	DESCRIPTION	EXPLANATION
	High Risk Medications	65 years or older. Members age 65 yrs or older are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug
PA NSO	Prior Authorization Restriction for New Starts Only	If you are a new member or if you have not taken this drug before, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.
QL	Quantity Limit Restriction	Our plan limits the amount of this drug that is covered per prescription, or within a specific time frame.
ST	Step Therapy Restriction	Before our plan will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

OTHER SPECIAL REQUIREMENTS FOR COVERAGE

ABBREVIATION	DESCRIPTION	EXPLANATION
LA	Limited Access Drug	This prescription may be available only at certain pharmacies. For more information consult your Pharmacy Directory or call Member Services at (800) 988-4861, 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March- Sept.). TTY/TDD users should call 711.
NM	Non-Mail Order Drug	Drugs <u>not</u> available via your mail order benefit are noted with “NM” in the Requirements/Limits column of your formulary.
NDS	Non-Extended Days Supply	Drugs <u>not</u> available for an extended days supply (i.e. more than a one month supply) are noted with “NDS” in the Requirements/Limits column of your formulary.

Employer group members should refer to their benefit documents for appropriate cost sharing amounts.

Table of Contents

Analgesics	1
Anesthetics	6
Anti-Addiction/Substance Abuse Treatment Agents	7
Antianxiety Agents	8
Antibacterials	9
Anticancer Agents	17
Anticholinergic Agents	30
Anticonvulsants	30
Antidementia Agents	34
Antidepressants	34
Antidiabetic Agents	37
Antifungals	42
Antigout Agents	43
Antihistamines	44
Anti-Infectives (Skin And Mucous Membrane)	44
Antimigraine Agents	44
Antimycobacterials	45
Antinausea Agents	46
Antiparasite Agents	47
Antiparkinsonian Agents	48
Antipsychotic Agents	49
Antivirals (Systemic)	53
Blood Products/Modifiers/Volume Expanders	58
Caloric Agents	61
Cardiovascular Agents	63
Central Nervous System Agents	74
Contraceptives	77

Dental And Oral Agents	83
Dermatological Agents	83
Devices	89
Enzyme Replacement/Modifiers	90
Eye, Ear, Nose, Throat Agents	91
Gastrointestinal Agents	95
Genitourinary Agents	99
Heavy Metal Antagonists	99
Hormonal Agents, Stimulant/Replacement/Modifying	100
Immunological Agents	106
Inflammatory Bowel Disease Agents	113
Irrigating Solutions	114
Metabolic Bone Disease Agents	114
Miscellaneous Therapeutic Agents	116
Ophthalmic Agents	117
Replacement Preparations	118
Respiratory Tract Agents	121
Skeletal Muscle Relaxants	126
Sleep Disorder Agents	126
Vasodilating Agents	127
Vitamins And Minerals	128

Drug Name	Drug Tier	Requirements/Limits
Analgesics		
Analgesics, Miscellaneous		
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	1	NM; NDS; QL (2700 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg</i>	1	NM; NDS; QL (390 per 30 days)
<i>acetaminophen-codeine oral tablet 300-30 mg</i> (Tylenol-Codeine #3)	1	NM; NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i> (Tylenol-Codeine #4)	1	NM; NDS; QL (180 per 30 days)
<i>astramorph-pf 10 mg/10 ml vial 5's, sdv, p/f,l/f 1 mg/ml</i>	1	NM; NDS
<i>astramorph-pf injection solution 1 mg/ml</i>	1	NM; NDS
<i>buprenorphine hcl injection solution 0.3 mg/ml</i> (Buprenex)	1	NM; NDS
<i>buprenorphine hcl injection syringe 0.3 mg/ml</i>	1	NM; NDS
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans)	1	NM; NDS; QL (4 per 28 days)
<i>butalbital-acetaminophen oral tablet 50-325 mg</i> (Tencon)	3	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)	3	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i> (Capacet)	3	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i> (Esgic)	3	QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral capsule 50-325-40 mg</i> (Fiorinal)	3	NM; NDS; QL (180 per 30 days)
<i>butalbital-aspirin-caffeine oral tablet 50-325-40 mg</i>	3	NM; NDS; QL (180 per 30 days)
<i>butorphanol tartrate injection solution 1 mg/ml, 2 mg/ml</i>	1	NM; NDS
<i>butorphanol tartrate nasal spray,non-aerosol 10 mg/ml</i>	1	NM; NDS; QL (5 per 28 days)
<i>capacet oral capsule 50-325-40 mg</i>	3	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i>	1	NM; NDS; QL (360 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg</i> (Actiq)	3	PA; NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> (Duragesic)	1	NM; NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15 ml</i> (Hycet)	1	NM; NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-300 mg</i> (Vicodin HP)	1	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg</i> (Lorcet HD)	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 2.5-325 mg</i> (Verdrocet)	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-300 mg</i> (Vicodin)	1	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i> (Lorcet (hydrocodone))	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-300 mg</i> (Vicodin ES)	1	NM; NDS; QL (390 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 7.5-325 mg</i> (Lorcet Plus)	1	NM; NDS; QL (360 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 10-200 mg, 5-200 mg</i> (Ibudone)	1	NM; NDS; QL (150 per 30 days)
<i>hydrocodone-ibuprofen oral tablet 7.5-200 mg</i>	1	NM; NDS; QL (150 per 30 days)
<i>hydromorphone (pf) injection solution 10 mg/ml</i>	1	NM; NDS
<i>hydromorphone injection solution 1 mg/ml, 2 mg/ml, 4 mg/ml</i>	1	NM; NDS
<i>hydromorphone injection syringe 2 mg/ml</i> (Dilaudid)	1	NM; NDS
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	1	NM; NDS; QL (180 per 30 days)
<i>ibuprofen-oxycodone oral tablet 400-5 mg</i>	1	NM; NDS; QL (28 per 30 days)
LAZANDA NASAL SPRAY, NON-AEROSOL 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY	3	PA; NM; NDS; QL (30 per 30 days)
<i>levorphanol tartrate oral tablet 2 mg</i>	3	NM; NDS; QL (180 per 30 days)
<i>marten-tab oral tablet 50-325 mg</i>	3	QL (180 per 30 days)
<i>methadone injection solution 10 mg/ml</i>	1	NM; NDS
<i>methadone oral concentrate 10 mg/ml</i> (Methadone Intensol)	1	NM; NDS; QL (180 per 30 days)
<i>methadone oral solution 10 mg/5 ml</i>	1	NM; NDS; QL (900 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methadone oral solution 5 mg/5 ml</i>	1	NM; NDS; QL (1800 per 30 days)
<i>methadone oral tablet 10 mg</i> (Dolophine)	1	NM; NDS; QL (180 per 30 days)
<i>methadone oral tablet 5 mg</i> (Dolophine)	1	NM; NDS; QL (360 per 30 days)
<i>methadose oral tablet,soluble 40 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>morphine (pf) injection solution 0.5 mg/ml, 1 mg/ml</i> (Astramorph-PF)	1	NM; NDS
<i>morphine (pf) intravenous patient control.analgesia soln 150 mg/30 ml, 30 mg/30 ml</i>	1	NM; NDS
<i>morphine 10 mg/ml isecure syrg l/f, p/f, suv, inner 10 mg/ml</i>	1	NM; NDS
<i>morphine 4 mg/ml isecure syr l/f, inner, suv 4 mg/ml</i>	1	NM; NDS
<i>morphine 8 mg/ml isecure syrng l/f,p/f,suv,inner 8 mg/ml</i>	1	NM; NDS
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>	1	NM; NDS; QL (200 per 30 days)
<i>morphine injection solution 10 mg/ml, 5 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine injection syringe 10 mg/ml, 2 mg/ml, 4 mg/ml, 5 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine intravenous cartridge 10 mg/ml, 2 mg/ml, 4 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine intravenous solution 10 mg/ml, 4 mg/ml, 8 mg/ml</i>	1	NM; NDS
<i>morphine oral capsule, er multiphase 24 hr 120 mg, 30 mg, 45 mg, 60 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>morphine oral capsule, er multiphase 24 hr 75 mg, 90 mg</i>	1	NM; NDS; QL (60 per 30 days)
<i>morphine oral capsule,extend.release pellets 10 mg, 100 mg, 20 mg, 30 mg, 50 mg, 60 mg, 80 mg</i> (Kadian)	1	NM; NDS; QL (60 per 30 days)
<i>morphine oral solution 10 mg/5 ml</i>	1	NM; NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	NM; NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG, 30 MG	1	NM; NDS; QL (180 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>morphine oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i> (MS Contin)	1	NM; NDS; QL (90 per 30 days)
<i>nalbuphine injection solution 10 mg/ml, 20 mg/ml</i>	1	
<i>oxycodone oral capsule 5 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral concentrate 20 mg/ml</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral solution 5 mg/5 ml</i>	1	NM; NDS; QL (1300 per 30 days)
<i>oxycodone oral tablet 10 mg, 20 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg, 5 mg</i> (Roxicodone)	1	NM; NDS; QL (180 per 30 days)
<i>oxycodone oral tablet,oral only,ext.rel.12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg, 80 mg</i> (OxyContin)	1	ST; NM; NDS; QL (90 per 30 days)
<i>oxycodone-acetaminophen oral solution 5-325 mg/5 ml</i>	1	NM; NDS; QL (1830 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> (Endocet)	1	NM; NDS; QL (360 per 30 days)
<i>oxycodone-aspirin oral tablet 4.8355-325 mg</i>	1	NM; NDS; QL (360 per 30 days)
OXYCONTIN ORAL TABLET,ORAL ONLY,EXT.REL.12 HR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG	3	ST; NM; NDS; QL (90 per 30 days)
<i>oxymorphone oral tablet 10 mg, 5 mg</i> (Opana)	1	NM; NDS; QL (180 per 30 days)
<i>phrenilin forte(with caffeine) oral capsule 50-300-40 mg</i>	3	QL (180 per 30 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 100 MG/0.5 ML	3	PA; NM; NDS; QL (0.5 per 28 days)
SUBLOCADE SUBCUTANEOUS SOLUTION, EXTENDED REL SYRINGE 300 MG/1.5 ML	3	PA; NM; NDS; QL (1.5 per 28 days)
<i>tencon oral tablet 50-325 mg</i>	3	QL (180 per 30 days)
<i>tramadol oral capsule,er biphase 24 hr 17-83 300 mg</i> (ConZip)	1	NM; NDS; QL (30 per 30 days)
<i>tramadol oral capsule,er biphase 24 hr 25-75 100 mg, 200 mg</i> (ConZip)	1	NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tramadol oral tablet 50 mg</i> (Ultram)	1	NM; NDS; QL (240 per 30 days)
<i>tramadol oral tablet extended release 24 hr 100 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>tramadol oral tablet extended release 24 hr 200 mg, 300 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>tramadol oral tablet, er multiphase 24 hr 100 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>tramadol oral tablet, er multiphase 24 hr 200 mg, 300 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> (Ultracet)	1	NM; NDS; QL (240 per 30 days)
<i>xylon 10 oral tablet 10-200 mg</i>	1	NM; NDS; QL (150 per 30 days)
<i>zebutal oral capsule 50-325-40 mg</i>	3	QL (180 per 30 days)
Nonsteroidal Anti-Inflammatory Agents		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	1	
<i>diclofenac potassium oral tablet 50 mg</i>	1	
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Voltaren-XR)	1	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg, 50 mg, 75 mg</i>	1	
<i>diclofenac sodium topical gel 1 %</i> (Voltaren)	1	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	1	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75)	1	
<i>diflunisal oral tablet 500 mg</i>	1	
<i>etodolac oral capsule 200 mg, 300 mg</i>	1	
<i>etodolac oral tablet 400 mg</i> (Lodine)	1	
<i>etodolac oral tablet 500 mg</i>	1	
<i>etodolac oral tablet extended release 24 hr 400 mg, 500 mg, 600 mg</i>	1	
<i>fenoprofen oral tablet 600 mg</i> (ProFeno)	1	
FLECTOR TRANSDERMAL PATCH 12 HOUR 1.3 %	3	PA; QL (60 per 30 days)
<i>flurbiprofen oral tablet 100 mg, 50 mg</i>	1	
<i>ibuprofen oral suspension 100 mg/5 ml</i> (Child Ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> (IBU)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ketoprofen oral capsule 25 mg, 50 mg, 75 mg</i>	1	
<i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>	1	
<i>meclofenamate oral capsule 100 mg, 50 mg</i>	1	
<i>mefenamic acid oral capsule 250 mg</i>	1	
<i>meloxicam oral suspension 7.5 mg/5 ml</i>	1	
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Mobic)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i>	1	
<i>naproxen oral suspension 125 mg/5 ml</i> (Naprosyn)	1	
<i>naproxen oral tablet 250 mg, 375 mg</i>	1	
<i>naproxen oral tablet 500 mg</i> (Naprosyn)	1	
<i>naproxen oral tablet,delayed release (dr/ec) 375 mg, 500 mg</i> (EC-Naprosyn)	1	
<i>naproxen sodium oral tablet 275 mg</i>	1	
<i>naproxen sodium oral tablet 550 mg</i> (Anaprox DS)	1	
<i>oxaprozin oral tablet 600 mg</i> (Daypro)	1	
<i>piroxicam oral capsule 10 mg, 20 mg</i> (Feldene)	1	
<i>sulindac oral tablet 150 mg, 200 mg</i>	1	
<i>tolmetin oral capsule 400 mg</i>	1	
<i>tolmetin oral tablet 200 mg, 600 mg</i>	1	
Anesthetics		
Local Anesthetics		
<i>glydo mucous membrane jelly in applicator 2 %</i>	1	
<i>lidocaine (pf) injection solution 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine-MPF)	1	PA BvD
<i>lidocaine (pf) injection solution 40 mg/ml (4 %)</i>	1	PA BvD
<i>lidocaine hcl injection solution 10 mg/ml (1 %), 20 mg/ml (2 %), 5 mg/ml (0.5 %)</i> (Xylocaine)	1	PA BvD
<i>lidocaine hcl mucous membrane jelly 2 %</i>	1	
<i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>	1	
<i>lidocaine topical adhesive patch,medicated 5 %</i> (Lidoderm)	1	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	3	PA BvD
<i>lidocaine viscous mucous membrane solution 2 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	3	PA BvD
Anti-Addiction/Substance Abuse Treatment Agents		
Anti-Addiction/Substance Abuse Treatment Agents		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>	1	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg</i>	1	NM; NDS; QL (360 per 30 days)
<i>buprenorphine-naloxone sublingual tablet 8-2 mg</i>	1	NM; NDS; QL (90 per 30 days)
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> (Zyban)	1	QL (60 per 30 days)
CHANTIX CONTINUING MONTH BOX ORAL TABLET 1 MG	3	QL (60 per 30 days)
CHANTIX ORAL TABLET 0.5 MG, 1 MG	3	QL (60 per 30 days)
CHANTIX STARTING MONTH BOX ORAL TABLETS, DOSE PACK 0.5 MG (11)- 1 MG (42)	3	QL (53 per 180 days)
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Antabuse)	1	
<i>naloxone injection solution 0.4 mg/ml</i>	1	
<i>naloxone injection syringe 0.4 mg/ml, 1 mg/ml</i>	1	
<i>naltrexone oral tablet 50 mg</i>	1	
NARCAN NASAL SPRAY, NON-AEROSOL 4 MG/ACTUATION	2	QL (4 per 28 days)
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	3	
SUBOXONE SUBLINGUAL FILM 12-3 MG	2	PA; NM; NDS; QL (60 per 30 days)
SUBOXONE SUBLINGUAL FILM 2-0.5 MG	2	PA; NM; NDS; QL (360 per 30 days)
SUBOXONE SUBLINGUAL FILM 4-1 MG	2	PA; NM; NDS; QL (180 per 30 days)
SUBOXONE SUBLINGUAL FILM 8-2 MG	2	PA; NM; NDS; QL (90 per 30 days)
VIVITROL INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 380 MG	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Antianxiety Agents		
Benzodiazepines		
ALPRAZOLAM INTENSOL ORAL CONCENTRATE 1 MG/ML	2	NM; NDS; QL (300 per 30 days)
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NM; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg</i> (Xanax XR)	1	NM; NDS; QL (30 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 2 mg</i> (Xanax XR)	1	NM; NDS; QL (150 per 30 days)
<i>alprazolam oral tablet extended release 24 hr 3 mg</i> (Xanax XR)	1	NM; NDS; QL (90 per 30 days)
<i>alprazolam oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>alprazolam oral tablet, disintegrating 2 mg</i>	1	NM; NDS; QL (150 per 30 days)
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>	1	
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	NM; NDS; QL (300 per 30 days)
<i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>clonazepam oral tablet, disintegrating 2 mg</i>	1	NM; NDS; QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg</i>	1	NM; NDS; QL (180 per 30 days)
<i>clorazepate dipotassium oral tablet 3.75 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>clorazepate dipotassium oral tablet 7.5 mg</i> (Tranxene T-Tab)	1	NM; NDS; QL (120 per 30 days)
DIASTAT ACUDIAL RECTAL KIT 12.5-15-17.5-20 MG, 5-7.5-10 MG	3	NM; NDS
DIASTAT RECTAL KIT 2.5 MG	3	NM; NDS
<i>diazepam intensol oral concentrate 5 mg/ml</i>	1	NM; NDS; QL (240 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>	1	NM; NDS; QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	NM; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat AcuDial)	1	NM; NDS
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	1	NM; NDS
<i>estazolam oral tablet 1 mg, 2 mg</i>	1	NM; NDS; QL (30 per 30 days)
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	NM; NDS; QL (120 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	1	NM; NDS; QL (90 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i>	1	NM; NDS; QL (120 per 30 days)
<i>lorazepam injection syringe 4 mg/ml</i>	1	NM; NDS; QL (90 per 30 days)
<i>lorazepam oral concentrate 2 mg/ml</i> (Lorazepam Intensol)	1	NM; NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg, 2 mg</i> (Ativan)	1	NM; NDS
<i>meprobamate oral tablet 200 mg, 400 mg</i>	1	PA; NM; NDS; AGE (Max 64 Years)
ONFI ORAL SUSPENSION 2.5 MG/ML	3	PA NSO; NM; NDS
ONFI ORAL TABLET 10 MG, 20 MG	3	PA NSO; NM; NDS
<i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>	1	NM; NDS; QL (120 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg, 7.5 mg</i> (Restoril)	1	NM; NDS; QL (30 per 30 days)
Antibacterials		
Aminoglycosides		
<i>amikacin injection solution 1,000 mg/4 ml, 500 mg/2 ml</i>	1	
BETHKIS INHALATION SOLUTION FOR NEBULIZATION 300 MG/4 ML	3	PA; NM; LA; NDS; QL (224 per 56 days)
<i>gentamicin in nacl (iso-osm) intravenous piggyback 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml</i>	1	
<i>gentamicin injection solution 20 mg/2 ml, 40 mg/ml</i>	1	
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>	1	
<i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml, 80 mg/8 ml</i>	1	
<i>neomycin oral tablet 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>streptomycin intramuscular recon soln 1 gram</i>	1	
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	3	PA; NM; NDS; QL (224 per 56 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	3	PA; NM; NDS; QL (280 per 28 days)
<i>tobramycin in 0.9 % nacl intravenous piggyback 60 mg/50 ml</i>	3	
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>	3	
Antibacterials, Miscellaneous		
<i>baciim intramuscular recon soln 50,000 unit</i>	1	
<i>bacitracin intramuscular recon soln 50,000 unit</i> (BACiiM)	1	
<i>chloramphenicol sod succinate intravenous recon soln 1 gram</i>	3	
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	1	
<i>clindamycin in 5 % dextrose intravenous piggyback 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml</i> (Cleocin in 5 % dextrose)	1	
<i>clindamycin palmitate hcl oral recon soln 75 mg/5 ml</i> (Cleocin Pediatric)	1	
<i>clindamycin phosphate injection solution 150 (mg/ml) (6 ml)</i>	1	
<i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)	1	
<i>clindamycin phosphate intravenous solution 600 mg/4 ml</i> (Cleocin)	1	
<i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral)	1	
<i>daptomycin intravenous recon soln 500 mg</i> (Cubicin)	3	
<i>lincomycin injection solution 300 mg/ml</i> (Lincocin)	3	
<i>linezolid 600 mg/300 ml-0.9% nacl 600 mg/300 ml</i>	3	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)	3	
<i>linezolid oral tablet 600 mg</i> (Zyvox)	1	QL (60 per 30 days)
<i>methenamine hippurate oral tablet 1 gram</i> (Hiprex)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)	1	
<i>metronidazole oral capsule 375 mg</i> (Flagyl)	1	
<i>metronidazole oral tablet 250 mg, 500 mg</i> (Flagyl)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 25 mg, 50 mg</i> (Macrochantin)	1	
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)	1	
<i>polymyxin b sulfate injection recon soln 500,000 unit</i>	1	
SIVEXTRO INTRAVENOUS RECON SOLN 200 MG	3	PA; NM; NDS; QL (6 per 30 days)
SIVEXTRO ORAL TABLET 200 MG	3	PA; NM; NDS; QL (6 per 30 days)
SYNERCID INTRAVENOUS RECON SOLN 500 MG	3	PA; NM; NDS
<i>trimethoprim oral tablet 100 mg</i>	1	
<i>vancomycin in dextrose 5 % intravenous piggyback 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	
<i>vancomycin intravenous recon soln 1,000 mg, 10 gram, 5 gram, 500 mg, 750 mg</i>	1	
<i>vancomycin oral capsule 125 mg, 250 mg</i> (Vancocin)	1	
Cephalosporins		
<i>cefactor oral capsule 250 mg, 500 mg</i>	1	
<i>cefactor oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml</i>	1	
<i>cefactor oral tablet extended release 12 hr 500 mg</i>	1	
<i>cefadroxil oral capsule 500 mg</i>	1	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>	1	
<i>cefadroxil oral tablet 1 gram</i>	1	
<i>cefazolin injection recon soln 1 gram, 10 gram, 500 mg</i>	1	
<i>cefdinir oral capsule 300 mg</i>	1	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefditoren pivoxil oral tablet 200 mg</i>	1	
<i>cefditoren pivoxil oral tablet 400 mg</i> (Spectracef)	1	
<i>cefepime injection recon soln 1 gram, 2 gram</i> (Maxipime)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cefotaxime injection recon soln 1 gram, 500 mg</i>	1	
<i>cefotaxime injection recon soln 10 gram, 2 gram</i> (Claforan)	1	
<i>cefotetan injection recon soln 1 gram, 2 gram</i> (Cefotan)	3	
<i>cefotetan intravenous recon soln 10 gram</i>	3	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>	1	
<i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i>	1	
<i>cefpodoxime oral tablet 100 mg, 200 mg</i>	1	
<i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cefprozil oral tablet 250 mg, 500 mg</i>	1	
<i>ceftazidime injection recon soln 1 gram</i> (Fortaz)	1	
<i>ceftazidime injection recon soln 2 gram, 6 gram</i> (TAZICEF)	1	
<i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>	1	
<i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>	1	
<i>cefuroxime sodium injection recon soln 750 mg</i>	1	
<i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>	1	
<i>cephalexin oral capsule 250 mg, 500 mg, 750 mg</i> (Keflex)	1	
<i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>cephalexin oral tablet 250 mg, 500 mg</i>	1	
SUPRAX ORAL CAPSULE 400 MG	3	
<i>tazicef injection recon soln 1 gram, 6 gram</i>	1	
TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG	3	
ZERBAXA INTRAVENOUS RECON SOLN 1.5 GRAM	3	NM; NDS
Macrolides		
<i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)	1	
<i>azithromycin oral packet 1 gram</i> (Zithromax)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>azithromycin oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i> (Zithromax)	1	
<i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack)</i>	1	
<i>azithromycin oral tablet 250 mg, 500 mg, 600 mg</i> (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>clarithromycin oral tablet 250 mg, 500 mg</i>	1	
<i>clarithromycin oral tablet extended release 24 hr 500 mg</i>	1	
<i>e.e.s. 400 oral tablet 400 mg</i>	1	
<i>ery-tab oral tablet, delayed release (dr/ec) 250 mg, 500 mg</i>	1	
ERY-TAB ORAL TABLET, DELAYED RELEASE (DR/EC) 333 MG	3	
<i>erythrocin (as stearate) oral tablet 250 mg</i>	1	
ERYTHROCIN INTRAVENOUS RECON SOLN 500 MG	2	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)	1	
<i>erythromycin ethylsuccinate oral tablet 400 mg</i> (E.E.S. 400)	1	
<i>erythromycin oral capsule, delayed release (dr/ec) 250 mg</i>	1	
<i>erythromycin oral tablet 250 mg, 500 mg</i>	1	
PCE ORAL TABLET, PARTICLES/CRYSTALS 333 MG, 500 MG	3	
Miscellaneous B-Lactam Antibiotics		
<i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)	3	
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	3	PA; NM; LA; NDS; QL (84 per 28 days)
<i>doripenem intravenous recon soln 250 mg, 500 mg</i>	3	
<i>ertapenem injection recon soln 1 gram</i> (Invanz)	3	
<i>imipenem-cilastatin intravenous recon soln 250 mg</i>	1	
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)	1	
INVANZ INJECTION RECON SOLN 1 GRAM	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>meropenem intravenous recon soln 1 gram, 500 mg</i> (Merrem)	3	
Penicillins		
<i>amoxicillin oral capsule 250 mg, 500 mg</i>	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i>	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600)	1	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg</i>	1	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg</i> (Augmentin)	1	
<i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i> (Augmentin XR)	1	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>	1	
<i>ampicillin oral capsule 250 mg, 500 mg</i>	1	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg</i>	1	
<i>ampicillin sodium intravenous recon soln 2 gram</i>	1	
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	1	
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	3	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i>	1	
<i>nafcillin 2 gm vial sterile, latex-free 2 gram</i>	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nafcillin in dextrose iso-osm intravenous piggyback 2 gram/100 ml</i>	3	
<i>nafcillin injection recon soln 1 gram, 10 gram</i>	3	
<i>nafcillin intravenous recon soln 2 gram</i>	3	
<i>oxacillin 1 gm add-vantage vl add-vantage, inner 1 gram</i>	3	
<i>oxacillin in dextrose(iso-osm) intravenous piggyback 1 gram/50 ml, 2 gram/50 ml</i>	3	
<i>oxacillin injection recon soln 1 gram, 10 gram, 2 gram</i>	3	
<i>penicillin g pot in dextrose intravenous piggyback 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml</i>	1	
<i>penicillin g potassium injection recon soln 20 million unit</i> (Pfizerpen-G)	1	
<i>penicillin g procaine intramuscular syringe 1.2 million unit/2 ml, 600,000 unit/ml</i>	1	
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i>	1	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i>	1	
<i>pfizerpen-g injection recon soln 20 million unit</i>	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram</i> (Zosyn)	3	
Quinolones		
BAXDELA INTRAVENOUS RECON SOLN 300 MG	3	PA; NM; NDS
BAXDELA ORAL TABLET 450 MG	3	PA; NM; NDS; QL (28 per 14 days)
<i>ciprofloxacin (mixture) oral tablet, er multiphase 24 hr 1,000 mg, 500 mg</i> (Cipro XR)	1	QL (30 per 30 days)
<i>ciprofloxacin hcl oral tablet 100 mg, 750 mg</i>	1	
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml</i>	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 400 mg/200 ml</i> (Cipro in D5W)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ciprofloxacin oral suspension, microcapsule recon 250 mg/5 ml, 500 mg/5 ml</i> (Cipro)	1	
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i>	1	
<i>levofloxacin intravenous solution 25 mg/ml</i>	1	
<i>levofloxacin oral solution 250 mg/10 ml</i>	1	
<i>levofloxacin oral tablet 250 mg</i>	1	
<i>levofloxacin oral tablet 500 mg, 750 mg</i> (Levaquin)	1	
<i>moxifloxacin 400 mg/250 ml bag 400 mg/250 ml</i>	3	
<i>moxifloxacin in nacl (iso-osm) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic))	3	
<i>moxifloxacin oral tablet 400 mg</i> (Avelox)	1	
<i>ofloxacin oral tablet 300 mg, 400 mg</i>	1	
Sulfonamides		
<i>sulfadiazine oral tablet 500 mg</i>	1	
<i>sulfamethoxazole-trimethoprim intravenous solution 400-80 mg/5 ml</i>	1	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)	1	
<i>sulfatrim oral suspension 200-40 mg/5 ml</i>	1	
Tetracyclines		
<i>demeclocycline oral tablet 150 mg, 300 mg</i>	1	
<i>doxy-100 intravenous recon soln 100 mg</i>	1	
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)	1	
<i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> (Morgidox)	1	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>	1	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 75 mg</i>	3	
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 150 mg</i> (Soloxide)	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg, 50 mg</i> (Doryx)	3	
<i>doxycycline monohydrate oral capsule 100 mg, 50 mg, 75 mg</i> (Mondoxyne NL)	1	
<i>doxycycline monohydrate oral capsule 150 mg</i>	1	
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Vibramycin)	1	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	1	
<i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>	1	
<i>minocycline oral capsule 100 mg, 50 mg</i> (Minocin)	1	
<i>minocycline oral capsule 75 mg</i>	1	
<i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>	1	
<i>minocycline oral tablet extended release 24 hr 135 mg</i> (CoreMino)	1	
<i>minocycline oral tablet extended release 24 hr 45 mg, 90 mg</i> (CoreMino)	1	QL (30 per 30 days)
<i>okebo oral capsule 100 mg, 75 mg</i>	1	
<i>tetracycline oral capsule 250 mg, 500 mg</i>	1	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	3	
Anticancer Agents		
Anticancer Agents		
ABRAXANE INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	3	PA NSO; NM; NDS
<i>adrucil intravenous solution 2.5 gram/50 ml, 500 mg/10 ml</i>	1	PA BvD
AFINITOR DISPERZ ORAL TABLET FOR SUSPENSION 2 MG, 3 MG, 5 MG	3	PA NSO; NM; NDS; QL (112 per 28 days)
AFINITOR ORAL TABLET 10 MG, 2.5 MG, 5 MG, 7.5 MG	3	PA NSO; NM; NDS; QL (28 per 28 days)
ALECENSA ORAL CAPSULE 150 MG	3	PA NSO; NM; LA; NDS; QL (240 per 30 days)
ALIMTA INTRAVENOUS RECON SOLN 100 MG, 500 MG	3	NM; NDS
ALIQOPA INTRAVENOUS RECON SOLN 60 MG	3	PA NSO; NM; NDS; QL (3 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ALUNBRIG ORAL TABLET 180 MG, 90 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)- 180 MG (23)	3	PA NSO; NM; LA; NDS; QL (30 per 180 days)
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ARRANON INTRAVENOUS SOLUTION 250 MG/50 ML	3	PA NSO; NM; NDS
ARZERRA INTRAVENOUS SOLUTION 1,000 MG/50 ML, 100 MG/5 ML	3	PA NSO; NM; NDS
AVASTIN INTRAVENOUS SOLUTION 25 MG/ML	3	NM; LA; NDS
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	3	NM; NDS
BAVENCIO INTRAVENOUS SOLUTION 20 MG/ML	3	PA NSO; NM; NDS
BELEODAQ INTRAVENOUS RECON SOLN 500 MG	3	PA NSO; NM; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML	3	NM; NDS
BESPOLSA INTRAVENOUS RECON SOLN 0.9 MG (0.25 MG/ML INITIAL)	3	PA NSO; NM; NDS
<i>bexarotene oral capsule 75 mg</i> (Targretin)	3	NM; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	1	
BICNU INTRAVENOUS RECON SOLN 100 MG	3	
<i>bleomycin injection recon soln 15 unit, 30 unit</i>	1	PA BvD
BLINCYTO INTRAVENOUS KIT 35 MCG	3	PA NSO; NM; NDS
BORTEZOMIB INTRAVENOUS RECON SOLN 3.5 MG	3	PA NSO; NM; NDS
BOSULIF ORAL TABLET 100 MG	3	PA NSO; NM; NDS; QL (90 per 30 days)
BOSULIF ORAL TABLET 400 MG, 500 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
<i>busulfan intravenous solution 60 mg/10 ml</i> (Busulfex)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CABOMETYX ORAL TABLET 20 MG, 60 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
CALQUENCE ORAL CAPSULE 100 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)
CAPRELSA ORAL TABLET 100 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>carboplatin intravenous solution 10 mg/ml</i>	1	
<i>cisplatin intravenous solution 1 mg/ml</i>	1	
<i>cladribine intravenous solution 10 mg/10 ml</i>	1	PA BvD
<i>clofarabine intravenous solution 20 mg/20 (Clolar) ml</i>	3	PA NSO; NM; NDS
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1)	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
COMETRIQ ORAL CAPSULE 60 MG/DAY (20 MG X 3/DAY)	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
COTELLIC ORAL TABLET 20 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>	1	
CYCLOPHOSPHAMIDE ORAL CAPSULE 25 MG, 50 MG	3	PA BvD
CYRAMZA INTRAVENOUS SOLUTION 10 MG/ML	3	PA NSO; NM; NDS
<i>cytarabine (pf) injection solution 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml)</i>	1	PA BvD
<i>cytarabine injection solution 20 mg/ml</i>	1	PA BvD
<i>dacarbazine intravenous recon soln 100 mg, 200 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dactinomycin intravenous recon soln 0.5 mg</i> (Cosmegen)	1	
DARZALEX 100 MG/5 ML VIAL 20 MG/ML	3	PA NSO; NM; LA; NDS
DARZALEX INTRAVENOUS SOLUTION 20 MG/ML	3	PA NSO; NM; NDS
<i>daunorubicin intravenous recon soln 20 mg</i>	1	
<i>daunorubicin intravenous solution 5 mg/ml</i>	1	
<i>decitabine intravenous recon soln 50 mg</i> (Dacogen)	3	PA NSO; NM; NDS
DOCEFREZ INTRAVENOUS RECON SOLN 20 MG, 80 MG	3	NM; NDS
<i>docetaxel 80 mg/4 ml vial sub 80 mg/4 ml (20 mg/ml)</i> (Taxotere)	1	
<i>docetaxel intravenous solution 160 mg/8 ml (20 mg/ml), 20 mg/2 ml (10 mg/ml)</i>	1	
<i>docetaxel intravenous solution 20 mg/ml (1 ml)</i> (Taxotere)	1	
<i>docetaxel intravenous solution 20 mg/ml, 80 mg/8 ml (10 mg/ml)</i>	3	NM; NDS
<i>docetaxel intravenous solution 80 mg/4 ml (20 mg/ml)</i> (Taxotere)	3	NM; NDS
<i>doxorubicin intravenous recon soln 10 mg, 50 mg</i> (Adriamycin)	1	PA BvD
<i>doxorubicin intravenous solution 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml</i> (Adriamycin)	1	PA BvD
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	1	PA BvD
DROXIA ORAL CAPSULE 200 MG, 300 MG, 400 MG	3	
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	3	
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	3	
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	3	
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	3	
EMCYT ORAL CAPSULE 140 MG	2	
EMPLICITI INTRAVENOUS RECON SOLN 300 MG, 400 MG	3	PA NSO; NM; NDS
<i>epirubicin intravenous recon soln 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>epirubicin intravenous solution 200 mg/100 ml, 50 mg/25 ml</i> (Ellence)	1	
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	3	NM; NDS
ERIVEDGE ORAL CAPSULE 150 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)
ERWINAZE INJECTION RECON SOLN 10,000 UNIT	3	PA NSO; NM; NDS
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	3	
<i>etoposide intravenous solution 20 mg/ml</i> (Toposar)	1	
<i>exemestane oral tablet 25 mg</i> (Aromasin)	1	
FARESTON ORAL TABLET 60 MG	3	
FARYDAK ORAL CAPSULE 10 MG, 15 MG, 20 MG	3	PA NSO; NM; LA; NDS; QL (6 per 21 days)
FASLODEX INTRAMUSCULAR SYRINGE 250 MG/5 ML	3	NM; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG, 80 MG	3	
<i>floxuridine injection recon soln 0.5 gram</i>	1	PA BvD
<i>fludarabine intravenous recon soln 50 mg</i>	1	
<i>fludarabine intravenous solution 50 mg/2 ml</i>	1	
<i>fluorouracil intravenous solution 1 gram/20 ml</i>	1	PA BvD
<i>fluorouracil intravenous solution 5 gram/100 ml, 500 mg/10 ml</i> (Adrucil)	1	PA BvD
<i>flutamide oral capsule 125 mg</i>	1	
FOLOTYN INTRAVENOUS SOLUTION 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML)	3	NM; NDS
GAZYVA INTRAVENOUS SOLUTION 1,000 MG/40 ML	3	PA NSO; NM; LA; NDS
<i>gemcitabine intravenous recon soln 1 gram, 200 mg</i> (Gemzar)	3	NM; NDS
<i>gemcitabine intravenous recon soln 2 gram</i>	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 100 mg/ml, 2 gram/52.6 ml (38 mg/ml), 200 mg/5.26 ml (38 mg/ml)</i>	3	NM; NDS
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
GLEEVEC ORAL TABLET 100 MG	3	NM; NDS; QL (90 per 30 days)
GLEEVEC ORAL TABLET 400 MG	3	NM; NDS; QL (60 per 30 days)
GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG, 5 MG	3	
HALAVEN INTRAVENOUS SOLUTION 1 MG/2 ML (0.5 MG/ML)	3	PA NSO; NM; NDS
HERCEPTIN INTRAVENOUS RECON SOLN 150 MG, 440 MG	3	PA BvD; NM; NDS
HEXALEN ORAL CAPSULE 50 MG	3	NM; NDS
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	1	
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	3	PA NSO; NM; LA; NDS; QL (21 per 28 days)
ICLUSIG ORAL TABLET 15 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
ICLUSIG ORAL TABLET 45 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>idarubicin intravenous solution 1 mg/ml</i> (Idamycin PFS)	1	
IDHIFA ORAL TABLET 100 MG, 50 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram, 3 gram</i> (Ifex)	1	PA BvD
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i>	1	PA BvD
<i>ifosfamide-mesna intravenous kit 1-1 gram, 3,000-1,000 mg</i>	1	PA BvD
<i>imatinib oral tablet 100 mg</i> (Gleevec)	1	NM; NDS; QL (90 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	1	NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IMBRUVICA ORAL CAPSULE 70 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG, 560 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
IMFINZI INTRAVENOUS SOLUTION 50 MG/ML	3	PA NSO; NM; NDS
IMLYGIC INJECTION SUSPENSION 10EXP6 (1 MILLION) PFU/ML	3	PA NSO; NM; NDS; QL (4 per 180 days)
IMLYGIC INJECTION SUSPENSION 10EXP8 (100 MILLION) PFU/ML	3	PA NSO; NM; NDS; QL (8 per 28 days)
INLYTA ORAL TABLET 1 MG	3	PA NSO; NM; LA; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
IRESSA ORAL TABLET 250 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>irinotecan intravenous solution 100 mg/5 ml, 40 mg/2 ml</i> (Camptosar)	1	
<i>irinotecan intravenous solution 500 mg/25 ml</i>	1	
IXEMPRA INTRAVENOUS RECON SOLN 15 MG, 45 MG	3	PA NSO; NM; NDS
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
JEVTANA INTRAVENOUS SOLUTION 10 MG/ML (FIRST DILUTION)	3	PA NSO; NM; NDS
KADCYLA INTRAVENOUS RECON SOLN 100 MG, 160 MG	3	PA NSO; NM; LA; NDS
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	3	PA NSO; NM; NDS
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG, 400 MG/DAY(200 MG X 2)-2.5 MG, 600 MG/DAY(200 MG X 3)-2.5 MG	3	PA NSO; NM; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)	3	PA NSO; NM; NDS; QL (63 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KYPROLIS INTRAVENOUS RECON SOLN 30 MG, 60 MG	3	PA NSO; NM; NDS
LARTRUVO INTRAVENOUS SOLUTION 10 MG/ML	3	PA NSO; NM; NDS
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1/DAY), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 8 MG/DAY (4 MG X 2)	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
<i>letrozole oral tablet 2.5 mg</i> (Femara)	1	
LEUKERAN ORAL TABLET 2 MG	2	
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>	1	
LONSURF ORAL TABLET 15-6.14 MG	3	PA NSO; NM; LA; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	3	PA NSO; NM; LA; NDS; QL (80 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 22.5 MG	3	NM; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	3	NM; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	3	NM; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG, 7.5 MG	3	NM; NDS
LYNPARZA ORAL CAPSULE 50 MG	3	PA NSO; NM; LA; NDS; QL (448 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	2	
MARQIBO INTRAVENOUS KIT 5 MG/31 ML(0.16 MG/ML) FINAL	3	PA NSO; NM; NDS
MATULANE ORAL CAPSULE 50 MG	3	NM; LA; NDS
<i>megestrol oral tablet 20 mg, 40 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MEKINIST ORAL TABLET 0.5 MG, 2 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
<i>melphalan hcl intravenous recon soln 50 mg</i> (Alkeran)	1	
<i>mercaptopurine oral tablet 50 mg</i>	1	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i>	1	PA BvD
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium injection solution 25 mg/ml</i>	1	
<i>methotrexate sodium oral tablet 2.5 mg</i>	1	
<i>mitomycin intravenous recon soln 20 mg, 40 mg, 5 mg</i> (Mutamycin)	1	PA BvD
<i>mitoxantrone intravenous concentrate 2 mg/ml</i>	1	
MUSTARGEN INJECTION RECON SOLN 10 MG	3	
MYLOTARG INTRAVENOUS RECON SOLN 4.5 MG (1 MG/ML INITIAL CONC)	3	PA NSO; NM; NDS
NERLYNX ORAL TABLET 40 MG	3	PA NSO; NM; LA; NDS; QL (180 per 30 days)
NEXAVAR ORAL TABLET 200 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	1	QL (60 per 30 days)
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	3	PA NSO; NM; NDS; QL (3 per 28 days)
NIPENT INTRAVENOUS RECON SOLN 10 MG	3	
ODOMZO ORAL CAPSULE 200 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
ONCASPAR INJECTION SOLUTION 750 UNIT/ML	3	NM; NDS
ONIVYDE INTRAVENOUS DISPERSION 4.3 MG/ML	3	PA NSO; NM; NDS
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 240 MG/24 ML, 40 MG/4 ML	3	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>	1	
<i>oxaliplatin intravenous solution 100 mg/20 ml, 50 mg/10 ml (5 mg/ml)</i>	1	
<i>paclitaxel intravenous concentrate 6 mg/ml</i>	1	
PERJETA INTRAVENOUS SOLUTION 420 MG/14 ML (30 MG/ML)	3	NM; NDS
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG	3	PA NSO; NM; LA; NDS; QL (21 per 28 days)
PORTRAZZA INTRAVENOUS SOLUTION 800 MG/50 ML (16 MG/ML)	3	PA NSO; NM; LA; NDS; QL (100 per 21 days)
PROLEUKIN INTRAVENOUS RECON SOLN 22 MILLION UNIT	3	NM; NDS
PURIXAN ORAL SUSPENSION 20 MG/ML	3	
REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML)	3	PA NSO; NM; NDS; QL (46.8 per 28 days)
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1600 MG/13.4 ML (120 MG/ML)	3	PA NSO; NM; NDS; QL (13.4 per 28 days)
RITUXAN INTRAVENOUS CONCENTRATE 10 MG/ML	3	PA NSO; NM; LA; NDS
<i>romidepsin intravenous recon soln 10 mg/2 ml</i> (Istodax)	3	PA NSO; NM; NDS
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
RYDAPT ORAL CAPSULE 25 MG	3	PA NSO; NM; NDS; QL (224 per 28 days)
SOLTAMOX ORAL SOLUTION 10 MG/5 ML	3	
SPRYCEL ORAL TABLET 100 MG, 140 MG, 50 MG, 70 MG, 80 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
SPRYCEL ORAL TABLET 20 MG	3	PA NSO; NM; NDS; QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STIVARGA ORAL TABLET 40 MG	3	PA NSO; NM; LA; NDS; QL (84 per 28 days)
SUTENT ORAL CAPSULE 12.5 MG, 25 MG, 37.5 MG, 50 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
SYLVANT INTRAVENOUS RECON SOLN 100 MG, 400 MG	3	PA NSO; NM; NDS
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	3	PA NSO; NM; NDS
TABLOID ORAL TABLET 40 MG	2	
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
TAGRISSE ORAL TABLET 40 MG, 80 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i>	1	
TARCEVA ORAL TABLET 100 MG, 150 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
TARCEVA ORAL TABLET 25 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
TARGRETIN TOPICAL GEL 1 %	3	NM; NDS
TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)
TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML)	3	PA NSO; NM; NDS
TEMODAR INTRAVENOUS RECON SOLN 100 MG	3	
<i>thiotepa injection recon soln 15 mg</i> (Tepadina)	1	
<i>toposar intravenous solution 20 mg/ml</i>	1	
<i>topotecan intravenous recon soln 4 mg</i> (Hycamtin)	1	
<i>topotecan intravenous solution 4 mg/4 ml (1 mg/ml)</i>	1	
TORISEL INTRAVENOUS RECON SOLN 30 MG/3 ML (10 MG/ML) (FIRST)	3	PA NSO; NM; NDS
TREANDA INTRAVENOUS RECON SOLN 100 MG, 25 MG	3	NM; NDS
TRELSTAR 3.75 MG VIAL INNER, SDV 3.75 MG	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TRELSTAR INTRAMUSCULAR SYRINGE 11.25 MG/2 ML, 22.5 MG/2 ML, 3.75 MG/2 ML	3	NM; NDS
<i>tretinoin (chemotherapy) oral capsule 10 mg</i>	3	NM; NDS
TRISENOX INTRAVENOUS SOLUTION 2 MG/ML	3	PA NSO; NM; NDS
TYKERB ORAL TABLET 250 MG	3	PA NSO; NM; LA; NDS; QL (180 per 30 days)
UNITUXIN INTRAVENOUS SOLUTION 3.5 MG/ML	3	PA NSO; NM; NDS; QL (40 per 30 days)
VALSTAR INTRAVESICAL SOLUTION 40 MG/ML	3	
VECTIBIX INTRAVENOUS SOLUTION 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML)	3	PA NSO; NM; NDS
VELCADE INJECTION RECON SOLN 3.5 MG	3	PA NSO; NM; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	3	PA NSO; LA; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG-100 MG	3	PA NSO; NM; LA; NDS; QL (42 per 180 days)
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	PA NSO; NM; LA; NDS; QL (56 per 28 days)
<i>vinblastine intravenous solution 1 mg/ml</i>	1	PA BvD
<i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i>	1	PA BvD
<i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS)	1	PA BvD
<i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i> (Navelbine)	1	
VOTRIENT ORAL TABLET 200 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VYXEOS INTRAVENOUS RECON SOLN 44-100 MG	3	PA NSO; NM; NDS
XALKORI ORAL CAPSULE 200 MG, 250 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	3	PA NSO
XTANDI ORAL CAPSULE 40 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	3	PA NSO; NM; LA; NDS
YONDELIS INTRAVENOUS RECON SOLN 1 MG	3	PA NSO; NM; NDS
YONSA ORAL TABLET 125 MG	3	PA NSO; NM; NDS; QL (120 per 30 days)
ZALTRAP INTRAVENOUS SOLUTION 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML)	3	PA NSO; NM; LA; NDS
ZANOSAR INTRAVENOUS RECON SOLN 1 GRAM	3	
ZEJULA ORAL CAPSULE 100 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZELBORAF ORAL TABLET 240 MG	3	PA NSO; NM; LA; NDS; QL (240 per 30 days)
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	3	
ZOLINZA ORAL CAPSULE 100 MG	3	NM; NDS; QL (120 per 30 days)
ZYDELIG ORAL TABLET 100 MG, 150 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
ZYKADIA ORAL CAPSULE 150 MG	3	PA NSO; NM; LA; NDS; QL (90 per 30 days)
ZYTIGA ORAL TABLET 250 MG	3	PA NSO; NM; LA; NDS; QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZYTIGA ORAL TABLET 500 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
Anticholinergic Agents		
Antimuscarinics/Antispasmodics		
<i>atropine injection syringe 0.05 mg/ml, 0.1 mg/ml</i>	1	
<i>propantheline oral tablet 15 mg</i>	1	
Anticonvulsants		
Anticonvulsants		
APTIOM ORAL TABLET 200 MG, 400 MG	3	PA NSO; QL (30 per 30 days)
APTIOM ORAL TABLET 600 MG, 800 MG	3	PA NSO; QL (60 per 30 days)
BANZEL ORAL SUSPENSION 40 MG/ML	3	PA NSO
BANZEL ORAL TABLET 200 MG, 400 MG	3	PA NSO
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	3	PA NSO; NM; NDS
BRIVIACT ORAL SOLUTION 10 MG/ML	3	PA NSO; NM; NDS; QL (600 per 30 days)
BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG	3	PA NSO; NM; NDS; QL (60 per 30 days)
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)	1	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	1	
<i>carbamazepine oral tablet 200 mg</i> (Epilex)	1	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	1	
<i>carbamazepine oral tablet, chewable 100 mg</i>	1	
CELONTIN ORAL CAPSULE 300 MG	3	
DILANTIN EXTENDED ORAL CAPSULE 100 MG	3	
DILANTIN INFATABS ORAL TABLET, CHEWABLE 50 MG	2	
DILANTIN ORAL CAPSULE 30 MG	3	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	1	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	1	
<i>epitol oral tablet 200 mg</i>	1	
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	1	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	1	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	1	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	1	
<i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	1	
FYCOMPA ORAL SUSPENSION 0.5 MG/ML	3	PA NSO; NM; NDS; QL (720 per 30 days)
FYCOMPA ORAL TABLET 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
<i>gabapentin oral capsule 100 mg, 300 mg, 400 mg</i> (Neurontin)	1	
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	1	
<i>gabapentin oral tablet 600 mg, 800 mg</i> (Neurontin)	1	
GABITRIL ORAL TABLET 12 MG, 16 MG	3	
LAMICTAL XR STARTER (BLUE) ORAL TABLET EXTENDED REL, DOSE PACK 25 MG (21) -50 MG (7)	3	
LAMICTAL XR STARTER (GREEN) ORAL TABLET EXTENDED REL, DOSE PACK 50 MG(14)-100MG (14)-200 MG (7)	3	
LAMICTAL XR STARTER (ORANGE) ORAL TABLET EXTENDED REL, DOSE PACK 25MG (14)-50 MG (14)-100MG (7)	3	
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) -50 mg (7)</i> (Lamictal ODT Starter (Blue))	1	
<i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange))	1	
<i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) -100 mg (14)</i> (Lamictal ODT Starter (Green))	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	1	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)	1	
<i>lamotrigine oral tablets, dose pack 25 mg (35)</i> (Lamictal Starter (Blue) Kit)	1	
<i>lamotrigine oral tablets, dose pack 25 mg (42) -100 mg (7)</i> (Lamictal Starter (Orange) Kit)	1	
<i>lamotrigine oral tablets, dose pack 25 mg (84) -100 mg (14)</i> (Lamictal Starter (Green) Kit)	1	
<i>levetiracetam in nacl (iso-os) intravenous piggyback 1,000 mg/100 ml, 1,500 mg/100 ml, 500 mg/100 ml</i>	1	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	1	
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	1	
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	1	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	1	
LYRICA ORAL CAPSULE 100 MG, 150 MG, 200 MG, 225 MG, 25 MG, 300 MG, 50 MG, 75 MG	2	NM; NDS
LYRICA ORAL SOLUTION 20 MG/ML	2	NM; NDS
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	1	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	1	
OXTELLAR XR ORAL TABLET EXTENDED RELEASE 24 HR 150 MG, 300 MG, 600 MG	3	
PEGANONE ORAL TABLET 250 MG	2	
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>	1	NM; NDS
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i>	1	NM; NDS
PHENYTEK ORAL CAPSULE 200 MG, 300 MG	3	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)	1	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)	1	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)	1	
<i>phenytoin sodium intravenous solution 50 mg/ml</i>	1	
<i>phenytoin sodium intravenous syringe 50 mg/ml</i>	1	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	1	
SABRIL ORAL TABLET 500 MG	3	PA NSO; NM; LA; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 250 MG, 500 MG, 750 MG	3	ST
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i>	1	
<i>subvenite starter (blue) kit oral tablets, dose pack 25 mg (35)</i>	1	
<i>subvenite starter (green) kit oral tablets, dose pack 25 mg (84) -100 mg (14)</i>	1	
<i>subvenite starter (orange) kit oral tablets, dose pack 25 mg (42) -100 mg (7)</i>	1	
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Gabitril)	1	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	1	
<i>topiramate oral capsule, sprinkle, er 24hr 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> (Qudexy XR)	1	PA NSO
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
TROKENDI XR ORAL CAPSULE, EXTENDED RELEASE 24HR 100 MG, 200 MG, 25 MG, 50 MG	3	PA NSO
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> (Depacon)	1	
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> (Depakene)	1	
<i>valproic acid oral capsule 250 mg</i> (Depakene)	1	
<i>vigabatrin oral powder in packet 500 mg</i> (Sabril)	3	PA NSO; NM; NDS
<i>vigadrone oral powder in packet 500 mg</i>	3	PA NSO; NM; NDS
VIMPAT INTRAVENOUS SOLUTION 200 MG/20 ML	3	PA NSO; NM; NDS
VIMPAT ORAL SOLUTION 10 MG/ML	3	PA NSO; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIMPAT ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	3	PA NSO; NM; NDS
zonisamide oral capsule 100 mg, 25 mg (Zonegran)	1	
zonisamide oral capsule 50 mg	1	
Antidementia Agents		
Antidementia Agents		
donepezil oral tablet 10 mg, 23 mg, 5 mg (Aricept)	1	QL (30 per 30 days)
donepezil oral tablet, disintegrating 10 mg, 5 mg	1	QL (30 per 30 days)
galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg (Razadyne ER)	1	QL (30 per 30 days)
galantamine oral solution 4 mg/ml	1	
galantamine oral tablet 12 mg, 4 mg, 8 mg (Razadyne)	1	
memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg, 7 mg (Namenda XR)	1	QL (30 per 30 days)
memantine oral solution 2 mg/ml	1	
memantine oral tablet 10 mg, 5 mg (Namenda)	1	
memantine oral tablets, dose pack 5-10 mg (Namenda Titration Pak)	1	
rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg	1	
rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hr, 9.5 mg/24 hr (Exelon)	1	QL (30 per 30 days)
Antidepressants		
Antidepressants		
amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg	1	PA NSO; AGE (Max 64 Years)
amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg	1	NM; NDS
amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg	1	
APLENZIN ORAL TABLET EXTENDED RELEASE 24 HR 174 MG, 348 MG, 522 MG	3	QL (30 per 30 days)
bupropion hcl oral tablet 100 mg, 75 mg	1	QL (180 per 30 days)
bupropion hcl oral tablet extended release 12 hr 100 mg, 150 mg, 200 mg (Wellbutrin SR)	1	QL (60 per 30 days)
bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg (Wellbutrin XL)	1	QL (30 per 30 days)
citalopram oral solution 10 mg/5 ml	1	QL (600 per 30 days)
citalopram oral tablet 10 mg, 20 mg (Celexa)	1	QL (45 per 30 days)
citalopram oral tablet 40 mg (Celexa)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	3	PA NSO; AGE (Max 64 Years)
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	1	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>	1	
DESVENLAFAXINE FUMARATE ORAL TABLET EXTENDED RELEASE 24HR 100 MG, 50 MG	1	ST; QL (30 per 30 days)
DESVENLAFAXINE ORAL TABLET EXTENDED RELEASE 24 HR 100 MG, 50 MG	1	ST; QL (30 per 30 days)
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	1	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>	1	
<i>doxepin oral concentrate 10 mg/ml</i>	1	
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i> (Cymbalta)	1	QL (60 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 40 mg</i>	1	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	3	NM; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i>	1	QL (600 per 30 days)
<i>escitalopram oxalate oral tablet 10 mg, 5 mg</i> (Lexapro)	1	QL (45 per 30 days)
<i>escitalopram oxalate oral tablet 20 mg</i> (Lexapro)	1	QL (30 per 30 days)
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	3	PA NSO; QL (28 per 180 days)
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	3	PA NSO; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg</i> (Prozac)	1	QL (90 per 30 days)
<i>fluoxetine oral capsule 20 mg</i> (Prozac)	1	QL (120 per 30 days)
<i>fluoxetine oral capsule 40 mg</i> (Prozac)	1	QL (60 per 30 days)
<i>fluoxetine oral capsule, delayed release(dr/ec) 90 mg</i>	1	QL (4 per 28 days)
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>	1	QL (600 per 30 days)
<i>fluoxetine oral tablet 10 mg</i> (Sarafem)	1	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluoxetine oral tablet 20 mg</i> (Sarafem)	1	QL (120 per 30 days)
FLUOXETINE ORAL TABLET 60 MG	3	QL (30 per 30 days)
<i>fluvoxamine oral capsule, extended release 24hr 100 mg, 150 mg</i>	1	QL (60 per 30 days)
<i>fluvoxamine oral tablet 100 mg</i>	1	QL (90 per 30 days)
<i>fluvoxamine oral tablet 25 mg</i>	1	QL (30 per 30 days)
<i>fluvoxamine oral tablet 50 mg</i>	1	QL (45 per 30 days)
FORFIVO XL ORAL TABLET EXTENDED RELEASE 24 HR 450 MG	3	QL (30 per 30 days)
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Tofranil)	1	PA NSO; AGE (Max 64 Years)
<i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>	1	PA NSO; AGE (Max 64 Years)
<i>maprotiline oral tablet 25 mg, 50 mg, 75 mg</i>	1	
MARPLAN ORAL TABLET 10 MG	2	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	1	QL (30 per 30 days)
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i>	1	QL (30 per 30 days)
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab)	1	QL (30 per 30 days)
<i>nefazodone oral tablet 100 mg, 150 mg, 250 mg, 50 mg</i>	1	QL (60 per 30 days)
<i>nefazodone oral tablet 200 mg</i>	1	QL (90 per 30 days)
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i>	1	
<i>olanzapine-fluoxetine oral capsule 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg</i> (Symbyax)	3	QL (30 per 30 days)
<i>paroxetine hcl oral tablet 10 mg, 40 mg</i> (Paxil)	1	QL (45 per 30 days)
<i>paroxetine hcl oral tablet 20 mg</i> (Paxil)	1	QL (30 per 30 days)
<i>paroxetine hcl oral tablet 30 mg</i> (Paxil)	1	QL (60 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg</i> (Paxil CR)	1	QL (30 per 30 days)
<i>paroxetine hcl oral tablet extended release 24 hr 25 mg, 37.5 mg</i> (Paxil CR)	1	QL (60 per 30 days)
PAXIL ORAL SUSPENSION 10 MG/5 ML	3	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>	3	
PEXEVA ORAL TABLET 10 MG, 40 MG	3	QL (45 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEXEVA ORAL TABLET 20 MG	3	QL (30 per 30 days)
PEXEVA ORAL TABLET 30 MG	3	QL (60 per 30 days)
<i>phenelzine oral tablet 15 mg</i> (Nardil)	1	
<i>protriptyline oral tablet 10 mg, 5 mg</i>	1	
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	1	QL (300 per 30 days)
<i>sertraline oral tablet 100 mg</i> (Zoloft)	1	QL (60 per 30 days)
<i>sertraline oral tablet 25 mg, 50 mg</i> (Zoloft)	1	QL (45 per 30 days)
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	1	
<i>trazodone oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> (Surmontil)	1	PA NSO; AGE (Max 64 Years)
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	PA NSO; QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 150 mg, 37.5 mg</i> (Effexor XR)	1	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 75 mg</i> (Effexor XR)	1	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>	1	QL (90 per 30 days)
<i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg, 75 mg</i>	1	QL (30 per 30 days)
VIIIBRYD ORAL TABLET 10 MG, 20 MG, 40 MG	3	PA NSO; QL (30 per 30 days)
VIIIBRYD ORAL TABLETS, DOSE PACK 10 MG (7)- 20 MG (23)	3	PA NSO; QL (30 per 180 days)
Antidiabetic Agents		
Antidiabetic Agents, Miscellaneous		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	1	QL (90 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 15-1,000 MG	2	QL (60 per 30 days)
ACTOPLUS MET XR ORAL TABLET, ER MULTIPHASE 24 HR 30-1,000 MG	2	QL (30 per 30 days)
BYDUREON BCISE SUBCUTANEOUS AUTO-INJECTOR 2 MG/0.85 ML	3	ST; QL (3.4 per 28 days)
BYDUREON SUBCUTANEOUS PEN INJECTOR 2 MG/0.65 ML	3	ST; QL (4 per 28 days)
BYDUREON SUBCUTANEOUS SUSPENSION, EXTENDED REL RECON 2 MG	3	ST; QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BYETTA SUBCUTANEOUS PEN INJECTOR 10 MCG/DOSE(250 MCG/ML) 2.4 ML	3	ST; QL (2.4 per 30 days)
BYETTA SUBCUTANEOUS PEN INJECTOR 5 MCG/DOSE (250 MCG/ML) 1.2 ML	3	ST; QL (1.2 per 30 days)
CYCLOSET ORAL TABLET 0.8 MG	3	PA; QL (180 per 30 days)
GLUCAGEN HYPOKIT INJECTION RECON SOLN 1 MG	2	
GLUCAGON EMERGENCY KIT (HUMAN) INJECTION KIT 1 MG	2	
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	2	ST; QL (30 per 30 days)
INVOKAMET ORAL TABLET 150-1,000 MG, 150-500 MG, 50-1,000 MG, 50-500 MG	2	ST; QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 150-1,000 MG, 150-500 MG, 50-1,000 MG	2	ST; QL (60 per 30 days)
INVOKAMET XR ORAL TABLET, IR - ER, BIPHASIC 24HR 50-500 MG	2	ST; QL (120 per 30 days)
INVOKANA ORAL TABLET 100 MG, 300 MG	2	ST; QL (30 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	2	ST; QL (30 per 30 days)
JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	2	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	2	ST; QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	2	ST; QL (30 per 30 days)
KORLYM ORAL TABLET 300 MG	3	PA; NM; LA; NDS; QL (120 per 30 days)
<i>metformin oral tablet 1,000 mg</i> (Glucophage)	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Glucophage)	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Glucophage)	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Glucophage XR)	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Glucophage XR)	1	QL (60 per 30 days)
<i>migliitol oral tablet 100 mg, 25 mg, 50 mg</i> (Glyset)	1	QL (90 per 30 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i> (Starlix)	1	QL (90 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG(2 MG/1.5 ML)	2	ST; QL (1.68 per 28 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 1 MG/0.75 ML (2 MG/1.5 ML)	2	ST; QL (3.08 per 28 days)
<i>pioglitazone oral tablet 15 mg</i> (Actos)	1	QL (90 per 30 days)
<i>pioglitazone oral tablet 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)
<i>pioglitazone-metformin oral tablet 15-500 mg, 15-850 mg</i> (Actoplus MET)	1	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg</i>	1	QL (120 per 30 days)
<i>repaglinide oral tablet 1 mg</i> (Prandin)	1	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Prandin)	1	QL (240 per 30 days)
SYMLINPEN 120 SUBCUTANEOUS PEN INJECTOR 2,700 MCG/2.7 ML	2	PA; QL (10.8 per 28 days)
SYMLINPEN 60 SUBCUTANEOUS PEN INJECTOR 1,500 MCG/1.5 ML	2	PA; QL (6 per 28 days)
SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	2	ST; QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	2	ST; QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG	2	ST; QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 MG	2	ST; QL (30 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML	3	ST; QL (2 per 28 days)
VICTOZA SUBCUTANEOUS PEN INJECTOR 0.6 MG/0.1 ML (18 MG/3 ML)	2	ST; QL (9 per 30 days)
Insulins		
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	
LEVEMIR FLEXTOUCH U-100 INSULN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LEVEMIR U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	2	
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	2	
NOVOLIN R REGULAR U-100 INSULIN INJECTION SOLUTION 100 UNIT/ML	2	
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML	2	
NOVOLOG MIX 70-30 U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	2	
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	2	
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	2	
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	2	
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	2	
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	2	
TRESIBA FLEXTOUCH U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	2	
TRESIBA FLEXTOUCH U-200 SUBCUTANEOUS INSULIN PEN 200 UNIT/ML (3 ML)	2	
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)	2	ST; QL (15 per 30 days)
Sulfonylureas		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>chlorpropamide oral tablet 100 mg</i>	1	PA; QL (225 per 30 days); AGE (Max 64 Years)
<i>chlorpropamide oral tablet 250 mg</i>	1	PA; QL (90 per 30 days); AGE (Max 64 Years)
<i>glimepiride oral tablet 1 mg</i> (Amaryl)	1	QL (240 per 30 days)
<i>glimepiride oral tablet 2 mg</i> (Amaryl)	1	QL (120 per 30 days)
<i>glimepiride oral tablet 4 mg</i> (Amaryl)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i> (Glucotrol)	1	QL (120 per 30 days)
<i>glipizide oral tablet 5 mg</i> (Glucotrol)	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i> (Glucotrol XL)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg</i> (Glucotrol XL)	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 5 mg</i> (Glucotrol XL)	1	QL (120 per 30 days)
<i>glipizide-metformin oral tablet 2.5-250 mg</i>	1	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>	1	QL (120 per 30 days)
<i>glyburide micronized oral tablet 1.5 mg</i> (Glynase)	1	PA; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide micronized oral tablet 3 mg</i> (Glynase)	1	PA; QL (120 per 30 days); AGE (Max 64 Years)
<i>glyburide micronized oral tablet 6 mg</i> (Glynase)	1	PA; QL (60 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 1.25 mg</i>	1	PA; QL (480 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 2.5 mg</i>	1	PA; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide oral tablet 5 mg</i>	1	PA; QL (120 per 30 days); AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 1.25-250 mg</i>	1	PA; QL (240 per 30 days); AGE (Max 64 Years)
<i>glyburide-metformin oral tablet 2.5-500 mg, 5-500 mg</i> (Glucovance)	1	PA; QL (120 per 30 days); AGE (Max 64 Years)
<i>tolazamide oral tablet 250 mg</i>	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tolazamide oral tablet 500 mg</i>	1	QL (60 per 30 days)
<i>tolbutamide oral tablet 500 mg</i>	1	QL (180 per 30 days)
Antifungals		
Antifungals		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	3	PA BvD; NM; NDS
AMBISOME INTRAVENOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	PA BvD; NM; NDS
<i>amphotericin b injection recon soln 50 mg</i>	1	PA BvD
<i>casposungin intravenous recon soln 50 mg, 70 mg</i> (Cancidas)	3	NM; NDS
<i>ciclopirox topical cream 0.77 %</i> (Ciclodan)	1	
<i>ciclopirox topical gel 0.77 %</i>	1	
<i>ciclopirox topical shampoo 1 %</i> (Loprox)	1	
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	1	
<i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))	1	
<i>clotrimazole mucous membrane troche 10 mg</i>	1	
<i>clotrimazole topical cream 1 %</i> (Antifungal (clotrimazole))	1	
<i>clotrimazole topical solution 1 %</i>	1	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i> (Lotrisone)	1	
<i>clotrimazole-betamethasone topical lotion 1-0.05 %</i>	1	
<i>econazole topical cream 1 %</i>	1	
ERAXIS(WATER DILUENT) INTRAVENOUS RECON SOLN 100 MG, 50 MG	3	PA; NM; NDS
<i>fluconazole in nacl (iso-osm) intravenous piggyback 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml</i>	1	
<i>fluconazole oral suspension for reconstitution 10 mg/ml, 40 mg/ml</i> (Diflucan)	1	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	1	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	3	NM; NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i>	1	
<i>griseofulvin microsize oral tablet 500 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>griseofulvin ultramicrosize oral tablet 125 mg, 250 mg</i>	1	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	1	PA
<i>ketoconazole oral tablet 200 mg</i>	1	
<i>ketoconazole topical cream 2 %</i>	1	
<i>ketoconazole topical foam 2 %</i> (Extina)	1	
<i>ketoconazole topical shampoo 2 %</i> (Nizoral)	1	
<i>miconazole-3 vaginal suppository 200 mg</i>	1	
<i>naftifine topical cream 1 %</i>	1	
<i>naftifine topical cream 2 %</i> (Naftin)	1	
NAFTIN TOPICAL GEL 1 %, 2 %	2	
NOXAFIL INTRAVENOUS SOLUTION 300 MG/16.7 ML	3	PA; NM; NDS
NOXAFIL ORAL SUSPENSION 200 MG/5 ML (40 MG/ML)	3	PA; NM; NDS
NOXAFIL ORAL TABLET, DELAYED RELEASE (DR/EC) 100 MG	3	PA; NM; NDS
<i>nyamyc topical powder 100,000 unit/gram</i>	1	
<i>nystatin oral powder 150 million unit</i>	1	
<i>nystatin oral suspension 100,000 unit/ml</i>	1	
<i>nystatin oral tablet 500,000 unit</i>	1	
<i>nystatin topical cream 100,000 unit/gram</i>	1	
<i>nystatin topical ointment 100,000 unit/gram</i>	1	
<i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)	1	
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>	1	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>	1	
<i>nystop topical powder 100,000 unit/gram</i>	1	
<i>terbinafine hcl oral tablet 250 mg</i>	1	
<i>voriconazole intravenous solution 200 mg</i> (Vfend IV)	3	
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	3	NM; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	3	NM; NDS
Antigout Agents		
Antigout Agents, Other		
<i>allopurinol oral tablet 100 mg, 300 mg</i> (Zyloprim)	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	1	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	1	QL (60 per 30 days)
DUZALLO ORAL TABLET 200-200 MG, 200-300 MG	3	PA; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>probenecid oral tablet 500 mg</i>	1	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i>	1	
ULORIC ORAL TABLET 40 MG, 80 MG	3	ST; QL (30 per 30 days)
ZURAMPIC ORAL TABLET 200 MG	3	PA; QL (30 per 30 days)
Antihistamines		
Antihistamines		
<i>cetirizine oral solution 1 mg/ml</i> (All Day Allergy (cetirizine))	1	
<i>cyproheptadine oral syrup 2 mg/5 ml</i>	1	PA; AGE (Max 64 Years)
<i>cyproheptadine oral tablet 4 mg</i>	1	PA; AGE (Max 64 Years)
<i>desloratadine oral tablet 5 mg</i> (Clarinet)	1	QL (30 per 30 days)
<i>diphenhydramine hcl injection solution 50 mg/ml</i>	1	
<i>diphenhydramine hcl injection syringe 50 mg/ml</i>	1	
<i>hydroxyzine hcl oral solution 10 mg/5 ml</i>	1	
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>	1	
<i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)	1	
<i>promethazine oral syrup 6.25 mg/5 ml</i>	1	PA; AGE (Max 64 Years)
Anti-Infectives (Skin And Mucous Membrane)		
Anti-Infectives (Skin And Mucous Membrane)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	1	
CLINDESSE VAGINAL CREAM,EXTENDED RELEASE 2 %	2	
<i>metronidazole vaginal gel 0.75 %</i> (Metrogel Vaginal)	1	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i>	1	
<i>terconazole vaginal suppository 80 mg</i>	1	
Antimigraine Agents		
Antimigraine Agents		
AIMOVIG 70 MG/ML AUTOINJECTOR 70 MG/ML	3	PA; QL (2 per 30 days)
AIMOVIG AUTOINJECTOR (2 PACK) SUBCUTANEOUS AUTO-INJECTOR 70 MG/ML	3	PA; QL (2 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>almotriptan malate oral tablet 12.5 mg, 6.25 mg</i>	1	QL (16 per 28 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i>	(Migranal) 3	QL (8 per 28 days)
<i>ergotamine-caffeine oral tablet 1-100 mg</i>	(Cafergot) 1	QL (40 per 28 days)
MIGERGOT RECTAL SUPPOSITORY 2-100 MG	3	QL (40 per 28 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i>	(Amerge) 1	QL (16 per 28 days)
<i>rizatriptan oral tablet 10 mg</i>	(Maxalt) 1	QL (16 per 28 days)
<i>rizatriptan oral tablet 5 mg</i>	1	QL (16 per 28 days)
<i>rizatriptan oral tablet, disintegrating 10 mg, 5 mg</i>	(Maxalt-MLT) 1	QL (16 per 28 days)
<i>sumatriptan nasal spray, non-aerosol 20 mg/actuation, 5 mg/actuation</i>	(Imitrex) 1	QL (16 per 28 days)
<i>sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg</i>	(Imitrex) 1	QL (16 per 28 days)
<i>sumatriptan succinate subcutaneous cartridge 4 mg/0.5 ml, 6 mg/0.5 ml</i>	(Imitrex STATdose Kit Refill) 1	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i>	(Imitrex STATdose Pen) 1	QL (8 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i>	(Imitrex) 1	QL (8 per 28 days)
<i>zolmitriptan oral tablet 2.5 mg, 5 mg</i>	(Zomig) 1	QL (16 per 28 days)
<i>zolmitriptan oral tablet, disintegrating 2.5 mg, 5 mg</i>	(Zomig ZMT) 1	QL (16 per 28 days)
Antimycobacterials		
Antimycobacterials		
CAPASTAT INJECTION RECON SOLN 1 GRAM	3	
<i>cycloserine oral capsule 250 mg</i>	1	
<i>dapsone oral tablet 100 mg, 25 mg</i>	1	
<i>ethambutol oral tablet 100 mg</i>	1	
<i>ethambutol oral tablet 400 mg</i>	(Myambutol) 1	
<i>isoniazid injection solution 100 mg/ml</i>	1	
<i>isoniazid oral solution 50 mg/5 ml</i>	1	
<i>isoniazid oral tablet 100 mg, 300 mg</i>	1	
PASER ORAL GRANULES DR FOR SUSP IN PACKET 4 GRAM	3	
PRIFTIN ORAL TABLET 150 MG	2	
<i>pyrazinamide oral tablet 500 mg</i>	1	
<i>rifabutin oral capsule 150 mg</i>	(Mycobutin) 1	
<i>rifampin intravenous recon soln 600 mg</i>	(Rifadin) 1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifadin)	1	
RIFATER ORAL TABLET 50-120-300 MG	3	
SIRTURO ORAL TABLET 100 MG	3	PA; NM; NDS
TRECTOR ORAL TABLET 250 MG	3	
Antinausea Agents		
Antinausea Agents		
AKYNZEO (NETUPITANT) ORAL CAPSULE 300-0.5 MG	3	PA; QL (2 per 28 days)
ANZEMET ORAL TABLET 100 MG, 50 MG	3	PA BvD
<i>aprepitant oral capsule 125 mg, 40 mg, 80 mg</i> (Emend)	1	PA
<i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	1	PA
<i>compro rectal suppository 25 mg</i>	1	
DICLEGIS ORAL TABLET, DELAYED RELEASE (DR/EC) 10-10 MG	3	PA; QL (120 per 30 days)
<i>dimenhydrinate injection solution 50 mg/ml</i>	1	
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	1	PA; NM; NDS; QL (60 per 30 days)
<i>granisetron (pf) intravenous solution 100 mcg/ml</i>	1	
<i>granisetron hcl intravenous solution 1 mg/ml, 1 mg/ml (1 ml)</i>	1	
<i>granisetron hcl oral tablet 1 mg</i>	1	PA BvD
<i>meclizine oral tablet 12.5 mg</i>	1	
<i>meclizine oral tablet 25 mg</i> (Dramamine Less Drowsy)	1	
<i>ondansetron hcl (pf) injection solution 4 mg/2 ml</i>	1	
<i>ondansetron hcl (pf) injection syringe 4 mg/2 ml</i>	1	
<i>ondansetron hcl intravenous solution 2 mg/ml</i>	1	
<i>ondansetron hcl oral solution 4 mg/5 ml</i> (Zofran)	1	PA BvD
<i>ondansetron hcl oral tablet 24 mg</i>	1	PA BvD
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Zofran)	1	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> (Zofran ODT)	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>palonosetron intravenous solution 0.25 mg/5 ml</i> (Aloxi)	1	PA
<i>phenadoz rectal suppository 12.5 mg, 25 mg</i>	1	
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>	1	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	1	
<i>prochlorperazine rectal suppository 25 mg</i> (Compazine)	1	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Phenadoz)	1	
<i>promethazine rectal suppository 50 mg</i> (Phenergan)	1	
<i>promethegan rectal suppository 12.5 mg, 25 mg, 50 mg</i>	1	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	1	
VARUBI ORAL TABLET 90 MG	3	PA; QL (4 per 28 days)
Antiparasite Agents		
Antiparasite Agents		
ALBENZA ORAL TABLET 200 MG	2	
ALINIA ORAL SUSPENSION FOR RECONSTITUTION 100 MG/5 ML	3	PA
ALINIA ORAL TABLET 500 MG	3	PA
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	3	NM; NDS
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	1	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)	1	
BILTRICIDE ORAL TABLET 600 MG	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>	1	
COARTEM ORAL TABLET 20-120 MG	3	
DARAPRIM ORAL TABLET 25 MG	2	
EMVERM ORAL TABLET, CHEWABLE 100 MG	2	PA
<i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)	1	
<i>ivermectin oral tablet 3 mg</i> (Stromectol)	1	
<i>mefloquine oral tablet 250 mg</i>	1	
NEBUPENT INHALATION RECON SOLN 300 MG	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>paromomycin oral capsule 250 mg</i>	1	
PENTAM INJECTION RECON SOLN 300 MG	3	
<i>praziquantel oral tablet 600 mg</i> (Biltricide)	1	
PRIMAQUINE ORAL TABLET 26.3 MG	3	
<i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)	1	PA
<i>tinidazole oral tablet 250 mg</i>	1	
<i>tinidazole oral tablet 500 mg</i> (Tindamax)	1	
Antiparkinsonian Agents		
Antiparkinsonian Agents		
<i>amantadine hcl oral capsule 100 mg</i>	1	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	1	
<i>amantadine hcl oral tablet 100 mg</i>	1	
APOKYN SUBCUTANEOUS CARTRIDGE 10 MG/ML	3	NM; LA; NDS
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>bromocriptine oral capsule 5 mg</i> (Parlodel)	1	
<i>bromocriptine oral tablet 2.5 mg</i> (Parlodel)	1	
<i>cabergoline oral tablet 0.5 mg</i>	1	
<i>carbidopa oral tablet 25 mg</i> (Lodosyn)	1	
<i>carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg</i> (Sinemet)	1	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Sinemet CR)	1	
<i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg, 25-100 mg, 25-250 mg</i>	1	
<i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg</i> (Stalevo 50)	1	
<i>carbidopa-levodopa-entacapone oral tablet 18.75-75-200 mg</i> (Stalevo 75)	1	
<i>carbidopa-levodopa-entacapone oral tablet 25-100-200 mg</i> (Stalevo 100)	1	
<i>carbidopa-levodopa-entacapone oral tablet 31.25-125-200 mg</i> (Stalevo 125)	1	
<i>carbidopa-levodopa-entacapone oral tablet 37.5-150-200 mg</i> (Stalevo 150)	1	
<i>carbidopa-levodopa-entacapone oral tablet 50-200-200 mg</i> (Stalevo 200)	1	
<i>entacapone oral tablet 200 mg</i> (Comtan)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR	3	ST
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Mirapex)	1	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	1	QL (30 per 30 days)
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> (Requip)	1	
<i>ropinirole oral tablet extended release 24 hr 12 mg, 2 mg, 4 mg, 6 mg, 8 mg</i> (Requip XL)	1	
<i>selegiline hcl oral capsule 5 mg</i>	1	
<i>selegiline hcl oral tablet 5 mg</i>	1	
<i>tolcapone oral tablet 100 mg</i> (Tasmar)	1	
<i>trihexyphenidyl oral elixir 0.4 mg/ml</i>	1	PA; AGE (Max 64 Years)
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>	1	PA; AGE (Max 64 Years)
Antipsychotic Agents		
Antipsychotic Agents		
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	3	PA NSO; NM; NDS; QL (1 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	3	PA NSO; NM; NDS; QL (1 per 28 days)
ADASUVE INHALATION AEROSOL POWDR BREATH ACTIVATED 10 MG	3	PA NSO; QL (1 per 7 days)
<i>aripiprazole oral solution 1 mg/ml</i>	1	
<i>aripiprazole oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	1	QL (30 per 30 days)
<i>aripiprazole oral tablet,disintegrating 10 mg, 15 mg</i>	3	NM; NDS; QL (60 per 30 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	3	PA NSO; NM; NDS; QL (3.9 per 56 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	3	PA NSO; NM; NDS; QL (1.6 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	3	PA NSO; NM; NDS; QL (2.4 per 28 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	3	PA NSO; NM; NDS; QL (3.2 per 28 days)
<i>chlorpromazine injection solution 25 mg/ml</i>	3	
<i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>	3	
<i>clozapine oral tablet 100 mg, 25 mg</i> (Clozaril)	1	
<i>clozapine oral tablet 200 mg, 50 mg</i>	1	
<i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 150 mg, 200 mg, 25 mg</i> (FazaClo)	1	
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	3	QL (60 per 30 days)
FANAPT ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	3	QL (8 per 28 days)
<i>fluphenazine decanoate injection solution 25 mg/ml</i>	1	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i>	1	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i>	1	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>	1	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>	1	
GEODON INTRAMUSCULAR RECON SOLN 20 MG/ML (FINAL CONC.)	2	QL (60 per 30 days)
<i>haloperidol dec 50 mg/ml vial mdv 50 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol decanoate intramuscular solution 100 mg/ml (1 ml)</i>	1	
<i>haloperidol decanoate intramuscular solution 50 mg/ml</i> (Haldol Decanoate)	1	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haldol)	1	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i>	1	
<i>haloperidol lactate oral concentrate 2 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>	1	
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	3	PA NSO; NM; NDS; QL (0.75 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	3	PA NSO; NM; NDS; QL (1 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	3	PA NSO; NM; NDS; QL (1.5 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	PA NSO; QL (0.25 per 28 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	3	PA NSO; NM; NDS; QL (0.5 per 28 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.875 ML	3	PA NSO; NM; NDS; QL (0.88 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.315 ML	3	PA NSO; NM; NDS; QL (1.32 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	3	PA NSO; NM; NDS; QL (1.75 per 84 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.625 ML	3	PA NSO; NM; NDS; QL (2.63 per 84 days)
LATUDA ORAL TABLET 120 MG, 20 MG, 40 MG, 60 MG	3	PA NSO; QL (30 per 30 days)
LATUDA ORAL TABLET 80 MG	3	PA NSO; QL (60 per 30 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>	1	
NUPLAZID ORAL CAPSULE 34 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	3	PA NSO; NM; LA; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 17 MG	3	PA NSO; NM; LA; NDS; QL (60 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	1	QL (120 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	1	QL (30 per 30 days)
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 1.5 mg, 3 mg, 9 mg</i> (Invega)	1	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	1	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>	1	
<i>pimozide oral tablet 1 mg, 2 mg</i> (Orap)	1	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Seroquel)	1	QL (90 per 30 days)
<i>quetiapine oral tablet 300 mg, 400 mg</i> (Seroquel)	1	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 150 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	1	QL (60 per 30 days)
<i>quetiapine oral tablet extended release 24 hr 200 mg</i> (Seroquel XR)	1	QL (30 per 30 days)
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 12.5 MG/2 ML, 25 MG/2 ML	3	PA NSO; QL (2 per 28 days)
RISPERDAL CONSTA INTRAMUSCULAR SYRINGE 37.5 MG/2 ML, 50 MG/2 ML	3	PA NSO; NM; NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	1	QL (480 per 30 days)
<i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i> (Risperdal)	1	QL (60 per 30 days)
<i>risperidone oral tablet 4 mg</i> (Risperdal)	1	QL (120 per 30 days)
<i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg</i>	1	QL (60 per 30 days)
<i>risperidone oral tablet, disintegrating 4 mg</i>	1	QL (120 per 30 days)
SAPHRIS (BLACK CHERRY) SUBLINGUAL TABLET 10 MG, 2.5 MG, 5 MG	2	PA NSO; QL (60 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	PA NSO; AGE (Max 64 Years)
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VERSACLOZ ORAL SUSPENSION 50 MG/ML	3	
VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG	3	PA NSO; NM; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	3	PA NSO; QL (7 per 180 days)
<i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)	1	QL (60 per 30 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	3	PA NSO; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG, 405 MG	3	PA NSO; NM; NDS; QL (2 per 28 days)
Antivirals (Systemic)		
Antiretrovirals		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	1	QL (960 per 30 days)
<i>abacavir oral tablet 300 mg</i> (Ziagen)	1	QL (60 per 30 days)
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	1	QL (30 per 30 days)
<i>abacavir-lamivudine-zidovudine oral tablet 300-150-300 mg</i> (Trizivir)	3	NM; NDS; QL (60 per 30 days)
APTIVUS ORAL CAPSULE 250 MG	3	QL (120 per 30 days)
APTIVUS ORAL SOLUTION 100 MG/ML	3	QL (380 per 30 days)
<i>atazanavir oral capsule 150 mg, 200 mg</i> (Reyataz)	1	QL (60 per 30 days)
<i>atazanavir oral capsule 300 mg</i> (Reyataz)	1	QL (30 per 30 days)
ATRIPLA ORAL TABLET 600-200-300 MG	3	NM; NDS; QL (30 per 30 days)
BIKTARVY ORAL TABLET 50-200-25 MG	3	NM; NDS; QL (30 per 30 days)
CIMDUO ORAL TABLET 300-300 MG	3	NM; NDS; QL (30 per 30 days)
COMPLERA ORAL TABLET 200-25-300 MG	3	NM; NDS; QL (30 per 30 days)
CRIXIVAN ORAL CAPSULE 200 MG	2	QL (270 per 30 days)
CRIXIVAN ORAL CAPSULE 400 MG	2	QL (180 per 30 days)
DESCOVY ORAL TABLET 200-25 MG	3	NM; NDS; QL (30 per 30 days)
<i>didanosine oral capsule, delayed release(dr/ec) 125 mg, 200 mg, 250 mg, 400 mg</i> (Videx EC)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
EDURANT ORAL TABLET 25 MG	3	NM; NDS; QL (30 per 30 days)
<i>efavirenz oral capsule 200 mg</i> (Sustiva)	1	QL (90 per 30 days)
<i>efavirenz oral capsule 50 mg</i> (Sustiva)	1	QL (180 per 30 days)
<i>efavirenz oral tablet 600 mg</i> (Sustiva)	1	QL (30 per 30 days)
EMTRIVA ORAL CAPSULE 200 MG	2	QL (30 per 30 days)
EMTRIVA ORAL SOLUTION 10 MG/ML	2	QL (850 per 30 days)
EVOTAZ ORAL TABLET 300-150 MG	3	NM; NDS; QL (30 per 30 days)
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	1	QL (120 per 30 days)
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	3	NM; NDS; QL (60 per 30 days)
GENVOYA ORAL TABLET 150-150-200-10 MG	3	NM; NDS; QL (30 per 30 days)
INTELENCE ORAL TABLET 100 MG	3	NM; NDS; QL (60 per 30 days)
INTELENCE ORAL TABLET 200 MG	3	QL (60 per 30 days)
INTELENCE ORAL TABLET 25 MG	3	QL (120 per 30 days)
INVIRASE ORAL CAPSULE 200 MG	3	NM; NDS; QL (300 per 30 days)
INVIRASE ORAL TABLET 500 MG	3	NM; NDS; QL (120 per 30 days)
ISENTRESS HD ORAL TABLET 600 MG	3	NM; NDS; QL (60 per 30 days)
ISENTRESS ORAL POWDER IN PACKET 100 MG	3	QL (60 per 30 days)
ISENTRESS ORAL TABLET 400 MG	3	NM; NDS; QL (120 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 100 MG	3	NM; NDS; QL (180 per 30 days)
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	2	QL (180 per 30 days)
JULUCA ORAL TABLET 50-25 MG	3	NM; NDS; QL (30 per 30 days)
KALETRA ORAL TABLET 100-25 MG	3	QL (300 per 30 days)
KALETRA ORAL TABLET 200-50 MG	3	NM; NDS; QL (120 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	1	QL (960 per 30 days)
<i>lamivudine oral tablet 100 mg</i> (Epivir HBV)	1	QL (30 per 30 days)
<i>lamivudine oral tablet 150 mg</i> (Epivir)	1	QL (60 per 30 days)
<i>lamivudine oral tablet 300 mg</i> (Epivir)	1	QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	1	QL (60 per 30 days)
LEXIVA ORAL SUSPENSION 50 MG/ML	3	QL (1800 per 30 days)
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	1	QL (480 per 30 days)
<i>nevirapine oral suspension 50 mg/5 ml</i> (Viramune)	1	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i> (Viramune)	1	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i> (Viramune XR)	1	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Viramune XR)	1	QL (30 per 30 days)
NORVIR ORAL CAPSULE 100 MG	2	QL (360 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	2	QL (360 per 30 days)
NORVIR ORAL SOLUTION 80 MG/ML	2	QL (480 per 30 days)
ODEFSEY ORAL TABLET 200-25-25 MG	3	NM; NDS; QL (30 per 30 days)
PREZCOBIX ORAL TABLET 800-150 MG-MG	3	NM; NDS; QL (30 per 30 days)
PREZISTA ORAL SUSPENSION 100 MG/ML	3	NM; NDS; QL (400 per 30 days)
PREZISTA ORAL TABLET 150 MG	3	NM; NDS; QL (180 per 30 days)
PREZISTA ORAL TABLET 600 MG	3	NM; NDS; QL (60 per 30 days)
PREZISTA ORAL TABLET 75 MG	3	NM; NDS; QL (480 per 30 days)
PREZISTA ORAL TABLET 800 MG	3	NM; NDS; QL (30 per 30 days)
RESCRIPTOR ORAL TABLET 200 MG	2	QL (180 per 30 days)
RESCRIPTOR ORAL TABLET, DISPERSIBLE 100 MG	2	QL (360 per 30 days)
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	3	
REYATAZ ORAL POWDER IN PACKET 50 MG	3	QL (180 per 30 days)
<i>ritonavir oral tablet 100 mg</i> (Norvir)	1	QL (360 per 30 days)
SELZENTRY ORAL SOLUTION 20 MG/ML	3	NM; NDS; QL (1800 per 30 days)
SELZENTRY ORAL TABLET 150 MG, 75 MG	3	NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SELZENTRY ORAL TABLET 25 MG	3	NM; NDS; QL (240 per 30 days)
SELZENTRY ORAL TABLET 300 MG	3	NM; NDS; QL (120 per 30 days)
<i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i> (Zerit)	1	QL (60 per 30 days)
<i>stavudine oral recon soln 1 mg/ml</i> (Zerit)	1	QL (2400 per 30 days)
STRIBILD ORAL TABLET 150-150-200-300 MG	3	NM; NDS; QL (30 per 30 days)
SYMFI LO ORAL TABLET 400-300-300 MG	3	NM; NDS; QL (30 per 30 days)
SYMFI ORAL TABLET 600-300-300 MG	3	NM; NDS; QL (30 per 30 days)
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	1	QL (30 per 30 days)
TIVICAY ORAL TABLET 10 MG	3	QL (60 per 30 days)
TIVICAY ORAL TABLET 25 MG, 50 MG	3	NM; NDS; QL (60 per 30 days)
TRIUMEQ ORAL TABLET 600-50-300 MG	3	NM; NDS; QL (30 per 30 days)
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	3	NM; NDS
TRUVADA ORAL TABLET 100-150 MG, 133-200 MG, 167-250 MG, 200-300 MG	3	NM; NDS; QL (30 per 30 days)
VEMLIDY ORAL TABLET 25 MG	2	QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN 10 MG/ML (FINAL)	2	QL (1200 per 30 days)
VIDEX 4 GRAM PEDIATRIC ORAL RECON SOLN 10 MG/ML (FINAL)	2	QL (1200 per 30 days)
VIDEX EC ORAL CAPSULE, DELAYED RELEASE (DR/EC) 125 MG	2	QL (60 per 30 days)
VIRACEPT ORAL TABLET 250 MG	3	NM; NDS; QL (270 per 30 days)
VIRACEPT ORAL TABLET 625 MG	3	NM; NDS; QL (120 per 30 days)
VIRAMUNE ORAL SUSPENSION 50 MG/5 ML	3	QL (1200 per 30 days)
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	3	QL (240 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	2	QL (30 per 30 days)
ZERIT ORAL RECON SOLN 1 MG/ML	3	QL (2400 per 30 days)
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	1	QL (180 per 30 days)
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	1	QL (1920 per 30 days)
<i>zidovudine oral tablet 300 mg</i>	1	QL (60 per 30 days)
Antivirals, Miscellaneous		
<i>foscarnet intravenous solution 24 mg/ml</i> (Foscavir)	3	PA BvD
<i>oseltamivir oral capsule 30 mg, 45 mg, 75 mg</i> (Tamiflu)	1	
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	1	
PREVYMIS INTRAVENOUS SOLUTION 240 MG/12 ML, 480 MG/24 ML	3	PA; NM; NDS
PREVYMIS ORAL TABLET 240 MG, 480 MG	3	PA; NM; NDS; QL (30 per 30 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	2	
<i>rimantadine oral tablet 100 mg</i> (Flumadine)	1	
SYNAGIS INTRAMUSCULAR SOLUTION 100 MG/ML, 50 MG/0.5 ML	3	PA; NM; NDS
Hcv Antivirals		
HARVONI ORAL TABLET 90-400 MG	3	PA; NM; NDS; QL (28 per 28 days)
MAVYRET ORAL TABLET 100-40 MG	3	PA; NM; NDS; QL (84 per 28 days)
Interferons		
INTRON A INJECTION RECON SOLN 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML)	3	
INTRON A INJECTION SOLUTION 10 MILLION UNIT/ML, 6 MILLION UNIT/ML	3	
PEGASYS PROCLICK SUBCUTANEOUS PEN INJECTOR 135 MCG/0.5 ML, 180 MCG/0.5 ML	3	NM; NDS; QL (2 per 28 days)
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	3	NM; NDS; QL (4 per 28 days)
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	3	NM; NDS; QL (2 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEGINTRON SUBCUTANEOUS KIT 50 MCG/0.5 ML	3	NM; NDS; QL (2 per 28 days)
SYLATRON SUBCUTANEOUS KIT 200 MCG, 300 MCG, 600 MCG	3	PA NSO; NM; NDS
Nucleosides And Nucleotides		
<i>acyclovir oral capsule 200 mg</i> (Zovirax)	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)	1	
<i>acyclovir oral tablet 400 mg, 800 mg</i> (Zovirax)	1	
<i>acyclovir sodium intravenous recon soln 500 mg</i>	1	PA BvD
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
<i>adefovir oral tablet 10 mg</i> (Hepsera)	3	NM; NDS
BARACLUDE ORAL SOLUTION 0.05 MG/ML	3	NM; NDS
<i>cidofovir intravenous solution 75 mg/ml</i>	1	
<i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)	1	QL (30 per 30 days)
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	1	
<i>ganciclovir sodium intravenous recon soln 500 mg</i> (Cytovene)	1	PA BvD
<i>ganciclovir sodium intravenous solution 50 mg/ml</i>	1	PA BvD
REBETOL ORAL SOLUTION 40 MG/ML	3	
<i>ribasphere oral capsule 200 mg</i>	1	
<i>ribasphere oral tablet 200 mg, 400 mg, 600 mg</i>	1	
<i>ribasphere ribapak 400-400 mg 400 mg (7)- 400 mg (7)</i>	1	
<i>ribasphere ribapak 600-400 mg 600 mg (7)- 400 mg (7)</i>	1	
<i>ribasphere ribapak oral tablets,dose pack 200 mg (7)- 400 mg (7), 400-400 mg (28)- mg (28), 600-400 mg (28)-mg (28)</i>	1	
<i>ribavirin inhalation recon soln 6 gram</i> (Virazole)	3	PA; NM; NDS
<i>ribavirin oral capsule 200 mg</i> (Ribasphere)	1	
<i>ribavirin oral tablet 200 mg</i> (Moderiba)	1	
<i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)	1	
<i>valganciclovir oral tablet 450 mg</i> (Valcyte)	3	NM; NDS
Blood Products/Modifiers/Volume Expanders		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Anticoagulants		
BEVYXXA ORAL CAPSULE 40 MG, 80 MG	3	QL (30 per 30 days)
COUMADIN ORAL TABLET 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG	3	
ELIQUIS ORAL TABLET 2.5 MG	2	QL (60 per 30 days)
ELIQUIS ORAL TABLET 5 MG	2	QL (120 per 30 days)
ELIQUIS ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	2	QL (74 per 180 days)
<i>enoxaparin subcutaneous solution 300 mg/3 ml</i> (Lovenox)	1	QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 100 mg/ml</i> (Lovenox)	1	QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)	1	QL (22.4 per 14 days)
<i>enoxaparin subcutaneous syringe 150 mg/ml</i> (Lovenox)	3	NM; NDS; QL (28 per 14 days)
<i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)	1	QL (8.4 per 14 days)
<i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)	1	QL (11.2 per 14 days)
<i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)	1	QL (16.8 per 14 days)
<i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)	3	QL (11.2 per 14 days)
<i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)	3	QL (7 per 14 days)
<i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)	3	QL (5.6 per 14 days)
<i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)	3	QL (8.4 per 14 days)
<i>heparin (porcine) in 5 % dex intravenous parenteral solution 20,000 unit/500 ml (40 unit/ml), 25,000 unit/250 ml(100 unit/ml)</i>	1	
<i>heparin (porcine) in nacl (pf) intravenous parenteral solution 1,000 unit/500 ml</i>	1	
<i>heparin (porcine) injection cartridge 5,000 unit/ml (1 ml)</i>	1	PA BvD
<i>heparin (porcine) injection solution 1,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i>	1	PA BvD
<i>heparin (porcine) injection solution 10,000 unit/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>heparin (porcine) injection syringe 5,000 unit/ml</i>	1	PA BvD
<i>heparin, porcine (pf) injection solution 1,000 unit/ml, 5,000 unit/0.5 ml</i>	1	PA BvD
<i>heparin, porcine (pf) injection syringe 5,000 unit/0.5 ml</i>	1	PA BvD
<i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i>	1	
PRADAXA ORAL CAPSULE 110 MG, 150 MG, 75 MG	3	ST; QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Coumadin)	1	
XARELTO ORAL TABLET 10 MG, 20 MG	2	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG	2	QL (60 per 30 days)
XARELTO ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	2	QL (51 per 180 days)
Blood Formation Modifiers		
ARANESP (IN POLYSORBATE) INJECTION SOLUTION 100 MCG/ML, 150 MCG/0.75 ML, 200 MCG/ML, 25 MCG/ML, 300 MCG/ML, 40 MCG/ML, 60 MCG/ML	3	PA
ARANESP (IN POLYSORBATE) INJECTION SYRINGE 10 MCG/0.4 ML, 100 MCG/0.5 ML, 150 MCG/0.3 ML, 200 MCG/0.4 ML, 25 MCG/0.42 ML, 300 MCG/0.6 ML, 40 MCG/0.4 ML, 500 MCG/ML, 60 MCG/0.3 ML	3	PA
CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)	3	PA; NM; LA; NDS
EPOGEN INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	2	PA; QL (12 per 28 days)
GRANIX SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	3	PA; NM; NDS
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT, 3,000 UNIT	3	PA; NM; LA; NDS
LEUKINE INJECTION RECON SOLN 250 MCG	3	PA; NM; NDS
MOZOBIL SUBCUTANEOUS SOLUTION 24 MG/1.2 ML (20 MG/ML)	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEULASTA SUBCUTANEOUS SYRINGE 6 MG/0.6ML	3	PA; NM; NDS
NEUPOGEN INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	3	PA; NM; NDS
NEUPOGEN INJECTION SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	3	PA; NM; NDS
PROCRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
PROCRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (6 per 28 days)
PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG	3	PA; NM; NDS
Hematologic Agents, Miscellaneous		
<i>aminocaproic acid intravenous solution 250 mg/ml</i>	1	
<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	1	
<i>anagrelide oral capsule 1 mg</i>	1	
<i>protamine intravenous solution 10 mg/ml</i>	1	PA BvD
<i>tranexamic acid intravenous solution 1,000 mg/10 ml (100 mg/ml)</i> (Cyklokapron)	1	
<i>tranexamic acid oral tablet 650 mg</i> (Lysteda)	1	
Platelet-Aggregation Inhibitors		
<i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i> (Aggrenox)	1	
BRILINTA ORAL TABLET 60 MG, 90 MG	2	
<i>cilostazol oral tablet 100 mg, 50 mg</i>	1	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>	1	
<i>pentoxifylline oral tablet extended release 400 mg</i>	1	
<i>prasugrel oral tablet 10 mg, 5 mg</i> (Effient)	1	QL (30 per 30 days)
ZONTIVITY ORAL TABLET 2.08 MG	3	PA
Caloric Agents		
Caloric Agents		
AMINOSYN 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN 8.5 % INTRAVENOUS PARENTERAL SOLUTION 8.5 %	3	PA BvD
AMINOSYN II 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
AMINOSYN II 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	3	PA BvD
AMINOSYN II 7 % INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN II 8.5 %-ELECTROLYTES INTRAVENOUS PARENTERAL SOLUTION 8.5 %	3	PA BvD
AMINOSYN M 3.5 % INTRAVENOUS PARENTERAL SOLUTION 3.5 %	3	PA BvD
AMINOSYN-HBC 7% INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN-PF 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 7 %	3	PA BvD
AMINOSYN-RF 5.2 % INTRAVENOUS PARENTERAL SOLUTION 5.2 %	3	PA BvD
CLINISOL SF 15 % INTRAVENOUS PARENTERAL SOLUTION 15 %	3	PA BvD
<i>dextrose 10 % in water (d10w) intravenous parenteral solution 10 %</i>	1	PA BvD
<i>dextrose 20 % in water (d20w) intravenous parenteral solution 20 %</i>	1	PA BvD
<i>dextrose 25 % in water (d25w) intravenous syringe</i>	1	PA BvD
<i>dextrose 40 % in water (d40w) intravenous parenteral solution 40 %</i>	1	PA BvD
<i>dextrose 5 % in ringer's intravenous parenteral solution 5 %</i>	1	
<i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>	1	
<i>dextrose 5 % in water (d5w) intravenous piggyback 5 %</i>	1	
<i>dextrose 50 % in water (d50w) intravenous parenteral solution</i>	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dextrose 50 % in water (d50w)</i> <i>intravenous syringe</i>	1	PA BvD
<i>dextrose 70 % in water (d70w)</i> <i>intravenous parenteral solution</i>	1	PA BvD
INTRALIPID INTRAVENOUS EMULSION 20 %	2	PA BvD
INTRALIPID INTRAVENOUS EMULSION 30 %	3	PA BvD
NUTRILIPID INTRAVENOUS EMULSION 20 %	3	PA BvD
PREMASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
PREMASOL 6 % INTRAVENOUS PARENTERAL SOLUTION 6 %	3	PA BvD
PROSOL 20 % INTRAVENOUS PARENTERAL SOLUTION	3	PA BvD
TRAVASOL 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	3	PA BvD
TROPHAMINE 10 % INTRAVENOUS PARENTERAL SOLUTION 10 %	2	PA BvD

Cardiovascular Agents

Alpha-Adrenergic Agents

<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>	(Catapres)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i>	(Catapres-TTS-1)	1	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i>	(Catapres-TTS-2)	1	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i>	(Catapres-TTS-3)	1	
<i>clorpres oral tablet 0.1-15 mg, 0.2-15 mg, 0.3-15 mg</i>		1	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i>	(Cardura)	1	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>		1	
NORTHERA ORAL CAPSULE 100 MG		3	PA; NM; LA; NDS; QL (90 per 30 days)
NORTHERA ORAL CAPSULE 200 MG, 300 MG		3	PA; NM; LA; NDS; QL (180 per 30 days)
<i>phenylephrine hcl injection solution 10 mg/ml</i>	(Vazculep)	1	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>	(Minipress)	1	

Angiotensin II Receptor Antagonists

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>candesartan oral tablet 16 mg, 4 mg, 8 mg</i> (Atacand)	1	QL (60 per 30 days)
<i>candesartan oral tablet 32 mg</i> (Atacand)	1	QL (30 per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg</i> (Atacand HCT)	1	QL (60 per 30 days)
<i>candesartan-hydrochlorothiazid oral tablet 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	1	QL (30 per 30 days)
EDARBI ORAL TABLET 40 MG, 80 MG	3	QL (30 per 30 days)
EDARBYCLOR ORAL TABLET 40-12.5 MG, 40-25 MG	3	QL (30 per 30 days)
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG	2	PA; QL (60 per 30 days)
<i>eprosartan oral tablet 600 mg</i>	1	QL (45 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> (Avapro)	1	QL (30 per 30 days)
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	1	QL (30 per 30 days)
<i>losartan oral tablet 100 mg</i> (Cozaar)	1	QL (45 per 30 days)
<i>losartan oral tablet 25 mg, 50 mg</i> (Cozaar)	1	QL (60 per 30 days)
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	QL (30 per 30 days)
<i>olmesartan oral tablet 20 mg, 40 mg</i> (Benicar)	1	QL (30 per 30 days)
<i>olmesartan oral tablet 5 mg</i> (Benicar)	1	QL (60 per 30 days)
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	1	QL (30 per 30 days)
<i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> (Micardis)	1	QL (30 per 30 days)
<i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i> (Twynsta)	1	QL (30 per 30 days)
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	1	QL (30 per 30 days)
<i>valsartan oral tablet 160 mg, 40 mg, 80 mg</i> (Diovan)	1	QL (60 per 30 days)
<i>valsartan oral tablet 320 mg</i> (Diovan)	1	QL (30 per 30 days)
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 80-12.5 mg</i> (Diovan HCT)	1	QL (60 per 30 days)
<i>valsartan-hydrochlorothiazide oral tablet 160-25 mg, 320-12.5 mg, 320-25 mg</i> (Diovan HCT)	1	QL (30 per 30 days)
Angiotensin-Converting Enzyme Inhibitors		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	QL (60 per 30 days)
<i>benazepril oral tablet 5 mg</i>	1	QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>benazepril-hydrochlorothiazide oral tablet</i> (Lotensin HCT) 10-12.5 mg, 20-12.5 mg, 20-25 mg	1	QL (60 per 30 days)
<i>benazepril-hydrochlorothiazide oral tablet</i> 5-6.25 mg	1	QL (60 per 30 days)
<i>captopril oral tablet</i> 100 mg, 12.5 mg, 25 mg, 50 mg	1	
<i>captopril-hydrochlorothiazide oral tablet</i> 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg	1	
<i>enalapril maleate oral tablet</i> 10 mg, 2.5 mg, 20 mg, 5 mg (Vasotec)	1	QL (60 per 30 days)
<i>enalaprilat intravenous solution</i> 1.25 mg/ml	1	QL (120 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet</i> (Vaseretic) 10-25 mg	1	QL (60 per 30 days)
<i>enalapril-hydrochlorothiazide oral tablet</i> 5-12.5 mg	1	QL (60 per 30 days)
<i>fosinopril oral tablet</i> 10 mg, 20 mg, 40 mg	1	QL (60 per 30 days)
<i>fosinopril-hydrochlorothiazide oral tablet</i> 10-12.5 mg, 20-12.5 mg	1	QL (120 per 30 days)
<i>lisinopril oral tablet</i> 10 mg, 20 mg, 5 mg (Prinivil)	1	QL (60 per 30 days)
<i>lisinopril oral tablet</i> 2.5 mg, 30 mg, 40 mg (Zestril)	1	QL (60 per 30 days)
<i>lisinopril-hydrochlorothiazide oral tablet</i> (Zestoretic) 10-12.5 mg, 20-12.5 mg, 20-25 mg	1	QL (60 per 30 days)
<i>moexipril oral tablet</i> 15 mg, 7.5 mg	1	
<i>moexipril-hydrochlorothiazide oral tablet</i> 15-12.5 mg, 15-25 mg, 7.5-12.5 mg	1	QL (60 per 30 days)
<i>perindopril erbumine oral tablet</i> 2 mg, 4 mg, 8 mg	1	QL (60 per 30 days)
<i>quinapril oral tablet</i> 10 mg, 20 mg, 40 mg, 5 mg (Accupril)	1	QL (60 per 30 days)
<i>quinapril-hydrochlorothiazide oral tablet</i> (Accuretic) 10-12.5 mg, 20-12.5 mg, 20-25 mg	1	QL (60 per 30 days)
<i>ramipril oral capsule</i> 1.25 mg, 10 mg, 2.5 mg, 5 mg (Altace)	1	QL (60 per 30 days)
<i>trandolapril oral tablet</i> 1 mg, 2 mg, 4 mg	1	QL (60 per 30 days)
Antiarrhythmic Agents		
<i>amiodarone intravenous solution</i> 50 mg/ml	1	
<i>amiodarone intravenous syringe</i> 150 mg/3 ml	1	
<i>amiodarone oral tablet</i> 100 mg, 200 mg, 400 mg (Pacerone)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>disopyramide phosphate oral capsule 100 mg, 150 mg</i> (Norpace)	1	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	1	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>	1	
<i>lidocaine (pf) in d7.5w intrathecal solution 50 mg/ml (5 %)</i>	1	
<i>lidocaine (pf) intravenous syringe 50 mg/5 ml (1 %)</i>	1	
<i>lidocaine in 5 % dextrose (pf) intravenous parenteral solution 8 mg/ml (0.8 %)</i>	1	
<i>mexiletine oral capsule 150 mg, 200 mg, 250 mg</i>	1	
MULTAQ ORAL TABLET 400 MG	2	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i>	1	
<i>procainamide injection solution 100 mg/ml, 500 mg/ml</i>	1	
<i>procainamide intravenous syringe 100 mg/ml</i>	1	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	1	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>	1	
<i>quinidine gluconate injection solution 80 mg/ml</i>	1	
<i>quinidine gluconate oral tablet extended release 324 mg</i>	1	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i>	1	
Beta-Adrenergic Blocking Agents		
<i>acebutolol oral capsule 200 mg, 400 mg</i>	1	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)	1	
<i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)	1	
<i>betaxolol oral tablet 10 mg, 20 mg</i>	1	
<i>bisoprolol fumarate oral tablet 10 mg, 5 mg</i>	1	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>esmolol intravenous solution 100 mg/10 ml (10 mg/ml)</i> (Brevibloc)	1	PA BvD
INNOPRAN XL ORAL CAPSULE,EXTENDED RELEASE 24HR 120 MG, 80 MG	2	
<i>labetalol intravenous solution 5 mg/ml</i>	1	
<i>labetalol intravenous syringe 20 mg/4 ml (5 mg/ml)</i>	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>	1	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Lopressor HCT)	1	
<i>metoprolol tartrate intravenous solution 5 mg/5 ml</i> (Lopressor)	1	
<i>metoprolol tartrate intravenous syringe 5 mg/5 ml</i>	1	
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg</i>	1	
<i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i> (Corgard)	1	
<i>nadolol-bendroflumethiazide oral tablet 40-5 mg, 80-5 mg</i> (Corzide)	1	
<i>pindolol oral tablet 10 mg, 5 mg</i>	1	
<i>propranolol intravenous solution 1 mg/ml</i>	1	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	1	
<i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>	1	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>	1	
<i>propranolol-hydrochlorothiazid oral tablet 40-25 mg, 80-25 mg</i>	1	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i>	1	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
sotalol oral tablet 120 mg, 160 mg, 240 mg, 80 mg (Betapace)	1	
timolol maleate oral tablet 10 mg, 20 mg, 5 mg	1	
Calcium-Channel Blocking Agents		
cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg	1	
diltiazem hcl intravenous recon soln 100 mg	1	
diltiazem hcl intravenous solution 5 mg/ml	1	
diltiazem hcl oral capsule, extended release 12 hr 120 mg, 60 mg, 90 mg	1	
diltiazem hcl oral capsule, extended release 24 hr 360 mg (Taztia XT)	1	
diltiazem hcl oral capsule, extended release 24 hr 420 mg (Tiazac)	1	
diltiazem hcl oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg (Cardizem CD)	1	
diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg (Cardizem)	1	
diltiazem hcl oral tablet 90 mg	1	
diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg (Cardizem LA)	1	
dilt-xr oral capsule, ext. rel 24h degradable 120 mg, 180 mg, 240 mg	1	
matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg	1	
taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg	1	
verapamil intravenous solution 2.5 mg/ml	1	
verapamil intravenous syringe 2.5 mg/ml	1	
verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg (Verelan PM)	1	
verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg, 360 mg (Verelan)	1	
verapamil oral tablet 120 mg, 80 mg (Calan)	1	
verapamil oral tablet 40 mg	1	
verapamil oral tablet extended release 120 mg, 180 mg, 240 mg (Calan SR)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Cardiovascular Agents, Miscellaneous		
CORLANOR ORAL TABLET 5 MG, 7.5 MG	3	PA; QL (60 per 30 days)
DEMSEER ORAL CAPSULE 250 MG	3	PA; NM; NDS
<i>digitek oral tablet 125 mcg, 250 mcg</i>	1	
<i>digox oral tablet 125 mcg, 250 mcg</i>	1	
<i>digoxin injection syringe 250 mcg/ml</i>	1	
DIGOXIN ORAL SOLUTION 50 MCG/ML	3	
<i>digoxin oral tablet 125 mcg, 250 mcg</i> (Digitek)	1	
<i>dobutamine in d5w intravenous parenteral solution 1,000 mg/250 ml (4,000 mcg/ml), 250 mg/250 ml (1 mg/ml), 500 mg/250 ml (2,000 mcg/ml)</i>	1	PA BvD
<i>dobutamine intravenous solution 250 mg/20 ml (12.5 mg/ml), 500 mg/40 ml (12.5 mg/ml)</i>	1	PA BvD
<i>dopamine in 5 % dextrose intravenous solution 200 mg/250 ml (800 mcg/ml), 400 mg/250 ml (1,600 mcg/ml), 400 mg/500 ml (800 mcg/ml), 800 mg/250 ml (3,200 mcg/ml), 800 mg/500 ml (1,600 mcg/ml)</i>	1	PA BvD
<i>dopamine intravenous solution 200 mg/5 ml (40 mg/ml), 400 mg/10 ml (40 mg/ml), 400 mg/5 ml (80 mg/ml), 800 mg/10 ml (80 mg/ml), 800 mg/5 ml (160 mg/ml)</i>	1	PA BvD
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)	1	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)	1	QL (4 per 30 days)
FIRAZYR SUBCUTANEOUS SYRINGE 30 MG/3 ML	3	PA; NM; LA; NDS; QL (18 per 30 days)
<i>hydralazine injection solution 20 mg/ml</i>	1	
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>	1	
LANOXIN ORAL TABLET 125 MCG, 187.5 MCG, 250 MCG, 62.5 MCG	3	
<i>milrinone in 5 % dextrose intravenous piggyback 20 mg/100 ml (200 mcg/ml), 40 mg/200 ml (200 mcg/ml)</i>	1	PA BvD
<i>milrinone intravenous solution 1 mg/ml</i>	1	PA BvD
<i>norepinephrine bitartrate intravenous solution 1 mg/ml</i> (Levophed (bitartrate))	1	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RANEXA ORAL TABLET EXTENDED RELEASE 12 HR 1,000 MG, 500 MG	3	
Dihydropyridines		
<i>afeditab cr oral tablet extended release 30 mg, 60 mg</i>	1	
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 2.5-10 mg</i>	1	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	1	
<i>amlodipine-valsartan-hcthiamid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg</i> (Exforge HCT)	1	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i>	1	
<i>isradipine oral capsule 2.5 mg, 5 mg</i>	1	
<i>nicardipine intravenous solution 25 mg/10 ml</i> (Cardene IV)	1	
<i>nicardipine oral capsule 20 mg, 30 mg</i>	1	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg, 90 mg</i> (Procardia XL)	1	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Adalat CC)	1	
<i>nimodipine oral capsule 30 mg</i>	1	
<i>nisoldipine oral tablet extended release 24 hr 17 mg, 34 mg, 8.5 mg</i> (Sular)	1	
<i>nisoldipine oral tablet extended release 24 hr 20 mg, 25.5 mg, 30 mg, 40 mg</i>	1	
Diuretics		
ALDACTAZIDE ORAL TABLET 50-50 MG	3	
<i>amiloride oral tablet 5 mg</i>	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i>	1	
<i>bumetanide injection solution 0.25 mg/ml</i>	1	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i>	1	
<i>chlorothiazide oral tablet 250 mg, 500 mg</i>	1	
<i>chlorothiazide sodium intravenous recon soln 500 mg</i> (Diuril IV)	1	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>furosemide injection solution 10 mg/ml</i>	1	
<i>furosemide injection syringe 10 mg/ml</i>	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>	1	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i> (Microzide)	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i>	1	
<i>methyclothiazide oral tablet 5 mg</i>	1	
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>	1	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Aldactazide)	1	
<i>toremide oral tablet 10 mg, 20 mg</i> (Demadex)	1	
<i>toremide oral tablet 100 mg, 5 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Dyazide)	1	
<i>triamterene-hydrochlorothiazid oral capsule 50-25 mg</i>	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg</i> (Maxzide-25mg)	1	
<i>triamterene-hydrochlorothiazid oral tablet 75-50 mg</i> (Maxzide)	1	
Dyslipidemics		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)	1	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>	1	QL (30 per 30 days)
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Lipitor)	1	QL (45 per 30 days)
<i>atorvastatin oral tablet 80 mg</i> (Lipitor)	1	QL (30 per 30 days)
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	1	
<i>cholestyramine light oral powder 4 gram</i>	1	
<i>cholestyramine light packet 4 gram</i>	1	
<i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>colesevelam oral tablet 625 mg</i> (WelChol)	1	
<i>colestipol oral packet 5 gram</i> (Colestid)	1	
<i>colestipol oral tablet 1 gram</i> (Colestid)	1	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	1	
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)	1	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)	1	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>	1	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	1	
<i>fenofibrate oral capsule 150 mg, 50 mg</i> (Lipofen)	1	
<i>fenofibrate oral tablet 160 mg, 54 mg</i>	1	
<i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> (Trilipix)	1	
<i>fenofibric acid oral tablet 105 mg, 35 mg</i> (Fibricor)	1	
<i>fluvastatin oral capsule 20 mg, 40 mg</i> (Lescol)	1	QL (60 per 30 days)
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
JUXTAPID ORAL CAPSULE 10 MG, 20 MG, 30 MG, 40 MG, 5 MG, 60 MG	3	PA; NM; LA; NDS; QL (30 per 30 days)
KYNAMRO SUBCUTANEOUS SYRINGE 200 MG/ML	3	PA; NM; LA; NDS; QL (4 per 28 days)
<i>lovastatin oral tablet 10 mg, 20 mg</i>	1	QL (45 per 30 days)
<i>lovastatin oral tablet 40 mg</i>	1	QL (60 per 30 days)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg, 750 mg</i> (Niaspan Extended-Release)	1	QL (60 per 30 days)
<i>niacor oral tablet 500 mg</i>	1	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	1	
PRALUENT PEN SUBCUTANEOUS PEN INJECTOR 150 MG/ML, 75 MG/ML	2	PA; QL (2 per 28 days)
<i>pravastatin oral tablet 10 mg</i>	1	QL (45 per 30 days)
<i>pravastatin oral tablet 20 mg, 40 mg</i> (Pravachol)	1	QL (45 per 30 days)
<i>pravastatin oral tablet 80 mg</i> (Pravachol)	1	QL (30 per 30 days)
<i>prevalite oral powder in packet 4 gram</i>	1	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	2	PA; QL (3.5 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	2	PA; QL (3 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	2	PA; QL (3 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 5 mg</i> (Crestor)	1	QL (45 per 30 days)
<i>rosuvastatin oral tablet 40 mg</i> (Crestor)	1	QL (30 per 30 days)
<i>simvastatin oral tablet 10 mg, 20 mg</i> (Zocor)	1	QL (45 per 30 days)
<i>simvastatin oral tablet 40 mg</i> (Zocor)	1	PA; QL (45 per 30 days)
<i>simvastatin oral tablet 5 mg</i>	1	QL (45 per 30 days)
<i>simvastatin oral tablet 80 mg</i> (Zocor)	1	PA; QL (30 per 30 days)
VASCEPA ORAL CAPSULE 0.5 GRAM, 1 GRAM	3	QL (120 per 30 days)
WELCHOL ORAL POWDER IN PACKET 3.75 GRAM	3	
Renin-Angiotensin-Aldosterone System Inhibitors		
<i>eplerenone oral tablet 25 mg, 50 mg</i> (Inspra)	1	
TEKTURNA HCT ORAL TABLET 150- 12.5 MG, 150-25 MG, 300-12.5 MG, 300- 25 MG	3	
TEKTURNA ORAL TABLET 150 MG, 300 MG	3	QL (30 per 30 days)
Vasodilators		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>	1	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradoso)	1	
<i>isosorbide dinitrate oral tablet extended release 40 mg</i> (ISOCHRON)	1	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>	1	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>	1	
<i>minitran transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i>	1	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i>	1	
NITRO-BID TRANSDERMAL OINTMENT 2 %	3	
NITRO-DUR TRANSDERMAL PATCH 24 HOUR 0.3 MG/HR, 0.8 MG/HR	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>nitroglycerin in 5 % dextrose intravenous solution 100 mg/250 ml (400 mcg/ml), 25 mg/250 ml (100 mcg/ml), 50 mg/250 ml (200 mcg/ml), 50 mg/500 ml (100 mcg/ml)</i>	1	
<i>nitroglycerin intravenous solution 50 mg/10 ml (5 mg/ml)</i>	1	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	1	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Minitran)	1	
<i>nitroglycerin translingual spray, non-aerosol 400 mcg/spray</i> (Nitrolingual)	1	
NITROSTAT SUBLINGUAL TABLET 0.3 MG, 0.4 MG, 0.6 MG	2	
Central Nervous System Agents		
Central Nervous System Agents		
AMPYRA ORAL TABLET EXTENDED RELEASE 12 HR 10 MG	3	PA; NM; LA; NDS; QL (60 per 30 days)
<i>atomoxetine oral capsule 10 mg, 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> (Strattera)	1	PA
AUBAGIO ORAL TABLET 14 MG	3	NM; NDS; QL (28 per 28 days)
AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG	3	PA; NM; NDS; QL (120 per 30 days)
AVONEX (WITH ALBUMIN) INTRAMUSCULAR KIT 30 MCG	3	NM; NDS; QL (4 per 28 days)
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	3	NM; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	3	NM; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	3	NM; NDS; QL (14 per 28 days)
<i>caffeine citrate intravenous solution 60 mg/3 ml (20 mg/ml)</i> (Cafcit)	1	
<i>caffeine citrate oral solution 60 mg/3 ml (20 mg/ml)</i>	1	
COPAXONE SUBCUTANEOUS SYRINGE 20 MG/ML	3	NM; NDS; QL (30 per 30 days)
COPAXONE SUBCUTANEOUS SYRINGE 40 MG/ML	3	NM; NDS; QL (12 per 28 days)
<i>dexmethylphenidate oral capsule, er biphasic 50-50 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg</i> (Focalin XR)	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)	1	NM; NDS
<i>dextroamphetamine oral capsule, extended release 10 mg, 15 mg, 5 mg</i> (Dexedrine Spansule)	1	NM; NDS
<i>dextroamphetamine oral solution 5 mg/5 ml</i> (ProCentra)	1	NM; NDS
<i>dextroamphetamine oral tablet 10 mg, 5 mg</i> (Zenedi)	1	NM; NDS
<i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> (Adderall XR)	1	NM; NDS
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	1	NM; NDS
EXTAVIA SUBCUTANEOUS KIT 0.3 MG	3	NM; NDS; QL (14 per 28 days)
<i>flumazenil intravenous solution 0.1 mg/ml</i>	1	
GILENYA ORAL CAPSULE 0.25 MG, 0.5 MG	3	NM; NDS; QL (30 per 30 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)	1	PA
INGREZZA ORAL CAPSULE 40 MG, 80 MG	3	PA; NM; NDS; QL (30 per 30 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>	1	
<i>lithium carbonate oral tablet 300 mg</i>	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	1	
<i>lithium carbonate oral tablet extended release 450 mg</i>	1	
<i>lithium citrate oral solution 8 meq/5 ml</i>	1	
<i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg</i>	1	NM; NDS
<i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg</i> (Ritalin LA)	1	NM; NDS
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	1	NM; NDS
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 10 mg</i>	1	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methylphenidate hcl oral tablet extended release 20 mg</i> (Metadate ER)	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 36 mg, 54 mg</i> (Concerta)	1	NM; NDS
<i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)	1	NM; NDS
<i>methylphenidate hcl oral tablet, chewable 10 mg, 2.5 mg, 5 mg</i>	1	NM; NDS
NUEDEXTA ORAL CAPSULE 20-10 MG	3	PA
OCREVUS INTRAVENOUS SOLUTION 30 MG/ML	3	PA; NM; NDS; QL (20 per 180 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	3	NM; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML	3	NM; NDS; QL (1 per 28 days)
RADICAVA INTRAVENOUS PIGGYBACK 30 MG/100 ML	3	PA; NM; NDS; QL (2800 per 28 days)
REBIF (WITH ALBUMIN) SUBCUTANEOUS SYRINGE 22 MCG/0.5 ML, 44 MCG/0.5 ML	3	NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 22 MCG/0.5 ML, 44 MCG/0.5 ML	3	NM; NDS; QL (6 per 28 days)
REBIF REBIDOSE SUBCUTANEOUS PEN INJECTOR 8.8MCG/0.2ML-22 MCG/0.5ML (6)	3	NM; NDS; QL (4.2 per 28 days)
REBIF TITRATION PACK SUBCUTANEOUS SYRINGE 8.8MCG/0.2ML-22 MCG/0.5ML (6)	3	NM; NDS; QL (4.2 per 28 days)
<i>riluzole oral tablet 50 mg</i> (Rilutek)	1	
SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG	2	
SAVELLA ORAL TABLETS, DOSE PACK 12.5 MG (5)-25 MG(8)-50 MG(42)	2	
TECFIDERA ORAL CAPSULE, DELAYED RELEASE(DR/EC) 120 MG (14)- 240 MG (46)	3	NM; LA; NDS; QL (120 per 180 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TECFIDERA ORAL CAPSULE,DELAYED RELEASE(DR/EC) 120 MG, 240 MG	3	NM; LA; NDS; QL (60 per 30 days)
<i>tetrabenazine oral tablet 12.5 mg, 25 mg</i> (Xenazine)	3	NM; NDS; QL (120 per 30 days)
Contraceptives		
Contraceptives		
<i>altavera (28) oral tablet 0.15-0.03 mg</i>	1	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>amethia lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	
<i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>apri oral tablet 0.15-0.03 mg</i>	1	
<i>aranelle (28) oral tablet 0.5/1/0.5-35 mg- mcg</i>	1	
<i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>aubra oral tablet 0.1-20 mg-mcg</i>	1	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	1	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>balziva (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>bekyree (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>briellyn oral tablet 0.4-35 mg-mcg</i>	1	
<i>camila oral tablet 0.35 mg</i>	1	
<i>camrese lo oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i>	1	
<i>camrese oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>caziant (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>cyclafem 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>cyclafem 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>cyred oral tablet 0.15-0.03 mg</i>	1	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
<i>daysee oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>	1	
<i>deblitane oral tablet 0.35 mg</i>	1	
<i>delyla (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28))	1	
<i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)	1	
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.02-0.451 mg (24) (4)</i> (Beyaz)	1	
<i>drospirenone-e.estradiol-lm.fa oral tablet 3-0.03-0.451 mg (21) (7)</i> (Safyral)	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i> (Gianvi (28))	1	
<i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i> (Ocella)	1	
<i>elinest oral tablet 0.3-30 mg-mcg</i>	1	
ELLA ORAL TABLET 30 MG	2	
<i>emoquette oral tablet 0.15-0.03 mg</i>	1	
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>enskyce oral tablet 0.15-0.03 mg</i>	1	
<i>errin oral tablet 0.35 mg</i>	1	
<i>estarylla oral tablet 0.25-35 mg-mcg</i>	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))	1	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Kelnor 1-50)	1	
<i>falmina (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>fayosim oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	
<i>femynor oral tablet 0.25-35 mg-mcg</i>	1	
<i>gianvi (28) oral tablet 3-0.02 mg</i>	1	
<i>heather oral tablet 0.35 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>incassia oral tablet 0.35 mg</i>	1	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	
<i>isibloom oral tablet 0.15-0.03 mg</i>	1	
<i>jencycla oral tablet 0.35 mg</i>	1	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	
<i>jolivette oral tablet 0.35 mg</i>	1	
<i>juleber oral tablet 0.15-0.03 mg</i>	1	
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg- mcg</i>	1	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>kaitlib fe oral tablet,chewable 0.8mg- 25mcg(24) and 75 mg (4)</i>	1	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>kelnor 1-50 oral tablet 1-50 mg-mcg</i>	1	
<i>kimidess (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>kurvelo oral tablet 0.15-0.03 mg</i>	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.10 mg-20 mcg (84)/10 mcg (7)</i> (Amethia Lo)	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> (Fayosim)	1	
<i>l norgest/e.estradiol-e.estradiol oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (Amethia)	1	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg- mcg</i>	1	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	1	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>larissia oral tablet 0.1-20 mg-mcg</i>	1	
<i>layolis fe oral tablet, chewable 0.8mg-25mcg(24) and 75 mg (4)</i>	1	
<i>leena 28 oral tablet 0.5/1/0.5-35 mg-mcg</i>	1	
<i>lessina oral tablet 0.1-20 mg-mcg</i>	1	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Aubra)	1	
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i> (Altavera (28))	1	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg</i> (Amethyst)	1	
<i>levonorgestrel-ethinyl estrad oral tablets, dose pack, 3 month 0.15 mg-30 mcg</i> (Introvale)	1	
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)	1	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	1	
<i>lillow oral tablet 0.15-0.03 mg</i>	1	
<i>loryna (28) oral tablet 3-0.02 mg</i>	1	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	1	
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	1	
<i>lyza oral tablet 0.35 mg</i>	1	
<i>marlissa oral tablet 0.15-0.03 mg</i>	1	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	1	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	1	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	1	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>mili oral tablet 0.25-35 mg-mcg</i>	1	
<i>mono-lyyah oral tablet 0.25-35 mg-mcg</i>	1	
<i>mononessa (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>myzilra oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>necon 7/7/7 (28) oral tablet 0.5/0.75/1 mg-35 mcg</i>	1	
<i>nikki (28) oral tablet 3-0.02 mg</i>	1	
<i>nora-be oral tablet 0.35 mg</i>	1	
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Camila)	1	
<i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i> (Junel 1/20 (21))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Blisovi Fe 1/20 (28))	1	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Blisovi 24 Fe)	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-25 mcg</i> (Ortho Tri-Cyclen LO (28))	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i> (Ortho Tri-Cyclen (28))	1	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-35 mg-mcg</i> (Estarylla)	1	
<i>norlyda oral tablet 0.35 mg</i>	1	
<i>norlyroc oral tablet 0.35 mg</i>	1	
<i>nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg</i>	1	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	1	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	1	
NUVARING VAGINAL RING 0.12-0.015 MG/24 HR	2	
<i>ocella oral tablet 3-0.03 mg</i>	1	
<i>ogestrel (28) oral tablet 0.5-50 mg-mcg</i>	1	
<i>orsythia oral tablet 0.1-20 mg-mcg</i>	1	
<i>philith oral tablet 0.4-35 mg-mcg</i>	1	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>pirmella oral tablet 0.5/0.75/1 mg- 35 mcg, 1-35 mg-mcg</i>	1	
<i>portia oral tablet 0.15-0.03 mg</i>	1	
<i>previfem oral tablet 0.25-35 mg-mcg</i>	1	
<i>quasense oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>rajani oral tablet 3-0.02-0.451 mg (24) (4)</i>	1	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	1	
<i>rivelsa oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>	1	
<i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg</i>	1	
<i>sharobel oral tablet 0.35 mg</i>	1	
<i>sprintec (28) oral tablet 0.25-35 mg-mcg</i>	1	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	1	
<i>syeda oral tablet 3-0.03 mg</i>	1	
<i>tarina fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	1	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg- 35mcg (9)</i>	1	
<i>tri femynor oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	1	
<i>tri-lynyah oral tablet 0.18/0.215/0.25 mg- 35 mcg (28)</i>	1	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-25 mcg</i>	1	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trinessa (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trinessa lo oral tablet 0.18/0.215/0.25 mg- 25 mcg</i>	1	
<i>tri-previfem (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	1	
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	1	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg- 35 mcg (28)</i>	1	
<i>tulana oral tablet 0.35 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>tydemy oral tablet 3-0.03-0.451 mg (21) (7)</i>	1	
<i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i>	1	
<i>vestura (28) oral tablet 3-0.02 mg</i>	1	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	1	
<i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	1	
<i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>vylibra oral tablet 0.25-35 mg-mcg</i>	1	
<i>wera (28) oral tablet 0.5-35 mg-mcg</i>	1	
<i>wymzya fe oral tablet, chewable 0.4mg-35mcg(21) and 75 mg (7)</i>	1	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	1	
<i>zarah oral tablet 3-0.03 mg</i>	1	
<i>zenchent (28) oral tablet 0.4-35 mg-mcg</i>	1	
<i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>	1	
Dental And Oral Agents		
Dental And Oral Agents		
<i>cevimeline oral capsule 30 mg</i> (Evoxac)	1	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Paroex Oral Rinse)	1	
<i>denta 5000 plus dental cream 1.1 %</i>	1	
<i>dentagel dental gel 1.1 %</i>	1	
<i>oralone dental paste 0.1 %</i>	1	
<i>paroex oral rinse mucous membrane mouthwash 0.12 %</i>	1	
<i>periogard mucous membrane mouthwash 0.12 %</i>	1	
<i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> (Salagen (pilocarpine))	1	
<i>sf 5000 plus dental cream 1.1 %</i>	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Oralone)	1	
Dermatological Agents		
Dermatological Agents, Other		
<i>acitretin oral capsule 10 mg, 17.5 mg</i> (Soriatane)	3	PA; NM; NDS; QL (60 per 30 days)
<i>acitretin oral capsule 25 mg</i> (Soriatane)	3	PA; NM; NDS
<i>acyclovir topical ointment 5 %</i> (Zovirax)	1	
ALCOHOL PADS TOPICAL PADS, MEDICATED	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>ammonium lactate topical cream 12 %</i> (Geri-Hydrolac)	1	
<i>ammonium lactate topical lotion 12 %</i> (AmLactin)	1	
<i>amnestem oral capsule 10 mg, 20 mg, 40 mg</i>	1	
<i>calcipotriene scalp solution 0.005 %</i>	1	
<i>calcipotriene topical cream 0.005 %</i> (Dovonex)	1	
<i>calcipotriene topical ointment 0.005 %</i> (Calcitrene)	1	
<i>calcipotriene-betamethasone topical ointment 0.005-0.064 %</i> (Taclonex)	3	
<i>calcitrene topical ointment 0.005 %</i>	1	
<i>calcitriol topical ointment 3 mcg/gram</i> (Vectical)	1	
<i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
CONDYLOX TOPICAL GEL 0.5 %	2	
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	3	PA; NM; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	3	PA; NM; NDS
DENAVIR TOPICAL CREAM 1 %	3	QL (5 per 30 days)
DUPIXENT SUBCUTANEOUS SYRINGE 300 MG/2 ML	3	PA; NM; NDS; QL (8 per 28 days)
<i>fluorouracil topical cream 0.5 %</i> (Carac)	1	
<i>fluorouracil topical cream 5 %</i> (Efudex)	1	
<i>fluorouracil topical solution 2 %, 5 %</i>	1	
<i>imiquimod topical cream in packet 5 %</i> (Aldara)	1	
<i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Absorica)	1	
LEVULAN TOPICAL SOLUTION 20 %	3	
<i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i> (Oxsoralen Ultra)	1	
<i>myorisan oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>	1	
PANRETIN TOPICAL GEL 0.1 %	3	NM; NDS
PICATO TOPICAL GEL 0.015 %	3	QL (3 per 30 days)
PICATO TOPICAL GEL 0.05 %	3	QL (2 per 30 days)
<i>podofilox topical solution 0.5 %</i>	1	
REGRANEX TOPICAL GEL 0.01 %	3	NM; NDS
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	2	
TOLAK TOPICAL CREAM 4 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UVADEX INJECTION SOLUTION 20 MCG/ML	3	
VALCHLOR TOPICAL GEL 0.016 %	3	PA NSO; NM; LA; NDS
zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg	1	
ZOVIRAX TOPICAL CREAM 5 %	3	QL (5 per 30 days)
ZYCLARA TOPICAL CREAM IN METERED-DOSE PUMP 2.5 %, 3.75 %	3	
Dermatological Antibacterials		
<i>clindamycin phosphate topical foam 1 %</i> (Evoclin)	1	
<i>clindamycin phosphate topical gel 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical lotion 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	1	
<i>clindamycin phosphate topical swab 1 %</i> (Cleocin T)	1	
<i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Duac)	1	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Benzaclin)	1	
<i>ery pads topical swab 2 %</i>	1	
<i>erythromycin with ethanol topical gel 2 %</i> (Erygel)	1	
<i>erythromycin with ethanol topical solution 2 %</i>	1	
<i>erythromycin with ethanol topical swab 2 %</i> (Ery Pads)	1	
<i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Aktipak)	1	
<i>gentamicin topical cream 0.1 %</i>	1	
<i>gentamicin topical ointment 0.1 %</i>	1	
<i>metronidazole topical cream 0.75 %</i> (MetroCream)	1	
<i>metronidazole topical gel 0.75 %</i> (Rosadan)	1	
<i>metronidazole topical gel 1 %</i> (Metrogel)	1	
<i>metronidazole topical lotion 0.75 %</i> (MetroLotion)	1	
<i>mupirocin calcium topical cream 2 %</i> (Bactroban)	1	
<i>mupirocin topical ointment 2 %</i> (Centany)	1	
<i>neomycin-polymyxin b gu irrigation solution 40 mg-200,000 unit/ml</i>	1	
<i>rosadan topical cream 0.75 %</i>	1	
<i>selenium sulfide topical lotion 2.5 %</i>	1	
<i>silver sulfadiazine topical cream 1 %</i> (Silvadene)	1	
<i>ssd topical cream 1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron)	1	
Dermatological Anti-Inflammatory Agents		
<i>ala-cort topical cream 1 %, 2.5 %</i>	1	
<i>ala-scalp topical lotion 2 %</i>	1	
<i>alclometasone topical cream 0.05 %</i>	1	
<i>alclometasone topical ointment 0.05 %</i>	1	
<i>amcinonide topical cream 0.1 %</i>	1	
<i>amcinonide topical lotion 0.1 %</i>	1	
<i>amcinonide topical ointment 0.1 %</i>	1	
<i>betamethasone dipropionate topical cream 0.05 %</i>	1	
<i>betamethasone dipropionate topical lotion 0.05 %</i>	1	
<i>betamethasone dipropionate topical ointment 0.05 %</i>	1	
<i>betamethasone valerate topical cream 0.1 %</i>	1	
<i>betamethasone valerate topical foam 0.12 %</i> (Luxiq)	1	
<i>betamethasone valerate topical lotion 0.1 %</i>	1	
<i>betamethasone valerate topical ointment 0.1 %</i>	1	
<i>betamethasone, augmented topical cream 0.05 %</i>	1	
<i>betamethasone, augmented topical gel 0.05 %</i>	1	
<i>betamethasone, augmented topical lotion 0.05 %</i>	1	
<i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene)	1	
<i>clobetasol scalp solution 0.05 %</i> (Cormax)	1	
<i>clobetasol topical cream 0.05 %</i> (Temovate)	1	
<i>clobetasol topical foam 0.05 %</i> (Olux)	1	
<i>clobetasol topical gel 0.05 %</i>	1	
<i>clobetasol topical lotion 0.05 %</i> (Clobex)	1	
<i>clobetasol topical ointment 0.05 %</i> (Temovate)	1	
<i>clobetasol topical shampoo 0.05 %</i> (Clobex)	1	
<i>clobetasol topical spray, non-aerosol 0.05 %</i> (Clobex)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>clobetasol-emollient topical cream 0.05 %</i>	1	
<i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)	1	
<i>clocortolone pivalate topical cream 0.1 %</i> (Cloderm)	1	
<i>cormax scalp solution 0.05 %</i>	1	
<i>desonide topical cream 0.05 %</i> (DesOwen)	1	
<i>desonide topical lotion 0.05 %</i> (DesOwen)	1	
<i>desonide topical ointment 0.05 %</i>	1	
<i>desoximetasone topical cream 0.05 %, 0.25 %</i> (Topicort)	1	
<i>desoximetasone topical gel 0.05 %</i> (Topicort)	1	
<i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)	1	
<i>diflorasone topical cream 0.05 %</i> (Psorcon)	1	
<i>diflorasone topical ointment 0.05 %</i>	1	
ELIDEL TOPICAL CREAM 1 %	3	PA
EUCRISA TOPICAL OINTMENT 2 %	3	PA
<i>fluocinolone 0.01% body oil 0.01 %</i> (Derma-Smoothe/FS Body Oil)	1	
<i>fluocinolone and shower cap scalp oil 0.01 %</i> (Derma-Smoothe/FS Scalp Oil)	1	
<i>fluocinolone topical cream 0.01 %</i>	1	
<i>fluocinolone topical cream 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical ointment 0.025 %</i> (Synalar)	1	
<i>fluocinolone topical solution 0.01 %</i> (Synalar)	1	
<i>fluocinonide topical cream 0.05 %</i>	1	
<i>fluocinonide topical gel 0.05 %</i>	1	
<i>fluocinonide topical ointment 0.05 %</i>	1	
<i>fluocinonide topical solution 0.05 %</i>	1	
<i>fluocinonide-e topical cream 0.05 %</i>	1	
<i>fluticasone topical cream 0.05 %</i> (Cutivate)	1	
<i>fluticasone topical lotion 0.05 %</i> (Cutivate)	1	
<i>fluticasone topical ointment 0.005 %</i>	1	
<i>halobetasol propionate topical cream 0.05 %</i> (Ultravate)	1	
<i>halobetasol propionate topical ointment 0.05 %</i> (Ultravate)	1	
<i>hydrocort buty 0.1% lipo cream 0.1 %</i> (Locoid Lipocream)	1	
<i>hydrocortisone butyrate topical cream 0.1 %</i> (Locoid)	1	
<i>hydrocortisone butyrate topical ointment 0.1 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydrocortisone butyrate topical solution 0.1 %</i> (Locoid)	1	
<i>hydrocortisone topical cream 1 %, 2.5 %</i> (Ala-Cort)	1	
<i>hydrocortisone topical lotion 2.5 %</i>	1	
<i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))	1	
<i>hydrocortisone topical ointment 2.5 %</i>	1	
<i>hydrocortisone valerate topical cream 0.2 %</i>	1	
<i>hydrocortisone valerate topical ointment 0.2 %</i>	1	
<i>hydrocortisone-pramoxine rectal cream 1-1 %</i> (Analpram-HC)	1	
<i>mometasone topical cream 0.1 %</i> (Elocon)	1	
<i>mometasone topical ointment 0.1 %</i> (Elocon)	1	
<i>mometasone topical solution 0.1 %</i>	1	
<i>prednicarbate topical cream 0.1 %</i>	1	
<i>prednicarbate topical ointment 0.1 %</i> (Dermatop)	1	
PROCTOFOAM HC RECTAL FOAM 1-1 %	3	
<i>procto-med hc topical cream with perineal applicator 2.5 %</i>	1	
<i>procto-pak topical cream with perineal applicator 1 %</i>	1	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i>	1	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i>	1	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Protopic)	1	QL (60 per 30 days)
<i>triamcinolone acetonide topical cream 0.025 %</i>	1	
<i>triamcinolone acetonide topical cream 0.1 %, 0.5 %</i> (Triderm)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>	1	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>	1	
<i>trianex topical ointment 0.05 %</i>	1	
<i>triderm topical cream 0.1 %, 0.5 %</i>	1	
<i>tridesilon topical cream 0.05 %</i>	1	
Dermatological Retinoids		
<i>adapalene 0.3% gel pump 0.3 %</i> (Differin)	3	
<i>adapalene topical cream 0.1 %</i> (Differin)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>adapalene topical gel 0.1 %</i> (Differin)	1	
<i>adapalene topical gel 0.3 %</i> (Differin)	3	
<i>avita topical cream 0.025 %</i>	1	PA
<i>avita topical gel 0.025 %</i>	1	PA
FABIOR TOPICAL FOAM 0.1 %	3	PA
<i>tazarotene topical cream 0.1 %</i> (Avage)	1	
TAZORAC TOPICAL CREAM 0.05 %	3	PA
TAZORAC TOPICAL GEL 0.05 %, 0.1 %	3	PA
<i>tretinoin microspheres topical gel 0.04 %, 0.1 %</i> (Retin-A Micro)	3	PA
<i>tretinoin topical cream 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.01 %</i> (Retin-A)	1	PA
<i>tretinoin topical gel 0.025 %</i> (Avita)	1	PA
<i>tretinoin topical gel 0.05 %</i> (Atralin)	1	PA
Scabicides And Pediculicides		
<i>lindane topical shampoo 1 %</i>	1	
<i>malathion topical lotion 0.5 %</i> (Ovide)	1	
<i>permethrin topical cream 5 %</i> (Elimite)	1	
<i>spinosad topical suspension 0.9 %</i> (Natroba)	1	
Devices		
Devices		
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"	2	
BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32"	1	
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRING 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	1	
BD VEO INS SYRN 0.5 ML 6MMX31G 1/2 ML 31 GAUGE X 15/64"	1	
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ulitet Insulin Syringe)	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Advocate Syringes)	1	
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Lite Touch Insulin Syringe)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips)	1	
VGO 40 DISPOSABLE DEVICE	2	
Enzyme Replacement/Modifiers		
Enzyme Replacement/Modifiers		
ADAGEN INTRAMUSCULAR SOLUTION 250 UNIT/ML	3	NM; LA; NDS
ALDURAZYME INTRAVENOUS SOLUTION 2.9 MG/5 ML	3	PA; NM; NDS
CEREZYME INTRAVENOUS RECON SOLN 400 UNIT	3	PA; NM; NDS
CREON ORAL CAPSULE, DELAYED RELEASE (DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	2	
CYSTAGON ORAL CAPSULE 150 MG, 50 MG	3	LA
ELAPRASE INTRAVENOUS SOLUTION 6 MG/3 ML	3	PA; NM; NDS
ELELYSO INTRAVENOUS RECON SOLN 200 UNIT	3	PA; NM; LA; NDS
ELITEK INTRAVENOUS RECON SOLN 1.5 MG, 7.5 MG	3	PA; NM; NDS
FABRAZYME INTRAVENOUS RECON SOLN 35 MG, 5 MG	3	PA; NM; NDS
KUVAN ORAL POWDER IN PACKET 100 MG, 500 MG	3	PA; NM; LA; NDS
KUVAN ORAL TABLET, SOLUBLE 100 MG	3	PA; NM; LA; NDS
<i>miglustat oral capsule 100 mg</i> (Zavesca)	3	PA; NM; NDS; QL (90 per 30 days)
NAGLAZYME INTRAVENOUS SOLUTION 5 MG/5 ML	3	PA; NM; NDS
NITYR ORAL TABLET 10 MG, 2 MG, 5 MG	3	PA; NM; NDS
PROCYSBI ORAL CAPSULE, DELAYED REL SPRINKLE 25 MG, 75 MG	3	PA; NM; LA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	3	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
STRENSIQ SUBCUTANEOUS SOLUTION 100 MG/ML, 40 MG/ML	3	PA; NM; LA; NDS
VPRIV INTRAVENOUS RECON SOLN 400 UNIT	3	PA; NM; LA; NDS
ZENPEP ORAL CAPSULE,DELAYED RELEASE(DR/EC) 10,000-32,000 - 42,000 UNIT, 10,000-34,000 -55,000 UNIT, 15,000-47,000 -63,000 UNIT, 15,000-51,000 -82,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000-105,000 UNIT, 25,000-85,000- 136,000 UNIT, 3,000-10,000 -14,000-UNIT, 3,000-10,000- 16,000 UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000 - 27,000 UNIT, 5,000-17,000- 24,000 UNIT	2	
Eye, Ear, Nose, Throat Agents		
Eye, Ear, Nose, Throat Agents, Miscellaneous		
AKTEN (PF) OPHTHALMIC (EYE) GEL 3.5 %	3	
ALOMIDE OPHTHALMIC (EYE) DROPS 0.1 %	3	
<i>apraclonidine ophthalmic (eye) drops 0.5 %</i> (Iopidine)	1	
<i>atropine ophthalmic (eye) drops 1 %</i> (Isopto Atropine)	1	
<i>azelastine nasal aerosol,spray 137 mcg (0.1 %)</i>	1	
<i>azelastine nasal spray,non-aerosol 0.15 % (205.5 mcg)</i> (Astepro)	1	
<i>azelastine ophthalmic (eye) drops 0.05 %</i>	1	
<i>cromolyn ophthalmic (eye) drops 4 %</i>	1	
<i>cyclopentolate ophthalmic (eye) drops 0.5 %, 1 %, 2 %</i> (Cyclogyl)	1	
CYSTARAN OPHTHALMIC (EYE) DROPS 0.44 %	3	NM; LA; NDS
<i>epinastine ophthalmic (eye) drops 0.05 %</i> (Elestat)	1	
<i>ipratropium bromide nasal spray,non-aerosol 0.03 %, 42 mcg (0.06 %)</i>	1	
<i>olopatadine nasal spray,non-aerosol 0.6 %</i> (Patanase)	1	
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Patanol)	1	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Pataday)	1	ST

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>phenylephrine hcl ophthalmic (eye) drops 10 %, 2.5 %</i>	1	
<i>proparacaine ophthalmic (eye) drops 0.5 %</i>	1	
<i>tropicamide ophthalmic (eye) drops 0.5 %</i>	1	
<i>tropicamide ophthalmic (eye) drops 1 % (Mydracyl)</i>	1	
TYZINE NASAL DROPS 0.1 %	2	
TYZINE NASAL SPRAY, NON-AEROSOL 0.1 %	3	
Eye, Ear, Nose, Throat Anti-Infectives Agents		
<i>acetic acid otic (ear) solution 2 %</i>	1	
AZASITE OPHTHALMIC (EYE) DROPS 1 %	3	
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>	1	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram (AK-Poly-Bac)</i>	1	
BESIVANCE OPHTHALMIC (EYE) DROPS, SUSPENSION 0.6 %	3	
<i>bleph-10 ophthalmic (eye) drops 10 %</i>	1	
BLEPHAMIDE OPHTHALMIC (EYE) DROPS, SUSPENSION 10-0.2 %	3	
BLEPHAMIDE S.O.P. OPHTHALMIC (EYE) OINTMENT 10-0.2 %	2	
CILOXAN OPHTHALMIC (EYE) OINTMENT 0.3 %	2	
CIPRODEX OTIC (EAR) DROPS, SUSPENSION 0.3-0.1 %	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 % (Ciloxan)</i>	1	
<i>ciprofloxacin hcl otic (ear) dropperette 0.2 % (Cetraxal)</i>	1	
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>	1	
<i>gatifloxacin ophthalmic (eye) drops 0.5 % (Zymaxid)</i>	1	
<i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>	1	
<i>gentamicin ophthalmic (eye) drops 0.3 %</i>	1	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>	1	
<i>levofloxacin ophthalmic (eye) drops 0.5 %</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	1	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	3	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)	1	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	1	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	1	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>	1	
<i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>	1	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>	1	
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	1	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)	1	
<i>ofloxacin otic (ear) drops 0.3 %</i>	1	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	1	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> (Polytrim)	1	
PRED-G OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-1 %	3	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i> (Bleph-10)	1	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	1	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
TOBRADEX OPHTHALMIC (EYE) OINTMENT 0.3-0.1 %	2	
TOBRADEX ST OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3-0.05 %	3	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i> (Tobrex)	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i> (TobraDex)	1	
<i>trifluridine ophthalmic (eye) drops 1 %</i> (Viroptic)	1	
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %	3	
Eye, Ear, Nose, Throat Anti-Inflammatory Agents		
ALOCRILOPHTHALMIC (EYE) DROPS 2 %	3	
ALREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.2 %	3	
<i>bromfenac ophthalmic (eye) drops 0.09 %</i>	1	
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>	1	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>	1	
DUREZOL OPHTHALMIC (EYE) DROPS 0.05 %	3	
FLAREX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	3	
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>	1	
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)	1	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)	1	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>	1	
<i>fluticasone nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief)	1	
FML FORTE OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	
FML S.O.P. OPHTHALMIC (EYE) OINTMENT 0.1 %	3	
<i>ketorolac ophthalmic (eye) drops 0.4 %</i> (Acular LS)	1	
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	1	
LOTEMAX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.5 %	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
MAXIDEX OPHTHALMIC (EYE) DROPS,SUSPENSION 0.1 %	3	
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Nasonex)	1	
<i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Omnipred)	1	
<i>prednisolone sodium phosphate ophthalmic (eye) drops 1 %</i>	1	
RESTASIS OPHTHALMIC (EYE) DROPPERETTE 0.05 %	3	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	
Gastrointestinal Agents		
Antiulcer Agents And Acid Suppressants		
CARAFATE ORAL SUSPENSION 100 MG/ML	3	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	1	
<i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))	1	
<i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>	1	
<i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg, 40 mg</i> (Nexium)	1	ST
<i>esomeprazole sodium intravenous recon soln 20 mg</i>	1	PA
<i>esomeprazole sodium intravenous recon soln 40 mg</i> (Nexium IV)	1	PA
<i>famotidine (pf) intravenous solution 20 mg/2 ml</i>	1	
<i>famotidine (pf)-nacl (iso-os) intravenous piggyback 20 mg/50 ml</i>	1	
<i>famotidine intravenous solution 10 mg/ml</i>	1	
<i>famotidine oral suspension 40 mg/5 ml (8 mg/ml)</i> (Pepcid)	1	
<i>famotidine oral tablet 20 mg</i> (Acid Controller)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Heartburn Treatment 24 Hour)	1	
<i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)	1	
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
NEXIUM PACKET ORAL GRANULES DR FOR SUSP IN PACKET 20 MG, 40 MG	3	ST
<i>nizatidine oral capsule 150 mg, 300 mg</i>	1	
<i>nizatidine oral solution 150 mg/10 ml</i>	1	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>	1	
<i>pantoprazole intravenous recon soln 40 mg</i> (Protonix)	1	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i> (Protonix)	1	
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Aciphex)	1	
<i>ranitidine hcl oral syrup 15 mg/ml</i>	1	
<i>ranitidine hcl oral tablet 150 mg</i> (Acid Control (ranitidine))	1	
<i>ranitidine hcl oral tablet 300 mg</i> (Zantac)	1	
<i>sucralfate oral tablet 1 gram</i> (Carafate)	1	
Gastrointestinal Agents, Other		
AMITIZA ORAL CAPSULE 24 MCG, 8 MCG	3	QL (60 per 30 days)
CARBAGLU ORAL TABLET, DISPERSIBLE 200 MG	3	PA; NM; NDS
CHOLBAM ORAL CAPSULE 250 MG, 50 MG	3	PA; NM; NDS
<i>constulose oral solution 10 gram/15 ml</i>	1	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	1	
<i>dicyclomine oral capsule 10 mg</i>	1	
<i>dicyclomine oral solution 10 mg/5 ml</i>	1	
<i>dicyclomine oral tablet 20 mg</i>	1	
<i>diphenoxylate-atropine oral liquid 2.5- 0.025 mg/5 ml</i>	1	NM; NDS
<i>diphenoxylate-atropine oral tablet 2.5- 0.025 mg</i> (Lomotil)	1	NM; NDS
<i>enulose oral solution 10 gram/15 ml</i>	1	
GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG	3	PA; NM; LA; NDS
<i>generlac oral solution 10 gram/15 ml</i>	1	
<i>glycopyrrolate injection solution 0.2 mg/ml</i> (Robinul)	1	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	1	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>kionex (with sorbitol) oral suspension 15-19.3 gram/60 ml</i>	1	
<i>lactulose oral solution 10 gram/15 ml</i> (Constulose)	1	
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	2	QL (30 per 30 days)
<i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))	1	
<i>methscopolamine oral tablet 2.5 mg, 5 mg</i>	1	
<i>metoclopramide hcl injection solution 5 mg/ml</i>	1	
<i>metoclopramide hcl injection syringe 5 mg/ml</i>	1	
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	1	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	2	QL (30 per 30 days)
RAVICTI ORAL LIQUID 1.1 GRAM/ML	3	PA; NM; LA; NDS; QL (525 per 30 days)
RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML	3	PA; QL (18 per 30 days)
RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML	3	PA; QL (18 per 30 days)
RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML	3	PA; QL (12 per 30 days)
<i>sod polystyren sulf 15 g/60 ml sorbitol free 15 gram/60 ml</i>	1	
<i>sodium phenylbutyrate oral powder 0.94 gram/gram</i> (Buphenyl)	3	NM; NDS
<i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)	3	NM; NDS
<i>sodium polystyrene sulfonate oral powder</i>	1	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>	1	
<i>ursodiol oral capsule 300 mg</i> (Actigall)	1	
<i>ursodiol oral tablet 250 mg</i> (URSO 250)	1	
<i>ursodiol oral tablet 500 mg</i> (URSO Forte)	1	
VELTASSA ORAL POWDER IN PACKET 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	PA; LA; QL (30 per 30 days)
XERMELO ORAL TABLET 250 MG	3	PA; NM; LA; NDS; QL (90 per 30 days)

Laxatives

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CLENPIQ ORAL SOLUTION 10 MG-3.5 GRAM -12 GRAM/160 ML	3	
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i>	1	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i>	1	
<i>gavilyte-n oral recon soln 420 gram</i>	1	
GOLYTELY ORAL POWDER IN PACKET 227.1-21.5-6.36 GRAM	3	
MOVIPREP ORAL POWDER IN PACKET 100-7.5-2.691 GRAM	3	
OSMOPREP ORAL TABLET 1.5 GRAM	3	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G)	1	
<i>peg 3350-electrolytes oral recon soln 240-22.72-6.72 -5.84 gram</i> (Colyte with Flavor Packs)	1	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)	1	
<i>polyethylene glycol 3350 oral powder 17 gram/dose</i> (ClearLax)	1	
<i>polyethylene glycol 3350 powd 17 gm packets (rx) 17 gram</i> (ClearLax)	1	
PREPOPIK ORAL POWDER IN PACKET 10 MG-3.5 GRAM-12 GRAM	3	
SUPREP BOWEL PREP KIT ORAL RECON SOLN 17.5-3.13-1.6 GRAM	3	
<i>trilyte with flavor packets oral recon soln 420 gram</i>	1	
Phosphate Binders		
AURYXIA ORAL TABLET 210 MG IRON	3	NM; NDS; QL (360 per 30 days)
<i>calcium acetate oral capsule 667 mg</i>	1	
<i>calcium acetate oral tablet 667 mg</i> (Calphron)	1	
<i>eliphos oral tablet 667 mg</i>	1	
FOSRENOL ORAL POWDER IN PACKET 1,000 MG, 750 MG	2	
<i>lanthanum oral tablet, chewable 1,000 mg, 500 mg, 750 mg</i> (Fosrenol)	1	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	1	
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	1	
VELPHORO ORAL TABLET, CHEWABLE 500 MG	3	ST; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Genitourinary Agents		
Antispasmodics, Urinary		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 50 mg</i> (Urecholine)	1	
<i>flavoxate oral tablet 100 mg</i>	1	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG	2	QL (30 per 30 days)
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i>	1	
<i>oxybutynin chloride oral tablet 5 mg</i>	1	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i> (Ditropan XL)	1	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	1	QL (30 per 30 days)
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	1	
<i>trospium oral capsule, extended release 24hr 60 mg</i>	1	
<i>trospium oral tablet 20 mg</i>	1	
VESICARE ORAL TABLET 10 MG, 5 MG	2	
Genitourinary Agents, Miscellaneous		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	1	
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	1	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>	1	
Heavy Metal Antagonists		
Heavy Metal Antagonists		
<i>deferoxamine injection recon soln 2 gram, 500 mg</i> (Desferal)	1	PA BvD
DEPEN TITRATABS ORAL TABLET 250 MG	3	
EXJADE ORAL TABLET, DISPERSIBLE 125 MG, 250 MG, 500 MG	3	PA; NM; LA; NDS
FERRIPROX ORAL TABLET 500 MG	3	PA; NM; LA; NDS
JADENU ORAL TABLET 180 MG, 360 MG, 90 MG	3	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
JADENU SPRINKLE ORAL GRANULES IN PACKET 180 MG, 360 MG, 90 MG	3	PA; NM; NDS
<i>trientine oral capsule 250 mg</i> (Syprine)	3	PA; NM; NDS
Hormonal Agents, Stimulant/Replacement/Modifying		
Androgens		
ANADROL-50 ORAL TABLET 50 MG	2	NM; NDS
ANDRODERM TRANSDERMAL PATCH 24 HOUR 2 MG/24 HOUR, 4 MG/24 HR	3	NM; NDS
ANDROGEL TRANSDERMAL GEL IN METERED-DOSE PUMP 20.25 MG/1.25 GRAM (1.62 %)	3	NM; NDS
ANDROGEL TRANSDERMAL GEL IN PACKET 1.62 % (20.25 MG/1.25 GRAM), 1.62 % (40.5 MG/2.5 GRAM)	3	NM; NDS
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>	1	
METHITEST ORAL TABLET 10 MG	3	NM; NDS
<i>oxandrolone oral tablet 10 mg, 2.5 mg</i> (Oxandrin)	1	NM; NDS
<i>testosterone cypionate intramuscular oil 100 mg/ml</i> (Depo-Testosterone)	1	NM; NDS
<i>testosterone cypionate intramuscular oil 200 mg/ml</i> (Depo-Testosterone)	1	NM; NDS
<i>testosterone enanthate intramuscular oil 200 mg/ml</i>	1	NM; NDS
<i>testosterone transdermal gel in metered-dose pump 10 mg/0.5 gram /actuation</i> (Fortesta)	1	NM; NDS
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	1	NM; NDS
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> (AndroGel)	1	NM; NDS
Estrogens And Antiestrogens		
<i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	
DUAVEE ORAL TABLET 0.45-20 MG	3	PA
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Estrace)	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Alora)	1	
<i>estradiol transdermal patch semiweekly 0.0375 mg/24 hr</i> (Minivelle)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	1	
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	1	
<i>estradiol vaginal tablet 10 mcg</i> (Vagifem)	1	
<i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> (Delestrogen)	1	
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (Activella)	1	
ESTRING VAGINAL RING 2 MG (7.5 MCG /24 HOUR)	3	
<i>estropipate oral tablet 0.75 mg, 1.5 mg, 3 mg</i>	1	
FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR	3	QL (1 per 90 days)
<i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i>	1	
<i>jinteli oral tablet 1-5 mg-mcg</i>	1	
<i>lopreeza oral tablet 0.5-0.1 mg, 1-0.5 mg</i>	1	
MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG	3	
<i>mimvey lo oral tablet 0.5-0.1 mg</i>	1	
<i>mimvey oral tablet 1-0.5 mg</i>	1	
<i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg</i> (Femhrt Low Dose)	1	
<i>norethindrone ac-eth estradiol oral tablet 1-5 mg-mcg</i> (Fyavolv)	1	
PREMARIN INJECTION RECON SOLN 25 MG	2	
PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG	2	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	2	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	2	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	2	
<i>raloxifene oral tablet 60 mg</i> (Evista)	1	
<i>yuvafem vaginal tablet 10 mcg</i>	1	
Glucocorticoids/Mineralocorticoids		
<i>a-hydrocort injection recon soln 100 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betamethasone acet,sod phos injection suspension 6 mg/ml</i> (Celestone Soluspan)	1	
<i>cortisone oral tablet 25 mg</i>	1	
<i>deltasone oral tablet 20 mg</i>	1	PA BvD
DEXAMETHASONE INTENSOL ORAL DROPS 1 MG/ML	3	
<i>dexamethasone oral elixir 0.5 mg/5 ml</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 4 mg, 6 mg</i> (Decadron)	1	PA BvD
<i>dexamethasone oral tablet 1 mg, 1.5 mg, 2 mg</i>	1	PA BvD
<i>dexamethasone oral tablets,dose pack 1.5 mg (21 tabs)</i> (DexPak 6 Day)	1	
<i>dexamethasone oral tablets,dose pack 1.5 mg (35 tabs)</i> (DexPak 10 day)	1	
<i>dexamethasone oral tablets,dose pack 1.5 mg (51 tabs)</i> (DexPak 13 Day)	1	
<i>dexamethasone sodium phos (pf) injection solution 10 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>	1	
<i>dexamethasone sodium phosphate injection syringe 4 mg/ml</i>	1	
EMFLAZA ORAL SUSPENSION 22.75 MG/ML	3	PA; NM; LA; NDS
EMFLAZA ORAL TABLET 18 MG	3	PA; NM; LA; NDS; QL (30 per 30 days)
EMFLAZA ORAL TABLET 30 MG, 6 MG	3	PA; NM; LA; NDS; QL (60 per 30 days)
EMFLAZA ORAL TABLET 36 MG	3	PA; NM; LA; NDS
<i>fludrocortisone oral tablet 0.1 mg</i>	1	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	1	
<i>methylprednisolone acetate injection suspension 40 mg/ml, 80 mg/ml</i> (Depo-Medrol)	1	
<i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Medrol)	1	PA BvD
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))	1	
<i>methylprednisolone sodium succ injection recon soln 125 mg, 40 mg</i>	1	
<i>methylprednisolone sodium succ intravenous recon soln 1,000 mg</i> (Solu-Medrol)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>prednisolone 15 mg/5 ml soln a/f, d/f 15 mg/5 ml (3 mg/ml)</i>	1	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i>	1	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i>	1	PA BvD
<i>prednisolone sodium phosphate oral tablet, disintegrating 10 mg, 15 mg, 30 mg</i> (Orapred ODT)	1	PA BvD
<i>prednisone oral solution 5 mg/5 ml</i>	1	PA BvD
<i>prednisone oral tablet 1 mg, 2.5 mg, 5 mg, 50 mg</i>	1	PA BvD
<i>prednisone oral tablet 10 mg</i>	1	PA BvD
<i>prednisone oral tablet 20 mg</i> (Deltasone)	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>	1	
SOLU-CORTEF (PF) INJECTION RECON SOLN 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML	2	
SOLU-MEDROL (PF) INJECTION RECON SOLN 125 MG/2 ML, 40 MG/ML	2	
SOLU-MEDROL (PF) INTRAVENOUS RECON SOLN 1,000 MG/8 ML, 500 MG/4 ML	2	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog)	1	
Pituitary		
CHORIONIC GONADOTROPIN, HUMAN INTRAMUSCULAR RECON SOLN 10,000 UNIT (Novarel)	3	PA
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i> (DDAVP)	1	
<i>desmopressin injection solution 4 mcg/ml</i> (DDAVP)	1	
<i>desmopressin nasal solution 0.1 mg/ml (refrigerate)</i> (DDAVP)	1	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>	1	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	1	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	3	NM; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	3	NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG	3	NM; NDS
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	3	PA
<i>octreotide acetate injection solution 1,000 mcg/ml</i>	3	NM; NDS
<i>octreotide acetate injection solution 100 (Sandostatin) mcg/ml, 50 mcg/ml</i>	1	
<i>octreotide acetate injection solution 200 mcg/ml</i>	1	
<i>octreotide acetate injection solution 500 (Sandostatin) mcg/ml</i>	3	NM; NDS
<i>octreotide acetate injection syringe 100 mcg/ml (1 ml), 50 mcg/ml (1 ml)</i>	1	
<i>octreotide acetate injection syringe 500 mcg/ml (1 ml)</i>	3	NM; NDS
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	3	PA; NM; NDS
SIGNIFOR LAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 20 MG, 40 MG, 60 MG	3	PA; NM; LA; NDS; QL (1 per 28 days)
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	3	PA; NM; LA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 120 MG/0.5 ML, 60 MG/0.2 ML, 90 MG/0.3 ML	3	NM; NDS
SOMAVERT SUBCUTANEOUS RECON SOLN 15 MG, 20 MG, 25 MG, 30 MG	3	NM; LA; NDS
SUPPRELIN LA IMPLANT KIT 50 MG (65 MCG/DAY)	3	PA
SYNAREL NASAL SPRAY, NON- AEROSOL 2 MG/ML	3	NM; NDS
VANTAS IMPLANT KIT 50 MG (50 MCG/DAY)	3	
VASOSTRICT INTRAVENOUS SOLUTION 20 UNIT/ML	3	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ZORBTIVE SUBCUTANEOUS RECON SOLN 8.8 MG	3	PA; NM; NDS
Progestins		
CRINONE VAGINAL GEL 4 %, 8 %	3	PA
DEPO-PROVERA INTRAMUSCULAR SUSPENSION 400 MG/ML	3	
<i>hydroxyprogesterone (pf)(preg preserv) intramuscular oil 250 mg/ml (1 ml)</i> (Makena)	3	NM; NDS
<i>hydroxyprogesterone caproate intramuscular oil 250 mg/ml</i>	3	NM; NDS
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	1	
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	1	
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml)</i>	1	
<i>megestrol oral suspension 625 mg/5 ml</i> (Megace ES)	1	
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	1	
<i>progesterone in oil intramuscular oil 50 mg/ml</i>	1	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	1	
Thyroid And Antithyroid Agents		
LEVO-T ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	
<i>levothyroxine intravenous recon soln 100 mcg, 200 mcg, 500 mcg</i>	1	
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Levo-T)	1	
LEVOXYL ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG	3	
<i>liothyronine intravenous solution 10 mcg/ml</i> (Triostat)	1	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>methimazole oral tablet 10 mg, 5 mg</i> (Tapazole)	1	
<i>propylthiouracil oral tablet 50 mg</i>	1	
SYNTHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	
UNITHROID ORAL TABLET 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG	3	
Immunological Agents		
Immunological Agents		
ACTEMRA INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	3	PA; NM; NDS; QL (40 per 30 days)
ACTEMRA SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	3	PA; NM; NDS; QL (3.6 per 28 days)
ANTIVENIN LATRODECTUS MACTANS INJECTION RECON SOLN 6,000 UNIT	3	
ANTIVENIN, MICRURUS FULVIUS INJECTION RECON SOLN	3	
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	3	PA; NM; LA; NDS
ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG, 5 MG	3	PA BvD
ATGAM INTRAVENOUS SOLUTION 50 MG/ML	2	
AZASAN ORAL TABLET 100 MG, 75 MG	3	PA BvD
<i>azathioprine oral tablet 50 mg</i> (Imuran)	1	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i>	1	PA BvD
BIVIGAM INTRAVENOUS SOLUTION 10 %	3	PA; NM; NDS
CARIMUNE NF NANOFILTERED INTRAVENOUS RECON SOLN 12 GRAM, 6 GRAM	3	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	3	PA; NM; NDS; QL (3 per 28 days)
CIMZIA SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	3	PA; NM; NDS; QL (3 per 28 days)
CUVITRU SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %), 8 GRAM/40 ML (20 %)	3	PA; NM; NDS
<i>cyclosporine intravenous solution 250 mg/5 ml</i> (Sandimmune)	1	PA BvD
<i>cyclosporine modified oral capsule 100 mg, 25 mg</i> (Gengraf)	1	PA BvD
<i>cyclosporine modified oral capsule 50 mg</i>	1	PA BvD
<i>cyclosporine modified oral solution 100 mg/ml</i> (Gengraf)	1	PA BvD
<i>cyclosporine oral capsule 100 mg, 25 mg</i> (Sandimmune)	1	PA BvD
ENBREL SUBCUTANEOUS RECON SOLN 25 MG (1 ML)	3	PA; NM; NDS; QL (8 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5ML (0.51)	3	PA; NM; NDS; QL (8.16 per 28 days)
ENBREL SUBCUTANEOUS SYRINGE 50 MG/ML (0.98 ML)	3	PA; NM; NDS; QL (7.84 per 28 days)
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (0.98 ML)	3	PA; NM; NDS; QL (7.84 per 28 days)
ENVARUSUS XR ORAL TABLET EXTENDED RELEASE 24 HR 0.75 MG, 1 MG, 4 MG	3	PA NSO
FLEBOGAMMA DIF INTRAVENOUS SOLUTION 10 %, 5 %	3	PA; NM; NDS
GAMASTAN S/D INTRAMUSCULAR SOLUTION 15-18 % RANGE	2	PA
GAMMAGARD LIQUID INJECTION SOLUTION 10 %	3	PA; NM; NDS
GAMMAGARD S-D (IGA < 1 MCG/ML) INTRAVENOUS RECON SOLN 10 GRAM, 5 GRAM	3	PA; NM; NDS
GAMMAPLEX INTRAVENOUS SOLUTION 10 %, 10 % (100 ML), 10 % (200 ML)	3	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %)	3	PA; NM; NDS
<i>gengraf oral capsule 100 mg, 25 mg, 50 mg</i>	1	PA BvD
<i>gengraf oral solution 100 mg/ml</i>	1	PA BvD
HIZENTRA SUBCUTANEOUS SOLUTION 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %)	3	PA; NM; NDS
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML (6 PACK)	3	PA; NM; NDS; QL (6 per 28 days)
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML, 80 MG/0.8 ML	3	PA; NM; NDS; QL (3 per 28 days)
HUMIRA PEDIATRIC CROHN'S START SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML-40 MG/0.4 ML	3	PA; NM; NDS; QL (2 per 28 days)
HUMIRA PEN CROHN'S-UC-HS START SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	3	PA; NM; NDS; QL (6 per 28 days)
HUMIRA PEN PSORIASIS-UVEITIS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	3	PA; NM; NDS; QL (4 per 28 days)
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	3	PA; NM; NDS; QL (2 per 28 days)
HUMIRA SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 10 MG/0.2 ML, 20 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	3	PA; NM; NDS; QL (2 per 28 days)
HYQVIA SUBCUTANEOUS SOLUTION 10 GRAM /100 ML (10 %), 2.5 GRAM /25 ML (10 %), 20 GRAM /200 ML (10 %), 30 GRAM /300 ML (10 %), 5 GRAM /50 ML (10 %)	3	PA; NM; LA; NDS
ILARIS (PF) SUBCUTANEOUS SOLUTION 150 MG/ML	3	PA; NM; LA; NDS; QL (2 per 28 days)
INFLECTRA INTRAVENOUS RECON SOLN 100 MG	3	PA; NM; NDS

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KEVZARA SUBCUTANEOUS PEN INJECTOR 150 MG/1.14 ML, 200 MG/1.14 ML	3	PA; NM; NDS; QL (2.28 per 28 days)
KEVZARA SUBCUTANEOUS SYRINGE 150 MG/1.14 ML, 200 MG/1.14 ML	3	PA; NM; NDS; QL (2.28 per 28 days)
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	3	PA; NM; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	1	
<i>mycophenolate mofetil hcl intravenous recon soln 500 mg</i> (CellCept Intravenous)	1	PA BvD
<i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)	1	PA BvD
<i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)	1	PA BvD
<i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)	1	PA BvD
<i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)	1	PA BvD
NULOJIX INTRAVENOUS RECON SOLN 250 MG	3	PA NSO; NM; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 50 MG/0.4 ML	3	PA; NM; NDS; QL (1.6 per 28 days)
ORENCIA SUBCUTANEOUS SYRINGE 87.5 MG/0.7 ML	3	PA; NM; NDS; QL (2.8 per 28 days)
OTEZLA ORAL TABLET 30 MG	3	PA; NM; LA; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG (47)	3	PA; NM; NDS; QL (60 per 30 days)
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (4)-30 MG(19)	3	PA; NM; LA; NDS; QL (60 per 30 days)
PRIVIGEN INTRAVENOUS SOLUTION 10 %	3	PA; NM; NDS
PROGRAF INTRAVENOUS SOLUTION 5 MG/ML	3	PA BvD
RAPAMUNE ORAL SOLUTION 1 MG/ML	3	PA BvD

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
RIDAURA ORAL CAPSULE 3 MG	2	
SIMPONI SUBCUTANEOUS PEN INJECTOR 100 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
SIMPONI SUBCUTANEOUS PEN INJECTOR 50 MG/0.5 ML	3	PA; NM; NDS; QL (0.5 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 100 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
SIMPONI SUBCUTANEOUS SYRINGE 50 MG/0.5 ML	3	PA; NM; NDS; QL (0.5 per 28 days)
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	1	PA BvD
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA; NM; NDS
STELARA SUBCUTANEOUS SYRINGE 45 MG/0.5 ML, 90 MG/ML	3	PA; NM; NDS
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	1	PA BvD
THYMOGLOBULIN INTRAVENOUS RECON SOLN 25 MG	3	NM; NDS
TYSABRI INTRAVENOUS SOLUTION 300 MG/15 ML	3	PA; NM; LA; NDS
VARIZIG INTRAMUSCULAR SOLUTION 125 UNIT/1.2 ML	3	
XELJANZ ORAL TABLET 10 MG, 5 MG	3	PA; NM; NDS; QL (60 per 30 days)
XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG	3	PA; NM; NDS; QL (30 per 30 days)
ZINPLAVA INTRAVENOUS SOLUTION 25 MG/ML	3	PA; NM; NDS
ZORTRESS ORAL TABLET 0.25 MG	3	PA NSO
ZORTRESS ORAL TABLET 0.5 MG, 0.75 MG	3	PA NSO; NM; NDS
Vaccines		
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG- LF/0.5ML	2	
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML	2	
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15- 10-5 LF-MCG-LF/0.5ML	2	
ENGERIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	2	PA BvD
ENGERIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	2	PA BvD
ENGERIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	2	PA BvD
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	
HAVRIX (PF) INTRAMUSCULAR SUSPENSION 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML	2	
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	2	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	2	PA BvD
INFANRIX (DTAP) (PF) INTRAMUSCULAR SUSPENSION 25- 58-10 LF-MCG-LF/0.5ML	2	
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25-58-10 LF-MCG-LF/0.5ML	2	
IPOL INJECTION SUSPENSION 40-8- 32 UNIT/0.5 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
IPOL INJECTION SYRINGE 40-8-32 UNIT/0.5 ML	2	
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	2	
KINRIX (PF) INTRAMUSCULAR SUSPENSION 25 LF-58 MCG-10 LF/0.5 ML	2	
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	2	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	2	
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	2	
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	2	
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG- 10LF/0.5 ML	2	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	2	
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	2	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	2	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	2	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	2	PA BvD
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	2	PA BvD
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	2	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	2	
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	
TETANUS,DIPHThERIA TOX PED(PF) INTRAMUSCULAR SUSPENSION 5-25 LF UNIT/0.5 ML	2	
TETANUS-DIPHThERIA TOXOIDS-TD INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	2	
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	3	
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	2	
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	2	
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML	2	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML, 50 UNIT/ML	3	
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	2	
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	2	
ZOSTAVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 19,400 UNIT/0.65 ML	2	

**Inflammatory Bowel Disease
Agents**

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
Inflammatory Bowel Disease Agents		
<i>alosectron oral tablet 0.5 mg, 1 mg</i> (Lotronex)	1	QL (60 per 30 days)
<i>balsalazide oral capsule 750 mg</i> (Colazal)	1	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i> (Entocort EC)	3	
CANASA RECTAL SUPPOSITORY 1,000 MG	3	
<i>colocort rectal enema 100 mg/60 ml</i>	1	
DELZICOL ORAL CAPSULE (WITH DEL REL TABLETS) 400 MG	2	
DIPENTUM ORAL CAPSULE 250 MG	3	
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Colocort)	1	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	1	
<i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i> (Asacol HD)	1	
<i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)	1	
PENTASA ORAL CAPSULE, EXTENDED RELEASE 250 MG, 500 MG	3	
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	1	
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs)	1	
Irrigating Solutions		
Irrigating Solutions		
<i>acetic acid irrigation solution 0.25 %</i>	1	
<i>ringer's irrigation solution</i>	1	
<i>sodium chloride irrigation solution 0.9 %</i> (Aqua Care Sodium Chloride)	1	
<i>sorbitol irrigation solution 3 %, 3.3 %</i>	1	
<i>sorbitol-mannitol urethral solution 2.7-0.54 g/100 ml</i>	1	
<i>water for irrigation, sterile irrigation solution</i> (Aqua Care Sterile Water)	1	
Metabolic Bone Disease Agents		
Metabolic Bone Disease Agents		
<i>alendronate oral solution 70 mg/75 ml</i>	1	
<i>alendronate oral tablet 10 mg, 5 mg</i>	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i>	1	QL (4 per 28 days)
<i>alendronate oral tablet 40 mg</i>	1	
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>	1	
<i>calcitriol intravenous solution 1 mcg/ml</i>	1	PA BvD
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	1	PA BvD
<i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)	1	PA BvD
<i>doxercalciferol intravenous solution 4 mcg/2 ml</i> (Hectorol)	3	PA BvD
<i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>	3	PA BvD
<i>etidronate disodium oral tablet 200 mg, 400 mg</i>	1	
FORTEO SUBCUTANEOUS PEN INJECTOR 20 MCG/DOSE - 600 MCG/2.4 ML	3	PA; NM; NDS; QL (2.4 per 28 days)
FOSAMAX PLUS D ORAL TABLET 70 MG- 2,800 UNIT, 70 MG- 5,600 UNIT	2	
<i>ibandronate intravenous syringe 3 mg/3 ml</i> (Boniva)	1	PA
<i>ibandronate oral tablet 150 mg</i> (Boniva)	1	
MIACALCIN INJECTION SOLUTION 200 UNIT/ML	2	PA BvD
NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE	3	PA; NM; LA; NDS; QL (2 per 28 days)
<i>pamidronate intravenous recon soln 30 mg, 90 mg</i>	1	PA BvD
<i>pamidronate intravenous solution 30 mg/10 ml (3 mg/ml), 60 mg/10 ml (6 mg/ml), 90 mg/10 ml (9 mg/ml)</i>	1	PA BvD
<i>paricalcitol hemodialysis port injection solution 2 mcg/ml</i>	3	PA BvD
PARICALCITOL HEMODIALYSIS PORT INJECTION SOLUTION 5 MCG/ML	2	PA BvD
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	1	PA BvD
<i>paricalcitol oral capsule 4 mcg</i>	1	PA BvD
PROLIA SUBCUTANEOUS SYRINGE 60 MG/ML	3	PA
<i>risedronate oral tablet 150 mg, 30 mg, 35 mg, 5 mg</i> (Actonel)	1	
<i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)	1	QL (4 per 28 days)
SENSIPAR ORAL TABLET 30 MG	2	PA BvD; QL (60 per 30 days)
SENSIPAR ORAL TABLET 60 MG, 90 MG	3	PA BvD; NM; NDS
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	3	PA; NM; NDS; QL (1.56 per 30 days)
XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	3	PA NSO; NM; NDS
<i>zoledronic acid intravenous recon soln 4 mg</i>	1	
<i>zoledronic acid intravenous solution 4 mg/5 ml</i> (Zometa)	1	
<i>zoledronic acid-mannitol-water intravenous piggyback 5 mg/100 ml</i> (Reclast)	1	
Miscellaneous Therapeutic Agents		
Miscellaneous Therapeutic Agents		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	3	NM; LA; NDS
<i>amifostine crystalline intravenous recon soln 500 mg</i> (Ethyol)	1	
BENLYSTA INTRAVENOUS RECON SOLN 120 MG, 400 MG	3	PA; NM; LA; NDS
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	3	PA; NM; NDS; QL (4 per 28 days)
<i>dexrazoxane hcl intravenous recon soln 250 mg, 500 mg</i> (Zinecard (as HCl))	1	
<i>droperidol injection solution 2.5 mg/ml</i>	1	
ELMIRON ORAL CAPSULE 100 MG	2	
ENDARI ORAL POWDER IN PACKET 5 GRAM	3	PA; NM; NDS; QL (180 per 30 days)
<i>ergoloid oral tablet 1 mg</i>	1	
EXONDYS 51 INTRAVENOUS SOLUTION 50 MG/ML	3	PA; NM; LA; NDS
<i>fomepizole intravenous solution 1 gram/ml</i>	3	NM; NDS
<i>guanidine oral tablet 125 mg</i>	1	
<i>hydroxyzine pamoate oral capsule 100 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i> (Vistaril)	1	
KEPIVANCE INTRAVENOUS RECON SOLN 6.25 MG	3	NM; NDS
<i>leucovorin calcium injection recon soln 100 mg, 200 mg, 350 mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>	1	
<i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)	1	PA BvD
<i>levocarnitine oral tablet 330 mg</i> (Carnitor)	1	PA BvD
LEVOLEUCOVORIN INTRAVENOUS RECON SOLN 175 MG	3	
<i>levoleucovorin intravenous recon soln 50 mg</i> (Fusilev)	1	
<i>levoleucovorin intravenous solution 10 mg/ml</i>	3	NM; NDS
<i>mesna intravenous solution 100 mg/ml</i> (Mesnex)	1	
MESNEX ORAL TABLET 400 MG	3	
<i>methylergonovine injection solution 0.2 mg/ml (1 ml)</i>	1	
NPLATE SUBCUTANEOUS RECON SOLN 250 MCG, 500 MCG	3	PA; NM; LA; NDS
PROGLYCEM ORAL SUSPENSION 50 MG/ML	2	
<i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)	1	
SIMULECT INTRAVENOUS RECON SOLN 10 MG, 20 MG	3	PA BvD; NM; NDS
THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG	3	NM; NDS
TYBOST ORAL TABLET 150 MG	2	QL (30 per 30 days)
Ophthalmic Agents		
Antiglaucoma Agents		
<i>acetazolamide oral capsule, extended release 500 mg</i>	1	
<i>acetazolamide oral tablet 125 mg, 250 mg</i>	1	
<i>acetazolamide sodium injection recon soln 500 mg</i>	1	
ALPHAGAN P OPHTHALMIC (EYE) DROPS 0.1 %	2	
AZOPT OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>betaxolol ophthalmic (eye) drops 0.5 %</i>	1	
BETOPTIC S OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	
<i>bimatoprost ophthalmic (eye) drops 0.03 %</i>	1	
<i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)	1	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i>	1	
<i>carteolol ophthalmic (eye) drops 1 %</i>	1	
COMBIGAN OPHTHALMIC (EYE) DROPS 0.2-0.5 %	3	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Trusopt)	1	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	1	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	
<i>levobunolol ophthalmic (eye) drops 0.5 %</i> (Betagan)	1	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %	3	ST
<i>methazolamide oral tablet 25 mg, 50 mg</i>	1	
<i>metipranolol ophthalmic (eye) drops 0.3 %</i>	1	
PHOSPHOLINE IODIDE OPHTHALMIC (EYE) DROPS 0.125 %	3	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> (Isopto Carpine)	1	
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	2	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timoptic)	1	
<i>timolol maleate ophthalmic (eye) drops, once daily 0.5 %</i> (Istalol)	1	
<i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i> (Timoptic-XE)	1	
TRAVATAN Z OPHTHALMIC (EYE) DROPS 0.004 %	2	
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	3	ST
ZIOPTAN (PF) OPHTHALMIC (EYE) DROPPERETTE 0.0015 %	2	
Replacement Preparations		
Replacement Preparations		

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>calcium chloride intravenous syringe 100 mg/ml (10 %)</i>	1	
<i>d10 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>d2.5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>	1	
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>	1	
<i>dextrose 10 % and 0.2 % nacl intravenous parenteral solution</i>	1	
<i>dextrose 5 %-lactated ringers intravenous parenteral solution</i>	1	
<i>dextrose 5%-0.2 % sod chloride intravenous parenteral solution</i>	1	
<i>dextrose 5%-0.3 % sod.chloride intravenous parenteral solution</i>	1	
<i>dextrose with sodium chloride intravenous parenteral solution 5-0.2 %</i>	1	
<i>electrolyte-48 in d5w intravenous parenteral solution</i>	1	
KLOR-CON 10 ORAL TABLET EXTENDED RELEASE 10 MEQ	1	
KLOR-CON 8 ORAL TABLET EXTENDED RELEASE 8 MEQ	1	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>	1	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>	1	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i>	1	
<i>klor-con sprinkle oral capsule, extended release 10 meq, 8 meq</i>	1	
<i>magnesium sulfate in d5w intravenous piggyback 1 gram/100 ml</i>	1	
<i>magnesium sulfate in water intravenous parenteral solution 20 gram/500 ml (4 %), 40 gram/1,000 ml (4 %)</i>	1	
<i>magnesium sulfate in water intravenous piggyback 2 gram/50 ml (4 %), 4 gram/100 ml (4 %), 4 gram/50 ml (8 %)</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>magnesium sulfate injection solution 4 meq/ml (50 %)</i>	1	
<i>magnesium sulfate injection syringe 4 meq/ml</i>	1	
<i>potassium acetate intravenous solution 2 meq/ml</i>	1	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 10 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chlorid-d5-0.45%nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride in 0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in 5 % dex intravenous parenteral solution 20 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in lr-d5 intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium chloride in water intravenous piggyback 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml</i>	1	
<i>potassium chloride intravenous solution 2 meq/ml</i>	1	
<i>potassium chloride intravenous solution 2 meq/ml (20 ml)</i>	1	
<i>potassium chloride oral capsule, extended release 10 meq</i>	1	
<i>potassium chloride oral capsule, extended release 8 meq</i> (Klor-Con Sprinkle)	1	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>	1	
<i>potassium chloride oral packet 20 meq</i> (Klor-Con)	1	
<i>potassium chloride oral tablet extended release 10 meq, 20 meq, 8 meq</i> (K-Tab)	1	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)	1	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)	1	
<i>potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>potassium chloride-d5-0.2%nacl intravenous parenteral solution 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l</i>	1	
<i>potassium chloride-d5-0.3%nacl intravenous parenteral solution 20 meq/l</i>	1	
<i>potassium chloride-d5-0.9%nacl intravenous parenteral solution 20 meq/l, 40 meq/l</i>	1	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10)	1	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)	1	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K 5)	1	
<i>ringer's intravenous parenteral solution</i>	1	
<i>sodium acetate intravenous solution 2 meq/ml</i>	1	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>	1	
<i>sodium chloride 0.45 % intravenous piggyback 0.45 %</i>	1	
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	1	
<i>sodium chloride 100 meq/40 ml 25's, sdv 2.5 meq/ml</i>	1	
<i>sodium chloride 3 % intravenous parenteral solution 3 %</i>	1	
<i>sodium chloride 5 % intravenous parenteral solution 5 %</i>	1	
<i>sodium chloride intravenous parenteral solution 2.5 meq/ml</i>	1	
<i>sodium lactate intravenous solution 5 meq/ml</i>	1	
<i>sodium phosphate intravenous solution 3 mmol/ml</i>	1	
Respiratory Tract Agents		
Anti-Inflammatories, Inhaled Corticosteroids		
ADVAIR DISKUS INHALATION BLISTER WITH DEVICE 100-50 MCG/DOSE, 250-50 MCG/DOSE, 500-50 MCG/DOSE	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION	2	
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION	2	
ASMANEX HFA INHALATION HFA AEROSOL INHALER 100 MCG/ACTUATION, 200 MCG/ACTUATION	3	
ASMANEX TWISTHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 110 MCG (30 DOSES), 110 MCG (7 DOSES), 220 MCG (120 DOSES), 220 MCG (14 DOSES), 220 MCG (30 DOSES), 220 MCG (60 DOSES)	3	
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE	2	
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i>	1	PA BvD
DULERA INHALATION HFA AEROSOL INHALER 100-5 MCG/ACTUATION, 200-5 MCG/ACTUATION	2	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 250 MCG/ACTUATION	2	
FLOVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/ACTUATION	2	
FLOVENT HFA INHALATION HFA AEROSOL INHALER 110 MCG/ACTUATION, 220 MCG/ACTUATION, 44 MCG/ACTUATION	2	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>fluticasone-salmeterol inhalation aerosol (AirDuo RespiClick) powdr breath activated 113-14 mcg/actuation, 232-14 mcg/actuation, 55- 14 mcg/actuation</i>	1	QL (1 per 30 days)
PULMICORT FLEXHALER INHALATION AEROSOL POWDR BREATH ACTIVATED 180 MCG/ACTUATION, 90 MCG/ACTUATION	2	
SYMBICORT INHALATION HFA AEROSOL INHALER 160-4.5 MCG/ACTUATION, 80-4.5 MCG/ACTUATION	3	ST
Antileukotrienes		
<i>montelukast oral granules in packet 4 mg (Singulair)</i>	1	
<i>montelukast oral tablet 10 mg (Singulair)</i>	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg (Singulair)</i>	1	
<i>zafirlukast oral tablet 10 mg, 20 mg (Accolate)</i>	1	
<i>zileuton oral tablet, er multiphase 12 hr (Zyflo CR) 600 mg</i>	3	QL (120 per 30 days)
Bronchodilators		
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 5 mg/ml</i>	1	PA BvD
<i>albuterol sulfate oral syrup 2 mg/5 ml</i>	1	
<i>albuterol sulfate oral tablet 2 mg, 4 mg</i>	1	
<i>albuterol sulfate oral tablet extended release 12 hr 4 mg, 8 mg</i>	1	
<i>aminophylline intravenous solution 250 mg/10 ml, 500 mg/20 ml</i>	1	
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION	2	
ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION	2	
BROVANA INHALATION SOLUTION FOR NEBULIZATION 15 MCG/2 ML	3	PA
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	2	
<i>elixophyllin oral elixir 80 mg/15 ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
INCRUSE ELLIPTA INHALATION BLISTER WITH DEVICE 62.5 MCG/ACTUATION	2	
<i>ipratropium bromide inhalation solution 0.02 %</i>	1	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>	1	PA BvD
<i>levalbuterol hcl inhalation solution for nebulization 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/3 ml</i> (Xopenex)	1	PA BvD; ST
<i>levalbuterol hcl inhalation solution for nebulization 1.25 mg/0.5 ml</i> (Xopenex Concentrate)	1	PA BvD; ST
<i>metaproterenol oral syrup 10 mg/5 ml</i>	1	
<i>metaproterenol oral tablet 10 mg, 20 mg</i>	1	
PERFORMIST INHALATION SOLUTION FOR NEBULIZATION 20 MCG/2 ML	3	PA
PROAIR HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	2	
PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION	2	
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	2	
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	2	
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	
SPIRIVA WITH HANDIHALER INHALATION CAPSULE, W/INHALATION DEVICE 18 MCG	2	
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	2	
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	2	
<i>terbutaline oral tablet 2.5 mg, 5 mg</i>	1	
<i>terbutaline subcutaneous solution 1 mg/ml</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>theophylline in dextrose 5 % intravenous parenteral solution 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml</i>	1	
<i>theophylline oral solution 80 mg/15 ml</i>	1	
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg</i> (Theochron)	1	
<i>theophylline oral tablet extended release 12 hr 450 mg</i>	1	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i>	1	
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG	3	QL (60 per 30 days)
TUDORZA PRESSAIR INHALATION AEROSOL POWDR BREATH ACTIVATED 400 MCG/ACTUATION, 400 MCG/ACTUATION (30 ACTUAT)	3	ST
VENTOLIN HFA INHALATION HFA AEROSOL INHALER 90 MCG/ACTUATION	2	
Respiratory Tract Agents, Other		
<i>acetylcysteine intravenous solution 200 mg/ml (20 %)</i> (Acetadote)	1	
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i>	1	PA BvD
ARALAST NP INTRAVENOUS RECON SOLN 1,000 MG	3	PA; NM; NDS
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>	1	PA BvD
DALIRESP ORAL TABLET 250 MCG, 500 MCG	3	PA; QL (30 per 30 days)
ESBRIET ORAL CAPSULE 267 MG	3	PA; NM; LA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 267 MG	3	PA; NM; LA; NDS; QL (270 per 30 days)
ESBRIET ORAL TABLET 801 MG	3	PA; NM; LA; NDS; QL (90 per 30 days)
FASENRA SUBCUTANEOUS SYRINGE 30 MG/ML	3	PA; NM; NDS; QL (1 per 28 days)
KALYDECO ORAL GRANULES IN PACKET 50 MG, 75 MG	3	PA; NM; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
KALYDECO ORAL TABLET 150 MG	3	PA; NM; NDS; QL (60 per 30 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	3	PA; NM; LA; NDS; QL (3 per 28 days)
OFEV ORAL CAPSULE 100 MG, 150 MG	3	PA; NM; LA; NDS; QL (60 per 30 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	3	PA; NM; LA; NDS; QL (120 per 30 days)
PROLASTIN-C INTRAVENOUS RECON SOLN 1,000 MG	3	PA; NM; LA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	3	PA; NM; NDS
Skeletal Muscle Relaxants		
Skeletal Muscle Relaxants		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>	1	
<i>chlorzoxazone oral tablet 500 mg</i>	1	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>	1	
<i>dantrolene oral capsule 100 mg</i>	1	
<i>dantrolene oral capsule 25 mg, 50 mg</i> (Dantrium)	1	
<i>metaxalone oral tablet 400 mg</i>	1	
<i>metaxalone oral tablet 800 mg</i> (Metaxall)	1	
<i>methocarbamol injection solution 100 mg/ml</i> (Robaxin)	1	
<i>methocarbamol oral tablet 500 mg</i> (Robaxin)	1	
<i>methocarbamol oral tablet 750 mg</i> (Robaxin-750)	1	
<i>orphenadrine citrate injection solution 30 mg/ml</i>	1	
<i>orphenadrine citrate oral tablet extended release 100 mg</i>	1	
<i>revonto intravenous recon soln 20 mg</i>	1	
<i>tizanidine oral capsule 2 mg, 4 mg, 6 mg</i> (Zanaflex)	1	
<i>tizanidine oral tablet 2 mg</i>	1	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	1	
Sleep Disorder Agents		
Sleep Disorder Agents		
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	1	PA; NM; NDS
<i>eszopiclone oral tablet 1 mg, 2 mg</i> (Lunesta)	1	PA; NM; NDS; QL (90 per 365 days); AGE (Max 64 Years)
HETLIOZ ORAL CAPSULE 20 MG	3	PA; NM; LA; NDS; QL (30 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
<i>modafinil oral tablet 100 mg, 200 mg</i> (Provigil)	1	PA; NM; NDS
ROZEREM ORAL TABLET 8 MG	3	ST; QL (30 per 30 days)
SILENOR ORAL TABLET 3 MG, 6 MG	2	QL (30 per 30 days)
XYREM ORAL SOLUTION 500 MG/ML	3	NM; LA; NDS
<i>zaleplon oral capsule 10 mg, 5 mg</i> (Sonata)	1	PA; NM; NDS; QL (90 per 365 days); AGE (Max 64 Years)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	PA; NM; NDS; QL (90 per 365 days); AGE (Max 64 Years)
<i>zolpidem oral tablet, ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR)	1	PA; NM; NDS; QL (90 per 365 days); AGE (Max 64 Years)
Vasodilating Agents		
Vasodilating Agents		
ADCIRCA ORAL TABLET 20 MG	3	PA; NM; NDS; QL (60 per 30 days)
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	3	PA; NM; LA; NDS; QL (90 per 30 days)
CIALIS ORAL TABLET 2.5 MG, 5 MG	3	PA; QL (30 per 30 days)
<i>epoprostenol (glycine) intravenous recon soln 0.5 mg, 1.5 mg</i> (Flolan)	1	PA; LA
LETAIRIS ORAL TABLET 10 MG, 5 MG	3	PA; NM; LA; NDS; QL (30 per 30 days)
OPSUMIT ORAL TABLET 10 MG	3	PA; NM; NDS
REVATIO ORAL SUSPENSION FOR RECONSTITUTION 10 MG/ML	3	PA; NM; NDS
<i>sildenafil (antihypertensive) intravenous solution 10 mg/12.5 ml</i> (Revatio)	1	PA
<i>sildenafil (antihypertensive) oral tablet 20 mg</i> (Revatio)	1	PA
TRACLEER ORAL TABLET 125 MG, 62.5 MG	3	PA; NM; LA; NDS; QL (60 per 30 days)
TRACLEER ORAL TABLET FOR SUSPENSION 32 MG	3	PA; NM; NDS; QL (112 per 28 days)
TYVASO INHALATION SOLUTION FOR NEBULIZATION 1.74 MG/2.9 ML (0.6 MG/ML)	3	PA; NM; LA; NDS; QL (81.2 per 28 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG	3	PA; NM; LA; NDS; QL (60 per 30 days)

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

Drug Name	Drug Tier	Requirements/Limits
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	3	PA; NM; LA; NDS; QL (200 per 180 days)
VENTAVIS INHALATION SOLUTION FOR NEBULIZATION 10 MCG/ML, 20 MCG/ML	3	PA; NM; LA; NDS
Vitamins And Minerals		
Vitamins And Minerals		
FLUORIDE (SODIUM) ORAL TABLET 1 MG (2.2 MG SOD. FLUORIDE)	1	
LUDENT FLUORIDE 1 MG TAB CHEW D/F, S/F, CHEWABLE (OTC) 1 MG (2.2 MG SOD. FLUORIDE)	1	
<i>pnv prenatal plus multivit tab s/f, gluten- free 27 mg iron- 1 mg</i>	1	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i>	1	

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

INDEX

A		
abacavir	53	
abacavir-lamivudine	53	
abacavir-lamivudine-zidovudine	53	
ABELCET	42	
ABILIFY MAINTENA	49	
ABRAXANE	17	
acamprosate	7	
acarbose	37	
acebutolol	66	
acetaminophen-codeine	1	
acetazolamide	117	
acetazolamide sodium	117	
acetic acid	92, 114	
acetylcysteine	125	
acitretin	83	
ACTEMRA	106	
ACTHIB (PF)	110	
ACTIMMUNE	116	
ACTOPLUS MET XR	37	
acyclovir	58, 83	
acyclovir sodium	58	
ADACEL(TDAP ADOLESN/ADULT)(PF)	110	
ADAGEN	90	
adapalene	88, 89	
ADASUVE	49	
ADCIRCA	127	
adefovir	58	
ADEMPAS	127	
adrucil	17	
ADVAIR DISKUS	121	
ADVAIR HFA	122	
afeditab cr	70	
AFINITOR	17	
AFINITOR DISPERZ	17	
a-hydrocort	101	
AIMOVIG AUTOINJECTOR	44	
AIMOVIG AUTOINJECTOR (2 PACK)	44	
AKTEN (PF)	91	
AKYNZEO (NETUPITANT)	46	
ala-cort	86	
ala-scalp	86	
ALBENZA	47	
albuterol sulfate	123	
alclometasone	86	
ALCOHOL PADS	83	
ALDACTAZIDE	70	
ALDURAZYME	90	
ALECENSA	17	
alendronate	114	
alfuzosin	99	
ALIMTA	17	
ALINIA	47	
ALIQOPA	17	
allopurinol	43	
almotriptan malate	45	
ALOCRIAL	94	
ALOMIDE	91	
alosetron	114	
ALPHAGAN P	117	
alprazolam	8	
ALPRAZOLAM INTENSOL	8	
ALREX	94	
altavera (28)	77	
ALUNBRIG	18	
alyacen 1/35 (28)	77	
alyacen 7/7/7 (28)	77	
amabelz	100	
amantadine hcl	48	
AMBISOME	42	
amcinonide	86	
amethia	77	
amethia lo	77	
amifostine crystalline	116	
amikacin	9	
amiloride	70	
amiloride-hydrochlorothiazide	70	
aminocaproic acid	61	
aminophylline	123	
AMINOSYN 10 %	61	
AMINOSYN 7 % WITH ELECTROLYTES	62	
AMINOSYN 8.5 %	62	
AMINOSYN II 10 %	62	
AMINOSYN II 15 %	62	
AMINOSYN II 7 %	62	
AMINOSYN II 8.5 %- ELECTROLYTES	62	
AMINOSYN M 3.5 %	62	
AMINOSYN-HBC 7%	62	
AMINOSYN-PF 10 %	62	
AMINOSYN-PF 7 % (SULFITE-FREE)	62	
AMINOSYN-RF 5.2 %	62	
amiodarone	65	
AMITIZA	96	
amitriptyline	34	
amitriptyline-chlordiazepoxide	34	
amlodipine	70	
amlodipine-atorvastatin	71	
amlodipine-benazepril	70	
amlodipine-valsartan	70	
amlodipine-valsartan-hcthiazid	70	
ammonium lactate	84	

amnesteem.....	84	ASSURE ID INSULIN		BANZEL.....	30
amoxapine.....	34	SAFETY.....	89	BARACLUDE.....	58
amoxicillin.....	14	ASTAGRAF XL.....	106	BAVENCIO.....	18
amoxicillin-pot clavulanate.....	14	astramorph-pf.....	1	BAXDELA.....	15
amphotericin b.....	42	atazanavir.....	53	BCG VACCINE, LIVE (PF).....	111
ampicillin.....	14	atenolol.....	66	BD ULTRA-FINE NANO PEN	
ampicillin sodium.....	14	atenolol-chlorthalidone.....	66	NEEDLE.....	89
ampicillin-sulbactam.....	14	ATGAM.....	106	BD VEO INSULIN SYR HALF	
AMPYRA.....	74	atomoxetine.....	74	UNIT.....	89
ANADROL-50.....	100	atorvastatin.....	71	BD VEO INSULIN SYRINGE	
anagrelide.....	61	atovaquone.....	47	UF.....	89
anastrozole.....	18	atovaquone-proguanil.....	47	bekyree (28).....	77
ANDRODERM.....	100	ATRIPLA.....	53	BELEODAQ.....	18
ANDROGEL.....	100	atropine.....	30, 91	benazepril.....	64
ANORO ELLIPTA.....	123	ATROVENT HFA.....	123	benazepril-hydrochlorothiazide	
ANTIVENIN LATRODECTUS		AUBAGIO.....	74	65
MACTANS.....	106	aubra.....	77	BENDEKA.....	18
ANTIVENIN, MICRURUS		AURYXIA.....	98	BENLYSTA.....	116
FULVIUS.....	106	AUSTEDO.....	74	benztropine.....	48
ANZEMET.....	46	AVASTIN.....	18	BESIVANCE.....	92
APLENZIN.....	34	aviane.....	77	BESPONSA.....	18
APOKYN.....	48	avita.....	89	betamethasone acet,sod phos.....	102
apraclonidine.....	91	AVONEX.....	74	betamethasone dipropionate.....	86
aprepitant.....	46	AVONEX (WITH ALBUMIN)		betamethasone valerate.....	86
apri.....	77	74	betamethasone, augmented.....	86
APTIOM.....	30	azacitidine.....	18	BETASERON.....	74
APTIVUS.....	53	AZASAN.....	106	betaxolol.....	66, 118
ARALAST NP.....	125	AZASITE.....	92	bethanechol chloride.....	99
aranelle (28).....	77	azathioprine.....	106	BETHKIS.....	9
ARANESP (IN		azathioprine sodium.....	106	BETOPTIC S.....	118
POLYSORBATE).....	60	azelastine.....	91	BEVYXXA.....	59
ARCALYST.....	106	azithromycin.....	12, 13	bexarotene.....	18
aripiprazole.....	49	AZOPT.....	117	BEXSERO.....	111
ARISTADA.....	49, 50	aztreonam.....	13	bicalutamide.....	18
armodafinil.....	126	azurette (28).....	77	BICILLIN L-A.....	14
ARNUITY ELLIPTA.....	122	B		BICNU.....	18
ARRANON.....	18	baciim.....	10	BIKTARVY.....	53
ARZERRA.....	18	bacitracin.....	10, 92	BILTRICIDE.....	47
ashlyna.....	77	bacitracin-polymyxin b.....	92	bimatoprost.....	118
ASMANEX HFA.....	122	baclofen.....	126	bisoprolol fumarate.....	66
ASMANEX TWISTHALER.....	122	balsalazide.....	114	bisoprolol-hydrochlorothiazide	
aspirin-dipyridamole.....	61	balziva (28).....	77	66

BIVIGAM	106	calcitonin (salmon)	115	cefoxitin	12
bleomycin	18	calcitrene	84	cefpodoxime	12
bleph-10	92	calcitriol	84, 115	cefprozil	12
BLEPHAMIDE	92	calcium acetate	98	ceftazidime	12
BLEPHAMIDE S.O.P.	92	calcium chloride	119	ceftriaxone	12
BLINCYTO	18	CALQUENCE	19	cefuroxime axetil	12
blisovi 24 fe	77	camila	77	cefuroxime sodium	12
blisovi fe 1.5/30 (28)	77	camrese	77	celecoxib	5
blisovi fe 1/20 (28)	77	camrese lo	77	CELONTIN	30
BOOSTRIX TDAP	111	CANASA	114	cephalexin	12
BORTEZOMIB	18	candesartan	64	CEREZYME	90
BOSULIF	18	candesartan-hydrochlorothiazid	64	cetirizine	44
BREO ELLIPTA	122	capacet	1	cevimeline	83
briellyn	77	CAPASTAT	45	CHANTIX	7
BRILINTA	61	CAPRELSA	19	CHANTIX CONTINUING	
brimonidine	118	captopril	65	MONTH BOX	7
BRIVIACT	30	captopril-hydrochlorothiazide	65	CHANTIX STARTING	
bromfenac	94	CARAFATE	95	MONTH BOX	7
bromocriptine	48	CARBAGLU	96	chloramphenicol sod succinate	10
BROVANA	123	carbamazepine	30	chlorhexidine gluconate	83
budesonide	114, 122	carbidopa	48	chloroquine phosphate	47
bumetanide	70	carbidopa-levodopa	48	chlorothiazide	70
buprenorphine	1	carbidopa-levodopa-entacapone	48	chlorothiazide sodium	70
buprenorphine hcl	1, 7	carboplatin	19	chlorpromazine	50
buprenorphine-naloxone	7	CARIMUNE NF		chlorpropamide	41
bupropion hcl	34	NANOFILTERED	106	chlorthalidone	70
bupropion hcl (smoking deter)	7	carteolol	118	chlorzoxazone	126
buspirone	8	cartia xt	68	CHOLBAM	96
busulfan	18	carvedilol	67	cholestyramine (with sugar)	71
butalbital-acetaminophen	1	casprofungin	42	cholestyramine light	71
butalbital-acetaminophen-caff	1	CAYSTON	13	CHORIONIC	
butalbital-aspirin-caffeine	1	caziant (28)	77	GONADOTROPIN,	
butorphanol tartrate	1	cefaclor	11	HUMAN	103
BYDUREON	37	cefadroxil	11	CIALIS	127
BYDUREON BCISE	37	cefazolin	11	ciclopirox	42
BYETTA	38	cefdinir	11	cidofovir	58
C		cefditoren pivoxil	11	cilostazol	61
cabergoline	48	cefepime	11	CILOXAN	92
CABOMETYX	19	cefepime	11	CIMDUO	53
caffeine citrate	74	cefotaxime	12	cimetidine	95
calcipotriene	84	cefotetan	12	cimetidine hcl	95
calcipotriene-betamethasone	84				

CIMZIA.....	107
CIMZIA POWDER FOR RECONST.....	107
CINRYZE.....	60
CIPRODEX.....	92
ciprofloxacin.....	16
ciprofloxacin (mixture).....	15
ciprofloxacin hcl.....	15, 92
ciprofloxacin in 5 % dextrose.....	15
cisplatin.....	19
citalopram.....	34
cladribine.....	19
claravis.....	84
clarithromycin.....	13
CLENPIQ.....	98
clindamycin hcl.....	10
clindamycin in 5 % dextrose.....	10
clindamycin palmitate hcl.....	10
clindamycin phosphate.....	10, 44, 85
clindamycin-benzoyl peroxide	85
CLINDESSE.....	44
CLINISOL SF 15 %.....	62
clobetasol.....	86
clobetasol-emollient.....	87
clocortolone pivalate.....	87
clofarabine.....	19
clomipramine.....	35
clonazepam.....	8
clonidine.....	63
clonidine hcl.....	63
clopidogrel.....	61
clorazepate dipotassium.....	8
clorpres.....	63
clotrimazole.....	42
clotrimazole-betamethasone.....	42
clozapine.....	50
COARTEM.....	47
colchicine.....	43
colesevelam.....	71, 72
colestipol.....	72

colistin (colistimethate na).....	10
colocort.....	114
COMBIGAN.....	118
COMBIVENT RESPIMAT.....	123
COMETRIQ.....	19
COMPLERA.....	53
compro.....	46
CONDYLOX.....	84
constulose.....	96
COPAXONE.....	74
CORLANOR.....	69
cormax.....	87
cortisone.....	102
COSENTYX (2 SYRINGES).....	84
COSENTYX PEN (2 PENS).....	84
COTELLIC.....	19
COUMADIN.....	59
CREON.....	90
CRINONE.....	105
CRIXIVAN.....	53
cromolyn.....	91, 96, 125
cryselle (28).....	77
CUVITRU.....	107
cyclafem 1/35 (28).....	78
cyclafem 7/7/7 (28).....	78
cyclobenzaprine.....	126
cyclopentolate.....	91
cyclophosphamide.....	19
CYCLOPHOSPHAMIDE.....	19
cycloserine.....	45
CYCLOSET.....	38
cyclosporine.....	107
cyclosporine modified.....	107
cyproheptadine.....	44
CYRAMZA.....	19
cyred.....	78
CYSTAGON.....	90
CYSTARAN.....	91
cytarabine.....	19
cytarabine (pf).....	19

D	
d10 %-0.45 % sodium chloride	119
d2.5 %-0.45 % sodium chloride	119
d5 % and 0.9 % sodium chloride	119
d5 %-0.45 % sodium chloride	119
dacarbazine.....	19
dactinomycin.....	20
DALIRESP.....	125
danazol.....	100
dantrolene.....	126
dapsone.....	45
DAPTACEL (DTAP PEDIATRIC) (PF).....	111
daptomycin.....	10
DARAPRIM.....	47
DARZALEX.....	20
dasetta 1/35 (28).....	78
dasetta 7/7/7 (28).....	78
daunorubicin.....	20
daysee.....	78
deblitane.....	78
decitabine.....	20
deferoxamine.....	99
deltasone.....	102
delyla (28).....	78
DELZICOL.....	114
demeclocycline.....	16
DEMSEER.....	69
DENAVIR.....	84
denta 5000 plus.....	83
dentagel.....	83
DEPEN TITRATABS.....	99
DEPO-PROVERA.....	105
DESCOVY.....	53
desipramine.....	35
desloratadine.....	44
desmopressin.....	103
desog-e.estradiol/e.estradiol...	78

desogestrel-ethinyl estradiol...	78	dextrose with sodium chloride	119	dorzolamide.....	118
desonide.....	87	119	dorzolamide-timolol.....	118
desoximetasone	87	DIASTAT	8	doxazosin	63
DESVENLAFAXINE	35	DIASTAT ACUDIAL	8	doxepin.....	35
DESVENLAFAXINE		diazepam.....	8, 9	doxercalciferol	115
FUMARATE.....	35	diazepam intensol	8	doxorubicin	20
desvenlafaxine succinate	35	DICLEGIS.....	46	doxorubicin, peg-liposomal ...	20
dexamethasone	102	diclofenac potassium	5	doxy-100	16
DEXAMETHASONE		diclofenac sodium.....	5, 94	doxycycline hyclate	16, 17
INTENSOL	102	diclofenac-misoprostol	5	doxycycline monohydrate.....	17
dexamethasone sodium phos		dicloxacillin	14	dronabinol	46
(pf).....	102	dicyclomine	96	droperidol.....	116
dexamethasone sodium		didanosine.....	53	drospirenone-e.estradiol-lm.fa	78
phosphate.....	94, 102	diflorasone	87	drospirenone-ethinyl estradiol	78
dexmethylphenidate	74, 75	diflunisal	5	DROXIA	20
dexrazoxane hcl.....	116	digitek	69	DUAVEE	100
dextroamphetamine	75	digox	69	DULERA	122
dextroamphetamine-		digoxin.....	69	duloxetine.....	35
amphetamine	75	DIGOXIN	69	DUPIXENT.....	84
dextrose 10 % and 0.2 % nacl		dihydroergotamine.....	45	DUREZOL.....	94
.....	119	DILANTIN	30	dutasteride	99
dextrose 10 % in water (d10w)		DILANTIN EXTENDED.....	30	DUZALLO.....	43
.....	62	DILANTIN INFATABS.....	30	E	
dextrose 20 % in water (d20w)		diltiazem hcl	68	e.e.s. 400	13
.....	62	dilt-xr	68	econazole.....	42
dextrose 25 % in water (d25w)		dimenhydrinate	46	EDARBI.....	64
.....	62	DIPENTUM.....	114	EDARBYCLOR	64
dextrose 40 % in water (d40w)		diphenhydramine hcl	44	EDURANT	54
.....	62	diphenoxylate-atropine	96	efavirenz.....	54
dextrose 5 % in ringer's.....	62	dipyridamole.....	61	ELAPRASE	90
dextrose 5 % in water (d5w) ..	62	disopyramide phosphate	66	electrolyte-48 in d5w	119
dextrose 5 %-lactated ringers		disulfiram.....	7	ELELYSO.....	90
.....	119	divalproex	30, 31	ELIDEL.....	87
dextrose 5%-0.2 % sod chloride		dobutamine	69	ELIGARD.....	20
.....	119	dobutamine in d5w	69	ELIGARD (3 MONTH).....	20
dextrose 5%-0.3 % sod.chloride		DOCEFREZ.....	20	ELIGARD (4 MONTH).....	20
.....	119	docetaxel.....	20	ELIGARD (6 MONTH).....	20
dextrose 50 % in water (d50w)		dofetilide.....	66	elinest	78
.....	62, 63	donepezil.....	34	eliphos	98
dextrose 70 % in water (d70w)		dopamine	69	ELIQUIS.....	59
.....	63	dopamine in 5 % dextrose	69	ELITEK.....	90
		doripenem	13	elixophyllin	123

ELLA.....	78	errin.....	78	F	
ELMIRON.....	116	ertapenem.....	13	FABIOR.....	89
EMCYT.....	20	ERWINAZE.....	21	FABRAZYME.....	90
EMFLAZA.....	102	ery pads.....	85	falmina (28).....	78
emoquette.....	78	ery-tab.....	13	famciclovir.....	58
EMPLICITI.....	20	ERY-TAB.....	13	famotidine.....	95
EMSAM.....	35	ERYTHROCIN.....	13	famotidine (pf).....	95
EMTRIVA.....	54	erythrocin (as stearate).....	13	famotidine (pf)-nacl (iso-os).....	95
EMVERM.....	47	erythromycin.....	13, 92	FANAPT.....	50
enalapril maleate.....	65	erythromycin ethylsuccinate..	13	FARESTON.....	21
enalaprilat.....	65	erythromycin with ethanol.....	85	FARYDAK.....	21
enalapril-hydrochlorothiazide	65	erythromycin-benzoyl peroxide		FASENRA.....	125
ENBREL.....	107	85	FASLODEX.....	21
ENBREL SURECLICK.....	107	ESBRIET.....	125	fayosim.....	78
ENDARI.....	116	escitalopram oxalate.....	35	felbamate.....	31
endocet.....	1	esmolol.....	67	felodipine.....	70
ENGERIX-B (PF).....	111	esomeprazole magnesium.....	95	FEMRING.....	101
ENGERIX-B PEDIATRIC (PF)		esomeprazole sodium.....	95	femynor.....	78
.....	111	estarylla.....	78	fenofibrate.....	72
enoxaparin.....	59	estazolam.....	9	fenofibrate micronized.....	72
enpresse.....	78	estradiol.....	100, 101	fenofibrate nanocrystallized..	72
enskyce.....	78	estradiol valerate.....	101	fenofibric acid.....	72
entacapone.....	48	estradiol-norethindrone acet	101	fenofibric acid (choline).....	72
entecavir.....	58	ESTRING.....	101	fenoprofen.....	5
ENTRESTO.....	64	estropipate.....	101	fentanyl.....	2
enulose.....	96	eszopiclone.....	126	fentanyl citrate.....	1
ENVARUSUS XR.....	107	ethambutol.....	45	FERRIPROX.....	99
epinastine.....	91	ethosuximide.....	31	FETZIMA.....	35
epinephrine.....	69	ethynodiol diac-eth estradiol .	78	finasteride.....	99
epirubicin.....	20, 21	etidronate disodium.....	115	FIRAZYR.....	69
epitol.....	31	etodolac.....	5	FIRMAGON KIT W DILUENT	
eplerenone.....	73	ETOPOPHOS.....	21	SYRINGE.....	21
EPOGEN.....	60	etoposide.....	21	FLAREX.....	94
epoprostenol (glycine).....	127	EUCRISA.....	87	flavoxate.....	99
eprosartan.....	64	EVOTAZ.....	54	FLEBOGAMMA DIF.....	107
ERAXIS(WATER DILUENT)		exemestane.....	21	flecainide.....	66
.....	42	EXJADE.....	99	FLECTOR.....	5
ERBITUX.....	21	EXONDYS 51.....	116	FLOVENT DISKUS.....	122
ergoloid.....	116	EXTAVIA.....	75	FLOVENT HFA.....	122
ergotamine-caffeine.....	45	ezetimibe.....	72	floxuridine.....	21
ERIVEDGE.....	21	ezetimibe-simvastatin.....	72	fluconazole.....	42
ERLEADA.....	21			fluconazole in nacl (iso-osm).....	42

flucytosine	42	FYCOMPA	31	glyburide	41
fludarabine	21	G		glyburide micronized	41
fludrocortisone	102	gabapentin	31	glyburide-metformin	41
flumazenil	75	GABITRIL	31	glycopyrrolate	96
flunisolide	94	galantamine	34	glydo	6
fluocinolone	87	GAMASTAN S/D	107	GLYXAMBI	38
fluocinolone acetonide oil	94	GAMMAGARD LIQUID ...	107	GOLYTELY	98
fluocinolone and shower cap ..	87	GAMMAGARD S-D (IGA < 1		granisetron (pf)	46
fluocinonide	87	MCG/ML)	107	granisetron hcl	46
fluocinonide-e	87	GAMMAPLEX	107	GRANIX	60
FLUORIDE (SODIUM)	128	GAMUNEX-C	108	griseofulvin microsize	42
fluorometholone	94	ganciclovir sodium	58	griseofulvin ultramicrosize ...	43
fluorouracil	21, 84	GARDASIL 9 (PF)	111	guanfacine	75
fluoxetine	35, 36	gatifloxacin	92	guanidine	116
FLUOXETINE	36	GATTEX 30-VIAL	96	H	
fluphenazine decanoate	50	GAUZE PAD	89	HAEGARDA	60
fluphenazine hcl	50	gavilyte-c	98	HALAVEN	22
flurbiprofen	5	gavilyte-g	98	halobetasol propionate	87
flurbiprofen sodium	94	gavilyte-n	98	haloperidol	51
flutamide	21	GAZYVA	21	haloperidol decanoate	50
fluticasone	87, 94	gemcitabine	21, 22	haloperidol lactate	50
fluticasone-salmeterol	123	gemfibrozil	72	HARVONI	57
fluvastatin	72	generlac	96	HAVRIX (PF)	111
fluvoxamine	36	gengraf	108	heather	78
FML FORTE	94	gentak	92	heparin (porcine)	59, 60
FML S.O.P.	94	gentamicin	9, 85, 92	heparin (porcine) in 5 % dex ..	59
FOLOTYN	21	gentamicin in nacl (iso-osm) ...	9	heparin (porcine) in nacl (pf) .	59
fomepizole	116	gentamicin sulfate (ped) (pf) ...	9	heparin, porcine (pf)	60
fondaparinux	59	gentamicin sulfate (pf)	9	HERCEPTIN	22
FORFIVO XL	36	GENVOYA	54	HETLIOZ	126
FORTEO	115	GEODON	50	HEXALEN	22
FOSAMAX PLUS D	115	gianvi (28)	78	HIBERIX (PF)	111
fosamprenavir	54	GILENYA	75	HIZENTRA	108
foscarnet	57	GILOTRIF	22	HUMIRA	108
fosinopril	65	GLEEVEC	22	HUMIRA PEDIATRIC	
fosinopril-hydrochlorothiazide		GLEOSTINE	22	CROHN'S START	108
.....	65	glimepiride	41	HUMIRA PEN	108
fosphenytoin	31	glipizide	41	HUMIRA PEN CROHN'S-UC-	
FOSRENOL	98	glipizide-metformin	41	HS START	108
furosemide	71	GLUCAGEN HYPOKIT	38	HUMIRA PEN PSORIASIS-	
FUZEON	54	GLUCAGON EMERGENCY		UVEITIS	108
fyavolv	101	KIT (HUMAN)	38	hydralazine	69

hydrochlorothiazide.....	71	incassia.....	79	J	
hydrocodone-acetaminophen ...	2	INCRELEX	103	JADENU	99
hydrocodone-ibuprofen	2	INCRUSE ELLIPTA.....	124	JADENU SPRINKLE.....	100
hydrocortisone.....	88, 102, 114	indapamide.....	71	JAKAFI.....	23
hydrocortisone butyrate.....	87, 88	INFANRIX (DTAP) (PF)....	111	jantoven.....	60
hydrocortisone butyr-emollient		INFLECTRA	108	JARDIANCE	38
.....	87	INGREZZA	75	jencycla	79
hydrocortisone valerate	88	INLYTA	23	JENTADUETO.....	38
hydrocortisone-acetic acid.....	92	INNOPRAN XL	67	JENTADUETO XR	38
hydrocortisone-pramoxine	88	INSULIN SYRINGE-NEEDLE		JEVTANA.....	23
hydromorphone	2	U-100.....	89	jinteli	101
hydromorphone (pf)	2	INTELENCE	54	jolessa.....	79
hydroxychloroquine	47	INTRALIPID.....	63	jolivetle	79
hydroxyprogesterone(pf)(preg presv)		INTRON A	57	juleber	79
.....	105	introvale.....	79	JULUCA	54
hydroxyprogesterone caproate		INVANZ.....	13	junel 1.5/30 (21).....	79
.....	105	INVEGA SUSTENNA	51	junel 1/20 (21).....	79
hydroxyurea.....	22	INVEGA TRINZA	51	junel fe 1.5/30 (28).....	79
hydroxyzine hcl.....	44	INVIRASE.....	54	junel fe 1/20 (28).....	79
hydroxyzine pamoate ...	116, 117	INVOKAMET	38	junel fe 24	79
HYQVIA	108	INVOKAMET XR	38	JUXTAPID	72
I		INVOKANA.....	38	K	
ibandronate	115	IPOL	111, 112	KADCYLA	23
IBRANCE	22	ipratropium bromide	91, 124	kaitlib fe	79
ibuprofen	5	ipratropium-albuterol.....	124	KALETRA	54
ibuprofen-oxycodone	2	irbesartan	64	KALYDECO.....	125, 126
ICLUSIG	22	irbesartan-hydrochlorothiazide		kariva (28).....	79
idarubicin.....	22	64	kelnor 1/35 (28).....	79
IDHIFA	22	IRESSA	23	kelnor 1-50.....	79
ifosfamide.....	22	irinotecan	23	KEPIVANCE	117
ifosfamide-mesna	22	ISENTRESS	54	ketoconazole	43
ILARIS (PF).....	108	ISENTRESS HD.....	54	ketoprofen	6
imatinib.....	22	isibloom	79	ketorolac.....	94
IMBRUVICA	23	isoniazid.....	45	KEVZARA	109
IMFINZI.....	23	isosorbide dinitrate	73	KEYTRUDA.....	23
imipenem-cilastatin	13	isosorbide mononitrate	73	kimidess (28).....	79
imipramine hcl.....	36	isotretinoin.....	84	KINERET	109
imipramine pamoate.....	36	isradipine	70	KINRIX (PF)	112
imiquimod	84	itraconazole.....	43	kionex (with sorbitol).....	97
IMLYGIC.....	23	ivermectin	47	KISQALI.....	23
IMOVAX RABIES VACCINE		IXEMPRA	23	KISQALI FEMARA CO-PACK	
(PF).....	111	IXIARO (PF).....	112	23

KLOR-CON 10	119	leflunomide	109	lindane	89
KLOR-CON 8	119	LENVIMA	24	linezolid	10
klor-con m10	119	lessina	80	linezolid in dextrose 5%	10
klor-con m15	119	LETAIRIS	127	linezolid-0.9% sodium chloride	10
klor-con m20	119	letrozole	24	LINZESS	97
klor-con sprinkle	119	leucovorin calcium	117	liothyronine	105
KORLYM	38	LEUKERAN	24	lisinopril	65
kurvelo	79	LEUKINE	60	lisinopril-hydrochlorothiazide	65
KUVAN	90	leuprolide	24	lithium carbonate	75
KYNAMRO	72	levallbuterol hcl	124	lithium citrate	75
KYPROLIS	24	LEVEMIR FLEXTOUCH U-100 INSULIN	39	LONSURF	24
L		LEVEMIR U-100 INSULIN	40	loperamide	97
l norgest/e.estradiol-e.estrad	79	levetiracetam	32	lopinavir-ritonavir	55
labetalol	67	levetiracetam in nacl (iso-os)	32	lopreeza	101
lactulose	97	levobunolol	118	lorazepam	9
LAMICTAL XR STARTER (BLUE)	31	levocarnitine	117	loryna (28)	80
LAMICTAL XR STARTER (GREEN)	31	levocarnitine (with sugar)	117	losartan	64
LAMICTAL XR STARTER (ORANGE)	31	levocetirizine	44	losartan-hydrochlorothiazide	64
lamivudine	54	levofloxacin	16, 92	LOTEMAX	94
lamivudine-zidovudine	55	levofloxacin in d5w	16	lovastatin	72
lamotrigine	31, 32	levoleucovorin	117	low-ogestrel (28)	80
LANOXIN	69	LEVOLEUCOVORIN	117	loxapine succinate	51
lansoprazole	95	levonest (28)	80	LUDENT FLUORIDE	128
lanthanum	98	levonorgestrel-ethinyl estrad	80	LUMIGAN	118
LANTUS SOLOSTAR U-100 INSULIN	39	levonorg-eth estrad triphasic	80	LUPRON DEPOT	24
LANTUS U-100 INSULIN	39	levora-28	80	LUPRON DEPOT (3 MONTH)	24
larin 1.5/30 (21)	79	levorphanol tartrate	2	LUPRON DEPOT (4 MONTH)	24
larin 1/20 (21)	79	LEVO-T	105	LUPRON DEPOT (6 MONTH)	24
larin 24 fe	79	levothyroxine	105	LUPRON DEPOT-PED	104
larin fe 1.5/30 (28)	79	LEVOXYL	105	LUPRON DEPOT-PED (3 MONTH)	103
larin fe 1/20 (28)	80	LEVULAN	84	lutera (28)	80
larissia	80	LEXIVA	55	LYNPARZA	24
LARTRUVO	24	lidocaine	6	LYRICA	32
latanoprost	118	lidocaine (pf) in d7.5w	66	LYSODREN	24
LATUDA	51	lidocaine (pf)	6, 66	lyza	80
layolis fe	80	lidocaine hcl	6	M	
LAZANDA	2	lidocaine in 5 % dextrose (pf)	66	magnesium sulfate	120
leena 28	80	lidocaine viscous	6		
		lidocaine-prilocaine	7		
		lillow	80		
		lincomycin	10		

magnesium sulfate in d5w	119	methotrexate sodium	25	mitoxantrone	25
magnesium sulfate in water	119	methotrexate sodium (pf)	25	M-M-R II (PF)	112
malathion	89	methoxsalen	84	modafinil	127
maprotiline	36	methscopolamine	97	moexipril	65
marlissa	80	methyclothiazide	71	moexipril-hydrochlorothiazide	65
MARPLAN	36	methylergonovine	117	65
MARQIBO	24	methylphenidate hcl	75, 76	mometasone	88, 95
marten-tab	2	methylprednisolone	102	mono-lynyah	80
MATULANE	24	methylprednisolone acetate	102	mononessa (28)	80
matzim la	68	methylprednisolone sodium succ	102	montelukast	123
MAVYRET	57	102	morphine	3, 4
MAXIDEX	95	metipranolol	118	MORPHINE	3
meclizine	46	metoclopramide hcl	97	morphine (pf)	3
meclofenamate	6	metolazone	71	morphine concentrate	3
medroxyprogesterone	105	metoprolol succinate	67	MOVANTIK	97
mefenamic acid	6	metoprolol ta-hydrochlorothiaz	67	MOVIPREP	98
mefloquine	47	67	moxifloxacin	16, 93
megestrol	24, 105	metoprolol tartrate	67	moxifloxacin in nacl (iso-osm)	16
MEKINIST	25	metronidazole	11, 44, 85	16
meloxicam	6	metronidazole in nacl (iso-os)	11	moxifloxacin-sod.ace,sul-water	16
melphalan hcl	25	mexiletine	66	16
memantine	34	MIACALCIN	115	MOZOBIL	60
MENACTRA (PF)	112	miconazole-3	43	MULTAQ	66
MENEST	101	microgestin 1.5/30 (21)	80	mupirocin	85
MENVEO A-C-Y-W-135-DIP	112	microgestin 1/20 (21)	80	mupirocin calcium	85
(PF)	112	microgestin fe 1.5/30 (28)	80	MUSTARGEN	25
meprobamate	9	microgestin fe 1/20 (28)	80	mycophenolate mofetil	109
mercaptapurine	25	midodrine	63	mycophenolate mofetil hcl	109
meropenem	14	MIGERGOT	45	mycophenolate sodium	109
mesalamine	114	miglitol	38	MYLOTARG	25
mesna	117	miglustat	90	myorisan	84
MESNEX	117	mili	80	MYRBETRIQ	99
metaproterenol	124	milrinone	69	myzilra	80
metaxalone	126	milrinone in 5 % dextrose	69	N	
metformin	38	mimvey	101	nabumetone	6
methadone	2, 3	mimvey lo	101	nadolol	67
methadose	3	minitran	73	nadolol-bendroflumethiazide	67
methazolamide	118	minocycline	17	nafcillin	14, 15
methenamine hippurate	10	minoxidil	73	nafcillin in dextrose iso-osm	15
methimazole	106	mirtazapine	36	naftifine	43
METHITEST	100	misoprostol	95	NAFTIN	43
methocarbamol	126	mitomycin	25	NAGLAZYME	90

nalbuphine	4	nisoldipine	70	NOVOLOG PENFILL U-100	
naloxone	7	NITRO-BID	73	INSULIN	40
naltrexone	7	NITRO-DUR	73	NOVOLOG U-100 INSULIN	
naproxen	6	nitrofurantoin macrocrystal ...	11	ASPART	40
naproxen sodium	6	nitrofurantoin monohyd/m-cryst		NOXAFIL	43
naratriptan	45	11	NPLATE	117
NARCAN	7	nitroglycerin	74	NUCALA	126
NATACYN	93	nitroglycerin in 5 % dextrose.	74	NUEDEXTA	76
nateglinide	38	NITROSTAT	74	NULOJIX	109
NATPARA	115	NITYR	90	NUPLAZID	51
NEBUPENT	47	nizatidine	96	NUTRILIPID	63
necon 0.5/35 (28)	81	nora-be	81	NUVARING	81
necon 7/7/7 (28)	81	NORDITROPIN FLEXPEN	104	nyamyc	43
nefazodone	36	norepinephrine bitartrate	69	nystatin	43
neomycin	9	norethindrone (contraceptive)	81	nystatin-triamcinolone	43
neomycin-bacitracin-poly-hc	93	norethindrone acetate	105	nystop	43
neomycin-bacitracin-polymyxin		norethindrone ac-eth estradiol		O	
.....	93	81, 101	ocella	81
neomycin-polymyxin b gu	85	norethindrone-e.estradiol-iron	81	OCREVUS	76
neomycin-polymyxin b-		norgestimate-ethinyl estradiol	81	octreotide acetate	104
dexameth	93	norlyda	81	ODEFSEY	55
neomycin-polymyxin-		norlyroc	81	ODOMZO	25
gramicidin	93	NORTHERA	63	OFEV	126
neomycin-polymyxin-hc	93	nortrel 0.5/35 (28)	81	ofloxacin	16, 93
neo-polycin hc	93	nortrel 1/35 (21)	81	ogestrel (28)	81
NERLYNX	25	nortrel 1/35 (28)	81	okebo	17
NEULASTA	61	nortrel 7/7/7 (28)	81	olanzapine	51, 52
NEUPOGEN	61	nortriptyline	36	olanzapine-fluoxetine	36
NEUPRO	49	NORVIR	55	olmesartan	64
nevirapine	55	NOVOLIN 70/30 U-100		olmesartan-hydrochlorothiazide	
NEXAVAR	25	INSULIN	40	64
NEXIUM PACKET	96	NOVOLIN N NPH U-100		olopatadine	91
niacin	72	INSULIN	40	omega-3 acid ethyl esters	72
niacor	72	NOVOLIN R REGULAR U-		omeprazole	96
nicardipine	70	100 INSULN	40	ONCASPAR	25
NICOTROL NS	7	NOVOLOG FLEXPEN U-100		ondansetron	46
nifedipine	70	INSULIN	40	ondansetron hcl	46
nikki (28)	81	NOVOLOG MIX 70-30 U-100		ondansetron hcl (pf)	46
nilutamide	25	INSULN	40	ONFI	9
nimodipine	70	NOVOLOG MIX 70-		ONIVYDE	25
NINLARO	25	30FLEXPEN U-100	40	OPDIVO	25
NIPENT	25			OPSUMIT	127

oralone.....	83	PEDVAX HIB (PF).....	112	piperacillin-tazobactam.....	15
ORENCIA.....	109	peg 3350-electrolytes.....	98	pirmella.....	81
ORENCIA CLICKJECT.....	109	PEGANONE.....	32	piroxicam.....	6
ORKAMBI.....	126	PEGASYS.....	57	PLEGRIDY.....	76
orphenadrine citrate.....	126	PEGASYS PROCLICK.....	57	podofilox.....	84
orsythia.....	81	peg-electrolyte soln.....	98	polycin.....	93
oseltamivir.....	57	PEGINTRON.....	58	polyethylene glycol 3350.....	98
OSMOPREP.....	98	PEN NEEDLE, DIABETIC ..	90	polymyxin b sulfate.....	11
OTEZLA.....	109	penicillin g pot in dextrose ...	15	polymyxin b sulf-trimethoprim	
OTEZLA STARTER.....	109	penicillin g potassium.....	15	93
oxacillin.....	15	penicillin g procaine.....	15	POMALYST.....	26
oxacillin in dextrose(iso-osm)	15	penicillin v potassium.....	15	portia.....	81
oxaliplatin.....	26	PENTAM.....	48	PORTRAZZA.....	26
oxandrolone.....	100	PENTASA.....	114	potassium acetate.....	120
oxaprozin.....	6	pentoxifylline.....	61	potassium chlorid-d5-0.45%nacl	
oxazepam.....	9	PERFOROMIST.....	124	120
oxcarbazepine.....	32	perindopril erbumine.....	65	potassium chloride.....	120
OXTELLAR XR.....	32	periogard.....	83	potassium chloride in 0.9%nacl	
oxybutynin chloride.....	99	PERJETA.....	26	120
oxycodone.....	4	permethrin.....	89	potassium chloride in 5 % dex	
oxycodone-acetaminophen.....	4	perphenazine.....	52	120
oxycodone-aspirin.....	4	perphenazine-amitriptyline....	36	potassium chloride in 1r-d5 ..	120
OXYCONTIN.....	4	PEXEVA.....	36, 37	potassium chloride in water .	120
oxymorphone.....	4	pfizerpen-g.....	15	potassium chloride-0.45 % nacl	
OZEMPIC.....	39	phenadoz.....	47	120
P		phenelzine.....	37	potassium chloride-d5-0.2%nacl	
pacerone.....	66	phenobarbital.....	32	121
paclitaxel.....	26	phenylephrine hcl.....	63, 92	potassium chloride-d5-0.3%nacl	
paliperidone.....	52	PHENYTEK.....	32	121
palonosetron.....	47	phenytoin.....	32, 33	potassium chloride-d5-0.9%nacl	
pamidronate.....	115	phenytoin sodium.....	33	121
PANRETIN.....	84	phenytoin sodium extended...	33	potassium citrate.....	121
pantoprazole.....	96	philith.....	81	PRADAXA.....	60
paricalcitol.....	115	PHOSPHOLINE IODIDE ..	118	PRALUENT PEN.....	72
PARICALCITOL.....	115	phrenilin forte(with caffeine)..	4	pramipexole.....	49
paroex oral rinse.....	83	PICATO.....	84	prasugrel.....	61
paromomycin.....	48	pilocarpine hcl.....	83, 118	pravastatin.....	72
paroxetine hcl.....	36	pimozide.....	52	praziquantel.....	48
PASER.....	45	pimtrea (28).....	81	prazosin.....	63
PAXIL.....	36	pindolol.....	67	PRED-G.....	93
PCE.....	13	pioglitazone.....	39	prednicarbate.....	88
PEDIARIX (PF).....	112	pioglitazone-metformin.....	39	prednisolone.....	103

prednisolone acetate	95	PROLEUKIN.....	26	RAVICTI	97
prednisolone sodium phosphate		PROLIA.....	115	REBETOL.....	58
.....	95, 103	PROMACTA.....	61	REBIF (WITH ALBUMIN) ..	76
prednisone	103	promethazine	44, 47	REBIF REBIDOSE.....	76
PREMARIN	101	promethegan	47	REBIF TITRATION PACK ..	76
PREMASOL 10 %	63	propafenone	66	reclipsen (28)	82
PREMASOL 6 %	63	propantheline	30	RECOMBIVAX HB (PF)....	112
PREMPHASE	101	proparacaine.....	92	REGRANEX.....	84
PREMPRO	101	propranolol.....	67	RELENZA DISKHALER.....	57
prenatal plus (calcium carb)	128	propranolol-hydrochlorothiazid		RELISTOR	97
prenatal vitamin plus low iron		67	repaglinide.....	39
.....	128	propylthiouracil	106	REPATHA PUSHTRONEX..	72
PREPOPIK.....	98	PROQUAD (PF).....	112	REPATHA SURECLICK.....	73
prevalite.....	72	PROSOL 20 %	63	REPATHA SYRINGE.....	73
previfem	81	protamine.....	61	RESCRIPTOR	55
PREVYMIS.....	57	protriptyline	37	RESTASIS	95
PREZCOBIX.....	55	PULMICORT FLEXHALER		RETROVIR.....	55
PREZISTA	55	123	REVATIO.....	127
PRIFTIN.....	45	PULMOZYME.....	90	REVLIMID.....	26
PRIMAQUINE.....	48	PURIXAN	26	revonto	126
primidone	33	pyrazinamide	45	REXULTI	52
PRIVIGEN	109	pyridostigmine bromide.....	117	REYATAZ.....	55
PROAIR HFA	124	Q		ribasphere.....	58
PROAIR RESPICLICK	124	QUADRACEL (PF)	112	ribasphere ribapak.....	58
probenecid	44	quasense.....	81	ribavirin.....	58
probenecid-colchicine	44	quetiapine.....	52	RIDAURA	110
procainamide	66	quinapril.....	65	rifabutin.....	45
prochlorperazine.....	47	quinapril-hydrochlorothiazide	65	rifampin.....	45, 46
prochlorperazine edisylate.....	47	quinidine gluconate.....	66	RIFATER.....	46
prochlorperazine maleate	47	quinidine sulfate	66	riluzole	76
PROCRIT	61	quinine sulfate.....	48	rimantadine	57
PROCTOFOAM HC	88	R		ringer's.....	114, 121
procto-med hc.....	88	RABAVERT (PF)	112	risedronate.....	115, 116
procto-pak.....	88	rabeprazole.....	96	RISPERDAL CONSTA.....	52
proctosol hc	88	RADICAVA	76	risperidone.....	52
proctozone-hc.....	88	rajani	82	ritonavir.....	55
PROCYSBI	90	raloxifene	101	RITUXAN.....	26
progesterone in oil.....	105	ramipril	65	RITUXAN HYCELA	26
progesterone micronized	105	RANEXA.....	70	rivastigmine.....	34
PROGLYCEM	117	ranitidine hcl.....	96	rivastigmine tartrate	34
PROGRAF	109	RAPAMUNE.....	109	rivelsa.....	82
PROLASTIN-C.....	126	rasagiline.....	49	rizatRIPTAN	45

romidepsin.....	26	sodium chloride 0.45 %.....	121	SUBOXONE.....	7
ropinirole.....	49	sodium chloride 0.9 %.....	121	subvenite.....	33
rosadan.....	85	sodium chloride 3 %.....	121	subvenite starter (blue) kit.....	33
rosuvastatin.....	73	sodium chloride 5 %.....	121	subvenite starter (green) kit.....	33
ROTARIX.....	112	sodium lactate.....	121	subvenite starter (orange) kit.....	33
ROTATEQ VACCINE.....	112	sodium phenylbutyrate.....	97	sucalfate.....	96
ROZEREM.....	127	sodium phosphate.....	121	sulfacetamide sodium.....	93
RUBRACA.....	26	sodium polystyrene (sorb free)		sulfacetamide sodium (acne).....	86
RYDAPT.....	26	97	sulfacetamide-prednisolone.....	93
S		sodium polystyrene sulfonate.....	97	sulfadiazine.....	16
SABRIL.....	33	SOLTAMOX.....	26	sulfamethoxazole-trimethoprim	
SANTYL.....	84	SOLU-CORTEF (PF).....	103	16
SAPHRIS (BLACK CHERRY)		SOLU-MEDROL (PF).....	103	sulfasalazine.....	114
.....	52	SOMATULINE DEPOT.....	104	sulfatrim.....	16
SAVELLA.....	76	SOMAVERT.....	104	sulindac.....	6
scopolamine base.....	47	sorbitol.....	114	sumatriptan.....	45
selegiline hcl.....	49	sorbitol-mannitol.....	114	sumatriptan succinate.....	45
selenium sulfide.....	85	sorine.....	67	SUPPRELIN LA.....	104
SELZENTRY.....	55, 56	sotalol.....	68	SUPRAX.....	12
SENSIPAR.....	116	sotalol af.....	67	SUPREP BOWEL PREP KIT.....	98
SEREVENT DISKUS.....	124	spinosad.....	89	SUTENT.....	27
SEROSTIM.....	104	SPIRIVA RESPIMAT.....	124	syeda.....	82
sertraline.....	37	SPIRIVA WITH		SYLATRON.....	58
setlakin.....	82	HANDIHALER.....	124	SYLVANT.....	27
sevelamer carbonate.....	98	spironolactone.....	71	SYMBICORT.....	123
sf 5000 plus.....	83	spironolacton-hydrochlorothiaz		SYMFI.....	56
sharobel.....	82	71	SYMFI LO.....	56
SHINGRIX (PF).....	113	sprintec (28).....	82	SYMLINPEN 120.....	39
SIGNIFOR.....	104	SPRITAM.....	33	SYMLINPEN 60.....	39
SIGNIFOR LAR.....	104	SPRYCEL.....	26	SYNAGIS.....	57
sildenafil (antihypertensive).....	127	sps (with sorbitol).....	97	SYNAREL.....	104
SILENOR.....	127	sronyx.....	82	SYNERCID.....	11
silver sulfadiazine.....	85	ssd.....	85	SYNJARDY.....	39
SIMBRINZA.....	118	stavudine.....	56	SYNJARDY XR.....	39
SIMPONI.....	110	STELARA.....	110	SYNRIBO.....	27
SIMULECT.....	117	STIOLTO RESPIMAT.....	124	SYNTHROID.....	106
simvastatin.....	73	STIVARGA.....	27	T	
sirolimus.....	110	STRENSIQ.....	91	TABLOID.....	27
SIRTURO.....	46	streptomycin.....	10	tacrolimus.....	88, 110
SIVEXTRO.....	11	STRIBILD.....	56	TAFINLAR.....	27
sodium acetate.....	121	STRIVERDI RESPIMAT.....	124	TAGRISSE.....	27
sodium chloride.....	114, 121	SUBLOCADE.....	4	tamoxifen.....	27

tamsulosin.....	99	THYMOGLOBULIN	110	TREANDA	27
TARCEVA.....	27	tiagabine.....	33	TRECTOR	46
TARGRETIN	27	TICE BCG	113	TRELEGY ELLIPTA	125
tarina fe 1/20 (28).....	82	tigecycline.....	17	TRELSTAR	27, 28
TASIGNA	27	tilia fe.....	82	TRESIBA FLEXTOUCH U-100	
tazarotene	89	timolol maleate	68, 118	40
tazicef.....	12	tinidazole	48	TRESIBA FLEXTOUCH U-200	
TAZORAC.....	89	TIVICAY.....	56	40
taztia xt.....	68	tizanidine	126	tretinoin.....	89
TECENTRIQ.....	27	TOBI PODHALER	10	tretinoin (chemotherapy).....	28
TECFIDERA.....	76, 77	TOBRADEX	94	tretinoin microspheres.....	89
TEFLARO.....	12	TOBRADEX ST.....	94	tri femynor	82
TEKTURNA	73	tobramycin.....	94	triamcinolone acetonide ..	83, 88,
TEKTURNA HCT	73	tobramycin in 0.225 % nacl... 10		103	
telmisartan	64	tobramycin in 0.9 % nacl..... 10		triamterene-hydrochlorothiazid	
telmisartan-amlodipine.....	64	tobramycin sulfate	10	71
telmisartan-hydrochlorothiazid		tobramycin-dexamethasone ... 94		trianex	88
.....	64	TOLAK.....	84	triderm.....	88
temazepam.....	9	tolazamide.....	41, 42	tridesilon	88
TEMODAR	27	tolbutamide	42	trientine	100
tencon	4	tolcapone.....	49	tri-estarylla	82
TENIVAC (PF)	113	tolmetin.....	6	trifluoperazine	52
tenofovir disoproxil fumarate.56		tolterodine.....	99	trifluridine	94
terazosin	99	topiramate	33	trihexyphenidyl	49
terbinafine hcl.....	43	toposar	27	tri-legest fe	82
terbutaline.....	124	topotecan.....	27	tri-linyah.....	82
terconazole	44	TORISEL.....	27	tri-lo-estarylla.....	82
testosterone.....	100	torsemide	71	tri-lo-marzia	82
testosterone cypionate	100	TOUJEO MAX U-300		tri-lo-sprintec.....	82
testosterone enanthate	100	SOLOSTAR.....	40	trilyte with flavor packets	98
TETANUS,DIPHThERIA TOX		TOUJEO SOLOSTAR U-300		trimethoprim	11
PED(PF)	113	INSULIN	40	tri-mili	82
TETANUS-DIPHThERIA		TRACLEER.....	127	trimipramine.....	37
TOXOIDS-TD.....	113	TRADJENTA	39	trinessa (28).....	82
tetrabenazine.....	77	tramadol.....	4, 5	trinessa lo	82
tetracycline	17	tramadol-acetaminophen	5	TRINTELLIX.....	37
THALOMID.....	117	trandolapril.....	65	tri-previfem (28).....	82
theophylline.....	125	tranexamic acid.....	61	TRISENOX.....	28
theophylline in dextrose 5 %	125	tranylcypromine.....	37	tri-sprintec (28)	82
thioridazine.....	52	TRAVASOL 10 %.....	63	TRIUMEQ	56
thiotepa.....	27	TRAVATAN Z.....	118	trivora (28)	82
thiothixene.....	52	trazodone	37	tri-vylibra	82

TROGARZO	56	VARUBI	47	VOTRIENT	28
TROKENDI XR	33	VASCEPA	73	VPRIV	91
TROPHAMINE 10 %	63	VASOSTRICT	104	VRAYLAR	53
tropicamide	92	VECTIBIX	28	vyfemla (28)	83
tropium	99	VELCADE	28	vylibra	83
TRULICITY	39	velivet triphasic regimen (28)	83	VYXEOS	29
TRUMENBA	113	VELPHORO	98	VYZULTA	118
TRUVADA	56	VELTASSA	97	W	
TUDORZA PRESSAIR	125	VEMLIDY	56	warfarin	60
tulana	82	VENCLEXTA	28	water for irrigation, sterile	114
TWINRIX (PF)	113	VENCLEXTA STARTING		WELCHOL	73
TYBOST	117	PACK	28	wera (28)	83
tydemy	83	venlafaxine	37	wymzya fe	83
TYKERB	28	VENTAVIS	128	X	
TYMLOS	116	VENTOLIN HFA	125	XALKORI	29
TYPHIM VI	113	verapamil	68	XARELTO	60
TYSABRI	110	VERSACLOZ	53	XATMEP	29
TYVASO	127	VERZENIO	28	XELJANZ	110
TYZINE	92	VESICARE	99	XELJANZ XR	110
U		vestura (28)	83	XERMELO	97
ULORIC	44	VGO 40	90	XGEVA	116
UNITHROID	106	VICTOZA	39	XIIDRA	95
UNITUXIN	28	VIDEX 2 GRAM PEDIATRIC		XOLAIR	126
UPTRAVI	127, 128		56	XTANDI	29
ursodiol	97	VIDEX 4 GRAM PEDIATRIC		xulane	83
UVADEX	85		56	XULTOPHY 100/3.6	40
V		VIDEX EC	56	xylon 10	5
valacyclovir	58	vienna	83	XYREM	127
VALCHLOR	85	vigabatrin	33	Y	
valganciclovir	58	vigadrone	33	YERVOY	29
valproate sodium	33	VIIBRYD	37	YF-VAX (PF)	113
valproic acid	33	VIMPAT	33, 34	YONDELIS	29
valproic acid (as sodium salt)	33	vinblastine	28	YONSA	29
valsartan	64	vincasar pfs	28	yuvafem	101
valsartan-hydrochlorothiazide	64	vincristine	28	Z	
VALSTAR	28	vinorelbine	28	zafirlukast	123
vancomycin	11	viorele (28)	83	zaleplon	127
vancomycin in dextrose 5 %	11	VIRACEPT	56	ZALTRAP	29
VANTAS	104	VIRAMUNE	56	ZANOSAR	29
VAQTA (PF)	113	VIREAD	56, 57	zarah	83
VARIVAX (PF)	113	VIVITROL	7	zebutal	5
VARIZIG	110	voriconazole	43	ZEJULA	29

ZELBORAF	29	ZIRGAN	94	ZORTRESS.....	110
zenatane	85	ZOLADEX	29	ZOSTAVAX (PF).....	113
zenchent (28).....	83	zoledronic acid.....	116	zovia 1/35e (28)	83
ZENPEP	91	zoledronic acid-mannitol-water		ZOVIRAX.....	85
ZERBAXA	12	116	ZURAMPIC.....	44
ZERIT.....	57	ZOLINZA	29	ZYCLARA.....	85
zidovudine	57	zolmitriptan.....	45	ZYDELIG	29
zileuton	123	zolpidem	127	ZYKADIA	29
ZINPLAVA	110	zonisamide.....	34	ZYPREXA RELPREVV	53
ZIOPTAN (PF).....	118	ZONTIVITY	61	ZYTIGA.....	29, 30
ziprasidone hcl.....	53	ZORBTIVE	105		

This formulary was updated on August 30, 2018. For more recent information or other questions, please contact Geisinger Gold Member Services at (800) 988-4861 or, for TTY users, 711 8 a.m. to 8 p.m. (7 days a week, Oct. – Feb.) or 8 a.m. to 8 p.m. (Mon. – Fri., March – Sept.), or visit www.GeisingerGold.com