

CHIP Formulary



Geisinger

2025

List of covered drugs

Geisinger Health Plan

Pharmacy Department Internal
Mail Code 24-10
100 North Academy Avenue
Danville, PA 17822

CHIP Pharmacy Benefit

The CHIP Pharmacy benefit assigns each prescription medication to one of two different tiers, each representing a set copayment amount. The copay amount will depend on your prescription medication benefits. Additional medications, other than those included in this formulary, may be covered under the CHIP Pharmacy benefit. The definitions of the copay levels are listed below:

- Tier 1—Includes most generic medications and has the lowest copayment. Prior authorization is usually not necessary for medications in this tier.
- Tier 2—Includes certain formulary brand name medications with no generic equivalent. Prior authorization may be necessary for medications in this tier.

The Plan maintains sole discretion of assigning medications to tiers and moving medications from one tier to another. Several factors are considered when assigning medications to tiers. These factors include but are not limited to:

- Availability of a generic equivalent
- Absolute cost of a medication
- Cost of the medication relative to other medications in the same therapeutic class
- Availability of over-the-counter alternatives
- Clinical and economic factors

Please note: A medication may change in tier status without notice due to changes in medication availability in the marketplace.

A few things you should remember when using this formulary and your prescription benefit:

- All prescriptions must be filled at a participating pharmacy.
- You will pay the applicable copay, coinsurance or deductible when you receive the prescription.
- Coverage is for generic drugs when they have equivalent rating in the drug products list (Orange Book—U.S. Department of Health and Human Services).
- Some medications on the formulary require prior authorization which your provider may request through our Pharmacy Service Team at 844-866-8533.
- If you require medications not listed on this formulary, your provider may request an exception through our Pharmacy Customer Service Team, except for those items listed as specific exclusions. Non-formulary medications not requiring prior authorization will be available at the highest copay level.
- Some medications and diabetic supplies may be restricted to a specific manufacturer, vendor or supplier and may be subject to quantity limits.
- Quantity limits may apply to certain medications.
- Brand and generic Triptan medications for migraines have a quantity limit of 16 units per 28 days

across all products (sumatriptan, rizatriptan, naratriptan, almotriptan, frovatriptan, eletriptan, zolmitriptan, and sumatriptan/naproxen).

- Insulin syringes, lancets, and inhaler spacers are covered at Tier 2.
- Non-prescription (over-the-counter) medications are only covered if required by healthcare reform legislation or if the medication is part of the formulary.
- Note that if certain conditions are met some medications may be covered with no copay/coinsurance due to healthcare reform legislation. Please contact the pharmacy customer service team for more information.
- Many compounded prescriptions require prior authorization review, which your provider may request through our Pharmacy Customer Service Team. If an exception is approved, you will be charged at the Tier 1 copay level if the primary ingredient is generic or the Tier 2 copay level if the primary ingredient is brand. If your request is denied, the medication will be excluded from coverage under your prescription medication benefits.
- Medications listed on Tier 0 are covered at \$0 copay.
- All prescriptions for a total morphine equivalent dose (MED) of 50 or greater will require prior authorization. Short acting opioid prescriptions will require prior authorization if more than a 5 day supply is required for a member under 18 years of age.

Using this formulary

- Medications are listed by therapeutic class within the table of contents. An alphabetical index of all medications can be found at the back of the formulary.
- The medication Tier is listed in the Drug Tier Column.
- Medication names with AL in the Requirements/Limits column have age limits.
- Medication names with QL in the Requirements/Limits column have quantity limits.
- Medication names followed by PA in the Requirements/Limits column require prior authorization.
- Medication names followed by PA NSO in the Requirements/Limits column require prior authorization for new starts only.
- Medication names followed by ST in the Requirements/Limits column have step therapy requirements.
- Medication names followed by SP in the Requirements/Limits column must be obtained from a network specialty vendor.
- This formulary is accurate as of July 1, 2025 and is subject to change. Any additions or deletions to the formulary throughout the year may be found in the following publications: "Member Update" for members and "Healthcare Provider Update" for providers. The most up-to-date source for formulary information is the online formulary search available at www.geisinger.org/health-plan.
- **Restrictions in medication availability may result from use of a formulary.**

Please be aware that if you choose to obtain a non-formulary drug, you may be required to pay the full price of that drug. For information about your specific prescription drug benefits, please contact the Pharmacy Service Team at 844-866-8533.

Quantity Limits

- Quantity limits are listed in the Requirements/Limits Column.
- Note that non-formulary medications in the same class/category as formulary drugs with quantity limits will have the same quantity limits applied.
- If not listed above the maximum days supply for specialty vendor medications is 34 days or as otherwise defined in the prescription medication benefit documents.

Step Therapy

For details regarding step therapy requirements please contact the Pharmacy Service Team at 844-866-8533.

Specialty Vendor Drug Program

Certain medications require the use of a contracted specialty pharmacy vendor for purchase. Please contact the Pharmacy Service Team at 844-866-8533 for additional information on the program and a complete list of the medications included.

What is a medication formulary?

A medication formulary is a continually updated list of prescription medications. It represents the medications currently covered based upon the clinical judgment of the Pharmacy and Therapeutics Committee, which is made up of pharmacists and physicians. (The formulary is continually updated due to the high number of medications currently on the market, as well as the continuous introduction of new medications.) This committee thoroughly reviews medical literature to first determine which medications are likely to produce the best results for patients. Then, if two or more medications produce the same clinical results, elements like cost and ease of use are considered.

A well-developed formulary enhances quality of patient care by encouraging physicians to prescribe medications that are safe, effective, and likely to achieve the best possible outcome for the patient. When you use a formulary medication, it is considered a "covered" medication and you pay your particular co-pay or coinsurance for that medication.

The Plan recognizes that, in some situations, you may not respond well to a given formulary medication or may have an allergy or other condition that warrants the use of a non-formulary medication. An exception process exists for these special instances. Your physician may initiate a request for a formulary exception by contacting our Pharmacy Service Team. Your request will be reviewed, including review of pertinent medical records, treatment and laboratory data. We respond to such requests within 24 hours of receiving all necessary information. If an exception is approved, you will be charged at the highest applicable copay level. If your request is denied, the medication will be excluded from coverage under your prescription medication benefits.

Formulary exclusions

There are certain medications that your plan will not cover under any circumstance. These are called exclusions. Examples of exclusions include, but are not limited to, medications used for experimental, investigational or unproven medication therapies, medications used for weight loss and weight management, sexual dysfunction medications, and medications used for cosmetic purposes. Exclusions are subject to change so you should contact the Pharmacy Service Team when you are unsure whether a medication is covered.

Formulary development

When deciding whether or not a medication should be included in the formulary, the Pharmacy and Therapeutics Committee carefully considers each medication for coverage or non-coverage in order to ensure safety and effectiveness in the medications being prescribed. This information is then shared with participating providers for review and feedback. Based upon the gathered information and provider feedback, the Pharmacy and Therapeutics Committee will determine a medication's inclusion or exclusion in the formulary. For the specific criteria used to determine a medication's inclusion or exclusion in this formulary, please contact the Pharmacy Customer Service Team.

Health Care Reform: The Affordable Care Act (ACA) was signed into law on March 23, 2010. Under the ACA, the government created "provisions," or laws, that health insurers must adapt to, which change health benefits for consumers. These changes include the expansion of preventive services, including vaccinations, prescription drugs, and more. In accordance with the ACA requirements, and subject to any applicable limitations of your pharmacy plan, the following preventive medications will be covered with no cost-sharing under the prescription drug benefit:

- Aspirin Products – Low dose (81 mg) aspirin products as preventive medication after 12 weeks of gestation in women who are at high risk for preeclampsia.
- Contraceptives – For females.
- Breast Cancer Prevention – Generic anastrozole, exemestane, letrozole, raloxifene and tamoxifen for women who are at increased risk of breast cancer and at low risk for adverse medication effects.
- Folic Acid Supplements – Generic folic acid 0.4 mg and 0.8 mg tablets for all women who are planning or capable of pregnancy.
- Fluoride Supplements – Fluoride drops and chewable tablets starting at 6 months for children whose water supply is fluoride insufficient up to age 16 years for the prevention of dental caries.
- HIV Pre-Exposure Prophylaxis – Apretude 600 mg/3 mL injection, Descovy 200-25 mg tablet, emtricitabine/tenofovir 200-300 mg tablet, and Vocabria 30 mg tablet.
- Smoking Cessation Products
- Vaccinations – Preventive vaccines are covered for \$0 cost sharing based on appropriate age and Food and Drug Administration (FDA) approved uses.
- Vitamins – Generic over the counter vitamins.

Formulary, oral chemotherapy agents will have no cost sharing based on the Pennsylvania Oral Anticancer Treatment Access Law.

Please note: For details about how these medications may be covered under your specific plan please contact the Pharmacy Customer Service Team. A prescription is required to process any claim for preventive care medications or products under the pharmacy plan, including over-the-counter medications. Over-the-counter preventive care medications or products may be submitted for reimbursement if purchased without a prescription.

What are generics?

When a company develops a new medication, it receives a patent that protects the medication company's right to be the only manufacturer of that medication for a certain period of time, which means that no generic can be manufactured. After that patent expires, other companies can then make the same medication and sell it in its generic form. The generic form of a medication has the same active ingredients, the same strength, and the same dosage as the brand name medication. The inactive ingredients (which provide texture, shape and color) may be different, which is why a generic typically looks different than its brand name counterpart. Generic medications are usually less expensive than brand name medications, but are just as safe and effective. This is because generic manufacturers have lower advertising costs and greater competition from other generic manufacturers. Additionally, the U.S. Food and Drug Administration regulates all pharmaceuticals, including generics, to assure quality, strength, purity and potency.

Your prescription medication coverage is a generic-based plan and, whenever possible, you should use a cost-effective generic medication.

Notes for Providers

Formulary review process: Medications selected for inclusion in the formulary are chosen in consideration of effectiveness, safety and overall value. Evaluation for formulary inclusion is based on formalized selection criteria to determine the most optimal benefit to members.

These criteria include but are not limited to:

- Medication name/dosage form
- Medication class/pharmacology
- FDA-approved indications
- Adverse reactions
- Clinical evidence of safety and efficacy
- Recommendations of national agencies and organizations
- Therapeutic equivalence
- Cost analysis

The criteria are reviewed by the Health Plan Pharmacy and Therapeutics Committee, which is comprised of pharmacists and participating physicians in active clinical practice from various specialties. The medication is then reviewed and evaluated by clinicians in particular specialties for additional feedback. The feedback is discussed by the Pharmacy and Therapeutics Committee prior to finalizing a decision on formulary status. To be included, the medication must offer a distinct advantage over existing formulary medications in the same therapeutic class. Specifically, the medication must demonstrate such attributes as:

- A distinct or unique therapeutic feature
- Greater efficacy, proven in clinical trials, over other medications in the same therapeutic category
- An improved dosing schedule, safety profile or cost-effectiveness over existing formulary medications

If there are comparable therapeutic agents, additional analysis may be considered. These factors include:

- Member satisfaction
- Cost analysis
- Contract terms and conditions
- Market share analysis
- Patent life assessment
- Utilization management
- Consumer advertising
- Per member per month costs

Generic substitution policy: The Health Plan prescription benefits are generically based. Generic substitution will occur for those medications included in the "Approved Medication Products with Therapeutic Equivalence Evaluations," also known as "The Orange Book," published by the U.S. Department of Health and Human Services. Generic medications, which have an equivalent rating by these standards, are generally provided under the member's prescription medication benefit. The Health Plan may also elect to include only one brand- name medication in the formulary even if the medication is marketed by more than one company, or if the brand name medication does not significantly differ from the generic medication.

Prior authorization: To promote the most appropriate utilization, select medications may require prior authorization by the Health Plan to be eligible for coverage under the member's prescription benefit. The Pharmacy and Therapeutics Committee determines prior authorization criteria. In order for a member to receive coverage for a medication requiring prior authorization, the prescribing physician must obtain prior authorization by contacting the Health Plan Pharmacy Department. Submission of medical documentation is required. Prior authorization can be requested:

- Online at ghp.promptpa.com
- By faxing a completed prior authorization form to 570-300-2122
- By mailing a completed prior authorization form to:
 - Attention Pharmacy Department 24-10
100 North Academy Avenue
Danville, PA 17822
- Prior authorization for certain medications can be initiated via phone by calling 844-866-8533

Step Therapy: Some medications may require that other medications be tried prior to or concomitantly with the requested medication. The pharmacy claims system looks for a record of the required medications and if they are not found, medical documentation must be submitted showing use of these medications or rationale for skipping the step therapy medications.

Non-formulary medications: The formulary is designed to meet most therapeutic needs of the population served by the Health Plan. Occasionally, because of allergy, therapeutic failure, or a specific diagnostic-related need, formulary medications may not meet the special needs of an individual member. In these special instances, the prescribing physician may make requests to the Health Plan Pharmacy Department for non-formulary or restricted medications. The prescribing physician will receive written documentation and/or a verbal response from the Health Plan Pharmacy Department regarding the request.

Formulary addition requests: Requests for changes or additions, comments, and suggestions for the formulary are welcome and can be made by written request to the Health Plan Pharmacy Department.

Sources:

- Academy of Managed Care Pharmacy (AMCP), "Formulary Management," "Formularies," www.amcp.org, November 2001.
- Health Insurance Association of America (HIAA), "Guide to Managed Care: Choosing and Using a Health Plan." www.hiaa.org, November 2001.
- National Consumers League (NCL), "Consumer Guide to Generic Medications," www.nclnet.org, November 2001.
- "From the Pharmacist," www.cvs.com, November 2001.

Geisinger Health Plan complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, creed, religious affiliation, ancestry, sex gender, gender identity or expression, or sexual orientation.

Geisinger Health Plan does not exclude people or treat them differently because of race, color, national origin, age, disability, creed, religious affiliation, ancestry, sex gender, gender identity or expression, or sexual orientation.

Geisinger Health Plan provides free aids and services to people with disabilities to communicate effectively with us, such as:

- Qualified sign language interpreters
- Written information in other formats (large print, audio, accessible electronic formats, other formats)

Geisinger Health Plan provides free language services to people whose primary language is not English, such as:

- Qualified interpreters
- Information written in other languages

If you need these services, contact **Geisinger Health Plan** at **800-447-4000**

If you believe that **Geisinger Health Plan** has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, creed, religious affiliation, ancestry, sex gender, gender identity or expression, or sexual orientation, you can file a complaint with:

Civil Rights Grievance Coordinator
Geisinger Health Plan Appeals Department
100 North Academy Avenue,
Danville, PA 17822-3220
Phone: (866) 577-7733, PA Relay 711,
Fax: (570) 271-7225, or
Email: GHPCivilRights@thehealthplan.com

The Bureau of Equal Opportunity,
Room 223, Health and Welfare Building,
P.O. Box 2675,
Harrisburg, PA 17105-2675,
Phone: (717) 787-1127, TTY/PA Relay 711,
Fax: (717) 772-4366, or
Email: RA-PWBEOAO@pa.gov

You can file a complaint in person or by mail, fax, or email. If you need help filing a complaint, Geisinger Health Plan and the Bureau of Equal Opportunity are available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf> , or by mail, phone or email at:

U.S. Department of Health and Human Services,
200 Independence Avenue SW.,
Room 509F, HHH Building,
Washington, DC 20201,
1-800-368-1019, 800-537-7697 (TDD).
OCRMail@hhs.gov

Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>

ATTENTION: If you speak a language other than English, free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 800-447-4000 (PA RELAY 711) or speak to your provider.

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. También están disponibles de forma gratuita ayuda y servicios auxiliares apropiados para proporcionar información en formatos accesibles. Llame al 800-447-4000 (PA RELAY 711) o hable con su proveedor.

注意: 如果您说[中文], 我们将免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服务, 以无障碍格式提供信息。致电 800-447-4000 (PA RELAY 711)或咨询您的服务提供者。

सावधान: यदि तपाईं नेपाली भाषा बोल्नुहुन्छ भने तपाईंका लागि निःशुल्क भाषिक सहायता सेवाहरू उपलब्ध छन्। पहुँचयोग्य ढाँचाहरूमा जानकारी प्रदान गर्न उपयुक्त सहायता र सेवाहरू पनि निःशुल्क उपलब्ध छन्। 800-447-4000 (PA RELAY 711) मा फोन गर्नुहोस् वा आफ्नो प्रदायकसँग कुरा गर्नुहोस्।

ВНИМАНИЕ: Если вы говорите на русский, вам доступны бесплатные услуги языковой поддержки. Соответствующие вспомогательные средства и услуги по предоставлению информации в доступных форматах также предоставляются бесплатно. Позвоните по телефону 800-447-4000 (PA RELAY 711) или обратитесь к своему поставщику услуг.

تنبيه: إذا كنت تتحدث اللغة العربية، فستوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر وسائل مساعدة وخدمات مناسبة لتوفير المعلومات بتسيقات يمكن الوصول إليها مجانًا. اتصل على الرقم (800-447-4000 (PA RELAY 711) أو تحدث إلى مقدم الخدمة".

ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd aladispozisyon w gratis pou lang ou pale a. Èd ak sèvis siplemantè apwopriye pou bay enfòmasyon nan fòm aksesib yo disponib gratis tou. Rele nan 800-447-4000 (PA RELAY 711) oswa pale avèk founisè w la.

LƯU Ý: Nếu bạn nói tiếng Việt, chúng tôi cung cấp miễn phí các dịch vụ hỗ trợ ngôn ngữ. Các hỗ trợ dịch vụ phù hợp để cung cấp thông tin theo các định dạng dễ tiếp cận cũng được cung cấp miễn phí. Vui lòng gọi theo số 800-447-4000 (PA RELAY 711) hoặc trao đổi với người cung cấp dịch vụ của bạn.

УВАГА: Якщо ви розмовляєте українська мова, вам доступні безкоштовні мовні послуги. Відповідні допоміжні засоби та послуги для надання інформації у доступних форматах також доступні безкоштовно. Зателефонуйте за номером 800-447-4000 (PA RELAY 711) або зверніться до свого постачальника».

注意: 如果您說[中文], 我們可以為您提供免費語言協助服務。也可以免費提供適當的輔助工具與服務, 以無障礙格式提供資訊。請致電 800-447-4000 (PA RELAY 711)或與您的提供者討論。」

ATENÇÃO: Se você fala [inserir idioma], serviços gratuitos de assistência linguística estão disponíveis para você. Auxílios e serviços auxiliares apropriados para fornecer informações em formatos acessíveis também estão disponíveis gratuitamente. Ligue para 800-447-4000 (PA RELAY 711) ou fale com seu provedor.

মনোযোগ দিন: যদি আপনি বাংলা বলেন তাহলে আপনার জন্য বিনামূল্যে ভাষা সহায়তা পরিষেবাদি উপলব্ধ রয়েছে। অ্যাক্সেসযোগ্য ফরম্যাটে তথ্য প্রদানের জন্য উপযুক্ত সহায়ক সহযোগিতা এবং পরিষেবাদিও বিনামূল্যে উপলব্ধ রয়েছে। 800-447-4000 (PA RELAY 711) নম্বরে কল করুন অথবা আপনার প্রদানকারীর সাথে কথা বলুন।

ATTENTION : Si vous parlez Français, des services d'assistance linguistique gratuits sont à votre disposition. Des aides et services auxiliaires appropriés pour fournir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 800-447-4000 (PA RELAY 711) ou parlez à votre fournisseur. »

សូមយកចិត្តទុកដាក់៖ ប្រសិនបើអ្នកនិយាយ ភាសាខ្មែរ សេវាកម្មជំនួយភាសាភីភីអិលធីអិលគីមានសម្រាប់អ្នក។ ជំនួយ និងសេវាកម្មដែលជាការជួយដល់សមរម្យ ក្នុងការផ្តល់ព័ត៌មានតាមទម្រង់ដែលអាចចូលប្រើប្រាស់បាន ក៏អាចរកបានដោយភីភីអិលធីអិលគីផងដែរ។ ហៅទូរសព្ទទៅ 800-447-4000 (PA RELAY 711) ឬនិយាយទៅកាន់អ្នកផ្តល់សេវារបស់អ្នក។

주의: [한국어]를 사용하시는 경우 무료 언어 지원 서비스를 이용하실 수 있습니다. 이용 가능한 형식으로 정보를 제공하는 적절한 보조 기구 및 서비스도 무료로 제공됩니다. 800-447-4000 (PA RELAY 711)번으로 전화하거나 서비스 제공업체에 문의하십시오.

ध्यान आपो: જો તમે ગુજરાતી બોલતા હો તો મફત ભાષાકીય સહાયતા સેવાઓ તમારા માટે ઉપલબ્ધ છે. યોગ્ય ઓફિસિલરી સહાય અને એક્સેસિબલ ફોર્મેટમાં માહિતી પૂરી પાડવા માટેની સેવાઓ પણ વિના મૂલ્યે ઉપલબ્ધ છે. 800-447-4000 (PA RELAY 711) પર કોલ કરો અથવા તમારા પ્રદાતા સાથે વાત કરો.

LEGEND

0 \$0

1 Generics

2 Brands

QL Quantity Limit

Our plan limits the amount of this drug that is covered per prescription, or within a specific time frame.

PA-NSO Prior Authorization - New Starts Only

If this drug is new to you, you (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug

PA Prior Authorization Required

You (or your physician) are required to get prior authorization from our plan before you fill your prescription for this drug. Without prior approval, our plan may not cover this drug.

ST Step Therapy

Before our plan will provide coverage for this drug, you must first try another drug(s) to treat your medical condition. This drug may only be covered if the other drug(s) does not work for you.

AL Age Limit

Our plan limits certain medications to members who meet minimum or maximum age requirements.

PN Publishing Note

This drug has unique restrictions.

SP Specialty Drug

Specialty drugs are high-cost drugs used to treat complex or rare conditions, such as multiple sclerosis, rheumatoid arthritis, hepatitis C, and hemophilia.

QL Quantity Limit (Custom)

Our plan limits the amount of this drug that is covered per prescription, or within a specific time frame.

PN Note

This drug has unique restrictions

LA Limited Access

Drugs that are only available at certain pharmacies

MDS Max Days Supply Allowed

Max Days Supply Allowed

Table of Contents

| | |
|---|-----|
| ADHD/ANTI-NARCOLEPSY/ANTI-OBESITY/ANOREXIANTS | 15 |
| AMINOGLYCOSIDES | 16 |
| ANALGESICS - ANTI-INFLAMMATORY | 16 |
| ANALGESICS - NONNARCOTIC | 19 |
| ANALGESICS - OPIOID | 20 |
| ANDROGENS-ANABOLIC | 22 |
| ANORECTAL AND RELATED PRODUCTS | 23 |
| ANTHELMINTICS | 23 |
| ANTI-INFECTIVE AGENTS - MISC. | 23 |
| ANTIANGINAL AGENTS | 25 |
| ANTIANKXIETY AGENTS | 25 |
| ANTIARRHYTHMICS | 26 |
| ANTIASTHMATIC AND BRONCHODILATOR AGENTS | 27 |
| ANTICOAGULANTS | 29 |
| ANTICONVULSANTS | 30 |
| ANTIDEPRESSANTS | 34 |
| ANTIDIABETICS | 36 |
| ANTIDIARRHEAL/PROBIOTIC AGENTS | 41 |
| ANTIDOTES AND SPECIFIC ANTAGONISTS | 41 |
| ANTIEMETICS | 41 |
| ANTIFUNGALS | 42 |
| ANTIHISTAMINES | 43 |
| ANTIHYPERTENSIVES | 44 |
| ANTIHYPERTENSIVES | 46 |
| ANTIMALARIALS | 48 |
| ANTIMYASTHENIC/CHOLINERGIC AGENTS | 49 |
| ANTIMYCOBACTERIAL AGENTS | 49 |
| ANTINEOPLASTICS AND ADJUNCTIVE THERAPIES | 49 |
| ANTIPARKINSON AND RELATED THERAPY AGENTS | 66 |
| ANTIPSYCHOTICS/ANTIMANIC AGENTS | 67 |
| ANTISEPTICS & DISINFECTANTS | 70 |
| ANTIVIRALS | 70 |
| BETA BLOCKERS | 74 |
| CALCIUM CHANNEL BLOCKERS | 75 |
| CARDIOTONICS | 76 |
| CARDIOVASCULAR AGENTS - MISC. | 76 |
| CEPHALOSPORINS | 78 |
| CONTRACEPTIVES | 79 |
| CORTICOSTEROIDS | 87 |
| COUGH/COLD/ALLERGY | 87 |
| DERMATOLOGICALS | 88 |
| DIAGNOSTIC PRODUCTS | 94 |
| DIGESTIVE AIDS | 96 |
| DIURETICS | 96 |
| ENDOCRINE AND METABOLIC AGENTS - MISC. | 97 |
| ESTROGENS | 101 |

| | |
|---|-----|
| FLUOROQUINOLONES | 102 |
| GASTROINTESTINAL AGENTS - MISC. | 102 |
| GENITOURINARY AGENTS - MISCELLANEOUS | 104 |
| GOUT AGENTS | 105 |
| HEMATOLOGICAL AGENTS - MISC. | 105 |
| HEMATOPOIETIC AGENTS | 108 |
| HEMOSTATICS | 112 |
| HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS | 112 |
| LAXATIVES | 112 |
| MACROLIDES | 113 |
| MEDICAL DEVICES AND SUPPLIES | 114 |
| MIGRAINE PRODUCTS | 149 |
| MINERALS ELECTROLYTES | 150 |
| MISCELLANEOUS THERAPEUTIC CLASSES | 151 |
| MOUTH/THROAT/DENTAL AGENTS | 153 |
| MULTIVITAMINS | 154 |
| MUSCULOSKELETAL THERAPY AGENTS | 158 |
| NASAL AGENTS - SYSTEMIC AND TOPICAL | 158 |
| NEUROMUSCULAR AGENTS | 159 |
| NUTRIENTS | 160 |
| OPHTHALMIC AGENTS | 160 |
| OTIC AGENTS | 164 |
| OXYTOCICS | 164 |
| PASSIVE IMMUNIZING AND TREATMENT AGENTS | 164 |
| PENICILLINS | 166 |
| PROGESTINS | 167 |
| PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC. | 167 |
| RESPIRATORY AGENTS - MISC. | 171 |
| SULFONAMIDES | 171 |
| TETRACYCLINES | 171 |
| THYROID AGENTS | 172 |
| TOXOIDS | 172 |
| ULCER DRUGS/ANTISPASMODICS/ANTICHOLINERGICS | 173 |
| UNCATEGORIZED | 174 |
| URINARY ANTISPASMODICS | 175 |
| VACCINES | 175 |
| VAGINAL AND RELATED PRODUCTS | 178 |
| VASOPRESSORS | 178 |
| VITAMINS | 179 |

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|----------------------------|
| ADHD/ANTI-NARCOLEPSY/ANTI-OBESITY/ANOREXIANTS | | |
| AMPHETAMINES | | |
| <i>amphetamine-dextroamphet er (5 mg cap er 24h, 10 mg cap er 24h, 15 mg cap er 24h, 20 mg cap er 24h, 25 mg cap er 24h, 30 mg cap er 24h)</i> | 1 | |
| <i>amphetamine-dextroamphetamine (5 mg tab, 7.5 mg tab, 10 mg tab, 12.5 mg tab, 15 mg tab, 20 mg tab, 30 mg tab)</i> | 1 | |
| <i>dextroamphetamine sulfate (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>dextroamphetamine sulfate er (5 mg cap er 24h, 10 mg cap er 24h, 15 mg cap er 24h)</i> | 1 | |
| <i>lisdexamfetamine dimesylate (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap, 50 mg cap, 60 mg cap)</i> | 1 | PA, QL (1 unit per day) |
| <i>methamphetamine hcl 5 mg tab</i> | 1 | |
| ANALEPTICS | | |
| <i>caffeine citrate (20 mg/ml solution, 60 mg/3ml solution)</i> | 1 | |
| ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD) AGENTS | | |
| <i>atomoxetine hcl (10 mg cap, 18 mg cap, 25 mg cap, 40 mg cap, 60 mg cap, 80 mg cap, 100 mg cap)</i> | 1 | |
| <i>clonidine hcl er 0.1 mg tab er 12h</i> | 1 | |
| <i>guanfacine hcl er (1 mg tab er 24h, 2 mg tab er 24h, 3 mg tab er 24h, 4 mg tab er 24h)</i> | 1 | |
| QELBREE 100 MG CAP ER 24H | 2 | PA, QL (1 unit per 1 day) |
| QELBREE 150 MG CAP ER 24H | 2 | PA, QL (2 units per 1 day) |
| QELBREE 200 MG CAP ER 24H | 2 | PA, QL (3 units per 1 day) |
| STIMULANTS - MISC. | | |
| <i>armodafinil (50 mg tab, 150 mg tab, 200 mg tab, 250 mg tab)</i> | 1 | PA |
| <i>dexmethylphenidate hcl (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | 1 | |
| <i>dexmethylphenidate hcl er (5 mg cap er 24h, 10 mg cap er 24h, 15 mg cap er 24h, 20 mg cap er 24h, 25 mg cap er 24h, 30 mg cap er 24h, 35 mg cap er 24h, 40 mg cap er 24h)</i> | 1 | |
| <i>methylphenidate (10 mg/9hr patch, 15 mg/9hr patch, 20 mg/9hr patch, 30 mg/9hr patch)</i> | 1 | PA |
| <i>methylphenidate hcl (5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/5ml solution, 20 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| METHYLPHENIDATE HCL ER (10 MG TAB ER, 18 MG TAB ER, 18 MG TAB ER 24H, 20 MG TAB ER, 27 MG TAB ER, 27 MG TAB ER 24H, 36 MG TAB ER, 36 MG TAB ER 24H, 54 MG TAB ER, 54 MG TAB ER 24H) | 1 | |
| <i>methylphenidate hcl er (cd) (10 mg cap er, 20 mg cap er, 30 mg cap er, 40 mg cap er, 50 mg cap er, 60 mg cap er)</i> | 1 | |
| <i>methylphenidate hcl er (la) (10 mg cap er 24h, 20 mg cap er 24h, 30 mg cap er 24h, 40 mg cap er 24h)</i> | 1 | |
| <i>methylphenidate hcl er (la) 60 mg cap er 24h</i> | 1 | PA |
| <i>methylphenidate hcl er (osm) (18 mg tab er, 27 mg tab er, 36 mg tab er, 54 mg tab er)</i> | 1 | |
| <i>modafinil (100 mg tab, 200 mg tab)</i> | 1 | PA |

AMINOGLYCOSIDES

AMINOGLYCOSIDES

| | | |
|--|---|---|
| <i>neomycin sulfate 500 mg tab</i> | 1 | |
| <i>paromomycin sulfate 250 mg cap</i> | 1 | |
| <i>tobramycin 300 mg/4ml nebu soln</i> | 1 | PA, LA, QL (224 units per 56 days), SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| <i>tobramycin 300 mg/5ml nebu soln</i> | 1 | PA, LA, QL (280 units per 56 days), SP, MDS |

ANALGESICS - ANTI-INFLAMMATORY

ANTI-TNF-ALPHA - MONOCLONAL ANTIBODIES

| | | |
|--|---|---|
| ADALIMUMAB-FKJP (2 PEN) 40 MG/0.8ML AUT-IJ KIT | 2 | QL (2 units per 28 days), SP, QL (28 days supply per fill), MDS |
| ADALIMUMAB-FKJP (2 SYRINGE) (20 MG/0.4ML PREF SY KT, 40 MG/0.8ML PREF SY KT) | 2 | QL (2 units per 28 days), SP, QL (28 days supply per fill), MDS |
| AMJEVITA (40 MG/0.4ML SOLN A-INJ, 40 MG/0.4ML SOLN PRSYR) | 2 | QL (0.8 ml per 28 days), PA-NSO, SP, MDS |
| AMJEVITA 20 MG/0.2ML SOLN PRSYR | 2 | QL (0.4 ml per 28 days), PA-NSO, SP, MDS |
| AMJEVITA 80 MG/0.8ML SOLN A-INJ | 2 | QL (2.4 ml per 28 days), PA-NSO, SP, MDS |
| AMJEVITA-PED 15KG TO <30KG 20 MG/0.2ML SOLN PRSYR | 2 | QL (0.4 ml per 28 days), PA-NSO, SP, MDS |
| HADLIMA 40 MG/0.4ML SOLN PRSYR | 2 | QL (0.8 ml per 28 days), SP, QL (28 days supply per fill), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| HADLIMA 40 MG/0.8ML SOLN PRSYR | 2 | QL (1.6 ml per 28 days), SP, QL (28 days supply per fill), MDS |
| HADLIMA PUSHTOUCH 40 MG/0.4ML SOLN A-INJ | 2 | QL (0.8 ml per 28 days), SP, QL (28 days supply per fill), MDS |
| HADLIMA PUSHTOUCH 40 MG/0.8ML SOLN A-INJ | 2 | QL (1.6 ml per 28 days), SP, QL (28 days supply per fill), MDS |
| SIMPONI (100 MG/ML SOLN A-INJ, 100 MG/ML SOLN PRSYR) | 2 | QL (1 unit per 28 days), PA-NSO, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| SIMPONI (50 MG/0.5ML SOLN A-INJ, 50 MG/0.5ML SOLN PRSYR) | 2 | QL (0.5 units per 28 days), PA-NSO, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| SIMPONI ARIA 50 MG/4ML SOLUTION | 2 | PA, SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| YUSIMRY 40 MG/0.8ML SOLN A-INJ | 2 | QL (1.6 ml per 28 days), SP, QL (28 days supply per fill), MDS |
| ANTIRHEUMATIC - ENZYME INHIBITORS | | |
| RINVOQ 15 MG TAB ER 24H | 2 | PA, QL (30 units per 30 days), SP, MDS |
| RINVOQ 30 MG TAB ER 24H | 2 | QL (30 units per 30 days), PA-NSO, SP, MDS |
| RINVOQ 45 MG TAB ER 24H | 2 | QL (28 units per 28 days), PA-NSO, SP, QL (3 fills per 180 days), MDS |
| RINVOQ LQ 1 MG/ML SOLUTION | 2 | QL (360 ml per 30 days), PA-NSO, SP, MDS |
| XELJANZ (5 MG TAB, 10 MG TAB) | 2 | QL (60 units per 30 days), PA-NSO, SP, MDS |
| XELJANZ 1 MG/ML SOLUTION | 2 | QL (300 units per 30 days), PA-NSO, SP, MDS |
| XELJANZ XR 11 MG TAB ER 24H | 2 | PA, QL (30 units per 30 days), SP, MDS |
| XELJANZ XR 22 MG TAB ER 24H | 2 | QL (30 units per 30 days), PA-NSO, SP, MDS |
| INTERLEUKIN-1 BLOCKERS | | |
| ARCALYST 220 MG RECON SOLN | 2 | PA, SP, MDS |
| INTERLEUKIN-1BETA BLOCKERS | | |
| ILARIS 150 MG/ML SOLUTION | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| INTERLEUKIN-6 RECEPTOR INHIBITORS | | |
| ACTEMRA (80 MG/4ML SOLUTION, 200 MG/10ML SOLUTION, 400 MG/20ML SOLUTION) | 2 | PA, SP, PN (MIN 21 DAY SUPPLY; MAX 34 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| ACTEMRA 162 MG/0.9ML SOLN PRSYR | 2 | QL (3.6 units per 28 days), PA-NSO, SP, PN (MIN 21 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ACTEMRA ACTPEN 162 MG/0.9ML SOLN A-INJ | 2 | QL (3.6 units per 28 days), PA-NSO, SP, PN (MIN 21 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| TOFIDENCE (80 MG/4ML SOLUTION, 200 MG/10ML SOLUTION, 400 MG/20ML SOLUTION) | 2 | PA, SP, PN (MIN 21 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| TYENNE (162 MG/0.9ML SOLN A-INJ, 162 MG/0.9ML SOLN PRSYR) | 2 | PA, QL (3.6 ml per 28 days), SP, PN (MIN 21 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| TYENNE (80 MG/4ML SOLUTION, 200 MG/10ML SOLUTION, 400 MG/20ML SOLUTION) | 2 | PA, SP, PN (MIN 21 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| NONSTEROIDAL ANTI-INFLAMMATORY AGENTS (NSAIDS) | | |
| <i>cataflam 50 mg tab</i> | 1 | |
| <i>celecoxib (50 mg cap, 100 mg cap, 200 mg cap, 400 mg cap)</i> | 1 | |
| <i>diclofenac potassium 50 mg tab</i> | 1 | |
| <i>diclofenac sodium (25 mg tab dr, 50 mg tab dr, 75 mg tab dr)</i> | 1 | |
| <i>diclofenac sodium er 100 mg tab er 24h</i> | 1 | |
| <i>diclofenac-misoprostol (50-0.2 mg tab dr, 75-0.2 mg tab dr)</i> | 1 | |
| <i>etodolac (200 mg cap, 300 mg cap, 400 mg tab, 500 mg tab)</i> | 1 | |
| <i>etodolac er (400 mg tab er 24h, 500 mg tab er 24h, 600 mg tab er 24h)</i> | 1 | |
| FENOPROFEN CALCIUM (400 MG CAP, 600 MG TAB) | 1 | |
| <i>flurbiprofen 100 mg tab</i> | 1 | |
| <i>ibu (400 mg tab, 600 mg tab, 800 mg tab)</i> | 1 | |
| <i>ibuprofen (100 mg/5ml suspension, 200 mg/10ml suspension, 400 mg tab, 600 mg tab, 800 mg tab)</i> | 1 | |
| <i>indomethacin (25 mg cap, 50 mg cap)</i> | 1 | |
| <i>indomethacin er 75 mg cap er</i> | 1 | |
| <i>ketorolac tromethamine 10 mg tab</i> | 1 | QL (20 units per fill) |
| MECLOFENAMATE SODIUM (50 MG CAP, 100 MG CAP) | 1 | |
| <i>mefenamic acid 250 mg cap</i> | 1 | |
| <i>meloxicam (7.5 mg tab, 15 mg tab)</i> | 1 | |
| <i>nabumetone (500 mg tab, 750 mg tab)</i> | 1 | |
| NALFON 400 MG CAP | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| <i>naproxen (125 mg/5ml suspension, 250 mg tab, 375 mg tab, 375 mg tab dr, 500 mg tab, 500 mg tab dr)</i> | 1 | |
| <i>naproxen dr 500 mg tab dr</i> | 1 | |
| <i>naproxen sodium (275 mg tab, 550 mg tab)</i> | 1 | |
| <i>oxaprozin 600 mg tab</i> | 1 | |
| <i>piroxicam (10 mg cap, 20 mg cap)</i> | 1 | |
| <i>relafen (500 mg tab, 750 mg tab)</i> | 1 | |
| <i>sulindac (150 mg tab, 200 mg tab)</i> | 1 | |
| PHOSPHODIESTERASE 4 (PDE4) INHIBITORS | | |
| OTEZLA (10 & 20 & 30 MG TAB THPK, 30 MG TAB) | 2 | PA, QL (60 units per 30 days), SP, MDS |
| PYRIMIDINE SYNTHESIS INHIBITORS | | |
| <i>leflunomide (10 mg tab, 20 mg tab)</i> | 1 | |
| SOLUBLE TUMOR NECROSIS FACTOR RECEPTOR AGENTS | | |
| ENBREL (25 MG/0.5ML SOLN PRSYR, 50 MG/ML SOLN PRSYR) | 2 | PA, QL (4 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ENBREL 25 MG RECON SOLN | 2 | QL (8 units per 28 days), PA-NSO, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ENBREL 25 MG/0.5ML SOLUTION | 2 | QL (8 units per 28 days), PA-NSO, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ENBREL MINI 50 MG/ML SOLN CART | 2 | PA, QL (4 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ENBREL SURECLICK 50 MG/ML SOLN A-INJ | 2 | PA, QL (4 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ANALGESICS - NONNARCOTIC | | |
| ANALGESIC COMBINATIONS | | |
| <i>bac (butalbital-acetamin-caff) 50-325-40 mg tab</i> | 1 | |
| <i>butalbital-acetaminophen 50-325 mg tab</i> | 1 | |
| <i>butalbital-apap-caffeine (50-300-40 mg cap, 50-325-40 mg tab)</i> | 1 | |
| <i>butalbital-aspirin-caffeine 50-325-40 mg cap</i> | 1 | |
| SALICYLATES | | |
| <i>adult aspirin regimen 81 mg tab dr</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|-------------------------------------|
| <i>aspirin (81 mg chew tab, 81 mg tab dr)</i> | 0 | |
| <i>aspirin 81 81 mg tab dr</i> | 0 | |
| <i>aspirin low dose (81 mg chew tab, 81 mg tab dr)</i> | 0 | |
| <i>aspirin regimen 81 mg tab dr</i> | 0 | |
| <i>diflunisal 500 mg tab</i> | 1 | |
| <i>ft aspirin 81 mg chew tab</i> | 0 | |
| <i>ft aspirin low dose 81 mg tab dr</i> | 0 | |
| <i>gnp adult aspirin low strength 81 mg chew tab</i> | 0 | |
| <i>gnp aspirin 81 mg tab dr</i> | 0 | |
| <i>gnp aspirin low dose 81 mg tab dr</i> | 0 | |
| <i>goodsense aspirin 81 mg chew tab</i> | 0 | |
| <i>goodsense aspirin adult low st 81 mg chew tab</i> | 0 | |
| <i>goodsense aspirin low dose 81 mg tab dr</i> | 0 | |
| <i>hm aspirin 81 mg chew tab</i> | 0 | |
| <i>hm aspirin ec low dose 81 mg tab dr</i> | 0 | |
| <i>qc aspirin low dose 81 mg tab dr</i> | 0 | |
| <i>salsalate (500 mg tab, 750 mg tab)</i> | 1 | |
| <i>sm aspirin adult low strength (81 mg chew tab, 81 mg tab dr)</i> | 0 | |
| <i>sm aspirin ec low strength 81 mg tab dr</i> | 0 | |
| <i>sm aspirin low dose (81 mg chew tab, 81 mg tab dr)</i> | 0 | |
| <i>sm childrens aspirin 81 mg chew tab</i> | 0 | |
| ANALGESICS - OPIOID | | |
| OPIOID AGONISTS | | |
| CODEINE SULFATE (15 MG TAB, 30 MG TAB, 60 MG TAB) | 1 | |
| <i>fentanyl (12 mcg/hr patch 72hr, 25 mcg/hr patch 72hr, 37.5 mcg/hr patch 72hr, 50 mcg/hr patch 72hr, 62.5 mcg/hr patch 72hr, 75 mcg/hr patch 72hr, 87.5 mcg/hr patch 72hr, 100 mcg/hr patch 72hr)</i> | 1 | PA, MDS |
| FENTANYL CITRATE (100 MCG TAB, 200 MCG TAB, 400 MCG TAB, 600 MCG TAB, 800 MCG TAB) | 1 | PA |
| FENTANYL CITRATE (200 MCG LOZ HANDLE, 400 MCG LOZ HANDLE, 600 MCG LOZ HANDLE, 800 MCG LOZ HANDLE, 1200 MCG LOZ HANDLE, 1600 MCG LOZ HANDLE) | 1 | PA, QL (120 units per 30 days), MDS |
| <i>fentanyl citrate (200 mcg loz handle, 400 mcg loz handle, 600 mcg loz handle, 800 mcg loz handle, 1200 mcg loz handle, 1600 mcg loz handle)</i> | 1 | PA, QL (136 units per 34 days), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>hydromorphone hcl (1 mg/ml liquid, 2 mg tab, 4 mg tab, 8 mg tab)</i> | 1 | |
| <i>levorphanol tartrate (2 mg tab, 3 mg tab)</i> | 1 | |
| MEPERIDINE HCL (50 MG TAB, 50 MG/5ML SOLUTION) | 1 | |
| <i>methadone hcl (5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/5ml solution, 10 mg/ml conc, 40 mg tab sol)</i> | 1 | PA |
| <i>methadone hcl intensol 10 mg/ml conc</i> | 1 | PA |
| <i>methadose 40 mg tab sol</i> | 1 | PA |
| MORPHINE SULFATE (5 MG SUPPOS, 10 MG SUPPOS, 10 MG/5ML SOLUTION, 15 MG TAB, 20 MG SUPPOS, 20 MG/5ML SOLUTION, 30 MG SUPPOS, 30 MG TAB) | 1 | |
| <i>morphine sulfate (concentrate) (20 mg/ml solution, 100 mg/5ml solution)</i> | 1 | |
| MORPHINE SULFATE ER (10 MG CAP ER 24H, 15 MG TAB ER, 20 MG CAP ER 24H, 30 MG CAP ER 24H, 30 MG TAB ER, 50 MG CAP ER 24H, 60 MG CAP ER 24H, 60 MG TAB ER, 80 MG CAP ER 24H, 100 MG CAP ER 24H, 100 MG TAB ER, 200 MG TAB ER) | 1 | PA |
| MORPHINE SULFATE ER BEADS (30 MG CAP ER 24H, 45 MG CAP ER 24H, 60 MG CAP ER 24H, 75 MG CAP ER 24H, 90 MG CAP ER 24H, 120 MG CAP ER 24H) | 1 | PA |
| <i>oxycodone hcl (5 mg cap, 5 mg tab, 5 mg/5ml solution, 10 mg tab, 15 mg tab, 20 mg tab, 30 mg tab, 100 mg/5ml conc)</i> | 1 | |
| OXYCODONE HCL ER (10 MG TB12 DETER, 20 MG TB12 DETER, 40 MG TB12 DETER, 80 MG TB12 DETER) | 1 | PA |
| OXYCONTIN (10 MG TB12 DETER, 15 MG TB12 DETER, 20 MG TB12 DETER, 30 MG TB12 DETER, 40 MG TB12 DETER, 60 MG TB12 DETER, 80 MG TB12 DETER) | 2 | PA |
| <i>oxymorphone hcl (5 mg tab, 10 mg tab)</i> | 1 | |
| TRAMADOL HCL (ER BIPHASIC) (100 MG TAB ER 24H, 200 MG TAB ER 24H, 300 MG TAB ER 24H) | 1 | PA |
| <i>tramadol hcl 100 mg tab</i> | 1 | |
| <i>tramadol hcl 50 mg tab</i> | 1 | QL (8 units per 1 day) |
| <i>tramadol hcl er (100 mg cap er 24h, 100 mg tab er 24h, 200 mg cap er 24h, 200 mg tab er 24h, 300 mg tab er 24h)</i> | 1 | PA |
| OPIOID COMBINATIONS | | |
| <i>acetaminophen-codeine (120-12 mg/5ml solution, 300-15 mg tab, 300-30 mg tab, 300-30 mg/12.5ml solution, 300-60 mg tab)</i> | 1 | |
| <i>ascomp-codeine 50-325-40-30 mg cap</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|---|
| <i>butalbital-apap-caff-cod 50-325-40-30 mg cap</i> | 1 | |
| <i>butalbital-asa-caff-codeine 50-325-40-30 mg cap</i> | 1 | |
| <i>endocet (2.5-325 mg tab, 5-325 mg tab, 7.5-325 mg tab, 10-325 mg tab)</i> | 1 | |
| <i>hydrocodone-acetaminophen (2.5-108 mg/5ml solution, 5-217 mg/10ml solution, 5-300 mg tab, 5-325 mg tab, 7.5-300 mg tab, 7.5-325 mg tab, 7.5-325 mg/15ml solution, 10-300 mg tab, 10-325 mg tab)</i> | 1 | |
| <i>hydrocodone-ibuprofen (5-200 mg tab, 7.5-200 mg tab, 10-200 mg tab)</i> | 1 | |
| NALOCET 2.5-300 MG TAB | 1 | |
| <i>oxycodone-acetaminophen (2.5-325 mg tab, 5-325 mg tab, 5-325 mg/5ml solution, 7.5-325 mg tab, 10-325 mg tab)</i> | 1 | |
| <i>tramadol-acetaminophen 37.5-325 mg tab</i> | 1 | |
| OPIOID PARTIAL AGONISTS | | |
| BRIXADI (WEEKLY) 16 MG/0.32ML SOLN PRSYR | 2 | QL (1.28 ml per 28 days), MDS |
| BRIXADI (WEEKLY) 24 MG/0.48ML SOLN PRSYR | 2 | QL (1.92 ml per 28 days), MDS |
| BRIXADI (WEEKLY) 32 MG/0.64ML SOLN PRSYR | 2 | QL (2.56 ml per 28 days), MDS |
| BRIXADI (WEEKLY) 8 MG/0.16ML SOLN PRSYR | 2 | QL (0.64 ml per 28 days), MDS |
| BRIXADI 128 MG/0.36ML SOLN PRSYR | 2 | QL (0.36 ml per 28 days), MDS |
| BRIXADI 64 MG/0.18ML SOLN PRSYR | 2 | QL (0.18 ml per 28 days), MDS |
| BRIXADI 96 MG/0.27ML SOLN PRSYR | 2 | QL (0.27 ml per 28 days), MDS |
| <i>buprenorphine (5 mcg/hr patch wk, 7.5 mcg/hr patch wk, 10 mcg/hr patch wk, 15 mcg/hr patch wk, 20 mcg/hr patch wk)</i> | 1 | PA, QL (0.143 units per 1 day) |
| <i>buprenorphine hcl (2 mg sl tab, 8 mg sl tab)</i> | 1 | MDS |
| <i>buprenorphine hcl-naloxone hcl (2-0.5 mg film, 2-0.5 mg sl tab, 4-1 mg film, 8-2 mg film, 8-2 mg sl tab, 12-3 mg film)</i> | 1 | MDS |
| <i>butorphanol tartrate 10 mg/ml solution</i> | 1 | |
| <i>pentazocine-naloxone hcl 50-0.5 mg tab</i> | 1 | |
| SUBLOCADE (100 MG/0.5ML SOLN PRSYR, 300 MG/1.5ML SOLN PRSYR) | 2 | PN (MIN 26 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ANDROGENS-ANABOLIC | | |
| ANDROGENS | | |
| AVEED 750 MG/3ML SOLUTION | 2 | PA, SP, MDS |
| <i>danazol (50 mg cap, 100 mg cap, 200 mg cap)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| <i>depo-testosterone (100 mg/ml solution, 200 mg/ml solution)</i> | 1 | |
| <i>testosterone (1.62 % gel, 10 mg/act (2%) gel, 12.5 mg/act (1%) gel, 20.25 mg/1.25gm (1.62%) gel, 20.25 mg/act (1.62%) gel, 25 mg/2.5gm (1%) gel, 30 mg/act solution, 40.5 mg/2.5gm (1.62%) gel, 50 mg/5gm (1%) gel)</i> | 1 | |
| <i>testosterone cypionate (100 mg/ml solution, 200 mg/ml solution)</i> | 1 | |
| TESTOSTERONE ENANTHATE 200 MG/ML SOLUTION | 1 | |
| ANORECTAL AND RELATED PRODUCTS | | |
| INTRARECTAL STEROIDS | | |
| <i>hydrocortisone 100 mg/60ml enema</i> | 1 | |
| RECTAL COMBINATIONS | | |
| <i>hydrocort-pramoxine (perianal) 2.5-1 % cream</i> | 1 | |
| HYDROCORTISONE ACE-PRAMOXINE 1-1 % CREAM | 1 | |
| <i>lidocaine-hydrocort (perianal) 3-0.5 % cream</i> | 1 | |
| <i>lidocaine-hydrocortisone ace (2-2 % kit, 2.8-0.55 % gel, 3-0.5 % kit, 3-1 % kit, 3-2.5 % kit)</i> | 1 | |
| PROCTOFOAM HC 1-1 % FOAM | 2 | |
| RECTAL STEROIDS | | |
| <i>anucort-hc 25 mg suppos</i> | 1 | |
| <i>anusol-hc 25 mg suppos</i> | 1 | |
| <i>hydrocortisone (perianal) (1 % cream, 2.5 % cream)</i> | 1 | |
| <i>hydrocortisone acetate (25 mg suppos, 30 mg suppos)</i> | 1 | |
| <i>procto-med hc 2.5 % cream</i> | 1 | |
| <i>proctosol hc 2.5 % cream</i> | 1 | |
| <i>proctozone-hc 2.5 % cream</i> | 1 | |
| ANTHELMINTICS | | |
| ANTHELMINTICS | | |
| <i>albendazole 200 mg tab</i> | 1 | QL (4 units per fill) |
| EMVERM 100 MG CHEW TAB | 2 | PA, QL (6 units per fill) |
| <i>ivermectin 3 mg tab</i> | 1 | PA, PN (PA REQUIRED FOR UNAPPROVED INDICATIONS), MDS |
| ANTI-INFECTIVE AGENTS - MISC. | | |
| ANTI-INFECTIVE AGENTS - MISC. | | |
| AEMCOLO 194 MG TAB DR | 2 | PA, QL (12 units per 3 days), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| <i>metronidazole (250 mg tab, 500 mg tab)</i> | 1 | |
| <i>pentamidine isethionate 300 mg recon soln</i> | 1 | |
| <i>tinidazole (250 mg tab, 500 mg tab)</i> | 1 | |
| <i>trimethoprim 100 mg tab</i> | 1 | |
| XIFAXAN 550 MG TAB | 2 | PA |
| ANTI-INFECTIVE MISC. - COMBINATIONS | | |
| <i>multiple vitamins-minerals liquid</i> | 0 | |
| <i>sulfamethoxazole-trimethoprim (200-40 mg/5ml suspension, 400-80 mg tab, 800-160 mg tab, 800-160 mg/20ml suspension)</i> | 1 | |
| <i>sulfatrim pediatric 200-40 mg/5ml suspension</i> | 1 | |
| ANTIPROTOZOAL AGENTS | | |
| <i>atovaquone 750 mg/5ml suspension</i> | 1 | |
| <i>nitazoxanide 500 mg tab</i> | 1 | |
| CYCLIC LIPOPEPTIDES | | |
| <i>daptomycin (350 mg recon soln, 500 mg recon soln)</i> | 1 | MDS |
| GLYCOPEPTIDES | | |
| KIMYRSA 1200 MG RECON SOLN | 2 | PA |
| <i>vancomycin hcl (1 gm recon soln, 1.25 gm recon soln, 1.5 gm recon soln, 5 gm recon soln, 10 gm recon soln, 25 mg/ml recon soln, 50 mg/ml recon soln, 125 mg cap, 250 mg cap, 250 mg/5ml recon soln, 500 mg recon soln, 750 mg recon soln)</i> | 1 | |
| LEPROSTATICS | | |
| <i>dapsone (25 mg tab, 100 mg tab)</i> | 1 | |
| LINCOSAMIDES | | |
| <i>clindamycin hcl (75 mg cap, 150 mg cap, 300 mg cap)</i> | 1 | |
| <i>clindamycin palmitate hcl 75 mg/5ml recon soln</i> | 1 | |
| OXAZOLIDINONES | | |
| <i>linezolid 100 mg/5ml recon susp</i> | 1 | PA |
| <i>linezolid 600 mg tab</i> | 1 | QL (2 units per 1 day), QL (112 units per 180 days), MDS |
| SIVEXTRO 200 MG TAB | 2 | PA, QL (6 ea per 6 days), QL (1 fill per 365 days), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| URINARY ANTI-INFECTIVES | | |
| <i>methenamine hippurate 1 gm tab</i> | 1 | |
| <i>methenamine mandelate (0.5 gm tab, 1 gm tab)</i> | 1 | |
| <i>nitrofurantoin (25 mg/5ml suspension, 50 mg/10ml suspension)</i> | 1 | |
| <i>nitrofurantoin macrocrystal (25 mg cap, 50 mg cap, 100 mg cap)</i> | 1 | |
| <i>nitrofurantoin monohyd macro 100 mg cap</i> | 1 | |
| ANTIANGINAL AGENTS | | |
| ANTIANGINALS-OTHER | | |
| <i>ranolazine er (500 mg tab er 12h, 1000 mg tab er 12h)</i> | 1 | PA |
| NITRATES | | |
| <i>isosorbide dinitrate (5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab)</i> | 1 | |
| <i>isosorbide mononitrate (10 mg tab, 20 mg tab)</i> | 1 | |
| <i>isosorbide mononitrate er (30 mg tab er 24h, 60 mg tab er 24h, 120 mg tab er 24h)</i> | 1 | |
| NITRO-BID 2 % OINTMENT | 2 | |
| <i>nitroglycerin (0.1 mg/hr patch 24hr, 0.2 mg/hr patch 24hr, 0.3 mg sl tab, 0.4 mg sl tab, 0.4 mg/hr patch 24hr, 0.4 mg/spray solution, 0.6 mg sl tab, 0.6 mg/hr patch 24hr)</i> | 1 | |
| NITROLINGUAL 0.4 MG/SPRAY SOLUTION | 1 | |
| ANTIANXIETY AGENTS | | |
| ANTIANXIETY AGENTS - MISC. | | |
| <i>buspirone hcl (5 mg tab, 7.5 mg tab, 10 mg tab, 15 mg tab, 30 mg tab)</i> | 1 | |
| <i>hydroxyzine hcl (10 mg tab, 10 mg/5ml syrup, 25 mg tab, 50 mg tab)</i> | 1 | |
| <i>hydroxyzine pamoate (25 mg cap, 50 mg cap)</i> | 1 | |
| HYDROXYZINE PAMOATE 100 MG CAP | 2 | |
| <i>meprobamate (200 mg tab, 400 mg tab)</i> | 1 | |
| BENZODIAZEPINES | | |
| <i>alprazolam (0.25 mg tab, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp, 1 mg tab, 1 mg tab disp, 2 mg tab, 2 mg tab disp)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>alprazolam er (0.5 mg tab er 24h, 1 mg tab er 24h, 2 mg tab er 24h, 3 mg tab er 24h)</i> | 1 | |
| ALPRAZOLAM INTENSOL 1 MG/ML CONC | 2 | |
| <i>alprazolam xr (0.5 mg tab er 24h, 1 mg tab er 24h, 2 mg tab er 24h, 3 mg tab er 24h)</i> | 1 | |
| <i>chlordiazepoxide hcl (5 mg cap, 10 mg cap, 25 mg cap)</i> | 1 | |
| <i>clorazepate dipotassium (3.75 mg tab, 7.5 mg tab, 15 mg tab)</i> | 1 | |
| <i>diazepam (2 mg tab, 5 mg tab, 5 mg/5ml solution, 5 mg/ml conc, 10 mg tab)</i> | 1 | |
| <i>diazepam intensol 5 mg/ml conc</i> | 1 | |
| <i>lorazepam (0.5 mg tab, 1 mg tab, 2 mg tab, 2 mg/ml conc)</i> | 1 | |
| <i>lorazepam intensol 2 mg/ml conc</i> | 1 | |
| <i>oxazepam (10 mg cap, 15 mg cap, 30 mg cap)</i> | 1 | |
| ANTIARRHYTHMICS | | |
| ANTIARRHYTHMICS TYPE I-A | | |
| <i>disopyramide phosphate (100 mg cap, 150 mg cap)</i> | 1 | |
| NORPACE CR 100 MG CAP ER 12H | 2 | QL (8 units per 1 day) |
| NORPACE CR 150 MG CAP ER 12H | 2 | QL (5 units per 1 day) |
| <i>quinidine gluconate er 324 mg tab er</i> | 1 | |
| QUINIDINE SULFATE (200 MG TAB, 300 MG TAB) | 1 | |
| ANTIARRHYTHMICS TYPE I-B | | |
| <i>mexiletine hcl (150 mg cap, 200 mg cap, 250 mg cap)</i> | 1 | |
| ANTIARRHYTHMICS TYPE I-C | | |
| <i>flecainide acetate (50 mg tab, 100 mg tab, 150 mg tab)</i> | 1 | |
| <i>propafenone hcl (150 mg tab, 225 mg tab, 300 mg tab)</i> | 1 | |
| <i>propafenone hcl er (225 mg cap er 12h, 325 mg cap er 12h, 425 mg cap er 12h)</i> | 1 | |
| ANTIARRHYTHMICS TYPE III | | |
| <i>amiodarone hcl (100 mg tab, 200 mg tab, 400 mg tab)</i> | 1 | |
| <i>dofetilide (125 mcg cap, 250 mcg cap, 500 mcg cap)</i> | 1 | |
| MULTAQ 400 MG TAB | 2 | |
| <i>pacerone (100 mg tab, 200 mg tab, 400 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| ANTI-ASTHMATIC AND BRONCHODILATOR AGENTS | | |
| ANTI-INFLAMMATORY AGENTS | | |
| <i>cromolyn sodium 20 mg/2ml nebu soln</i> | 1 | |
| ANTI-ASTHMATIC - MONOCLONAL ANTIBODIES | | |
| CINQAIR 100 MG/10ML SOLUTION | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| FASENRA 10 MG/0.5ML SOLN PRSYR | 2 | PA, QL (0.5 ml per 56 days), SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| FASENRA 30 MG/ML SOLN PRSYR | 2 | PA, QL (1 unit per 56 days), SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| FASENRA PEN 30 MG/ML SOLN A-INJ | 2 | PA, QL (1 unit per 56 days), SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| NUCALA (100 MG/ML SOLN A-INJ, 100 MG/ML SOLN PRSYR) | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| NUCALA 100 MG RECON SOLN | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| NUCALA 40 MG/0.4ML SOLN PRSYR | 2 | PA, QL (1 unit per 28 days), SP, MDS |
| TEZSPIRE 210 MG/1.91ML SOLN A-INJ | 2 | PA, QL (1.91 units per 28 days), SP, MDS |
| TEZSPIRE 210 MG/1.91ML SOLN PRSYR | 2 | PA, QL (1.91 units per 28 days), SP, MDS |
| XOLAIR (150 MG/ML SOLN A-INJ, 150 MG/ML SOLN PRSYR) | 2 | PA, QL (4 units per 28 days), SP, MDS |
| XOLAIR (75 MG/0.5ML SOLN A-INJ, 75 MG/0.5ML SOLN PRSYR) | 2 | PA, QL (5 units per 28 days), SP, MDS |
| XOLAIR 150 MG RECON SOLN | 2 | PA, SP, MDS |
| XOLAIR 300 MG/2ML SOLN A-INJ | 2 | PA, QL (4 ml per 28 days), SP, MDS |
| XOLAIR 300 MG/2ML SOLN PRSYR | 2 | PA, QL (4 ml per 28 days), SP, MDS |
| BRONCHODILATORS - ANTICHOLINERGICS | | |
| ATROVENT HFA 17 MCG/ACT AERO SOLN | 2 | |
| INCRUSE ELLIPTA 62.5 MCG/ACT AER POW BA | 2 | |
| <i>ipratropium bromide 0.02 % solution</i> | 1 | |
| SPIRIVA HANDIHALER 18 MCG CAP | 2 | |
| SPIRIVA RESPIMAT (1.25 MCG/ACT AERO SOLN, 2.5 MCG/ACT AERO SOLN) | 2 | |
| LEUKOTRIENE MODULATORS | | |
| <i>montelukast sodium (4 mg chew tab, 4 mg packet, 5 mg chew tab, 10 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------------|
| <i>zafirlukast (10 mg tab, 20 mg tab)</i> | 1 | |
| SELECTIVE PHOSPHODIESTERASE 4 (PDE4) INHIBITORS | | |
| <i>roflumilast (250 mcg tab, 500 mcg tab)</i> | 1 | PA |
| STEROID INHALANTS | | |
| ARNUITY ELLIPTA (50 MCG/ACT AER POW BA, 100 MCG/ACT AER POW BA, 200 MCG/ACT AER POW BA) | 2 | |
| ASMANEX HFA 50 MCG/ACT AEROSOL | 2 | |
| <i>budesonide (0.25 mg/2ml suspension, 0.5 mg/2ml suspension, 1 mg/2ml suspension)</i> | 1 | |
| FLUTICASONE PROPIONATE DISKUS (50 MCG/ACT AER POW BA, 100 MCG/ACT AER POW BA, 250 MCG/ACT AER POW BA) | 2 | |
| FLUTICASONE PROPIONATE HFA (44 MCG/ACT AEROSOL, 110 MCG/ACT AEROSOL, 220 MCG/ACT AEROSOL) | 2 | |
| PULMICORT FLEXHALER (90 MCG/ACT AER POW BA, 180 MCG/ACT AER POW BA) | 2 | |
| QVAR REDHALER (40 MCG/ACT AERO BA, 80 MCG/ACT AERO BA) | 2 | |
| SYMPATHOMIMETICS | | |
| ADVAIR HFA (45-21 MCG/ACT AEROSOL, 115-21 MCG/ACT AEROSOL, 230-21 MCG/ACT AEROSOL) | 2 | |
| <i>albuterol sulfate (0.63 mg/3ml nebu soln, 1.25 mg/3ml nebu soln, 2 mg tab, 2 mg/5ml syrup, (2.5 mg/3ml) 0.083% nebu soln, 2.5 mg/0.5ml nebu soln, 4 mg tab, (5 mg/ml) 0.5% nebu soln, 8 mg/20ml syrup)</i> | 1 | |
| <i>albuterol sulfate hfa 108 (90 base) mcg/act aero soln</i> | 1 | |
| ANORO ELLIPTA 62.5-25 MCG/ACT AER POW BA | 2 | |
| <i>arformoterol tartrate 15 mcg/2ml nebu soln</i> | 1 | PA |
| BREO ELLIPTA (50-25 MCG/INH AER POW BA, 100-25 MCG/ACT AER POW BA, 200-25 MCG/ACT AER POW BA) | 2 | QL (2 units per 1 day) |
| BREZTRI AEROSPHERE 160-9-4.8 MCG/ACT AEROSOL | 2 | QL (10.7 units per 28 days) |
| <i>budesonide-formoterol fumarate (80-4.5 mcg/act aerosol, 160-4.5 mcg/act aerosol)</i> | 1 | QL (1.02 units per 1 day) |
| COMBIVENT RESPIMAT 20-100 MCG/ACT AERO SOLN | 2 | |
| DULERA (50-5 MCG/ACT AEROSOL, 100-5 MCG/ACT AEROSOL, 200-5 MCG/ACT AEROSOL) | 2 | |
| <i>fluticasone-salmeterol (100-50 mcg/act aer pow ba, 250-50 mcg/act aer pow ba, 500-50 mcg/act aer pow ba)</i> | 1 | QL (2 units per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--------------------------------|
| FLUTICASONE-SALMETEROL (55-14 MCG/ACT AER POW BA, 113-14 MCG/ACT AER POW BA, 232-14 MCG/ACT AER POW BA) | 2 | QL (1 unit per 30 days) |
| <i>formoterol fumarate 20 mcg/2ml nebu soln</i> | 1 | PA |
| <i>ipratropium-albuterol 0.5-2.5 (3) mg/3ml solution</i> | 1 | |
| <i>levalbuterol hcl (0.31 mg/3ml nebu soln, 0.63 mg/3ml nebu soln, 1.25 mg/0.5ml nebu soln, 1.25 mg/3ml nebu soln)</i> | 1 | |
| LEVALBUTEROL TARTRATE 45 MCG/ACT AEROSOL | 1 | |
| SEREVENT DISKUS 50 MCG/ACT AER POW BA | 2 | |
| STIOLTO RESPIMAT 2.5-2.5 MCG/ACT AERO SOLN | 2 | |
| STRIVERDI RESPIMAT 2.5 MCG/ACT AERO SOLN | 2 | |
| <i>terbutaline sulfate (2.5 mg tab, 5 mg tab)</i> | 1 | |
| TRELEGY ELLIPTA (100-62.5-25 MCG/ACT AER POW BA, 200-62.5-25 MCG/ACT AER POW BA) | 2 | QL (2 units per 1 day) |
| <i>wixela inhub (100-50 mcg/act aer pow ba, 250-50 mcg/act aer pow ba, 500-50 mcg/act aer pow ba)</i> | 1 | QL (2 units per 1 day) |
| XOPENEX HFA 45 MCG/ACT AEROSOL | 1 | |
| XANTHINES | | |
| THEO-24 (100 MG CAP ER 24H, 200 MG CAP ER 24H, 300 MG CAP ER 24H, 400 MG CAP ER 24H) | 2 | |
| <i>theophylline (80 mg/15ml elixir, 80 mg/15ml solution)</i> | 1 | |
| <i>theophylline er (300 mg tab er 12h, 400 mg tab er 24h, 450 mg tab er 12h, 600 mg tab er 24h)</i> | 1 | |
| ANTICOAGULANTS | | |
| COUMARIN ANTICOAGULANTS | | |
| <i>jantoven (1 mg tab, 2 mg tab, 2.5 mg tab, 3 mg tab, 4 mg tab, 5 mg tab, 6 mg tab, 7.5 mg tab, 10 mg tab)</i> | 1 | |
| <i>warfarin sodium (1 mg tab, 2 mg tab, 2.5 mg tab, 3 mg tab, 4 mg tab, 5 mg tab, 6 mg tab, 7.5 mg tab, 10 mg tab)</i> | 1 | |
| DIRECT FACTOR XA INHIBITORS | | |
| ELIQUIS 2.5 MG TAB | 2 | QL (2 units per 1 day) |
| ELIQUIS 5 MG TAB | 2 | QL (4 units per 1 day) |
| ELIQUIS DVT/PE STARTER PACK 5 MG TAB THPK | 2 | QL (74 units per 30 days), MDS |
| XARELTO (10 MG TAB, 20 MG TAB) | 2 | QL (1 unit per 1 day) |
| XARELTO (2.5 MG TAB, 15 MG TAB) | 2 | QL (2 units per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| XARELTO 1 MG/ML RECON SUSP | 2 | QL (20 units per 1 day) |
| XARELTO STARTER PACK 15 & 20 MG TAB THPK | 2 | QL (51 units per 30 days), MDS |
| HEPARINS AND HEPARINOID-LIKE AGENTS | | |
| <i>enoxaparin sodium (30 mg/0.3ml soln prsyr, 40 mg/0.4ml soln prsyr, 60 mg/0.6ml soln prsyr, 80 mg/0.8ml soln prsyr, 100 mg/ml soln prsyr, 120 mg/0.8ml soln prsyr, 150 mg/ml soln prsyr, 300 mg/3ml solution)</i> | 1 | MDS |
| <i>fondaparinux sodium (2.5 mg/0.5ml solution, 5 mg/0.4ml solution, 7.5 mg/0.6ml solution, 10 mg/0.8ml solution)</i> | 1 | MDS |
| <i>heparin sodium (porcine) (1000 unit/ml solution, 5000 unit/0.5ml soln prsyr, 5000 unit/ml solution, 10000 unit/ml solution, 20000 unit/ml solution)</i> | 1 | |
| HEPARIN SODIUM (PORCINE) PF (1000 UNIT/ML SOLUTION, 5000 UNIT/0.5ML SOLUTION, 5000 UNIT/ML SOLUTION) | 1 | |
| THROMBIN INHIBITORS | | |
| <i>dabigatran etexilate mesylate (75 mg cap, 110 mg cap, 150 mg cap)</i> | 1 | QL (2 ea per 1 day) |
| ANTICONVULSANTS | | |
| AMPA GLUTAMATE RECEPTOR ANTAGONISTS | | |
| FYCOMPA (2 MG TAB, 4 MG TAB, 6 MG TAB, 8 MG TAB, 10 MG TAB, 12 MG TAB) | 2 | PA, QL (1 unit per 1 day) |
| FYCOMPA 0.5 MG/ML SUSPENSION | 2 | PA, QL (24 units per 1 day) |
| <i>perampanel (2 mg tab, 4 mg tab, 6 mg tab, 8 mg tab, 10 mg tab, 12 mg tab)</i> | 1 | PA, QL (1 ea per 1 day) |
| ANTICONVULSANTS - BENZODIAZEPINES | | |
| <i>clobazam (2.5 mg/ml suspension, 10 mg tab, 20 mg tab)</i> | 1 | |
| <i>clonazepam (0.125 mg tab disp, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp, 1 mg tab, 1 mg tab disp, 2 mg tab, 2 mg tab disp)</i> | 1 | |
| DIASTAT ACUDIAL (10 MG GEL, 20 MG GEL) | 2 | |
| <i>diazepam (2.5 mg gel, 10 mg gel, 20 mg gel)</i> | 1 | |
| LIBERVANT (5 MG FILM, 7.5 MG FILM, 10 MG FILM, 12.5 MG FILM, 15 MG FILM) | 2 | QL (10 ea per 30 days), AL, MDS |
| SYMPAZAN (5 MG FILM, 10 MG FILM, 20 MG FILM) | 2 | PA, QL (2 units per 1 day) |
| VALTOCO 10 MG DOSE 10 MG/0.1ML LIQUID | 2 | QL (10 units per 30 days), AL, PN (Covered for members 6 years of age and older), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| VALTOCO 15 MG DOSE 2 X 7.5 MG/0.1ML LIQD THPK | 2 | QL (10 units per 30 days), AL, PN (Covered for members 6 years of age and older), MDS |
| VALTOCO 20 MG DOSE 2 X 10 MG/0.1ML LIQD THPK | 2 | QL (10 units per 30 days), AL, PN (Covered for members 6 years of age and older), MDS |
| VALTOCO 5 MG DOSE 5 MG/0.1ML LIQUID | 2 | QL (10 units per 30 days), AL, PN (Covered for members 6 years of age and older), MDS |
| ANTICONVULSANTS - MISC. | | |
| APTIOM (200 MG TAB, 400 MG TAB) | 2 | PA, QL (1 unit per 1 day) |
| APTIOM (600 MG TAB, 800 MG TAB) | 2 | PA, QL (2 units per 1 day) |
| <i>carbamazepine (100 mg chew tab, 100 mg/5ml suspension, 200 mg tab, 200 mg/10ml suspension)</i> | 1 | |
| <i>carbamazepine er (100 mg cap er 12h, 100 mg tab er 12h, 200 mg cap er 12h, 200 mg tab er 12h, 300 mg cap er 12h, 400 mg tab er 12h)</i> | 1 | |
| CARBATROL (100 MG CAP ER 12H, 200 MG CAP ER 12H, 300 MG CAP ER 12H) | 2 | |
| DIACOMIT (250 MG CAP, 250 MG PACKET, 500 MG CAP, 500 MG PACKET) | 2 | PA, LA, SP |
| EPIDIOLEX 100 MG/ML SOLUTION | 2 | PA, SP |
| <i>epitol 200 mg tab</i> | 1 | |
| EPRONTIA 25 MG/ML SOLUTION | 2 | PA, QL (16 units per 1 day) |
| <i>eslicarbazepine acetate (200 mg tab, 400 mg tab)</i> | 1 | PA, QL (1 unit per 1 day) |
| <i>eslicarbazepine acetate (600 mg tab, 800 mg tab)</i> | 1 | PA, QL (2 units per 1 day) |
| FINTEPLA 2.2 MG/ML SOLUTION | 2 | PA, LA, QL (360 units per 30 days), SP, MDS |
| <i>gabapentin (100 mg cap, 250 mg/5ml solution, 300 mg cap, 300 mg/6ml solution, 400 mg cap, 600 mg tab, 800 mg tab)</i> | 1 | |
| <i>lacosamide (10 mg/ml solution, 50 mg tab, 50 mg/5ml solution, 100 mg tab, 100 mg/10ml solution, 150 mg tab, 200 mg tab)</i> | 1 | PA |
| <i>lamotrigine (5 mg chew tab, 25 mg chew tab, 25 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i> | 1 | |
| <i>lamotrigine er (25 mg tab er 24h, 50 mg tab er 24h, 100 mg tab er 24h, 200 mg tab er 24h, 250 mg tab er 24h, 300 mg tab er 24h)</i> | 1 | |
| <i>lamotrigine starter kit-blue 35 x 25 mg kit</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| <i>levetiracetam (100 mg/ml solution, 250 mg tab, 500 mg tab, 500 mg/5ml solution, 750 mg tab, 1000 mg tab)</i> | 1 | |
| <i>levetiracetam er (500 mg tab er 24h, 750 mg tab er 24h)</i> | 1 | |
| <i>oxcarbazepine (150 mg tab, 300 mg tab, 300 mg/5ml suspension, 600 mg tab)</i> | 1 | |
| <i>oxcarbazepine er (150 mg tab er 24h, 300 mg tab er 24h, 600 mg tab er 24h)</i> | 1 | PA |
| OXTELLAR XR (150 MG TAB ER 24H, 300 MG TAB ER 24H, 600 MG TAB ER 24H) | 2 | PA |
| <i>pregabalin (20 mg/ml solution, 25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap, 200 mg cap, 225 mg cap, 300 mg cap)</i> | 1 | |
| <i>primidone (50 mg tab, 250 mg tab)</i> | 1 | |
| <i>roweepra 500 mg tab</i> | 1 | |
| <i>rufinamide (40 mg/ml suspension, 200 mg tab, 400 mg tab)</i> | 1 | PA |
| <i>subvenite (25 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i> | 1 | |
| <i>subvenite starter kit-blue 35 x 25 mg kit</i> | 1 | |
| TEGRETOL (100 MG/5ML SUSPENSION, 200 MG TAB) | 2 | |
| TEGRETOL-XR (100 MG TAB ER 12H, 200 MG TAB ER 12H, 400 MG TAB ER 12H) | 2 | |
| <i>topiramate (15 mg cap sprink, 25 mg cap sprink, 25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab)</i> | 1 | |
| <i>topiramate er (25 mg cap er 24h, 50 mg cap er 24h, 100 mg cap er 24h)</i> | 1 | PA |
| <i>topiramate er (25 mg cp24 sprnk, 50 mg cp24 sprnk, 100 mg cp24 sprnk, 150 mg cp24 sprnk, 200 mg cp24 sprnk)</i> | 1 | PA |
| TRILEPTAL (150 MG TAB, 300 MG TAB, 300 MG/5ML SUSPENSION, 600 MG TAB) | 2 | |
| TROKENDI XR (50 MG CAP ER 24H, 100 MG CAP ER 24H, 200 MG CAP ER 24H) | 2 | PA |
| <i>zonisamide (25 mg cap, 50 mg cap, 100 mg cap)</i> | 1 | |
| ZTALMY 50 MG/ML SUSPENSION | 2 | PA, LA, QL (110 units per 30 days), SP, MDS |
| CARBAMATES | | |
| <i>felbamate (400 mg tab, 600 mg tab, 600 mg/5ml suspension)</i> | 1 | |
| XCOPRI (14 X 12.5 MG & 14 X 25 MG TAB THPK, 14 X 150 MG & 14 X200 MG TAB THPK, 14 X 50 MG & 14 X100 MG TAB THPK) | 2 | PA, QL (28 ea per 28 days), QL (1 fill per 180 days), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| XCOPRI (25 MG TAB, 50 MG TAB, 100 MG TAB, 150 MG TAB) | 2 | PA, QL (1 unit per 1 day) |
| XCOPRI (250 MG DAILY DOSE) 100 & 150 MG TAB THPK | 2 | PA, QL (2 units per 1 day) |
| XCOPRI (350 MG DAILY DOSE) 150 & 200 MG TAB THPK | 2 | PA, QL (2 units per 1 day) |
| XCOPRI 200 MG TAB | 2 | PA, QL (2 units per 1 day) |
| GABA MODULATORS | | |
| <i>tiagabine hcl (2 mg tab, 4 mg tab, 12 mg tab, 16 mg tab)</i> | 1 | |
| <i>vigabatrin (500 mg packet, 500 mg tab)</i> | 1 | PA, SP |
| <i>vigadrone 500 mg packet</i> | 1 | PA, LA, SP |
| <i>vigadrone 500 mg tab</i> | 1 | PA, SP |
| <i>vigpoder 500 mg packet</i> | 1 | PA, SP |
| HYDANTOINS | | |
| DILANTIN (30 MG CAP, 100 MG CAP, 125 MG/5ML SUSPENSION) | 2 | |
| DILANTIN INFATABS 50 MG CHEW TAB | 2 | |
| DILANTIN-125 125 MG/5ML SUSPENSION | 2 | |
| <i>phenytek (200 mg cap, 300 mg cap)</i> | 2 | |
| <i>phenytoin (50 mg chew tab, 100 mg/4ml suspension, 125 mg/5ml suspension)</i> | 1 | |
| <i>phenytoin infatabs 50 mg chew tab</i> | 1 | |
| <i>phenytoin sodium extended (100 mg cap, 200 mg cap, 300 mg cap)</i> | 1 | |
| SUCCINIMIDES | | |
| <i>ethosuximide (250 mg cap, 250 mg/5ml solution)</i> | 1 | |
| VALPROIC ACID | | |
| DEPAKOTE (125 MG TAB DR, 250 MG TAB DR, 500 MG TAB DR) | 2 | |
| DEPAKOTE ER (250 MG TAB ER 24H, 500 MG TAB ER 24H) | 2 | |
| DEPAKOTE SPRINKLES 125 MG CAP DR | 2 | |
| <i>divalproex sodium (125 mg cap dr, 125 mg tab dr, 250 mg tab dr, 500 mg tab dr)</i> | 1 | |
| <i>divalproex sodium er (250 mg tab er 24h, 500 mg tab er 24h)</i> | 1 | |
| <i>valproic acid (250 mg cap, 250 mg/5ml solution, 500 mg/10ml solution)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-------------------------------------|
| ANTIDEPRESSANTS | | |
| ALPHA-2 RECEPTOR ANTAGONISTS (TETRACYCLICS) | | |
| <i>mirtazapine (7.5 mg tab, 15 mg tab, 15 mg tab disp, 30 mg tab, 30 mg tab disp, 45 mg tab, 45 mg tab disp)</i> | 1 | |
| ANTIDEPRESSANT COMBINATIONS | | |
| AUVELITY 45-105 MG TAB ER | 2 | PA, QL (2 units per 1 day) |
| ANTIDEPRESSANTS - MISC. | | |
| <i>bupropion hcl (75 mg tab, 100 mg tab)</i> | 1 | |
| <i>bupropion hcl er (smoking det) 150 mg tab er 12h</i> | 0 | |
| <i>bupropion hcl er (sr) (100 mg tab er 12h, 150 mg tab er 12h, 200 mg tab er 12h)</i> | 1 | |
| <i>bupropion hcl er (xl) (150 mg tab er 24h, 300 mg tab er 24h)</i> | 1 | |
| BUPROPION HCL ER (XL) 450 MG TAB ER 24H | 1 | PA, QL (1 unit per 1 day) |
| GABA RECEPTOR MODULATOR - NEUROACTIVE STEROID | | |
| ZURZUVAE (20 MG CAP, 25 MG CAP) | 2 | PA, QL (28 ea per 14 days), SP, MDS |
| ZURZUVAE 30 MG CAP | 2 | PA, QL (14 ea per 14 days), SP, MDS |
| MONOAMINE OXIDASE INHIBITORS (MAOIS) | | |
| PHENELZINE SULFATE 15 MG TAB | 1 | |
| <i>tranylcypromine sulfate 10 mg tab</i> | 1 | |
| N-METHYL-D-ASPARTIC ACID (NMDA) RECEPTOR ANTAGONISTS | | |
| SPRAVATO (56 MG DOSE) 28 MG/DEVICE SOLN THPK | 2 | PA, SP, MDS |
| SPRAVATO (84 MG DOSE) 28 MG/DEVICE SOLN THPK | 2 | PA, SP, MDS |
| SELECTIVE SEROTONIN REUPTAKE INHIBITORS (SSRIS) | | |
| <i>citalopram hydrobromide (10 mg tab, 10 mg/5ml solution, 20 mg tab, 20 mg/10ml solution, 40 mg tab)</i> | 1 | |
| <i>escitalopram oxalate (5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/10ml solution, 20 mg tab)</i> | 1 | |
| <i>fluoxetine hcl (10 mg cap, 10 mg tab, 20 mg cap, 20 mg tab, 20 mg/5ml solution, 40 mg cap, 60 mg tab)</i> | 1 | |
| <i>fluvoxamine maleate (25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| <i>paroxetine hcl (10 mg tab, 10 mg/5ml suspension, 20 mg tab, 30 mg tab, 40 mg tab)</i> | 1 | |
| <i>paroxetine hcl er (12.5 mg tab er 24h, 25 mg tab er 24h, 37.5 mg tab er 24h)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>sertraline hcl (20 mg/ml conc, 25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| SEROTONIN MODULATORS | | |
| NEFAZODONE HCL (50 MG TAB, 100 MG TAB, 150 MG TAB, 200 MG TAB, 250 MG TAB) | 1 | |
| <i>trazodone hcl (50 mg tab, 100 mg tab, 150 mg tab, 300 mg tab)</i> | 1 | |
| TRINTELLIX (5 MG TAB, 10 MG TAB, 20 MG TAB) | 2 | PA |
| <i>vilazodone hcl (10 mg tab, 20 mg tab, 40 mg tab)</i> | 1 | PA, QL (1 unit per day) |
| SEROTONIN-NOREPINEPHRINE REUPTAKE INHIBITORS (SNRIS) | | |
| <i>desvenlafaxine succinate er (50 mg tab er 24h, 100 mg tab er 24h)</i> | 1 | QL (1 unit per 1 day) |
| <i>desvenlafaxine succinate er 25 mg tab er 24h</i> | 1 | QL (1 unit per day) |
| <i>duloxetine hcl (20 mg cp dr part, 30 mg cp dr part, 60 mg cp dr part)</i> | 1 | |
| FETZIMA (20 MG CAP ER 24H, 40 MG CAP ER 24H, 80 MG CAP ER 24H, 120 MG CAP ER 24H) | 2 | PA |
| FETZIMA TITRATION 20 & 40 MG CP24 THPK | 2 | PA |
| <i>venlafaxine hcl (25 mg tab, 37.5 mg tab, 50 mg tab, 75 mg tab, 100 mg tab)</i> | 1 | |
| <i>venlafaxine hcl er (37.5 mg cap er 24h, 37.5 mg tab er 24h, 75 mg cap er 24h, 75 mg tab er 24h, 150 mg cap er 24h, 150 mg tab er 24h, 225 mg tab er 24h)</i> | 1 | |
| TRICYCLIC AGENTS | | |
| <i>amitriptyline hcl (10 mg tab, 25 mg tab, 50 mg tab, 75 mg tab, 100 mg tab, 150 mg tab)</i> | 1 | |
| <i>amoxapine (25 mg tab, 50 mg tab, 100 mg tab, 150 mg tab)</i> | 1 | |
| <i>clomipramine hcl (25 mg cap, 50 mg cap, 75 mg cap)</i> | 1 | |
| <i>desipramine hcl (10 mg tab, 25 mg tab, 50 mg tab, 75 mg tab, 100 mg tab, 150 mg tab)</i> | 1 | |
| <i>doxepin hcl (10 mg cap, 10 mg/ml conc, 25 mg cap, 50 mg cap, 75 mg cap, 100 mg cap, 150 mg cap)</i> | 1 | |
| <i>imipramine hcl (10 mg tab, 25 mg tab, 50 mg tab)</i> | 1 | |
| <i>imipramine pamoate (75 mg cap, 100 mg cap, 125 mg cap, 150 mg cap)</i> | 1 | |
| <i>nortriptyline hcl (10 mg cap, 10 mg/5ml solution, 25 mg cap, 50 mg cap, 75 mg cap)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-------------------------|
| <i>protriptyline hcl (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>trimipramine maleate (25 mg cap, 50 mg cap, 100 mg cap)</i> | 1 | |
| ANTIDIABETICS | | |
| ALPHA-GLUCOSIDASE INHIBITORS | | |
| <i>acarbose (25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| MIGLITOL (25 MG TAB, 50 MG TAB, 100 MG TAB) | 2 | |
| ANTIDIABETIC - AMYLIN ANALOGS | | |
| SYMLINPEN 120 2700 MCG/2.7ML SOLN PEN | 2 | PA |
| SYMLINPEN 60 1500 MCG/1.5ML SOLN PEN | 2 | PA |
| ANTIDIABETIC COMBINATIONS | | |
| <i>glipizide-metformin hcl (2.5-250 mg tab, 2.5-500 mg tab, 5-500 mg tab)</i> | 1 | |
| <i>glyburide-metformin (1.25-250 mg tab, 2.5-500 mg tab, 5-500 mg tab)</i> | 1 | |
| GLYXAMBI (10-5 MG TAB, 25-5 MG TAB) | 2 | QL (1 unit per 1 day) |
| JENTADUETO (2.5-1000 MG TAB, 2.5-500 MG TAB, 2.5-850 MG TAB) | 2 | QL (2 units per 1 day) |
| JENTADUETO XR 2.5-1000 MG TAB ER 24H | 2 | QL (2 units per 1 day) |
| JENTADUETO XR 5-1000 MG TAB ER 24H | 2 | QL (1 unit per 1 day) |
| <i>pioglitazone hcl-glimepiride (30-2 mg tab, 30-4 mg tab)</i> | 1 | |
| <i>pioglitazone hcl-metformin hcl (15-500 mg tab, 15-850 mg tab)</i> | 1 | |
| <i>saxagliptin-metformin er (5-1000 mg tab er 24h, 5-500 mg tab er 24h)</i> | 1 | PA, QL (1 ea per 1 day) |
| <i>saxagliptin-metformin er 2.5-1000 mg tab er 24h</i> | 1 | PA, QL (2 ea per 1 day) |
| SYNJARDY (5-1000 MG TAB, 5-500 MG TAB, 12.5-1000 MG TAB, 12.5-500 MG TAB) | 2 | QL (2 units per 1 day) |
| SYNJARDY XR (10-1000 MG TAB ER 24H, 25-1000 MG TAB ER 24H) | 2 | QL (1 unit per 1 day) |
| SYNJARDY XR (5-1000 MG TAB ER 24H, 12.5-1000 MG TAB ER 24H) | 2 | QL (2 units per 1 day) |
| TRIJARDY XR (10-5-1000 MG TAB ER 24H, 25-5-1000 MG TAB ER 24H) | 2 | QL (1 unit per 1 day) |
| TRIJARDY XR (5-2.5-1000 MG TAB ER 24H, 12.5-2.5-1000 MG TAB ER 24H) | 2 | QL (2 units per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| XULTOPHY 100-3.6 UNIT-MG/ML SOLN PEN | 2 | ST, QL (0.5 units per 1 day) |
| ANTIDIABETIC-ANTIBODIES | | |
| TZIELD 2 MG/2ML SOLUTION | 2 | PA, LA, SP, MDS |
| BIGUANIDES | | |
| <i>metformin hcl (500 mg tab, 850 mg tab, 1000 mg tab)</i> | 1 | PN (\$0 Oral Oncology) |
| <i>metformin hcl er (500 mg tab er 24h, 750 mg tab er 24h)</i> | 1 | |
| DIABETIC OTHER | | |
| BAQSIMI ONE PACK 3 MG/DOSE POWDER | 2 | QL (2 units per fill) |
| BAQSIMI TWO PACK 3 MG/DOSE POWDER | 2 | QL (2 units per fill) |
| CVS GLUCOSE (4 GM CHEW TAB, 4-6 GM-MG CHEW TAB) | 2 | |
| CVS SOFT GLUCOSE 4 GM CHEW TAB | 2 | |
| DEX4 4-6 GM-MG CHEW TAB | 2 | |
| DEX4 GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| DEX4 NATURALS 4-6 GM-MG CHEW TAB | 2 | |
| DEX4 POUCH PACK 4-6 GM-MG CHEW TAB | 2 | |
| DEX4 QUICK DISSOLVE GLUCOSE 4 GM CHEW TAB | 2 | |
| GLUCAGEN HYPOKIT 1 MG RECON SOLN | 2 | QL (2 units per fill), MDS |
| GLUCAGON EMERGENCY 1 MG/ML RECON SOLN | 2 | QL (2 units per fill), MDS |
| GLUCO TO GO 4 GM CHEW TAB | 2 | |
| GLUCOSE (4 GM CHEW TAB, 4-6 GM-MG CHEW TAB) | 2 | |
| GLUCOSE INSTANT ENERGY (4-6 GM-MG CHEW TAB, 6-4 MG-GM CHEW TAB) | 2 | |
| GNP GLUCOSE (4 GM CHEW TAB, 4-6 GM-MG CHEW TAB) | 2 | |
| GNP QUICK DISSOLVE GLUCOSE 4 GM CHEW TAB | 2 | |
| GOODSENSE GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| GVOKE HYPOPEN 1-PACK (0.5 MG/0.1ML SOLN A-INJ, 1 MG/0.2ML SOLN A-INJ) | 2 | QL (2 units per fill), MDS |
| GVOKE HYPOPEN 2-PACK (0.5 MG/0.1ML SOLN A-INJ, 1 MG/0.2ML SOLN A-INJ) | 2 | QL (2 units per fill), MDS |
| GVOKE KIT 1 MG/0.2ML SOLUTION | 2 | |
| GVOKE PFS 1 MG/0.2ML SOLN PRSYR | 2 | QL (2 units per fill), MDS |
| HY-VEE GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| KROGER GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| LEADER GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| LEADER QUICK DISSOLVE GLUCOSE 4 GM CHEW TAB | 2 | |
| LONGS GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| MEIJER GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| <i>mifepristone 300 mg tab</i> | 1 | PA, QL (112 units per 28 days), SP, MDS |
| PREFERRED PLUS GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| PX GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| RA GLUCOSE (4-6 GM-MG CHEW TAB, 6-4 MG-GM CHEW TAB) | 2 | |
| RELION GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| SM GLUCOSE (4 GM CHEW TAB, 4-6 GM-MG CHEW TAB) | 2 | |
| SMART SENSE GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| TGT GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| TRUEPLUS GLUCOSE 4 GM CHEW TAB | 2 | |
| TRUEPLUS GLUCOSE ON THE GO 4 GM CHEW TAB | 2 | |
| UP & UP GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| VALUE PLUS GLUCOSE 4-6 GM-MG CHEW TAB | 2 | |
| WALGREENS GLUCOSE (4 GM CHEW TAB, 4-6 GM-MG CHEW TAB) | 2 | |
| DIPEPTIDYL PEPTIDASE-4 (DPP-4) INHIBITORS | | |
| TRADJENTA 5 MG TAB | 2 | QL (1 unit per 1 day) |
| INCRETIN MIMETIC AGENTS | | |
| <i>liraglutide 18 mg/3ml soln pen</i> | 1 | PA, QL (0.3 units per 1 day) |
| MOUNJARO (5 MG/0.5ML SOLN A-INJ, 10 MG/0.5ML SOLN A-INJ, 12.5 MG/0.5ML SOLN A-INJ, 15 MG/0.5ML SOLN A-INJ) | 2 | PA, QL (2 units per 28 days) |
| MOUNJARO 2.5 MG/0.5ML SOLN A-INJ | 2 | PA, QL (2 ml per 28 days), QL (1 fill per 180 days), MDS |
| MOUNJARO 7.5 MG/0.5ML SOLN A-INJ | 2 | PA, QL (2 units per 28 days) |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) 2 MG/3ML SOLN PEN | 2 | PA, QL (0.11 units per 1 day) |
| OZEMPIC (1 MG/DOSE) 4 MG/3ML SOLN PEN | 2 | PA, QL (0.11 units per 1 day) |
| OZEMPIC (2 MG/DOSE) 8 MG/3ML SOLN PEN | 2 | PA, QL (0.11 units per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| RYBELSUS (7 MG TAB, 14 MG TAB) | 2 | PA, QL (1 unit per day) |
| RYBELSUS 3 MG TAB | 2 | PA, QL (30 ea per 30 days), QL (1 fill per 180 days), MDS |
| TRULICITY (0.75 MG/0.5ML SOLN A-INJ, 1.5 MG/0.5ML SOLN A-INJ) | 2 | PA, QL (0.072 units per 1 day) |
| TRULICITY (3 MG/0.5ML SOLN A-INJ, 4.5 MG/0.5ML SOLN A-INJ) | 2 | PA, QL (0.072 units per 1 day) |
| INSULIN | | |
| INSULIN ASP PROT & ASP FLEXPEN (70-30) 100 UNIT/ML SUSP PEN | 1 | |
| INSULIN ASPART 100 UNIT/ML SOLUTION | 1 | |
| INSULIN ASPART FLEXPEN 100 UNIT/ML SOLN PEN | 1 | |
| INSULIN ASPART PENFILL 100 UNIT/ML SOLN CART | 1 | |
| INSULIN ASPART PROT & ASPART (70-30) 100 UNIT/ML SUSPENSION | 1 | |
| INSULIN DEGLUDEC 100 UNIT/ML SOLUTION | 2 | |
| INSULIN DEGLUDEC FLEXTOUCH (100 UNIT/ML SOLN PEN, 200 UNIT/ML SOLN PEN) | 2 | |
| INSULIN GLARGINE MAX SOLOSTAR 300 UNIT/ML SOLN PEN | 2 | |
| INSULIN GLARGINE SOLOSTAR 300 UNIT/ML SOLN PEN | 2 | |
| LANTUS 100 UNIT/ML SOLUTION | 2 | |
| LANTUS SOLOSTAR 100 UNIT/ML SOLN PEN | 2 | |
| NOVOLIN 70/30 (70-30) 100 UNIT/ML SUSPENSION | 2 | |
| NOVOLIN 70/30 FLEXPEN (70-30) 100 UNIT/ML SUSP PEN | 2 | |
| NOVOLIN 70/30 FLEXPEN RELION (70-30) 100 UNIT/ML SUSP PEN | 2 | |
| NOVOLIN 70/30 RELION (70-30) 100 UNIT/ML SUSPENSION | 2 | |
| NOVOLIN N 100 UNIT/ML SUSPENSION | 2 | |
| NOVOLIN N FLEXPEN 100 UNIT/ML SUSP PEN | 2 | |
| NOVOLIN N FLEXPEN RELION 100 UNIT/ML SUSP PEN | 2 | |
| NOVOLIN N RELION 100 UNIT/ML SUSPENSION | 2 | |
| NOVOLIN R 100 UNIT/ML SOLUTION | 2 | |
| NOVOLIN R FLEXPEN 100 UNIT/ML SOLN PEN | 2 | |
| NOVOLIN R FLEXPEN RELION 100 UNIT/ML SOLN PEN | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| NOVOLIN R RELION 100 UNIT/ML SOLUTION | 2 | |
| NOVOLOG 100 UNIT/ML SOLUTION | 2 | |
| NOVOLOG 70/30 FLEXPEN RELION (70-30) 100 UNIT/ML SUSP PEN | 2 | |
| NOVOLOG FLEXPEN 100 UNIT/ML SOLN PEN | 2 | |
| NOVOLOG FLEXPEN RELION 100 UNIT/ML SOLN PEN | 2 | |
| NOVOLOG MIX 70/30 (70-30) 100 UNIT/ML SUSPENSION | 2 | |
| NOVOLOG MIX 70/30 FLEXPEN (70-30) 100 UNIT/ML SUSP PEN | 2 | |
| NOVOLOG MIX 70/30 RELION (70-30) 100 UNIT/ML SUSPENSION | 2 | |
| NOVOLOG PENFILL 100 UNIT/ML SOLN CART | 2 | |
| NOVOLOG RELION 100 UNIT/ML SOLUTION | 2 | |
| TOUJEO MAX SOLOSTAR 300 UNIT/ML SOLN PEN | 2 | |
| TOUJEO SOLOSTAR 300 UNIT/ML SOLN PEN | 2 | |
| TRESIBA 100 UNIT/ML SOLUTION | 2 | |
| TRESIBA FLEXTOUCH (100 UNIT/ML SOLN PEN, 200 UNIT/ML SOLN PEN) | 2 | |
| INSULIN SENSITIZING AGENTS | | |
| <i>pioglitazone hcl (15 mg tab, 30 mg tab, 45 mg tab)</i> | 1 | |
| MEGLITINIDE ANALOGUES | | |
| <i>nateglinide (60 mg tab, 120 mg tab)</i> | 1 | |
| <i>repaglinide (0.5 mg tab, 1 mg tab, 2 mg tab)</i> | 1 | |
| SODIUM-GLUCOSE CO-TRANSPORTER 2 (SGLT2) INHIBITORS | | |
| JARDIANCE (10 MG TAB, 25 MG TAB) | 2 | QL (1 unit per 1 day) |
| SULFONYLUREAS | | |
| <i>glimepiride (1 mg tab, 2 mg tab, 4 mg tab)</i> | 1 | |
| <i>glipizide (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>glipizide er (2.5 mg tab er 24h, 5 mg tab er 24h, 10 mg tab er 24h)</i> | 1 | |
| <i>glipizide xl (2.5 mg tab er 24h, 5 mg tab er 24h, 10 mg tab er 24h)</i> | 1 | |
| <i>glyburide (1.25 mg tab, 2.5 mg tab, 5 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|---|
| GLYBURIDE MICRONIZED (1.5 MG TAB, 3 MG TAB, 6 MG TAB) | 1 | |
| ANTIDIARRHEAL/PROBIOTIC AGENTS | | |
| ANTIDIARRHEAL - CHLORIDE CHANNEL ANTAGONISTS | | |
| MYTESI 125 MG TAB DR | 2 | PA |
| ANTIPERISTALTIC AGENTS | | |
| <i>diphenoxylate-atropine 2.5-0.025 mg tab</i> | 1 | |
| <i>loperamide hcl 2 mg cap</i> | 1 | |
| <i>opium 10 mg/ml (1%) tincture</i> | 1 | |
| ANTIDOTES AND SPECIFIC ANTAGONISTS | | |
| ANTIDOTES - CHELATING AGENTS | | |
| <i>deferasirox (90 mg packet, 180 mg packet, 360 mg packet)</i> | 1 | PA, SP, MDS |
| <i>deferasirox (90 mg tab, 125 mg tab sol, 180 mg tab, 250 mg tab sol, 360 mg tab, 500 mg tab sol)</i> | 1 | PA, SP, MDS |
| <i>deferasirox granules (90 mg packet, 180 mg packet, 360 mg packet)</i> | 1 | PA, SP, MDS |
| <i>deferiprone 500 mg tab</i> | 1 | PA, LA, SP, MDS |
| FERRIPROX 100 MG/ML SOLUTION | 2 | PA, LA, SP, MDS |
| ANTIDOTES AND SPECIFIC ANTAGONISTS | | |
| ANDEXXA 200 MG RECON SOLN | 2 | PA, SP, MDS |
| PRAXBIND 2.5 GM/50ML SOLUTION | 2 | PA, SP, MDS |
| OPIOID ANTAGONISTS | | |
| <i>ft naloxone hcl 4 mg/0.1ml liquid</i> | 0 | |
| <i>naloxone hcl (0.4 mg/ml soln cart, 2 mg/2ml soln prsyr)</i> | 1 | |
| NALOXONE HCL 0.4 MG/ML SOLN PRSYR | 2 | |
| <i>naloxone hcl 4 mg/0.1ml liquid</i> | 0 | |
| <i>naltrexone hcl 50 mg tab</i> | 1 | |
| REXTOVY 4 MG/0.25ML LIQUID | 2 | |
| VIVITROL 380 MG RECON SUSP | 2 | PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ANTIEMETICS | | |
| 5-HT3 RECEPTOR ANTAGONISTS | | |
| <i>granisetron hcl 1 mg tab</i> | 1 | QL (2 units per fill), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------------------|
| <i>ondansetron (4 mg tab disp, 8 mg tab disp)</i> | 1 | |
| <i>ondansetron hcl (4 mg tab, 4 mg/5ml solution, 8 mg tab)</i> | 1 | |
| SANCUSO 3.1 MG/24HR PATCH | 2 | PA, QL (4 units per 28 days), MDS |
| SUSTOL 10 MG/0.4ML PRSYR | 2 | PA, SP, MDS |
| ANTIEMETICS - ANTICHOLINERGIC | | |
| <i>meclizine hcl (12.5 mg tab, 25 mg tab)</i> | 1 | |
| <i>scopolamine 1 mg/3days patch 72hr</i> | 1 | |
| TRANSDERM-SCOP 1 MG/3DAYS PATCH 72HR | 2 | |
| <i>trimethobenzamide hcl 300 mg cap</i> | 1 | |
| ANTIEMETICS - MISCELLANEOUS | | |
| AKYNZEO 300-0.5 MG CAP | 2 | QL (2 units per 28 days), MDS |
| <i>doxylamine-pyridoxine 10-10 mg tab dr</i> | 1 | QL (4 units per 1 day) |
| <i>dronabinol (2.5 mg cap, 5 mg cap, 10 mg cap)</i> | 1 | |
| SUBSTANCE P/NEUROKININ 1 (NK1) RECEPTOR ANTAGONISTS | | |
| <i>aprepitant (40 mg cap, 80 & 125 mg cap, 80 & 125 mg misc, 80 mg cap, 125 mg cap)</i> | 1 | |
| CINVANTI 130 MG/18ML EMULSION | 2 | PA, SP, MDS |
| EMEND 125 MG/5ML RECON SUSP | 2 | |
| ANTIFUNGALS | | |
| ANTIFUNGALS | | |
| <i>flucytosine (250 mg cap, 500 mg cap)</i> | 1 | MDS |
| <i>griseofulvin microsize (125 mg/5ml suspension, 500 mg tab)</i> | 1 | |
| <i>griseofulvin ultramicrosize (125 mg tab, 250 mg tab)</i> | 1 | |
| <i>nystatin 500000 unit tab</i> | 1 | |
| <i>terbinafine hcl 250 mg tab</i> | 1 | |
| IMIDAZOLE-RELATED ANTIFUNGALS | | |
| CRESEMBA 372 MG RECON SOLN | 2 | PA, MDS |
| <i>fluconazole (40 mg/ml recon susp, 50 mg tab, 100 mg tab, 150 mg tab, 200 mg tab)</i> | 1 | |
| <i>itraconazole (10 mg/ml solution, 100 mg cap)</i> | 1 | PA |
| <i>ketoconazole 200 mg tab</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------------|
| <i>posaconazole 100 mg tab dr</i> | 1 | PA, QL (90 units per 30 days), MDS |
| <i>posaconazole 40 mg/ml suspension</i> | 1 | PA, QL (20 units per 1 day), MDS |
| <i>voriconazole (40 mg/ml recon susp, 50 mg tab, 200 mg tab)</i> | 1 | PA, MDS |
| ANTIHISTAMINES | | |
| ANTIHISTAMINES - ETHANOLAMINES | | |
| CLEMASTINE FUMARATE 2.68 MG TAB | 1 | |
| <i>diphenhydramine hcl 12.5 mg/5ml elixir</i> | 1 | |
| ANTIHISTAMINES - NON-SEDATING | | |
| <i>all day allergy 10 mg tab</i> | 1 | |
| <i>allergy relief (cetirizine) 10 mg tab</i> | 1 | |
| <i>allergy relief (loratadine) 10 mg tab</i> | 1 | |
| <i>allergy relief 10 mg tab</i> | 1 | |
| <i>allergy relief ceterizine 5 mg tab</i> | 1 | |
| <i>allergy relief cetirizine 10 mg tab</i> | 1 | |
| <i>cetirizine hcl (5 mg chew tab, 5 mg tab, 10 mg tab)</i> | 1 | |
| <i>cetirizine hcl childrens 5 mg chew tab</i> | 1 | |
| <i>ft all day allergy 10 mg tab</i> | 1 | |
| <i>ft all day allergy 24 hour 10 mg tab</i> | 1 | |
| <i>ft all day allergy relief 10 mg tab</i> | 1 | |
| <i>ft allergy relief 10 mg tab</i> | 1 | |
| <i>ft allergy relief cetirizine 10 mg tab</i> | 1 | |
| <i>ft allergy relief loratadine 10 mg tab</i> | 1 | |
| <i>gnp all day allergy 10 mg tab</i> | 1 | |
| <i>gnp loratadine (10 mg tab, 10 mg tab disp)</i> | 1 | |
| <i>goodsense all day allergy 10 mg tab</i> | 1 | |
| <i>goodsense allergy relief 10 mg tab</i> | 1 | |
| <i>hm all day allergy 10 mg tab</i> | 1 | |
| <i>hm allergy relief (cetirizine) 10 mg tab</i> | 1 | |
| <i>hm cetirizine hcl 10 mg tab</i> | 1 | |
| <i>hm loratadine 10 mg tab</i> | 1 | |
| <i>kls aller-tec 10 mg tab</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>kls allerclear 10 mg tab</i> | 1 | |
| <i>loratadine (10 mg tab, 10 mg tab disp)</i> | 1 | |
| <i>qc allergy relief 10 mg tab</i> | 1 | |
| <i>sm all day allergy 10 mg tab</i> | 1 | |
| <i>sm all day allergy relief 10 mg tab</i> | 1 | |
| <i>sm allergy relief 10 mg tab disp</i> | 1 | |
| <i>sm loratadine 10 mg tab</i> | 1 | |
| <i>sm loratadine allergy relief 10 mg tab disp</i> | 1 | |
| ANTIHISTAMINES - PHENOTHIAZINES | | |
| <i>promethazine hcl (6.25 mg/5ml solution, 12.5 mg suppos, 12.5 mg tab, 12.5 mg/10ml solution, 25 mg suppos, 25 mg tab, 50 mg tab)</i> | 1 | |
| <i>promethegan (12.5 mg suppos, 25 mg suppos)</i> | 1 | |
| ANTIHISTAMINES - PIPERIDINES | | |
| <i>cyproheptadine hcl (2 mg/5ml syrup, 4 mg tab)</i> | 1 | |
| ANTHYPERLIPIDEMICS | | |
| ADENOSINE TRIPHOSPHATE-CITRATE LYASE (ACL) INHIBITORS | | |
| NEXLETOL 180 MG TAB | 2 | PA, QL (1 unit per 1 day) |
| ANGIOPOIETIN-LIKE PROTEIN INHIBITORS | | |
| EVKEEZA (345 MG/2.3ML SOLUTION, 1200 MG/8ML SOLUTION) | 2 | PA, LA, SP, MDS |
| ANTHYPERLIPIDEMICS - COMBINATIONS | | |
| <i>ezetimibe-simvastatin (10-10 mg tab, 10-20 mg tab, 10-40 mg tab, 10-80 mg tab)</i> | 1 | PA |
| NEXLIZET 180-10 MG TAB | 2 | PA, QL (1 unit per 1 day) |
| ANTHYPERLIPIDEMICS - MISC. | | |
| <i>icosapent ethyl 0.5 gm cap</i> | 1 | QL (8 units per day) |
| <i>icosapent ethyl 1 gm cap</i> | 1 | QL (4 units per day) |
| <i>omega-3-acid ethyl esters 1 gm cap</i> | 1 | |
| BILE ACID SEQUESTRANTS | | |
| <i>cholestyramine (4 gm packet, 4 gm/dose powder)</i> | 1 | |
| <i>cholestyramine light (4 gm packet, 4 gm/dose powder)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| <i>colesevelam hcl (3.75 gm packet, 625 mg tab)</i> | 1 | |
| <i>colestipol hcl (1 gm tab, 5 gm granules, 5 gm packet)</i> | 1 | |
| <i>prevalite (4 gm packet, 4 gm/dose powder)</i> | 1 | |
| FIBRIC ACID DERIVATIVES | | |
| <i>fenofibrate (48 mg tab, 54 mg tab, 67 mg cap, 134 mg cap, 145 mg tab, 160 mg tab, 200 mg cap)</i> | 1 | |
| FENOFIBRATE MICRONIZED (30 MG CAP, 90 MG CAP) | 1 | PA |
| <i>fenofibrate micronized (43 mg cap, 67 mg cap, 130 mg cap, 134 mg cap, 200 mg cap)</i> | 1 | |
| <i>fenofibric acid (45 mg cap dr, 135 mg cap dr)</i> | 1 | |
| <i>gemfibrozil 600 mg tab</i> | 1 | |
| HMG COA REDUCTASE INHIBITORS | | |
| <i>atorvastatin calcium (20 mg tab, 40 mg tab, 80 mg tab)</i> | 1 | QL (1 unit per day) |
| <i>atorvastatin calcium 10 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>lovastatin 10 mg tab</i> | 1 | QL (4 units per 1 day) |
| <i>lovastatin 20 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>lovastatin 40 mg tab</i> | 1 | QL (1 unit per 1 day) |
| <i>pravastatin sodium 10 mg tab</i> | 1 | QL (8 units per day) |
| <i>pravastatin sodium 20 mg tab</i> | 1 | QL (4 units per day) |
| <i>pravastatin sodium 40 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>pravastatin sodium 80 mg tab</i> | 1 | QL (8 units per 28 days) |
| <i>rosuvastatin calcium (10 mg tab, 20 mg tab, 40 mg tab)</i> | 1 | QL (1 unit per day) |
| <i>rosuvastatin calcium 5 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>simvastatin (40 mg tab, 80 mg tab)</i> | 1 | QL (1 unit per day) |
| <i>simvastatin 10 mg tab</i> | 1 | QL (4 units per day) |
| <i>simvastatin 20 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>simvastatin 5 mg tab</i> | 1 | QL (8 units per day) |
| ZYPITAMAG (2 MG TAB, 4 MG TAB) | 2 | PA, QL (1 unit per day) |
| INTESTINAL CHOLESTEROL ABSORPTION INHIBITORS | | |
| <i>ezetimibe 10 mg tab</i> | 1 | |
| MICROSOMAL TRIGLYCERIDE TRANSFER PROTEIN (MTP) INHIBITORS | | |
| JUXTAPID (20 MG CAP, 30 MG CAP) | 2 | PA, LA, QL (56 units per 28 days), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--------------------------------|
| NICOTINIC ACID DERIVATIVES | | |
| <i>niacin er (antihyperlipidemic) (500 mg tab er, 750 mg tab er, 1000 mg tab er)</i> | 1 | |
| PROPROTEIN CONVERTASE SUBTILISIN/KEXIN TYPE 9 INHIBITORS | | |
| LEQVIO 284 MG/1.5ML SOLN PRSYR | 2 | PA, SP |
| PRALUENT (75 MG/ML SOLN A-INJ, 150 MG/ML SOLN A-INJ) | 2 | PA, QL (0.072 units per 1 day) |
| REPATHA 140 MG/ML SOLN PRSYR | 2 | PA, QL (0.072 units per 1 day) |
| REPATHA PUSHTRONEX SYSTEM 420 MG/3.5ML SOLN CART | 2 | PA, QL (0.125 units per 1 day) |
| REPATHA SURECLICK 140 MG/ML SOLN A-INJ | 2 | PA, QL (0.072 units per 1 day) |
| ANTIHYPERTENSIVES | | |
| ACE INHIBITORS | | |
| <i>benazepril hcl (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab)</i> | 1 | |
| <i>captopril (12.5 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| <i>enalapril maleate (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i> | 1 | |
| <i>fosinopril sodium (10 mg tab, 20 mg tab, 40 mg tab)</i> | 1 | |
| <i>lisinopril (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab, 30 mg tab, 40 mg tab)</i> | 1 | |
| <i>moexipril hcl (7.5 mg tab, 15 mg tab)</i> | 1 | |
| PERINDOPRIL ERBUMINE (2 MG TAB, 8 MG TAB) | 2 | |
| <i>perindopril erbumine 4 mg tab</i> | 1 | |
| <i>quinapril hcl (5 mg tab, 10 mg tab, 20 mg tab, 40 mg tab)</i> | 1 | |
| <i>ramipril (1.25 mg cap, 2.5 mg cap, 5 mg cap, 10 mg cap)</i> | 1 | |
| <i>trandolapril (1 mg tab, 2 mg tab, 4 mg tab)</i> | 1 | |
| AGENTS FOR PHEOCHROMOCYTOMA | | |
| <i>phenoxybenzamine hcl 10 mg cap</i> | 1 | SP |
| ANGIOTENSIN II RECEPTOR ANTAGONISTS | | |
| <i>candesartan cilexetil (4 mg tab, 8 mg tab, 16 mg tab, 32 mg tab)</i> | 1 | |
| <i>irbesartan (75 mg tab, 150 mg tab, 300 mg tab)</i> | 1 | |
| <i>losartan potassium (25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| <i>olmesartan medoxomil (5 mg tab, 20 mg tab, 40 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>telmisartan (20 mg tab, 40 mg tab, 80 mg tab)</i> | 1 | |
| <i>valsartan (40 mg tab, 80 mg tab, 160 mg tab, 320 mg tab)</i> | 1 | |
| ANTIADRENERGIC ANTIHYPERTENSIVES | | |
| <i>clonidine (0.1 mg/24hr patch wk, 0.2 mg/24hr patch wk, 0.3 mg/24hr patch wk)</i> | 1 | |
| <i>clonidine hcl (0.1 mg tab, 0.2 mg tab, 0.3 mg tab)</i> | 1 | |
| <i>doxazosin mesylate (1 mg tab, 2 mg tab, 4 mg tab, 8 mg tab)</i> | 1 | |
| <i>guanfacine hcl (1 mg tab, 2 mg tab)</i> | 1 | |
| <i>methyl dopa 250 mg tab</i> | 1 | |
| <i>prazosin hcl (1 mg cap, 2 mg cap, 5 mg cap)</i> | 1 | |
| <i>terazosin hcl (1 mg cap, 2 mg cap, 5 mg cap, 10 mg cap)</i> | 1 | |
| ANTIHYPERTENSIVE COMBINATIONS | | |
| <i>amlodipine besy-benazepril hcl (2.5-10 mg cap, 5-10 mg cap, 5-20 mg cap, 5-40 mg cap, 10-20 mg cap, 10-40 mg cap)</i> | 1 | |
| <i>amlodipine besylate-valsartan (5-160 mg tab, 5-320 mg tab, 10-160 mg tab, 10-320 mg tab)</i> | 1 | PA |
| <i>amlodipine-olmesartan (5-20 mg tab, 5-40 mg tab, 10-20 mg tab, 10-40 mg tab)</i> | 1 | PA |
| <i>amlodipine-valsartan-hctz 10-160-25 mg tab</i> | 1 | PA |
| <i>atenolol-chlorthalidone (50-25 mg tab, 100-25 mg tab)</i> | 1 | |
| <i>benazepril-hydrochlorothiazide (5-6.25 mg tab, 10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i> | 1 | |
| <i>bisoprolol-hydrochlorothiazide (2.5-6.25 mg tab, 5-6.25 mg tab, 10-6.25 mg tab)</i> | 1 | |
| <i>candesartan cilexetil-hctz (16-12.5 mg tab, 32-12.5 mg tab, 32-25 mg tab)</i> | 1 | |
| <i>enalapril-hydrochlorothiazide (5-12.5 mg tab, 10-25 mg tab)</i> | 1 | |
| <i>fosinopril sodium-hctz (10-12.5 mg tab, 20-12.5 mg tab)</i> | 1 | |
| <i>irbesartan-hydrochlorothiazide (150-12.5 mg tab, 300-12.5 mg tab)</i> | 1 | |
| <i>lisinopril-hydrochlorothiazide (10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i> | 1 | |
| <i>losartan potassium-hctz (50-12.5 mg tab, 100-12.5 mg tab, 100-25 mg tab)</i> | 1 | |
| <i>metoprolol-hydrochlorothiazide (50-25 mg tab, 100-25 mg tab, 100-50 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| <i>olmesartan medoxomil-hctz (20-12.5 mg tab, 40-12.5 mg tab, 40-25 mg tab)</i> | 1 | |
| <i>olmesartan-amlodipine-hctz (20-5-12.5 mg tab, 40-10-12.5 mg tab, 40-10-25 mg tab, 40-5-12.5 mg tab, 40-5-25 mg tab)</i> | 1 | PA |
| <i>quinapril-hydrochlorothiazide (10-12.5 mg tab, 20-12.5 mg tab, 20-25 mg tab)</i> | 1 | |
| TEKTURNA HCT (150-12.5 MG TAB, 150-25 MG TAB, 300-12.5 MG TAB, 300-25 MG TAB) | 2 | PA |
| <i>telmisartan-hctz (40-12.5 mg tab, 80-12.5 mg tab, 80-25 mg tab)</i> | 1 | |
| TRANDOLAPRIL-VERAPAMIL HCL ER (1-240 MG TAB ER, 2-180 MG TAB ER, 2-240 MG TAB ER, 4-240 MG TAB ER) | 1 | |
| <i>valsartan-hydrochlorothiazide (80-12.5 mg tab, 160-12.5 mg tab, 160-25 mg tab, 320-12.5 mg tab, 320-25 mg tab)</i> | 1 | |
| DIRECT RENIN INHIBITORS | | |
| <i>aliskiren fumarate (150 mg tab, 300 mg tab)</i> | 1 | PA |
| SELECTIVE ALDOSTERONE RECEPTOR ANTAGONISTS (SARAS) | | |
| <i>eplerenone (25 mg tab, 50 mg tab)</i> | 1 | |
| VASODILATORS | | |
| <i>hydralazine hcl (10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| <i>minoxidil (2.5 mg tab, 10 mg tab)</i> | 1 | |
| ANTIMALARIALS | | |
| ANTIMALARIAL COMBINATIONS | | |
| <i>atovaquone-proguanil hcl (62.5-25 mg tab, 250-100 mg tab)</i> | 1 | |
| ANTIMALARIALS | | |
| ARTESUNATE 110 MG RECON SOLN | 2 | |
| <i>chloroquine phosphate (250 mg tab, 500 mg tab)</i> | 1 | |
| <i>hydroxychloroquine sulfate 200 mg tab</i> | 1 | |
| <i>mefloquine hcl 250 mg tab</i> | 1 | |
| <i>primaquine phosphate 26.3 (15 base) mg tab</i> | 2 | QL (14 ea per 14 days), QL (14 ea per 180 days), MDS |
| <i>pyrimethamine 25 mg tab</i> | 1 | PA, SP, MDS |
| <i>quinine sulfate 324 mg cap</i> | 1 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| ANTIMYASTHENIC/CHOLINERGIC AGENTS | | |
| ANTIMYASTHENIC/CHOLINERGIC AGENTS | | |
| FIRDAPSE 10 MG TAB | 2 | PA, LA, QL (240 units per 30 days), SP, MDS |
| <i>pyridostigmine bromide (30 mg tab, 60 mg tab, 60 mg/5ml solution)</i> | 1 | |
| <i>pyridostigmine bromide er 180 mg tab er</i> | 1 | |
| ANTIMYCOBACTERIAL AGENTS | | |
| ANTIMYCOBACTERIAL AGENTS | | |
| <i>ethambutol hcl (100 mg tab, 400 mg tab)</i> | 1 | |
| <i>isoniazid (50 mg/5ml syrup, 100 mg tab, 300 mg tab)</i> | 1 | |
| PRETOMANID 200 MG TAB | 2 | PA, QL (1 unit per 1 day) |
| <i>pyrazinamide 500 mg tab</i> | 1 | |
| <i>rifabutin 150 mg cap</i> | 1 | |
| <i>rifampin (150 mg cap, 300 mg cap)</i> | 1 | |
| SIRTURO (20 MG TAB, 100 MG TAB) | 2 | PA, LA, SP, MDS |
| ANTINEOPLASTICS AND ADJUNCTIVE THERAPIES | | |
| ALKYLATING AGENTS | | |
| BELRAPZO 100 MG/4ML SOLUTION | 2 | SP, MDS |
| <i>bendamustine hcl (25 mg recon soln, 100 mg recon soln)</i> | 2 | SP, MDS |
| BENDAMUSTINE HCL 100 MG/4ML SOLUTION | 2 | SP |
| BENDEKA 100 MG/4ML SOLUTION | 2 | SP, MDS |
| <i>cyclophosphamide (25 mg cap, 50 mg cap)</i> | 1 | PN (\$0 Oral Oncology), SP |
| LEUKERAN 2 MG TAB | 2 | PN (\$0 Oral Oncology) |
| MELPHALAN 2 MG TAB | 1 | PN (\$0 Oral Oncology) |
| MYLERAN 2 MG TAB | 2 | PN (\$0 Oral Oncology), SP |
| <i>oxaliplatin (50 mg recon soln, 50 mg/10ml solution, 100 mg recon soln, 100 mg/20ml solution)</i> | 1 | SP, MDS |
| OXALIPLATIN 200 MG/40ML SOLUTION | 1 | MDS |
| <i>temozolomide (5 mg cap, 20 mg cap, 100 mg cap, 140 mg cap, 180 mg cap, 250 mg cap)</i> | 1 | PN (\$0 Oral Oncology), SP |
| <i>thiotepa (15 mg recon soln, 100 mg recon soln)</i> | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| VIVIMUSTA 100 MG/4ML SOLUTION | 2 | SP, MDS |
| YONDELIS 1 MG RECON SOLN | 2 | PA, SP, MDS |
| ZEPZELCA 4 MG RECON SOLN | 2 | PA, SP, MDS |
| ANTIMETABOLITES | | |
| <i>capecitabine (150 mg tab, 500 mg tab)</i> | 1 | PN (\$0 Oral Oncology), SP, MDS |
| <i>clofarabine 1 mg/ml solution</i> | 2 | PA, SP, MDS |
| <i>decitabine 50 mg recon soln</i> | 2 | SP, MDS |
| FOLOTYN (20 MG/ML SOLUTION, 40 MG/2ML SOLUTION) | 2 | SP, MDS |
| JYLAMVO 2 MG/ML SOLUTION | 2 | PA |
| <i>mercaptopurine 50 mg tab</i> | 1 | PN (\$0 Oral Oncology) |
| METHOTREXATE SODIUM (2.5 MG TAB, 50 MG/2ML SOLUTION, 250 MG/10ML SOLUTION) | 1 | |
| <i>methotrexate sodium (pf) (1 gm/40ml solution, 50 mg/2ml solution, 250 mg/10ml solution, 1000 mg/40ml solution)</i> | 1 | |
| <i>nelarabine 5 mg/ml solution</i> | 2 | PA, SP, MDS |
| ONUREG (200 MG TAB, 300 MG TAB) | 2 | PA, QL (14 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| PEMETREXED (1 GM/40ML SOLUTION, 100 MG/4ML SOLUTION, 500 MG/20ML SOLUTION) | 2 | SP |
| PEMETREXED DISODIUM (1 GM/40ML SOLUTION, 100 MG/4ML SOLUTION, 500 MG/20ML SOLUTION, 750 MG RECON SOLN, 850 MG/34ML SOLUTION, 1000 MG RECON SOLN) | 2 | SP |
| <i>pemetrexed disodium (100 mg recon soln, 500 mg recon soln)</i> | 2 | SP, MDS |
| PEMETREXED DITROMETHAMINE (100 MG RECON SOLN, 500 MG RECON SOLN) | 2 | SP |
| PEMFEXY 500 MG/20ML SOLUTION | 2 | SP |
| PRALATREXATE (20 MG/ML SOLUTION, 40 MG/2ML SOLUTION) | 2 | SP, MDS |
| XATMEP 2.5 MG/ML SOLUTION | 2 | PA, SP |
| ANTINEOPLASTIC - ANGIOGENESIS INHIBITORS | | |
| AVASTIN (100 MG/4ML SOLUTION, 400 MG/16ML SOLUTION) | 2 | PA, SP, MDS |
| CYRAMZA (100 MG/10ML SOLUTION, 500 MG/50ML SOLUTION) | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| FRUZAQLA 1 MG CAP | 2 | PA, QL (84 ea per 28 days), SP, MDS |
| FRUZAQLA 5 MG CAP | 2 | PA, QL (21 ea per 28 days), SP, MDS |
| INLYTA 1 MG TAB | 2 | QL (180 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| INLYTA 5 MG TAB | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LENVIMA (10 MG DAILY DOSE) 10 MG CAP THPK | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LENVIMA (12 MG DAILY DOSE) 3 X 4 MG CAP THPK | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LENVIMA (14 MG DAILY DOSE) 10 & 4 MG CAP THPK | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LENVIMA (18 MG DAILY DOSE) 10 MG & 2 X 4 MG CAP THPK | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LENVIMA (20 MG DAILY DOSE) 2 X 10 MG CAP THPK | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LENVIMA (24 MG DAILY DOSE) 2 X 10 MG & 4 MG CAP THPK | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LENVIMA (4 MG DAILY DOSE) 4 MG CAP THPK | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LENVIMA (8 MG DAILY DOSE) 2 X 4 MG CAP THPK | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| MVASI (100 MG/4ML SOLUTION, 400 MG/16ML SOLUTION) | 2 | SP, MDS |
| ZALTRAP (100 MG/4ML SOLUTION, 200 MG/8ML SOLUTION) | 2 | PA, SP, MDS |
| ANTINEOPLASTIC - ANTI-HER2 AGENTS | | |
| HERCEPTIN 150 MG RECON SOLN | 2 | PA, SP, MDS |
| HERZUMA (150 MG RECON SOLN, 420 MG RECON SOLN) | 2 | PN (34 DAYS SUPPLY PER FILL), SP, MDS |
| KANJINTI (150 MG RECON SOLN, 420 MG RECON SOLN) | 2 | PN (34 DAYS SUPPLY PER FILL), SP, MDS |
| OGIVRI (150 MG RECON SOLN, 420 MG RECON SOLN) | 2 | PN (34 DAYS SUPPLY PER FILL), SP, MDS |
| ONTRUZANT 150 MG RECON SOLN | 2 | SP, MDS |
| ONTRUZANT 420 MG RECON SOLN | 2 | SP |
| PERJETA 420 MG/14ML SOLUTION | 2 | SP, MDS |
| TRAZIMERA (150 MG RECON SOLN, 420 MG RECON SOLN) | 2 | SP, MDS |
| TUKYSA (50 MG TAB, 150 MG TAB) | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC - ANTIBODIES | | |
| ADCETRIS 50 MG RECON SOLN | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| ARZERRA (100 MG/5ML CONC, 1000 MG/50ML CONC) | 2 | PA, SP, MDS |
| BAVENCIO 200 MG/10ML SOLUTION | 2 | PA, SP, MDS |
| BESPONSA 0.9 MG RECON SOLN | 2 | PA, SP, MDS |
| BLENREP 100 MG RECON SOLN | 2 | PA, MDS |
| BLINCYTO 35 MCG RECON SOLN | 2 | PA, SP, MDS |
| COLUMVI (2.5 MG/2.5ML SOLUTION, 10 MG/10ML SOLUTION) | 2 | PA, QL (30 ml per 21 days), SP, MDS |
| DANYELZA 40 MG/10ML SOLUTION | 2 | PA, SP, MDS |
| DARZALEX (100 MG/5ML SOLUTION, 400 MG/20ML SOLUTION) | 2 | PA, SP, MDS |
| ELAHERE 100 MG/20ML SOLUTION | 2 | PA, LA, SP, MDS |
| ELREXFIO (44 MG/1.1ML SOLUTION, 76 MG/1.9ML SOLUTION) | 2 | PA, LA, SP, QL (34 days supply per fill), MDS |
| EMPLICITI (300 MG RECON SOLN, 400 MG RECON SOLN) | 2 | PA, SP, MDS |
| ENHERTU 100 MG RECON SOLN | 2 | PA, SP, MDS |
| EPKINLY (4 MG/0.8ML SOLUTION, 48 MG/0.8ML SOLUTION) | 2 | PA, SP, MDS |
| GAZYVA 1000 MG/40ML SOLUTION | 2 | PA, SP, MDS |
| IMDELLTRA (1 MG RECON SOLN, 10 MG RECON SOLN) | 2 | PA, SP, MDS |
| IMFINZI (120 MG/2.4ML SOLUTION, 500 MG/10ML SOLUTION) | 2 | PA, SP, MDS |
| IMJUDO 25 MG/1.25ML SOLUTION | 2 | PA, QL (375 units per 180 days), SP, MDS |
| IMJUDO 300 MG/15ML SOLUTION | 2 | PA, QL (15 units per 180 days), SP, MDS |
| JEMPERLI 500 MG/10ML SOLUTION | 2 | PA, SP, MDS |
| KADCYLA (100 MG RECON SOLN, 160 MG RECON SOLN) | 2 | PA, SP, MDS |
| KEYTRUDA 100 MG/4ML SOLUTION | 2 | PA, SP, PN (MIN 21 DAY SUPPLY; MAX 42 DAY SUPPLY) |
| KIMMTRAK 100 MCG/0.5ML SOLUTION | 2 | PA, SP |
| LIBTAYO 350 MG/7ML SOLUTION | 2 | PA, SP, MDS |
| LOQTORZI 240 MG/6ML SOLUTION | 2 | PA, SP, MDS |
| LUNSUMIO (1 MG/ML SOLUTION, 30 MG/30ML SOLUTION) | 2 | PA, SP, MDS |
| MONJUVI 200 MG RECON SOLN | 2 | PA, SP, MDS |
| MYLOTARG 4.5 MG RECON SOLN | 2 | PA, SP, MDS |
| OPDIVO (40 MG/4ML SOLUTION, 100 MG/10ML SOLUTION, 240 MG/24ML SOLUTION) | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| OPDIVO 120 MG/12ML SOLUTION | 2 | PA, SP, MDS |
| PADCEV (20 MG RECON SOLN, 30 MG RECON SOLN) | 2 | PA, SP, MDS |
| POLIVY 140 MG RECON SOLN | 2 | PA, SP, MDS |
| POLIVY 30 MG RECON SOLN | 2 | PA, SP, MDS |
| POTELIGEO 20 MG/5ML SOLUTION | 2 | PA, SP, MDS |
| RIABNI (100 MG/10ML SOLUTION, 500 MG/50ML SOLUTION) | 2 | PA, PN (PA is not required for oncology or multiple sclerosis indications), SP, MDS |
| RITUXAN (100 MG/10ML SOLUTION, 500 MG/50ML SOLUTION) | 2 | PA, SP, MDS |
| RUXIENCE (100 MG/10ML SOLUTION, 500 MG/50ML SOLUTION) | 2 | PA, PN (PA is not required for oncology or multiple sclerosis indications), SP, MDS |
| RYBREVANT 350 MG/7ML SOLUTION | 2 | PA, SP, MDS |
| SARCLISA (100 MG/5ML SOLUTION, 500 MG/25ML SOLUTION) | 2 | PA, SP, MDS |
| TALVEY (3 MG/1.5ML SOLUTION, 40 MG/ML SOLUTION) | 2 | PA, SP, QL (34 days supply per fill), MDS |
| TECENTRIQ (840 MG/14ML SOLUTION, 1200 MG/20ML SOLUTION) | 2 | PA, SP, MDS |
| TECVAYLI (30 MG/3ML SOLUTION, 153 MG/1.7ML SOLUTION) | 2 | PA, SP, MDS |
| TEVIMBRA 100 MG/10ML SOLUTION | 2 | PA, SP, MDS |
| TIVDAK 40 MG RECON SOLN | 2 | PA, SP |
| UNITUXIN 17.5 MG/5ML SOLUTION | 2 | PA, SP, MDS |
| VYLOY 100 MG RECON SOLN | 2 | PA, SP, MDS |
| YERVOY (50 MG/10ML SOLUTION, 200 MG/40ML SOLUTION) | 2 | PA, SP, MDS |
| ZEVALIN Y-90 3.2 MG/2ML KIT | 2 | PA, SP, MDS |
| ZYNLONTA 10 MG RECON SOLN | 2 | PA, LA, SP, MDS |
| ANTINEOPLASTIC - BCL-2 INHIBITORS | | |
| VENCLEXTA 10 MG TAB | 2 | QL (56 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| VENCLEXTA 100 MG TAB | 2 | QL (180 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| VENCLEXTA 50 MG TAB | 2 | QL (28 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| VENCLEXTA STARTING PACK 10 & 50 & 100 MG TAB THPK | 2 | QL (42 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| ANTINEOPLASTIC - CELLULAR IMMUNOTHERAPY | | |
| PROVENGE 50000000 CELLS SUSPENSION | 2 | PA, SP, MDS |
| ANTINEOPLASTIC - EGFR INHIBITORS | | |
| ERBITUX (100 MG/50ML SOLUTION, 200 MG/100ML SOLUTION) | 2 | SP, MDS |
| <i>erlotinib hcl (100 mg tab, 150 mg tab)</i> | 1 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>erlotinib hcl 25 mg tab</i> | 1 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| EXKIVITY 40 MG CAP | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| GILOTRIF (20 MG TAB, 30 MG TAB, 40 MG TAB) | 2 | LA, QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LAZCLUZE (80 MG TAB, 240 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, SP, MDS |
| PORTRAZZA 800 MG/50ML SOLUTION | 2 | PA, SP, MDS |
| TAGRISSO (40 MG TAB, 80 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| VECTIBIX (100 MG/5ML SOLUTION, 400 MG/20ML SOLUTION) | 2 | PA, SP, MDS |
| VIZIMPRO (15 MG TAB, 30 MG TAB, 45 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC - HEDGEHOG PATHWAY INHIBITORS | | |
| DAURISMO 100 MG TAB | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| DAURISMO 25 MG TAB | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ERIVEDGE 150 MG CAP | 2 | QL (28 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ODOMZO 200 MG CAP | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC - HORMONAL AND RELATED AGENTS | | |
| <i>abiraterone acetate 250 mg tab</i> | 1 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>abiraterone acetate 500 mg tab</i> | 1 | PA, QL (60 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| <i>abirtega 250 mg tab</i> | 1 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| AKEEGA 100-500 MG TAB | 2 | PA, QL (60 ea per 30 days), SP, QL (30 days supply per fill), MDS |
| AKEEGA 50-500 MG TAB | 2 | QL (60 ea per 30 days), PA-NSO, PN (30 DAYS SUPPLY PER FILL), SP, QL (30 days supply per fill), MDS |
| <i>anastrozole 1 mg tab</i> | 0 | PN (\$0 Oral Oncology) |
| <i>bicalutamide 50 mg tab</i> | 1 | PN (\$0 Oral Oncology) |
| CAMCEVI 42 MG PRSYR | 2 | SP |
| ELIGARD 22.5 MG KIT | 2 | SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| ELIGARD 30 MG KIT | 2 | SP, PN (MIN 112 DAY SUPPLY; MAX 120 DAY SUPPLY) |
| ELIGARD 45 MG KIT | 2 | SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| ELIGARD 7.5 MG KIT | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| EMCYT 140 MG CAP | 2 | PN (\$0 Oral Oncology), SP |
| ERLEADA 240 MG TAB | 2 | QL (30 units per 30 days), PA-NSO, SP, MDS |
| ERLEADA 60 MG TAB | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>exemestane 25 mg tab</i> | 0 | PN (\$0 Oral Oncology) |
| FIRMAGON (240 MG DOSE) 120 MG/VIAL RECON SOLN | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| FIRMAGON 80 MG RECON SOLN | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| FULVESTRANT 250 MG/5ML SOLN PRSYR | 2 | SP, MDS |
| <i>fulvestrant 250 mg/5ml soln prsyr</i> | 2 | SP, MDS |
| <i>letrozole 2.5 mg tab</i> | 0 | PN (\$0 Oral Oncology) |
| <i>leuprolide acetate 1 mg/0.2ml kit</i> | 1 | |
| LUPRON DEPOT (1-MONTH) (3.75 MG KIT, 7.5 MG KIT) | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| LUPRON DEPOT (3-MONTH) (11.25 MG KIT, 22.5 MG KIT) | 2 | SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| LUPRON DEPOT (4-MONTH) 30 MG KIT | 2 | SP, PN (MIN 112 DAY SUPPLY; MAX 120 DAY SUPPLY) |
| LUPRON DEPOT (6-MONTH) 45 MG KIT | 2 | SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| LYSODREN 500 MG TAB | 2 | LA, PN (\$0 Oral Oncology), SP |
| <i>megestrol acetate (20 mg tab, 40 mg tab)</i> | 1 | PN (\$0 Oral Oncology) |
| <i>megestrol acetate (40 mg/ml suspension, 400 mg/10ml suspension, 800 mg/20ml suspension)</i> | 1 | |
| <i>nilutamide 150 mg tab</i> | 1 | PN (\$0 Oral Oncology), SP |
| NUBEQA 300 MG TAB | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ORGOVYX 120 MG TAB | 2 | PA, QL (64 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| ORSERDU 345 MG TAB | 2 | LA, QL (30 units per 30 days), PA-NSO, SP, MDS |
| ORSERDU 86 MG TAB | 2 | LA, QL (90 units per 30 days), PA-NSO, SP, MDS |
| <i>tamoxifen citrate (10 mg tab, 20 mg tab)</i> | 0 | PN (\$0 Oral Oncology) |
| <i>toremifene citrate 60 mg tab</i> | 1 | PN (\$0 Oral Oncology), SP |
| TRELSTAR MIXJECT 11.25 MG RECON SUSP | 2 | SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| TRELSTAR MIXJECT 22.5 MG RECON SUSP | 2 | SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| TRELSTAR MIXJECT 3.75 MG RECON SUSP | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| XTANDI (40 MG CAP, 40 MG TAB) | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| XTANDI 80 MG TAB | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC - HYPOXIA-INDUCIBLE FACTOR INHIBITORS | | |
| WELIREG 40 MG TAB | 2 | LA, QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC - IMMUNOMODULATORS | | |
| POMALYST (1 MG CAP, 2 MG CAP, 3 MG CAP, 4 MG CAP) | 2 | QL (21 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC - PDGFR-ALPHA INHIBITORS | | |
| AYVAKIT (25 MG TAB, 50 MG TAB, 100 MG TAB, 200 MG TAB, 300 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC - XPO1 INHIBITORS | | |
| XPOVIO (100 MG ONCE WEEKLY) 50 MG TAB THPK | 2 | QL (8 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|---|
| XPOVIO (40 MG ONCE WEEKLY) 40 MG TAB THPK | 2 | QL (4 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| XPOVIO (40 MG TWICE WEEKLY) 40 MG TAB THPK | 2 | QL (8 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| XPOVIO (60 MG ONCE WEEKLY) 60 MG TAB THPK | 2 | QL (4 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| XPOVIO (60 MG TWICE WEEKLY) 20 MG TAB THPK | 2 | QL (24 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| XPOVIO (80 MG ONCE WEEKLY) 40 MG TAB THPK | 2 | QL (8 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| XPOVIO (80 MG TWICE WEEKLY) 20 MG TAB THPK | 2 | QL (32 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC ANTIBIOTICS | | |
| JELMYTO 80 (2 X 40) MG RECON SOLN | 2 | PA, LA, QL (17 doses per lifetime), SP |
| <i>mitomycin (5 mg recon soln, 20 mg recon soln, 40 mg recon soln)</i> | 1 | SP, MDS |
| <i>mutamycin (5 mg recon soln, 20 mg recon soln, 40 mg recon soln)</i> | 1 | SP, MDS |
| ANTINEOPLASTIC COMBINATIONS | | |
| DARZALEX FASPRO 1800-30000 MG-UT/15ML SOLUTION | 2 | PA, QL (2.15 units per 1 day), SP, MDS |
| HERCEPTIN HYLECTA 600-10000 MG-UNT/5ML SOLUTION | 2 | PN (34 DAYS SUPPLY PER FILL), SP, MDS |
| INQOVI 35-100 MG TAB | 2 | QL (5 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| KISQALI FEMARA (200 MG DOSE) 200 & 2.5 MG TAB THPK | 2 | QL (49 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| KISQALI FEMARA (400 MG DOSE) 200 & 2.5 MG TAB THPK | 2 | QL (70 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| KISQALI FEMARA (600 MG DOSE) 200 & 2.5 MG TAB THPK | 2 | QL (91 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| LONSURF 15-6.14 MG TAB | 2 | QL (100 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| LONSURF 20-8.19 MG TAB | 2 | QL (80 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| OPDUALAG 240-80 MG/20ML SOLUTION | 2 | PA, QL (40 units per 28 days), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| PHESGO (60-60-2000 MG-MG-U/ML SOLUTION, 80-40-2000 MG-MG-U/ML SOLUTION) | 2 | SP, MDS |
| RITUXAN HYCELA (1400-23400 MG -UT/11.7ML SOLUTION, 1600-26800 MG -UT/13.4ML SOLUTION) | 2 | PA, SP, MDS |
| VYXEOS 44-100 MG RECON SUSP | 2 | PA, LA, SP, MDS |
| ANTINEOPLASTIC ENZYME INHIBITORS | | |
| ALECENSA 150 MG CAP | 2 | QL (240 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 30 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| ALIQOPA 60 MG RECON SOLN | 2 | PA, SP, MDS |
| ALUNBRIG (90 & 180 MG TAB THPK, 90 MG TAB, 180 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ALUNBRIG 30 MG TAB | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| AUGTYRO 40 MG CAP | 0 | PA, QL (240 ea per 30 days), SP, MDS |
| BALVERSA 3 MG TAB | 2 | LA, QL (84 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| BALVERSA 4 MG TAB | 2 | LA, QL (56 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| BALVERSA 5 MG TAB | 2 | LA, QL (28 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| BELEODAQ 500 MG RECON SOLN | 2 | PA, SP, MDS |
| BORTEZOMIB (1 MG RECON SOLN, 2.5 MG RECON SOLN) | 2 | PA, SP |
| <i>bortezomib 3.5 mg recon soln</i> | 2 | PA, SP, MDS |
| BORTEZOMIB 3.5 MG/1.4ML SOLUTION | 2 | PA, SP |
| BOSULIF (400 MG TAB, 500 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| BOSULIF 100 MG TAB | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| BRAFTOVI 75 MG CAP | 2 | QL (180 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| BRUKINSA 80 MG CAP | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| CABOMETYX (20 MG TAB, 40 MG TAB, 60 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| CALQUENCE 100 MG TAB | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| CAPRELSA 100 MG TAB | 2 | LA, QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| CAPRELSA 300 MG TAB | 2 | PA, LA, QL (30 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| COMETRIQ (100 MG DAILY DOSE) 80 & 20 MG KIT | 2 | QL (56 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| COMETRIQ (140 MG DAILY DOSE) 3 X 20 MG & 80 MG KIT | 2 | QL (112 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| COMETRIQ (60 MG DAILY DOSE) 20 MG KIT | 2 | QL (84 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| COPIKTRA (15 MG CAP, 25 MG CAP) | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| COTELLIC 20 MG TAB | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| <i>dasatinib (50 mg tab, 70 mg tab, 80 mg tab, 100 mg tab, 140 mg tab)</i> | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>dasatinib 20 mg tab</i> | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>everolimus (2 mg tab sol, 2.5 mg tab, 3 mg tab sol, 5 mg tab, 5 mg tab sol, 7.5 mg tab, 10 mg tab)</i> | 1 | QL (28 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| FOTIVDA (0.89 MG CAP, 1.34 MG CAP) | 2 | QL (21 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| FYARRO 100 MG RECON SUSP | 2 | PA, SP |
| GAVRETO 100 MG CAP | 2 | QL (120 units per 30 days), PA-NSO, SP, MDS |
| GLEEVEC 100 MG TAB | 2 | QL (90 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| GLEEVEC 400 MG TAB | 2 | QL (60 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| IBRANCE (75 MG CAP, 75 MG TAB, 100 MG CAP, 100 MG TAB, 125 MG CAP, 125 MG TAB) | 2 | QL (21 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ICLUSIG (10 MG TAB, 15 MG TAB, 30 MG TAB) | 2 | LA, QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ICLUSIG 45 MG TAB | 2 | LA, QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| IDHIFA (50 MG TAB, 100 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>imatinib mesylate 100 mg tab</i> | 1 | QL (90 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| <i>imatinib mesylate 400 mg tab</i> | 1 | QL (60 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| IMBRUVICA (70 MG CAP, 420 MG TAB) | 2 | QL (28 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| IMBRUVICA 140 MG CAP | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| IMBRUVICA 70 MG/ML SUSPENSION | 2 | QL (216 units per 36 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| INREBIC 100 MG CAP | 2 | PA, QL (120 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| ITOVEBI 3 MG TAB | 0 | QL (60 ea per 30 days), PA-NSO, SP, MDS |
| ITOVEBI 9 MG TAB | 0 | QL (30 ea per 30 days), PA-NSO, SP, MDS |
| JAKAFI (5 MG TAB, 10 MG TAB, 15 MG TAB, 20 MG TAB, 25 MG TAB) | 2 | PA, QL (60 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| JAYPIRCA 100 MG TAB | 2 | QL (60 units per 30 days), PA-NSO, SP, MDS |
| JAYPIRCA 50 MG TAB | 2 | QL (30 units per 30 days), PA-NSO, SP, MDS |
| KISQALI (200 MG DOSE) 200 MG TAB THPK | 2 | QL (21 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| KISQALI (400 MG DOSE) 200 MG TAB THPK | 2 | QL (42 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| KISQALI (600 MG DOSE) 200 MG TAB THPK | 2 | QL (63 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| KOSELUGO 10 MG CAP | 2 | QL (240 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| KOSELUGO 25 MG CAP | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| KRAZATI 200 MG TAB | 2 | QL (180 units per 30 days), PA-NSO, SP, MDS |
| KYPROLIS (10 MG RECON SOLN, 30 MG RECON SOLN, 60 MG RECON SOLN) | 2 | PA, SP, MDS |
| <i>lapatinib ditosylate 250 mg tab</i> | 1 | QL (180 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LORBRENA 100 MG TAB | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LORBRENA 25 MG TAB | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LUMAKRAS 120 MG TAB | 2 | QL (240 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| LUMAKRAS 320 MG TAB | 2 | QL (90 units per 30 days), PA-NSO, SP, MDS |
| LYNPARZA (100 MG TAB, 150 MG TAB) | 2 | PA, QL (120 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| LYTGOBI (12 MG DAILY DOSE) 4 MG TAB THPK | 2 | QL (84 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LYTGOBI (16 MG DAILY DOSE) 4 MG TAB THPK | 2 | QL (112 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| LYTGOBI (20 MG DAILY DOSE) 4 MG TAB THPK | 2 | QL (140 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| MEKINIST 0.05 MG/ML RECON SOLN | 2 | PA, QL (1200 units per 30 days), SP, MDS |
| MEKINIST 0.5 MG TAB | 2 | PA, QL (90 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| MEKINIST 2 MG TAB | 2 | PA, QL (30 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| MEKTOVI 15 MG TAB | 2 | QL (180 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| NERLYNX 40 MG TAB | 2 | PA, QL (180 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| <i>nilotinib hcl (150 mg cap, 200 mg cap)</i> | 1 | QL (112 units per 28 days), PA-NSO, SP, MDS |
| <i>nilotinib hcl 50 mg cap</i> | 1 | QL (120 units per 30 days), PA-NSO, SP, MDS |
| NINLARO (2.3 MG CAP, 3 MG CAP, 4 MG CAP) | 2 | PA, QL (3 units per 28 days), PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| OGSIVEO 50 MG TAB | 0 | PA, LA, QL (60 units per 30 days), SP, MDS |
| OJEMDA 100 MG TAB | 2 | PA, LA, QL (24 ea per 28 days), SP, MDS |
| OJEMDA 25 MG/ML RECON SUSP | 2 | PA, LA, QL (96 ml per 28 days), SP, MDS |
| OJJAARA (100 MG TAB, 150 MG TAB, 200 MG TAB) | 2 | PA, LA, QL (30 ea per 30 days), SP, MDS |
| <i>pazopanib hcl 200 mg tab</i> | 0 | QL (120 units per 30 days), PA-NSO, SP, QL (30 days supply per fill), MDS |
| PEMAZYRE (4.5 MG TAB, 9 MG TAB, 13.5 MG TAB) | 2 | LA, QL (14 units per 21 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| PIQRAY (200 MG DAILY DOSE) 200 MG TAB THPK | 2 | QL (28 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| PIQRAY (250 MG DAILY DOSE) 200 & 50 MG TAB THPK | 2 | QL (56 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| PIQRAY (300 MG DAILY DOSE) 2 X 150 MG TAB THPK | 2 | QL (56 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| QINLOCK 50 MG TAB | 2 | LA, QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| RETEVMO (80 MG TAB, 120 MG TAB, 160 MG TAB) | 1 | QL (60 ea per 30 days), PA-NSO, SP, MDS |
| RETEVMO 40 MG CAP | 1 | QL (90 ea per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| RETEVMO 40 MG TAB | 1 | QL (90 ea per 30 days), PA-NSO, SP, MDS |
| RETEVMO 80 MG CAP | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| REZLIDHIA 150 MG CAP | 2 | QL (30 units per 30 days), PA-NSO, SP, MDS |
| <i>romidepsin 10 mg recon soln</i> | 2 | PA, SP |
| ROMIDEPSIN 27.5 MG/5.5ML SOLUTION | 2 | PA, SP, MDS |
| ROZLYTREK 100 MG CAP | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ROZLYTREK 200 MG CAP | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ROZLYTREK 50 MG PACKET | 2 | PA, QL (336 ea per 28 days), SP, MDS |
| RUBRACA (200 MG TAB, 250 MG TAB, 300 MG TAB) | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| RYDAPT 25 MG CAP | 2 | QL (224 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| RYTELO (47 MG RECON SOLN, 188 MG RECON SOLN) | 2 | PA, SP, MDS |
| SCEMBLIX (20 MG TAB, 40 MG TAB) | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| SCEMBLIX 100 MG TAB | 2 | QL (120 ea per 30 days), PA-NSO, SP, MDS |
| <i>sorafenib tosylate 200 mg tab</i> | 1 | PA, QL (120 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| SPRYCEL (50 MG TAB, 70 MG TAB, 80 MG TAB, 100 MG TAB, 140 MG TAB) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| SPRYCEL 20 MG TAB | 2 | QL (90 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| STIVARGA 40 MG TAB | 2 | QL (84 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| <i>sunitinib malate (12.5 mg cap, 25 mg cap, 37.5 mg cap, 50 mg cap)</i> | 1 | QL (28 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, PN (MIN 28 DAY SUPPLY; MAX 42 DAY SUPPLY) |
| TABRECTA (150 MG TAB, 200 MG TAB) | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| TAFINLAR (50 MG CAP, 75 MG CAP) | 2 | PA, QL (120 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| TAFINLAR 10 MG TAB SOL | 2 | PA, QL (900 units per 30 days), SP, MDS |
| TALZENNA (0.1 MG CAP, 0.35 MG CAP) | 2 | PA, QL (30 ea per 30 days), SP, MDS |
| TALZENNA (0.25 MG CAP, 0.5 MG CAP, 0.75 MG CAP, 1 MG CAP) | 2 | QL (30 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| TASIGNA (150 MG CAP, 200 MG CAP) | 2 | QL (112 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| TASIGNA 50 MG CAP | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| TAZVERIK 200 MG TAB | 2 | LA, QL (240 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>temsirolimus 25 mg/ml solution</i> | 2 | PA, SP, MDS |
| TEPMETKO 225 MG TAB | 2 | LA, QL (60 units per 30 days), PA-NSO, SP, MDS |
| TIBSOVO 250 MG TAB | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>torpenz (5 mg tab, 7.5 mg tab)</i> | 1 | QL (28 units per 28 days), PA-NSO, SP, MDS |
| <i>torpenz 10 mg tab</i> | 1 | QL (28 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| <i>torpenz 2.5 mg tab</i> | 1 | PA, QL (28 units per 28 days), PN (\$0 Oral Oncology), SP, MDS |
| TRUQAP (160 MG TAB THPK, 200 MG TAB THPK) | 2 | QL (64 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| TRUQAP (160 MG TAB, 200 MG TAB) | 2 | PA, QL (64 ea per 28 days), SP, MDS |
| TURALIO 125 MG CAP | 2 | PA, LA, QL (120 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| VANFLYTA (17.7 MG TAB, 26.5 MG TAB) | 0 | PA, LA, QL (56 units per 28 days), SP, QL (28 days supply per fill), MDS |
| VERZENIO (50 MG TAB, 100 MG TAB, 150 MG TAB, 200 MG TAB) | 2 | QL (56 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| VITRAKVI 100 MG CAP | 2 | PA, QL (60 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| VITRAKVI 20 MG/ML SOLUTION | 2 | PA, QL (300 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| VITRAKVI 25 MG CAP | 2 | PA, QL (180 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |
| VONJO 100 MG CAP | 2 | PA, QL (120 units per 30 days), PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| VORANIGO 10 MG TAB | 2 | LA, QL (60 units per 30 days), PA-NSO, SP, MDS |
| VORANIGO 40 MG TAB | 2 | LA, QL (30 units per 30 days), PA-NSO, SP, MDS |
| XALKORI (20 MG CAP SPRINK, 50 MG CAP SPRINK) | 2 | PA, QL (120 ea per 30 days), SP, MDS |
| XALKORI (200 MG CAP, 250 MG CAP) | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| XALKORI 150 MG CAP SPRINK | 2 | PA, QL (180 ea per 30 days), SP, MDS |
| XOSPATA 40 MG TAB | 2 | PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ZEJULA (100 MG TAB, 200 MG TAB, 300 MG TAB) | 2 | QL (30 tabs per 30 days), PA-NSO, SP, MDS |
| ZELBORAF 240 MG TAB | 2 | QL (240 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ZOLINZA 100 MG CAP | 2 | QL (120 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ZYDELIG (100 MG TAB, 150 MG TAB) | 2 | QL (60 units per 30 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ZYKADIA 150 MG TAB | 2 | QL (84 units per 28 days), PA-NSO, PN (\$0 Oral Oncology), SP, MDS |
| ANTINEOPLASTIC ENZYMES | | |
| ASPARLAS 3750 UNIT/5ML SOLUTION | 2 | SP, MDS |
| ONCASPAR 750 UNIT/ML SOLUTION | 2 | LA, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY), MDS |
| RYLAZE 10 MG/0.5ML SOLUTION | 2 | PA, SP |
| ANTINEOPLASTIC RADIOPHARMACEUTICALS | | |
| AZEDRA DOSIMETRIC 15 MCI/ML SOLUTION | 2 | PA, SP, MDS |
| AZEDRA THERAPEUTIC 15 MCI/ML SOLUTION | 2 | PA, SP, MDS |
| LUTATHERA 370 MBQ/ML SOLUTION | 2 | PA, SP, MDS |
| PLUVICTO 1000 MBQ/ML SOLUTION | 2 | PA, SP |
| XOFIGO 30 MCCI/ML SOLUTION | 2 | PA, SP, MDS |
| ANTINEOPLASTICS MISC. | | |
| ACTIMMUNE 100 MCG/0.5ML SOLUTION | 2 | PA, SP, MDS |
| BESREMI 500 MCG/ML SOLN PRSYR | 2 | LA, QL (2 units per 28 days), PA-NSO, SP, MDS |
| <i>bexarotene 75 mg cap</i> | 1 | PA, PN (\$0 Oral Oncology), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| <i>hydroxyurea 500 mg cap</i> | 1 | PN (\$0 Oral Oncology) |
| MATULANE 50 MG CAP | 2 | LA, PN (\$0 Oral Oncology), SP, MDS |
| <i>tretinoin 10 mg cap</i> | 1 | PN (\$0 Oral Oncology), SP |
| TRISENOX 12 MG/6ML SOLUTION | 2 | PA, SP, MDS |
| CHEMOTHERAPY ADJUNCTS | | |
| ELITEK (1.5 MG RECON SOLN, 7.5 MG RECON SOLN) | 2 | PA, SP, MDS |
| KEPIVANCE 5.16 MG RECON SOLN | 2 | PA, LA, SP, QL (34 day supply per fill), MDS |
| CHEMOTHERAPY RESCUE/ANTIDOTE/PROTECTIVE AGENTS | | |
| COSELA 300 MG RECON SOLN | 2 | PA, SP, MDS |
| IWILFIN 192 MG TAB | 0 | PA, LA, QL (240 ea per 30 days), SP, MDS |
| KHAPZORY (175 MG RECON SOLN, 300 MG RECON SOLN) | 2 | PA, SP, MDS |
| <i>leucovorin calcium (5 mg tab, 10 mg tab, 15 mg tab, 25 mg tab)</i> | 1 | |
| <i>mesna 400 mg tab</i> | 2 | SP, MDS |
| MESNEX 400 MG TAB | 2 | SP, MDS |
| PEDMARK 12.5 % SOLUTION | 2 | PA, SP, MDS |
| MITOTIC INHIBITORS | | |
| ABRAXANE 100 MG RECON SUSP | 2 | PA, SP, MDS |
| <i>eribulin mesylate 1 mg/2ml solution</i> | 2 | PA, SP, MDS |
| ETOPOSIDE 50 MG CAP | 1 | PN (\$0 Oral Oncology), SP |
| HALAVEN 1 MG/2ML SOLUTION | 2 | PA, SP, MDS |
| IXEMPRA KIT (15 MG RECON SOLN, 45 MG RECON SOLN) | 2 | PA, SP, MDS |
| JEVTANA 60 MG/1.5ML SOLUTION | 2 | PA, SP, MDS |
| <i>paclitaxel protein-bound part 100 mg recon susp</i> | 2 | PA, SP, MDS |
| PACLITAXEL PROTEIN-BOUND PART 100 MG RECON SUSP | 2 | PA, SP |
| ONCOLYTIC VIRAL AGENTS | | |
| IMLYGIC (1000000 UNIT/ML SUSPENSION, 100000000 UNIT/ML SUSPENSION) | 2 | PA, SP, MDS |
| TOPOISOMERASE I INHIBITORS | | |
| HYCAMTIN (0.25 MG CAP, 1 MG CAP) | 2 | PN (\$0 Oral Oncology), SP, MDS |
| ONIVYDE 43 MG/10ML INJECTABLE | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-------------------------------------|
| TRODELVY 180 MG RECON SOLN | 2 | PA, SP, MDS |
| ANTIPARKINSON AND RELATED THERAPY AGENTS | | |
| ANTIPARKINSON ANTICHOLINERGICS | | |
| <i>benztropine mesylate (0.5 mg tab, 1 mg tab, 2 mg tab)</i> | 1 | |
| <i>trihexyphenidyl hcl (0.4 mg/ml solution, 2 mg tab, 5 mg tab)</i> | 1 | |
| ANTIPARKINSON COMT INHIBITORS | | |
| <i>entacapone 200 mg tab</i> | 1 | |
| ONGENTYS (25 MG CAP, 50 MG CAP) | 2 | ST, QL (1 unit per 1 day) |
| <i>tolcapone 100 mg tab</i> | 1 | ST |
| ANTIPARKINSON DOPAMINERGICS | | |
| <i>amantadine hcl (50 mg/5ml solution, 100 mg cap, 100 mg tab)</i> | 1 | |
| <i>apomorphine hcl 30 mg/3ml soln cart</i> | 1 | SP |
| <i>bromocriptine mesylate (2.5 mg tab, 5 mg cap)</i> | 1 | |
| CARBIDOPA-LEVODOPA (10-100 MG TAB DISP, 25-100 MG TAB DISP) | 2 | |
| CARBIDOPA-LEVODOPA (10-100 MG TAB, 25-100 MG TAB, 25-250 MG TAB, 25-250 MG TAB DISP) | 1 | |
| <i>carbidopa-levodopa er (25-100 mg tab er, 50-200 mg tab er)</i> | 1 | |
| <i>carbidopa-levodopa-entacapone (12.5-50-200 mg tab, 18.75-75-200 mg tab, 25-100-200 mg tab, 31.25-125-200 mg tab, 37.5-150-200 mg tab, 50-200-200 mg tab)</i> | 1 | |
| INBRIJA 42 MG CAP | 2 | QL (300 units per 30 days), SP, MDS |
| KYNMOBI (10 MG FILM, 15 MG FILM, 20 MG FILM, 25 MG FILM, 30 MG FILM) | 2 | QL (150 units per 30 days), MDS |
| <i>pramipexole dihydrochloride (0.125 mg tab, 0.25 mg tab, 0.5 mg tab, 0.75 mg tab, 1 mg tab, 1.5 mg tab)</i> | 1 | |
| <i>pramipexole dihydrochloride er (0.375 mg tab er 24h, 0.75 mg tab er 24h, 1.5 mg tab er 24h, 2.25 mg tab er 24h, 3 mg tab er 24h, 3.75 mg tab er 24h, 4.5 mg tab er 24h)</i> | 1 | PA |
| <i>ropinirole hcl (0.25 mg tab, 0.5 mg tab, 1 mg tab, 2 mg tab, 3 mg tab, 4 mg tab, 5 mg tab)</i> | 1 | |
| <i>ropinirole hcl er (2 mg tab er 24h, 4 mg tab er 24h, 6 mg tab er 24h, 8 mg tab er 24h, 12 mg tab er 24h)</i> | 1 | |
| ANTIPARKINSON MONOAMINE OXIDASE INHIBITORS | | |
| <i>rasagiline mesylate (0.5 mg tab, 1 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| <i>selegiline hcl (5 mg cap, 5 mg tab)</i> | 1 | |
| ANTIPSYCHOTICS/ANTIMANIC AGENTS | | |
| ANTIMANIC AGENTS | | |
| <i>lithium 8 meq/5ml solution</i> | 1 | |
| <i>lithium carbonate (150 mg cap, 300 mg cap, 300 mg tab, 600 mg cap)</i> | 1 | |
| <i>lithium carbonate er (300 mg tab er, 450 mg tab er)</i> | 1 | |
| LITHOBID 300 MG TAB ER | 2 | |
| ANTIPSYCHOTICS - MISC. | | |
| CAPLYTA (10.5 MG CAP, 21 MG CAP, 42 MG CAP) | 2 | PA, QL (1 unit per day) |
| <i>lurasidone hcl (20 mg tab, 40 mg tab, 60 mg tab, 80 mg tab, 120 mg tab)</i> | 1 | PA |
| NUPLAZID (10 MG TAB, 34 MG CAP) | 2 | PA, QL (30 units per 30 days), SP, MDS |
| VRAYLAR (1.5 & 3 MG CAP THPK, 1.5 MG CAP, 3 MG CAP, 4.5 MG CAP, 6 MG CAP) | 2 | PA, QL (1 unit per 1 day) |
| <i>ziprasidone hcl (20 mg cap, 40 mg cap, 60 mg cap, 80 mg cap)</i> | 1 | |
| BENZISOXAZOLES | | |
| FANAPT (1 MG TAB, 2 MG TAB, 4 MG TAB, 6 MG TAB, 8 MG TAB, 10 MG TAB, 12 MG TAB) | 2 | PA |
| FANAPT TITRATION PACK 1 & 2 & 4 & 6 MG TAB | 2 | PA |
| INVEGA HAFYERA 1092 MG/3.5ML SUSP PRSYR | 2 | PA, QL (3.5 units per 168 days), SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| INVEGA HAFYERA 1560 MG/5ML SUSP PRSYR | 2 | PA, QL (5 units per 168 days), SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| INVEGA SUSTENNA 117 MG/0.75ML SUSP PRSYR | 2 | PA, QL (0.75 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| INVEGA SUSTENNA 156 MG/ML SUSP PRSYR | 2 | PA, QL (1 unit per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| INVEGA SUSTENNA 234 MG/1.5ML SUSP PRSYR | 2 | PA, QL (1.5 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| INVEGA SUSTENNA 39 MG/0.25ML SUSP PRSYR | 2 | PA, QL (0.25 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| INVEGA SUSTENNA 78 MG/0.5ML SUSP PRSYR | 2 | PA, QL (0.5 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| INVEGA TRINZA 273 MG/0.88ML SUSP PRSYR | 2 | PA, QL (0.88 ml per 84 days), SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| INVEGA TRINZA 410 MG/1.32ML SUSP PRSYR | 2 | PA, QL (1.32 ml per 84 days), SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| INVEGA TRINZA 546 MG/1.75ML SUSP PRSYR | 2 | PA, QL (1.75 units per 84 days), SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| INVEGA TRINZA 819 MG/2.63ML SUSP PRSYR | 2 | PA, QL (2.63 ml per 84 days), SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| <i>paliperidone er (1.5 mg tab er 24h, 3 mg tab er 24h, 6 mg tab er 24h, 9 mg tab er 24h)</i> | 1 | PA |
| PERSERIS (90 MG PRSYR, 120 MG PRSYR) | 2 | PA, QL (1 unit per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| RISPERDAL CONSTA (12.5 MG, 25 MG, 37.5 MG, 50 MG) | 2 | PA, QL (2 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| <i>risperidone (0.25 mg tab, 0.25 mg tab disp, 0.5 mg tab, 0.5 mg tab disp, 1 mg tab, 1 mg tab disp, 1 mg/ml solution, 2 mg tab, 2 mg tab disp, 3 mg tab, 3 mg tab disp, 4 mg tab, 4 mg tab disp)</i> | 1 | |
| UZEDY (50 MG/0.14ML SUSP PRSYR, 75 MG/0.21ML SUSP PRSYR, 100 MG/0.28ML SUSP PRSYR, 125 MG/0.35ML SUSP PRSYR, 150 MG/0.42ML SUSP PRSYR, 200 MG/0.56ML SUSP PRSYR, 250 MG/0.7ML SUSP PRSYR) | 2 | PA, QL (1 ml per 28 days), SP, MDS |
| BUTYROPHENONES | | |
| <i>haloperidol (0.5 mg tab, 1 mg tab, 2 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i> | 1 | |
| <i>haloperidol decanoate (50 mg/ml solution, 100 mg/ml solution)</i> | 1 | |
| <i>haloperidol lactate (2 mg/ml conc, 5 mg/ml solution)</i> | 1 | |
| DIBENZAPINES | | |
| <i>asenapine maleate (2.5 mg sl tab, 5 mg sl tab, 10 mg sl tab)</i> | 1 | PA |
| <i>clozapine (12.5 mg tab disp, 25 mg tab, 25 mg tab disp, 50 mg tab, 100 mg tab, 100 mg tab disp, 150 mg tab disp, 200 mg tab, 200 mg tab disp)</i> | 1 | |
| <i>loxapine succinate (5 mg cap, 10 mg cap, 25 mg cap, 50 mg cap)</i> | 1 | |
| <i>olanzapine (2.5 mg tab, 5 mg tab, 5 mg tab disp, 7.5 mg tab, 10 mg recon soln, 10 mg tab, 10 mg tab disp, 15 mg tab, 15 mg tab disp, 20 mg tab, 20 mg tab disp)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| <i>quetiapine fumarate (25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab, 300 mg tab, 400 mg tab)</i> | 1 | |
| <i>quetiapine fumarate er (50 mg tab er 24h, 150 mg tab er 24h, 200 mg tab er 24h, 300 mg tab er 24h, 400 mg tab er 24h)</i> | 1 | |
| SECUADO (3.8 MG/24HR PATCH 24HR, 5.7 MG/24HR PATCH 24HR, 7.6 MG/24HR PATCH 24HR) | 2 | PA, QL (1 unit per 1 day) |
| ZYPREXA RELPREVV (210 MG RECON SUSP, 300 MG RECON SUSP, 405 MG RECON SUSP) | 2 | PA, QL (2 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| MUSCARINIC AGENTS | | |
| COBENFY (50-20 MG CAP, 100-20 MG CAP, 125-30 MG CAP) | 2 | PA, QL (60 ea per 30 days), MDS |
| COBENFY STARTER PACK 50-20 & 100-20 MG CAP THPK | 2 | PA, QL (56 ea per 28 days), QL (1 fillper180 days), MDS |
| PHENOTHIAZINES | | |
| <i>chlorpromazine hcl (10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab, 200 mg tab)</i> | 1 | |
| <i>compro 25 mg suppos</i> | 1 | |
| <i>fluphenazine decanoate 25 mg/ml solution</i> | 1 | |
| FLUPHENAZINE HCL (1 MG TAB, 2.5 MG TAB, 2.5 MG/5ML ELIXIR, 5 MG TAB, 5 MG/ML CONC, 10 MG TAB) | 1 | |
| <i>perphenazine (2 mg tab, 4 mg tab, 8 mg tab, 16 mg tab)</i> | 1 | |
| <i>prochlorperazine 25 mg suppos</i> | 1 | |
| <i>prochlorperazine maleate (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>thioridazine hcl (10 mg tab, 25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| <i>trifluoperazine hcl (1 mg tab, 2 mg tab, 5 mg tab, 10 mg tab)</i> | 1 | |
| QUINOLINONE DERIVATIVES | | |
| ABILIFY ASIMTUFII 720 MG/2.4ML PRSYR | 2 | PA, QL (2.4 ml per 56 days), SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| ABILIFY ASIMTUFII 960 MG/3.2ML PRSYR | 2 | PA, QL (3.2 ml per 56 days), SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| ABILIFY MAINTENA (300 MG PRSYR, 300 MG SRER, 400 MG PRSYR, 400 MG SRER) | 2 | PA, QL (1 unit per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| <i>aripiprazole (1 mg/ml solution, 2 mg tab, 5 mg tab, 10 mg tab, 15 mg tab, 20 mg tab, 30 mg tab)</i> | 1 | |
| ARISTADA 1064 MG/3.9ML PRSYR | 2 | PA, QL (3.9 units per 56 days), SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| ARISTADA 441 MG/1.6ML PRSYR | 2 | PA, QL (1.6 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ARISTADA 662 MG/2.4ML PRSYR | 2 | PA, QL (2.4 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ARISTADA 882 MG/3.2ML PRSYR | 2 | PA, QL (3.2 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 42 DAY SUPPLY) |
| ARISTADA INITIO 675 MG/2.4ML PRSYR | 2 | PA, QL (2.4 units per 28 days), SP, MDS |
| THIOXANTHENES | | |
| <i>thiothixene (1 mg cap, 2 mg cap, 5 mg cap, 10 mg cap)</i> | 1 | |
| ANTISEPTICS & DISINFECTANTS | | |
| ANTISEPTIC COMBINATIONS | | |
| IV PREP WIPES 70 % PAD | 2 | |
| MICROCLENS WIPES 30 % PAD | 2 | |
| UNI-SOLVE PAD | 2 | |
| ANTIVIRALS | | |
| ANTIRETROVIRALS | | |
| <i>abacavir sulfate 20 mg/ml solution</i> | 1 | QL (30 units per 1 day) |
| <i>abacavir sulfate 300 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>abacavir sulfate-lamivudine 600-300 mg tab</i> | 1 | QL (1 unit per 1 day) |
| APRETUDE 600 MG/3ML SUSP | 0 | QL (3 ml per 1 fill), QL (21 ml per 365 days), MDS |
| APTIVUS 250 MG CAP | 2 | QL (4 units per 1 day) |
| <i>atazanavir sulfate (150 mg cap, 200 mg cap)</i> | 1 | QL (2 units per 1 day) |
| <i>atazanavir sulfate 300 mg cap</i> | 1 | QL (1 unit per day) |
| BIKTARVY 30-120-15 MG TAB | 2 | QL (1 unit per day) |
| BIKTARVY 50-200-25 MG TAB | 2 | QL (1 unit per 1 day) |
| CABENUVA 400 & 600 MG/2ML SUSP | 2 | QL (4 units per 28 days), MDS |
| CABENUVA 600 & 900 MG/3ML SUSP | 2 | QL (6 units per 28 days), MDS |
| CIMDUO 300-300 MG TAB | 2 | QL (1 unit per 1 day) |
| COMPLERA 200-25-300 MG TAB | 2 | QL (1 unit per 1 day) |
| <i>darunavir 600 mg tab</i> | 1 | QL (2 units per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| <i>darunavir 800 mg tab</i> | 1 | QL (1 units per 1 day) |
| DELSTRIGO 100-300-300 MG TAB | 2 | QL (1 unit per 1 day) |
| DESCOVY 120-15 MG TAB | 2 | QL (1 unit per day) |
| DESCOVY 200-25 MG TAB | 2 | QL (1 unit per 1 day), PN (\$0 copay for pre-exposure prophylaxis), MDS |
| DOVATO 50-300 MG TAB | 2 | QL (1 unit per 1 day), PN (\$0 copay for pre-exposure prophylaxis) |
| EDURANT 25 MG TAB | 2 | QL (2 units per 1 day), PN (\$0 copay for pre-exposure prophylaxis) |
| EFAVIRENZ 200 MG CAP | 1 | QL (2 units per 1 day), PN (\$0 copay for pre-exposure prophylaxis) |
| EFAVIRENZ 50 MG CAP | 1 | QL (3 units per 1 day), PN (\$0 copay for pre-exposure prophylaxis) |
| <i>efavirenz 600 mg tab</i> | 1 | QL (1 unit per 1 day), PN (\$0 copay for pre-exposure prophylaxis) |
| <i>efavirenz-emtricitab-tenofo df 600-200-300 mg tab</i> | 1 | QL (1 unit per day) |
| <i>efavirenz-lamivudine-tenofovir (400-300-300 mg tab, 600-300-300 mg tab)</i> | 1 | QL (1 unit per 1 day) |
| <i>emtricitab-rilpivir-tenofov df 200-25-300 mg tab</i> | 1 | QL (1 unit per 1 day) |
| <i>emtricitabine 200 mg cap</i> | 1 | QL (1 unit per 1 day) |
| <i>emtricitabine-tenofovir df (100-150 mg tab, 133-200 mg tab, 167-250 mg tab)</i> | 1 | QL (1 unit per day) |
| <i>emtricitabine-tenofovir df 200-300 mg tab</i> | 1 | QL (1 unit per day), PN (\$0 copay for pre-exposure prophylaxis), MDS |
| EMTRIVA 10 MG/ML SOLUTION | 2 | QL (24 units per 1 day) |
| <i>etravirine (100 mg tab, 200 mg tab)</i> | 1 | QL (2 units per 1 day) |
| EVOTAZ 300-150 MG TAB | 2 | QL (1 unit per 1 day) |
| <i>fosamprenavir calcium 700 mg tab</i> | 1 | QL (4 units per 1 day) |
| FUZEON 90 MG RECON SOLN | 2 | QL (2 units per 1 day), SP |
| GENVOYA 150-150-200-10 MG TAB | 2 | QL (1 unit per 1 day) |
| INTELENCE 25 MG TAB | 2 | QL (4 units per 1 day) |
| ISENTRESS (25 MG CHEW TAB, 100 MG CHEW TAB) | 2 | QL (6 units per 1 day) |
| ISENTRESS 100 MG PACKET | 2 | QL (2 units per 1 day) |
| ISENTRESS 400 MG TAB | 2 | QL (4 units per 1 day) |
| ISENTRESS HD 600 MG TAB | 2 | QL (2 units per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| JULUCA 50-25 MG TAB | 2 | QL (1 unit per 1 day) |
| KALETRA 400-100 MG/5ML SOLUTION | 2 | QL (14 ml per 1 day) |
| <i>lamivudine (10 mg/ml solution, 300 mg/30ml solution)</i> | 1 | QL (30 units per 1 day) |
| <i>lamivudine 150 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>lamivudine 300 mg tab</i> | 1 | QL (1 unit per 1 day) |
| <i>lamivudine-zidovudine 150-300 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>lopinavir-ritonavir 100-25 mg tab</i> | 1 | QL (8 units per day) |
| <i>lopinavir-ritonavir 200-50 mg tab</i> | 1 | QL (4 units per day) |
| <i>lopinavir-ritonavir 400-100 mg/5ml solution</i> | 1 | QL (14 units per 1 day) |
| <i>maraviroc 150 mg tab</i> | 1 | QL (2 units per 1 day) |
| <i>maraviroc 300 mg tab</i> | 1 | QL (4 units per day) |
| <i>nevirapine 200 mg tab</i> | 1 | QL (2 units per 1 day) |
| NEVIRAPINE 50 MG/5ML SUSPENSION | 1 | QL (40 units per 1 day) |
| NEVIRAPINE ER 100 MG TAB ER 24H | 1 | QL (3 units per 1 day) |
| <i>nevirapine er 400 mg tab er 24h</i> | 1 | QL (1 unit per 1 day) |
| NORVIR 100 MG PACKET | 2 | QL (12 units per 1 day) |
| ODEFSEY 200-25-25 MG TAB | 2 | QL (1 unit per 1 day) |
| PIFELTRO 100 MG TAB | 2 | QL (2 units per 1 day) |
| PREZCOBIX 800-150 MG TAB | 2 | QL (1 unit per 1 day) |
| PREZISTA 100 MG/ML SUSPENSION | 2 | QL (13.34 units per 1 day) |
| PREZISTA 150 MG TAB | 2 | QL (6 units per 1 day) |
| PREZISTA 75 MG TAB | 2 | QL (2 units per 1 day) |
| REYATAZ 50 MG PACKET | 2 | QL (6 units per 1 day) |
| <i>ritonavir 100 mg tab</i> | 1 | QL (12 units per 1 day) |
| RUKOBIA 600 MG TAB ER 12H | 2 | QL (2 units per 1 day) |
| SELZENTRY 20 MG/ML SOLUTION | 2 | QL (60 units per 1 day) |
| <i>stavudine 40 mg cap</i> | 1 | QL (2 units per 1 day) |
| STRIBILD 150-150-200-300 MG TAB | 2 | QL (1 unit per 1 day) |
| SUNLENCA 4 X 300 MG TAB THPK | 2 | QL (4 ea per 2 days), QL (1 fill per 180 days), MDS |
| SUNLENCA 463.5 MG/1.5ML SOLUTION | 2 | QL (3 units per 180 days), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| SUNLENCA 5 X 300 MG TAB THPK | 2 | QL (5 ea per 8 days), QL (1 fill per 180 days), MDS |
| SYMTUZA 800-150-200-10 MG TAB | 2 | QL (1 unit per 1 day) |
| <i>tenofovir disoproxil fumarate 300 mg tab</i> | 1 | QL (1 unit per day) |
| TIVICAY 50 MG TAB | 2 | QL (2 units per 1 day) |
| TIVICAY PD 5 MG TAB SOL | 2 | QL (12 units per 1 day) |
| TRIUMEQ 600-50-300 MG TAB | 2 | QL (1 unit per 1 day) |
| TRIUMEQ PD 60-5-30 MG TAB SOL | 2 | QL (6 units per 1 day) |
| TYBOST 150 MG TAB | 2 | QL (1 unit per 1 day) |
| VIRACEPT 250 MG TAB | 2 | QL (9 units per 1 day) |
| VIRACEPT 625 MG TAB | 2 | QL (4 units per 1 day) |
| VIREAD (150 MG TAB, 200 MG TAB, 250 MG TAB) | 2 | QL (1 unit per 1 day) |
| VIREAD 40 MG/GM POWDER | 2 | QL (8 units per 1 day) |
| <i>zidovudine (50 mg/5ml syrup, 100 mg cap)</i> | 1 | QL (6 units per 1 day) |
| <i>zidovudine 300 mg tab</i> | 1 | QL (2 units per 1 day) |
| ANTIVIRAL COMBINATIONS | | |
| PAXLOVID (150/100) 10 X 150 MG & 10 X 100MG TAB THPK | 2 | QL (20 ea per fills) |
| PAXLOVID (300/100) 20 X 150 MG & 10 X 100MG TAB THPK | 0 | QL (30 ea per fills) |
| PAXLOVID 6 X 150 MG & 5 X 100MG TAB THPK | 2 | QL (11 ea per fill) |
| CMV AGENTS | | |
| LIVTENCITY 200 MG TAB | 2 | PA, LA, QL (112 units per 28 days), SP, MDS |
| PREVYMIS (240 MG TAB, 480 MG TAB) | 2 | PA, QL (1 unit per 1 day) |
| <i>valganciclovir hcl (50 mg/ml recon soln, 450 mg tab)</i> | 1 | MDS |
| HEPATITIS AGENTS | | |
| <i>adefovir dipivoxil 10 mg tab</i> | 1 | SP |
| <i>entecavir (0.5 mg tab, 1 mg tab)</i> | 1 | |
| <i>lamivudine 100 mg tab</i> | 1 | QL (1 unit per 1 day) |
| MAVYRET 100-40 MG TAB | 2 | PA, QL (84 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| MAVYRET 50-20 MG PACKET | 2 | PA, QL (168 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| PEGASYS 180 MCG/0.5ML SOLN PRSYR | 2 | QL (2 units per 28 days), SP, MDS |
| PEGASYS 180 MCG/ML SOLUTION | 2 | QL (4 units per 28 days), SP, MDS |
| RIBAVIRIN (200 MG CAP, 200 MG TAB) | 2 | SP |
| VEMLIDY 25 MG TAB | 2 | QL (1 unit per 1 day) |
| HERPES AGENTS | | |
| <i>acyclovir (200 mg cap, 200 mg/5ml suspension, 400 mg tab, 800 mg tab, 800 mg/20ml suspension)</i> | 1 | |
| <i>famciclovir (125 mg tab, 250 mg tab, 500 mg tab)</i> | 1 | |
| <i>valacyclovir hcl (1 gm tab, 500 mg tab)</i> | 1 | |
| INFLUENZA AGENTS | | |
| <i>oseltamivir phosphate 30 mg cap</i> | 1 | QL (84 units per 180 days), PN (2 fills of Tamiflu, Relenza, or Xofluza per season), MDS |
| <i>oseltamivir phosphate 45 mg cap</i> | 1 | QL (48 units per 180 days), PN (2 fills of Tamiflu, Relenza, or Xofluza per season), MDS |
| <i>oseltamivir phosphate 6 mg/ml recon susp</i> | 1 | QL (540 units per 180 days), PN (2 fills of Tamiflu, Relenza, or Xofluza per season), MDS |
| <i>oseltamivir phosphate 75 mg cap</i> | 1 | QL (42 units per 180 days), PN (2 fills of Tamiflu, Relenza, or Xofluza per season), MDS |
| RIMANTADINE HCL 100 MG TAB | 1 | |
| XOFLUZA (40 MG DOSE) 1 X 40 MG TAB THPK | 2 | QL (2 units per 180 days), MDS |
| XOFLUZA (80 MG DOSE) 1 X 80 MG TAB THPK | 2 | QL (2 units per 180 days), MDS |
| MISC. ANTIVIRALS | | |
| LAGEVRIO 200 MG CAP | 2 | QL (40 ea per fills) |
| TPOXX 200 MG CAP | 0 | QL (126 ea per 14 days), PN (14 DAYS SUPPLY IN 365 DAYS), QL (ql= 1 fillper365 days), MDS |
| TPOXX 200 MG/20ML SOLUTION | 0 | QL (1120 ea per 14 days), PN (14 DAYS SUPPLY IN 365 DAYS), QL (ql= 1 fillper365 days), MDS |
| RESPIRATORY SYNCYTIAL VIRUS (RSV) AGENTS | | |
| <i>ribavirin 6 gm recon soln</i> | 2 | SP |
| BETA BLOCKERS | | |
| ALPHA-BETA BLOCKERS | | |
| <i>carvedilol (3.125 mg tab, 6.25 mg tab, 12.5 mg tab, 25 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>carvedilol phosphate er (10 mg cap er 24h, 20 mg cap er 24h, 40 mg cap er 24h, 80 mg cap er 24h)</i> | 1 | PA |
| <i>labetalol hcl (100 mg tab, 200 mg tab, 300 mg tab)</i> | 1 | |
| BETA BLOCKERS CARDIO-SELECTIVE | | |
| <i>acebutolol hcl (200 mg cap, 400 mg cap)</i> | 1 | |
| <i>atenolol (25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| <i>betaxolol hcl (10 mg tab, 20 mg tab)</i> | 1 | |
| <i>bisoprolol fumarate (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>metoprolol succinate er (25 mg tab er 24h, 50 mg tab er 24h, 100 mg tab er 24h, 200 mg tab er 24h)</i> | 1 | |
| <i>metoprolol tartrate (25 mg tab, 37.5 mg tab, 50 mg tab, 75 mg tab, 100 mg tab)</i> | 1 | |
| <i>nebivolol hcl (2.5 mg tab, 5 mg tab, 10 mg tab, 20 mg tab)</i> | 1 | |
| BETA BLOCKERS NON-SELECTIVE | | |
| INNOPRAN XL (80 MG CAP ER 24H, 120 MG CAP ER 24H) | 2 | |
| <i>nadolol (20 mg tab, 40 mg tab, 80 mg tab)</i> | 1 | |
| <i>pindolol (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>propranolol hcl (10 mg tab, 20 mg tab, 20 mg/5ml solution, 40 mg tab, 40 mg/5ml solution, 60 mg tab, 80 mg tab)</i> | 1 | |
| <i>propranolol hcl er (60 mg cap er 24h, 80 mg cap er 24h, 120 mg cap er 24h, 160 mg cap er 24h)</i> | 1 | |
| <i>sorine (80 mg tab, 120 mg tab, 160 mg tab, 240 mg tab)</i> | 1 | |
| <i>sotalol hcl (80 mg tab, 120 mg tab, 160 mg tab, 240 mg tab)</i> | 1 | |
| <i>sotalol hcl (af) (80 mg tab, 120 mg tab, 160 mg tab)</i> | 1 | |
| <i>timolol maleate (5 mg tab, 10 mg tab)</i> | 1 | |
| CALCIUM CHANNEL BLOCKERS | | |
| CALCIUM CHANNEL BLOCKERS | | |
| <i>amlodipine besylate (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | 1 | |
| <i>cartia xt (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h)</i> | 1 | |
| <i>dilt-xr (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h)</i> | 1 | |
| <i>diltiazem hcl (30 mg tab, 60 mg tab, 90 mg tab, 120 mg tab)</i> | 1 | |
| <i>diltiazem hcl er (90 mg cap er 12h, 120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 360 mg tab er 24h)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| <i>diltiazem hcl er beads (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h, 360 mg cap er 24h, 420 mg cap er 24h)</i> | 1 | |
| <i>diltiazem hcl er coated beads (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h, 360 mg cap er 24h)</i> | 1 | |
| <i>felodipine er (2.5 mg tab er 24h, 5 mg tab er 24h, 10 mg tab er 24h)</i> | 1 | |
| <i>isradipine (2.5 mg cap, 5 mg cap)</i> | 1 | |
| <i>matzim la 360 mg tab er 24h</i> | 1 | |
| <i>nicardipine hcl (20 mg cap, 30 mg cap)</i> | 1 | |
| <i>nifedipine (10 mg cap, 20 mg cap)</i> | 1 | |
| <i>nifedipine er (30 mg tab er 24h, 60 mg tab er 24h, 90 mg tab er 24h)</i> | 1 | |
| <i>nifedipine er osmotic release (30 mg tab er 24h, 60 mg tab er 24h, 90 mg tab er 24h)</i> | 1 | |
| <i>nimodipine 30 mg cap</i> | 1 | |
| <i>taztia xt (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h, 360 mg cap er 24h)</i> | 1 | |
| <i>tiadyt er (120 mg cap er 24h, 180 mg cap er 24h, 240 mg cap er 24h, 300 mg cap er 24h, 360 mg cap er 24h, 420 mg cap er 24h)</i> | 1 | |
| <i>verapamil hcl (40 mg tab, 80 mg tab, 120 mg tab)</i> | 1 | |
| <i>verapamil hcl er (120 mg cap er 24h, 120 mg tab er, 180 mg cap er 24h, 180 mg tab er, 240 mg cap er 24h, 240 mg tab er)</i> | 1 | |
| CARDIOTONICS | | |
| CARDIAC GLYCOSIDES | | |
| <i>digitek (125 mcg tab, 250 mcg tab)</i> | 1 | |
| <i>digox (125 mcg tab, 250 mcg tab)</i> | 1 | |
| <i>digoxin (0.05 mg/ml solution, 125 mcg tab, 250 mcg tab)</i> | 1 | |
| CARDIOVASCULAR AGENTS - MISC. | | |
| CARDIAC MYOSIN INHIBITORS | | |
| CAMZYOS (2.5 MG CAP, 5 MG CAP, 10 MG CAP, 15 MG CAP) | 2 | PA, QL (30 units per 30 days), SP, MDS |
| CARDIOVASCULAR AGENTS MISC. - COMBINATIONS | | |
| ENTRESTO 24-26 MG TAB | 2 | QL (6 units per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| ENTRESTO 49-51 MG TAB | 2 | QL (3 units per 1 day) |
| ENTRESTO 97-103 MG TAB | 2 | QL (2 units per 1 day) |
| IMPOTENCE AGENTS | | |
| <i>tadalafil (2.5 mg tab, 5 mg tab)</i> | 1 | PA |
| PROSTAGLANDIN VASODILATORS | | |
| <i>epoprostenol sodium (0.5 mg recon soln, 1.5 mg recon soln)</i> | 2 | PA, SP, MDS |
| <i>treprostinil (20 mg/20ml solution, 50 mg/20ml solution, 100 mg/20ml solution, 200 mg/20ml solution)</i> | 2 | PA, SP, MDS |
| TYVASO 0.6 MG/ML SOLUTION | 2 | PA, QL (81.2 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| TYVASO DPI INSTITUTIONAL KIT (16 MCG POWDER, 32 MCG POWDER, 48 MCG POWDER, 64 MCG POWDER) | 2 | PA, QL (112 units per 28 days), SP, MDS |
| TYVASO DPI MAINTENANCE KIT (16 MCG POWDER, 32 MCG POWDER, 48 MCG POWDER, 64 MCG POWDER) | 2 | PA, QL (112 units per 28 days), SP, MDS |
| TYVASO DPI TITRATION KIT 112 X 16MCG & 84 X 32MCG POWDER | 2 | PA, QL (196 units per 28 days), SP, MDS |
| TYVASO DPI TITRATION KIT 16 & 32 & 48 MCG POWDER | 2 | PA, QL (252 units per 28 days), SP, MDS |
| TYVASO REFILL 0.6 MG/ML SOLUTION | 2 | PA, QL (81.2 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| TYVASO STARTER 0.6 MG/ML SOLUTION | 2 | PA, QL (81.2 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| VENTAVIS (10 MCG/ML SOLUTION, 20 MCG/ML SOLUTION) | 2 | PA, SP, MDS |
| PULMONARY HYPERTENSION - ENDOTHELIN RECEPTOR ANTAGONISTS | | |
| <i>ambrisentan (5 mg tab, 10 mg tab)</i> | 1 | PA, QL (30 units per 30 days), SP, MDS |
| <i>bosentan (62.5 mg tab, 125 mg tab)</i> | 1 | PA, QL (60 units per 30 days), SP, MDS |
| OPSUMIT 10 MG TAB | 2 | PA, QL (30 units per 30 days), SP, MDS |
| TRACLEER 32 MG TAB SOL | 2 | PA, QL (112 units per 28 days), SP, MDS |
| PULMONARY HYPERTENSION - PHOSPHODIESTERASE INHIBITORS | | |
| <i>alyq 20 mg tab</i> | 1 | PA, QL (60 units per 30 days), SP, MDS |
| <i>sildenafil citrate 10 mg/ml recon susp</i> | 1 | PA, SP, MDS |
| <i>sildenafil citrate 20 mg tab</i> | 1 | PA |
| <i>tadalafil (pah) 20 mg tab</i> | 1 | PA, QL (60 units per 30 days), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| PULMONARY HYPERTENSION - PROSTACYCLIN RECEPTOR AGONIST | | |
| UPTRAVI (400 MCG TAB, 600 MCG TAB, 800 MCG TAB, 1000 MCG TAB, 1200 MCG TAB, 1400 MCG TAB, 1600 MCG TAB) | 2 | PA, QL (60 units per 30 days), SP, MDS |
| UPTRAVI 1800 MCG RECON SOLN | 2 | PA, QL (60 units per 30 days), SP, MDS |
| UPTRAVI 200 & 800 MCG TAB THPK | 2 | PA, QL (200 units per 180 days), SP, MDS |
| UPTRAVI 200 MCG TAB | 2 | PA, QL (140 units per 28 days), SP, MDS |
| PULMONARY HYPERTENSION - SOL GUANYLATE CYCLASE STIMULATOR | | |
| ADEMPAS (0.5 MG TAB, 1 MG TAB, 1.5 MG TAB, 2 MG TAB, 2.5 MG TAB) | 2 | PA, QL (90 units per 30 days), SP, MDS |
| SINUS NODE INHIBITORS | | |
| CORLANOR (5 MG TAB, 7.5 MG TAB) | 2 | PA, QL (2 units per 1 day) |
| CORLANOR 5 MG/5ML SOLUTION | 2 | PA, QL (20 units per 1 day) |
| <i>ivabradine hcl (5 mg tab, 7.5 mg tab)</i> | 1 | QL (2 ea per 1 day), PA-NSO |
| TRANSTHYRETIN STABILIZERS | | |
| VYNDAMAX 61 MG CAP | 2 | PA, QL (30 units per 30 days), SP, MDS |
| VYNDAQEL 20 MG CAP | 2 | PA, QL (120 units per 30 days), SP, MDS |
| CEPHALOSPORINS | | |
| CEPHALOSPORINS - 1ST GENERATION | | |
| <i>cefadroxil (1 gm tab, 250 mg/5ml recon susp, 500 mg cap, 500 mg/5ml recon susp)</i> | 1 | |
| <i>cephalexin (125 mg/5ml recon susp, 250 mg cap, 250 mg tab, 250 mg/5ml recon susp, 500 mg cap, 500 mg tab)</i> | 1 | |
| CEPHALOSPORINS - 2ND GENERATION | | |
| CEFACLOR (250 MG CAP, 500 MG CAP) | 1 | |
| CEFACLOR ER 500 MG TAB ER 12H | 1 | |
| <i>cefprozil (125 mg/5ml recon susp, 250 mg tab, 250 mg/5ml recon susp, 500 mg tab)</i> | 1 | |
| <i>cefuroxime axetil (250 mg tab, 500 mg tab)</i> | 1 | |
| CEPHALOSPORINS - 3RD GENERATION | | |
| <i>cefdinir (125 mg/5ml recon susp, 250 mg/5ml recon susp, 300 mg cap)</i> | 1 | |
| CEPHALOSPORINS - SIDEROPHORES | | |
| FETROJA 1 GM RECON SOLN | 2 | PA, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| CONTRACEPTIVES | | |
| COMBINATION CONTRACEPTIVES - ORAL | | |
| <i>afirmelle 0.1-20 mg-mcg tab</i> | 0 | |
| <i>altavera 0.15-30 mg-mcg tab</i> | 0 | |
| <i>alyacen 1/35 1-35 mg-mcg tab</i> | 0 | |
| <i>alyacen 7/7/7 0.5/0.75/1-35 mg-mcg tab</i> | 0 | |
| <i>amethia 0.15-0.03 & 0.01 mg tab</i> | 0 | |
| <i>amethyst 90-20 mcg tab</i> | 0 | |
| <i>apri 0.15-30 mg-mcg tab</i> | 0 | |
| <i>aranelle 0.5/1/0.5-35 mg-mcg tab</i> | 0 | |
| <i>ashlyna 0.15-0.03 & 0.01 mg tab</i> | 0 | |
| <i>aubra 0.1-20 mg-mcg tab</i> | 0 | |
| <i>aubra eq 0.1-20 mg-mcg tab</i> | 0 | |
| <i>aurovela 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>aurovela 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>aurovela 24 fe 1-20 mg-mcg(24) tab</i> | 0 | |
| <i>aurovela fe 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>aurovela fe 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>aviane 0.1-20 mg-mcg tab</i> | 0 | |
| <i>ayuna 0.15-30 mg-mcg tab</i> | 0 | |
| <i>azurette 0.15-0.02/0.01 mg (21/5) tab</i> | 0 | |
| BALCOLTRA 0.1-20 MG-MCG(21) TAB | 0 | |
| <i>balziva 0.4-35 mg-mcg tab</i> | 0 | |
| <i>blisovi 24 fe 1-20 mg-mcg(24) tab</i> | 0 | |
| <i>blisovi fe 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>blisovi fe 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>briellyn 0.4-35 mg-mcg tab</i> | 0 | |
| <i>camrese 0.15-0.03 & 0.01 mg tab</i> | 0 | |
| <i>camrese lo 0.1-0.02 & 0.01 mg tab</i> | 0 | |
| <i>charlotte 24 fe 1-20 mg-mcg(24) chew tab</i> | 0 | |
| <i>chateal 0.15-30 mg-mcg tab</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>chateal eq 0.15-30 mg-mcg tab</i> | 0 | |
| <i>cryselle-28 0.3-30 mg-mcg tab</i> | 0 | |
| <i>cyclafem 1/35 1-35 mg-mcg tab</i> | 0 | |
| <i>cyclafem 7/7/7 0.5/0.75/1-35 mg-mcg tab</i> | 0 | |
| <i>cyred 0.15-30 mg-mcg tab</i> | 0 | |
| <i>cyred eq 0.15-30 mg-mcg tab</i> | 0 | |
| <i>dasetta 1/35 1-35 mg-mcg tab</i> | 0 | |
| <i>dasetta 7/7/7 0.5/0.75/1-35 mg-mcg tab</i> | 0 | |
| <i>daysee 0.15-0.03 & 0.01 mg tab</i> | 0 | |
| <i>delyla 0.1-20 mg-mcg tab</i> | 0 | |
| <i>desogestrel-ethinyl estradiol (0.15-0.02/0.01 mg (21/5) tab, 0.15-30 mg-mcg tab)</i> | 0 | |
| <i>dolishale 90-20 mcg tab</i> | 0 | |
| DROSPIREN-ETH ESTRAD-LEVOMEFOL (3-0.02-0.451 MG TAB, 3-0.03-0.451 MG TAB) | 0 | |
| <i>drospirenone-ethinyl estradiol (3-0.02 mg tab, 3-0.03 mg tab)</i> | 0 | |
| <i>elinest 0.3-30 mg-mcg tab</i> | 0 | |
| <i>emoquette 0.15-30 mg-mcg tab</i> | 0 | |
| <i>enpresse-28 50-30/75-40/ 125-30 mcg tab</i> | 0 | |
| <i>enskyce 0.15-30 mg-mcg tab</i> | 0 | |
| <i>estarylla 0.25-35 mg-mcg tab</i> | 0 | |
| <i>ethynodiol diac-eth estradiol (1-35 tab, 1-50 tab)</i> | 0 | |
| <i>falmina 0.1-20 mg-mcg tab</i> | 0 | |
| <i>fayosim 42-21-21-7 days tab</i> | 0 | |
| <i>feirza 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>feirza 1/20 1-20 mg-mcg tab</i> | 0 | |
| FEMLYV 1-0.02 MG TAB DISP | 0 | |
| <i>femynor 0.25-35 mg-mcg tab</i> | 0 | |
| <i>finzala 1-20 mg-mcg(24) chew tab</i> | 0 | |
| <i>galbriela 0.8-25 mg-mcg chew tab</i> | 0 | |
| <i>gemmily 1-20 mg-mcg(24) cap</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>hailey 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>hailey 24 fe 1-20 mg-mcg(24) tab</i> | 0 | |
| <i>hailey fe 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>hailey fe 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>iclevia 0.15-0.03 mg tab</i> | 0 | |
| <i>introvale 0.15-0.03 mg tab</i> | 0 | |
| <i>isibloom 0.15-30 mg-mcg tab</i> | 0 | |
| <i>jaimiess 0.15-0.03 &0.01 mg tab</i> | 0 | |
| <i>jasmiel 3-0.02 mg tab</i> | 0 | |
| <i>jolessa 0.15-0.03 mg tab</i> | 0 | |
| <i>joyeaux 0.1-20 mg-mcg(21) tab</i> | 0 | |
| <i>juleber 0.15-30 mg-mcg tab</i> | 0 | |
| <i>junel 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>junel 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>junel fe 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>junel fe 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>junel fe 24 1-20 mg-mcg(24) tab</i> | 0 | |
| <i>kaitlib fe 0.8-25 mg-mcg chew tab</i> | 0 | |
| <i>kalliga 0.15-30 mg-mcg tab</i> | 0 | |
| <i>kariva 0.15-0.02/0.01 mg (21/5) tab</i> | 0 | |
| <i>kelnor 1/35 1-35 mg-mcg tab</i> | 0 | |
| <i>kelnor 1/50 1-50 mg-mcg tab</i> | 0 | |
| <i>kurvelo 0.15-30 mg-mcg tab</i> | 0 | |
| <i>larin 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>larin 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>larin 24 fe 1-20 mg-mcg(24) tab</i> | 0 | |
| <i>larin fe 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>larin fe 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>larissia 0.1-20 mg-mcg tab</i> | 0 | |
| <i>layolis fe 0.8-25 mg-mcg chew tab</i> | 0 | |
| <i>leena 0.5/1/0.5-35 mg-mcg tab</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>lessina 0.1-20 mg-mcg tab</i> | 0 | |
| <i>levonest 50-30/75-40/ 125-30 mcg tab</i> | 0 | |
| <i>levonorg-eth estrad triphasic 50-30/75-40/ 125-30 mcg tab</i> | 0 | |
| <i>levonorgest-eth est & eth est 42-21-21-7 days tab</i> | 0 | |
| <i>levonorgest-eth estrad 91-day (0.1-0.02 & 0.01 mg tab, 0.15-0.03 & 0.01 mg tab, 0.15-0.03 mg tab)</i> | 0 | |
| <i>levonorgest-eth estradiol-iron 0.1-20 mg-mcg(21) tab</i> | 0 | |
| <i>levonorgestrel-ethinyl estrad (0.1-20 mg-mcg tab, 0.15-30 mg-mcg tab, 90-20 mcg tab)</i> | 0 | |
| <i>levora 0.15/30 (28) 0.15-30 mg-mcg tab</i> | 0 | |
| <i>lillow 0.15-30 mg-mcg tab</i> | 0 | |
| LO LOESTRIN FE 1 MG-10 MCG / 10 MCG TAB | 0 | |
| <i>lo-zumandimine 3-0.02 mg tab</i> | 0 | |
| <i>loestrin 1.5/30 (21) 1.5-30 mg-mcg tab</i> | 0 | |
| <i>loestrin 1/20 (21) 1-20 mg-mcg tab</i> | 0 | |
| <i>loestrin fe 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>loestrin fe 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>lojaimiess 0.1-0.02 & 0.01 mg tab</i> | 0 | |
| <i>loryna 3-0.02 mg tab</i> | 0 | |
| <i>low-ogestrel 0.3-30 mg-mcg tab</i> | 0 | |
| <i>lutera 0.1-20 mg-mcg tab</i> | 0 | |
| <i>marlissa 0.15-30 mg-mcg tab</i> | 0 | |
| <i>merzee 1-20 mg-mcg(24) cap</i> | 0 | |
| <i>mibelas 24 fe 1-20 mg-mcg(24) chew tab</i> | 0 | |
| <i>microgestin 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>microgestin 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>microgestin 24 fe 1-20 mg-mcg tab</i> | 0 | |
| <i>microgestin fe 1.5/30 1.5-30 mg-mcg tab</i> | 0 | |
| <i>microgestin fe 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>mili 0.25-35 mg-mcg tab</i> | 0 | |
| <i>minzoya 0.1-20 mg-mcg(21) tab</i> | 0 | |
| <i>mono-lynyah 0.25-35 mg-mcg tab</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| NATAZIA 3/2-2/2-3/1 MG TAB | 0 | |
| <i>necon 0.5/35 (28) 0.5-35 mg-mcg tab</i> | 0 | |
| NEXTSTELLIS 3-14.2 MG TAB | 0 | |
| <i>nikki 3-0.02 mg tab</i> | 0 | |
| <i>norethin ace-eth estrad-fe (1-20 mg-mcg tab, 1-20 mg-mcg(24) cap, 1-20 mg-mcg(24) chew tab, 1.5-30 mg-mcg tab)</i> | 0 | |
| <i>norethin-eth estradiol-fe (0.4-35 chew tab, 0.8-25 chew tab)</i> | 0 | |
| <i>norethindron-ethinyl estrad-fe 1-20/1-30/1-35 mg-mcg tab</i> | 0 | |
| <i>norethindrone acet-ethinyl est (1-20 tab, 1.5-30 tab)</i> | 0 | |
| <i>norgestim-eth estrad triphasic (0.18/0.215/0.25 mg-25 mcg tab, 0.18/0.215/0.25 mg-35 mcg tab)</i> | 0 | |
| <i>norgestimate-eth estradiol 0.25-35 mg-mcg tab</i> | 0 | |
| <i>nortrel 0.5/35 (28) 0.5-35 mg-mcg tab</i> | 0 | |
| <i>nortrel 1/35 (21) 1-35 mg-mcg tab</i> | 0 | |
| <i>nortrel 1/35 (28) 1-35 mg-mcg tab</i> | 0 | |
| <i>nortrel 7/7/7 0.5/0.75/1-35 mg-mcg tab</i> | 0 | |
| <i>nylia 1/35 1-35 mg-mcg tab</i> | 0 | |
| <i>nylia 7/7/7 0.5/0.75/1-35 mg-mcg tab</i> | 0 | |
| <i>nymyo 0.25-35 mg-mcg tab</i> | 0 | |
| <i>ocella 3-0.03 mg tab</i> | 0 | |
| <i>orsythia 0.1-20 mg-mcg tab</i> | 0 | |
| <i>philith 0.4-35 mg-mcg tab</i> | 0 | |
| <i>pimtrea 0.15-0.02/0.01 mg (21/5) tab</i> | 0 | |
| <i>pirmella 1/35 1-35 mg-mcg tab</i> | 0 | |
| <i>pirmella 7/7/7 0.5/0.75/1-35 mg-mcg tab</i> | 0 | |
| <i>portia-28 0.15-30 mg-mcg tab</i> | 0 | |
| <i>previfem 0.25-35 mg-mcg tab</i> | 0 | |
| <i>reclipsen 0.15-30 mg-mcg tab</i> | 0 | |
| <i>rivelsa 42-21-21-7 days tab</i> | 0 | |
| <i>rosyrah 42-21-21-7 days tab</i> | 0 | |
| <i>setlakin 0.15-0.03 mg tab</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>simliya 0.15-0.02/0.01 mg (21/5) tab</i> | 0 | |
| <i>simpesse 0.15-0.03 &0.01 mg tab</i> | 0 | |
| <i>sprintec 28 0.25-35 mg-mcg tab</i> | 0 | |
| <i>sronyx 0.1-20 mg-mcg tab</i> | 0 | |
| <i>syeda 3-0.03 mg tab</i> | 0 | |
| <i>tarina 24 fe 1-20 mg-mcg(24) tab</i> | 0 | |
| <i>tarina fe 1/20 1-20 mg-mcg tab</i> | 0 | |
| <i>tarina fe 1/20 eq 1-20 mg-mcg tab</i> | 0 | |
| <i>taysofy 1-20 mg-mcg(24) cap</i> | 0 | |
| TAYTULLA 1-20 MG-MCG(24) CAP | 0 | |
| <i>tilia fe 1-20/1-30/1-35 mg-mcg tab</i> | 0 | |
| <i>tri femynor 0.18/0.215/0.25 mg-35 mcg tab</i> | 0 | |
| <i>tri-estarylla 0.18/0.215/0.25 mg-35 mcg tab</i> | 0 | |
| <i>tri-legest fe 1-20/1-30/1-35 mg-mcg tab</i> | 0 | |
| <i>tri-linyah 0.18/0.215/0.25 mg-35 mcg tab</i> | 0 | |
| <i>tri-lo-estarylla 0.18/0.215/0.25 mg-25 mcg tab</i> | 0 | |
| <i>tri-lo-marzia 0.18/0.215/0.25 mg-25 mcg tab</i> | 0 | |
| <i>tri-lo-mili 0.18/0.215/0.25 mg-25 mcg tab</i> | 0 | |
| <i>tri-lo-sprintec 0.18/0.215/0.25 mg-25 mcg tab</i> | 0 | |
| <i>tri-mili 0.18/0.215/0.25 mg-35 mcg tab</i> | 0 | |
| <i>tri-nymyo 0.18/0.215/0.25 mg-35 mcg tab</i> | 0 | |
| <i>tri-previfem 0.18/0.215/0.25 mg-35 mcg tab</i> | 0 | |
| <i>tri-sprintec 0.18/0.215/0.25 mg-35 mcg tab</i> | 0 | |
| <i>tri-vylibra 0.18/0.215/0.25 mg-35 mcg tab</i> | 0 | |
| <i>tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg tab</i> | 0 | |
| <i>trivora (28) 50-30/75-40/ 125-30 mcg tab</i> | 0 | |
| <i>turqoz 0.3-30 mg-mcg tab</i> | 0 | |
| TYBLUME 0.1-20 MG-MCG CHEW TAB | 0 | |
| <i>tydemy 3-0.03-0.451 mg tab</i> | 0 | |
| <i>valtya 1/50 1-50 mg-mcg tab</i> | 0 | |
| VELIVET 0.1/0.125/0.15 -0.025 MG TAB | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>vestura 3-0.02 mg tab</i> | 0 | |
| <i>vienva 0.1-20 mg-mcg tab</i> | 0 | |
| <i>viorele 0.15-0.02/0.01 mg (21/5) tab</i> | 0 | |
| <i>volnea 0.15-0.02/0.01 mg (21/5) tab</i> | 0 | |
| <i>vyfemla 0.4-35 mg-mcg tab</i> | 0 | |
| <i>vylibra 0.25-35 mg-mcg tab</i> | 0 | |
| <i>wera 0.5-35 mg-mcg tab</i> | 0 | |
| <i>wymzya fe 0.4-35 mg-mcg chew tab</i> | 0 | |
| <i>xarah fe 1-20/1-30/1-35 mg-mcg tab</i> | 0 | |
| <i>xelria fe 0.4-35 mg-mcg chew tab</i> | 0 | |
| <i>zarah 3-0.03 mg tab</i> | 0 | |
| <i>zovia 1/35 (28) 1-35 mg-mcg tab</i> | 0 | |
| <i>zovia 1/35e (28) 1-35 mg-mcg tab</i> | 0 | |
| <i>zumandimine 3-0.03 mg tab</i> | 0 | |
| COMBINATION CONTRACEPTIVES - TRANSDERMAL | | |
| <i>norelgestromin-eth estradiol 150-35 mcg/24hr patch wk</i> | 0 | |
| TWIRLA 120-30 MCG/24HR PATCH WK | 0 | |
| <i>xulane 150-35 mcg/24hr patch wk</i> | 0 | |
| <i>zafemy 150-35 mcg/24hr patch wk</i> | 0 | |
| COMBINATION CONTRACEPTIVES - VAGINAL | | |
| ANNOVERA 0.013-0.15 MG/24HR RING | 0 | |
| <i>eluryng 0.12-0.015 mg/24hr ring</i> | 0 | |
| <i>enilloring 0.12-0.015 mg/24hr ring</i> | 0 | |
| <i>etonogestrel-ethinyl estradiol 0.12-0.015 mg/24hr ring</i> | 0 | |
| <i>haloette 0.12-0.015 mg/24hr ring</i> | 0 | |
| COPPER CONTRACEPTIVES - IUD | | |
| PARAGARD INTRAUTERINE COPPER IUD | 0 | SP |
| EMERGENCY CONTRACEPTIVES | | |
| <i>econtra ez 1.5 mg tab</i> | 0 | |
| <i>econtra one-step 1.5 mg tab</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| ELLA 30 MG TAB | 0 | |
| <i>her style 1.5 mg tab</i> | 0 | |
| <i>levonorgestrel 1.5 mg tab</i> | 0 | |
| <i>my choice 1.5 mg tab</i> | 0 | |
| <i>my way 1.5 mg tab</i> | 0 | |
| <i>new day 1.5 mg tab</i> | 0 | |
| <i>opcicon one-step 1.5 mg tab</i> | 0 | |
| <i>option 2 1.5 mg tab</i> | 0 | |
| <i>react 1.5 mg tab</i> | 0 | |
| PROGESTIN CONTRACEPTIVES - INJECTABLE | | |
| DEPO-SUBQ PROVERA 104 104 MG/0.65ML SUSP PRSYR | 0 | PN (MIN 84 DAY SUPPLY; MAX 102 DAY SUPPLY) |
| <i>medroxyprogesterone acetate (150 mg/ml susp prsyr, 150 mg/ml suspension)</i> | 0 | PN (MIN 84 DAY SUPPLY; MAX 102 DAY SUPPLY) |
| PROGESTIN CONTRACEPTIVES - ORAL | | |
| <i>camila 0.35 mg tab</i> | 0 | |
| <i>deblitane 0.35 mg tab</i> | 0 | |
| <i>emzahh 0.35 mg tab</i> | 0 | |
| <i>errin 0.35 mg tab</i> | 0 | |
| <i>heather 0.35 mg tab</i> | 0 | |
| <i>incassia 0.35 mg tab</i> | 0 | |
| <i>jencycla 0.35 mg tab</i> | 0 | |
| <i>lyleq 0.35 mg tab</i> | 0 | |
| <i>lyza 0.35 mg tab</i> | 0 | |
| <i>meleya 0.35 mg tab</i> | 0 | |
| <i>nora-be 0.35 mg tab</i> | 0 | |
| <i>norethindrone 0.35 mg tab</i> | 0 | |
| <i>norlyda 0.35 mg tab</i> | 0 | |
| <i>norlyroc 0.35 mg tab</i> | 0 | |
| OPILL 0.075 MG TAB | 0 | |
| <i>sharobel 0.35 mg tab</i> | 0 | |
| SLYND 4 MG TAB | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------|
| <i>tulana 0.35 mg tab</i> | 0 | |
| CORTICOSTEROIDS | | |
| GLUCOCORTICOSTEROIDS | | |
| <i>budesonide 3 mg cp dr part</i> | 1 | |
| <i>dexamethasone (0.5 mg tab, 0.5 mg/5ml elixir, 0.5 mg/5ml solution, 0.75 mg tab, 1 mg tab, 1.5 mg tab, 2 mg tab, 4 mg tab, 6 mg tab)</i> | 1 | |
| <i>hydrocortisone (5 mg tab, 10 mg tab, 20 mg tab)</i> | 1 | |
| <i>hydrocortisone sod suc (pf) 100 mg recon soln</i> | 1 | MDS |
| <i>methylprednisolone (4 mg tab, 4 mg tab thpk, 8 mg tab, 16 mg tab, 32 mg tab)</i> | 1 | |
| <i>methylprednisolone sodium succ (40 mg recon soln, 125 mg recon soln, 500 mg recon soln, 1000 mg recon soln)</i> | 1 | |
| <i>prednisolone 15 mg/5ml solution</i> | 1 | |
| <i>prednisolone sodium phosphate (6.7 (5 base) mg/5ml solution, 10 mg/5ml solution, 15 mg/5ml solution, 20 mg/5ml solution, 25 mg/5ml solution)</i> | 1 | |
| <i>prednisone (1 mg tab, 2.5 mg tab, 5 mg tab, 5 mg/5ml solution, 10 mg tab, 20 mg tab, 50 mg tab)</i> | 1 | |
| SOLU-CORTEF (250 MG RECON SOLN, 500 MG RECON SOLN, 1000 MG RECON SOLN) | 2 | |
| SOLU-CORTEF 100 MG RECON SOLN | 2 | MDS |
| SOLU-MEDROL (PF) (40 MG RECON SOLN, 125 MG RECON SOLN, 500 MG RECON SOLN, 1000 MG RECON SOLN) | 2 | |
| MINERALOCORTICIDS | | |
| <i>fludrocortisone acetate 0.1 mg tab</i> | 1 | |
| COUGH/COLD/ALLERGY | | |
| ANTITUSSIVES | | |
| <i>benzonatate (100 mg cap, 200 mg cap)</i> | 1 | |
| <i>hydrocodone bit-homatrop mbr 5-1.5 mg tab</i> | 1 | |
| <i>hydrocodone bit-homatrop mbr 5-1.5 mg/5ml solution</i> | 1 | |
| <i>hydromet 5-1.5 mg/5ml solution</i> | 1 | |
| COUGH/COLD/ALLERGY COMBINATIONS | | |
| <i>bromphen-pseudoeph-dm 2-30-10 mg/5ml syrup</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| <i>guaifenesin ac 100-10 mg/5ml syrup</i> | 1 | |
| <i>guaifenesin-codeine (100-10 mg/5ml solution, 200-20 mg/10ml solution)</i> | 1 | |
| HYDROCOD POLI-CHLORPHE POLI ER 10-8 MG/5ML SUSP | 1 | |
| PROMETHAZINE VC 6.25-5 MG/5ML SYRUP | 1 | |
| PROMETHAZINE VC/CODEINE 6.25-5-10 MG/5ML SYRUP | 1 | |
| <i>promethazine-codeine (6.25-10 mg/5ml solution, 6.25-10 mg/5ml syrup)</i> | 1 | |
| <i>promethazine-dm 6.25-15 mg/5ml syrup</i> | 1 | |
| PROMETHAZINE-PHENYLEPHRINE 6.25-5 MG/5ML SYRUP | 1 | |
| <i>pseudoeph-bromphen-dm 30-2-10 mg/5ml syrup</i> | 1 | |
| <i>virtussin a/c 100-10 mg/5ml solution</i> | 1 | |
| <i>virtussin ac w/alc 100-10 mg/5ml liquid</i> | 1 | |
| MUCOLYTICS | | |
| <i>acetylcysteine (10 % solution, 20 % solution)</i> | 1 | |
| DERMATOLOGICALS | | |
| ACNE PRODUCTS | | |
| <i>adapalene 0.3 % gel</i> | 1 | |
| <i>adapalene-benzoyl peroxide 0.1-2.5 % gel</i> | 1 | |
| <i>amnesteem (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i> | 1 | MDS |
| <i>avar cleanser 10-5 % liquid</i> | 1 | |
| <i>avita (0.025 % cream, 0.025 % gel)</i> | 1 | |
| <i>benzoyl peroxide-erythromycin 5-3 % gel</i> | 1 | |
| <i>claravis (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i> | 1 | MDS |
| <i>clindamycin phos (once-daily) 1 % gel</i> | 1 | |
| <i>clindamycin phos (twice-daily) 1 % gel</i> | 1 | |
| <i>clindamycin phos-benzoyl perox (1-5 % gel, 1.2-5 % gel)</i> | 1 | |
| <i>clindamycin phosphate (1 % lotion, 1 % solution, 1 % swab)</i> | 1 | |
| <i>erythromycin (2 % gel, 2 % solution)</i> | 1 | |
| FABIOR 0.1 % FOAM | 2 | PA |
| <i>isotretinoin (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i> | 1 | MDS |
| <i>sulfacetamide sod-sulfur wash 9-4.5 % liquid</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|------------------------------------|
| <i>sulfacetamide sodium (acne) 10 % lotion</i> | 1 | |
| <i>sulfacetamide sodium-sulfur (8-4 % suspension, 9-4 % liquid, 9-4.5 % liquid, 9.8-4.8 % liquid, 10-2 % cream, 10-2 % liquid, 10-4 % pad, 10-5 % cream, 10-5 % liquid, 10-5 % lotion, 10-5 % suspension)</i> | 1 | |
| SULFACETAMIDE-SULFUR IN UREA 10-5 % EMULSION | 1 | |
| TAZAROTENE 0.1 % FOAM | 1 | PA |
| <i>tretinoin (0.01 % gel, 0.025 % cream, 0.025 % gel, 0.05 % cream, 0.05 % gel, 0.1 % cream)</i> | 1 | |
| <i>zenatane (10 mg cap, 20 mg cap, 30 mg cap, 40 mg cap)</i> | 1 | MDS |
| AGENTS FOR EXTERNAL GENITAL AND PERIANAL WARTS | | |
| VEREGEN 15 % OINTMENT | 2 | PA |
| ANTI-INFLAMMATORY AGENTS - TOPICAL | | |
| DICLOFENAC EPOLAMINE 1.3 % PATCH | 1 | PA, QL (30 units per 15 days), MDS |
| <i>diclofenac sodium 1 % gel</i> | 1 | QL (10 units per 1 day) |
| <i>diclofenac sodium 1.5 % solution</i> | 1 | PA |
| ANTIBIOTICS - TOPICAL | | |
| <i>gentamicin sulfate (0.1 % cream, 0.1 % ointment)</i> | 1 | |
| <i>mupirocin 2 % ointment</i> | 1 | |
| <i>mupirocin calcium 2 % cream</i> | 1 | |
| XEPI 1 % CREAM | 2 | PA |
| ANTIFUNGALS - TOPICAL | | |
| <i>ciclopirox (0.77 % gel, 1 % shampoo)</i> | 1 | |
| <i>ciclopirox olamine (0.77 % cream, 0.77 % suspension)</i> | 1 | |
| <i>clotrimazole (1 % cream, 1 % solution)</i> | 1 | |
| <i>clotrimazole-betamethasone (1-0.05 % cream, 1-0.05 % lotion)</i> | 1 | |
| <i>econazole nitrate 1 % cream</i> | 1 | |
| <i>ketconazole (2 % cream, 2 % foam, 2 % shampoo)</i> | 1 | |
| KETODAN (2 % FOAM, 2 % KIT) | 1 | |
| <i>klayesta 100000 unit/gm powder</i> | 1 | |
| <i>naftifine hcl (1 % cream, 2 % cream)</i> | 1 | |
| <i>nyamyc 100000 unit/gm powder</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| <i>nystatin (100000 unit/gm cream, 100000 unit/gm ointment, 100000 unit/gm powder)</i> | 1 | |
| <i>nystatin-triamcinolone (100000-0.1 unit/gm-% cream, 100000-0.1 unit/gm-% ointment)</i> | 1 | |
| <i>nystop 100000 unit/gm powder</i> | 1 | |
| ANTINEOPLASTIC OR PREMALIGNANT LESION AGENTS - TOPICAL | | |
| <i>bexarotene 1 % gel</i> | 1 | PA, SP |
| <i>fluorouracil (5 % cream, 5 % solution)</i> | 1 | |
| FLUOROURACIL 2 % SOLUTION | 2 | |
| VALCHLOR 0.016 % GEL | 2 | PA, LA, SP, MDS |
| ANTIPSORIATICS | | |
| <i>acitretin (10 mg cap, 17.5 mg cap, 25 mg cap)</i> | 1 | PA, SP, MDS |
| <i>calcipotriene (0.005 % cream, 0.005 % ointment, 0.005 % solution)</i> | 1 | |
| <i>calcitrene 0.005 % ointment</i> | 1 | |
| COSENTYX (300 MG DOSE) 150 MG/ML SOLN PRSYR | 2 | QL (2 units per 28 days), PA-NSO, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| COSENTYX (75 MG/0.5ML SOLN PRSYR, 150 MG/ML SOLN PRSYR) | 2 | QL (1 unit per 28 days), PA-NSO, SP, MDS |
| COSENTYX SENSOREADY (300 MG) 150 MG/ML SOLN A-INJ | 2 | QL (2 units per 28 days), PA-NSO, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| COSENTYX SENSOREADY PEN 150 MG/ML SOLN A-INJ | 2 | QL (1 unit per 28 days), PA-NSO, SP, MDS |
| COSENTYX UNOREADY 300 MG/2ML SOLN A-INJ | 2 | QL (2 ml per 28 days), PA-NSO, SP, MDS |
| METHOXSALEN RAPID 10 MG CAP | 1 | PA, MDS |
| SKYRIZI (150 MG DOSE) 75 MG/0.83ML PREF SY KT | 2 | PA, QL (1 unit per 84 days), PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| SKYRIZI 150 MG/ML SOLN PRSYR | 2 | QL (1 unit per 84 days), PA-NSO, SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| SKYRIZI PEN 150 MG/ML SOLN A-INJ | 2 | QL (1 unit per 84 days), PA-NSO, SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| SPEVIGO 450 MG/7.5ML SOLUTION | 2 | PA, LA, SP |
| <i>tazarotene (0.05 % gel, 0.1 % cream, 0.1 % gel)</i> | 1 | |
| TREMFYA 100 MG/ML SOLN PRSYR | 2 | QL (1 unit per 56 days), PA-NSO, SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| TREMFYA 200 MG/20ML SOLUTION | 2 | QL (20 ml per 28 days), PA-NSO, SP, MDS |
| TREMFYA 200 MG/2ML SOLN PRSYR | 2 | QL (2 ml per 28 days), PA-NSO, SP, MDS |
| TREMFYA ONE-PRESS 100 MG/ML SOLN A-INJ | 2 | QL (1 unit per 56 days), PA-NSO, SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| TREMFYA PEN 100 MG/ML SOLN A-INJ | 2 | QL (1 unit per 56 days), PA-NSO, SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| TREMFYA PEN 200 MG/2ML SOLN A-INJ | 2 | QL (2 ml per 28 days), PA-NSO, SP, MDS |
| ANTISEBORRHEIC PRODUCTS | | |
| <i>selenium sulfide 2.5 % lotion</i> | 1 | |
| <i>sodium sulfacetamide wash 10 % liquid</i> | 1 | |
| <i>sulfacetamide sodium (10 % (cleans) gel, 10 % liquid)</i> | 1 | |
| ANTIVIRALS - TOPICAL | | |
| <i>acyclovir 5 % cream</i> | 1 | PA, QL (5 units per fill) |
| <i>acyclovir 5 % ointment</i> | 1 | |
| <i>penciclovir 1 % cream</i> | 1 | PA, QL (5 units per fill), MDS |
| XERESE 5-1 % CREAM | 2 | PA |
| BURN PRODUCTS | | |
| <i>silver sulfadiazine 1 % cream</i> | 1 | |
| <i>ssd 1 % cream</i> | 1 | |
| CAUTERIZING AGENTS | | |
| <i>silver nitrate 0.5 % solution</i> | 1 | |
| CORTICOSTEROIDS - TOPICAL | | |
| <i>alclometasone dipropionate (0.05 % cream, 0.05 % ointment)</i> | 1 | |
| AMCINONIDE 0.1 % CREAM | 1 | |
| <i>betamethasone dipropionate (0.05 % cream, 0.05 % lotion, 0.05 % ointment)</i> | 1 | |
| <i>betamethasone dipropionate aug (0.05 % cream, 0.05 % gel, 0.05 % lotion, 0.05 % ointment)</i> | 1 | |
| <i>betamethasone valerate (0.1 % cream, 0.1 % lotion, 0.1 % ointment, 0.12 % foam)</i> | 1 | |
| <i>clobetasol prop emollient base 0.05 % cream</i> | 1 | |
| <i>clobetasol propionate (0.05 % cream, 0.05 % foam, 0.05 % gel, 0.05 % lotion, 0.05 % ointment, 0.05 % shampoo, 0.05 % solution)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| <i>clobetasol propionate e 0.05 % cream</i> | 1 | |
| <i>clobetasol propionate emulsion 0.05 % foam</i> | 1 | |
| <i>desonide (0.05 % cream, 0.05 % lotion, 0.05 % ointment)</i> | 1 | |
| <i>desoximetasone (0.05 % cream, 0.05 % gel, 0.05 % ointment, 0.25 % cream, 0.25 % ointment)</i> | 1 | |
| <i>diflorasone diacetate 0.05 % ointment</i> | 1 | |
| <i>fluocinolone acetonide (0.01 % cream, 0.01 % solution, 0.025 % cream, 0.025 % ointment)</i> | 1 | |
| <i>fluocinolone acetonide body 0.01 % oil</i> | 1 | |
| <i>fluocinolone acetonide scalp 0.01 % oil</i> | 1 | |
| <i>fluocinonide (0.05 % cream, 0.05 % gel, 0.05 % ointment, 0.05 % solution, 0.1 % cream)</i> | 1 | |
| <i>fluocinonide emulsified base 0.05 % cream</i> | 1 | |
| FLURANDRENOLIDE (0.05 % CREAM, 0.05 % LOTION) | 1 | |
| <i>fluticasone propionate (0.005 % ointment, 0.05 % cream)</i> | 1 | |
| <i>halobetasol propionate (0.05 % cream, 0.05 % ointment)</i> | 1 | |
| <i>hydrocortisone (1 % cream, 1 % ointment, 2.5 % cream, 2.5 % lotion, 2.5 % ointment)</i> | 1 | |
| HYDROCORTISONE ACE-PRAMOXINE 2.5-1 % CREAM | 1 | |
| HYDROCORTISONE BUTYRATE (0.1 % CREAM, 0.1 % OINTMENT, 0.1 % SOLUTION) | 1 | |
| <i>hydrocortisone valerate (0.2 % cream, 0.2 % ointment)</i> | 1 | |
| <i>mometasone furoate (0.1 % cream, 0.1 % ointment, 0.1 % solution)</i> | 1 | |
| PREDNICARBATE 0.1 % OINTMENT | 1 | |
| <i>triamcinolone acetonide (0.025 % cream, 0.025 % lotion, 0.025 % ointment, 0.05 % ointment, 0.1 % cream, 0.1 % lotion, 0.1 % ointment, 0.147 mg/gm aero soln, 0.5 % cream, 0.5 % ointment)</i> | 1 | |
| <i>triamcinolone in absorbase 0.05 % ointment</i> | 1 | |
| ECZEMA AGENTS | | |
| ADBRY 150 MG/ML SOLN PRSYR | 2 | PA, QL (4 units per 28 days), SP, MDS |
| ADBRY 300 MG/2ML SOLN A-INJ | 2 | PA, QL (2 ml per 28 days), SP, MDS |
| CIBINQO (50 MG TAB, 100 MG TAB, 200 MG TAB) | 2 | PA, QL (30 units per 30 days), SP, MDS |
| DUPIXENT (200 MG/1.14ML SOLN A-INJ, 200 MG/1.14ML SOLN PRSYR) | 2 | PA, QL (2.28 units per 28 days), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| DUPIXENT (300 MG/2ML SOLN A-INJ, 300 MG/2ML SOLN PRSYR) | 2 | PA, QL (4 units per 28 days), SP, MDS |
| DUPIXENT 100 MG/0.67ML SOLN PRSYR | 2 | PA, QL (1.34 units per 28 days), MDS |
| EBGLYSS 250 MG/2ML SOLN A-INJ | 2 | PA, QL (2 ml per 28 days), SP, MDS |
| IMMUNOMODULATING AGENTS - TOPICAL | | |
| <i>imiquimod 5 % cream</i> | 1 | |
| IMMUNOSUPPRESSIVE AGENTS - TOPICAL | | |
| HYFTOR 0.2 % GEL | 2 | PA, LA, QL (30 units per 30 days), SP, MDS |
| <i>pimecrolimus 1 % cream</i> | 1 | PA |
| <i>tacrolimus (0.03 % ointment, 0.1 % ointment)</i> | 1 | |
| KERATOLYTIC/ANTIMITOTIC AGENTS | | |
| <i>podofilox 0.5 % solution</i> | 1 | |
| YCANTH 0.7 % SOLUTION | 2 | PA, LA, QL (2 ea per 21 days), SP, MDS |
| LOCAL ANESTHETICS - TOPICAL | | |
| <i>glydo 2 % prsyr</i> | 1 | |
| <i>lidocaine 5 % ointment</i> | 1 | |
| <i>lidocaine 5 % patch</i> | 1 | PA, MDS |
| <i>lidocaine hcl 4 % solution</i> | 1 | |
| <i>lidocaine hcl urethral/mucosal 2 % prsyr</i> | 1 | |
| <i>lidocaine-prilocaine (2.5-2.5 % cream, 2.5-2.5 % kit)</i> | 1 | |
| <i>lidocan 5 % patch</i> | 1 | PA, MDS |
| QUTENZA (2 PATCH) 8 % KIT | 2 | PA, QL (4 units per 90 days), SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| QUTENZA (4 PATCH) 8 % KIT | 2 | PA, QL (4 units per 90 days), SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| QUTENZA 8 % KIT | 2 | PA, QL (4 units per 90 days), SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| <i>tridacaine ii 5 % patch</i> | 1 | PA, MDS |
| <i>tridacaine iii 5 % patch</i> | 1 | PA, MDS |
| MISC. TOPICAL | | |
| <i>alcohol wipes 70 % misc</i> | 2 | |
| <i>cvs isopropyl alcohol wipes 70 % misc</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| <i>isopropyl alcohol 70 % misc</i> | 2 | |
| <i>isopropyl alcohol wipes 70 % misc</i> | 2 | |
| <i>medpura alcohol pads 70 % misc</i> | 2 | |
| <i>qc alcohol 70 % misc</i> | 2 | |
| <i>ra isopropyl alcohol wipes 70 % misc</i> | 2 | |
| XERAC AC 6.25 % SOLUTION | 1 | |
| PROTECTIVES AGAINST UV RADIATION | | |
| SCENESSE 16 MG IMPLANT | 2 | PA, SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| ROSACEA AGENTS | | |
| <i>azelaic acid 15 % gel</i> | 1 | |
| <i>brimonidine tartrate 0.33 % gel</i> | 1 | PA, QL (30 gm per fills) |
| FINACEA 15 % FOAM | 2 | PA |
| <i>ivermectin 1 % cream</i> | 1 | |
| <i>metronidazole (0.75 % cream, 0.75 % gel, 0.75 % lotion, 1 % gel)</i> | 1 | |
| ROSADAN (0.75 % CREAM, 0.75 % CREAM KIT) | 1 | |
| SCABICIDES PEDICULICIDES | | |
| LINDANE 1 % SHAMPOO | 1 | |
| <i>malathion 0.5 % lotion</i> | 1 | |
| <i>permethrin 5 % cream</i> | 1 | |
| SPINOSAD 0.9 % SUSPENSION | 2 | PA |
| WOUND CARE PRODUCTS | | |
| VYJUVEK 5000000000 PFU/2.5ML GEL | 2 | PA, LA, QL (10 ml per 8 days), SP, QL (28 days supply per fill), MDS |
| DIAGNOSTIC PRODUCTS | | |
| DIAGNOSTIC DRUGS | | |
| MACRILEN 60 MG PACKET | 2 | |
| THYROGEN 0.9 MG RECON SOLN | 2 | SP, MDS |
| DIAGNOSTIC TESTS | | |
| ADVIN COVID-19 ANTIGEN TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|------------------------------------|------------------|---------------------------------|
| BD VERITOR HOME COVID-19 TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| BINAXNOW COVID-19 AG HOME TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| CARESTART COVID-19 HOME TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| CHEMSTRIP K STRIP | 2 | QL (100 units per fill) |
| CHEMSTRIP UGK STRIP | 2 | QL (100 units per fill) |
| CLEARDETECT COVID-19 AG HOME KIT | 0 | QL (8 units per 30 day(s)), MDS |
| CLINITEST RAPID COVID-19 TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| COVID-19 AT HOME ANTIGEN TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| COVID-19 AT-HOME TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| COVID-19 OTC ANTIGEN 1-PACK KIT | 0 | QL (8 units per 30 day(s)), MDS |
| COVID-19 OTC ANTIGEN 2-PACK KIT | 0 | QL (8 units per 30 day(s)), MDS |
| CVS COVID-19 AT HOME TEST KIT KIT | 0 | QL (8 units per 30 day(s)), MDS |
| CVS KETONE CARE STRIP | 2 | QL (100 units per fill) |
| DIATRUST COVID-19 HOME TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| ELLUME COVID-19 HOME TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| FASTEP COVID-19 ANTIGEN TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| FLOWFLEX COVID-19 AG HOME TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| GENABIO COVID-19 RAPID TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| GOTOKNOW COVID-19 ANTIGEN RAPI KIT | 0 | QL (8 units per 30 day(s)), MDS |
| IHEALTH COVID-19 RAPID TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| INDICAID COVID-19 RAPID TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| INTELISWAB COVID-19 RAPID TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| KETO-DIASTIX STRIP | 2 | QL (100 units per fill) |
| KETONE TEST STRIP | 2 | QL (100 units per fill) |
| KETOSTIX STRIP | 2 | QL (100 units per fill) |
| OHC COVID-19 ANTIGEN SELF TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| ON/GO COVID-19 ANTIGEN TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| ON/GO ONE COVID-19 HOME TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| ONETOUCH ULTRA STRIP | 2 | QL (200 units per 30 days) |
| ONETOUCH ULTRA BLUE TEST STRIP | 2 | QL (200 units per 30 days) |
| ONETOUCH ULTRA TEST STRIP | 2 | QL (200 units per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---------------------------------|
| ONETOUCH VERIO STRIP | 2 | QL (200 units per 30 days) |
| PILOT COVID-19 AT-HOME TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| QUICKVUE AT-HOME COVID-19 TEST KIT | 0 | QL (8 units per 30 day(s)), MDS |
| RELION KETONE TEST STRIP | 2 | QL (100 units per fill) |
| SPEEDY SWAB COVID-19 ANTIGEN KIT | 0 | QL (8 units per 30 day(s)), MDS |
| DIGESTIVE AIDS | | |
| DIGESTIVE ENZYMES | | |
| CREON (3000-9500 CP DR PART, 6000-19000 CP DR PART, 12000-38000 CP DR PART, 24000-76000 CP DR PART, 36000-114000 CP DR PART) | 2 | |
| PERTZYE (4000 CP DR PART, 4000-14375 CP DR PART, 8000 CP DR PART, 16000 CP DR PART, 16000-57500 CP DR PART, 24000-86250 CP DR PART) | 2 | PA |
| VIOKACE (10440-39150 TAB, 20880-78300 TAB) | 2 | PA |
| ZENPEP (3000-10000 CP DR PART, 5000-24000 CP DR PART, 10000-32000 CP DR PART, 15000-47000 CP DR PART, 20000-63000 CP DR PART, 25000-79000 CP DR PART, 40000-126000 CP DR PART, 60000-189600 CP DR PART) | 2 | PA |
| DIURETICS | | |
| CARBONIC ANHYDRASE INHIBITORS | | |
| <i>acetazolamide (125 mg tab, 250 mg tab)</i> | 1 | |
| <i>acetazolamide er 500 mg cap er 12h</i> | 1 | |
| <i>methazolamide (25 mg tab, 50 mg tab)</i> | 1 | |
| DIURETIC COMBINATIONS | | |
| AMILORIDE-HYDROCHLOROTHIAZIDE 5-50 MG TAB | 1 | |
| <i>spironolactone-hctz 25-25 mg tab</i> | 1 | |
| <i>triamterene-hctz (37.5-25 mg cap, 37.5-25 mg tab, 75-50 mg tab)</i> | 1 | |
| LOOP DIURETICS | | |
| <i>bumetanide (0.5 mg tab, 1 mg tab, 2 mg tab)</i> | 1 | |
| <i>furosemide (8 mg/ml solution, 10 mg/ml solution, 20 mg tab, 40 mg tab, 80 mg tab)</i> | 1 | |
| <i>torseamide (5 mg tab, 10 mg tab, 20 mg tab, 100 mg tab)</i> | 1 | |
| POTASSIUM SPARING DIURETICS | | |
| <i>amiloride hcl 5 mg tab</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| <i>spironolactone (25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | |
| THIAZIDES AND THIAZIDE-LIKE DIURETICS | | |
| <i>chlorthalidone (25 mg tab, 50 mg tab)</i> | 1 | |
| DIURIL 250 MG/5ML SUSPENSION | 2 | |
| <i>hydrochlorothiazide (12.5 mg cap, 12.5 mg tab, 25 mg tab, 50 mg tab)</i> | 1 | |
| <i>indapamide (1.25 mg tab, 2.5 mg tab)</i> | 1 | |
| <i>metolazone (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | 1 | |
| ENDOCRINE AND METABOLIC AGENTS - MISC. | | |
| BONE DENSITY REGULATORS | | |
| <i>alendronate sodium (10 mg tab, 35 mg tab, 70 mg tab, 70 mg/75ml solution)</i> | 1 | |
| <i>calcitonin (salmon) 200 unit/act solution</i> | 1 | |
| <i>ibandronate sodium 150 mg tab</i> | 1 | QL (1 unit per 30 days) |
| PROLIA 60 MG/ML SOLN PRSYR | 2 | PA, SP, PN (MIN 180 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| <i>risedronate sodium (5 mg tab, 30 mg tab, 35 mg tab, 150 mg tab)</i> | 1 | |
| TERIPARATIDE (RECOMBINANT) 620 MCG/2.48ML SOLN PEN | 1 | PA, QL (2.48 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| TYMLOS 3120 MCG/1.56ML SOLN PEN | 2 | PA, QL (1.56 units per 30 days), SP, PN (MIN 30 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| XGEVA 120 MG/1.7ML SOLUTION | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ZOLEDRONIC ACID 4 MG/100ML SOLUTION | 1 | SP, MDS |
| <i>zoledronic acid 4 mg/5ml conc</i> | 1 | PN (\$0 Oral Oncology), SP, MDS |
| <i>zoledronic acid 5 mg/100ml solution</i> | 1 | SP, PN (MIN 365 DAY SUPPLY; MAX 365 DAY SUPPLY) |
| FERTILITY REGULATORS | | |
| CHORIONIC GONADOTROPIN 10000 UNIT RECON SOLN | 2 | PA, MDS |
| NOVAREL 5000 UNIT RECON SOLN | 2 | PA, MDS |
| PREGNYL 10000 UNIT RECON SOLN | 2 | MDS |
| GROWTH HORMONE RECEPTOR ANTAGONISTS | | |
| SOMAVERT (10 MG RECON SOLN, 15 MG RECON SOLN, 20 MG RECON SOLN, 25 MG RECON SOLN, 30 MG RECON SOLN) | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| GROWTH HORMONES | | |
| GENOTROPIN (5 MG CARTRIDGE, 12 MG CARTRIDGE) | 2 | PA, SP, MDS |
| GENOTROPIN MINIQUICK (0.2 MG PRSYR, 0.4 MG PRSYR, 0.6 MG PRSYR, 0.8 MG PRSYR, 1 MG PRSYR, 1.2 MG PRSYR, 1.4 MG PRSYR, 1.6 MG PRSYR, 1.8 MG PRSYR, 2 MG PRSYR) | 2 | PA, SP, MDS |
| HUMATROPE (6 MG CARTRIDGE, 12 MG CARTRIDGE, 24 MG CARTRIDGE) | 2 | PA, SP, MDS |
| NGENLA (24 MG/1.2ML SOLN PEN, 60 MG/1.2ML SOLN PEN) | 2 | PA, SP, MDS |
| NORDITROPIN FLEXPRO (5 MG/1.5ML SOLN PEN, 10 MG/1.5ML SOLN PEN, 15 MG/1.5ML SOLN PEN, 30 MG/3ML SOLN PEN) | 2 | PA, SP, MDS |
| NUTROPIN AQ NUSPIN 10 10 MG/2ML SOLN PEN | 2 | PA, SP, MDS |
| NUTROPIN AQ NUSPIN 20 20 MG/2ML SOLN PEN | 2 | PA, SP, MDS |
| NUTROPIN AQ NUSPIN 5 5 MG/2ML SOLN PEN | 2 | PA, SP, MDS |
| OMNITROPE (5 MG/1.5ML SOLN CART, 10 MG/1.5ML SOLN CART) | 2 | PA, SP, MDS |
| OMNITROPE 5.8 MG RECON SOLN | 2 | PA, SP, MDS |
| SAIZEN 8.8 MG RECON SOLN | 2 | PA, SP, MDS |
| SAIZENPREP 8.8 MG RECON SOLN | 2 | PA, SP, MDS |
| SEROSTIM (4 MG RECON SOLN, 5 MG RECON SOLN, 6 MG RECON SOLN) | 2 | PA, SP, MDS |
| SKYTROFA (3 MG CARTRIDGE, 3.6 MG CARTRIDGE, 4.3 MG CARTRIDGE, 5.2 MG CARTRIDGE, 6.3 MG CARTRIDGE, 7.6 MG CARTRIDGE, 9.1 MG CARTRIDGE, 11 MG CARTRIDGE, 13.3 MG CARTRIDGE) | 2 | PA, SP |
| SOGROYA 10 MG/1.5ML SOLN PEN | 2 | PA, SP, QL (34 days supply per fill), MDS |
| SOGROYA 15 MG/1.5ML SOLN PEN | 2 | PA, SP, QL (34 days supply per fill), MDS |
| SOGROYA 5 MG/1.5ML SOLN PEN | 2 | PA, SP, QL (34 days supply per fill), MDS |
| ZOMACTON (5 MG RECON SOLN, 10 MG RECON SOLN) | 2 | PA, SP, MDS |
| ZOMACTON (FOR ZOMA-JET 10) 10 MG RECON SOLN | 2 | PA, SP, MDS |
| HORMONE RECEPTOR MODULATORS | | |
| <i>raloxifene hcl 60 mg tab</i> | 0 | PN (\$0 copay for women) |
| INSULIN-LIKE GROWTH FACTOR RECEPTOR INHIBITORS | | |
| TEPEZZA 500 MG RECON SOLN | 2 | PA, LA, SP, MDS |
| LHRH/GNRH AGONIST ANALOG PITUITARY SUPPRESSANTS | | |
| FENSOLVI (6 MONTH) 45 MG KIT | 2 | PA, QL (1 unit per 168 days), SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|---|
| LUPRON DEPOT-PED (1-MONTH) (7.5 MG KIT, 11.25 MG KIT, 15 MG KIT) | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| LUPRON DEPOT-PED (3-MONTH) (11.25 MG (PED) KIT, 30 MG KIT) | 2 | SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| LUPRON DEPOT-PED (6-MONTH) 45 MG KIT | 2 | SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| SUPPRELIN LA 50 MG KIT | 2 | PA, SP, PN (MIN 365 DAY SUPPLY; MAX 365 DAY SUPPLY) |
| TRIPTODUR 22.5 MG SRER | 2 | PA, SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| METABOLIC MODIFIERS | | |
| ALDURAZYME 2.9 MG/5ML SOLUTION | 2 | PA, SP, MDS |
| BRINEURA 2 X 150 MG/5ML KIT | 2 | PA, SP, MDS |
| <i>calcitriol (0.25 mcg cap, 0.5 mcg cap, 1 mcg/ml solution)</i> | 1 | |
| <i>cinacalcet hcl (30 mg tab, 60 mg tab, 90 mg tab)</i> | 1 | |
| CRYSVITA (10 MG/ML SOLUTION, 20 MG/ML SOLUTION, 30 MG/ML SOLUTION) | 2 | PA, SP, MDS |
| <i>doxercalciferol (0.5 mcg cap, 1 mcg cap, 2.5 mcg cap)</i> | 1 | |
| ELAPRASE 6 MG/3ML SOLUTION | 2 | PA, SP, MDS |
| ELFABRIO 20 MG/10ML SOLUTION | 2 | PA, LA, SP, MDS |
| ELFABRIO 5 MG/2.5ML SOLUTION | 1 | PA, SP, MDS |
| FABRAZYME (5 MG RECON SOLN, 35 MG RECON SOLN) | 2 | PA, SP, MDS |
| <i>javygtor (100 mg packet, 500 mg packet)</i> | 1 | PA, LA, SP, MDS |
| <i>javygtor 100 mg tab</i> | 1 | PA, SP, MDS |
| KANUMA 20 MG/10ML SOLUTION | 2 | PA, SP, MDS |
| LAMZEDE 10 MG RECON SOLN | 2 | PA, LA, SP, MDS |
| <i>levocarnitine (1 gm/10ml solution, 330 mg tab)</i> | 1 | |
| <i>levocarnitine sf 1 gm/10ml solution</i> | 1 | |
| LUMIZYME 50 MG RECON SOLN | 2 | PA, SP, MDS |
| MEPSEVII 10 MG/5ML SOLUTION | 2 | PA, LA, SP, MDS |
| NAGLAZYME 1 MG/ML SOLUTION | 2 | PA, SP, MDS |
| NEXVIAZYME 100 MG RECON SOLN | 2 | PA, SP |
| NULIBRY 9.5 MG RECON SOLN | 2 | LA, SP, MDS |
| <i>paricalcitol (1 mcg cap, 2 mcg cap, 4 mcg cap)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| PARSABIV (2.5 MG/0.5ML SOLUTION, 5 MG/ML SOLUTION, 10 MG/2ML SOLUTION) | 2 | PA, SP, MDS |
| <i>sapropterin dihydrochloride (100 mg packet, 100 mg tab, 500 mg packet)</i> | 1 | PA, SP, MDS |
| STRENSIQ (18 MG/0.45ML SOLUTION, 28 MG/0.7ML SOLUTION, 40 MG/ML SOLUTION, 80 MG/0.8ML SOLUTION) | 2 | PA, LA, SP, MDS |
| VIMIZIM 5 MG/5ML SOLUTION | 2 | PA, SP, MDS |
| XENPOZYME 20 MG RECON SOLN | 2 | PA, SP |
| XENPOZYME 4 MG RECON SOLN | 2 | PA, SP, MDS |
| XPHOZAH (20 MG TAB, 30 MG TAB) | 2 | PA, LA, QL (60 ea per 30 days), SP, MDS |
| NATRIURETIC PEPTIDES | | |
| VOXZOGO (0.4 MG RECON SOLN, 0.56 MG RECON SOLN, 1.2 MG RECON SOLN) | 2 | PA, QL (30 units per 30 days), SP, MDS |
| POSTERIOR PITUITARY HORMONES | | |
| <i>desmopressin ace spray refrig 0.01 % solution</i> | 1 | |
| <i>desmopressin acetate (0.1 mg tab, 0.2 mg tab)</i> | 1 | |
| <i>desmopressin acetate spray 0.01 % solution</i> | 1 | |
| PROGESTERONE RECEPTOR ANTAGONISTS | | |
| <i>mifepristone 200 mg tab</i> | 1 | |
| PROLACTIN INHIBITORS | | |
| <i>cabergoline 0.5 mg tab</i> | 1 | |
| SOMATOSTATIC AGENTS | | |
| LANREOTIDE ACETATE 120 MG/0.5ML SOLUTION | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| <i>lanreotide acetate 120 mg/0.5ml solution</i> | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| <i>octreotide acetate (20 mg kit, 30 mg kit)</i> | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| <i>octreotide acetate (50 mcg/ml soln prsyr, 50 mcg/ml solution, 100 mcg/ml soln prsyr, 100 mcg/ml solution, 200 mcg/ml solution, 500 mcg/ml soln prsyr, 500 mcg/ml solution, 1000 mcg/ml solution)</i> | 1 | SP, MDS |
| SANDOSTATIN LAR DEPOT (10 MG KIT, 20 MG KIT, 30 MG KIT) | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| SIGNIFOR LAR (10 MG, 20 MG, 30 MG, 40 MG, 60 MG) | 2 | PA, LA, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| SOMATULINE DEPOT (60 MG/0.2ML SOLUTION, 90 MG/0.3ML SOLUTION) | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| SOMATULINE DEPOT 120 MG/0.5ML SOLUTION | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| VASOPRESSIN RECEPTOR ANTAGONISTS | | |
| <i>tolvaptan 15 mg tab</i> | 1 | PA, QL (60 units per 30 days), SP, MDS |
| <i>tolvaptan 30 mg tab</i> | 1 | PA, QL (30 units per 30 days), SP, MDS |
| ESTROGENS | | |
| ESTROGEN COMBINATIONS | | |
| <i>amabelz (0.5-0.1 mg tab, 1-0.5 mg tab)</i> | 1 | |
| COMBIPATCH (0.05-0.14 MG/DAY PATCH TW, 0.05-0.25 MG/DAY PATCH TW) | 2 | |
| <i>est estrogens-methyltest (0.625-1.25 mg tab, 1.25-2.5 mg tab)</i> | 1 | |
| <i>est estrogens-methyltest ds 1.25-2.5 mg tab</i> | 1 | |
| <i>est estrogens-methyltest hs 0.625-1.25 mg tab</i> | 1 | |
| <i>estradiol-norethindrone acet (0.5-0.1 mg tab, 1-0.5 mg tab)</i> | 1 | |
| <i>estratest f.s. 1.25-2.5 mg tab</i> | 1 | |
| <i>estratest h.s. 0.625-1.25 mg tab</i> | 1 | |
| <i>fyavolv (0.5-2.5 tab, 1-5 tab)</i> | 1 | |
| <i>jinteli 1-5 mg-mcg tab</i> | 1 | |
| <i>mimvey 1-0.5 mg tab</i> | 1 | |
| <i>norethindrone-eth estradiol (0.5-2.5 tab, 1-5 tab)</i> | 1 | |
| PREMPHASE 0.625-5 MG TAB | 2 | |
| PREMPRO (0.3-1.5 MG TAB, 0.45-1.5 MG TAB, 0.625-2.5 MG TAB, 0.625-5 MG TAB) | 2 | |
| ESTROGENS | | |
| <i>dotti (0.025 mg/24hr patch tw, 0.0375 mg/24hr patch tw, 0.05 mg/24hr patch tw, 0.075 mg/24hr patch tw, 0.1 mg/24hr patch tw)</i> | 1 | |
| ELESTRIN 0.52 MG/0.87 GM (0.06%) GEL | 2 | |
| <i>estradiol (0.025 mg/24hr patch tw, 0.025 mg/24hr patch wk, 0.0375 mg/24hr patch tw, 0.0375 mg/24hr patch wk, 0.05 mg/24hr patch tw, 0.05 mg/24hr patch wk, 0.06 mg/24hr patch wk, 0.075 mg/24hr patch tw, 0.075 mg/24hr patch wk, 0.1 mg/24hr patch tw, 0.1 mg/24hr patch wk, 0.25 mg/0.25gm gel, 0.5 mg tab, 0.5 mg/0.5gm gel, 0.75 mg/0.75gm gel, 1 mg tab, 1 mg/gm gel, 1.25 mg/1.25gm gel, 2 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| <i>estradiol valerate (10 mg/ml oil, 20 mg/ml oil, 40 mg/ml oil)</i> | 1 | |
| <i>lyllana (0.025 mg/24hr patch tw, 0.0375 mg/24hr patch tw, 0.05 mg/24hr patch tw, 0.075 mg/24hr patch tw, 0.1 mg/24hr patch tw)</i> | 1 | |
| PREMARIN (0.3 MG TAB, 0.45 MG TAB, 0.625 MG TAB, 0.9 MG TAB, 1.25 MG TAB) | 2 | |
| FLUROQUINOLONES | | |
| FLUROQUINOLONES | | |
| CIPRO (250 MG/5ML (5%) RECON SUSP, 500 MG/5ML (10%) RECON SUSP) | 2 | |
| <i>ciprofloxacin hcl (250 mg tab, 500 mg tab, 750 mg tab)</i> | 1 | |
| <i>levofloxacin (250 mg tab, 500 mg tab, 750 mg tab)</i> | 1 | |
| <i>moxifloxacin hcl 400 mg tab</i> | 1 | |
| <i>ofloxacin (300 mg tab, 400 mg tab)</i> | 1 | |
| GASTROINTESTINAL AGENTS - MISC. | | |
| BILE ACID SYNTHESIS DISORDER AGENTS | | |
| CHOLBAM (50 MG CAP, 250 MG CAP) | 2 | PA, LA, SP, MDS |
| GALLSTONE SOLUBILIZING AGENTS | | |
| <i>ursodiol (250 mg tab, 300 mg cap, 500 mg tab)</i> | 1 | |
| GASTROINTESTINAL ANTIALLERGY AGENTS | | |
| <i>cromolyn sodium 100 mg/5ml conc</i> | 1 | |
| GASTROINTESTINAL CHLORIDE CHANNEL ACTIVATORS | | |
| <i>lubiprostone (8 mcg cap, 24 mcg cap)</i> | 1 | QL (2 units per 1 day) |
| GASTROINTESTINAL STIMULANTS | | |
| <i>metoclopramide hcl (5 mg tab, 5 mg/5ml solution, 10 mg tab, 10 mg/10ml solution)</i> | 1 | |
| HEPATOTROPICS | | |
| REZDIFFRA (60 MG TAB, 80 MG TAB, 100 MG TAB) | 2 | PA, LA, QL (30 ea per 30 days), SP, MDS |
| INFLAMMATORY BOWEL AGENTS | | |
| AVSOLA 100 MG RECON SOLN | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| <i>balsalazide disodium 750 mg cap</i> | 1 | |
| CIMZIA (2 SYRINGE) 200 MG/ML PREF SY KT | 2 | QL (1 unit per 28 days), PA-NSO, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| CIMZIA 2 X 200 MG KIT | 2 | QL (1 unit per 28 days), PA-NSO, SP, MDS |
| CIMZIA-STARTER 200 MG/ML PREF SY KT | 2 | QL (3 units per 28 days), PA-NSO, SP, PN (MIN 42 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| DIPENTUM 250 MG CAP | 2 | PA, QL (4 units per 1 day) |
| ENTYVIO 300 MG RECON SOLN | 2 | PA, SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| ENTYVIO PEN 108 MG/0.68ML SOLN A-INJ | 2 | PA, QL (1.36 ml per 28 days), SP, MDS |
| INFLECTRA 100 MG RECON SOLN | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| <i>mesalamine (1.2 gm tab dr, 4 gm enema, 400 mg cap dr, 1000 mg suppos)</i> | 1 | |
| <i>mesalamine er (0.375 gm cap er 24h, 500 mg cap er)</i> | 1 | |
| <i>mesalamine-cleanser 4 gm kit</i> | 1 | |
| OMVOH 100 MG/ML SOLN A-INJ | 2 | PA, QL (2 ml per 28 days), SP, MDS |
| OMVOH 300 MG/15ML SOLUTION | 2 | PA, QL (45 ml per 56 days), SP, MDS |
| REMICADE 100 MG RECON SOLN | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| RENFLIXIS 100 MG RECON SOLN | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| SKYRIZI 180 MG/1.2ML SOLN CART | 2 | QL (1.2 ml per 56 days), PA-NSO, SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| SKYRIZI 360 MG/2.4ML SOLN CART | 2 | QL (2.4 units per 56 days), PA-NSO, SP, PN (MIN 56 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| SKYRIZI 600 MG/10ML SOLUTION | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| STELARA 130 MG/26ML SOLUTION | 2 | PA, SP, MDS |
| <i>sulfasalazine (500 mg tab, 500 mg tab dr)</i> | 1 | |
| ZYMFENTRA (1 PEN) 120 MG/ML AUT-IJ KIT | 2 | QL (2 ea per 28 days), PA-NSO, PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| ZYMFENTRA (2 PEN) 120 MG/ML AUT-IJ KIT | 2 | QL (1 ea per 28 days), PA-NSO, PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| ZYMFENTRA (2 SYRINGE) 120 MG/ML PREF SY KT | 2 | QL (1 ea per 28 days), PA-NSO, PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| INTESTINAL ACIDIFIERS | | |
| <i>enulose 10 gm/15ml solution</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| <i>generlac 10 gm/15ml solution</i> | 1 | |
| <i>lactulose encephalopathy 10 gm/15ml solution</i> | 1 | |
| IRRITABLE BOWEL SYNDROME (IBS) AGENTS | | |
| <i>alosetron hcl (0.5 mg tab, 1 mg tab)</i> | 1 | |
| LINZESS (72 MCG CAP, 145 MCG CAP, 290 MCG CAP) | 2 | QL (1 unit per 1 day) |
| LIVE FECAL MICROBIOTA | | |
| REBYOTA 150 ML SUSPENSION | 2 | PA, SP |
| PERIPHERAL OPIOID RECEPTOR ANTAGONISTS | | |
| MOVANTIK (12.5 MG TAB, 25 MG TAB) | 2 | QL (1 unit per 1 day) |
| PHOSPHATE BINDER AGENTS | | |
| AURYXIA 1 GM 210 MG(Fe) TAB | 2 | PA, QL (408 units per 34 days), MDS |
| <i>calcium acetate (phos binder) (667 mg cap, 667 mg tab)</i> | 1 | |
| <i>calcium acetate 667 mg tab</i> | 1 | |
| FOSRENOL (750 MG PACKET, 1000 MG PACKET) | 2 | |
| <i>lanthanum carbonate (500 mg chew tab, 750 mg chew tab, 1000 mg chew tab)</i> | 1 | |
| <i>sevelamer carbonate (0.8 gm packet, 2.4 gm packet, 800 mg tab)</i> | 1 | |
| <i>sevelamer hcl (400 mg tab, 800 mg tab)</i> | 1 | PA |
| VELPHORO 500 MG CHEW TAB | 2 | PA |
| SHORT BOWEL SYNDROME (SBS) AGENTS | | |
| GATTEX 5 MG KIT | 2 | PA, QL (1 unit per 30 days), SP, MDS |
| TRYPTOPHAN HYDROXYLASE INHIBITORS | | |
| XERMELO 250 MG TAB | 2 | PA, QL (84 units per 28 days), SP, MDS |
| GENITOURINARY AGENTS - MISCELLANEOUS | | |
| ALKALINIZERS | | |
| <i>pot & sod cit-cit ac 550-500-334 mg/5ml solution</i> | 1 | |
| <i>potassium citrate er (5 (540 mg) tab er, 10 (1080 mg) tab er, 15 (1620 mg) tab er)</i> | 1 | |
| <i>potassium citrate-citric acid 1100-334 mg/5ml solution</i> | 1 | |
| <i>sod citrate-citric acid (1.5-1 gm/15ml solution, 3-2 gm/30ml solution, 500-334 mg/5ml solution)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---------------------------------------|
| <i>tricitrates 550-500-334 mg/5ml solution</i> | 1 | |
| CYSTINOSIS AGENTS | | |
| CYSTAGON (50 MG CAP, 150 MG CAP) | 2 | LA, SP, MDS |
| PROCYSBI (25 MG CAP DR, 75 MG CAP DR) | 2 | PA, LA, SP, MDS |
| HYPEROXALURIA AGENTS | | |
| OXLUMO 94.5 MG/0.5ML SOLUTION | 2 | PA, LA, SP, MDS |
| IGA NEPHROPATHY (IGAN) AGENTS | | |
| FILSPARI (200 MG TAB, 400 MG TAB) | 2 | PA, QL (30 tabs per 30 days), SP, MDS |
| INTERSTITIAL CYSTITIS AGENTS | | |
| ELMIRON 100 MG CAP | 2 | PA |
| PROSTATIC HYPERTROPHY AGENTS | | |
| <i>alfuzosin hcl er 10 mg tab er 24h</i> | 1 | |
| <i>dutasteride 0.5 mg cap</i> | 1 | |
| <i>dutasteride-tamsulosin hcl 0.5-0.4 mg cap</i> | 1 | PA |
| <i>finasteride 5 mg tab</i> | 1 | |
| <i>silodosin (4 mg cap, 8 mg cap)</i> | 1 | PA |
| <i>tamsulosin hcl 0.4 mg cap</i> | 1 | |
| URINARY STONE AGENTS | | |
| LITHOSTAT 250 MG TAB | 2 | |
| GOUT AGENTS | | |
| GOUT AGENT COMBINATIONS | | |
| <i>colchicine-probenecid 0.5-500 mg tab</i> | 1 | |
| GOUT AGENTS | | |
| <i>allopurinol (100 mg tab, 300 mg tab)</i> | 1 | |
| <i>colchicine 0.6 mg tab</i> | 1 | |
| <i>febuxostat (40 mg tab, 80 mg tab)</i> | 1 | PA, QL (1 unit per day) |
| KRYSTEXXA 8 MG/ML SOLUTION | 2 | PA, QL (2 units per 28 days), SP, MDS |
| URICOSURICS | | |
| <i>probenecid 500 mg tab</i> | 1 | |
| HEMATOLOGICAL AGENTS - MISC. | | |
| AMINOLEVULINATE SYNTHASE 1-DIRECTED SIRNA | | |
| GIVLAARI 189 MG/ML SOLUTION | 2 | PA, LA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| ANTIHEMOPHILIC PRODUCTS | | |
| ADVATE (250 RECON SOLN, 500 RECON SOLN, 1000 RECON SOLN, 1500 RECON SOLN, 2000 RECON SOLN, 3000 RECON SOLN, 4000 RECON SOLN) | 2 | PA, SP, MDS |
| AFSTYLA (250 KIT, 500 KIT, 1000 KIT, 1500 KIT, 2000 KIT, 2500 KIT, 3000 KIT) | 2 | PA, SP, MDS |
| ALPHANATE (250 RECON SOLN, 500 RECON SOLN, 1000 RECON SOLN, 1500 RECON SOLN, 2000 RECON SOLN) | 2 | PA, SP, MDS |
| ELOCTATE (250 RECON SOLN, 500 RECON SOLN, 750 RECON SOLN, 1000 RECON SOLN, 1500 RECON SOLN, 2000 RECON SOLN, 3000 RECON SOLN, 4000 RECON SOLN, 5000 RECON SOLN, 6000 RECON SOLN) | 2 | PA, SP, MDS |
| ESPEROCT (500 RECON SOLN, 1000 RECON SOLN, 1500 RECON SOLN, 2000 RECON SOLN, 3000 RECON SOLN) | 2 | PA, SP, MDS |
| ESPEROCT 4000 UNIT RECON SOLN | 2 | PA, SP, MDS |
| FEIBA (500 RECON SOLN, 1000 RECON SOLN, 2500 RECON SOLN) | 2 | PA, SP, MDS |
| HEMGENIX (10 X 10 ML SUSP THPK, 11 X 10 ML SUSP THPK, 12 X 10 ML SUSP THPK, 13 X 10 ML SUSP THPK, 14 X 10 ML SUSP THPK, 15 X 10 ML SUSP THPK, 16 X 10 ML SUSP THPK, 17 X 10 ML SUSP THPK, 18 X 10 ML SUSP THPK, 19 X 10 ML SUSP THPK, 20 X 10 ML SUSP THPK, 21 X 10 ML SUSP THPK, 22 X 10 ML SUSP THPK, 23 X 10 ML SUSP THPK, 24 X 10 ML SUSP THPK, 25 X 10 ML SUSP THPK, 26 X 10 ML SUSP THPK, 27 X 10 ML SUSP THPK, 28 X 10 ML SUSP THPK, 29 X 10 ML SUSP THPK, 30 X 10 ML SUSP THPK, 31 X 10 ML SUSP THPK, 32 X 10 ML SUSP THPK, 33 X 10 ML SUSP THPK, 34 X 10 ML SUSP THPK, 35 X 10 ML SUSP THPK, 36 X 10 ML SUSP THPK, 37 X 10 ML SUSP THPK, 38 X 10 ML SUSP THPK, 39 X 10 ML SUSP THPK, 40 X 10 ML SUSP THPK, 41 X 10 ML SUSP THPK, 42 X 10 ML SUSP THPK, 43 X 10 ML SUSP THPK, 44 X 10 ML SUSP THPK, 45 X 10 ML SUSP THPK, 46 X 10 ML SUSP THPK, 47 X 10 ML SUSP THPK, 48 X 10 ML SUSP THPK) | 2 | PA, LA, QL (1 units per lifetime), SP, MDS |
| HEMLIBRA (30 MG/ML SOLUTION, 60 MG/0.4ML SOLUTION, 105 MG/0.7ML SOLUTION, 150 MG/ML SOLUTION, 300 MG/2ML SOLUTION) | 2 | PA, SP, MDS |
| HEMLIBRA 12 MG/0.4ML SOLUTION | 2 | PA, SP, MDS |
| HEMOFIL M (250 RECON SOLN, 500 RECON SOLN, 1000 RECON SOLN, 1700 RECON SOLN) | 2 | PA, SP, MDS |
| HUMATE-P (250-600 RECON SOLN, 500-1200 RECON SOLN, 1000-2400 RECON SOLN) | 2 | PA, SP, MDS |
| JIVI (500 RECON SOLN, 1000 RECON SOLN, 2000 RECON SOLN, 3000 RECON SOLN) | 2 | PA, SP, MDS |
| JIVI 4000 UNIT RECON SOLN | 2 | PA, SP, MDS |
| KCENTRA (500 KIT, 1000 KIT) | 2 | MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| KOATE (250 RECON SOLN, 500 RECON SOLN, 1000 RECON SOLN) | 2 | PA, SP, MDS |
| KOATE-DVI (500 RECON SOLN, 1000 RECON SOLN) | 2 | PA, SP, MDS |
| KOGENATE FS (250 KIT, 500 KIT, 1000 KIT, 2000 KIT, 3000 KIT) | 2 | PA, SP, MDS |
| NOVOEIGHT (250 RECON SOLN, 500 RECON SOLN, 1000 RECON SOLN, 1500 RECON SOLN, 2000 RECON SOLN, 3000 RECON SOLN) | 2 | PA, SP, MDS |
| OBIZUR 500 UNIT RECON SOLN | 2 | PA, SP, MDS |
| RECOMBINATE (220-400 RECON SOLN, 401-800 RECON SOLN, 801-1240 RECON SOLN, 1241-1800 RECON SOLN, 1801-2400 RECON SOLN) | 2 | PA, SP, MDS |
| WILATE (500-500 KIT, 1000-1000 KIT) | 2 | PA, SP, MDS |
| XYNTHA (250 KIT, 500 KIT, 1000 KIT, 2000 KIT) | 2 | PA, SP, MDS |
| XYNTHA SOLOFUSE (250 KIT, 500 KIT, 1000 KIT, 2000 KIT, 3000 KIT) | 2 | PA, SP, MDS |
| BRADYKININ B2 RECEPTOR ANTAGONISTS | | |
| <i>icatibant acetate 30 mg/3ml soln prsyr</i> | 1 | PA, QL (9 units per 30 days), SP, MDS |
| <i>sajazir 30 mg/3ml soln prsyr</i> | 1 | PA, LA, QL (9 units per 30 days), SP, MDS |
| COMPLEMENT INHIBITORS | | |
| BERINERT 500 UNIT KIT | 2 | PA, SP, MDS |
| CINRYZE 500 UNIT RECON SOLN | 2 | PA, SP, MDS |
| EMPAVELI 1080 MG/20ML SOLUTION | 2 | PA, LA, SP, MDS |
| ENJAYMO 1100 MG/22ML SOLUTION | 2 | PA, SP |
| FABHALTA 200 MG CAP | 2 | PA, LA, QL (60 ea per 30 days), SP, MDS |
| HAEGARDA (2000 RECON SOLN, 3000 RECON SOLN) | 2 | PA, QL (8 doses per 28 days), SP, MDS |
| PIASKY 340 MG/2ML SOLUTION | 2 | PA, SP, MDS |
| RUCONEST 2100 UNIT RECON SOLN | 2 | PA, SP, MDS |
| SOLIRIS 300 MG/30ML SOLUTION | 2 | PA, SP, MDS |
| ULTOMIRIS (300 MG/3ML SOLUTION, 1100 MG/11ML SOLUTION) | 2 | PA, SP, MDS |
| VEOPOZ 400 MG/2ML SOLUTION | 2 | PA, LA, SP, MDS |
| HEMATAOLOGIC - TYROSINE KINASE INHIBITORS | | |
| TAVALISSE (100 MG TAB, 150 MG TAB) | 2 | PA, QL (60 units per 30 days), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|---|
| HEMATOLOGICAL ENZYMES - MISC | | |
| ADZYNMA (500 KIT, 1500 KIT) | 2 | PA, LA, SP, MDS |
| HEMATORHEOLOGIC AGENTS | | |
| <i>pentoxifylline er 400 mg tab er</i> | 1 | |
| PLASMA KALLIKREIN INHIBITORS | | |
| KALBITOR 10 MG/ML SOLUTION | 2 | PA, SP, MDS |
| ORLADEYO (110 MG CAP, 150 MG CAP) | 2 | PA, LA, QL (28 units per 28 days), SP, MDS |
| TAKHZYRO (300 MG/2ML SOLN PRSYR, 300 MG/2ML SOLUTION) | 2 | PA, QL (4 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| TAKHZYRO 150 MG/ML SOLN PRSYR | 2 | PA, QL (2 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| PLASMA PROTEINS | | |
| RYPLAZIM 68.8 MG RECON SOLN | 2 | PA, LA, SP |
| PLATELET AGGREGATION INHIBITORS | | |
| <i>anagrelide hcl 0.5 mg cap</i> | 1 | SP |
| <i>anagrelide hcl 1 mg cap</i> | 1 | |
| <i>aspirin-dipyridamole er 25-200 mg cap er 12h</i> | 1 | |
| BRILINTA (60 MG TAB, 90 MG TAB) | 2 | |
| CABLIVI 11 MG KIT | 2 | PA, QL (30 units per 30 days), SP, MDS |
| <i>cilostazol (50 mg tab, 100 mg tab)</i> | 1 | |
| <i>clopidogrel bisulfate (75 mg tab, 300 mg tab)</i> | 1 | |
| <i>dipyridamole (25 mg tab, 50 mg tab, 75 mg tab)</i> | 1 | |
| <i>prasugrel hcl (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>ticagrelor (60 mg tab, 90 mg tab)</i> | 1 | |
| PYRUVATE KINASE ACTIVATORS | | |
| PYRUKYND (5 MG TAB, 20 MG TAB, 50 MG TAB) | 2 | PA, LA, QL (56 units per 28 days), SP, MDS |
| PYRUKYND TAPER PACK (5 MG TAB THPK, 7 X 20 MG & 7 X 5 MG TAB THPK, 7 X 50 MG & 7 X 20 MG TAB THPK) | 2 | PA, LA, QL (56 units per 28 days), SP, MDS |
| HEMATOPOIETIC AGENTS | | |
| AGENTS FOR GAUCHER DISEASE | | |
| CEREZYME 400 UNIT RECON SOLN | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| ELELYSO 200 UNIT RECON SOLN | 2 | PA, SP, MDS |
| <i>miglustat 100 mg cap</i> | 1 | PA, QL (90 units per 30 days), SP, MDS |
| VPRIV 400 UNIT RECON SOLN | 2 | PA, SP, MDS |
| <i>yargesa 100 mg cap</i> | 1 | PA, LA, QL (90 units per 30 days), SP, MDS |
| AGENTS FOR SICKLE CELL DISEASE | | |
| ADAKVEO 100 MG/10ML SOLUTION | 2 | PA, SP, MDS |
| ENDARI 5 GM PACKET | 2 | PA, QL (180 units per 30 days), SP, MDS |
| <i>l-glutamine 5 gm packet</i> | 2 | PA, QL (180 ea per 30 days), SP, MDS |
| COBALAMINS | | |
| <i>sm vitamin b-12 100 mcg tab</i> | 0 | |
| <i>sm vitamin b-12 500 mcg tab</i> | 0 | |
| <i>true vitamin b12 (500 mcg tab, 1000 mcg tab)</i> | 0 | |
| <i>vitamin b-12 1000 mcg tab</i> | 0 | |
| <i>vitamin b12 1000 mcg tab</i> | 0 | |
| FOLIC ACID/FOLATES | | |
| <i>cvs folic acid 800 mcg tab</i> | 0 | |
| <i>folate 400 mcg tab</i> | 0 | |
| <i>folic acid (0.8 mg cap, 400 mcg tab, 800 mcg tab)</i> | 0 | |
| <i>folic acid 1 mg tab</i> | 1 | |
| <i>gnp folic acid 400 mcg tab</i> | 0 | |
| <i>hm folic acid 400 mcg tab</i> | 0 | |
| <i>kp folic acid 800 mcg tab</i> | 0 | |
| <i>px folic acid 400 mcg tab</i> | 0 | |
| <i>qc folic acid 800 mcg tab</i> | 0 | |
| <i>ra folic acid (400 mcg tab, 800 mcg tab)</i> | 0 | |
| <i>sm folic acid 400 mcg tab</i> | 0 | |
| <i>true folic acid 400 mcg tab</i> | 0 | |
| <i>yl folic acid 400 mcg tab</i> | 0 | |
| HEMATOPOIETIC GROWTH FACTORS | | |
| ARANESP (ALBUMIN FREE) (10 MCG/0.4ML SOLN PRSYR, 25 MCG/0.42ML SOLN PRSYR, 25 MCG/ML SOLUTION, 40 MCG/0.4ML SOLN PRSYR, 40 MCG/ML SOLUTION, 60 MCG/0.3ML SOLN PRSYR, 60 MCG/ML SOLUTION, 100 MCG/0.5ML SOLN PRSYR, 100 MCG/ML SOLUTION, 150 MCG/0.3ML SOLN PRSYR, 200 MCG/0.4ML SOLN PRSYR, 200 MCG/ML SOLUTION, 300 MCG/0.6ML SOLN PRSYR, 500 MCG/ML SOLN PRSYR) | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| DOPTELET 20 MG TAB | 2 | PA, QL (60 units per 30 days), SP, MDS |
| <i>eltrombopag olamine (12.5 mg packet, 12.5 mg tab, 25 mg packet, 25 mg tab, 50 mg tab, 75 mg tab)</i> | 2 | PA, SP, MDS |
| EPOGEN (2000 UNIT/ML SOLUTION, 3000 UNIT/ML SOLUTION, 4000 UNIT/ML SOLUTION, 10000 UNIT/ML SOLUTION, 20000 UNIT/ML SOLUTION) | 2 | PA, SP, MDS |
| FULPHILA 6 MG/0.6ML SOLN PRSYR | 2 | PA, QL (0.043 units per 1 day), SP |
| FYLNETRA 6 MG/0.6ML SOLN PRSYR | 2 | PA, QL (0.043 ml per 1 day), SP, MDS |
| LEUKINE 250 MCG RECON SOLN | 2 | PA, SP, MDS |
| MIRCERA (30 MCG/0.3ML SOLN PRSYR, 50 MCG/0.3ML SOLN PRSYR, 75 MCG/0.3ML SOLN PRSYR, 100 MCG/0.3ML SOLN PRSYR, 150 MCG/0.3ML SOLN PRSYR, 200 MCG/0.3ML SOLN PRSYR) | 2 | PA, LA, SP, MDS |
| MIRCERA 120 MCG/0.3ML SOLN PRSYR | 2 | PA, LA, SP |
| NEULASTA 6 MG/0.6ML SOLN PRSYR | 2 | PA, QL (0.043 units per 1 day), SP |
| NEULASTA ONPRO 6 MG/0.6ML PREF SY KT | 2 | PA, QL (0.043 units per 1 day), SP |
| NEUPOGEN (300 MCG/0.5ML SOLN PRSYR, 300 MCG/ML SOLUTION, 480 MCG/0.8ML SOLN PRSYR, 480 MCG/1.6ML SOLUTION) | 2 | PA, SP, MDS |
| NIVESTYM (300 MCG/0.5ML SOLN PRSYR, 300 MCG/ML SOLUTION, 480 MCG/0.8ML SOLN PRSYR, 480 MCG/1.6ML SOLUTION) | 2 | PA, SP, MDS |
| NPLATE (125 MCG RECON SOLN, 250 MCG RECON SOLN, 500 MCG RECON SOLN) | 2 | PA, SP, MDS |
| NYVEPRIA 6 MG/0.6ML SOLN PRSYR | 2 | PA, QL (0.043 units per 1 day), SP |
| PROCIT (2000 UNIT/ML SOLUTION, 3000 UNIT/ML SOLUTION, 4000 UNIT/ML SOLUTION, 10000 UNIT/ML SOLUTION, 20000 UNIT/ML SOLUTION, 40000 UNIT/ML SOLUTION) | 2 | PA, SP, MDS |
| PROMACTA (12.5 MG PACKET, 12.5 MG TAB, 25 MG PACKET, 25 MG TAB, 50 MG TAB, 75 MG TAB) | 2 | PA, SP, MDS |
| REBLOZYL (25 MG RECON SOLN, 75 MG RECON SOLN) | 2 | PA, SP, MDS |
| RELEUKO (300 MCG/0.5ML SOLN PRSYR, 480 MCG/0.8ML SOLN PRSYR, 480 MCG/1.6ML SOLUTION) | 2 | PA, SP, MDS |
| RELEUKO 300 MCG/ML SOLUTION | 2 | PA, SP |
| RETACRIT (2000 UNIT/ML SOLUTION, 3000 UNIT/ML SOLUTION, 4000 UNIT/ML SOLUTION, 10000 UNIT/ML SOLUTION, 20000 UNIT/ML SOLUTION, 40000 UNIT/ML SOLUTION) | 2 | PA, SP, MDS |
| ROLVEDON 13.2 MG/0.6ML SOLN PRSYR | 2 | PA, QL (0.043 ml per 1 day), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--------------------------------------|
| STIMUFEND 6 MG/0.6ML SOLN PRSYR | 2 | PA, QL (0.043 ml per 1 day), SP, MDS |
| UDENYCA (6 MG/0.6ML SOLN A-INJ, 6 MG/0.6ML SOLN PRSYR) | 2 | PA, QL (0.043 units per 1 day), SP |
| UDENYCA ONBODY 6 MG/0.6ML SOLN PRSYR | 2 | PA, QL (0.043 ml per 1 day), SP |
| ZIEXTENZO 6 MG/0.6ML SOLN PRSYR | 2 | PA, QL (0.043 units per 1 day), SP |
| HEMATOPOIETIC MIXTURES | | |
| FOLTABS 800 800-10-115 MCG-MG-MCG TAB | 0 | |
| IRON | | |
| EZFE 200 434.8 (200 FE) MG CAP | 0 | |
| <i>ferate 240 (27 fe) mg tab</i> | 0 | |
| <i>ferosul 325 (65 fe) mg tab</i> | 0 | |
| <i>ferrex 150 150 mg cap</i> | 0 | |
| FERRIMIN 150 150 MG TAB | 0 | |
| FERROUS GLUCONATE 324 (38 FE) MG TAB | 0 | |
| <i>ferrous sulfate (75 (15 fe) mg/ml solution, 220 (44 fe) mg/5ml solution, 300 (60 fe) mg/5ml solution, 300 mg/6.8ml solution, 324 (65 fe) mg tab dr, 325 (65 fe) mg tab, 325 (65 fe) mg tab dr)</i> | 0 | |
| <i>ferrous sulfate 324 (65 fe) mg tab dr</i> | 0 | |
| <i>ferumoxytol 510 mg/17ml solution</i> | 2 | LA, SP, MDS |
| <i>gnp iron 200 (65 fe) mg tab</i> | 0 | |
| INJECTAFER 100 MG/2ML SOLUTION | 2 | SP |
| INJECTAFER 750 MG/15ML SOLUTION | 2 | SP, MDS |
| <i>iron (ferrous sulfate) 75 (15 fe) mg/ml solution</i> | 0 | |
| <i>iron infant/toddler 75 (15 fe) mg/ml solution</i> | 0 | |
| <i>iron supplement childrens 75 (15 fe) mg/ml solution</i> | 0 | |
| <i>nu-iron 150 mg cap</i> | 0 | |
| <i>polysaccharide iron complex 150 mg cap</i> | 0 | |
| <i>sm iron 325 (65 fe) mg tab</i> | 0 | |
| <i>sm iron slow release 160 (50 fe) mg tab er</i> | 0 | |
| <i>true ferrous sulfate 324 mg tab dr</i> | 0 | |
| <i>wee care 15 mg/1.25ml suspension</i> | 0 | |
| STEM CELL MOBILIZERS | | |
| APHEXDA 62 MG RECON SOLN | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| MOZOBIL 24 MG/1.2ML SOLUTION | 2 | SP, MDS |
| XOLREMDI 100 MG CAP | 2 | PA, LA, QL (120 ea per 30 days), SP, MDS |
| HEMOSTATICS | | |
| HEMOSTATICS - SYSTEMIC | | |
| <i>tranexamic acid 650 mg tab</i> | 1 | |
| HYPNOTICS/SEDATIVES/SLEEP DISORDER AGENTS | | |
| BARBITURATE HYPNOTICS | | |
| <i>phenobarbital (15 mg tab, 16.2 mg tab, 20 mg/5ml elixir, 30 mg tab, 30 mg/7.5ml elixir, 32.4 mg tab, 60 mg tab, 60 mg/15ml elixir, 64.8 mg tab, 97.2 mg tab, 100 mg tab)</i> | 1 | |
| SEZABY 100 MG RECON SOLN | 2 | |
| NON-BARBITURATE HYPNOTICS | | |
| <i>estazolam (1 mg tab, 2 mg tab)</i> | 1 | |
| <i>eszopiclone (1 mg tab, 2 mg tab, 3 mg tab)</i> | 1 | |
| FLURAZEPAM HCL (15 MG CAP, 30 MG CAP) | 1 | |
| <i>midazolam hcl 2 mg/ml syrup</i> | 1 | |
| MIDAZOLAM-SODIUM CHLORIDE (PF) 100-0.8 MG/100ML-% SOLUTION | 2 | PA, QL (30 tabs per 30 days), MDS |
| QUAZEPAM 15 MG TAB | 1 | |
| <i>temazepam (7.5 mg cap, 15 mg cap, 22.5 mg cap, 30 mg cap)</i> | 1 | |
| <i>triazolam (0.125 mg tab, 0.25 mg tab)</i> | 1 | |
| <i>zaleplon (5 mg cap, 10 mg cap)</i> | 1 | |
| ZOLPIDEM TARTRATE (1.75 MG SL TAB, 3.5 MG SL TAB) | 1 | PA |
| <i>zolpidem tartrate (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>zolpidem tartrate er (6.25 mg tab er, 12.5 mg tab er)</i> | 1 | |
| SELECTIVE MELATONIN RECEPTOR AGONISTS | | |
| <i>ramelteon 8 mg tab</i> | 1 | ST |
| LAXATIVES | | |
| LAXATIVE COMBINATIONS | | |
| CLENPIQ (10-3.5-12 -GM/160ML SOLUTION, 10-3.5-12 -GM/175ML SOLUTION) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|----------------------------|
| GAVILYTE-C 240 GM RECON SOLN | 1 | |
| <i>gavilyte-g 236 gm recon soln</i> | 1 | |
| <i>gavilyte-n with flavor pack 420 gm recon soln</i> | 1 | |
| <i>na sulfate-k sulfate-mg sulf 17.5-3.13-1.6 gm/177ml solution</i> | 1 | |
| <i>peg 3350-kcl-na bicarb-nacl 420 gm recon soln</i> | 1 | |
| <i>peg-3350/electrolytes 236 gm recon soln</i> | 1 | |
| <i>peg-3350/electrolytes/ascorbat 100 gm recon soln</i> | 1 | |
| <i>peg-kcl-nacl-nasulf-na asc-c 100 gm recon soln</i> | 1 | |
| SUTAB 1479-225-188 MG TAB | 2 | QL (24 ea per fill), AL |
| LAXATIVES - MISCELLANEOUS | | |
| <i>constulose 10 gm/15ml solution</i> | 1 | |
| <i>kristalose (10 gm packet, 20 gm packet)</i> | 2 | PA |
| <i>lactulose (10 gm packet, 20 gm packet)</i> | 2 | |
| <i>lactulose (10 gm/15ml solution, 20 gm/30ml solution)</i> | 1 | |
| MACROLIDES | | |
| AZITHROMYCIN | | |
| <i>azithromycin (100 mg/5ml recon susp, 200 mg/5ml recon susp, 250 mg tab, 500 mg tab, 600 mg tab)</i> | 1 | |
| CLARITHROMYCIN | | |
| <i>clarithromycin (125 mg/5ml recon susp, 250 mg tab, 250 mg/5ml recon susp, 500 mg tab)</i> | 1 | |
| ERYTHROMYCINS | | |
| <i>e.e.s. 400 400 mg tab</i> | 1 | |
| <i>ery-tab (250 mg tab dr, 333 mg tab dr, 500 mg tab dr)</i> | 1 | |
| ERYTHROCIN STEARATE 250 MG TAB | 1 | |
| <i>erythromycin (250 mg tab dr, 333 mg tab dr, 500 mg tab dr)</i> | 1 | |
| <i>erythromycin base (250 mg cp dr part, 250 mg tab, 250 mg tab dr, 333 mg tab dr, 500 mg tab, 500 mg tab dr)</i> | 1 | |
| <i>erythromycin ethylsuccinate (200 mg/5ml recon susp, 400 mg tab, 400 mg/5ml recon susp)</i> | 1 | |
| FIDAXOMICIN | | |
| DIFICID 200 MG TAB | 2 | PA, QL (20 units per fill) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| DIFICID 40 MG/ML RECON SUSP | 2 | PA, QL (150 units per fill) |
| MEDICAL DEVICES AND SUPPLIES | | |
| CONTRACEPTIVES | | |
| CAYA DIAPHRAGM | 0 | |
| FC2 FEMALE CONDOM MISC | 0 | |
| FEMCAP (22 DEVICE, 26 DEVICE, 30 DEVICE) | 0 | |
| WIDE-SEAL DIAPHRAGM 60 2 % DIAPHRAGM | 0 | |
| WIDE-SEAL DIAPHRAGM 65 2 % DIAPHRAGM | 0 | |
| WIDE-SEAL DIAPHRAGM 70 2 % DIAPHRAGM | 0 | |
| WIDE-SEAL DIAPHRAGM 75 2 % DIAPHRAGM | 0 | |
| WIDE-SEAL DIAPHRAGM 80 2 % DIAPHRAGM | 0 | |
| WIDE-SEAL DIAPHRAGM 85 2 % DIAPHRAGM | 0 | |
| WIDE-SEAL DIAPHRAGM 90 2 % DIAPHRAGM | 0 | |
| WIDE-SEAL DIAPHRAGM 95 2 % DIAPHRAGM | 0 | |
| DIABETIC SUPPLIES | | |
| 1ST TIER UNILET COMFORTOUCH MISC | 2 | |
| ACCU-CHEK FASTCLIX LANCET KIT | 2 | |
| ACCU-CHEK FASTCLIX LANCETS MISC | 2 | |
| ACCU-CHEK SAFE-T PRO LANCETS MISC | 2 | |
| ACCU-CHEK SOFTCLIX LANCET DEV KIT | 2 | |
| ACCU-CHEK SOFTCLIX LANCETS MISC | 2 | |
| ACTI-LANCE 28G MISC | 2 | |
| ACTI-LANCE LITE LANCETS 28G MISC | 2 | |
| ACTI-LANCE SPECIAL LANCETS 17G MISC | 2 | |
| ACTI-LANCE UNIVERSAL 23G MISC | 2 | |
| ADJUSTABLE LANCING DEVICE MISC | 2 | |
| ADVANCED MOBILE LANCET MISC | 2 | |
| ADVOCATE LANCETS MISC | 2 | |
| ADVOCATE LANCETS 30G MISC | 2 | |
| ADVOCATE LANCING DEVICE MISC | 2 | |
| ADVOCATE RAPID-SAFE LANCING MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| ADVOCATE SAFETY LANCETS MISC | 2 | |
| ADVOCATE SAFETY LANCETS 21G MISC | 2 | |
| ADVOCATE SAFETY LANCETS 23G MISC | 2 | |
| ADVOCATE SAFETY LANCETS 26G MISC | 2 | |
| ADVOCATE SAFETY LANCETS 28G MISC | 2 | |
| AGAMATRIX ULTRA-THIN LANCETS MISC | 2 | |
| AIMSCO TWIST LANCETS 32G MISC | 2 | |
| AIMSCO TWIST LANCETS 33G MISC | 2 | |
| AMBI-TRAY MISC | 2 | |
| AQUALANCE LANCETS 30G MISC | 2 | |
| ASSURE COMFORT LANCETS 28G MISC | 2 | |
| ASSURE HAEMOLANCE PLUS HIGH MISC | 2 | |
| ASSURE HAEMOLANCE PLUS LOW MISC | 2 | |
| ASSURE HAEMOLANCE PLUS MICRO MISC | 2 | |
| ASSURE HAEMOLANCE PLUS NORMAL MISC | 2 | |
| ASSURE HAEMOLANCE PLUS PED MISC | 2 | |
| ASSURE LANCE LANCETS MISC | 2 | |
| ASSURE LANCE LANCETS 21G MISC | 2 | |
| ASSURE LANCE PLUS SAFETY 25G MISC | 2 | |
| ASSURE LANCE PLUS SAFETY 30G MISC | 2 | |
| ASSURE LANCE SAFETY LANCET 28G MISC | 2 | |
| AURORA LANCET SUPER THIN 30G MISC | 2 | |
| AURORA LANCET THIN 23G MISC | 2 | |
| AUTO-LANCET MISC | 2 | |
| AUTO-LANCET MINI MISC | 2 | |
| AUTOLET II CLINISAFE KIT | 2 | |
| AUTOLET LANCING DEVICE MISC | 2 | |
| AUTOLET LITE CLINISAFE KIT | 2 | |
| AUTOLET LITE LANCING DEVICE MISC | 2 | |
| AUTOLET LITE STARTER PACK KIT | 2 | |
| AUTOLET MINI MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| AUTOLET PLATFORMS MISC | 2 | |
| AUTOLET PLUS MISC | 2 | |
| BD LANCET ULTRAFINE 30G MISC | 2 | |
| BD LANCET ULTRAFINE 33G MISC | 2 | |
| BD MICROTAINER LANCETS MISC | 2 | |
| CARDIOCOM LANCING DEVICE MISC | 2 | |
| CAREONE ADVANCED LANCING DEV MISC | 2 | |
| CAREONE LANCET SUPER THIN 30G MISC | 2 | |
| CAREONE LANCET THIN 23G MISC | 2 | |
| CARESENS LANCETS MISC | 2 | |
| CARESENS LANCETS 30G MISC | 2 | |
| CARETOUCH LANCING/EJECTOR MISC | 2 | |
| CARETOUCH SAFETY LANCETS MISC | 2 | |
| CARETOUCH SAFETY LANCETS 26G MISC | 2 | |
| CARETOUCH TWIST LANCETS 28G MISC | 2 | |
| CARETOUCH TWIST LANCETS 30G MISC | 2 | |
| CARETOUCH TWIST LANCETS 33G MISC | 2 | |
| CARETOUCH TWIST MC LANCETS 30G MISC | 2 | |
| CHOSEN LANCETS 30G MISC | 2 | |
| CHOSEN LANCING DEVICE MISC | 2 | |
| CHOSEN SAFETY LANCETS 28G MISC | 2 | |
| CLEANLET LANCETS 28G MISC | 2 | |
| CLEVER CHEK LANCETS MISC | 2 | |
| CLEVER CHOICE COMFORT EZ MISC | 2 | |
| CLEVER CHOICE LANCETS 21G MISC | 2 | |
| CLEVER CHOICE LANCETS 23G MISC | 2 | |
| CLEVER CHOICE LANCETS 28G MISC | 2 | |
| COAGUCHEK LANCETS MISC | 2 | |
| COMFORT ASSURED LANCETS 28G MISC | 2 | |
| COMFORT ASSURED LANCETS 33G MISC | 2 | |
| COMFORT LANCETS MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| COMFORT TOUCH LANCETS 31G MISC | 2 | |
| COMFORT TOUCH PLUS LANCETS 28G MISC | 2 | |
| COMFORT TOUCH PLUS LANCETS 30G MISC | 2 | |
| COMFORT TOUCH TWIST LANCET 30G MISC | 2 | |
| CVS LANCETS 21G MISC | 2 | |
| CVS LANCETS MICRO THIN 33G MISC | 2 | |
| CVS LANCETS ORIGINAL MISC | 2 | |
| CVS LANCETS THIN 26G MISC | 2 | |
| CVS LANCETS ULTRA THIN 30G MISC | 2 | |
| CVS LANCETS ULTRA-THIN 30G MISC | 2 | |
| CVS LANCING DEVICE MISC | 2 | |
| CVS ULTRA THIN LANCETS MISC | 2 | |
| DEXCOM G6 RECEIVER DEVICE | 2 | QL (1 unit per 730 days) |
| DEXCOM G6 SENSOR MISC | 2 | QL (0.1 units per 1 day) |
| DEXCOM G6 TRANSMITTER MISC | 2 | QL (1 unit per 90 days), MDS |
| DEXCOM G7 RECEIVER DEVICE | 2 | QL (1 unit per 730 days) |
| DEXCOM G7 SENSOR MISC | 2 | QL (0.1 units per 1 day) |
| DIATHRIVE LANCET ULTRA THIN 30 MISC | 2 | |
| DIATHRIVE LANCETS MISC | 2 | |
| DIATHRIVE LANCING DEVICE MISC | 2 | |
| DROPLET GENTEEL LANCING DEVICE MISC | 2 | |
| DROPLET INSULIN SYRINGE (29G X 1/2" 1 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 1/4" 1 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| DROPLET LANCETS ULTRA THIN 30G MISC | 2 | |
| DROPLET LANCING DEVICE MISC | 2 | |
| DROPLET PERSONAL LANCETS 30G MISC | 2 | |
| DROPSAFE ACTI-LANCE 23G MISC | 2 | |
| DRUG MART LANCETS THIN 26G MISC | 2 | |
| DRUG MART LANCING DEVICE MISC | 2 | |
| DRUG MART ON-THE-GO LANCET 30G MISC | 2 | |
| DRUG MART UNILET LANCETS 28G MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| DRUG MART UNILET LANCETS 30G MISC | 2 | |
| DRUG MART UNILET LANCETS 33G MISC | 2 | |
| E-Z JECT LANCET MICRO-THIN 33G MISC | 2 | |
| E-Z JECT LANCET SUPER THIN 30G MISC | 2 | |
| E-Z JECT LANCETS MISC | 2 | |
| E-Z JECT LANCETS 21G MISC | 2 | |
| E-Z JECT LANCETS THIN 26G MISC | 2 | |
| EASY COMFORT INSULIN SYRINGE 29G X 5/16" 1 ML MISC | 2 | |
| EASY COMFORT LANCETS MISC | 2 | |
| EASY COMFORT LANCETS TWIST TOP MISC | 2 | |
| EASY MINI EJECT LANCING DEVICE MISC | 2 | |
| EASY MINI LANCING DEVICE MISC | 2 | |
| EASY TOUCH INSULIN BARRELS U-100 1 ML MISC | 2 | |
| EASY TOUCH LANCETS 21G MISC | 2 | |
| EASY TOUCH LANCETS 23G MISC | 2 | |
| EASY TOUCH LANCETS 26G MISC | 2 | |
| EASY TOUCH LANCETS 28G MISC | 2 | |
| EASY TOUCH LANCETS 28G/TWIST MISC | 2 | |
| EASY TOUCH LANCETS 30G MISC | 2 | |
| EASY TOUCH LANCETS 30G/TWIST MISC | 2 | |
| EASY TOUCH LANCETS 32G MISC | 2 | |
| EASY TOUCH LANCETS 32G/TWIST MISC | 2 | |
| EASY TOUCH LANCETS 33G/TWIST MISC | 2 | |
| EASY TOUCH LANCING DEVICE MISC | 2 | |
| EASY TOUCH SAFETY LANCETS 21G MISC | 2 | |
| EASY TOUCH SAFETY LANCETS 23G MISC | 2 | |
| EASY TOUCH SAFETY LANCETS 26G MISC | 2 | |
| EASY TOUCH SAFETY LANCETS 28G MISC | 2 | |
| EMBRACE LANCETS ULTRA THIN 30G MISC | 2 | |
| EMBRACE LANCING DEVICE/EJECTOR MISC | 2 | |
| EMBRACE PRESSURE ACTIVATED 21G MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--------------------------------------|------------------|------------------------------|
| EMBRACE PRESSURE ACTIVATED 28G MISC | 2 | |
| EQL COLOR LANCETS 21G MISC | 2 | |
| EQL COLOR LANCETS MICRO 33G MISC | 2 | |
| EQL SUPER THIN LANCETS 30G MISC | 2 | |
| EQL THIN LANCETS 26G MISC | 2 | |
| EZ-LETS LANCETS 21G MISC | 2 | |
| EZ-LETS LANCETS 26G MISC | 2 | |
| EZ-LETS LANCETS 28G MISC | 2 | |
| EZ-LETS LANCETS 30G MISC | 2 | |
| FIFTY50 SAFETY SEAL LANCETS MISC | 2 | |
| FIFTY50 UNILET LANCETS 33G MISC | 2 | |
| FINE 30 MISC | 2 | |
| FINGERSTIX LANCETS MISC | 2 | |
| FORA LANCETS MISC | 2 | |
| FORA LANCING DEVICE MISC | 2 | |
| FREDS PHARMACY AUTOLET LANCING MISC | 2 | |
| FREDS PHARMACY UNILET LANC 28G MISC | 2 | |
| FREDS PHARMACY UNILET LANC 30G MISC | 2 | |
| FREESTYLE LANCETS MISC | 2 | |
| FREESTYLE LIBRE 14 DAY READER DEVICE | 2 | QL (1 unit per 730 days) |
| FREESTYLE LIBRE 14 DAY SENSOR MISC | 2 | QL (0.072 units per 1 day) |
| FREESTYLE LIBRE 2 PLUS SENSOR MISC | 2 | QL (0.067 units per 1 day) |
| FREESTYLE LIBRE 2 READER DEVICE | 2 | QL (1 unit per 730 days) |
| FREESTYLE LIBRE 2 SENSOR MISC | 2 | QL (0.072 units per 1 day) |
| FREESTYLE LIBRE 3 PLUS SENSOR MISC | 2 | QL (0.067 units per 1 day) |
| FREESTYLE LIBRE 3 READER DEVICE | 2 | QL (1 ea per 730 days) |
| FREESTYLE LIBRE 3 SENSOR MISC | 2 | QL (0.072 units per 1 day) |
| FREESTYLE UNISTICK II LANCETS MISC | 2 | |
| GENTEEL BUTTERFLY TOUCH LANCET MISC | 2 | |
| GENTEEL CONTACT TIPS (BLUE) MISC | 2 | |
| GENTEEL CONTACT TIPS (CLEAR) MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| GENTEEL CONTACT TIPS (GREEN) MISC | 2 | |
| GENTEEL CONTACT TIPS (ORANGE) MISC | 2 | |
| GENTEEL CONTACT TIPS (RAINBOW) MISC | 2 | |
| GENTEEL CONTACT TIPS (VIOLET) MISC | 2 | |
| GENTEEL CONTACT TIPS (YELLOW) MISC | 2 | |
| GENTEEL LANCING KIT (BLUE) KIT | 2 | |
| GENTEEL NOZZLES MISC | 2 | |
| GENTEEL PLUS LANCING (BLACK) MISC | 2 | |
| GENTEEL PLUS LANCING (PURPLE) MISC | 2 | |
| GENTEEL PLUS LANCING (WHITE) MISC | 2 | |
| GENTEEL PLUS LANCING DEV(BLUE) MISC | 2 | |
| GENTEEL PLUS LANCING DEV(PINK) MISC | 2 | |
| GENTLE-LET GP LANCETS MISC | 2 | |
| GENTLE-LET LANCETS MISC | 2 | |
| GENTLE-LET PLATFORMS MISC | 2 | |
| GLOBAL INJECT EASE LANCETS 28G MISC | 2 | |
| GLOBAL INJECT EASE LANCETS 30G MISC | 2 | |
| GLOBAL LANCING DEVICE MISC | 2 | |
| GLUCOCOM LANCETS 28G MISC | 2 | |
| GLUCOCOM LANCETS 30G MISC | 2 | |
| GLUCOCOM LANCETS 33G MISC | 2 | |
| GNP LANCETS 21G MISC | 2 | |
| GNP LANCETS THIN 26G MISC | 2 | |
| GNP LANCING SYSTEM DEVICE MISC | 2 | |
| GNP STERILE LANCETS 28G MISC | 2 | |
| GNP STERILE LANCETS 30G MISC | 2 | |
| GNP STERILE LANCETS 33G MISC | 2 | |
| GOJJI LANCING DEVICE/CLEAR CAP MISC | 2 | |
| GOJJI STERILE LANCETS MISC | 2 | |
| GOODSENSE COLOR LANCETS 33G MISC | 2 | |
| GOODSENSE LANCETS 26G UNIV MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| GOODSENSE LANCETS 30G MISC | 2 | |
| GOODSENSE LANCETS 30G UNIV MISC | 2 | |
| GOODSENSE LANCETS 33G MISC | 2 | |
| GOODSENSE LANCETS 33G UNIV MISC | 2 | |
| GOODSENSE LANCING DEVICE MISC | 2 | |
| H-E-B INCONTROL ADV LANCING MISC | 2 | |
| H-E-B INCONTROL LANCETS 28G MISC | 2 | |
| H-E-B INCONTROL LANCETS 30G MISC | 2 | |
| H-E-B INCONTROL LANCETS 33G MISC | 2 | |
| HAEMOLANCE MISC | 2 | |
| HAEMOLANCE LOW FLOW LANCETS MISC | 2 | |
| HAEMOLANCE PLUS MISC | 2 | |
| HAEMOLANCE PLUS HIGH FLOW MISC | 2 | |
| HAEMOLANCE PLUS LOW FLOW MISC | 2 | |
| HAEMOLANCE PLUS MAX FLOW MISC | 2 | |
| HAEMOLANCE PLUS PEDIATRIC FLOW MISC | 2 | |
| HEALTH CARE LANCING DEVICE MISC | 2 | |
| HEALTHY ACCENTS LANCING DEVICE MISC | 2 | |
| HEALTHY ACCENTS UNILET LANCETS MISC | 2 | |
| HY-VEE LANCETS MISC | 2 | |
| HY-VEE THIN LANCETS MISC | 2 | |
| HYPOLANCE AST LANCING KIT | 2 | |
| IHEALTH LANCING DEVICE MISC | 2 | |
| IN TOUCH LANCING DEVICE MISC | 2 | |
| IN TOUCH STERILE LANCETS 30G MISC | 2 | |
| INSUL-CAP MISC | 2 | |
| INSUL-EZE MISC | 2 | |
| KINNEY LANCETS MISC | 2 | |
| KINNEY THIN LANCETS MISC | 2 | |
| KROGER AUTOLET LANCING DEVICE MISC | 2 | |
| KROGER HEALTHPRO LANCET 26G MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| KROGER LANCETS MISC | 2 | |
| KROGER LANCETS 21G MISC | 2 | |
| KROGER LANCETS MICRO THIN 33G MISC | 2 | |
| KROGER LANCETS SUPER THIN MISC | 2 | |
| KROGER LANCETS THIN MISC | 2 | |
| KROGER LANCETS THIN 26G MISC | 2 | |
| KROGER LANCETS ULTRATHIN 30G MISC | 2 | |
| KROGER LANCING DEVICE MISC | 2 | |
| LANCET DEVICE MISC | 2 | |
| LANCET DEVICE WITH EJECTOR MISC | 2 | |
| LANCET TRANSPORTER CASE MISC | 2 | |
| LANCETS MISC | 2 | |
| LANCETS 28G THIN MISC | 2 | |
| LANCETS 30G MISC | 2 | |
| LANCETS 33G MISC | 2 | |
| LANCETS MICRO THIN 33G MISC | 2 | |
| LANCETS SUPER THIN MISC | 2 | |
| LANCETS SUPER THIN 28G MISC | 2 | |
| LANCETS THIN MISC | 2 | |
| LANCETS ULTRA THIN MISC | 2 | |
| LANCETS ULTRA THIN 30G MISC | 2 | |
| LANCING DEVICE MISC | 2 | |
| LANZO MISC | 2 | |
| LEADER ADVANCED LANCING DEVICE MISC | 2 | |
| LIBERTY MEDICAL LANCETS MISC | 2 | |
| LIBERTY MINI LANCING DEVICE MISC | 2 | |
| LITE TOUCH LANCETS MISC | 2 | |
| LITE TOUCH LANCING PEN MISC | 2 | |
| LITETOUCH LANCETS MISC | 2 | |
| LIVE BETTER ADV LANCING DEVICE MISC | 2 | |
| LIVE BETTER LANCET SUPER THIN MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| LIVE BETTER LANCET ULTRA THIN MISC | 2 | |
| LONGS LANCETS STANDARD MISC | 2 | |
| LONGS LANCETS THIN MISC | 2 | |
| LONGS LANCETS ULTRA THIN MISC | 2 | |
| MEDICHOICE SAFETY LANCET MISC | 2 | |
| MEDICHOICE SAFETY LANCET EXTRA MISC | 2 | |
| MEDICHOICE SAFETY LANCET NORM MISC | 2 | |
| MEDISENSE THIN LANCETS MISC | 2 | |
| MEDLANCE EXTRA 21G MISC | 2 | |
| MEDLANCE LITE 25G MISC | 2 | |
| MEDLANCE PLUS EXTRA 21G MISC | 2 | |
| MEDLANCE PLUS LANCETS MISC | 2 | |
| MEDLANCE PLUS LITE 25G MISC | 2 | |
| MEDLANCE PLUS SPECIAL 0.8MM MISC | 2 | |
| MEDLANCE PLUS SUPERLITE 30G MISC | 2 | |
| MEDLANCE PLUS UNIVERSAL 21G MISC | 2 | |
| MEDLANCE UNIVERSAL 21G MISC | 2 | |
| MEIJER LANCETS MISC | 2 | |
| MEIJER LANCETS THIN MISC | 2 | |
| MEIJER LANCETS UNIVERSAL 21G MISC | 2 | |
| MEIJER LANCETS UNIVERSAL 30G MISC | 2 | |
| MEIJER LANCETS UNIVERSAL 33G MISC | 2 | |
| MEIJER SUPER THIN LANCETS MISC | 2 | |
| MICROLET LANCETS MISC | 2 | |
| MICROLET NEXT LANCING DEVICE MISC | 2 | |
| MINI LANCING DEVICE MISC | 2 | |
| MM LANCING DEVICE MISC | 2 | |
| MM TWIST LANCETS MISC | 2 | |
| MOBILE LANCETS 30G MISC | 2 | |
| MONOLET LANCETS MISC | 2 | |
| MONOLET OPD LANCETS MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|-------------------------------|
| MONOLETTOR SAFETY LANCETS MISC | 2 | |
| MPD SAFETY LANCET 21G MISC | 2 | |
| MPD SAFETY LANCET 23G MISC | 2 | |
| MPD SAFETY LANCET 28G MISC | 2 | |
| MPD SAFETY LANCET 30G MISC | 2 | |
| MULTI-LANCET DEVICE MISC | 2 | |
| MULTI-LANCET DEVICE 2 KIT | 2 | |
| MYGLUCOHEALTH LANCETS 30G MISC | 2 | |
| NOVA SAFETY LANCETS 23G MISC | 2 | |
| NOVA SAFETY LANCETS 28G MISC | 2 | |
| NOVA SUREFLEX LANCETS MISC | 2 | |
| NOVA SUREFLEX LANCING DEVICE MISC | 2 | |
| OMNIPOD 5 DEXG7G6 PODS GEN 5 MISC | 2 | |
| OMNIPOD 5 G6 INTRO (GEN 5) KIT | 2 | |
| OMNIPOD 5 G6 PODS (GEN 5) MISC | 2 | |
| OMNIPOD 5 G7 INTRO (GEN 5) KIT | 2 | |
| OMNIPOD 5 G7 PODS (GEN 5) MISC | 2 | |
| OMNIPOD 5 LIBRE2 PLUS G6 KIT | 2 | |
| OMNIPOD 5 LIBRE2 PLUS G6 PODS MISC | 2 | |
| OMNIPOD CLASSIC PDM (GEN 3) KIT | 2 | |
| OMNIPOD CLASSIC PODS (GEN 3) MISC | 2 | |
| OMNIPOD DASH INTRO (GEN 4) KIT | 2 | |
| OMNIPOD DASH PDM (GEN 4) KIT | 2 | |
| OMNIPOD DASH PODS (GEN 4) MISC | 2 | |
| ONETOUCH DELICA PLUS LANCET30G MISC | 2 | |
| ONETOUCH DELICA PLUS LANCET33G MISC | 2 | |
| ONETOUCH DELICA PLUS LANCING MISC | 2 | |
| ONETOUCH DELICA SAFETY LANCING MISC | 2 | |
| ONETOUCH SURESOFT LANCING DEV MISC | 2 | |
| ONETOUCH ULTRA 2 W/DEVICE KIT | 0 | QL (1 unit per 730 days), MDS |
| ONETOUCH ULTRA CONTROL LIQUID | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|-------------------------------|
| ONETOUCH ULTRASOFT 2 LANCETS MISC | 2 | |
| ONETOUCH ULTRASOFT LANCETS MISC | 2 | |
| ONETOUCH VERIO FLEX SYSTEM (DEVICE, W/DEVICE KIT) | 0 | QL (1 unit per 730 days), MDS |
| ONETOUCH VERIO REFLECT W/DEVICE KIT | 0 | QL (1 unit per 730 days), MDS |
| PC LANCETS SUPER THIN 30G MISC | 2 | |
| PERFECT LANCETS 28G MISC | 2 | |
| PERFECT LANCETS 30G MISC | 2 | |
| PERFECT POINT SAFETY LANCETS MISC | 2 | |
| PHARMACIST CHOICE LANCETS MISC | 2 | |
| PHARMACY COUNTER LANCETS MISC | 2 | |
| PIP LANCETS 28G MISC | 2 | |
| PIP LANCETS 30G MISC | 2 | |
| PRECISION THINS GP LANCETS MISC | 2 | |
| PREFERRED PLUS LANCETS COLORED MISC | 2 | |
| PREFERRED PLUS LANCETS THIN MISC | 2 | |
| PRO COMFORT LANCETS 30G MISC | 2 | |
| PRO COMFORT LANCETS 31G MISC | 2 | |
| PRO COMFORT SAFETY LANCETS 30G MISC | 2 | |
| PRODIGY COUNT-A-DOSE MISC | 2 | |
| PRODIGY LANCETS 28G MISC | 2 | |
| PRODIGY LANCING DEVICE MISC | 2 | |
| PRODIGY SAFETY LANCETS 26G MISC | 2 | |
| PRODIGY TWIST TOP LANCETS 28G MISC | 2 | |
| PSS SELECT GP LANCETS MISC | 2 | |
| PSS SELECT PLATFORMS MISC | 2 | |
| PSS SELECT SAFETY LANCETS MISC | 2 | |
| PURE COMFORT LANCETS 30G MISC | 2 | |
| PX ADVANCED LANCING DEVICE MISC | 2 | |
| PX LANCET AUTO INJECTOR MISC | 2 | |
| PX LANCETS MICROTHIN 33G MISC | 2 | |
| PX LANCETS ULTRA THIN MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| PX LANCETS ULTRA THIN 28G MISC | 2 | |
| QC ADVANCED LANCING DEVICE MISC | 2 | |
| QC LANCETS SUPER THIN 30G MISC | 2 | |
| QC LANCETS ULTRA THIN MISC | 2 | |
| QC UNILET LANCETS 28G MISC | 2 | |
| QC UNILET LANCETS MICRO THIN MISC | 2 | |
| RA E-ZJECT LANCETS 28G MISC | 2 | |
| RA E-ZJECT LANCETS THIN 26G MISC | 2 | |
| RA E-ZJECT LANCETS THIN 28G MISC | 2 | |
| RA E-ZJECT LANCETS ULTRA THIN MISC | 2 | |
| READYLANCE SAFETY LANCETS MISC | 2 | |
| REALITY LANCETS MISC | 2 | |
| REALITY TRIGGER LANCETS MISC | 2 | |
| RELION LANCET DEVICES 30G MISC | 2 | |
| RELION LANCETS MISC | 2 | |
| RELION LANCETS MICRO-THIN 33G MISC | 2 | |
| RELION LANCETS THIN 26G MISC | 2 | |
| RELION LANCETS ULTRA-THIN 30G MISC | 2 | |
| RELION LANCING DEVICE (KIT, MISC) | 2 | |
| RELION ULTRA THIN LANCETS 30G MISC | 2 | |
| RELION ULTRA THIN PLUS LANCETS MISC | 2 | |
| REXALL LANCETS ULTRA THIN 30G MISC | 2 | |
| RIGHTEST ALTERNATE SITE ADAPT MISC | 2 | |
| RIGHTEST GD500 LANCING DEVICE MISC | 2 | |
| RIGHTEST GL300 LANCETS MISC | 2 | |
| SAFE-T-LANCE MISC | 2 | |
| SAFE-T-LANCE PLUS MISC | 2 | |
| SAFETY LANCET 30G/PRESSURE ACT MISC | 2 | |
| SAFETY LANCETS MISC | 2 | |
| SAFETY LANCETS 21G MISC | 2 | |
| SAFETY LANCETS 23G MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| SAFETY LANCETS 28G MISC | 2 | |
| SAPS HEALTH PLUS LANCETS MISC | 2 | |
| SAPS HEALTH TWIST TOP LANCETS MISC | 2 | |
| SAPS TWIST TOP LANCETS MISC | 2 | |
| SAPSCARE TWIST TOP LANCETS MISC | 2 | |
| SB LANCETS THIN MISC | 2 | |
| SB LANCETS ULTRA THIN MISC | 2 | |
| SELECT-LITE DEVICE/LANCETS KIT | 2 | |
| SELECT-LITE LANCING DEVICE MISC | 2 | |
| SHOPKO AUTOLET LANCING DEVICE MISC | 2 | |
| SHOPKO ON-THE-GO LANCETS 30G MISC | 2 | |
| SHOPKO UNILET LANCETS 28G MISC | 2 | |
| SHOPKO UNILET LANCETS 30G MISC | 2 | |
| SIMPLE DIAGNOSTICS LANCING DEV MISC | 2 | |
| SINGLE-LET MISC | 2 | |
| SM LANCETS 33G MISC | 2 | |
| SM TRUEDRAW LANCING DEVICE MISC | 2 | |
| SMART DIABETES VANTAGE LANCING MISC | 2 | |
| SMART SENSE COLOR LANCETS 33G MISC | 2 | |
| SMART SENSE STANDARD LANCETS MISC | 2 | |
| SMART SENSE SUPER THIN LANCETS MISC | 2 | |
| SMART SENSE THIN LANCETS 26G MISC | 2 | |
| SMARTTEST LANCETS 28G MISC | 2 | |
| SOLUS V2 LANCETS 28G MISC | 2 | |
| SOLUS V2 LANCING DEVICE MISC | 2 | |
| SOLUS V2 TWIST LANCETS 30G MISC | 2 | |
| STERILANCE PA MISC | 2 | |
| STERILANCE TL MISC | 2 | |
| SUPER THIN LANCETS MISC | 2 | |
| SURE COMFORT LANCETS 18G MISC | 2 | |
| SURE COMFORT LANCETS 21G MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| SURE COMFORT LANCETS 23G MISC | 2 | |
| SURE COMFORT LANCETS 28G MISC | 2 | |
| SURE COMFORT LANCETS 30G MISC | 2 | |
| SURE COMFORT LANCING PEN MISC | 2 | |
| SURE-LANCE FLAT LANCETS MISC | 2 | |
| SURE-LANCE LANCETS 26G MISC | 2 | |
| SURE-LANCE THIN LANCETS 28G MISC | 2 | |
| SURE-LANCE ULTRA THIN LANCETS MISC | 2 | |
| SURE-PEN MISC | 2 | |
| SURE-TOUCH LANCETS UNIVERSAL MISC | 2 | |
| SURELITE LANCETS MISC | 2 | |
| TECHLITE AST LANCETS MISC | 2 | |
| TECHLITE LANCETS MISC | 2 | |
| TECHLITE LANCETS 26G MISC | 2 | |
| TECHLITE LANCETS 30G MISC | 2 | |
| TGT LANCET MICRO THIN 33G MISC | 2 | |
| TGT LANCET THIN 26G MISC | 2 | |
| TGT LANCET ULTRA THIN 30G MISC | 2 | |
| TGT LANCING DEVICE MISC | 2 | |
| THINLETS GP LANCETS MISC | 2 | |
| TODAYS HEALTH LANCING DEVICE MISC | 2 | |
| TODAYS HEALTH THIN LANCETS 28G MISC | 2 | |
| TODAYS HEALTH THIN LANCETS 30G MISC | 2 | |
| TOPCARE LANCETS MICRO-THIN 33G MISC | 2 | |
| TRAVEL LANCETS MISC | 2 | |
| TRAVEL LANCETS ADVANCED 28G MISC | 2 | |
| TRUE COMFORT SAFETY LANCETS MISC | 2 | |
| TRUE COMFORT TWIST TOP LANCETS MISC | 2 | |
| TRUEDRAW LANCING DEVICE MISC | 2 | |
| TRUEPLUS LANCETS 26G MISC | 2 | |
| TRUEPLUS LANCETS 28G MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-----------------------------------|------------------|------------------------------|
| TRUEPLUS LANCETS 30G MISC | 2 | |
| TRUEPLUS LANCETS 33G MISC | 2 | |
| TRUEPLUS SAFETY LANCETS 28G MISC | 2 | |
| TWIIST STARTER KIT KIT | 2 | |
| TWIST TOP LANCETS 30G MISC | 2 | |
| ULTI-LANCE AUTOMATIC MISC | 2 | |
| ULTILET CLASSIC LANCETS MISC | 2 | |
| ULTILET LANCETS MISC | 2 | |
| ULTILET SAFETY LANCETS MISC | 2 | |
| ULTILET SAFETY LANCETS 23G MISC | 2 | |
| ULTRA THIN LANCETS 31G MISC | 2 | |
| ULTRA-CARE LANCETS 30G MISC | 2 | |
| ULTRA-THIN II AUTO LANCET MISC | 2 | |
| ULTRA-THIN II LANCETS MISC | 2 | |
| UNILET COMFORTOUCH LANCET MISC | 2 | |
| UNILET EXCELITE MISC | 2 | |
| UNILET EXCELITE II MISC | 2 | |
| UNILET G.P. LANCET MISC | 2 | |
| UNILET G.P. SUPERLITE LANCET MISC | 2 | |
| UNILET GP 28 ULTRA THIN MISC | 2 | |
| UNILET LANCET MISC | 2 | |
| UNILET MICRO-THIN 33G MISC | 2 | |
| UNILET SUPER-THIN 30G MISC | 2 | |
| UNILET SUPERLITE LANCET MISC | 2 | |
| UNILET ULTRA-THIN 28G MISC | 2 | |
| UNISTIK 1 MISC | 2 | |
| UNISTIK 2 MISC | 2 | |
| UNISTIK 2 COMFORT MISC | 2 | |
| UNISTIK 2 EXTRA MISC | 2 | |
| UNISTIK 2 NEONATAL MISC | 2 | |
| UNISTIK 2 NORMAL MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| UNISTIK 2 SUPER MISC | 2 | |
| UNISTIK 3 MISC | 2 | |
| UNISTIK 3 COMFORT MISC | 2 | |
| UNISTIK 3 EXTRA MISC | 2 | |
| UNISTIK 3 GENTLE MISC | 2 | |
| UNISTIK 3 NEONATAL MISC | 2 | |
| UNISTIK 3 NORMAL MISC | 2 | |
| UNISTIK CZT COMFORT MISC | 2 | |
| UNISTIK CZT NORMAL MISC | 2 | |
| UNISTIK NORMAL MISC | 2 | |
| UNISTIK PRO SAFETY LANCET MISC | 2 | |
| UNISTIK SAFETY LANCETS 28G MISC | 2 | |
| UNISTIK SAFETY LANCETS 30G MISC | 2 | |
| UNISTIK TOUCH SAFETY LANC 21G MISC | 2 | |
| UNISTIK TOUCH SAFETY LANC 23G MISC | 2 | |
| UNISTIK TOUCH SAFETY LANC 28G MISC | 2 | |
| UNISTIK TOUCH SAFETY LANC 30G MISC | 2 | |
| UNIVERSAL 1 LANCETS THIN 26G MISC | 2 | |
| UNIVERSAL 1 LANCETS THIN 33G MISC | 2 | |
| UNIVERSAL 1 LANCETS ULTRA THIN MISC | 2 | |
| V-GO 20 20 UNIT/24HR KIT | 2 | QL (1 unit per 1 day) |
| V-GO 30 30 UNIT/24HR KIT | 2 | QL (1 unit per 1 day) |
| V-GO 40 40 UNIT/24HR KIT | 2 | QL (1 unit per 1 day) |
| VALUE PLUS LANCET STANDARD 21G MISC | 2 | |
| VALUE PLUS LANCETS SUPER THIN MISC | 2 | |
| VALUE PLUS LANCETS THIN 26G MISC | 2 | |
| VALUE PLUS LANCING DEVICE MISC | 2 | |
| VALUMARK LANCET SUPER THIN 30G MISC | 2 | |
| VALUMARK LANCET ULTRA THIN 28G MISC | 2 | |
| VERIFINE SAFE LANCET MINI 21G MISC | 2 | |
| VERIFINE SAFE LANCET MINI 23G MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-------------------------------------|------------------|------------------------------|
| VERIFINE SAFE LANCET MINI 28G MISC | 2 | |
| VERIFINE SAFE LANCET MINI 30G MISC | 2 | |
| VERIFINE UNIVERSAL LANCETS 28G MISC | 2 | |
| VERIFINE UNIVERSAL LANCETS 30G MISC | 2 | |
| VERIFINE UNIVERSAL LANCETS 33G MISC | 2 | |
| VIDA MIA AUTOLET LANCING DEV MISC | 2 | |
| VIDA MIA UNILET LANCETS 28G MISC | 2 | |
| VIDA MIA UNILET LANCETS 30G MISC | 2 | |
| VIVAGUARD LANCETS MISC | 2 | |
| VIVAGUARD LANCETS 30G MISC | 2 | |
| VIVAGUARD LANCING DEVICE MISC | 2 | |
| VIVAGUARD SAFETY LANCETS 28G MISC | 2 | |
| VIVI CAP MISC | 2 | |
| VIVI CAP1 MISC | 2 | |
| WALGREENS ADV TRAVEL LANCETS MISC | 2 | |
| WALGREENS LANCETS MISC | 2 | |
| WALGREENS LANCETS MICRO THIN MISC | 2 | |
| WALGREENS LANCETS SUPER THIN MISC | 2 | |
| WALGREENS THIN LANCETS MISC | 2 | |
| WALGREENS ULTRA THIN LANCETS MISC | 2 | |
| ZEV RX TWIST TOP LANCETS 30G MISC | 2 | |
| MISC. DEVICES | | |
| ADVOCATE ALCOHOL PREP PADS 70 % PAD | 2 | |
| ALCOH-GLOVE CONTOURED WIPE PAD | 2 | |
| ALCOH-WIPE SHEET | 2 | |
| ALCOHOL PADS 70 % PAD | 2 | |
| ALCOHOL PREP (70 % PAD, PAD) | 2 | |
| ALCOHOL PREP PADS 70 % PAD | 2 | |
| ALCOHOL PREPS PAD | 2 | |
| ALCOHOL SWABS (70 % PAD, PAD) | 2 | |
| ALCOHOL SWABSTICK PAD | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| AUM ALCOHOL PREP PADS 70 % PAD | 2 | |
| BD SWAB SINGLE USE REGULAR PAD | 2 | |
| BD SWABS SINGLE USE BUTTERFLY PAD | 2 | |
| CARETOUCH ALCOHOL PREP 70 % PAD | 2 | |
| COMFORT TOUCH ALCOHOL PREP 70 % PAD | 2 | |
| CURITY ALCOHOL PREPS 70 % PAD | 2 | |
| CVS ALCOHOL PREP PADS 70 % PAD | 2 | |
| CVS PREP 70 % PAD | 2 | |
| DROPSAFE ALCOHOL PREP 70 % PAD | 2 | |
| EASY COMFORT ALCOHOL PADS PAD | 2 | |
| EASY TOUCH ALCOHOL PREP MEDIUM 70 % PAD | 2 | |
| EQL ALCOHOL SWABS 70 % PAD | 2 | |
| ESSENTRA WIPES 9X9" 70 % SHEET | 2 | |
| FIFTY50 ALCOHOL PREP 70 % PAD | 2 | |
| GLOBAL ALCOHOL PREP EASE 70 % PAD | 2 | |
| GNP ALCOHOL SWABS 70 % PAD | 2 | |
| GOODSENSE ALCOHOL SWABS 70 % PAD | 2 | |
| H-E-B INCONTROL ALCOHOL PAD | 2 | |
| HM STERILE ALCOHOL PREP PAD | 2 | |
| MEIJER ALCOHOL SWABS 70 % PAD | 2 | |
| PHARMACIST CHOICE ALCOHOL PAD | 2 | |
| PRO COMFORT ALCOHOL 70 % PAD | 2 | |
| PURE COMFORT ALCOHOL PREP PAD | 2 | |
| QC ALCOHOL SWABS 70 % PAD | 2 | |
| RA ALCOHOL SWABS 70 % PAD | 2 | |
| REALITY SWABS PAD | 2 | |
| RELION ALCOHOL SWABS (70 % PAD, PAD) | 2 | |
| SAPS CARE ALCOHOL PREP 70 % PAD | 2 | |
| SAPS HEALTH ALCOHOL PREP (70 % PAD, PAD) | 2 | |
| SAPS HEALTH CARE ALCOHOL PREP 70 % PAD | 2 | |
| SB ALCOHOL PREP 70 % PAD | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| SM ALCOHOL PREP (70 % PAD, PAD) | 2 | |
| SURE COMFORT ALCOHOL PREP 70 % PAD | 2 | |
| SURE-PREP ALCOHOL PREP 70 % PAD | 2 | |
| TRUE COMFORT ALCOHOL PREP PADS 70 % PAD | 2 | |
| TRUE COMFORT PRO ALCOHOL PREP 70 % PAD | 2 | |
| ULTICARE ALCOHOL SWABS (70 % PAD, PAD) | 2 | |
| ULTILET ALCOHOL SWABS PAD | 2 | |
| ULTRA-CARE ALCOHOL PREP PADS 70 % PAD | 2 | |
| WEBCOL ALCOHOL PREP LARGE 70 % PAD | 2 | |
| WEBCOL ALCOHOL PREP MEDIUM 70 % PAD | 2 | |
| ZEVX STERILE ALCOHOL PREP PAD 70 % PAD | 2 | |
| PARENTERAL THERAPY SUPPLIES | | |
| 1ST TIER UNIFINE PENTIPS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 6 MM MISC, 33G X 4 MM MISC) | 2 | |
| 1ST TIER UNIFINE PENTIPS PLUS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 33G X 4 MM MISC) | 2 | |
| ABOUTTIME PEN NEEDLE (30G X 8 MISC, 31G X 5 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| ADVOCATE INSULIN PEN NEEDLE 32G X 4 MM MISC | 2 | |
| ADVOCATE INSULIN PEN NEEDLES (29G X 12.7MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 33G X 4 MM MISC) | 2 | |
| ADVOCATE INSULIN SYRINGE (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| AQ INSULIN SYRINGE (29G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| AQINJECT PEN NEEDLE (31G X 5 MISC, 32G X 4 MISC) | 2 | |
| ASSURE ID DUO PRO PEN NEEDLES 31G X 5 MM MISC | 2 | |
| ASSURE ID INSULIN SAFETY SYR (29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 15/64" 1 ML MISC) | 2 | |
| ASSURE ID PRO PEN NEEDLES 30G X 5 MM MISC | 2 | |
| ASSURE ID SAFETY PEN NEEDLES (30G X 5 MISC, 30G X 8 MISC, 31G X 5 MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| AUM INSULIN SAFETY PEN NEEDLE (X 4 MISC, X 5 MISC) | 2 | |
| AUM MINI INSULIN PEN NEEDLE (32G X 4 MISC, 32G X 5 MISC, 32G X 6 MISC, 32G X 8 MISC, 33G X 4 MISC, 33G X 5 MISC, 33G X 6 MISC) | 2 | |
| AUM PEN NEEDLE (32G X 4 MISC, 32G X 5 MISC, 32G X 6 MISC, 33G X 4 MISC, 33G X 5 MISC, 33G X 6 MISC) | 2 | |
| AUM READYGARD DUO PEN NEEDLE 32G X 4 MM MISC | 2 | |
| AUM SAFETY PEN NEEDLE (X 4 MISC, X 5 MISC) | 2 | |
| AURORA PEN NEEDLES (29G X 12MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC) | 2 | |
| AURORA UNIFINE PENTIPS (31G X 5 MISC, 32G X 4 MISC) | 2 | |
| AUTOJECT 2 MISC | 2 | |
| AUTOPEN DEVICE | 2 | |
| BD AUTOSHIELD (X 5MM MISC, X 8MM MISC) | 2 | |
| BD AUTOSHIELD DUO 30G X 5 MM MISC | 2 | |
| BD INSULIN SYR ULTRAFINE II (X 5/16" 0.3 ML MISC, X 5/16" 0.5 ML MISC) | 2 | |
| BD INSULIN SYRINGE (25G X 1" 1 ML MISC, 25G X 5/8" 1 ML MISC, 26G X 1/2" 1 ML MISC, 27G X 1/2" 1 ML MISC, 27.5G X 5/8" 2 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, U-100 1 ML MISC) | 2 | |
| BD INSULIN SYRINGE HALF-UNIT 31G X 5/16" 0.3 ML MISC | 2 | |
| BD INSULIN SYRINGE MICROFINE (27G X 5/8" 1 ML MISC, 28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC) | 2 | |
| BD INSULIN SYRINGE U-500 31G X 6MM 0.5 ML MISC | 2 | |
| BD INSULIN SYRINGE U/F 1/2UNIT 31G X 5/16" 0.3 ML MISC | 2 | |
| BD INSULIN SYRINGE U/F 30G X 1/2" 1 ML MISC | 2 | |
| BD INSULIN SYRINGE ULTRAFINE (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| BD LUER-LOK SYRINGE 20G X 1" 1 ML MISC | 2 | |
| BD PEN MISC | 2 | |
| BD PEN MINI MISC | 2 | |
| BD PEN NEEDLE MICRO ULTRAFINE 32G X 6 MM MISC | 2 | |
| BD PEN NEEDLE MINI ULTRAFINE 31G X 5 MM MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------------|
| BD PEN NEEDLE NANO 2ND GEN 32G X 4 MM MISC | 2 | |
| BD PEN NEEDLE NANO U/F 32G X 4 MM MISC | 2 | |
| BD PEN NEEDLE NANO ULTRAFINE 32G X 4 MM MISC | 2 | |
| BD PEN NEEDLE ORIG ULTRAFINE 29G X 12.7MM MISC | 2 | |
| BD PEN NEEDLE SHORT ULTRAFINE 31G X 8 MM MISC | 2 | |
| BD SAFETY-LOK INSULIN SYRINGE 29G X 1/2" 1 ML MISC | 2 | |
| BD SAFETYGLIDE INSULIN SYRINGE (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 30G X 5/16" 0.5 ML MISC, 31G X 15/64" 0.3 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 15/64" 1 ML MISC, 31G X 5/16" 0.3 ML MISC) | 2 | |
| BD VEO INSULIN SYR U/F 1/2UNIT 31G X 15/64" 0.3 ML MISC | 2 | |
| BD VEO INSULIN SYR ULTRAFINE (X 15/64" 0.3 ML MISC, X 15/64" 0.5 ML MISC, X 15/64" 1 ML MISC) | 2 | |
| CAREFINE PEN NEEDLES (29G X 12MM MISC, 30G X 8 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 5 MM MISC, 32G X 6 MM MISC) | 2 | |
| CAREONE INSULIN SYRINGE (30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| CAREONE UNIFINE PENTIPS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| CAREONE UNIFINE PENTIPS PLUS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 33G X 4 MM MISC) | 2 | |
| CARETOUCH INSULIN SYRINGE (28G X 5/16" 1 ML MISC, 29G X 5/16" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| CARETOUCH PEN NEEDLES (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 5 MM MISC, 33G X 4 MM MISC) | 2 | |
| CEQR SIMPLICITY 2U DEVICE | 2 | QL (10 units per 30 days), AL, MDS |
| CLEVER CHOICE COMFORT EZ (29G X 12MM MISC, 33G X 4 MM MISC) | 2 | |
| CLICKFINE PEN NEEDLES (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| COMFORT ASSIST INSULIN SYRINGE 31G X 5/16" 0.3 ML MISC | 2 | |
| COMFORT EZ INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 15/64" 0.3 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 15/64" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| COMFORT EZ MICRO PEN NEEDLES 32G X 4 MM MISC | 2 | |
| COMFORT EZ PEN NEEDLES (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 5 MISC, 32G X 6 MISC, 32G X 8 MISC, 33G X 4 MISC, 33G X 5 MISC, 33G X 6 MISC, 33G X 8 MISC) | 2 | |
| COMFORT EZ PRO PEN NEEDLES (30G X 8 MISC, 31G X 4 MISC, 31G X 5 MISC) | 2 | |
| COMFORT EZ SHORT PEN NEEDLES 31G X 8 MM MISC | 2 | |
| COMFORT TOUCH INSULIN PEN NEED (31G X 4 MISC, 31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 5 MISC, 32G X 6 MISC, 32G X 8 MISC, 33G X 4 MISC, 33G X 5 MISC, 33G X 6 MISC) | 2 | |
| DIATHRIVE PEN NEEDLE (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| DROPLET INSULIN SYRINGE (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 15/64" 0.3 ML MISC, 30G X 15/64" 0.5 ML MISC, 30G X 15/64" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 1/4" 0.3 ML MISC, 31G X 1/4" 0.5 ML MISC, 31G X 15/64" 0.3 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 15/64" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| DROPLET MICRON 34G X 3.5 MM MISC | 2 | |
| DROPLET PEN NEEDLES (29G X 10MM MISC, 29G X 12MM MISC, 30G X 8 MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 5 MM MISC, 32G X 6 MM MISC, 32G X 8 MM MISC) | 2 | |
| DROPSAFE SAFETY PEN NEEDLES (X 5 MISC, X 6 MISC, X 8 MISC) | 2 | |
| DROPSAFE SAFETY SYRINGE/NEEDLE (29G X 1/2" 1 ML MISC, 31G X 15/64" 0.3 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 15/64" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| DRUG MART UNIFINE PENTIPS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| DRUG MART UNIFINE PENTIPS PLUS 32G X 4 MM MISC | 2 | |
| EASY COMFORT INSULIN SYRINGE (30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 1/2" 0.3 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC, 32G X 5/16" 0.5 ML MISC, 32G X 5/16" 1 ML MISC) | 2 | |
| EASY COMFORT PEN NEEDLES (29G X 4MM MISC, 29G X 5MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 33G X 4 MM MISC, 33G X 5 MM MISC, 33G X 6 MM MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| EASY GLIDE PEN NEEDLES 33G X 4 MM MISC | 2 | |
| EASY TOUCH FLIPLOCK INSULIN SY (29G X 1/2" 1 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| EASY TOUCH INSULIN SAFETY SYR (29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC) | 2 | |
| EASY TOUCH INSULIN SYRINGE (27G X 1/2" 0.5 ML MISC, 27G X 1/2" 1 ML MISC, 27G X 5/8" 1 ML MISC, 28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| EASY TOUCH PEN NEEDLES (29G X 12MM MISC, 30G X 5 MM MISC, 30G X 6 MM MISC, 30G X 8 MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 5 MM MISC, 32G X 6 MM MISC) | 2 | |
| EASY TOUCH SAFETY PEN NEEDLES (29G X 5MM MISC, 29G X 8MM MISC, 30G X 8 MM MISC) | 2 | |
| EASY TOUCH SHEATHLOCK SYRINGE (29G X 1/2" 1 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| EMBECTA AUTOSHIELD DUO 30G X 5 MM MISC | 2 | |
| EMBECTA INS SYR U/F 1/2 UNIT (X 5/16" 0.3 ML MISC, X 15/64" 0.3 ML MISC) | 2 | |
| EMBECTA INSULIN SYRINGE (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| EMBECTA INSULIN SYRINGE U-100 (27G X 5/8" 1 ML MISC, 28G X 1/2" 1 ML MISC) | 2 | |
| EMBECTA INSULIN SYRINGE U-500 31G X 6MM 0.5 ML MISC | 2 | |
| EMBECTA INSULIN SYRINGE U/F (30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 31G X 15/64" 0.3 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 15/64" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| EMBECTA PEN NEEDLE NANO 2 GEN 32G X 4 MM MISC | 2 | |
| EMBECTA PEN NEEDLE NANO 32G X 4 MM MISC | 2 | |
| EMBECTA PEN NEEDLE U/F (29G X 12.7MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 6 MM MISC) | 2 | |
| EMBRACE PEN NEEDLES (29G X 12MM MISC, 30G X 5 MM MISC, 30G X 8 MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| EQL INSULIN SYRINGE (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| EXEL COMFORT POINT INSULIN SYR (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC) | 2 | |
| EXEL COMFORT POINT PEN NEEDLE (29G X 12MM MISC, 31G X 4 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC) | 2 | |
| FIFTY50 PEN NEEDLES (31G X 5 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 6 MISC) | 2 | |
| FIFTY50 SUPERIOR COMFORT SYR (X 5/16" 0.3 ML MISC, X 5/16" 0.5 ML MISC, X 5/16" 1 ML MISC) | 2 | |
| FREDS PHARMACY UNIFINE PENTIP+ (X 5 MISC, X 8 MISC) | 2 | |
| FREDS PHARMACY UNIFINE PENTIPS 32G X 4 MM MISC | 2 | |
| FREESTYLE PRECISION INS SYR (30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| GLOBAL EASE INJECT PEN NEEDLES (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| GLOBAL EASY GLIDE INSULIN SYR (X 5/16" 0.3 ML MISC, X 15/64" 0.3 ML MISC, X 15/64" 0.5 ML MISC, X 15/64" 1 ML MISC) | 2 | |
| GLOBAL EASY GLIDE PEN NEEDLES 32G X 4 MM MISC | 2 | |
| GLOBAL INJECT EASE INSULIN SYR (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| GLOBAL INSULIN SYRINGES (X 1/2" 0.3 ML MISC, X 5/16" 0.3 ML MISC) | 2 | |
| GLUCOPRO INSULIN SYRINGE (30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| GNP CLICKFINE PEN NEEDLES (X 6 MISC, X 8 MISC) | 2 | |
| GNP INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| GNP INSULIN SYRINGES 28GX1/2" 28G X 1/2" 1 ML MISC | 2 | |
| GNP INSULIN SYRINGES 29GX1/2" (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| GNP INSULIN SYRINGES 30G X 5/16" 1 ML MISC | 2 | |
| GNP INSULIN SYRINGES 30GX5/16" 30G X 5/16" 0.3 ML MISC | 2 | |
| GNP INSULIN SYRINGES 31GX5/16" 31G X 5/16" 0.3 ML MISC | 2 | |
| GNP PEN NEEDLES (31G X 5 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 6 MISC) | 2 | |
| GNP ULTICARE PEN NEEDLES (31G X 5 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 6 MISC) | 2 | |
| GNP ULTIGUARD SAFEPACK NEEDLE (31G X 5 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 6 MISC) | 2 | |
| GNP ULTRA COM INSULIN SYRINGE 28G X 1/2" 1 ML MISC | 2 | |
| GOODSENSE CLICKFINE PEN NEEDLE 31G X 5 MM MISC | 2 | |
| GOODSENSE PEN NEEDLE PENFINE (31G X 5 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 6 MISC) | 2 | |
| H-E-B INCONTROL PEN NEEDLES (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| H-E-B INCONTROL UNIFINE PENTIP (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC, 33G X 4 MISC) | 2 | |
| HEALTHWISE INSULIN SYR/NEEDLE (30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| HEALTHWISE MICRON PEN NEEDLES 32G X 4 MM MISC | 2 | |
| HEALTHWISE MINI PEN NEEDLES 31G X 6 MM MISC | 2 | |
| HEALTHWISE PEN NEEDLES 29G X 12MM MISC | 2 | |
| HEALTHWISE SHORT PEN NEEDLES (X 5 MISC, X 8 MISC) | 2 | |
| HEALTHWISE UNIFINE PENTIPS 32G X 4 MM MISC | 2 | |
| HEALTHY ACCENTS UNIFINE PENTIP (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| HM ULTICARE INSULIN SYRINGE (30G X 1/2" 1 ML MISC, 31G X 5/16" 0.3 ML MISC) | 2 | |
| HM ULTICARE MINI PEN NEEDLES 31G X 5 MM MISC | 2 | |
| HM ULTICARE SHORT PEN NEEDLES 31G X 8 MM MISC | 2 | |
| HUMATROPEN FOR 12MG DEVICE | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| HUMATROPEN FOR 24MG DEVICE | 2 | |
| HUMATROPEN FOR 6MG DEVICE | 2 | |
| INCONTROL ULTICARE PEN NEEDLES (31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| INJECT-EASE MISC | 2 | |
| INPEN 100-BLUE-LILLY-HUMALOG DEVICE | 2 | |
| INPEN 100-BLUE-NOVOLOG-FIASP DEVICE | 2 | |
| INPEN 100-GREY-LILLY-HUMALOG DEVICE | 2 | |
| INPEN 100-GREY-NOVOLOG-FIASP DEVICE | 2 | |
| INPEN 100-PINK-LILLY-HUMALOG DEVICE | 2 | |
| INPEN 100-PINK-NOVOLOG-FIASP DEVICE | 2 | |
| INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| INSULIN SYRINGE-NEEDLE U-100 (27G X 1/2" 0.5 ML MISC, 27G X 1/2" 1 ML MISC, 28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 1/4" 0.3 ML MISC, 31G X 1/4" 0.5 ML MISC, 31G X 1/4" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| INSULIN SYRINGE/NEEDLE (27G X 1/2" 0.5 ML MISC, 28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC) | 2 | |
| INSUPEN PEN NEEDLES (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 33G X 4 MM MISC) | 2 | |
| INSUPEN SENSITIVE (X 6 MISC, X 8 MISC) | 2 | |
| INSUPEN ULTRAFIN (30G X 8 MISC, 31G X 6 MISC, 31G X 8 MISC) | 2 | |
| INSUPEN32G EXTR3ME 32G X 6 MM MISC | 2 | |
| KINRAY INSULIN SYRINGE (29G X 1/2" 0.5 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| KMART VALU INSULIN SYRINGE 29G (0.5 ML MISC, 1 ML MISC) | 2 | |
| KMART VALU INSULIN SYRINGE 30G (0.3 ML MISC, 0.5 ML MISC, 1 ML MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| KROGER INSULIN SYRINGE (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| KROGER PEN NEEDLES (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 33G X 4 MM MISC) | 2 | |
| LEADER INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| LEADER UNIFINE PENTIPS (31G X 5 MISC, 32G X 4 MISC) | 2 | |
| LEADER UNIFINE PENTIPS PLUS (31G X 5 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| LITETOUCH INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| LITETOUCH PEN NEEDLES (29G X 12.7MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| LONGS INSULIN SYRINGE 31G X 5/16" 0.5 ML MISC | 2 | |
| MAGELLAN INSULIN SAFETY SYR (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC) | 2 | |
| MARATHON MEDICAL PENTIPS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| MAXI-COMFORT INSULIN SYRINGE (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| MAXI-COMFORT SAFETY PEN NEEDLE (X 5MM MISC, X 8MM MISC) | 2 | |
| MAXICOMFORT II PEN NEEDLE 31G X 6 MM MISC | 2 | |
| MAXICOMFORT SYR 27G X 1/2" (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| MEDIC INSULIN SYRINGE (X 5/16" 0.3 ML MISC, X 5/16" 0.5 ML MISC) | 2 | |
| MEDICINE SHOPPE PEN NEEDLES (29G X 12MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| MEIJER PEN NEEDLES (29G X 12MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC) | 2 | |
| MICRODOT PEN NEEDLE (31G X 6 MISC, 32G X 4 MISC, 33G X 4 MISC) | 2 | |
| MM INSULIN SYRINGE/NEEDLE (30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| MM PEN NEEDLES (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| MONOJECT INSULIN SYRINGE (25G X 5/8" 1 ML MISC, 27G X 1/2" 1 ML MISC, 28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 1 ML MISC, U-100 1 ML MISC) | 2 | |
| MONOJECT ULTRA COMFORT SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC) | 2 | |
| MS INSULIN SYRINGE (X 5/16" 0.3 ML MISC, X 5/16" 0.5 ML MISC, X 5/16" 1 ML MISC) | 2 | |
| NORDIPEN DELIVERY SYSTEM MISC | 2 | |
| NOVOFINE AUTOCOVER PEN NEEDLE 30G X 8 MM MISC | 2 | |
| NOVOFINE PEN NEEDLE 32G X 6 MM MISC | 2 | |
| NOVOFINE PLUS PEN NEEDLE 32G X 4 MM MISC | 2 | |
| NOVOPEN ECHO DEVICE | 2 | |
| NOVOTWIST PEN NEEDLE 32G X 5 MM MISC | 2 | |
| OMNITROPE PEN 10 INJ DEVICE MISC | 2 | |
| OMNITROPE PEN 5 INJ DEVICE MISC | 2 | |
| PC UNIFINE PENTIPS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC) | 2 | |
| PEN NEEDLE/5-BEVEL TIP 32G X 4 MM MISC | 2 | |
| PEN NEEDLES (29G X 12MM MISC, 30G X 5 MM MISC, 30G X 8 MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 5 MM MISC, 32G X 6 MM MISC, 33G X 4 MM MISC) | 2 | |
| PEN NEEDLES 5/16" 31G X 8 MM MISC | 2 | |
| PENTIPS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 6 MM MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| PENTIPS GENERIC PEN NEEDLES (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 6 MM MISC) | 2 | |
| PIP PEN NEEDLES 31G X 5MM 31G X 5 MM MISC | 2 | |
| PIP PEN NEEDLES 32G X 4MM 32G X 4 MM MISC | 2 | |
| PRECISION SURE-DOSE SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.5 ML MISC, 30G X 3/8" 0.5 ML MISC, 30G X 5/16" 0.3 ML MISC) | 2 | |
| PRECISION SUREDOSE PLUS SYR (X 1/2" 0.3 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| PREFERRED PLUS INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC) | 2 | |
| PREFERRED PLUS UNIFINE PENTIPS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| PREVENT DROPSAFE PEN NEEDLES (X 6 MISC, X 8 MISC) | 2 | |
| PREVENT SAFETY PEN NEEDLES (X 6 MISC, X 8 MISC) | 2 | |
| PRO COMFORT INSULIN SYRINGE (30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| PRO COMFORT PEN NEEDLES (31G X 8 MISC, 32G X 4 MISC, 32G X 5 MISC, 32G X 6 MISC) | 2 | |
| PRODIGY INSULIN SYRINGE (28G X 1/2" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC) | 2 | |
| PURE COMFORT PEN NEEDLE (X 4 MISC, X 5 MISC, X 6 MISC, X 8 MISC) | 2 | |
| PURE COMFORT SAFETY PEN NEEDLE (31G X 5 MISC, 31G X 6 MISC, 32G X 4 MISC) | 2 | |
| PX EXTRA SHORT PEN NEEDLES 31G X 6 MM MISC | 2 | |
| PX INSULIN SYRINGE 30G X 1/2" 0.5 ML MISC | 2 | |
| PX MINI PEN NEEDLES 31G X 5 MM MISC | 2 | |
| PX PEN NEEDLE (29G X 12MM MISC, 31G X 8 MM MISC) | 2 | |
| PX SHORTLENGTH PEN NEEDLES 31G X 8 MM MISC | 2 | |
| QC PEN NEEDLES (29G X 12MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC) | 2 | |
| QC UNIFINE PENTIPS 32G X 4 MM MISC | 2 | |
| QUICK TOUCH INSULIN PEN NEEDLE (31G X 4 MISC, 31G X 5 MISC, 32G X 4 MISC, 32G X 5 MISC, 32G X 6 MISC, 32G X 8 MISC, 33G X 4 MISC, 33G X 5 MISC, 33G X 6 MISC, 33G X 8 MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| RA INSULIN SYRINGE (29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC) | 2 | |
| RA PEN NEEDLES (X 5 MISC, X 8 MISC) | 2 | |
| RAYA SURE PEN NEEDLE (29G X 12MM MISC, 31G X 4 MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC) | 2 | |
| REALITY INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC) | 2 | |
| RELION INSULIN SYRINGE (29G X 1/2" 0.5 ML MISC, 31G X 15/64" 0.3 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 15/64" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| RELION MINI PEN NEEDLES 31G X 6 MM MISC | 2 | |
| RELION PEN NEEDLES (29G X 12MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| RELION SHORT PEN NEEDLES 31G X 8 MM MISC | 2 | |
| SAFETY INSULIN SYRINGES (29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC) | 2 | |
| SAFETY PEN NEEDLES (X 5 MISC, X 8 MISC) | 2 | |
| SB INSULIN SYRINGE (29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| SECURESAFE INSULIN SYRINGE (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| SECURESAFE SAFETY PEN NEEDLES 30G X 8 MM MISC | 2 | |
| SHOPKO UNIFINE PENTIPS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| SHOPKO UNIFINE PENTIPS PLUS (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| SURE COMFORT INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 1/4" 0.3 ML MISC, 31G X 1/4" 0.5 ML MISC, 31G X 1/4" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| SURE COMFORT PEN NEEDLES (29G X 12.7MM MISC, 30G X 8 MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 6 MM MISC) | 2 | |
| SURE-FINE PEN NEEDLES (29G X 12.7MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| SURE-JECT INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| TECHLITE INSULIN SYRINGE (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 31G X 15/64" 0.3 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 15/64" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| TECHLITE PEN NEEDLES (29G X 10MM MISC, 29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 6 MM MISC, 32G X 8 MM MISC) | 2 | |
| TECHLITE PLUS PEN NEEDLES 32G X 4 MM MISC | 2 | |
| TODAYS HEALTH MINI PEN NEEDLES 31G X 6 MM MISC | 2 | |
| TODAYS HEALTH PEN NEEDLES 29G X 12MM MISC | 2 | |
| TODAYS HEALTH SHORT PEN NEEDLE 31G X 8 MM MISC | 2 | |
| TOPCARE CLICKFINE PEN NEEDLES (X 6 MISC, X 8 MISC) | 2 | |
| TOPCARE ULTRA COMFORT INS SYR (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| TRUE COMFORT INSULIN SYRINGE (30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| TRUE COMFORT PEN NEEDLES (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 5 MISC, 32G X 6 MISC, 33G X 4 MISC, 33G X 5 MISC, 33G X 6 MISC) | 2 | |
| TRUE COMFORT PRO INSULIN SYR (30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC, 32G X 5/16" 0.5 ML MISC, 32G X 5/16" 1 ML MISC) | 2 | |
| TRUE COMFORT PRO PEN NEEDLES (31G X 5 MISC, 31G X 6 MISC, 32G X 4 MISC) | 2 | |
| TRUE COMFORT SAFETY PEN NEEDLE (31G X 5 MISC, 31G X 6 MISC, 32G X 4 MISC) | 2 | |
| TRUEPLUS 5-BEVEL PEN NEEDLES (29G X 12.7MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| TRUEPLUS INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| TRUEPLUS PEN NEEDLES (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| ULTICARE INSULIN SAFETY SYR (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| ULTICARE INSULIN SYR 1/2 UNIT 31G X 1/4" 0.3 ML MISC | 2 | |
| ULTICARE INSULIN SYRINGE (28G X 1/2" 0.5 ML MISC, 28G X 1/2" 1 ML MISC, 29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 1/4" 0.3 ML MISC, 31G X 1/4" 0.5 ML MISC, 31G X 1/4" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| ULTICARE MICRO PEN NEEDLES (31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| ULTICARE MINI PEN NEEDLES (30G X 5 MISC, 31G X 6 MISC, 32G X 6 MISC) | 2 | |
| ULTICARE PEN NEEDLES (29G X 12.7MM MISC, 31G X 5 MM MISC) | 2 | |
| ULTICARE SHORT PEN NEEDLES (30G X 8 MISC, 31G X 8 MISC) | 2 | |
| ULTIGUARD SAFEPACK PEN NEEDLE (29G X 12.7MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 6 MM MISC) | 2 | |
| ULTIGUARD SAFEPACK SYR/NEEDLE (30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| ULTILET INSULIN SYRINGE (30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 1/4" 0.3 ML MISC, 31G X 1/4" 1 ML MISC, 31G X 15/64" 0.3 ML MISC, 31G X 15/64" 0.5 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| ULTILET INSULIN SYRINGE SHORT (30G X 1/2" 0.3 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| ULTILET PEN NEEDLE (29G X 12.7MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| ULTRA COMFORT INSULIN SYRINGE 30G X 5/16" 0.3 ML MISC | 2 | |
| ULTRA FLO INSULIN PEN NEEDLES (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 33G X 4 MM MISC) | 2 | |
| ULTRA FLO INSULIN SYR 1/2 UNIT (30G X 1/2" 0.3 ML MISC, 30G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.3 ML MISC) | 2 | |
| ULTRA FLO INSULIN SYRINGE (29G X 1/2" 0.3 ML MISC, 29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 30G X 1/2" 0.3 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| ULTRA THIN PEN NEEDLES 32G X 4 MM MISC | 2 | |
| ULTRA-THIN II INS SYR SHORT (30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| ULTRA-THIN II INSULIN SYRINGE (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| ULTRA-THIN II MINI PEN NEEDLE 31G X 5 MM MISC | 2 | |
| ULTRA-THIN II PEN NEEDLE SHORT 31G X 8 MM MISC | 2 | |
| ULTRA-THIN II PEN NEEDLES 29G X 12.7MM MISC | 2 | |
| ULTRACARE INSULIN SYRINGE (30G X 1/2" 0.5 ML MISC, 30G X 1/2" 1 ML MISC, 30G X 5/16" 0.3 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| ULTRACARE PEN NEEDLES (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC, 32G X 5 MISC, 32G X 6 MISC, 33G X 4 MISC) | 2 | |
| UNIFINE OTC PEN NEEDLES (31G X 5 MISC, 32G X 4 MISC) | 2 | |
| UNIFINE PEN NEEDLES 32G X 4 MM MISC | 2 | |
| UNIFINE PENTIPS (29G X 12MM MISC, 30G X 5 MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 6 MM MISC, 33G X 4 MM MISC) | 2 | |
| UNIFINE PENTIPS PLUS (29G X 12MM MISC, 30G X 5 MM MISC, 31G X 5 MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 33G X 4 MM MISC) | 2 | |
| UNIFINE PROTECT PEN NEEDLE (30G X 5 MISC, 30G X 8 MISC, 32G X 4 MISC) | 2 | |
| UNIFINE SAFECONTROL PEN NEEDLE (30G X 5 MISC, 30G X 8 MISC, 31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| UNIFINE ULTRA PEN NEEDLE (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| VALUE HEALTH INSULIN SYRINGE (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC) | 2 | |
| VALUMARK PEN NEEDLES (29G X 12MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC) | 2 | |
| VANISHPOINT INSULIN SYRINGE (29G X 1/2" 1 ML MISC, 29G X 5/16" 1 ML MISC, 30G X 1/2" 0.5 ML MISC, 30G X 3/16" 0.5 ML MISC, 30G X 3/16" 1 ML MISC, 30G X 5/16" 0.5 ML MISC, 30G X 5/16" 1 ML MISC) | 2 | |
| VERIFINE INSULIN PEN NEEDLE (29G X 12MM MISC, 31G X 5 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC, 32G X 6 MM MISC) | 2 | |
| VERIFINE INSULIN SYRINGE (29G X 1/2" 0.5 ML MISC, 29G X 1/2" 1 ML MISC, 31G X 5/16" 0.3 ML MISC, 31G X 5/16" 0.5 ML MISC, 31G X 5/16" 1 ML MISC) | 2 | |
| VERIFINE PLUS PEN NEEDLE (31G X 5 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| VIDA MIA UNIFINE PENTIPS (29G X 12MM MISC, 31G X 6 MM MISC, 31G X 8 MM MISC, 32G X 4 MM MISC) | 2 | |
| VP INSULIN SYRINGE 29G X 1/2" 0.3 ML MISC | 2 | |
| WEGMANS UNIFINE PENTIPS PLUS (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| ZEV RX INSULIN SYRINGE (X 1/2" 0.5 ML MISC, X 1/2" 1 ML MISC, X 5/16" 0.5 ML MISC, X 5/16" 1 ML MISC) | 2 | |
| ZEV RX PEN NEEDLES (31G X 5 MISC, 31G X 6 MISC, 31G X 8 MISC, 32G X 4 MISC) | 2 | |
| RESPIRATORY AIDS | | |
| ACTEEV PROTECT FACE MASK MISC | 2 | |
| BREATHE COMFORT PROTECT SHIELD MISC | 2 | |
| CLEVER CHOICE DISPOSABLE MASK MISC | 2 | |
| CLEVER CHOICE FACE MASK MISC | 2 | |
| CVS MEDICAL FACE MASKS EARLOOP MISC | 2 | |
| CVS PROCEDURAL MASK MISC | 2 | |
| DISPOSABLE FACE MASK MISC | 2 | |
| DISPOSABLE FACE MASK 3-PLY MISC | 2 | |
| EAR-LOOP MASK SMALL MISC | 2 | |
| EASY FLOW KN 95 MISC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------------|
| FACE MASK MISC | 2 | |
| FACE MASK EARLOOP-STYLE MISC | 2 | |
| FACE MASKS 3 LAYER NON-MEDICAL MISC | 2 | |
| J & J GERM FILTER MASK MISC | 2 | |
| KN95 DISPOSABLE MASK MISC | 2 | |
| KN95 MEDICAL PROTECTIVE MASK MISC | 2 | |
| MASK PEDIATRIC SIZE 1" MISC | 2 | |
| N95 FACE MASK MISC | 2 | |
| N95 MASKS MISC | 2 | |
| N95 PARTI RESPIRATOR FACE MASK MISC | 2 | |
| NEXCARE ALL PURPOSE MASK MISC | 2 | |
| NEXCARE EARLOOP MASK MISC | 2 | |
| PEDIATRIC MEDIUM MASK MISC | 2 | |
| PEDIATRIC SMALL MASK MISC | 2 | |
| SHIELD-SECURE FULL FACE SHIELD MISC | 2 | |
| RESPIRATORY THERAPY SUPPLIES | | |
| OPTICHAMBER DIAMOND MISC | 2 | |
| OPTICHAMBER DIAMOND-LG MASK DEVICE | 2 | |
| OPTICHAMBER DIAMOND-MD MASK MISC | 2 | |
| OPTICHAMBER DIAMOND-SM MASK MISC | 2 | |
| MIGRAINE PRODUCTS | | |
| CALCITONIN GENE-RELATED PEPTIDE (CGRP) RECEPTOR ANTAG | | |
| AIMOVIG (70 MG/ML SOLN A-INJ, 140 MG/ML SOLN A-INJ) | 2 | PA, QL (1 unit per 28 days) |
| EMGALITY (120 MG/ML SOLN A-INJ, 120 MG/ML SOLN PRSYR) | 2 | PA, QL (1 unit per 28 days) |
| EMGALITY (300 MG DOSE) 100 MG/ML SOLN PRSYR | 2 | PA, QL (3 units per 28 days) |
| NURTEC 75 MG TAB DISP | 2 | PA, QL (18 units per 30 days) |
| QULIPTA (10 MG TAB, 30 MG TAB, 60 MG TAB) | 2 | PA, QL (1 unit per day) |
| UBRELVY (50 MG TAB, 100 MG TAB) | 2 | PA, QL (16 units per 30 days), MDS |
| MIGRAINE COMBINATIONS | | |
| MIGERGOT 2-100 MG SUPPOS | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|---|
| <i>sumatriptan-naproxen sodium 85-500 mg tab</i> | 1 | PA, QL (16 units per 28 days), MDS |
| MIGRAINE PRODUCTS | | |
| <i>dihydroergotamine mesylate (1 mg/ml solution, 4 mg/ml solution)</i> | 1 | |
| SEROTONIN AGONISTS | | |
| <i>almotriptan malate (6.25 mg tab, 12.5 mg tab)</i> | 1 | PA, QL (16 units per 28 days), MDS |
| <i>eletriptan hydrobromide (20 mg tab, 40 mg tab)</i> | 1 | PA, QL (16 units per 28 days), MDS |
| <i>frovatriptan succinate 2.5 mg tab</i> | 1 | PA, QL (16 units per 28 days), MDS |
| <i>naratriptan hcl (1 mg tab, 2.5 mg tab)</i> | 1 | QL (16 units per 28 days), MDS |
| <i>rizatriptan benzoate (5 mg tab, 5 mg tab disp, 10 mg tab, 10 mg tab disp)</i> | 1 | QL (16 units per 28 days), MDS |
| <i>sumatriptan (5 mg/act solution, 20 mg/act solution)</i> | 1 | QL (16 units per 28 days), MDS |
| <i>sumatriptan succinate (25 mg tab, 50 mg tab, 100 mg tab)</i> | 1 | QL (16 units per 28 days), MDS |
| <i>sumatriptan succinate (4 mg/0.5ml soln a-inj, 6 mg/0.5ml soln a-inj, 6 mg/0.5ml solution)</i> | 1 | QL (8 units per 28 days), MDS |
| SUMATRIPTAN SUCCINATE REFILL (4 MG/0.5ML SOLN CART, 6 MG/0.5ML SOLN CART) | 1 | QL (8 units per 28 days), MDS |
| ZEMBRACE SYMTOUCH 3 MG/0.5ML SOLN A-INJ | 2 | PA, QL (8 units per 28 days), MDS |
| <i>zolmitriptan (2.5 mg tab, 2.5 mg tab disp, 5 mg tab, 5 mg tab disp)</i> | 1 | QL (16 units per 28 days), MDS |
| <i>zolmitriptan 5 mg solution</i> | 1 | PA, QL (16 units per 28 days), MDS |
| <i>zomig (2.5 mg tab, 5 mg tab)</i> | 1 | MDS |
| MINERALS ELECTROLYTES | | |
| FLUORIDE | | |
| <i>sodium fluoride (0.55 (0.25 f) mg chew tab, 1.1 (0.5 f) mg chew tab, 2.2 (1 f) mg chew tab)</i> | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| SODIUM FLUORIDE 1.1 (0.5 F) MG/ML SOLUTION | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| POTASSIUM | | |
| <i>effer-k 25 meq effer tab</i> | 1 | |
| <i>klor-con (8 tab er, 20 packet)</i> | 1 | |
| <i>klor-con 10 10 meq tab er</i> | 1 | |
| <i>klor-con m10 10 meq tab er</i> | 1 | |
| <i>klor-con m15 15 meq tab er</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|--|
| <i>klor-con m20 20 meq tab er</i> | 1 | |
| <i>klor-con/ef 25 meq effer tab</i> | 1 | |
| <i>potassium chloride (10 % solution, 20 meq packet, 20 meq/15ml (10%) solution, 40 meq/15ml (20%) solution)</i> | 1 | |
| <i>potassium chloride crys er (10 tab er, 15 tab er, 20 tab er)</i> | 1 | |
| <i>potassium chloride er (8 cap er, 8 tab er, 10 cap er, 10 tab er, 20 tab er)</i> | 1 | |
| TRACE MINERALS | | |
| <i>copper gluconate 2 mg tab</i> | 0 | |
| MISCELLANEOUS THERAPEUTIC CLASSES | | |
| CHELATING AGENTS | | |
| <i>penicillamine (250 mg cap, 250 mg tab)</i> | 1 | |
| <i>trientine hcl 250 mg cap</i> | 1 | SP |
| ENZYMES | | |
| XIAFLEX 0.9 MG RECON SOLN | 2 | PA, SP, MDS |
| IMMUNOMODULATORS | | |
| JOENJA 70 MG TAB | 2 | PA, LA, QL (60 tabs per 30 days), SP, MDS |
| <i>lenalidomide (15 mg cap, 20 mg cap, 25 mg cap)</i> | 1 | PA, QL (21 units per 28 days), PN (\$0 Oral Oncology), SP, PN (MIN 21 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| <i>lenalidomide (2.5 mg cap, 5 mg cap, 10 mg cap)</i> | 1 | PA, QL (28 units per 28 days), PN (\$0 Oral Oncology), SP, PN (MIN 21 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| THALOMID (50 MG CAP, 100 MG CAP, 150 MG CAP, 200 MG CAP) | 2 | SP, MDS |
| VYVGART 400 MG/20ML SOLUTION | 2 | PA, SP |
| VYVGART HYTRULO 180-2000 MG-UNIT/ML SOLUTION | 2 | PA, QL (22.4 ml per 50 days), SP, QL (50 days supply per fill), MDS |
| IMMUNOSUPPRESSIVE AGENTS | | |
| <i>azathioprine 50 mg tab</i> | 1 | |
| <i>cyclosporine (25 mg cap, 100 mg cap)</i> | 1 | |
| <i>cyclosporine modified (25 mg cap, 50 mg cap, 100 mg cap, 100 mg/ml solution)</i> | 1 | |
| ENSPRYNG 120 MG/ML SOLN PRSYR | 2 | PA, QL (1 unit per 28 days), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| ENVARUSUS XR (0.75 MG TAB ER 24H, 1 MG TAB ER 24H, 4 MG TAB ER 24H) | 2 | |
| <i>everolimus (0.25 mg tab, 0.5 mg tab, 0.75 mg tab, 1 mg tab)</i> | 1 | PA |
| GAMIFANT (10 MG/2ML SOLUTION, 50 MG/10ML SOLUTION) | 2 | PA, LA, SP, MDS |
| GAMIFANT 100 MG/20ML SOLUTION | 2 | PA, LA, SP, MDS |
| <i>gengraf (25 mg cap, 100 mg cap, 100 mg/ml solution)</i> | 1 | |
| <i>mycophenolate mofetil (200 mg/ml recon susp, 250 mg cap, 500 mg tab)</i> | 1 | |
| <i>mycophenolate sodium (180 mg tab dr, 360 mg tab dr)</i> | 1 | |
| <i>mycophenolic acid (180 mg tab dr, 360 mg tab dr)</i> | 1 | |
| NEORAL (25 MG CAP, 100 MG CAP, 100 MG/ML SOLUTION) | 2 | |
| NULOJIX 250 MG RECON SOLN | 2 | PA, SP, MDS |
| PROGRAF (0.2 MG PACKET, 0.5 MG CAP, 1 MG CAP, 1 MG PACKET, 5 MG CAP) | 2 | |
| SANDIMMUNE (25 MG CAP, 100 MG CAP, 100 MG/ML SOLUTION) | 2 | |
| <i>sirolimus (0.5 mg tab, 1 mg tab, 2 mg tab)</i> | 1 | |
| <i>sirolimus 1 mg/ml solution</i> | 1 | PA |
| <i>tacrolimus (0.5 mg cap, 1 mg cap, 5 mg cap)</i> | 1 | |
| UPLIZNA 100 MG/10ML SOLUTION | 2 | PA, QL (30 units per 180 days), SP, PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| LYMPHATIC AGENTS | | |
| SYLVANT (100 MG RECON SOLN, 400 MG RECON SOLN) | 2 | PA, SP, MDS |
| PIK3CA-RELATED OVERGROWTH SPECTRUM (PROS) AGENTS | | |
| VIJOICE (125 MG TAB THPK, 200 & 50 MG TAB THPK) | 2 | PA, QL (56 units per 28 days), SP, MDS |
| VIJOICE 50 MG PACKET | 2 | PA, QL (28 ea per 28 days), SP, MDS |
| VIJOICE 50 MG TAB THPK | 2 | PA, QL (28 units per 28 days), SP, MDS |
| POTASSIUM REMOVING AGENTS | | |
| <i>kionex 15 gm/60ml suspension</i> | 1 | |
| LOKELMA 10 GM PACKET | 2 | PA, QL (1.14 units per day) |
| LOKELMA 5 GM PACKET | 2 | PA, QL (1 unit per day) |
| <i>sodium polystyrene sulfonate powder</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| SPS (SODIUM POLYSTYRENE SULF) (15 GM/60ML SUSPENSION, 30 GM/120ML SUSPENSION) | 1 | |
| PROGERIA TREATMENT AGENTS | | |
| ZOKINVY (50 MG CAP, 75 MG CAP) | 2 | PA, LA, SP, MDS |
| SYSTEMIC LUPUS ERYTHEMATOSUS AGENTS | | |
| BENLYSTA (120 MG RECON SOLN, 400 MG RECON SOLN) | 2 | PA, SP, MDS |
| BENLYSTA 200 MG/ML SOLN A-INJ | 2 | PA, QL (4 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| BENLYSTA 200 MG/ML SOLN PRSYR | 2 | PA, QL (4 units per 28 days), SP, MDS |
| SAPHNELO 300 MG/2ML SOLUTION | 2 | PA, QL (2 units per 28 days), SP, MDS |
| UREMIC PRURITUS AGENTS | | |
| KORSUVA 65 MCG/1.3ML SOLUTION | 2 | PA |
| MOUTH/THROAT/DENTAL AGENTS | | |
| ANESTHETICS TOPICAL ORAL | | |
| LIDOCAINE HCL 4 % SOLUTION | 1 | |
| <i>lidocaine viscous hcl 2 % solution</i> | 1 | |
| ANTI-INFECTIVES - THROAT | | |
| <i>clotrimazole 10 mg troche</i> | 1 | |
| <i>nystatin 100000 unit/ml suspension</i> | 1 | |
| ANTISEPTICS - MOUTH/THROAT | | |
| <i>chlorhexidine gluconate 0.12 % solution</i> | 1 | |
| DENTAL PRODUCTS | | |
| <i>denta 5000 plus 1.1 % cream</i> | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| <i>dentagel 1.1 % gel</i> | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| <i>fraiche 5000 dental 1.1 % gel</i> | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| <i>sodium fluoride (0.2 % solution, 1.1 % gel)</i> | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| SODIUM FLUORIDE 5000 ENAMEL 1.1-5 % GEL | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| <i>sodium fluoride 5000 plus 1.1 % cream</i> | 1 | PN (\$0 Copay for 6 months through 16 years of age) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| <i>sodium fluoride 5000 ppm (1.1 % cream, 1.1 % gel)</i> | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| <i>sodium fluoride 5000 ppm 1.1 % paste</i> | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| SODIUM FLUORIDE 5000 SENSITIVE 1.1-5 % GEL | 1 | PN (\$0 Copay for 6 months through 16 years of age) |
| STERIODS - MOUTH/THROAT/DENTAL | | |
| <i>oralone 0.1 % paste</i> | 1 | |
| <i>triamcinolone acetonide 0.1 % paste</i> | 1 | |
| THROAT PRODUCTS - MISC. | | |
| <i>pilocarpine hcl (5 mg tab, 7.5 mg tab)</i> | 1 | |
| MULTIVITAMINS | | |
| B-COMPLEX VITAMINS | | |
| <i>b complex cap</i> | 0 | |
| <i>b-complex/b-12 tab</i> | 0 | |
| <i>vitamin b complex cap</i> | 0 | |
| <i>vitamin b complex w/b-12 tab</i> | 0 | |
| B-COMPLEX W/ C | | |
| <i>sm super b complex/c tab</i> | 0 | |
| B-COMPLEX W/ MINERALS | | |
| <i>eldertonic liquid</i> | 0 | |
| BIOFLAVONOID PRODUCTS | | |
| <i>ester-c tab</i> | 0 | |
| MULTIPLE VITAMINS W/ CALCIUM | | |
| <i>gnp one daily womens health tab</i> | 0 | |
| MULTIPLE VITAMINS W/ MINERALS | | |
| <i>multiple vitamins-minerals liquid</i> | 0 | |
| <i>multivit/multimineral adult liquid</i> | 0 | |
| <i>ocuvite eye health gummies chew tab</i> | 0 | |
| MULTIVITAMINS | | |
| <i>daily-vite tab</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>gnp essential one daily tab</i> | 0 | |
| <i>sm multiple vitamins essential tab</i> | 0 | |
| <i>stress formula tab</i> | 0 | |
| <i>tab-a-vite/beta carotene tab</i> | 0 | |
| <i>true daily vite tab</i> | 0 | |
| PED MULTI VITAMINS W/FL & FE | | |
| <i>multi-vit/iron/fluoride 0.25-10 mg/ml solution</i> | 1 | |
| <i>multi-vitamin/fluoride/iron 0.25-10 mg/ml solution</i> | 1 | |
| POLY-VI-FLOR/IRON (POLY-VI-FLOR/IRON 0.25-7 MG/ML SUSPENSION, POLY-VI-FLOR/IRON 0.5-10 MG CHEW TAB) | 1 | |
| PED MV W/ FLUORIDE | | |
| FLOTREX (0.25 MG CHEW TAB, 0.5 MG CHEW TAB) | 1 | |
| MULTI-VITAMIN/FLUORIDE (MULTI-VITAMIN/FLUORIDE 0.25 MG/ML SOLUTION, MULTI-VITAMIN/FLUORIDE 0.5 MG/ML SOLUTION) | 1 | |
| MULTIVITAMIN W/FLUORIDE (0.25 MG CHEW TAB, 0.5 MG CHEW TAB, 1 MG CHEW TAB) | 1 | |
| MULTIVITAMIN/FLUORIDE (MULTIVITAMIN/FLUORIDE 0.25 MG CHEW TAB, MULTIVITAMIN/FLUORIDE 0.25 MG/ML SOLUTION, MULTIVITAMIN/FLUORIDE 0.5 MG CHEW TAB, MULTIVITAMIN/FLUORIDE 0.5 MG/ML SOLUTION, MULTIVITAMIN/FLUORIDE 1 MG CHEW TAB) | 1 | |
| POLY-VI-FLOR (0.25 MG/ML SUSPENSION, 0.5 MG CHEW TAB) | 1 | |
| QUFLORA GUMMIES 0.125 MG CHEW TAB | 1 | |
| TRI-VI-FLOR (0.25 MG/ML SUSPENSION, 0.5 MG/ML SUSPENSION) | 1 | |
| TRI-VITAMIN WITH FLUORIDE 0.25 MG/ML SOLUTION | 1 | |
| TRI-VITE/FLUORIDE 0.25 MG/ML SOLUTION | 1 | |
| VITAMINS ACD-FLUORIDE 0.25 MG/ML SOLUTION | 1 | |
| PED MV W/ IRON | | |
| <i>cerovite jr 18 mg chew tab</i> | 0 | |
| <i>sm animal shapes complete 18 mg chew tab</i> | 0 | |
| PEDIATRIC MULTIPLE VITAMINS | | |
| <i>gnp childrens chewables/ex c chew tab</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|------------------------------|
| <i>gnp little ones childrens chew tab</i> | 0 | |
| <i>sm animal shapes kids first chew tab</i> | 0 | |
| PRENATAL VITAMINS | | |
| C-NATE DHA 28-1-200 MG CAP | 1 | |
| CITRANATAL B-CALM 20-1 MG & 2 X 25 MG MISC | 1 | |
| COMPLETE NATAL DHA 29-1-200 & 200 MG MISC | 1 | |
| COMPLETENATE 29-1 MG CHEW TAB | 1 | |
| ELITE-OB 50-1.25 MG TAB | 1 | |
| ENBRACE HR CAP | 1 | |
| FOLIVANE-OB 85-1 MG CAP | 1 | |
| M-NATAL PLUS 27-1 MG TAB | 1 | |
| NESTABS 32-1 MG TAB | 1 | |
| NESTABS DHA 32-1 MG MISC | 1 | |
| NESTABS ONE 38-1-225 MG CAP | 1 | |
| NIVA-PLUS 27-1 MG TAB | 1 | |
| OB COMPLETE 50-1.25 MG TAB | 1 | |
| OB COMPLETE ONE 50-1-476 MG CAP | 1 | |
| OB COMPLETE PETITE 35-5-1-200 MG CAP | 1 | |
| OB COMPLETE PREMIER 30-20-1 MG TAB | 1 | |
| OB COMPLETE/DHA 30-10-1-200 MG CAP | 1 | |
| PNV 27-CA/FE/FA 60-1 MG TAB | 1 | |
| PNV TABS 29-1 29-1 MG TAB | 1 | |
| PNV-DHA 27-0.6-0.4-300 MG CAP | 1 | |
| PNV-OMEGA 28-0.6-0.4-340 MG CAP | 1 | |
| PNV-SELECT 27-0.6-0.4 MG TAB | 1 | |
| PRENATAL 27-1 MG TAB | 1 | |
| PRENATAL PLUS 27-1 MG TAB | 1 | |
| PRENATAL PLUS VITAMIN/MINERAL 27-1 MG TAB | 1 | |
| PRENATE 0.6-0.4 MG CHEW TAB | 1 | |
| PRENATE AM 1 MG TAB | 1 | |
| PRENATE DHA 18-0.6-0.4-300 MG CAP | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| PRENATE ELITE 20-0.6-0.4 MG TAB | 1 | |
| PRENATE ENHANCE 28-0.6-0.4-400 MG CAP | 1 | |
| PRENATE ESSENTIAL 18-0.6-0.4-300 MG CAP | 1 | |
| PRENATE MINI 18-0.6-0.4-350 MG CAP | 1 | |
| PRENATE PIXIE 10-0.6-0.4-200 MG CAP | 1 | |
| PRENATE RESTORE 27-0.6-0.4-400 MG CAP | 1 | |
| PREPLUS 27-1 MG TAB | 1 | |
| PRETAB 29-1 MG TAB | 1 | |
| PRIMACARE 30-1-470 MG CAP | 1 | |
| RELNATE DHA 28-1-200 MG CAP | 1 | |
| SE-NATAL 19 (29-1 MG CHEW TAB, 29-1 MG TAB) | 1 | |
| SELECT-OB (29-0.6-0.4 MG CHEW TAB, 29-1 MG CHEW TAB) | 1 | |
| SELECT-OB+DHA 29-1 & 250 MG MISC | 1 | |
| TARON-C DHA 35-1 MG CAP | 1 | |
| THRIVITE RX 29-1 MG TAB | 1 | |
| TRICARE TAB | 1 | |
| TRINATAL RX 1 60-1 MG TAB | 1 | |
| TRISTART DHA 31-0.6-0.4-200 MG CAP | 1 | |
| VINATE ONE 60-1 MG TAB | 1 | |
| VIRT-NATE DHA 28-1-200 MG CAP | 1 | |
| VIRT-PN DHA 27-0.6-0.4-300 MG CAP | 1 | |
| VIRT-PN PLUS 28-0.6-0.4-340 MG CAP | 1 | |
| VITAFOL GUMMIES 3.33-0.333-34.8 MG CHEW TAB | 1 | |
| VITAFOL ULTRA 29-0.6-0.4-200 MG CAP | 1 | |
| VITAFOL-NANO 18-0.6-0.4 MG TAB | 1 | |
| VITAFOL-OB TAB | 1 | |
| VITAFOL-OB+DHA 65-1 & 250 MG MISC | 1 | |
| VITAFOL-ONE 29-1-200 MG CAP | 1 | |
| VIVA DHA 28-1-200 MG CAP | 1 | |
| VP-PNV-DHA 28-1-215.8 MG CAP | 1 | |
| WESCAP-C DHA 53.5-38-1 MG CAP | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| WESCAP-PN DHA 27-0.6-0.4-300 MG CAP | 1 | |
| WESNATE DHA 28-1-200 MG CAP | 1 | |
| WESTGEL DHA 31-0.6-0.4-200 MG CAP | 1 | |
| ZATEAN-PN DHA 27-0.6-0.4-300 MG CAP | 1 | |
| ZATEAN-PN PLUS 28-0.6-0.4-340 MG CAP | 1 | |
| VITAMIN MIXTURES | | |
| <i>sm cod liver oil cap</i> | 0 | |
| MUSCULOSKELETAL THERAPY AGENTS | | |
| CENTRAL MUSCLE RELAXANTS | | |
| <i>baclofen (5 mg tab, 10 mg tab, 20 mg tab)</i> | 1 | |
| <i>baclofen 5 mg/5ml solution</i> | 1 | PA, QL (16 units per 1 day) |
| BACLOFEN 5 MG/5ML SOLUTION | 1 | PA, QL (16 ea per 1 day) |
| <i>carisoprodol (250 mg tab, 350 mg tab)</i> | 1 | |
| <i>cyclobenzaprine hcl (5 mg tab, 7.5 mg tab, 10 mg tab)</i> | 1 | |
| <i>metaxalone (400 mg tab, 800 mg tab)</i> | 1 | |
| <i>methocarbamol (500 mg tab, 750 mg tab)</i> | 1 | |
| <i>orphenadrine citrate er 100 mg tab er 12h</i> | 1 | |
| <i>tizanidine hcl (2 mg tab, 4 mg tab)</i> | 1 | |
| DIRECT MUSCLE RELAXANTS | | |
| <i>dantrolene sodium (25 mg cap, 50 mg cap, 100 mg cap)</i> | 1 | |
| FIBRODYSPLASIA OSSIFICANS PROGRESSIVA (FOP) AGENTS | | |
| SOHONOS (1.5 MG CAP, 10 MG CAP) | 2 | PA, LA, QL (2 ea per 30 days), SP, MDS |
| SOHONOS 1 MG CAP | 2 | PA, LA, QL (4 ea per 30 days), SP, MDS |
| SOHONOS 2.5 MG CAP | 2 | PA, LA, QL (3 ea per 30 days), SP, MDS |
| SOHONOS 5 MG CAP | 2 | PA, LA, QL (1 ea per 30 days), SP, MDS |
| MUSCLE RELAXANT COMBINATIONS | | |
| CARISOPRODOL-ASPIRIN-CODEINE 200-325-16 MG TAB | 1 | |
| VISCOSUPPLEMENTS | | |
| EUFLEXXA 20 MG/2ML SOLN PRSYR | 2 | PA, QL (12 ml per 180 days), SP, MDS |
| NASAL AGENTS - SYSTEMIC AND TOPICAL | | |
| NASAL AGENT COMBINATIONS | | |
| <i>azelastine-fluticasone 137-50 mcg/act suspension</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| NASAL ANTIALLERGY | | |
| <i>azelastine hcl (0.1 % solution, 0.15 % solution, 137 mcg/spray solution)</i> | 1 | |
| <i>olopatadine hcl 0.6 % solution</i> | 1 | |
| NASAL ANTICHOLINERGICS | | |
| <i>ipratropium bromide (0.03 % solution, 0.06 % solution)</i> | 1 | |
| NASAL STEROIDS | | |
| <i>flunisolide 25 mcg/act (0.025%) solution</i> | 1 | |
| <i>fluticasone propionate 50 mcg/act suspension</i> | 1 | |
| <i>ft allergy relief 24 hr 50 mcg/act suspension</i> | 1 | |
| <i>mometasone furoate 50 mcg/act suspension</i> | 1 | |
| OMNARIS 50 MCG/ACT SUSPENSION | 2 | PA |
| QNASL 80 MCG/ACT AERO SOLN | 2 | PA |
| QNASL CHILDRENS 40 MCG/ACT AERO SOLN | 2 | PA |
| ZETONNA 37 MCG/ACT AERO SOLN | 2 | PA |
| NEUROMUSCULAR AGENTS | | |
| ALS AGENTS | | |
| <i>edaravone 30 mg/100ml solution</i> | 2 | PA, SP, MDS |
| QALSODY 100 MG/15ML SOLUTION | 2 | PA, LA, SP, MDS |
| RADICAVA 30 MG/100ML SOLUTION | 2 | PA, LA, SP, MDS |
| RADICAVA ORS 105 MG/5ML SUSPENSION | 2 | PA, QL (50 units per 28 days), SP, MDS |
| RADICAVA ORS STARTER KIT 105 MG/5ML SUSPENSION | 2 | PA, QL (70 ml per 28 days), SP, QL (1 fill per 180 days), MDS |
| <i>riluzole 50 mg tab</i> | 1 | |
| FRIEDRICHS ATAXIA AGENTS | | |
| SKYCLARYS 50 MG CAP | 2 | PA, LA, QL (90 caps per 30 days), SP, MDS |
| MUSCULAR DYSTROPHY AGENTS | | |
| AMONDYS 45 100 MG/2ML SOLUTION | 2 | PA, LA, SP, MDS |
| EXONDYS 51 (100 MG/2ML SOLUTION, 500 MG/10ML SOLUTION) | 2 | PA, LA, SP, MDS |
| VILTEPSO 250 MG/5ML SOLUTION | 2 | PA, LA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|---|
| VYONDYS 53 100 MG/2ML SOLUTION | 2 | PA, LA, SP, MDS |
| NEUROMUSCULAR BLOCKING AGENT - NEUROTOXINS | | |
| BOTOX (100 RECON SOLN, 200 RECON SOLN) | 2 | PA, SP, MDS |
| DYSPORE (300 RECON SOLN, 500 RECON SOLN) | 2 | PA, SP, MDS |
| MYOBLOC (2500 UNIT/0.5ML SOLUTION, 5000 UNIT/ML SOLUTION, 10000 UNIT/2ML SOLUTION) | 2 | PA, SP, MDS |
| XEOMIN (50 RECON SOLN, 100 RECON SOLN, 200 RECON SOLN) | 2 | PA, SP, MDS |
| SPINAL MUSCULAR ATROPHY AGENTS (SMA) | | |
| EVRYSDI 0.75 MG/ML RECON SOLN | 2 | PA, LA, QL (6.67 units per 1 day), SP |
| SPINRAZA 12 MG/5ML SOLUTION | 2 | PA, LA, SP, PN (MIN 120 DAY SUPPLY; MAX 120 DAY SUPPLY) |
| NUTRIENTS | | |
| LIPIDS | | |
| DOJOLVI 100 % LIQUID | 2 | PA, SP, MDS |
| OPHTHALMIC AGENTS | | |
| BETA-BLOCKERS - OPHTHALMIC | | |
| BETAXOLOL HCL 0.5 % SOLUTION | 1 | |
| BETOPTIC-S 0.25 % SUSPENSION | 2 | |
| CARTEOLOL HCL 1 % SOLUTION | 1 | |
| <i>dorzolamide hcl-timolol mal (2-0.5 % solution, 22.3-6.8 mg/ml solution)</i> | 1 | |
| <i>dorzolamide hcl-timolol mal pf 2-0.5 % solution</i> | 1 | |
| LEVOBUNOLOL HCL 0.5 % SOLUTION | 1 | |
| <i>timolol hemihydrate 0.5 % solution</i> | 1 | PA |
| <i>timolol maleate (0.25 % gel f soln, 0.25 % solution, 0.5 % (daily) solution, 0.5 % gel f soln, 0.5 % solution)</i> | 1 | |
| <i>timolol maleate (once-daily) 0.5 % solution</i> | 1 | |
| CYCLOPLEGIC MYDRIATICS | | |
| <i>atropine sulfate 1 % solution</i> | 1 | |
| <i>cyclopentolate hcl 1 % solution</i> | 1 | |
| <i>phenylephrine hcl 10 % solution</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| <i>tropicamide (0.5 % solution, 1 % solution)</i> | 1 | |
| MIOTICS | | |
| PHOSPHOLINE IODIDE 0.125 % RECON SOLN | 2 | |
| <i>pilocarpine hcl (1 % solution, 2 % solution, 4 % solution)</i> | 1 | |
| VUITY 1.25 % SOLUTION | 2 | PA, QL (2.5 units per 30 days) |
| OPHTHALMIC - ANGIOGENESIS INHIBITORS | | |
| BEOVU 6 MG/0.05ML SOLN PRSYR | 2 | PA, QL (0.1 units per 25 days), SP, MDS |
| BEOVU 6 MG/0.05ML SOLUTION | 2 | PA, QL (0.1 units per 25 days), MDS |
| CIMERLI (0.3 MG/0.05ML SOLUTION, 0.5 MG/0.05ML SOLUTION) | 2 | PA, QL (0.1 units per 28 days), SP, MDS |
| EYLEA (2 MG/0.05ML SOLN PRSYR, 2 MG/0.05ML SOLUTION) | 2 | PA, QL (0.1 units per 25 days), SP, PN (MIN 25 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| EYLEA HD 8 MG/0.07ML SOLUTION | 2 | PA, QL (0.14 ml per 21 days), SP, PN (MIN 25 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| LUCENTIS (0.3 MG/0.05ML SOLN PRSYR, 0.5 MG/0.05ML SOLN PRSYR) | 2 | PA, QL (0.1 units per 28 days), SP, PN (MIN 28 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| PAVBLU (2 MG/0.05ML SOLN PRSYR, 2 MG/0.05ML SOLUTION) | 2 | PA, QL (0.1 ml per 25 days), SP, MDS |
| SUSVIMO (IMPLANT 1ST FILL) 10 MG/0.1ML SOLUTION | 2 | PA, QL (0.2 units per 168 days), SP, PN (MIN 28 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| SUSVIMO (IMPLANT REFILL) 10 MG/0.1ML SOLUTION | 2 | PA, QL (0.2 units per 168 days), SP, PN (MIN 28 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| VABYSMO 6 MG/0.05ML SOLN PRSYR | 2 | PA, QL (0.1 ml per 21 days), SP, MDS |
| VABYSMO 6 MG/0.05ML SOLUTION | 2 | PA, QL (0.1 units per 21 days), SP, MDS |
| OPHTHALMIC ADRENERGIC AGENTS | | |
| APRACLONIDINE HCL 0.5 % SOLUTION | 2 | |
| <i>brimonidine tartrate 0.2 % solution</i> | 1 | |
| SIMBRINZA 1-0.2 % SUSPENSION | 2 | |
| OPHTHALMIC ANTI-INFECTIVES | | |
| AZASITE 1 % SOLUTION | 2 | |
| BACITRACIN 500 UNIT/GM OINTMENT | 1 | |
| <i>bacitracin-polymyxin b 500-10000 unit/gm ointment</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|--|
| BESIVANCE 0.6 % SUSPENSION | 2 | |
| CILOXAN 0.3 % OINTMENT | 2 | |
| <i>ciprofloxacin hcl 0.3 % solution</i> | 1 | |
| <i>erythromycin 5 mg/gm ointment</i> | 1 | |
| <i>gentamicin sulfate 0.3 % solution</i> | 1 | |
| MOXIFLOXACIN HCL (2X DAY) 0.5 % SOLUTION | 1 | |
| <i>maxifloxacin hcl 0.5 % solution</i> | 1 | |
| NATACYN 5 % SUSPENSION | 2 | |
| <i>neo-polycin 3.5-400-10000 ointment</i> | 1 | |
| <i>neomycin-bacitracin zn-polymyx (3.5-400-10000 ointment, 5-400-10000 ointment)</i> | 1 | |
| NEOMYCIN-POLYMYXIN-GRAMICIDIN 1.75-10000-.025 SOLUTION | 1 | |
| <i>ofloxacin 0.3 % solution</i> | 1 | |
| <i>polycin 500-10000 unit/gm ointment</i> | 1 | |
| <i>polymyxin b-trimethoprim 10000-0.1 unit/ml-% solution</i> | 1 | |
| <i>sulfacetamide sodium (10 % ointment, 10 % solution)</i> | 1 | |
| <i>tobramycin 0.3 % solution</i> | 1 | |
| TRIFLURIDINE 1 % SOLUTION | 2 | |
| XDEMVY 0.25 % SOLUTION | 2 | PA, QL (10 ml per 42 days), SP, MDS |
| OPHTHALMIC COMPLEMENT INHIBITORS | | |
| IZERVAY 2 MG/0.1ML SOLUTION | 2 | PA, QL (0.2 ml per 28 days), SP, MDS |
| SYFOVRE 15 MG/0.1ML SOLUTION | 2 | PA, QL (0.2 units per 25 days), SP, MDS |
| OPHTHALMIC IMMUNOMODULATORS | | |
| <i>cyclosporine 0.05 % emulsion</i> | 1 | |
| OPHTHALMIC INTEGRIN ANTAGONISTS | | |
| XIIDRA 5 % SOLUTION | 2 | |
| OPHTHALMIC NERVE GROWTH FACTORS | | |
| OXERVATE 0.002 % SOLUTION | 2 | PA, LA, QL (56 units per 28 days), SP, MDS |
| OPHTHALMIC PHOTODYNAMIC THERAPY AGENTS | | |
| VISUDYNE 15 MG RECON SOLN | 2 | SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| OPHTHALMIC STEROIDS | | |
| <i>bacitra-neomycin-polymyxin-hc 1 % ointment</i> | 1 | |
| DEXAMETHASONE SODIUM PHOSPHATE 0.1 % SOLUTION | 1 | |
| FLAREX 0.1 % SUSPENSION | 2 | |
| <i>fluorometholone 0.1 % suspension</i> | 1 | |
| FML FORTE 0.25 % SUSPENSION | 2 | |
| ILUVIEN 0.19 MG IMPLANT | 2 | PA, SP, PN (MIN 365 DAY SUPPLY; MAX 1095 DAY SUPPLY) |
| MAXIDEX 0.1 % SUSPENSION | 2 | |
| <i>neo-polycin hc 1 % ointment</i> | 1 | |
| <i>neomycin-polymyxin-dexameth (0.1 % suspension, 3.5-10000-0.1 ointment, 3.5-10000-0.1 suspension)</i> | 1 | |
| NEOMYCIN-POLYMYXIN-HC 3.5-10000-1 SUSPENSION | 1 | |
| <i>prednisolone acetate 1 % suspension</i> | 1 | |
| PREDNISOLONE SODIUM PHOSPHATE 1 % SOLUTION | 1 | |
| SULFACETAMIDE-PREDNISOLONE 10-0.23 % SOLUTION | 1 | |
| TOBRADEX 0.3-0.1 % OINTMENT | 2 | |
| <i>tobramycin-dexamethasone 0.3-0.1 % suspension</i> | 1 | |
| XIPERE 40 MG/ML SUSPENSION | 2 | LA, SP, MDS |
| OPHTHALMICS - MISC. | | |
| ALOMIDE 0.1 % SOLUTION | 2 | PA |
| <i>azelastine hcl 0.05 % solution</i> | 1 | |
| <i>balanced salt solution</i> | 1 | |
| <i>brinzolamide 1 % suspension</i> | 1 | |
| <i>bromfenac sodium (once-daily) 0.09 % solution</i> | 1 | |
| CROMOLYN SODIUM 4 % SOLUTION | 1 | |
| <i>diclofenac sodium 0.1 % solution</i> | 1 | |
| <i>dorzolamide hcl 2 % solution</i> | 1 | |
| <i>epinastine hcl 0.05 % solution</i> | 1 | |
| FLURBIPROFEN SODIUM 0.03 % SOLUTION | 1 | |
| <i>ft eye allergy itch & redness 0.1 % solution</i> | 1 | |
| <i>ft eye allergy itch relief 0.2 % solution</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|-----------------------------------|
| <i>ketorolac tromethamine (0.4 % solution, 0.5 % solution)</i> | 1 | |
| <i>olopatadine hcl (0.1 % solution, 0.2 % solution)</i> | 1 | |
| PROSTAGLANDINS - OPHTHALMIC | | |
| <i>bimatoprost 0.03 % solution</i> | 1 | ST |
| DURYSTA 10 MCG IMPLANT | 2 | PA, QL (2 units per lifetime), SP |
| <i>latanoprost 0.005 % solution</i> | 1 | |
| LUMIGAN 0.01 % SOLUTION | 2 | ST |
| <i>tafluprost (pf) 0.0015 % solution</i> | 1 | PA |
| <i>travoprost (bak free) 0.004 % solution</i> | 1 | |
| VYZULTA 0.024 % SOLUTION | 2 | ST |
| OTIC AGENTS | | |
| OTIC AGENTS - MISCELLANEOUS | | |
| <i>acetic acid 2 % solution</i> | 1 | |
| OTIC ANTI-INFECTIVES | | |
| <i>ciprofloxacin hcl 0.2 % solution</i> | 2 | |
| <i>ofloxacin 0.3 % solution</i> | 1 | |
| OTIC COMBINATIONS | | |
| CIPRO HC 0.2-1 % SUSPENSION | 2 | |
| <i>ciprofloxacin-dexamethasone 0.3-0.1 % suspension</i> | 1 | |
| <i>neomycin-polymyxin-hc (1 % solution, 3.5-10000-1 solution, 3.5-10000-1 suspension)</i> | 1 | |
| OTIC STEROIDS | | |
| <i>flac 0.01 % oil</i> | 1 | |
| <i>fluocinolone acetonide 0.01 % oil</i> | 1 | |
| <i>hydrocortisone-acetic acid 1-2 % solution</i> | 1 | |
| OXYTOCICS | | |
| OXYTOCICS | | |
| <i>methergine 0.2 mg tab</i> | 1 | |
| <i>methylergonovine maleate 0.2 mg tab</i> | 1 | |
| PASSIVE IMMUNIZING AND TREATMENT AGENTS | | |
| IMMUNE SERUMS | | |
| ALYGLO (5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION) | 2 | PA, LA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|--|
| ASCENIV 5 GM/50ML SOLUTION | 2 | PA, SP, MDS |
| BIVIGAM 10 GM/100ML SOLUTION | 2 | PA, SP |
| BIVIGAM 5 GM/50ML SOLUTION | 2 | PA, SP, MDS |
| CUTAQUIG (1 GM/6ML SOLUTION, 1.65 GM/10ML SOLUTION, 2 GM/12ML SOLUTION, 3.3 GM/20ML SOLUTION, 4 GM/24ML SOLUTION, 8 GM/48ML SOLUTION) | 2 | PA, SP, MDS |
| CUVITRU (1 GM/5ML SOLUTION, 2 GM/10ML SOLUTION, 4 GM/20ML SOLUTION, 8 GM/40ML SOLUTION, 10 GM/50ML SOLUTION) | 2 | PA, SP, MDS |
| CYTOGAM 50 MG/ML SOLUTION | 2 | SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY), MDS |
| FLEBOGAMMA DIF (2.5 GM/50ML SOLUTION, 5 GM/100ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 10 GM/200ML SOLUTION, 20 GM/200ML SOLUTION, 20 GM/400ML SOLUTION) | 2 | PA, SP, MDS |
| GAMASTAN INJECTABLE | 2 | SP, MDS |
| GAMMAGARD (1 GM/10ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION) | 2 | PA, SP, MDS |
| GAMMAGARD (2.5 GM/25ML SOLUTION, 30 GM/300ML SOLUTION) | 2 | PA, SP, MDS |
| GAMMAGARD S/D LESS IGA (5 GM RECON SOLN, 10 GM RECON SOLN) | 2 | PA, SP, MDS |
| GAMMAKED (1 GM/10ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION) | 2 | PA, SP, MDS |
| GAMMAPLEX (5 GM/100ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 10 GM/200ML SOLUTION, 20 GM/200ML SOLUTION, 20 GM/400ML SOLUTION) | 2 | PA, SP, MDS |
| GAMUNEX-C (1 GM/10ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION) | 2 | PA, SP, MDS |
| GAMUNEX-C (2.5 GM/25ML SOLUTION, 40 GM/400ML SOLUTION) | 2 | PA, SP, MDS |
| HIZENTRA (1 GM/5ML SOLN PRSYR, 1 GM/5ML SOLUTION, 2 GM/10ML SOLN PRSYR, 2 GM/10ML SOLUTION, 4 GM/20ML SOLN PRSYR, 4 GM/20ML SOLUTION, 10 GM/50ML SOLN PRSYR, 10 GM/50ML SOLUTION) | 2 | PA, SP, MDS |
| OCTAGAM (1 GM/20ML SOLUTION, 2 GM/20ML SOLUTION, 2.5 GM/50ML SOLUTION, 5 GM/100ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 10 GM/200ML SOLUTION, 20 GM/200ML SOLUTION, 30 GM/300ML SOLUTION) | 2 | PA, SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| OCTAGAM 25 GM/500ML SOLUTION | 2 | PA, MDS |
| PANZYGA (2.5 GM/25ML SOLUTION, 5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 30 GM/300ML SOLUTION) | 2 | PA, SP, MDS |
| PRIVIGEN (5 GM/50ML SOLUTION, 10 GM/100ML SOLUTION, 20 GM/200ML SOLUTION, 40 GM/400ML SOLUTION) | 2 | PA, SP, MDS |
| RHOGAM ULTRA-FILTERED PLUS 1500 UNIT SOLN PRSYR | 2 | SP, MDS |
| RHOPHYLAC 1500 UNIT/2ML SOLN PRSYR | 2 | SP, MDS |
| WINRHO SDF (1500 UNIT/1.3ML SOLUTION, 2500 UNIT/2.2ML SOLUTION, 5000 UNIT/4.4ML SOLUTION, 15000 UNIT/13ML SOLUTION) | 2 | SP, MDS |
| XEMBIFY (1 GM/5ML SOLUTION, 2 GM/10ML SOLUTION, 4 GM/20ML SOLUTION, 10 GM/50ML SOLUTION) | 2 | PA, SP, MDS |
| MONOCLONAL ANTIBODIES | | |
| SYNAGIS (50 MG/0.5ML SOLUTION, 100 MG/ML SOLUTION) | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 34 DAY SUPPLY) |
| ZINPLAVA 1000 MG/40ML SOLUTION | 2 | PA, SP, MDS |
| PASSIVE IMMUNIZING AGENTS - COMBINATIONS | | |
| HYQVIA (2.5 GM/25ML KIT, 5 GM/50ML KIT, 10 GM/100ML KIT, 20 GM/200ML KIT, 30 GM/300ML KIT) | 2 | PA, SP, MDS |
| PENICILLINS | | |
| AMINOPENICILLINS | | |
| <i>amoxicillin (125 mg chew tab, 125 mg/5ml recon susp, 200 mg/5ml recon susp, 250 mg cap, 250 mg chew tab, 250 mg/5ml recon susp, 400 mg/5ml recon susp, 500 mg cap, 500 mg tab, 875 mg tab)</i> | 1 | |
| <i>ampicillin 500 mg cap</i> | 1 | |
| NATURAL PENICILLINS | | |
| <i>penicillin v potassium (125 mg/5ml recon soln, 250 mg tab, 250 mg/5ml recon soln, 500 mg tab)</i> | 1 | |
| PENICILLIN COMBINATIONS | | |
| <i>amoxicillin-pot clavulanate (200-28.5 mg/5ml recon susp, 250-125 mg tab, 250-62.5 mg/5ml recon susp, 400-57 mg/5ml recon susp, 500-125 mg tab, 600-42.9 mg/5ml recon susp, 875-125 mg tab)</i> | 1 | |
| PENICILLINASE-RESISTANT PENICILLINS | | |
| <i>dicloxacillin sodium (250 mg cap, 500 mg cap)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| PROGESTINS | | |
| PROGESTINS | | |
| <i>gallifrey 5 mg tab</i> | 1 | |
| <i>hydroxyprogesterone caproate 250 mg/ml oil</i> | 2 | PA, MDS |
| LILETTA (52 MG) 20.1 MCG/DAY IUD | 0 | SP, PN (MIN 365 DAY SUPPLY; MAX 2920 DAY SUPPLY) |
| <i>medroxyprogesterone acetate (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | 1 | |
| NEXPLANON 68 MG IMPLANT | 0 | SP, PN (MIN 365 DAY SUPPLY; MAX 1095 DAY SUPPLY) |
| <i>norethindrone acetate 5 mg tab</i> | 1 | |
| <i>progesterone (50 mg/ml oil, 100 mg cap, 200 mg cap)</i> | 1 | |
| PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC. | | |
| AGENTS FOR CHEMICAL DEPENDENCY | | |
| <i>disulfiram (250 mg tab, 500 mg tab)</i> | 1 | |
| <i>lofexidine hcl 0.18 mg tab</i> | 2 | PA, QL (112 units per 7 days), MDS |
| LUCEMYRA 0.18 MG TAB | 2 | PA, QL (112 units per 7 days), MDS |
| ANTI-CATAPLECTIC AGENTS | | |
| SODIUM OXYBATE 500 MG/ML SOLUTION | 2 | PA, LA, QL (540 units per 30 days), SP, MDS |
| XYWAV 500 MG/ML SOLUTION | 2 | PA, LA, QL (540 units per 30 days), SP, MDS |
| ANTIDEMENTIA AGENTS | | |
| <i>memantine hcl (2 mg/ml solution, 5 mg tab, 10 mg tab, 10 mg/5ml solution)</i> | 1 | |
| <i>memantine hcl er (7 mg cap er 24h, 14 mg cap er 24h, 21 mg cap er 24h, 28 mg cap er 24h)</i> | 1 | PA |
| COMBINATION PSYCHOTHERAPEUTICS | | |
| CHLORDIAZEPOXIDE-AMITRIPTYLINE (5-12.5 MG TAB, 10-25 MG TAB) | 1 | |
| PERPHENAZINE-AMITRIPTYLINE (2-10 MG TAB, 2-25 MG TAB, 4-10 MG TAB, 4-25 MG TAB, 4-50 MG TAB) | 1 | |
| FIBROMYALGIA AGENTS | | |
| SAVELLA (12.5 MG TAB, 25 MG TAB, 50 MG TAB, 100 MG TAB) | 2 | PA, QL (2 units per 1 day) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|---|
| SAVELLA TITRATION PACK 12.5 & 25 & 50 MG MISC | 2 | PA, QL (55 units per 28 days), QL (ql= 1 fillper180 days) |
| MOVEMENT DISORDER DRUG THERAPY | | |
| <i>tetrabenazine 12.5 mg tab</i> | 1 | PA, QL (102 units per 34 days), SP, MDS |
| <i>tetrabenazine 25 mg tab</i> | 1 | PA, QL (136 units per 34 days), SP, MDS |
| MULTIPLE SCLEROSIS AGENTS | | |
| AVONEX PEN 30 MCG/0.5ML AUT-IJ KIT | 2 | QL (1 unit per 28 days), SP, MDS |
| AVONEX PREFILLED 30 MCG/0.5ML PREF SY KT | 2 | QL (1 unit per 28 days), SP, MDS |
| BETASERON 0.3 MG KIT | 2 | QL (14 units per 28 days), SP, MDS |
| BRIUMVI 150 MG/6ML SOLUTION | 2 | PA, SP, MDS |
| <i>dalfampridine er 10 mg tab er 12h</i> | 1 | QL (60 units per 30 days), SP, MDS |
| <i>dimethyl fumarate 120 mg cap dr</i> | 1 | QL (14 units per 7 days), SP, MDS |
| <i>dimethyl fumarate 240 mg cap dr</i> | 1 | QL (60 units per 30 days), SP, MDS |
| <i>dimethyl fumarate starter pack 120 & 240 mg cpdr thpk</i> | 1 | QL (60 units per 30 days), SP, MDS |
| <i>fingolimod hcl 0.5 mg cap</i> | 1 | QL (30 units per 30 days), SP, MDS |
| <i>glatiramer acetate 20 mg/ml soln prsyr</i> | 1 | QL (30 units per 30 days), SP, MDS |
| <i>glatiramer acetate 40 mg/ml soln prsyr</i> | 1 | QL (12 units per 28 days), SP, MDS |
| <i>glatopa 20 mg/ml soln prsyr</i> | 1 | QL (30 ml per 30 days), SP, MDS |
| <i>glatopa 40 mg/ml soln prsyr</i> | 1 | QL (12 ml per 28 days), SP, MDS |
| KESIMPTA 20 MG/0.4ML SOLN A-INJ | 2 | QL (0.4 units per 28 days), SP, MDS |
| LEMTRADA 12 MG/1.2ML SOLUTION | 2 | PA, QL (5 days supply per 365 day), SP, PN (MIN 365 DAY SUPPLY; MAX 365 DAY SUPPLY) |
| MAYZENT (1 MG TAB, 2 MG TAB) | 2 | QL (30 units per 30 days), SP, MDS |
| MAYZENT 0.25 MG TAB | 2 | QL (140 units per 28 days), SP, MDS |
| MAYZENT STARTER PACK 12 X 0.25 MG TAB THPK | 2 | QL (12 ea per 5 days), SP, QL (1 fill per180 days), MDS |
| MAYZENT STARTER PACK 7 X 0.25 MG TAB THPK | 2 | QL (7 ea per 4 days), SP, QL (1 fill per180 days), MDS |
| OCREVUS 300 MG/10ML SOLUTION | 2 | PA, QL (20 ml per 180 days), SP, QL (2 fills per 365 days), PN (MIN 168 DAY SUPPLY; MAX 180 DAY SUPPLY) |
| PLEGRIDY (125 MCG/0.5ML SOLN A-INJ, 125 MCG/0.5ML SOLN PRSYR) | 2 | QL (1 unit per 28 days), SP, MDS |
| PLEGRIDY STARTER PACK (63 & 94 MCG/0.5ML SOLN A-INJ, 63 & 94 MCG/0.5ML SOLN PRSYR) | 2 | QL (1 unit per 28 days), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|---|
| REBIF 44 MCG/0.5ML SOLN PRSYR | 2 | QL (6 units per 28 days), SP, MDS |
| REBIF REBIDOSE 44 MCG/0.5ML SOLN A-INJ | 2 | QL (6 units per 28 days), SP, MDS |
| REBIF REBIDOSE TITRATION PACK 6X8.8 & 6X22 MCG SOLN A-INJ | 2 | QL (4.2 units per 28 days), SP, MDS |
| REBIF TITRATION PACK 6X8.8 & 6X22 MCG SOLN PRSYR | 2 | QL (4.2 units per 28 days), SP, MDS |
| <i>teriflunomide 14 mg tab</i> | 1 | QL (30 units per 30 days), SP, MDS |
| <i>teriflunomide 7 mg tab</i> | 1 | PA, QL (30 units per 30 days), SP, MDS |
| TYSABRI 300 MG/15ML CONC | 2 | PA, SP, PN (MIN 28 DAY SUPPLY; MAX 60 DAY SUPPLY) |
| ZEPOSIA 0.92 MG CAP | 2 | PA, QL (30 units per 30 days), PN (PA REQUIRED FOR ULCERATIVE COLITIS), SP, MDS |
| ZEPOSIA 7-DAY STARTER PACK 4 X 0.23MG & 3 X 0.46MG CAP THPK | 2 | PA, QL (7 ea per 7 days), PN (PA REQUIRED FOR ULCERATIVE COLITIS), SP, QL (1 fill per180 days), MDS |
| ZEPOSIA STARTER KIT 0.23MG & 0.46MG & 0.92MG CAP THPK | 2 | PA, QL (37 ea per 37 days), PN (PA REQUIRED FOR ULCERATIVE COLITIS), QL (1 fill per180 days), MDS |
| ZEPOSIA STARTER KIT 0.23MG & 0.46MG 0.92MG(21) CAP THPK | 2 | PA, QL (28 units per 28 days), PN (PA REQUIRED FOR ULCERATIVE COLITIS), SP, MDS |
| PREMENSTRUAL DYPHORIC DISORDER (PMDD) AGENTS | | |
| FLUOXETINE HCL (PMDD) (10 MG TAB, 20 MG TAB) | 1 | |
| PSYCHOTHERAPEUTIC AND NEUROLOGICAL AGENTS - MISC. | | |
| AQNEURSA 1 GM PACKET | 2 | PA, LA, QL (112 ea per 28 days), SP, MDS |
| ERGOLOID MESYLATES 1 MG TAB | 1 | |
| MIPLYFFA (47 MG CAP, 62 MG CAP, 93 MG CAP, 124 MG CAP) | 2 | PA, LA, QL (90 ea per 30 days), SP, MDS |
| PIMOZIDE (1 MG TAB, 2 MG TAB) | 1 | |
| SMOKING DETERRENTS | | |
| <i>bupropion hcl er (smoking det) 150 mg tab er 12h</i> | 0 | |
| CHANTIX 1 MG TAB | 0 | QL (2 units per 1 day) |
| CHANTIX CONTINUING MONTH PAK 1 MG TAB | 0 | QL (2 units per 1 day) |
| CHANTIX STARTING MONTH PAK 0.5 MG X 11 & 1 MG X 42 TAB THPK | 0 | QL (53 ea per 30 days), QL (1 fillper180 days), MDS |
| <i>ft nicotine (2 mg gum, 2 mg lozenge, 4 mg gum, 4 mg lozenge, 21 mg/24hr patch 24hr)</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| <i>ft nicotine mini (2 mg lozenge, 4 mg lozenge)</i> | 0 | |
| <i>gnp nicotine (2 mg gum, 4 mg gum, 7 mg/24hr patch 24hr, 14 mg/24hr patch 24hr, 21 mg/24hr patch 24hr)</i> | 0 | |
| <i>gnp nicotine mini (2 mg lozenge, 4 mg lozenge)</i> | 0 | |
| <i>gnp nicotine polacrilex (2 mg gum, 2 mg lozenge, 4 mg gum, 4 mg lozenge)</i> | 0 | |
| <i>goodsense nicotine (2 mg gum, 2 mg lozenge, 4 mg gum, 4 mg lozenge)</i> | 0 | |
| <i>hm nicotine (7 mg/24hr patch 24hr, 14 mg/24hr patch 24hr, 21 mg/24hr patch 24hr)</i> | 0 | |
| <i>hm nicotine polacrilex (2 mg gum, 2 mg lozenge, 4 mg gum, 4 mg lozenge)</i> | 0 | |
| <i>nicotine (7 mg/24hr patch 24hr, 14 mg/24hr patch 24hr, 21 mg/24hr patch 24hr, 21-14-7 mg/24hr kit)</i> | 0 | |
| <i>nicotine mini (2 mg lozenge, 4 mg lozenge)</i> | 0 | |
| <i>nicotine polacrilex (2 mg gum, 2 mg lozenge, 4 mg gum, 4 mg lozenge)</i> | 0 | |
| <i>nicotine polacrilex mini 2 mg lozenge</i> | 0 | |
| <i>nicotine step 1 21 mg/24hr patch 24hr</i> | 0 | |
| <i>nicotine step 2 14 mg/24hr patch 24hr</i> | 0 | |
| <i>nicotine step 3 7 mg/24hr patch 24hr</i> | 0 | |
| NICOTROL 10 MG INHALER | 0 | |
| NICOTROL NS 10 MG/ML SOLUTION | 0 | |
| <i>sm nicotine (2 mg lozenge, 4 mg gum, 7 mg/24hr patch 24hr, 14 mg/24hr patch 24hr, 21 mg/24hr patch 24hr)</i> | 0 | |
| <i>sm nicotine polacrilex (2 mg gum, 2 mg lozenge, 4 mg gum, 4 mg lozenge)</i> | 0 | |
| <i>varenicline tartrate (0.5 mg tab, 1 mg tab)</i> | 0 | QL (2 units per 1 day) |
| <i>varenicline tartrate (starter) 0.5 mg x 11 & 1 mg x 42 tab thpk</i> | 0 | QL (53 units per 30 days), PN (0), QL (1 fillper180 days), MDS |
| <i>varenicline tartrate(continue) 1 mg tab</i> | 0 | QL (2 units per 1 day) |
| TRANSTHYRETIN AMYLOIDOSIS AGENTS | | |
| AMVUTTRA 25 MG/0.5ML SOLN PRSYR | 2 | PA, QL (0.5 units per 84 days), SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| ONPATTRO 10 MG/5ML SOLUTION | 2 | PA, SP, MDS |
| TEGSEDI 284 MG/1.5ML SOLN PRSYR | 2 | PA, LA, QL (6 units per 28 days), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| RESPIRATORY AGENTS - MISC. | | |
| ALPHA-PROTEINASE INHIBITOR (HUMAN) | | |
| ARALAST NP 1000 MG RECON SOLN | 2 | PA, LA, SP, MDS |
| ARALAST NP 500 MG RECON SOLN | 2 | PA, SP, MDS |
| GLASSIA 1000 MG/50ML SOLUTION | 2 | PA, LA, SP, MDS |
| PROLASTIN-C 1000 MG RECON SOLN | 2 | PA, LA, SP, MDS |
| PROLASTIN-C 1000 MG/20ML SOLUTION | 2 | PA, LA, SP, MDS |
| ZEMAIRA 1000 MG RECON SOLN | 2 | PA, LA, SP, MDS |
| CYSTIC FIBROSIS AGENTS | | |
| KALYDECO (13.4 MG PACKET, 150 MG TAB) | 2 | PA, LA, QL (60 units per 30 days), SP, MDS |
| KALYDECO (25 MG PACKET, 50 MG PACKET, 75 MG PACKET) | 2 | PA, LA, QL (56 units per 28 days), SP, MDS |
| KALYDECO 5.8 MG PACKET | 2 | PA, LA, QL (56 units per 28 days), SP, QL (28 days supply per fill), MDS |
| ORKAMBI (100-125 MG TAB, 200-125 MG TAB) | 2 | PA, LA, QL (112 units per 28 days), SP, MDS |
| ORKAMBI (75-94 MG PACKET, 100-125 MG PACKET, 150-188 MG PACKET) | 2 | PA, LA, QL (56 units per 28 days), SP, MDS |
| PULMOZYME 2.5 MG/2.5ML SOLUTION | 2 | PA, SP, MDS |
| SYMDEKO (50-75 & 75 MG TAB THPK, 100-150 & 150 MG TAB THPK) | 2 | PA, LA, QL (56 units per 28 days), SP, MDS |
| TRIKAFTA (50-25-37.5 & 75 MG TAB THPK, 100-50-75 & 150 MG TAB THPK) | 2 | PA, LA, QL (84 units per 28 days), SP, MDS |
| TRIKAFTA (80-40-60 & 59.5 MG THER PACK, 100-50-75 & 75 MG THER PACK) | 2 | PA, LA, QL (56 units per 28 days), SP, MDS |
| SULFONAMIDES | | |
| SULFONAMIDES | | |
| <i>sulfadiazine 500 mg tab</i> | 1 | |
| TETRACYCLINES | | |
| TETRACYCLINES | | |
| <i>demeclocycline hcl (150 mg tab, 300 mg tab)</i> | 1 | |
| <i>doxycycline hyclate (20 mg tab, 50 mg cap, 100 mg cap, 100 mg tab)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|------------------------|
| <i>doxycycline monohydrate (25 mg/5ml recon susp, 50 mg cap, 75 mg tab, 100 mg cap, 100 mg tab, 150 mg tab)</i> | 1 | |
| <i>minocycline hcl (50 mg cap, 75 mg cap, 75 mg tab, 100 mg cap)</i> | 1 | |
| <i>tetracycline hcl (250 mg cap, 500 mg cap)</i> | 1 | |
| THYROID AGENTS | | |
| ANTITHYROID AGENTS | | |
| <i>methimazole (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>propylthiouracil 50 mg tab</i> | 1 | |
| THYROID HORMONES | | |
| ADTHYZA (15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB, 120 MG TAB) | 2 | |
| ARMOUR THYROID (15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB, 120 MG TAB, 180 MG TAB, 240 MG TAB, 300 MG TAB) | 2 | |
| <i>levothyroxine sodium (25 mcg tab, 50 mcg tab, 75 mcg tab, 88 mcg tab, 100 mcg tab, 112 mcg tab, 125 mcg tab, 137 mcg tab, 150 mcg tab, 175 mcg tab, 200 mcg tab)</i> | 1 | PN (\$0 Oral Oncology) |
| <i>levothyroxine sodium 300 mcg tab</i> | 1 | |
| <i>liothyronine sodium (5 mcg tab, 25 mcg tab, 50 mcg tab)</i> | 1 | |
| NP THYROID (15 MG TAB, 30 MG TAB, 60 MG TAB, 90 MG TAB, 120 MG TAB) | 1 | |
| <i>unithroid 137 mcg tab</i> | 2 | |
| TOXOIDS | | |
| TOXOID COMBINATIONS | | |
| ADACEL 5-2-15.5 LF-MCG/0.5 SUSPENSION | 0 | |
| BOOSTRIX (5-2.5-18.5 LF-MCG/0.5 SUSP PRSYR, 5-2.5-18.5 LF-MCG/0.5 SUSPENSION) | 0 | |
| DAPTACEL 23-15-5 SUSPENSION | 0 | |
| INFANRIX 25-58-10 SUSPENSION | 0 | |
| KINRIX (0.5 ML SUSP PRSYR, SUSPENSION) | 0 | |
| PEDIARIX SUSP PRSYR | 0 | |
| PENTACEL RECON SUSP | 0 | AL, MDS |
| QUADRACEL (0.5 ML SUSP PRSYR, SUSPENSION) | 0 | |
| TDVAX 2-2 LF/0.5ML SUSPENSION | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|----------------------------|
| TENIVAC 5-2 LFU INJECTABLE | 0 | |
| TETANUS-DIPHTHERIA TOXOIDS TD 2-2 LF/0.5ML SUSPENSION | 0 | |
| ULCER DRUGS/ANTISPASMODICS/ANTICHOLINERGICS | | |
| ANTISPASMODICS | | |
| <i>chlordiazepoxide-clidinium 5-2.5 mg cap</i> | 1 | |
| <i>dicyclomine hcl (10 mg cap, 10 mg/5ml solution, 20 mg tab)</i> | 1 | |
| <i>glycopyrrolate (1 mg tab, 2 mg tab)</i> | 1 | |
| <i>hyoscyamine sulfate (0.125 mg sl tab, 0.125 mg tab, 0.125 mg tab disp, 0.125 mg/5ml elixir, 0.125 mg/ml solution)</i> | 1 | |
| <i>hyosyne (0.125 mg/5ml elixir, 0.125 mg/ml solution)</i> | 1 | |
| <i>methscopolamine bromide (2.5 mg tab, 5 mg tab)</i> | 1 | |
| H-2 ANTAGONISTS | | |
| <i>cimetidine (200 mg tab, 300 mg tab, 400 mg tab, 800 mg tab)</i> | 1 | |
| <i>cimetidine hcl 300 mg/5ml solution</i> | 1 | |
| <i>famotidine (20 mg tab, 40 mg tab, 40 mg/5ml recon susp)</i> | 1 | |
| <i>ft acid reducer max strength 20 mg tab</i> | 1 | |
| <i>nizatidine 150 mg cap</i> | 2 | PA, QL (2 units per 1 day) |
| NIZATIDINE 300 MG CAP | 2 | PA, QL (1 unit per 1 day) |
| MISC. ANTI-ULCER | | |
| <i>sucralfate (1 gm tab, 1 gm/10ml suspension)</i> | 1 | |
| PROTON PUMP INHIBITORS | | |
| <i>dexlansoprazole (30 mg cap dr, 60 mg cap dr)</i> | 1 | ST, QL (1 unit per day) |
| <i>esomeprazole magnesium (2.5 mg packet, 5 mg packet, 10 mg packet, 20 mg packet, 40 mg packet)</i> | 1 | PA |
| <i>esomeprazole magnesium (20 mg cap dr, 40 mg cap dr)</i> | 1 | |
| <i>ft acid reducer 15 mg cap dr</i> | 1 | |
| <i>goodsense lansoprazole 15 mg cap dr</i> | 1 | |
| <i>lansoprazole (15 mg cap dr, 15 mg tab dr disp, 30 mg cap dr, 30 mg tab dr disp)</i> | 1 | |
| NEXIUM (2.5 MG PACKET, 5 MG PACKET) | 2 | PA |
| <i>omeprazole (10 mg cap dr, 20 mg cap dr, 40 mg cap dr)</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|---|
| <i>pantoprazole sodium (20 mg tab dr, 40 mg tab dr)</i> | 1 | |
| <i>rabeprazole sodium 20 mg tab dr</i> | 1 | |
| ULCER DRUGS - PROSTAGLANDINS | | |
| <i>misoprostol (100 mcg tab, 200 mcg tab)</i> | 1 | |
| ULCER THERAPY COMBINATIONS | | |
| <i>omeprazole-sodium bicarbonate (20-1100 mg cap, 20-1680 mg packet, 40-1100 mg cap, 40-1680 mg packet)</i> | 1 | ST |
| UNCATEGORIZED | | |
| UNCLASSIFIED | | |
| ALYFTREK 10-50-125 MG TAB | 2 | PA, LA, QL (56 ea per 28 days), PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| ALYFTREK 4-20-50 MG TAB | 2 | PA, LA, QL (84 ea per 28 days), PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| ATTRUBY 356 MG TAB THPK | 2 | PA, QL (112 ea per 28 days), PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| AVERI 0.15-0.03 MG TAB | 0 | |
| DANZITEN (71 MG TAB, 95 MG TAB) | 2 | QL (112 ea per 28 days), PA-NSO, PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| DATROWAY 100 MG RECON SOLN | 2 | PA, QL (6 ea per 21 days), SP, MDS |
| EBGLYSS 250 MG/2ML SOLN PRSYR | 2 | PA, QL (2 ml per 28 days), SP, MDS |
| GOMEKLI (1 MG CAP, 1 MG TAB SOL) | 2 | PA, QL (168 ea per 28 days), PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| GOMEKLI 2 MG CAP | 2 | PA, QL (84 ea per 28 days), PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| HERCESSI (150 MG RECON SOLN, 420 MG RECON SOLN) | 2 | PN (34 DAYS SUPPLY PER FILL), SP, MDS |
| IMKELDI 80 MG/ML SOLUTION | 2 | QL (280 ml per 28 days), PA-NSO, SP, MDS |
| OPDIVO QVANTIG 600-10000 MG-UT/5ML SOLUTION | 2 | PA, SP, MDS |
| PREVYMIS (20 MG PACKET, 120 MG PACKET) | 2 | PA, QL (4 ea per 1 day), QL (400 eaper365 days) |
| REVUFORJ (110 MG TAB, 160 MG TAB) | 2 | PA, QL (120 ea per 30 days), SP, MDS |
| ROMVIMZA (14 MG CAP, 20 MG CAP, 30 MG CAP) | 2 | LA, QL (8 ea per 28 days), PA-NSO, PN (28 DAYS SUPPLY PER FILL), SP, MDS |
| SUNLENCA 300 MG TAB | 2 | QL (4 ea per 2 days), PN (2 DAYS SUPPLY IN 180 DAYS), QL (1 fillper180 days), MDS |
| TRYNGOLZA 80 MG/0.8ML SOLN A-INJ | 2 | PA, LA, QL (0.8 ml per 30 days), PN (30 DAYS SUPPLY PER FILL), SP, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|-----------|--|
| YESINTEK (45 MG/0.5ML SOLN PRSYR, 45 MG/0.5ML SOLUTION) | 2 | QL (0.5 ml per 84 days), PA-NSO, SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| YESINTEK 130 MG/26ML SOLUTION | 2 | PA, SP, MDS |
| YESINTEK 90 MG/ML SOLN PRSYR | 2 | QL (1 ml per 56 days), PA-NSO, SP, PN (MIN 84 DAY SUPPLY; MAX 90 DAY SUPPLY) |
| ZIIHERA 300 MG RECON SOLN | 2 | PA, SP, MDS |
| URINARY ANTISPASMODICS | | |
| URINARY ANTISPASMODIC - ANTIMUSCARINICS (ANTICHOLINERGIC) | | |
| <i>darifenacin hydrobromide er (7.5 mg tab er 24h, 15 mg tab er 24h)</i> | 1 | ST |
| <i>fesoterodine fumarate er (4 mg tab er 24h, 8 mg tab er 24h)</i> | 1 | ST |
| GELNIQUE 10 % GEL | 2 | PA |
| <i>oxybutynin chloride (5 mg tab, 5 mg/5ml solution)</i> | 1 | |
| <i>oxybutynin chloride er (5 mg tab er 24h, 10 mg tab er 24h, 15 mg tab er 24h)</i> | 1 | |
| OXYTROL 3.9 MG/24HR PATCH TW | 2 | ST |
| <i>solifenacin succinate (5 mg tab, 10 mg tab)</i> | 1 | |
| <i>tolterodine tartrate (1 mg tab, 2 mg tab)</i> | 1 | |
| <i>tolterodine tartrate er (2 mg cap er 24h, 4 mg cap er 24h)</i> | 1 | ST |
| <i>trospium chloride 20 mg tab</i> | 1 | |
| <i>trospium chloride er 60 mg cap er 24h</i> | 1 | ST |
| URINARY ANTISPASMODICS - BETA-3 ADRENERGIC AGONISTS | | |
| MYRBETRIQ (25 MG TAB ER 24H, 50 MG TAB ER 24H) | 2 | QL (1 unit per 1 day) |
| MYRBETRIQ 8 MG/ML SRER | 2 | QL (10 units per day) |
| URINARY ANTISPASMODICS - CHOLINERGIC AGONISTS | | |
| <i>bethanechol chloride (5 mg tab, 10 mg tab, 25 mg tab, 50 mg tab)</i> | 1 | |
| URINARY ANTISPASMODICS - DIRECT MUSCLE RELAXANTS | | |
| <i>flavoxate hcl 100 mg tab</i> | 1 | |
| VACCINES | | |
| BACTERIAL VACCINES | | |
| ACTHIB RECON SOLN | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|-----------------------------------|
| BEXSERO SUSP PRSYR | 0 | |
| CAPVAXIVE 0.5 ML SOLN PRSYR | 0 | QL (0.5 ml per lifetime), AL, MDS |
| HIBERIX 10 MCG RECON SOLN | 0 | |
| MENVEO (RECON SOLN, SOLUTION) | 0 | |
| PEDVAX HIB 7.5 MCG/0.5ML SUSPENSION | 0 | |
| PENBRAYA RECON SUSP | 0 | QL (2 ea per lifetime) |
| PNEUMOVAX 23 (25 MCG/0.5ML SOLN PRSYR, 25 MCG/0.5ML SOLUTION) | 0 | |
| PREVNAR 20 0.5 ML SUSP PRSYR | 0 | QL (0.5 ml per lifetime) |
| TRUMENBA SUSP PRSYR | 0 | |
| VAXNEUVANCE 0.5 ML SUSP PRSYR | 0 | AL, MDS |
| VIVOTIF CAP DR | 2 | QL (4 units per fill) |
| VIRAL VACCINES | | |
| ABRYSVO 120 MCG/0.5ML RECON SOLN | 0 | AL, MDS |
| ACAM2000 RECON SOLN | 0 | |
| AFLURIA SUSPENSION | 0 | |
| AFLURIA PRESERVATIVE FREE 0.5 ML SUSP PRSYR | 0 | |
| AFLURIA QUADRIVALENT (0.25 ML SUSP PRSYR, 0.5 ML SUSP PRSYR, SUSPENSION) | 0 | |
| AREXVY 120 MCG/0.5ML RECON SUSP | 0 | QL (1 ea per lifetime), AL, MDS |
| AUDENZ (0.5 ML PRSYR, EMULSION) | 0 | QL (1 ml per lifetime), AL |
| COMIRNATY (30 MCG/0.3ML SUSP PRSYR, 30 MCG/0.3ML SUSPENSION) | 0 | |
| ENGERIX-B (10 MCG/0.5ML SUSP PRSYR, 20 MCG/ML SUSP PRSYR, 20 MCG/ML SUSPENSION) | 0 | |
| FLUAD 0.5 ML SUSP PRSYR | 0 | |
| FLUAD QUADRIVALENT 0.5 ML PRSYR | 0 | |
| FLUARIX 0.5 ML SUSP PRSYR | 0 | |
| FLUARIX QUADRIVALENT 0.5 ML SUSP PRSYR | 0 | |
| FLUBLOK 0.5 ML SOLN PRSYR | 0 | |
| FLUBLOK QUADRIVALENT 0.5 ML SOLN PRSYR | 0 | |
| FLUCELVAX (0.5 ML SUSP PRSYR, SUSPENSION) | 0 | |
| FLUCELVAX QUADRIVALENT (0.5 ML SUSP PRSYR, SUSPENSION) | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|---|------------------|-----------------------------------|
| FLULAVAL 0.5 ML SUSP PRSYR | 0 | |
| FLULAVAL QUADRIVALENT 0.5 ML SUSP PRSYR | 0 | |
| FLUMIST LIQUID | 0 | |
| FLUMIST QUADRIVALENT SUSPENSION | 0 | |
| FLUZONE (0.5 ML SUSP PRSYR, SUSPENSION) | 0 | |
| FLUZONE HIGH-DOSE QUADRIVALENT 0.7 ML SUSP PRSYR | 0 | |
| FLUZONE QUADRIVALENT (0.5 ML SUSP PRSYR, 0.5 ML SUSPENSION, SUSPENSION) | 0 | |
| GARDASIL 9 (SUSP PRSYR, SUSPENSION) | 0 | |
| HAVRIX (720 U/0.5ML SUSP PRSYR, 720 U/0.5ML SUSPENSION, 1440 U/ML SUSPENSION) | 0 | AL, MDS |
| HEPLISAV-B 20 MCG/0.5ML SOLN PRSYR | 0 | |
| IPOL INJECTABLE | 0 | |
| JYNNEOS 0.5 ML SUSPENSION | 0 | AL, MDS |
| M-M-R II RECON SOLN | 0 | |
| MODERNA COVID-19 VAC (BOOSTER) 50 MCG/0.5ML SUSPENSION | 0 | |
| MODERNA COVID-19 VAC 6M-11Y (25 MCG/0.25ML SUSP PRSYR, 25 MCG/0.25ML SUSPENSION) | 0 | |
| MODERNA COVID-19 VACC 6-11Y 50 MCG/0.5ML SUSPENSION | 0 | |
| MODERNA COVID-19 VACC 6M-5Y 25 MCG/0.25ML SUSPENSION | 0 | |
| MRESVIA 50 MCG/0.5ML SUSP PRSYR | 1 | QL (0.5 ml per lifetime), AL, MDS |
| NOVAVAX COVID-19 VACCINE (5 MCG/0.5ML SUSP PRSYR, 5 MCG/0.5ML SUSPENSION) | 0 | |
| PFIZER COVID-19 VAC BIVALENT 30 MCG/0.3ML SUSPENSION | 0 | |
| PFIZER COVID-19 VAC-TRIS 5-11Y (10 MCG/0.2ML SUSPENSION, 10 MCG/0.3ML SUSPENSION) | 0 | |
| PFIZER COVID-19 VAC-TRIS 6M-4Y (3 MCG/0.2ML SUSPENSION, 3 MCG/0.3ML SUSPENSION) | 0 | |
| PFIZER-BIONT COVID-19 VAC-TRIS 30 MCG/0.3ML SUSPENSION | 0 | |
| PREHEVBRIO 10 MCG/ML SUSPENSION | 0 | |
| PRIORIX RECON SUSP | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|-----------|-----------------------|
| PROQUAD RECON SUSP | 0 | |
| RECOMBIVAX HB (5 MCG/0.5ML SUSP PRSYR, 5 MCG/0.5ML SUSPENSION, 10 MCG/ML SUSP PRSYR, 10 MCG/ML SUSPENSION, 40 MCG/ML SUSPENSION) | 0 | |
| SANOFI COVID-19 VAC (BOOSTER) 5 MCG/0.5ML EMULSION | 0 | |
| SHINGRIX 50 MCG/0.5ML RECON SUSP | 0 | AL, MDS |
| SPIKEVAX (50 MCG/0.5ML SUSP PRSYR, 50 MCG/0.5ML SUSPENSION) | 0 | |
| TWINRIX 720-20 ELU-MCG/ML SUSP PRSYR | 0 | AL, MDS |
| VAQTA (25 UNIT/0.5ML SUSPENSION, 50 UNIT/ML SUSPENSION) | 0 | AL, MDS |
| VARIVAX 1350 PFU/0.5ML RECON SUSP | 0 | |
| VAGINAL AND RELATED PRODUCTS | | |
| SPERMICIDES | | |
| OPTIONS GYNOL II CONTRACEPTIVE 3 % GEL | 0 | |
| SHUR-SEAL CONTRACEPTIVE 2 % GEL | 0 | |
| TODAY SPONGE 1000 MG MISC | 0 | |
| VCF VAGINAL CONTRACEPTIVE (4 % GEL, 12.5 % FOAM, 28 % FILM) | 0 | |
| VAGINAL ANTI-INFECTIVES | | |
| CLEOCIN 100 MG SUPPOS | 2 | |
| <i>clindamycin phosphate 2 % cream</i> | 1 | |
| <i>metronidazole 0.75 % gel</i> | 1 | |
| <i>terconazole (0.4 % cream, 0.8 % cream, 80 mg suppos)</i> | 1 | |
| VAGINAL CONTRACEPTIVE - PH MODULATORS | | |
| PHEXXI 1.8-1-0.4 % GEL | 0 | |
| VAGINAL ESTROGENS | | |
| <i>estradiol (0.1 mg/gm cream, 10 mcg tab)</i> | 1 | |
| ESTRING (2 MG RING, 7.5 MCG/24HR RING) | 2 | |
| PREMARIN 0.625 MG/GM CREAM | 2 | |
| <i>yuvafem 10 mcg tab</i> | 1 | |
| VASOPRESSORS | | |
| ANAPHYLAXIS THERAPY AGENTS | | |
| AUVI-Q 0.1 MG/0.1ML SOLN A-INJ | 2 | AL, MDS |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|--|------------------|------------------------------|
| <i>epinephrine (0.15 mg/0.3ml soln a-inj, 0.3 mg/0.3ml soln a-inj)</i> | 1 | QL (2 units per fill) |
| <i>midodrine hcl (2.5 mg tab, 5 mg tab, 10 mg tab)</i> | 1 | |
| VITAMINS | | |
| OIL SOLUBLE VITAMINS | | |
| <i>calcidol 200 mcg/ml solution</i> | 0 | |
| <i>dialyvite vitamin d 5000 125 mcg (5000 ut) cap</i> | 0 | |
| <i>ergocalciferol 1.25 mg (50000 ut) cap</i> | 1 | |
| <i>ergocalciferol 200 mcg/ml solution</i> | 0 | |
| <i>phytonadione 5 mg tab</i> | 1 | |
| <i>true vitamin a 10000 unit cap</i> | 0 | |
| <i>true vitamin d3 125 mcg (5000 ut) cap</i> | 0 | |
| <i>vitamin a 3 mg (10000 ut) cap</i> | 0 | |
| <i>vitamin d (ergocalciferol) (1.25 mg (50000 ut) cap, 50000 unit cap)</i> | 1 | |
| <i>vitamin d3 125 mcg (5000 ut) cap</i> | 0 | |
| WATER SOLUBLE VITAMINS | | |
| <i>ascorbic acid 500 mg tab</i> | 0 | |
| <i>gnp vitamin c drops 60 mg lozenge</i> | 0 | |
| <i>niacin er 250 mg cap er</i> | 0 | |
| <i>sm chewable c 500 mg chew tab</i> | 0 | |
| <i>sm vit c/rose hips 1000 mg tab</i> | 0 | |
| <i>sm vitamin b-6 100 mg tab</i> | 0 | |
| <i>sm vitamin c (500 mg chew tab, 1000 mg tab)</i> | 0 | |
| <i>sm vitamin c 250 mg tab</i> | 0 | |
| <i>sm vitamin c/rose hips 500 mg tab</i> | 0 | |
| <i>true vitamin b1 100 mg tab</i> | 0 | |
| <i>true vitamin b1 250 mg tab</i> | 0 | |
| <i>true vitamin b2 (25 mg tab, 50 mg tab, 100 mg tab)</i> | 0 | |
| <i>true vitamin b3 (50 mg tab, 250 mg tab, 500 mg tab)</i> | 0 | |
| <i>true vitamin b6 (25 mg tab, 50 mg tab, 100 mg tab)</i> | 0 | |
| <i>true vitamin c (250 mg tab, 500 mg tab, 1000 mg tab)</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements / Limits |
|-----------------------------------|------------------|------------------------------|
| <i>true vitamin d3 50 mcg tab</i> | 0 | |
| <i>vitamin b-1 100 mg tab</i> | 0 | |
| <i>vitamin b-6 25 mg tab</i> | 0 | |
| <i>vitamin b1 100 mg tab</i> | 0 | |
| <i>vitamin c 1000 mg tab</i> | 0 | |
| <i>vitamin c 500 mg tab</i> | 0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index

1

| | |
|---|-----|
| 1ST TIER UNIFINE PENTIPS | 133 |
| 1ST TIER UNIFINE PENTIPS PLUS | 133 |
| 1ST TIER UNILET COMFORTOUCH | 114 |

A

| | |
|--|-------|
| abacavir sulfate | 70 |
| abacavir sulfate-lamivudine | 70 |
| ABILIFY ASIMTUFII | 69 |
| ABILIFY MAINTENA | 69 |
| abiraterone acetate | 54 |
| abirtega | 54 |
| ABOUTTIME PEN NEEDLE | 133 |
| ABRAXANE | 65 |
| ABRYSVO | 176 |
| ACAM2000 | 176 |
| acarbose | 36 |
| ACCU-CHEK FASTCLIX LANCET | 114 |
| ACCU-CHEK FASTCLIX LANCETS | 114 |
| ACCU-CHEK SAFE-T PRO LANCETS | 114 |
| ACCU-CHEK SOFTCLIX LANCET DEV | 114 |
| ACCU-CHEK SOFTCLIX LANCETS | 114 |
| acebutolol hcl | 75 |
| acetaminophen-codeine | 21 |
| acetazolamide | 96 |
| acetazolamide er | 96 |
| acetic acid | 164 |
| acetylcysteine | 88 |
| acitretin | 90 |
| ACTEEV PROTECT FACE MASK | 148 |
| ACTEMRA | 17,18 |
| ACTEMRA ACTPEN | 18 |
| ACTHIB | 175 |
| ACTI-LANCE 28G | 114 |
| ACTI-LANCE LITE LANCETS 28G | 114 |
| ACTI-LANCE SPECIAL LANCETS 17G | 114 |
| ACTI-LANCE UNIVERSAL 23G | 114 |
| ACTIMMUNE | 64 |
| acyclovir | 74,91 |
| ADACEL | 172 |

| | |
|--|-----|
| ADAKVEO | 109 |
| ADALIMUMAB-FKJP (2 PEN) | 16 |
| ADALIMUMAB-FKJP (2 SYRINGE) | 16 |
| adapalene | 88 |
| adapalene-benzoyl peroxide | 88 |
| ADBRY | 92 |
| ADCETRIS | 51 |
| adefovir dipivoxil | 73 |
| ADEMPAS | 78 |
| ADJUSTABLE LANCING DEVICE | 114 |
| ADTHYZA | 172 |
| adult aspirin regimen | 19 |
| ADVAIR HFA | 28 |
| ADVANCED MOBILE LANCET | 114 |
| ADVATE | 106 |
| ADVIN COVID-19 ANTIGEN TEST | 94 |
| ADVOCATE ALCOHOL PREP PADS | 131 |
| ADVOCATE INSULIN PEN NEEDLE | 133 |
| ADVOCATE INSULIN PEN NEEDLES | 133 |
| ADVOCATE INSULIN SYRINGE | 133 |
| ADVOCATE LANCETS | 114 |
| ADVOCATE LANCETS 30G | 114 |
| ADVOCATE LANCING DEVICE | 114 |
| ADVOCATE RAPID-SAFE LANCING | 114 |
| ADVOCATE SAFETY LANCETS | 115 |
| ADVOCATE SAFETY LANCETS 21G | 115 |
| ADVOCATE SAFETY LANCETS 23G | 115 |
| ADVOCATE SAFETY LANCETS 26G | 115 |
| ADVOCATE SAFETY LANCETS 28G | 115 |
| ADZYNMA | 108 |
| AEMCOLO | 23 |
| afirmelle | 79 |
| AFLURIA | 176 |
| AFLURIA PRESERVATIVE FREE | 176 |
| AFLURIA QUADRIVALENT | 176 |
| AFSTYLA | 106 |
| AGAMATRIX ULTRA-THIN LANCETS | 115 |
| AIMOVIG | 149 |
| AIMSCO TWIST LANCETS 32G | 115 |
| AIMSCO TWIST LANCETS 33G | 115 |
| AKEEGA | 55 |

| | | | |
|---------------------------------------|-----|--|-----|
| AKYNZEO | 42 | alyq | 77 |
| albendazole | 23 | amabelz | 101 |
| albuterol sulfate | 28 | amantadine hcl | 66 |
| albuterol sulfate hfa | 28 | AMBI-TRAY | 115 |
| alclometasone dipropionate | 91 | ambrisentan | 77 |
| ALCOH-GLOVE CONTOURED WIPE | 131 | AMCINONIDE | 91 |
| ALCOH-WIPE | 131 | amethia | 79 |
| ALCOHOL PADS | 131 | amethyst | 79 |
| ALCOHOL PREP | 131 | amiloride hcl | 96 |
| ALCOHOL PREP PADS | 131 | AMILORIDE-HYDROCHLOROTHIAZIDE | 96 |
| ALCOHOL PREPS | 131 | amiodarone hcl | 26 |
| ALCOHOL SWABS | 131 | amitriptyline hcl | 35 |
| ALCOHOL SWABSTICK | 131 | AMJEVITA | 16 |
| alcohol wipes | 93 | AMJEVITA-PED 15KG TO <30KG | 16 |
| ALDURAZYME | 99 | amlodipine besy-benazepril hcl | 47 |
| ALECENSA | 58 | amlodipine besylate | 75 |
| alendronate sodium | 97 | amlodipine besylate-valsartan | 47 |
| alfuzosin hcl er | 105 | amlodipine-olmesartan | 47 |
| ALIQOPA | 58 | amlodipine-valsartan-hctz | 47 |
| aliskiren fumarate | 48 | amnesteem | 88 |
| all day allergy | 43 | AMONDYS 45 | 159 |
| allergy relief | 43 | amoxapine | 35 |
| allergy relief (cetirizine) | 43 | amoxicillin | 166 |
| allergy relief (loratadine) | 43 | amoxicillin-pot clavulanate | 166 |
| allergy relief ceterizine | 43 | amphetamine-dextroamphet er | 15 |
| allergy relief cetirizine | 43 | amphetamine-dextroamphetamine | 15 |
| allopurinol | 105 | ampicillin | 166 |
| almotriptan malate | 150 | AMVUTTRA | 170 |
| ALOMIDE | 163 | anagrelide hcl | 108 |
| alosetron hcl | 104 | anastrozole | 55 |
| ALPHANATE | 106 | ANDEXXA | 41 |
| alprazolam | 25 | ANNOVERA | 85 |
| alprazolam er | 26 | ANORO ELLIPTA | 28 |
| ALPRAZOLAM INTENSOL | 26 | anucort-hc | 23 |
| alprazolam xr | 26 | anusol-hc | 23 |
| altavera | 79 | APHEXDA | 111 |
| ALUNBRIG | 58 | apomorphine hcl | 66 |
| alyacen 1/35 | 79 | APRACLONIDINE HCL | 161 |
| alyacen 7/7/7 | 79 | aprepitant | 42 |
| ALYFTREK | 174 | APRETUDE | 70 |
| ALYGLO | 164 | apri | 79 |

| | | | |
|---|-------|--|-----|
| APTIOM | 31 | ASSURE ID SAFETY PEN NEEDLES | 133 |
| APTIVUS | 70 | ASSURE LANCE LANCETS | 115 |
| AQ INSULIN SYRINGE | 133 | ASSURE LANCE LANCETS 21G | 115 |
| AQINJECT PEN NEEDLE | 133 | ASSURE LANCE PLUS SAFETY 25G | 115 |
| AQNEURSA | 169 | ASSURE LANCE PLUS SAFETY 30G | 115 |
| AQUALANCE LANCETS 30G | 115 | ASSURE LANCE SAFETY LANCET 28G | 115 |
| ARALAST NP | 171 | atazanavir sulfate | 70 |
| aranelle | 79 | atenolol | 75 |
| ARANESP (ALBUMIN FREE) | 109 | atenolol-chlorthalidone | 47 |
| ARCALYST | 17 | atomoxetine hcl | 15 |
| AREXVY | 176 | atorvastatin calcium | 45 |
| arformoterol tartrate | 28 | atovaquone | 24 |
| aripiprazole | 69 | atovaquone-proguanil hcl | 48 |
| ARISTADA | 69,70 | atropine sulfate | 160 |
| ARISTADA INITIO | 70 | ATROVENT HFA | 27 |
| armodafinil | 15 | ATTRUBY | 174 |
| ARMOUR THYROID | 172 | aubra | 79 |
| ARNUIITY ELLIPTA | 28 | aubra eq | 79 |
| ARTESUNATE | 48 | AUDENZ | 176 |
| ARZERRA | 52 | AUGTYRO | 58 |
| ASCENIV | 165 | AUM ALCOHOL PREP PADS | 132 |
| ascomp-codeine | 21 | AUM INSULIN SAFETY PEN NEEDLE | 134 |
| ascorbic acid | 179 | AUM MINI INSULIN PEN NEEDLE | 134 |
| asenapine maleate | 68 | AUM PEN NEEDLE | 134 |
| ashlyna | 79 | AUM READYGARD DUO PEN NEEDLE | 134 |
| ASMANEX HFA | 28 | AUM SAFETY PEN NEEDLE | 134 |
| ASPARLAS | 64 | AURORA LANCET SUPER THIN 30G | 115 |
| aspirin | 20 | AURORA LANCET THIN 23G | 115 |
| aspirin 81 | 20 | AURORA PEN NEEDLES | 134 |
| aspirin low dose | 20 | AURORA UNIFINE PENTIPS | 134 |
| aspirin regimen | 20 | aurovela 1.5/30 | 79 |
| aspirin-dipyridamole er | 108 | aurovela 1/20 | 79 |
| ASSURE COMFORT LANCETS 28G | 115 | aurovela 24 fe | 79 |
| ASSURE HAEMOLANCE PLUS HIGH | 115 | aurovela fe 1.5/30 | 79 |
| ASSURE HAEMOLANCE PLUS LOW | 115 | aurovela fe 1/20 | 79 |
| ASSURE HAEMOLANCE PLUS MICRO | 115 | AURYXIA | 104 |
| ASSURE HAEMOLANCE PLUS NORMAL | 115 | AUTO-LANCET | 115 |
| ASSURE HAEMOLANCE PLUS PED | 115 | AUTO-LANCET MINI | 115 |
| ASSURE ID DUO PRO PEN NEEDLES | 133 | AUTOJECT 2 | 134 |
| ASSURE ID INSULIN SAFETY SYR | 133 | AUTOLET II CLINISAFE | 115 |
| ASSURE ID PRO PEN NEEDLES | 133 | AUTOLET LANCING DEVICE | 115 |

| | | | |
|---------------------------------------|---------|--|-----|
| AUTOLET LITE CLINISAFE | 115 | balsalazide disodium | 102 |
| AUTOLET LITE LANCING DEVICE | 115 | BALVERSA | 58 |
| AUTOLET LITE STARTER PACK | 115 | balziva | 79 |
| AUTOLET MINI | 115 | BAQSIMI ONE PACK | 37 |
| AUTOLET PLATFORMS | 116 | BAQSIMI TWO PACK | 37 |
| AUTOLET PLUS | 116 | BAVENCIO | 52 |
| AUTOPEN | 134 | BD AUTOSHIELD | 134 |
| AUVELITY | 34 | BD AUTOSHIELD DUO | 134 |
| AUVI-Q | 178 | BD INSULIN SYR ULTRAFINE II | 134 |
| avar cleanser | 88 | BD INSULIN SYRINGE | 134 |
| AVASTIN | 50 | BD INSULIN SYRINGE HALF-UNIT | 134 |
| AVEED | 22 | BD INSULIN SYRINGE MICROFINE | 134 |
| AVERI | 174 | BD INSULIN SYRINGE U-500 | 134 |
| aviane | 79 | BD INSULIN SYRINGE U/F | 134 |
| avita | 88 | BD INSULIN SYRINGE U/F 1/2UNIT | 134 |
| AVONEX PEN | 168 | BD INSULIN SYRINGE ULTRAFINE | 134 |
| AVONEX PREFILLED | 168 | BD LANCET ULTRAFINE 30G | 116 |
| AVSOLA | 102 | BD LANCET ULTRAFINE 33G | 116 |
| ayuna | 79 | BD LUER-LOK SYRINGE | 134 |
| AYVAKIT | 56 | BD MICROTAINER LANCETS | 116 |
| AZASITE | 161 | BD PEN | 134 |
| azathioprine | 151 | BD PEN MINI | 134 |
| AZEDRA DOSIMETRIC | 64 | BD PEN NEEDLE MICRO ULTRAFINE | 134 |
| AZEDRA THERAPEUTIC | 64 | BD PEN NEEDLE MINI ULTRAFINE | 134 |
| azelaic acid | 94 | BD PEN NEEDLE NANO 2ND GEN | 135 |
| azelastine hcl | 159,163 | BD PEN NEEDLE NANO U/F | 135 |
| azelastine-fluticasone | 158 | BD PEN NEEDLE NANO ULTRAFINE | 135 |
| azithromycin | 113 | BD PEN NEEDLE ORIG ULTRAFINE | 135 |
| azurette | 79 | BD PEN NEEDLE SHORT ULTRAFINE | 135 |
| | | BD SAFETY-LOK INSULIN SYRINGE | 135 |
| | | BD SAFETYGLIDE INSULIN SYRINGE | 135 |
| | | BD SWAB SINGLE USE REGULAR | 132 |
| | | BD SWABS SINGLE USE BUTTERFLY | 132 |
| | | BD VEO INSULIN SYR U/F 1/2UNIT | 135 |
| | | BD VEO INSULIN SYR ULTRAFINE | 135 |
| | | BD VERITOR HOME COVID-19 TEST | 95 |
| | | BELEODAQ | 58 |
| | | BELRAPZO | 49 |
| | | benazepril hcl | 46 |
| | | benazepril-hydrochlorothiazide | 47 |
| | | bendamustine hcl | 49 |

B

| | |
|--|-----|
| b complex | 154 |
| b-complex/b-12 | 154 |
| bac (butalbital-acetamin-caff) | 19 |
| bacitra-neomycin-polymyxin-hc | 163 |
| BACITRACIN | 161 |
| bacitracin-polymyxin b | 161 |
| baclofen | 158 |
| BACLOFEN | 158 |
| balanced salt | 163 |
| BALCOLTRA | 79 |

| | | | |
|--|-------|--|--------|
| BENDAMUSTINE HCL | 49 | BREO ELLIPTA | 28 |
| BENDEKA | 49 | BREZTRI AEROSPHERE | 28 |
| BENLYSTA | 153 | briellyn | 79 |
| benzonatate | 87 | BRILINTA | 108 |
| benzoyl peroxide-erythromycin | 88 | brimonidine tartrate | 94,161 |
| benztropine mesylate | 66 | BRINEURA | 99 |
| BEOVU | 161 | brinzolamide | 163 |
| BERINERT | 107 | BRIUMVI | 168 |
| BESIVANCE | 162 | BRIXADI | 22 |
| BESPONSA | 52 | BRIXADI (WEEKLY) | 22 |
| BESREMI | 64 | bromfenac sodium (once-daily) | 163 |
| betamethasone dipropionate | 91 | bromocriptine mesylate | 66 |
| betamethasone dipropionate aug | 91 | bromphen-pseudoeph-dm | 87 |
| betamethasone valerate | 91 | BRUKINSA | 58 |
| BETASERON | 168 | budesonide | 28,87 |
| betaxolol hcl | 75 | budesonide-formoterol fumarate | 28 |
| BETAXOLOL HCL | 160 | bumetanide | 96 |
| bethanechol chloride | 175 | buprenorphine | 22 |
| BETOPTIC-S | 160 | buprenorphine hcl | 22 |
| bexarotene | 64,90 | buprenorphine hcl-naloxone hcl | 22 |
| BEXSERO | 176 | bupropion hcl | 34 |
| bicalutamide | 55 | bupropion hcl er (smoking det) | 34,169 |
| BIKTARVY | 70 | bupropion hcl er (sr) | 34 |
| bimatoprost | 164 | bupropion hcl er (xl) | 34 |
| BINAXNOW COVID-19 AG HOME TEST | 95 | BUPROPION HCL ER (XL) | 34 |
| bisoprolol fumarate | 75 | bupirone hcl | 25 |
| bisoprolol-hydrochlorothiazide | 47 | butalbital-acetaminophen | 19 |
| BIVIGAM | 165 | butalbital-apap-caff-cod | 22 |
| BLENREP | 52 | butalbital-apap-caffeine | 19 |
| BLINCYTO | 52 | butalbital-asa-caff-codeine | 22 |
| blisovi 24 fe | 79 | butalbital-aspirin-caffeine | 19 |
| blisovi fe 1.5/30 | 79 | butorphanol tartrate | 22 |
| blisovi fe 1/20 | 79 | | |
| BOOSTRIX | 172 | C | |
| BORTEZOMIB | 58 | C-NATE DHA | 156 |
| bortezomib | 58 | CABENUVA | 70 |
| bosentan | 77 | cabergoline | 100 |
| BOSULIF | 58 | CABLIVI | 108 |
| BOTOX | 160 | CABOMETYX | 58 |
| BRAFTOVI | 58 | caffeine citrate | 15 |
| BREATHE COMFORT PROTECT SHIELD | 148 | calcidol | 179 |

| | | | |
|---|-------|--|-----|
| calcipotriene | 90 | CARETOUCH SAFETY LANCETS 26G | 116 |
| calcitonin (salmon) | 97 | CARETOUCH TWIST LANCETS 28G | 116 |
| calcitrene | 90 | CARETOUCH TWIST LANCETS 30G | 116 |
| calcitriol | 99 | CARETOUCH TWIST LANCETS 33G | 116 |
| calcium acetate | 104 | CARETOUCH TWIST MC LANCETS 30G | 116 |
| calcium acetate (phos binder) | 104 | carisoprodol | 158 |
| CALQUENCE | 58 | CARISOPRODOL-ASPIRIN-CODEINE | 158 |
| CAMCEVI | 55 | CARTEOLOL HCL | 160 |
| camila | 86 | cartia xt | 75 |
| camrese | 79 | carvedilol | 74 |
| camrese lo | 79 | carvedilol phosphate er | 75 |
| CAMZYOS | 76 | cataflam | 18 |
| candesartan cilexetil | 46 | CAYA | 114 |
| candesartan cilexetil-hctz | 47 | CEFACLOR | 78 |
| capecitabine | 50 | CEFACLOR ER | 78 |
| CAPLYTA | 67 | cefadroxil | 78 |
| CAPRELSA | 58,59 | cefdinir | 78 |
| captopril | 46 | cefprozil | 78 |
| CAPVAXIVE | 176 | cefuroxime axetil | 78 |
| carbamazepine | 31 | celecoxib | 18 |
| carbamazepine er | 31 | cephalexin | 78 |
| CARBATROL | 31 | CEQR SIMPLICITY 2U | 135 |
| CARBIDOPA-LEVODOPA | 66 | CEREZYME | 108 |
| carbidopa-levodopa er | 66 | cerovite jr | 155 |
| carbidopa-levodopa-entacapone | 66 | cetirizine hcl | 43 |
| CARDIOCOM LANCING DEVICE | 116 | cetirizine hcl childrens | 43 |
| CAREFINE PEN NEEDLES | 135 | CHANTIX | 169 |
| CAREONE ADVANCED LANCING DEV | 116 | CHANTIX CONTINUING MONTH PAK | 169 |
| CAREONE INSULIN SYRINGE | 135 | CHANTIX STARTING MONTH PAK | 169 |
| CAREONE LANCET SUPER THIN 30G | 116 | charlotte 24 fe | 79 |
| CAREONE LANCET THIN 23G | 116 | chateal | 79 |
| CAREONE UNIFINE PENTIPS | 135 | chateal eq | 80 |
| CAREONE UNIFINE PENTIPS PLUS | 135 | CHEMSTRIP K | 95 |
| CARESENS LANCETS | 116 | CHEMSTRIP UGK | 95 |
| CARESENS LANCETS 30G | 116 | chlordiazepoxide hcl | 26 |
| CARESTART COVID-19 HOME TEST | 95 | CHLORDIAZEPOXIDE-AMITRIPTYLINE | 167 |
| CARETOUCH ALCOHOL PREP | 132 | chlordiazepoxide-clidinium | 173 |
| CARETOUCH INSULIN SYRINGE | 135 | chlorhexidine gluconate | 153 |
| CARETOUCH LANCING/EJECTOR | 116 | chloroquine phosphate | 48 |
| CARETOUCH PEN NEEDLES | 135 | chlorpromazine hcl | 69 |
| CARETOUCH SAFETY LANCETS | 116 | chlorthalidone | 97 |

| | | | |
|---|-------------|--|--------|
| CHOLBAM | 102 | CLEVER CHOICE LANCETS 23G | 116 |
| cholestyramine | 44 | CLEVER CHOICE LANCETS 28G | 116 |
| cholestyramine light | 44 | CLICKFINE PEN NEEDLES | 135 |
| CHORIONIC GONADOTROPIN | 97 | clindamycin hcl | 24 |
| CHOSEN LANCETS 30G | 116 | clindamycin palmitate hcl | 24 |
| CHOSEN LANCING DEVICE | 116 | clindamycin phos (once-daily) | 88 |
| CHOSEN SAFETY LANCETS 28G | 116 | clindamycin phos (twice-daily) | 88 |
| CIBINQO | 92 | clindamycin phos-benzoyl perox | 88 |
| ciclopirox | 89 | clindamycin phosphate | 88,178 |
| ciclopirox olamine | 89 | CLINITEST RAPID COVID-19 TEST | 95 |
| cilostazol | 108 | clobazam | 30 |
| CILOXAN | 162 | clobetasol prop emollient base | 91 |
| CIMDUO | 70 | clobetasol propionate | 91 |
| CIMERLI | 161 | clobetasol propionate e | 92 |
| cimetidine | 173 | clobetasol propionate emulsion | 92 |
| cimetidine hcl | 173 | clofarabine | 50 |
| CIMZIA | 103 | clomipramine hcl | 35 |
| CIMZIA (2 SYRINGE) | 102 | clonazepam | 30 |
| CIMZIA-STARTER | 103 | clonidine | 47 |
| cinacalcet hcl | 99 | clonidine hcl | 47 |
| CINQAIR | 27 | clonidine hcl er | 15 |
| CINRYZE | 107 | clopidogrel bisulfate | 108 |
| CINVANTI | 42 | clorazepate dipotassium | 26 |
| CIPRO | 102 | clotrimazole | 89,153 |
| CIPRO HC | 164 | clotrimazole-betamethasone | 89 |
| ciprofloxacin hcl | 102,162,164 | clozapine | 68 |
| ciprofloxacin-dexamethasone | 164 | COAGUCHEK LANCETS | 116 |
| citalopram hydrobromide | 34 | COBENFY | 69 |
| CITRANATAL B-CALM | 156 | COBENFY STARTER PACK | 69 |
| claravis | 88 | CODEINE SULFATE | 20 |
| clarithromycin | 113 | colchicine | 105 |
| CLEANLET LANCETS 28G | 116 | colchicine-probenecid | 105 |
| CLEARDETECT COVID-19 AG HOME | 95 | colesevelam hcl | 45 |
| CLEMASTINE FUMARATE | 43 | colestipol hcl | 45 |
| CLENPIQ | 112 | COLUMVI | 52 |
| CLEOCIN | 178 | COMBIPATCH | 101 |
| CLEVER CHEK LANCETS | 116 | COMBIVENT RESPIMAT | 28 |
| CLEVER CHOICE COMFORT EZ | 116,135 | COMETRIQ (100 MG DAILY DOSE) | 59 |
| CLEVER CHOICE DISPOSABLE MASK | 148 | COMETRIQ (140 MG DAILY DOSE) | 59 |
| CLEVER CHOICE FACE MASK | 148 | COMETRIQ (60 MG DAILY DOSE) | 59 |
| CLEVER CHOICE LANCETS 21G | 116 | COMFORT ASSIST INSULIN SYRINGE | 135 |

| | | | |
|--|--------|--|---------|
| COMFORT ASSURED LANCETS 28G | 116 | CUTAQUIG | 165 |
| COMFORT ASSURED LANCETS 33G | 116 | CUVITRU | 165 |
| COMFORT EZ INSULIN SYRINGE | 135 | CVS ALCOHOL PREP PADS | 132 |
| COMFORT EZ MICRO PEN NEEDLES | 136 | CVS COVID-19 AT HOME TEST KIT | 95 |
| COMFORT EZ PEN NEEDLES | 136 | cvs folic acid | 109 |
| COMFORT EZ PRO PEN NEEDLES | 136 | CVS GLUCOSE | 37 |
| COMFORT EZ SHORT PEN NEEDLES | 136 | cvs isopropyl alcohol wipes | 93 |
| COMFORT LANCETS | 116 | CVS KETONE CARE | 95 |
| COMFORT TOUCH ALCOHOL PREP | 132 | CVS LANCETS 21G | 117 |
| COMFORT TOUCH INSULIN PEN NEED | 136 | CVS LANCETS MICRO THIN 33G | 117 |
| COMFORT TOUCH LANCETS 31G | 117 | CVS LANCETS ORIGINAL | 117 |
| COMFORT TOUCH PLUS LANCETS 28G | 117 | CVS LANCETS THIN 26G | 117 |
| COMFORT TOUCH PLUS LANCETS 30G | 117 | CVS LANCETS ULTRA THIN 30G | 117 |
| COMFORT TOUCH TWIST LANCET 30G | 117 | CVS LANCETS ULTRA-THIN 30G | 117 |
| COMIRNATY | 176 | CVS LANCING DEVICE | 117 |
| COMPLERA | 70 | CVS MEDICAL FACE MASKS EARLOOP | 148 |
| COMPLETE NATAL DHA | 156 | CVS PREP | 132 |
| COMPLETENATE | 156 | CVS PROCEDURAL MASK | 148 |
| compro | 69 | CVS SOFT GLUCOSE | 37 |
| constulose | 113 | CVS ULTRA THIN LANCETS | 117 |
| COPIKTRA | 59 | cyclafem 1/35 | 80 |
| copper gluconate | 151 | cyclafem 7/7/7 | 80 |
| CORLANOR | 78 | cyclobenzaprine hcl | 158 |
| COSELA | 65 | cyclopentolate hcl | 160 |
| COSENTYX | 90 | cyclophosphamide | 49 |
| COSENTYX (300 MG DOSE) | 90 | cyclosporine | 151,162 |
| COSENTYX SENSOREADY (300 MG) | 90 | cyclosporine modified | 151 |
| COSENTYX SENSOREADY PEN | 90 | cyproheptadine hcl | 44 |
| COSENTYX UNOREADY | 90 | CYRAMZA | 50 |
| COTELLIC | 59 | cyred | 80 |
| COVID-19 AT HOME ANTIGEN TEST | 95 | cyred eq | 80 |
| COVID-19 AT-HOME TEST | 95 | CYSTAGON | 105 |
| COVID-19 OTC ANTIGEN 1-PACK | 95 | CYTOGAM | 165 |
| COVID-19 OTC ANTIGEN 2-PACK | 95 | | |
| CREON | 96 | D | |
| CRESEMBA | 42 | dabigatran etexilate mesylate | 30 |
| cromolyn sodium | 27,102 | daily-vite | 154 |
| CROMOLYN SODIUM | 163 | dalfampridine er | 168 |
| cryselle-28 | 80 | danazol | 22 |
| CRYSVITA | 99 | dantrolene sodium | 158 |
| CURITY ALCOHOL PREPS | 132 | DANYELZA | 52 |

| | | | |
|---|-------|--|-----------|
| DANZITEN | 174 | DEX4 POUCH PACK | 37 |
| dapsone | 24 | DEX4 QUICK DISSOLVE GLUCOSE | 37 |
| DAPTACEL | 172 | dexamethasone | 87 |
| daptomycin | 24 | DEXAMETHASONE SODIUM PHOSPHATE | 163 |
| darifenacin hydrobromide er | 175 | DEXCOM G6 RECEIVER | 117 |
| darunavir | 70,71 | DEXCOM G6 SENSOR | 117 |
| DARZALEX | 52 | DEXCOM G6 TRANSMITTER | 117 |
| DARZALEX FASPRO | 57 | DEXCOM G7 RECEIVER | 117 |
| dasatinib | 59 | DEXCOM G7 SENSOR | 117 |
| dasetta 1/35 | 80 | dexlansoprazole | 173 |
| dasetta 7/7/7 | 80 | dexmethylphenidate hcl | 15 |
| DATROWAY | 174 | dexmethylphenidate hcl er | 15 |
| DAURISMO | 54 | dextroamphetamine sulfate | 15 |
| daysee | 80 | dextroamphetamine sulfate er | 15 |
| deblitane | 86 | DIACOMIT | 31 |
| decitabine | 50 | dialyvite vitamin d 5000 | 179 |
| deferasirox | 41 | DIASTAT ACUDIAL | 30 |
| deferasirox granules | 41 | DIATHRIVE LANCET ULTRA THIN 30 | 117 |
| deferiprone | 41 | DIATHRIVE LANCETS | 117 |
| DELSTRIGO | 71 | DIATHRIVE LANCING DEVICE | 117 |
| delyla | 80 | DIATHRIVE PEN NEEDLE | 136 |
| demeclocycline hcl | 171 | DIATRUST COVID-19 HOME TEST | 95 |
| denta 5000 plus | 153 | diazepam | 26,30 |
| dentagel | 153 | diazepam intensol | 26 |
| DEPAKOTE | 33 | DICLOFENAC EPOLAMINE | 89 |
| DEPAKOTE ER | 33 | diclofenac potassium | 18 |
| DEPAKOTE SPRINKLES | 33 | diclofenac sodium | 18,89,163 |
| DEPO-SUBQ PROVERA 104 | 86 | diclofenac sodium er | 18 |
| depo-testosterone | 23 | diclofenac-misoprostol | 18 |
| DESCOVY | 71 | dicloxacillin sodium | 166 |
| desipramine hcl | 35 | dicyclomine hcl | 173 |
| desmopressin ace spray refrig | 100 | DIFICID | 113,114 |
| desmopressin acetate | 100 | diflorasone diacetate | 92 |
| desmopressin acetate spray | 100 | diflunisal | 20 |
| desogestrel-ethinyl estradiol | 80 | digitek | 76 |
| desonide | 92 | digox | 76 |
| desoximetasone | 92 | digoxin | 76 |
| desvenlafaxine succinate er | 35 | dihydroergotamine mesylate | 150 |
| DEX4 | 37 | DILANTIN | 33 |
| DEX4 GLUCOSE | 37 | DILANTIN INFATABS | 33 |
| DEX4 NATURALS | 37 | DILANTIN-125 | 33 |

| | | | |
|--|---------|--|---------|
| dilt-xr | 75 | DROPSAFE ACTI-LANCE 23G | 117 |
| diltiazem hcl | 75 | DROPSAFE ALCOHOL PREP | 132 |
| diltiazem hcl er | 75 | DROPSAFE SAFETY PEN NEEDLES | 136 |
| diltiazem hcl er beads | 76 | DROPSAFE SAFETY SYRINGE/NEEDLE | 136 |
| diltiazem hcl er coated beads | 76 | DROSPIREN-ETH ESTRAD-LEVOMEFOL | 80 |
| dimethyl fumarate | 168 | drosiprenone-ethinyl estradiol | 80 |
| dimethyl fumarate starter pack | 168 | DRUG MART LANCETS THIN 26G | 117 |
| DIPENTUM | 103 | DRUG MART LANCING DEVICE | 117 |
| diphenhydramine hcl | 43 | DRUG MART ON-THE-GO LANCET 30G | 117 |
| diphenoxylate-atropine | 41 | DRUG MART UNIFINE PENTIPS | 136 |
| dipyridamole | 108 | DRUG MART UNIFINE PENTIPS PLUS | 136 |
| disopyramide phosphate | 26 | DRUG MART UNILET LANCETS 28G | 117 |
| DISPOSABLE FACE MASK | 148 | DRUG MART UNILET LANCETS 30G | 118 |
| DISPOSABLE FACE MASK 3-PLY | 148 | DRUG MART UNILET LANCETS 33G | 118 |
| disulfiram | 167 | DULERA | 28 |
| DIURIL | 97 | duloxetine hcl | 35 |
| divalproex sodium | 33 | DUPIXENT | 92,93 |
| divalproex sodium er | 33 | DURYSTA | 164 |
| dofetilide | 26 | dutasteride | 105 |
| DOJOLVI | 160 | dutasteride-tamsulosin hcl | 105 |
| dolishale | 80 | DYSPORT | 160 |
| DOPTelet | 110 | | |
| dorzolamide hcl | 163 | E | |
| dorzolamide hcl-timolol mal | 160 | E-Z JECT LANCET MICRO-THIN 33G | 118 |
| dorzolamide hcl-timolol mal pf | 160 | E-Z JECT LANCET SUPER THIN 30G | 118 |
| dotti | 101 | E-Z JECT LANCETS | 118 |
| DOVATO | 71 | E-Z JECT LANCETS 21G | 118 |
| doxazosin mesylate | 47 | E-Z JECT LANCETS THIN 26G | 118 |
| doxepin hcl | 35 | e.e.s. 400 | 113 |
| doxercalciferol | 99 | EAR-LOOP MASK SMALL | 148 |
| doxycycline hyclate | 171 | EASY COMFORT ALCOHOL PADS | 132 |
| doxycycline monohydrate | 172 | EASY COMFORT INSULIN SYRINGE | 118,136 |
| doxylamine-pyridoxine | 42 | EASY COMFORT LANCETS | 118 |
| dronabinol | 42 | EASY COMFORT LANCETS TWIST TOP | 118 |
| DROPLET GENTEEL LANCING DEVICE | 117 | EASY COMFORT PEN NEEDLES | 136 |
| DROPLET INSULIN SYRINGE | 117,136 | EASY FLOW KN 95 | 148 |
| DROPLET LANCETS ULTRA THIN 30G | 117 | EASY GLIDE PEN NEEDLES | 137 |
| DROPLET LANCING DEVICE | 117 | EASY MINI EJECT LANCING DEVICE | 118 |
| DROPLET MICRON | 136 | EASY MINI LANCING DEVICE | 118 |
| DROPLET PEN NEEDLES | 136 | EASY TOUCH ALCOHOL PREP MEDIUM | 132 |
| DROPLET PERSONAL LANCETS 30G | 117 | EASY TOUCH FLIPLOCK INSULIN SY | 137 |

| | | | |
|--|--------|--|-----|
| EASY TOUCH INSULIN BARRELS | 118 | ELIQUIS | 29 |
| EASY TOUCH INSULIN SAFETY SYR | 137 | ELIQUIS DVT/PE STARTER PACK | 29 |
| EASY TOUCH INSULIN SYRINGE | 137 | ELITE-OB | 156 |
| EASY TOUCH LANCETS 21G | 118 | ELITEK | 65 |
| EASY TOUCH LANCETS 23G | 118 | ELLA | 86 |
| EASY TOUCH LANCETS 26G | 118 | ELLUME COVID-19 HOME TEST | 95 |
| EASY TOUCH LANCETS 28G | 118 | ELMIRON | 105 |
| EASY TOUCH LANCETS 28G/TWIST | 118 | ELOCTATE | 106 |
| EASY TOUCH LANCETS 30G | 118 | ELREXFIO | 52 |
| EASY TOUCH LANCETS 30G/TWIST | 118 | eltrombopag olamine | 110 |
| EASY TOUCH LANCETS 32G | 118 | eluryng | 85 |
| EASY TOUCH LANCETS 32G/TWIST | 118 | EMBECTA AUTOSHIELD DUO | 137 |
| EASY TOUCH LANCETS 33G/TWIST | 118 | EMBECTA INS SYR U/F 1/2 UNIT | 137 |
| EASY TOUCH LANCING DEVICE | 118 | EMBECTA INSULIN SYRINGE | 137 |
| EASY TOUCH PEN NEEDLES | 137 | EMBECTA INSULIN SYRINGE U-100 | 137 |
| EASY TOUCH SAFETY LANCETS 21G | 118 | EMBECTA INSULIN SYRINGE U-500 | 137 |
| EASY TOUCH SAFETY LANCETS 23G | 118 | EMBECTA INSULIN SYRINGE U/F | 137 |
| EASY TOUCH SAFETY LANCETS 26G | 118 | EMBECTA PEN NEEDLE NANO | 137 |
| EASY TOUCH SAFETY LANCETS 28G | 118 | EMBECTA PEN NEEDLE NANO 2 GEN | 137 |
| EASY TOUCH SAFETY PEN NEEDLES | 137 | EMBECTA PEN NEEDLE U/F | 137 |
| EASY TOUCH SHEATHLOCK SYRINGE | 137 | EMBRACE LANCETS ULTRA THIN 30G | 118 |
| EBGLYSS | 93,174 | EMBRACE LANCING DEVICE/EJECTOR | 118 |
| econazole nitrate | 89 | EMBRACE PEN NEEDLES | 137 |
| econtra ez | 85 | EMBRACE PRESSURE ACTIVATED 21G | 118 |
| econtra one-step | 85 | EMBRACE PRESSURE ACTIVATED 28G | 119 |
| edaravone | 159 | EMCYT | 55 |
| EDURANT | 71 | EMEND | 42 |
| EFAVIRENZ | 71 | EMGALITY | 149 |
| efavirenz | 71 | EMGALITY (300 MG DOSE) | 149 |
| efavirenz-emtricitab-tenofo df | 71 | emoquette | 80 |
| efavirenz-lamivudine-tenofovir | 71 | EMPAVELI | 107 |
| effer-k | 150 | EMPLICITI | 52 |
| ELAHERE | 52 | emtricitab-rilpivir-tenofov df | 71 |
| ELAPRASE | 99 | emtricitabine | 71 |
| eldertonic | 154 | emtricitabine-tenofovir df | 71 |
| ELELYSO | 109 | EMTRIVA | 71 |
| ELESTRIN | 101 | EMVERM | 23 |
| eletriptan hydrobromide | 150 | emzahh | 86 |
| ELFABRIO | 99 | enalapril maleate | 46 |
| ELIGARD | 55 | enalapril-hydrochlorothiazide | 47 |
| elinest | 80 | ENBRACE HR | 156 |

| | | | |
|---------------------------------------|-------|--|------------|
| ENBREL | 19 | erlotinib hcl | 54 |
| ENBREL MINI | 19 | errin | 86 |
| ENBREL SURECLICK | 19 | ery-tab | 113 |
| ENDARI | 109 | ERYTHROCIN STEARATE | 113 |
| endocet | 22 | erythromycin | 88,113,162 |
| ENGERIX-B | 176 | erythromycin base | 113 |
| ENHERTU | 52 | erythromycin ethylsuccinate | 113 |
| enilloring | 85 | escitalopram oxalate | 34 |
| ENJAYMO | 107 | eslicarbazepine acetate | 31 |
| enoxaparin sodium | 30 | esomeprazole magnesium | 173 |
| enpresse-28 | 80 | ESPEROCT | 106 |
| enskyce | 80 | ESSENTRA WIPES 9X9" | 132 |
| ENSPRYNG | 151 | est estrogens-methyltest | 101 |
| entacapone | 66 | est estrogens-methyltest ds | 101 |
| entecavir | 73 | est estrogens-methyltest hs | 101 |
| ENTRESTO | 76,77 | estarylla | 80 |
| ENTYVIO | 103 | estazolam | 112 |
| ENTYVIO PEN | 103 | ester-c | 154 |
| enulose | 103 | estradiol | 101,178 |
| ENVARUSUS XR | 152 | estradiol valerate | 102 |
| EPIDIOLEX | 31 | estradiol-norethindrone acet | 101 |
| epinastine hcl | 163 | estratest f.s. | 101 |
| epinephrine | 179 | estratest h.s. | 101 |
| epitol | 31 | ESTRING | 178 |
| EPKINLY | 52 | eszopiclone | 112 |
| eplerenone | 48 | ethambutol hcl | 49 |
| EPOGEN | 110 | ethosuximide | 33 |
| epoprostenol sodium | 77 | ethynodiol diac-eth estradiol | 80 |
| EPRONTIA | 31 | etodolac | 18 |
| EQL ALCOHOL SWABS | 132 | etodolac er | 18 |
| EQL COLOR LANCETS 21G | 119 | etonogestrel-ethinyl estradiol | 85 |
| EQL COLOR LANCETS MICRO 33G | 119 | ETOPOSIDE | 65 |
| EQL INSULIN SYRINGE | 138 | etravirine | 71 |
| EQL SUPER THIN LANCETS 30G | 119 | EUFLEXXA | 158 |
| EQL THIN LANCETS 26G | 119 | everolimus | 59,152 |
| ERBITUX | 54 | EVKEEZA | 44 |
| ergocalciferol | 179 | EVOTAZ | 71 |
| ERGOLOID MESYLATES | 169 | EVRYSDI | 160 |
| eribulin mesylate | 65 | EXEL COMFORT POINT INSULIN SYR | 138 |
| ERIVEDGE | 54 | EXEL COMFORT POINT PEN NEEDLE | 138 |
| ERLEADA | 55 | exemestane | 55 |

| | | | |
|--|-----|--|-----|
| EXKIVITY | 54 | fenofibric acid | 45 |
| EXONDYS 51 | 159 | FENOPROFEN CALCIUM | 18 |
| EYLEA | 161 | FENSOLVI (6 MONTH) | 98 |
| EYLEA HD | 161 | fentanyl | 20 |
| EZ-LETS LANCETS 21G | 119 | FENTANYL CITRATE | 20 |
| EZ-LETS LANCETS 26G | 119 | fentanyl citrate | 20 |
| EZ-LETS LANCETS 28G | 119 | ferate | 111 |
| EZ-LETS LANCETS 30G | 119 | ferosul | 111 |
| ezetimibe | 45 | ferrex 150 | 111 |
| ezetimibe-simvastatin | 44 | FERRIMIN 150 | 111 |
| EZFE 200 | 111 | FERRIPROX | 41 |
| F | | FERROUS GLUCONATE | 111 |
| FABHALTA | 107 | ferrous sulfate | 111 |
| FABIOR | 88 | ferumoxytol | 111 |
| FABRAZYME | 99 | fesoterodine fumarate er | 175 |
| FACE MASK | 149 | FETROJA | 78 |
| FACE MASK EARLOOP-STYLE | 149 | FETZIMA | 35 |
| FACE MASKS 3 LAYER NON-MEDICAL | 149 | FETZIMA TITRATION | 35 |
| falmina | 80 | FIFTY50 ALCOHOL PREP | 132 |
| famciclovir | 74 | FIFTY50 PEN NEEDLES | 138 |
| famotidine | 173 | FIFTY50 SAFETY SEAL LANCETS | 119 |
| FANAPT | 67 | FIFTY50 SUPERIOR COMFORT SYR | 138 |
| FANAPT TITRATION PACK | 67 | FIFTY50 UNILET LANCETS 33G | 119 |
| FASENRA | 27 | FILSPARI | 105 |
| FASENRA PEN | 27 | FINACEA | 94 |
| FASTEP COVID-19 ANTIGEN TEST | 95 | finasteride | 105 |
| fayosim | 80 | FINE 30 | 119 |
| FC2 FEMALE CONDOM | 114 | FINGERSTIX LANCETS | 119 |
| febuxostat | 105 | ingolimod hcl | 168 |
| FEIBA | 106 | FINTEPLA | 31 |
| feirza 1.5/30 | 80 | finzala | 80 |
| feirza 1/20 | 80 | FIRDAPSE | 49 |
| felbamate | 32 | FIRMAGON | 55 |
| felodipine er | 76 | FIRMAGON (240 MG DOSE) | 55 |
| FEMCAP | 114 | flac | 164 |
| FEMLYV | 80 | FLAREX | 163 |
| femynor | 80 | flavoxate hcl | 175 |
| fenofibrate | 45 | FLEBOGAMMA DIF | 165 |
| FENOFIBRATE MICRONIZED | 45 | flecainide acetate | 26 |
| fenofibrate micronized | 45 | FLOTREX | 155 |
| | | FLOWFLEX COVID-19 AG HOME TEST | 95 |

| | | | |
|--|--------|--|-----|
| FLUAD | 176 | FML FORTE | 163 |
| FLUAD QUADRIVALENT | 176 | folate | 109 |
| FLUARIX | 176 | folic acid | 109 |
| FLUARIX QUADRIVALENT | 176 | FOLIVANE-OB | 156 |
| FLUBLOK | 176 | FOLOTYN | 50 |
| FLUBLOK QUADRIVALENT | 176 | FOLTABS 800 | 111 |
| FLUCELVAX | 176 | fondaparinux sodium | 30 |
| FLUCELVAX QUADRIVALENT | 176 | FORA LANCETS | 119 |
| fluconazole | 42 | FORA LANCING DEVICE | 119 |
| flucytosine | 42 | formoterol fumarate | 29 |
| fludrocortisone acetate | 87 | fosamprenavir calcium | 71 |
| FLULAVAL | 177 | fosinopril sodium | 46 |
| FLULAVAL QUADRIVALENT | 177 | fosinopril sodium-hctz | 47 |
| FLUMIST | 177 | FOSRENOL | 104 |
| FLUMIST QUADRIVALENT | 177 | FOTIVDA | 59 |
| flunisolide | 159 | fraiche 5000 dental | 153 |
| fluocinolone acetonide | 92,164 | FREDS PHARMACY AUTOLET LANCING | 119 |
| fluocinolone acetonide body | 92 | FREDS PHARMACY UNIFINE PENTIP+ | 138 |
| fluocinolone acetonide scalp | 92 | FREDS PHARMACY UNIFINE PENTIPS | 138 |
| fluocinonide | 92 | FREDS PHARMACY UNILET LANC 28G | 119 |
| fluocinonide emulsified base | 92 | FREDS PHARMACY UNILET LANC 30G | 119 |
| fluorometholone | 163 | FREESTYLE LANCETS | 119 |
| fluorouracil | 90 | FREESTYLE LIBRE 14 DAY READER | 119 |
| FLUOROURACIL | 90 | FREESTYLE LIBRE 14 DAY SENSOR | 119 |
| fluoxetine hcl | 34 | FREESTYLE LIBRE 2 PLUS SENSOR | 119 |
| FLUOXETINE HCL (PMDD) | 169 | FREESTYLE LIBRE 2 READER | 119 |
| fluphenazine decanoate | 69 | FREESTYLE LIBRE 2 SENSOR | 119 |
| FLUPHENAZINE HCL | 69 | FREESTYLE LIBRE 3 PLUS SENSOR | 119 |
| FLURANDRENOLIDE | 92 | FREESTYLE LIBRE 3 READER | 119 |
| FLURAZEPAM HCL | 112 | FREESTYLE LIBRE 3 SENSOR | 119 |
| flurbiprofen | 18 | FREESTYLE PRECISION INS SYR | 138 |
| FLURBIPROFEN SODIUM | 163 | FREESTYLE UNISTICK II LANCETS | 119 |
| fluticasone propionate | 92,159 | frovatriptan succinate | 150 |
| FLUTICASONE PROPIONATE DISKUS | 28 | FRUZAQLA | 51 |
| FLUTICASONE PROPIONATE HFA | 28 | ft acid reducer | 173 |
| fluticasone-salmeterol | 28 | ft acid reducer max strength | 173 |
| FLUTICASONE-SALMETEROL | 29 | ft all day allergy | 43 |
| fluvoxamine maleate | 34 | ft all day allergy 24 hour | 43 |
| FLUZONE | 177 | ft all day allergy relief | 43 |
| FLUZONE HIGH-DOSE QUADRIVALENT | 177 | ft allergy relief | 43 |
| FLUZONE QUADRIVALENT | 177 | ft allergy relief 24 hr | 159 |

| | |
|---|-----|
| ft allergy relief cetirizine | 43 |
| ft allergy relief loratadine | 43 |
| ft aspirin | 20 |
| ft aspirin low dose | 20 |
| ft eye allergy itch & redness | 163 |
| ft eye allergy itch relief | 163 |
| ft naloxone hcl | 41 |
| ft nicotine | 169 |
| ft nicotine mini | 170 |
| FULPHILA | 110 |
| FULVESTRANT | 55 |
| fulvestrant | 55 |
| furosemide | 96 |
| FUZEON | 71 |
| FYARRO | 59 |
| fyavolv | 101 |
| FYCOMPA | 30 |
| FYLNETRA | 110 |

G

| | |
|--|--------|
| gabapentin | 31 |
| galbriela | 80 |
| gallifrey | 167 |
| GAMASTAN | 165 |
| GAMIFANT | 152 |
| GAMMAGARD | 165 |
| GAMMAGARD S/D LESS IGA | 165 |
| GAMMAKED | 165 |
| GAMMAPLEX | 165 |
| GAMUNEX-C | 165 |
| GARDASIL 9 | 177 |
| GATTEX | 104 |
| GAVILYTE-C | 113 |
| gavilyte-g | 113 |
| gavilyte-n with flavor pack | 113 |
| GAVRETO | 59 |
| GAZYVA | 52 |
| GELNIQUE | 175 |
| gemfibrozil | 45 |
| gemmily | 80 |
| GENABIO COVID-19 RAPID TEST | 95 |
| generlac | 104 |
| gengraf | 152 |
| GENOTROPIN | 98 |
| GENOTROPIN MINIQUICK | 98 |
| gentamicin sulfate | 89,162 |
| GENTEEL BUTTERFLY TOUCH LANCET | 119 |
| GENTEEL CONTACT TIPS (BLUE) | 119 |
| GENTEEL CONTACT TIPS (CLEAR) | 119 |
| GENTEEL CONTACT TIPS (GREEN) | 120 |
| GENTEEL CONTACT TIPS (ORANGE) | 120 |
| GENTEEL CONTACT TIPS (RAINBOW) | 120 |
| GENTEEL CONTACT TIPS (VIOLET) | 120 |
| GENTEEL CONTACT TIPS (YELLOW) | 120 |
| GENTEEL LANCING KIT (BLUE) | 120 |
| GENTEEL NOZZLES | 120 |
| GENTEEL PLUS LANCING (BLACK) | 120 |
| GENTEEL PLUS LANCING (PURPLE) | 120 |
| GENTEEL PLUS LANCING (WHITE) | 120 |
| GENTEEL PLUS LANCING DEV(BLUE) | 120 |
| GENTEEL PLUS LANCING DEV(PINK) | 120 |
| GENTLE-LET GP LANCETS | 120 |
| GENTLE-LET LANCETS | 120 |
| GENTLE-LET PLATFORMS | 120 |
| GENVOYA | 71 |
| GILOTRIF | 54 |
| GIVLAARI | 105 |
| GLASSIA | 171 |
| glatiramer acetate | 168 |
| glatopa | 168 |
| GLEEVEC | 59 |
| glimepiride | 40 |
| glipizide | 40 |
| glipizide er | 40 |
| glipizide xl | 40 |
| glipizide-metformin hcl | 36 |
| GLOBAL ALCOHOL PREP EASE | 132 |
| GLOBAL EASE INJECT PEN NEEDLES | 138 |
| GLOBAL EASY GLIDE INSULIN SYR | 138 |
| GLOBAL EASY GLIDE PEN NEEDLES | 138 |
| GLOBAL INJECT EASE INSULIN SYR | 138 |
| GLOBAL INJECT EASE LANCETS 28G | 120 |

| | | | |
|--|-----|--|-----|
| GLOBAL INJECT EASE LANCETS 30G | 120 | gnp nicotine mini | 170 |
| GLOBAL INSULIN SYRINGES | 138 | gnp nicotine polacrilex | 170 |
| GLOBAL LANCING DEVICE | 120 | gnp one daily womens health | 154 |
| GLUCAGEN HYPOKIT | 37 | GNP PEN NEEDLES | 139 |
| GLUCAGON EMERGENCY | 37 | GNP QUICK DISSOLVE GLUCOSE | 37 |
| GLUCO TO GO | 37 | GNP STERILE LANCETS 28G | 120 |
| GLUCOCOM LANCETS 28G | 120 | GNP STERILE LANCETS 30G | 120 |
| GLUCOCOM LANCETS 30G | 120 | GNP STERILE LANCETS 33G | 120 |
| GLUCOCOM LANCETS 33G | 120 | GNP ULTICARE PEN NEEDLES | 139 |
| GLUCOPRO INSULIN SYRINGE | 138 | GNP ULTIGUARD SAFEPACK NEEDLE | 139 |
| GLUCOSE | 37 | GNP ULTRA COM INSULIN SYRINGE | 139 |
| GLUCOSE INSTANT ENERGY | 37 | gnp vitamin c drops | 179 |
| glyburide | 40 | GOJJI LANCING DEVICE/CLEAR CAP | 120 |
| GLYBURIDE MICRONIZED | 41 | GOJJI STERILE LANCETS | 120 |
| glyburide-metformin | 36 | GOMEKLI | 174 |
| glycopyrrolate | 173 | GOODSENSE ALCOHOL SWABS | 132 |
| glydo | 93 | goodsense all day allergy | 43 |
| GLYXAMBI | 36 | goodsense allergy relief | 43 |
| gnp adult aspirin low strength | 20 | goodsense aspirin | 20 |
| GNP ALCOHOL SWABS | 132 | goodsense aspirin adult low st | 20 |
| gnp all day allergy | 43 | goodsense aspirin low dose | 20 |
| gnp aspirin | 20 | GOODSENSE CLICKFINE PEN NEEDLE | 139 |
| gnp aspirin low dose | 20 | GOODSENSE COLOR LANCETS 33G | 120 |
| gnp childrens chewables/ex c | 155 | GOODSENSE GLUCOSE | 37 |
| GNP CLICKFINE PEN NEEDLES | 138 | GOODSENSE LANCETS 26G UNIV | 120 |
| gnp essential one daily | 155 | GOODSENSE LANCETS 30G | 121 |
| gnp folic acid | 109 | GOODSENSE LANCETS 30G UNIV | 121 |
| GNP GLUCOSE | 37 | GOODSENSE LANCETS 33G | 121 |
| GNP INSULIN SYRINGE | 138 | GOODSENSE LANCETS 33G UNIV | 121 |
| GNP INSULIN SYRINGES | 139 | GOODSENSE LANCING DEVICE | 121 |
| GNP INSULIN SYRINGES 28GX1/2" | 139 | goodsense lansoprazole | 173 |
| GNP INSULIN SYRINGES 29GX1/2" | 139 | goodsense nicotine | 170 |
| GNP INSULIN SYRINGES 30GX5/16" | 139 | GOODSENSE PEN NEEDLE PENFINE | 139 |
| GNP INSULIN SYRINGES 31GX5/16" | 139 | GOTOKNOW COVID-19 ANTIGEN RAPI | 95 |
| gnp iron | 111 | granisetron hcl | 41 |
| GNP LANCETS 21G | 120 | griseofulvin microsize | 42 |
| GNP LANCETS THIN 26G | 120 | griseofulvin ultramicrosized | 42 |
| GNP LANCING SYSTEM DEVICE | 120 | guaifenesin ac | 88 |
| gnp little ones childrens | 156 | guaifenesin-codeine | 88 |
| gnp loratadine | 43 | guanfacine hcl | 47 |
| gnp nicotine | 170 | guanfacine hcl er | 15 |

| | |
|--------------------------------|----|
| GVOKE HYPOPEN 1-PACK | 37 |
| GVOKE HYPOPEN 2-PACK | 37 |
| GVOKE KIT | 37 |
| GVOKE PFS | 37 |

H

| | |
|--|-------|
| H-E-B INCONTROL ADV LANCING | 121 |
| H-E-B INCONTROL ALCOHOL | 132 |
| H-E-B INCONTROL LANCETS 28G | 121 |
| H-E-B INCONTROL LANCETS 30G | 121 |
| H-E-B INCONTROL LANCETS 33G | 121 |
| H-E-B INCONTROL PEN NEEDLES | 139 |
| H-E-B INCONTROL UNIFINE PENTIP | 139 |
| HADLIMA | 16,17 |
| HADLIMA PUSH TOUCH | 17 |
| HAEGARDA | 107 |
| HAEMOLANCE | 121 |
| HAEMOLANCE LOW FLOW LANCETS | 121 |
| HAEMOLANCE PLUS | 121 |
| HAEMOLANCE PLUS HIGH FLOW | 121 |
| HAEMOLANCE PLUS LOW FLOW | 121 |
| HAEMOLANCE PLUS MAX FLOW | 121 |
| HAEMOLANCE PLUS PEDIATRIC FLOW | 121 |
| hailey 1.5/30 | 81 |
| hailey 24 fe | 81 |
| hailey fe 1.5/30 | 81 |
| hailey fe 1/20 | 81 |
| HALAVEN | 65 |
| halobetasol propionate | 92 |
| haloette | 85 |
| haloperidol | 68 |
| haloperidol decanoate | 68 |
| haloperidol lactate | 68 |
| HAVRIX | 177 |
| HEALTH CARE LANCING DEVICE | 121 |
| HEALTHWISE INSULIN SYR/NEEDLE | 139 |
| HEALTHWISE MICRON PEN NEEDLES | 139 |
| HEALTHWISE MINI PEN NEEDLES | 139 |
| HEALTHWISE PEN NEEDLES | 139 |
| HEALTHWISE SHORT PEN NEEDLES | 139 |
| HEALTHWISE UNIFINE PENTIPS | 139 |

| | |
|--|-----|
| HEALTHY ACCENTS LANCING DEVICE | 121 |
| HEALTHY ACCENTS UNIFINE PENTIP | 139 |
| HEALTHY ACCENTS UNILET LANCETS | 121 |
| heather | 86 |
| HEMGENIX | 106 |
| HEMLIBRA | 106 |
| HEMOFIL M | 106 |
| heparin sodium (porcine) | 30 |
| HEPARIN SODIUM (PORCINE) PF | 30 |
| HEPLISAV-B | 177 |
| her style | 86 |
| HERCEPTIN | 51 |
| HERCEPTIN HYLECTA | 57 |
| HERCESSI | 174 |
| HERZUMA | 51 |
| HIBERIX | 176 |
| HIZENTRA | 165 |
| hm all day allergy | 43 |
| hm allergy relief (cetirizine) | 43 |
| hm aspirin | 20 |
| hm aspirin ec low dose | 20 |
| hm cetirizine hcl | 43 |
| hm folic acid | 109 |
| hm loratadine | 43 |
| hm nicotine | 170 |
| hm nicotine polacrilex | 170 |
| HM STERILE ALCOHOL PREP | 132 |
| HM ULTICARE INSULIN SYRINGE | 139 |
| HM ULTICARE MINI PEN NEEDLES | 139 |
| HM ULTICARE SHORT PEN NEEDLES | 139 |
| HUMATE-P | 106 |
| HUMATROPE | 98 |
| HUMATROPEN FOR 12MG | 139 |
| HUMATROPEN FOR 24MG | 140 |
| HUMATROPEN FOR 6MG | 140 |
| HY-VEE GLUCOSE | 37 |
| HY-VEE LANCETS | 121 |
| HY-VEE THIN LANCETS | 121 |
| HYCAMTIN | 65 |
| hydralazine hcl | 48 |
| hydrochlorothiazide | 97 |

| | | | |
|--|----------|--|-----|
| HYDROCOD POLI-CHLORPHE POLI ER | 88 | imatinib mesylate | 59 |
| hydrocodone bit-homatrop mbr | 87 | IMBRUVICA | 60 |
| hydrocodone-acetaminophen | 22 | IMDELLTRA | 52 |
| hydrocodone-ibuprofen | 22 | IMFINZI | 52 |
| hydrocort-pramoxine (perianal) | 23 | imipramine hcl | 35 |
| hydrocortisone | 23,87,92 | imipramine pamoate | 35 |
| hydrocortisone (perianal) | 23 | imiquimod | 93 |
| HYDROCORTISONE ACE-PRAMOXINE | 23,92 | IMJUDO | 52 |
| hydrocortisone acetate | 23 | IMKELDI | 174 |
| HYDROCORTISONE BUTYRATE | 92 | IMLYGIC | 65 |
| hydrocortisone sod suc (pf) | 87 | IN TOUCH LANCING DEVICE | 121 |
| hydrocortisone valerate | 92 | IN TOUCH STERILE LANCETS 30G | 121 |
| hydrocortisone-acetic acid | 164 | INBRIJA | 66 |
| hydromet | 87 | incassia | 86 |
| hydromorphone hcl | 21 | INCONTROL ULTICARE PEN NEEDLES | 140 |
| hydroxychloroquine sulfate | 48 | INCRUSE ELLIPTA | 27 |
| hydroxyprogesterone caproate | 167 | indapamide | 97 |
| hydroxyurea | 65 | INDICAID COVID-19 RAPID TEST | 95 |
| hydroxyzine hcl | 25 | indomethacin | 18 |
| hydroxyzine pamoate | 25 | indomethacin er | 18 |
| HYDROXYZINE PAMOATE | 25 | INFANRIX | 172 |
| HYFTOR | 93 | INFLECTRA | 103 |
| hyoscyamine sulfate | 173 | INJECT-EASE | 140 |
| hyosyne | 173 | INJECTAFER | 111 |
| HYPOLANCE AST LANCING | 121 | INLYTA | 51 |
| HYQVIA | 166 | INNOPRAN XL | 75 |
| I | | INPEN 100-BLUE-LILLY-HUMALOG | 140 |
| ibandronate sodium | 97 | INPEN 100-BLUE-NOVOLOG-FIASP | 140 |
| IBRANCE | 59 | INPEN 100-GREY-LILLY-HUMALOG | 140 |
| ibu | 18 | INPEN 100-GREY-NOVOLOG-FIASP | 140 |
| ibuprofen | 18 | INPEN 100-PINK-LILLY-HUMALOG | 140 |
| icatibant acetate | 107 | INPEN 100-PINK-NOVOLOG-FIASP | 140 |
| iclevia | 81 | INQOVI | 57 |
| ICLUSIG | 59 | INREBIC | 60 |
| icosapent ethyl | 44 | INSUL-CAP | 121 |
| IDHIFA | 59 | INSUL-EZE | 121 |
| IHEALTH COVID-19 RAPID TEST | 95 | INSULIN ASP PROT & ASP FLEXPEN | 39 |
| IHEALTH LANCING DEVICE | 121 | INSULIN ASPART | 39 |
| ILARIS | 17 | INSULIN ASPART FLEXPEN | 39 |
| ILUVIEN | 163 | INSULIN ASPART PENFILL | 39 |
| | | INSULIN ASPART PROT & ASPART | 39 |

| | |
|--|--------|
| INSULIN DEGLUDEC | 39 |
| INSULIN DEGLUDEC FLEXTOUCH | 39 |
| INSULIN GLARGINE MAX SOLOSTAR | 39 |
| INSULIN GLARGINE SOLOSTAR | 39 |
| INSULIN SYRINGE | 140 |
| INSULIN SYRINGE-NEEDLE U-100 | 140 |
| INSULIN SYRINGE/NEEDLE | 140 |
| INSUPEN PEN NEEDLES | 140 |
| INSUPEN SENSITIVE | 140 |
| INSUPEN ULTRAFIN | 140 |
| INSUPEN32G EXTR3ME | 140 |
| INTELENCE | 71 |
| INTELISWAB COVID-19 RAPID TEST | 95 |
| introvale | 81 |
| INVEGA HAFYERA | 67 |
| INVEGA SUSTENNA | 67,68 |
| INVEGA TRINZA | 68 |
| IPOL | 177 |
| ipratropium bromide | 27,159 |
| ipratropium-albuterol | 29 |
| irbesartan | 46 |
| irbesartan-hydrochlorothiazide | 47 |
| iron (ferrous sulfate) | 111 |
| iron infant/toddler | 111 |
| iron supplement childrens | 111 |
| ISENTRESS | 71 |
| ISENTRESS HD | 71 |
| isibloom | 81 |
| isoniazid | 49 |
| isopropyl alcohol | 94 |
| isopropyl alcohol wipes | 94 |
| isosorbide dinitrate | 25 |
| isosorbide mononitrate | 25 |
| isosorbide mononitrate er | 25 |
| isotretinoin | 88 |
| isradipine | 76 |
| ITOVEBI | 60 |
| itraconazole | 42 |
| IV PREP WIPES | 70 |
| ivabradine hcl | 78 |
| ivermectin | 23,94 |

| | |
|-----------------------|-----|
| IWILFIN | 65 |
| IXEMPRA KIT | 65 |
| IZERVAY | 162 |

J

| | |
|----------------------------------|-----|
| J & J GERM FILTER MASK | 149 |
| jaimiess | 81 |
| JAKAFI | 60 |
| jantoven | 29 |
| JARDIANCE | 40 |
| jasmiel | 81 |
| javygtor | 99 |
| JAYPIRCA | 60 |
| JELMYTO | 57 |
| JEMPERLI | 52 |
| jencycla | 86 |
| JENTADUETO | 36 |
| JENTADUETO XR | 36 |
| JEVTANA | 65 |
| jinteli | 101 |
| JIVI | 106 |
| JOENJA | 151 |
| jolessa | 81 |
| joyeaux | 81 |
| juleber | 81 |
| JULUCA | 72 |
| junel 1.5/30 | 81 |
| junel 1/20 | 81 |
| junel fe 1.5/30 | 81 |
| junel fe 1/20 | 81 |
| junel fe 24 | 81 |
| JUXTAPID | 45 |
| JYLAMVO | 50 |
| JYNNEOS | 177 |

K

| | |
|----------------------|-----|
| KADCYLA | 52 |
| kaitlib fe | 81 |
| KALBITOR | 108 |
| KALETRA | 72 |
| kalliga | 81 |

| | | | |
|--|--------|---|-------|
| KALYDECO | .171 | KN95 DISPOSABLE MASK | 149 |
| KANJINTI | .51 | KN95 MEDICAL PROTECTIVE MASK | 149 |
| KANUMA | .99 | KOATE | 107 |
| kariva | .81 | KOATE-DVI | 107 |
| KCENTRA | .106 | KOGENATE FS | 107 |
| kelnor 1/35 | .81 | KORSUVA | 153 |
| kelnor 1/50 | .81 | KOSELUGO | 60 |
| KEPIVANCE | .65 | kp folic acid | 109 |
| KESIMPTA | .168 | KRAZATI | 60 |
| KETO-DIASTIX | .95 | kristalose | 113 |
| ketoconazole | 42,89 | KROGER AUTOLET LANCING DEVICE | 121 |
| KETODAN | .89 | KROGER GLUCOSE | 38 |
| KETONE TEST | .95 | KROGER HEALTHPRO LANCET 26G | 121 |
| ketorolac tromethamine | 18,164 | KROGER INSULIN SYRINGE | 141 |
| KETOSTIX | .95 | KROGER LANCETS | 122 |
| KEYTRUDA | .52 | KROGER LANCETS 21G | 122 |
| KHAPZORY | .65 | KROGER LANCETS MICRO THIN 33G | 122 |
| KIMMTRAK | .52 | KROGER LANCETS SUPER THIN | 122 |
| KIMYRSA | .24 | KROGER LANCETS THIN | 122 |
| KINNEY LANCETS | .121 | KROGER LANCETS THIN 26G | 122 |
| KINNEY THIN LANCETS | .121 | KROGER LANCETS ULTRATHIN 30G | 122 |
| KINRAY INSULIN SYRINGE | .140 | KROGER LANCING DEVICE | 122 |
| KINRIX | .172 | KROGER PEN NEEDLES | 141 |
| kionex | .152 | KRYSTEXXA | 105 |
| KISQALI (200 MG DOSE) | .60 | kurvelo | .81 |
| KISQALI (400 MG DOSE) | .60 | KYNMOBI | .66 |
| KISQALI (600 MG DOSE) | .60 | KYPROLIS | .60 |
| KISQALI FEMARA (200 MG DOSE) | .57 | | |
| KISQALI FEMARA (400 MG DOSE) | .57 | L | |
| KISQALI FEMARA (600 MG DOSE) | .57 | l-glutamine | 109 |
| klayesta | .89 | labetalol hcl | 75 |
| klor-con | .150 | lacosamide | 31 |
| klor-con 10 | .150 | lactulose | 113 |
| klor-con m10 | .150 | lactulose encephalopathy | 104 |
| klor-con m15 | .150 | LAGEVRIO | 74 |
| klor-con m20 | .151 | lamivudine | 72,73 |
| klor-con/ef | .151 | lamivudine-zidovudine | 72 |
| kls aller-tec | .43 | lamotrigine | 31 |
| kls allerclear | .44 | lamotrigine er | 31 |
| KMART VALU INSULIN SYRINGE 29G | .140 | lamotrigine starter kit-blue | 31 |
| KMART VALU INSULIN SYRINGE 30G | .140 | LAMZEDE | 99 |

| | | | |
|--|-----|--|-----|
| LANCET DEVICE | 122 | LENVIMA (10 MG DAILY DOSE) | 51 |
| LANCET DEVICE WITH EJECTOR | 122 | LENVIMA (12 MG DAILY DOSE) | 51 |
| LANCET TRANSPORTER CASE | 122 | LENVIMA (14 MG DAILY DOSE) | 51 |
| LANCETS | 122 | LENVIMA (18 MG DAILY DOSE) | 51 |
| LANCETS 28G THIN | 122 | LENVIMA (20 MG DAILY DOSE) | 51 |
| LANCETS 30G | 122 | LENVIMA (24 MG DAILY DOSE) | 51 |
| LANCETS 33G | 122 | LENVIMA (4 MG DAILY DOSE) | 51 |
| LANCETS MICRO THIN 33G | 122 | LENVIMA (8 MG DAILY DOSE) | 51 |
| LANCETS SUPER THIN | 122 | LEQVIO | 46 |
| LANCETS SUPER THIN 28G | 122 | lessina | 82 |
| LANCETS THIN | 122 | letrozole | 55 |
| LANCETS ULTRA THIN | 122 | leucovorin calcium | 65 |
| LANCETS ULTRA THIN 30G | 122 | LEUKERAN | 49 |
| LANCING DEVICE | 122 | LEUKINE | 110 |
| LANREOTIDE ACETATE | 100 | leuprolide acetate | 55 |
| lanreotide acetate | 100 | levalbuterol hcl | 29 |
| lansoprazole | 173 | LEVALBUTEROL TARTRATE | 29 |
| lanthanum carbonate | 104 | levetiracetam | 32 |
| LANTUS | 39 | levetiracetam er | 32 |
| LANTUS SOLOSTAR | 39 | LEVOBUNOLOL HCL | 160 |
| LANZO | 122 | levocarnitine | 99 |
| lapatinib ditosylate | 60 | levocarnitine sf | 99 |
| larin 1.5/30 | 81 | levofloxacin | 102 |
| larin 1/20 | 81 | levonest | 82 |
| larin 24 fe | 81 | levonorg-eth estrad triphasic | 82 |
| larin fe 1.5/30 | 81 | levonorgest-eth est & eth est | 82 |
| larin fe 1/20 | 81 | levonorgest-eth estrad 91-day | 82 |
| larissia | 81 | levonorgest-eth estradiol-iron | 82 |
| latanoprost | 164 | levonorgestrel | 86 |
| layolis fe | 81 | levonorgestrel-ethinyl estrad | 82 |
| LAZCLUZE | 54 | levora 0.15/30 (28) | 82 |
| LEADER ADVANCED LANCING DEVICE | 122 | levorphanol tartrate | 21 |
| LEADER GLUCOSE | 38 | levothyroxine sodium | 172 |
| LEADER INSULIN SYRINGE | 141 | LIBERTY MEDICAL LANCETS | 122 |
| LEADER QUICK DISSOLVE GLUCOSE | 38 | LIBERTY MINI LANCING DEVICE | 122 |
| LEADER UNIFINE PENTIPS | 141 | LIBERVANT | 30 |
| LEADER UNIFINE PENTIPS PLUS | 141 | LIBTAYO | 52 |
| leena | 81 | lidocaine | 93 |
| leflunomide | 19 | lidocaine hcl | 93 |
| LEMTRADA | 168 | LIDOCAINE HCL | 153 |
| lenalidomide | 151 | lidocaine hcl urethral/mucosal | 93 |

| | | | |
|--|-----|--------------------------------------|-------|
| lidocaine viscous hcl | 153 | LONGS LANCETS THIN | 123 |
| lidocaine-hydrocort (perianal) | 23 | LONGS LANCETS ULTRA THIN | 123 |
| lidocaine-hydrocortisone ace | 23 | LONSURF | 57 |
| lidocaine-prilocaine | 93 | loperamide hcl | 41 |
| lidocan | 93 | lopinavir-ritonavir | 72 |
| LILETTA (52 MG) | 167 | LOQTORZI | 52 |
| lillow | 82 | loratadine | 44 |
| LINDANE | 94 | lorazepam | 26 |
| linezolid | 24 | lorazepam intensol | 26 |
| LINZESS | 104 | LORBRENA | 60 |
| liothyronine sodium | 172 | loryna | 82 |
| liraglutide | 38 | losartan potassium | 46 |
| lisdexamfetamine dimesylate | 15 | losartan potassium-hctz | 47 |
| lisinopril | 46 | lovastatin | 45 |
| lisinopril-hydrochlorothiazide | 47 | low-ogestrel | 82 |
| LITE TOUCH LANCETS | 122 | loxapine succinate | 68 |
| LITE TOUCH LANCING PEN | 122 | lubiprostone | 102 |
| LITETOUCH INSULIN SYRINGE | 141 | LUCEMYRA | 167 |
| LITETOUCH LANCETS | 122 | LUCENTIS | 161 |
| LITETOUCH PEN NEEDLES | 141 | LUMAKRAS | 60,61 |
| lithium | 67 | LUMIGAN | 164 |
| lithium carbonate | 67 | LUMIZYME | 99 |
| lithium carbonate er | 67 | LUNSUMIO | 52 |
| LITHOBID | 67 | LUPRON DEPOT (1-MONTH) | 55 |
| LITHOSTAT | 105 | LUPRON DEPOT (3-MONTH) | 55 |
| LIVE BETTER ADV LANCING DEVICE | 122 | LUPRON DEPOT (4-MONTH) | 55 |
| LIVE BETTER LANCET SUPER THIN | 122 | LUPRON DEPOT (6-MONTH) | 55 |
| LIVE BETTER LANCET ULTRA THIN | 123 | LUPRON DEPOT-PED (1-MONTH) | 99 |
| LIVTENCITY | 73 | LUPRON DEPOT-PED (3-MONTH) | 99 |
| LO LOESTRIN FE | 82 | LUPRON DEPOT-PED (6-MONTH) | 99 |
| lo-zumandimine | 82 | lurasidone hcl | 67 |
| loestrin 1.5/30 (21) | 82 | LUTATHERA | 64 |
| loestrin 1/20 (21) | 82 | lutera | 82 |
| loestrin fe 1.5/30 | 82 | lyleq | 86 |
| loestrin fe 1/20 | 82 | lyllana | 102 |
| lofexidine hcl | 167 | LYNPARZA | 61 |
| lojaimiess | 82 | LYSODREN | 56 |
| LOKELMA | 152 | LYTGOBI (12 MG DAILY DOSE) | 61 |
| LONGS GLUCOSE | 38 | LYTGOBI (16 MG DAILY DOSE) | 61 |
| LONGS INSULIN SYRINGE | 141 | LYTGOBI (20 MG DAILY DOSE) | 61 |
| LONGS LANCETS STANDARD | 123 | lyza | 86 |

M

| | | | |
|--|--------|--|-----|
| M-M-R II | 177 | mefloquine hcl | 48 |
| M-NATAL PLUS | 156 | megestrol acetate | 56 |
| MACRILEN | 94 | MEIJER ALCOHOL SWABS | 132 |
| MAGELLAN INSULIN SAFETY SYR | 141 | MEIJER GLUCOSE | 38 |
| malathion | 94 | MEIJER LANCETS | 123 |
| MARATHON MEDICAL PENTIPS | 141 | MEIJER LANCETS THIN | 123 |
| maraviroc | 72 | MEIJER LANCETS UNIVERSAL 21G | 123 |
| marlissa | 82 | MEIJER LANCETS UNIVERSAL 30G | 123 |
| MASK PEDIATRIC SIZE 1" | 149 | MEIJER LANCETS UNIVERSAL 33G | 123 |
| MATULANE | 65 | MEIJER PEN NEEDLES | 142 |
| matzim la | 76 | MEIJER SUPER THIN LANCETS | 123 |
| MAVYRET | 73 | MEKINIST | 61 |
| MAXI-COMFORT INSULIN SYRINGE | 141 | MEKTOVI | 61 |
| MAXI-COMFORT SAFETY PEN NEEDLE | 141 | meleya | 86 |
| MAXICOMFORT II PEN NEEDLE | 141 | meloxicam | 18 |
| MAXICOMFORT SYR 27G X 1/2" | 141 | MELPHALAN | 49 |
| MAXIDEX | 163 | memantine hcl | 167 |
| MAYZENT | 168 | memantine hcl er | 167 |
| MAYZENT STARTER PACK | 168 | MENVEO | 176 |
| meclizine hcl | 42 | MEPERIDINE HCL | 21 |
| MECLOFENAMATE SODIUM | 18 | meprobamate | 25 |
| MEDIC INSULIN SYRINGE | 141 | MEPSEVII | 99 |
| MEDICHOICE SAFETY LANCET | 123 | mercaptopurine | 50 |
| MEDICHOICE SAFETY LANCET EXTRA | 123 | merzee | 82 |
| MEDICHOICE SAFETY LANCET NORM | 123 | mesalamine | 103 |
| MEDICINE SHOPPE PEN NEEDLES | 141 | mesalamine er | 103 |
| MEDISENSE THIN LANCETS | 123 | mesalamine-cleanser | 103 |
| MEDLANCE EXTRA 21G | 123 | mesna | 65 |
| MEDLANCE LITE 25G | 123 | MESNEX | 65 |
| MEDLANCE PLUS EXTRA 21G | 123 | metaxalone | 158 |
| MEDLANCE PLUS LANCETS | 123 | metformin hcl | 37 |
| MEDLANCE PLUS LITE 25G | 123 | metformin hcl er | 37 |
| MEDLANCE PLUS SPECIAL 0.8MM | 123 | methadone hcl | 21 |
| MEDLANCE PLUS SUPERLITE 30G | 123 | methadone hcl intensol | 21 |
| MEDLANCE PLUS UNIVERSAL 21G | 123 | methadose | 21 |
| MEDLANCE UNIVERSAL 21G | 123 | methamphetamine hcl | 15 |
| medpura alcohol pads | 94 | methazolamide | 96 |
| medroxyprogesterone acetate | 86,167 | methenamine hippurate | 25 |
| mefenamic acid | 18 | methenamine mandelate | 25 |
| | | methergine | 164 |
| | | methimazole | 172 |

| | | | |
|--|-----------|--|---------|
| methocarbamol | 158 | MINI LANCING DEVICE | 123 |
| METHOTREXATE SODIUM | 50 | minocycline hcl | 172 |
| methotrexate sodium (pf) | 50 | minoxidil | 48 |
| METHOXSALEN RAPID | 90 | minzoya | 82 |
| methscopolamine bromide | 173 | MIPLYFFA | 169 |
| methyl dopa | 47 | MIRCERA | 110 |
| methylergonovine maleate | 164 | mirtazapine | 34 |
| methylphenidate | 15 | misoprostol | 174 |
| methylphenidate hcl | 15 | mitomycin | 57 |
| METHYLPHENIDATE HCL ER | 16 | MM INSULIN SYRINGE/NEEDLE | 142 |
| methylphenidate hcl er (cd) | 16 | MM LANCING DEVICE | 123 |
| methylphenidate hcl er (la) | 16 | MM PEN NEEDLES | 142 |
| methylphenidate hcl er (osm) | 16 | MM TWIST LANCETS | 123 |
| methylprednisolone | 87 | MOBILE LANCETS 30G | 123 |
| methylprednisolone sodium succ | 87 | modafinil | 16 |
| metoclopramide hcl | 102 | MODERNA COVID-19 VAC (BOOSTER) | 177 |
| metolazone | 97 | MODERNA COVID-19 VAC 6M-11Y | 177 |
| metoprolol succinate er | 75 | MODERNA COVID-19 VACC 6-11Y | 177 |
| metoprolol tartrate | 75 | MODERNA COVID-19 VACC 6M-5Y | 177 |
| metoprolol-hydrochlorothiazide | 47 | moexipril hcl | 46 |
| metronidazole | 24,94,178 | mometasone furoate | 92,159 |
| mexiletine hcl | 26 | MONJUVI | 52 |
| mibelas 24 fe | 82 | mono-linyah | 82 |
| MICROCLENS WIPES | 70 | MONOJECT INSULIN SYRINGE | 142 |
| MICRODOT PEN NEEDLE | 142 | MONOJECT ULTRA COMFORT SYRINGE | 142 |
| microgestin 1.5/30 | 82 | MONOLET LANCETS | 123 |
| microgestin 1/20 | 82 | MONOLET OPD LANCETS | 123 |
| microgestin 24 fe | 82 | MONOLETTOR SAFETY LANCETS | 124 |
| microgestin fe 1.5/30 | 82 | montelukast sodium | 27 |
| microgestin fe 1/20 | 82 | MORPHINE SULFATE | 21 |
| MICROLET LANCETS | 123 | morphine sulfate (concentrate) | 21 |
| MICROLET NEXT LANCING DEVICE | 123 | MORPHINE SULFATE ER | 21 |
| midazolam hcl | 112 | MORPHINE SULFATE ER BEADS | 21 |
| MIDAZOLAM-SODIUM CHLORIDE (PF) | 112 | MOUNJARO | 38 |
| midodrine hcl | 179 | MOVANTI | 104 |
| mifepristone | 38,100 | moxifloxacin hcl | 102,162 |
| MIGERGOT | 149 | MOXIFLOXACIN HCL (2X DAY) | 162 |
| MIGLITOL | 36 | MOZOBIL | 112 |
| miglustat | 109 | MPD SAFETY LANCET 21G | 124 |
| mili | 82 | MPD SAFETY LANCET 23G | 124 |
| mimvey | 101 | MPD SAFETY LANCET 28G | 124 |

| | | | |
|--|--------|--|-----|
| MPD SAFETY LANCET 30G | 124 | NALOXONE HCL | 41 |
| MRESVIA | 177 | naltrexone hcl | 41 |
| MS INSULIN SYRINGE | 142 | naproxen | 19 |
| MULTAQ | 26 | naproxen dr | 19 |
| MULTI-LANCET DEVICE | 124 | naproxen sodium | 19 |
| MULTI-LANCET DEVICE 2 | 124 | naratriptan hcl | 150 |
| multi-vit/iron/fluoride | 155 | NATACYN | 162 |
| MULTI-VITAMIN/FLUORIDE | 155 | NATAZIA | 83 |
| multi-vitamin/fluoride/iron | 155 | nateglinide | 40 |
| multiple vitamins-minerals | 24,154 | nebivolol hcl | 75 |
| multivit/multimineral adult | 154 | necon 0.5/35 (28) | 83 |
| MULTIVITAMIN W/FLUORIDE | 155 | NEFAZODONE HCL | 35 |
| MULTIVITAMIN/FLUORIDE | 155 | nelarabine | 50 |
| mupirocin | 89 | neo-polycin | 162 |
| mupirocin calcium | 89 | neo-polycin hc | 163 |
| mutamycin | 57 | neomycin sulfate | 16 |
| MVASI | 51 | neomycin-bacitracin zn-polymyx | 162 |
| my choice | 86 | neomycin-polymyxin-dexameth | 163 |
| my way | 86 | NEOMYCIN-POLYMYXIN-GRAMICIDIN | 162 |
| mycophenolate mofetil | 152 | NEOMYCIN-POLYMYXIN-HC | 163 |
| mycophenolate sodium | 152 | neomycin-polymyxin-hc | 164 |
| mycophenolic acid | 152 | NEORAL | 152 |
| MYGLUCOHEALTH LANCETS 30G | 124 | NERLYNX | 61 |
| MYLERAN | 49 | NESTABS | 156 |
| MYLOTARG | 52 | NESTABS DHA | 156 |
| MYOBLOC | 160 | NESTABS ONE | 156 |
| MYRBETRIQ | 175 | NEULASTA | 110 |
| MYTESI | 41 | NEULASTA ONPRO | 110 |
| | | NEUPOGEN | 110 |
| N | | nevirapine | 72 |
| N95 FACE MASK | 149 | NEVIRAPINE | 72 |
| N95 MASKS | 149 | NEVIRAPINE ER | 72 |
| N95 PARTI RESPIRATOR FACE MASK | 149 | nevirapine er | 72 |
| na sulfate-k sulfate-mg sulf | 113 | new day | 86 |
| nabumetone | 18 | NEXCARE ALL PURPOSE MASK | 149 |
| nadolol | 75 | NEXCARE EARLOOP MASK | 149 |
| naftifine hcl | 89 | NEXIUM | 173 |
| NAGLAZYME | 99 | NEXLETOL | 44 |
| NALFON | 18 | NEXLIZET | 44 |
| NALOCET | 22 | NEXPLANON | 167 |
| naloxone hcl | 41 | NEXTSTELLIS | 83 |

| | | | |
|--|-----|--|-----|
| NEXVIAZYME | 99 | norethindrone acet-ethinyl est | 83 |
| NGENLA | 98 | norethindrone acetate | 167 |
| niacin er | 179 | norethindrone-eth estradiol | 101 |
| niacin er (antihyperlipidemic) | 46 | norgestim-eth estrad triphasic | 83 |
| nicardipine hcl | 76 | norgestimate-eth estradiol | 83 |
| nicotine | 170 | norlyda | 86 |
| nicotine mini | 170 | norlyroc | 86 |
| nicotine polacrilex | 170 | NORPACE CR | 26 |
| nicotine polacrilex mini | 170 | nortrel 0.5/35 (28) | 83 |
| nicotine step 1 | 170 | nortrel 1/35 (21) | 83 |
| nicotine step 2 | 170 | nortrel 1/35 (28) | 83 |
| nicotine step 3 | 170 | nortrel 7/7/7 | 83 |
| NICOTROL | 170 | nortriptyline hcl | 35 |
| NICOTROL NS | 170 | NORVIR | 72 |
| nifedipine | 76 | NOVA SAFETY LANCETS 23G | 124 |
| nifedipine er | 76 | NOVA SAFETY LANCETS 28G | 124 |
| nifedipine er osmotic release | 76 | NOVA SUREFLEX LANCETS | 124 |
| nikki | 83 | NOVA SUREFLEX LANCING DEVICE | 124 |
| nilotinib hcl | 61 | NOVAREL | 97 |
| nilutamide | 56 | NOVAVAX COVID-19 VACCINE | 177 |
| nimodipine | 76 | NOVOEIGHT | 107 |
| NINLARO | 61 | NOVOFINE AUTOCOVER PEN NEEDLE | 142 |
| nitazoxanide | 24 | NOVOFINE PEN NEEDLE | 142 |
| NITRO-BID | 25 | NOVOFINE PLUS PEN NEEDLE | 142 |
| nitrofurantoin | 25 | NOVOLIN 70/30 | 39 |
| nitrofurantoin macrocrystal | 25 | NOVOLIN 70/30 FLEXPEN | 39 |
| nitrofurantoin monohyd macro | 25 | NOVOLIN 70/30 FLEXPEN RELION | 39 |
| nitroglycerin | 25 | NOVOLIN 70/30 RELION | 39 |
| NITROLINGUAL | 25 | NOVOLIN N | 39 |
| NIVA-PLUS | 156 | NOVOLIN N FLEXPEN | 39 |
| NIVESTYM | 110 | NOVOLIN N FLEXPEN RELION | 39 |
| nizatidine | 173 | NOVOLIN N RELION | 39 |
| NIZATIDINE | 173 | NOVOLIN R | 39 |
| nora-be | 86 | NOVOLIN R FLEXPEN | 39 |
| NORDIPEN DELIVERY SYSTEM | 142 | NOVOLIN R FLEXPEN RELION | 39 |
| NORDITROPIN FLEXPEN | 98 | NOVOLIN R RELION | 40 |
| norelgestromin-eth estradiol | 85 | NOVOLOG | 40 |
| norethin ace-eth estrad-fe | 83 | NOVOLOG 70/30 FLEXPEN RELION | 40 |
| norethin-eth estradiol-fe | 83 | NOVOLOG FLEXPEN | 40 |
| norethindron-ethinyl estrad-fe | 83 | NOVOLOG FLEXPEN RELION | 40 |
| norethindrone | 86 | NOVOLOG MIX 70/30 | 40 |

| | | | |
|--------------------------------------|-----------|--|-------------|
| NOVOLOG MIX 70/30 FLEXPEN | 40 | ofloxacin | 102,162,164 |
| NOVOLOG MIX 70/30 RELION | 40 | OGIVRI | 51 |
| NOVOLOG PENFILL | 40 | OGSIVEO | 61 |
| NOVOLOG RELION | 40 | OHC COVID-19 ANTIGEN SELF TEST | 95 |
| NOVOPEN ECHO | 142 | OJEMDA | 61 |
| NOVOTWIST PEN NEEDLE | 142 | OJJAARA | 61 |
| NP THYROID | 172 | olanzapine | 68 |
| NPLATE | 110 | olmesartan medoxomil | 46 |
| nu-iron | 111 | olmesartan medoxomil-hctz | 48 |
| NUBEQA | 56 | olmesartan-amlodipine-hctz | 48 |
| NUCALA | 27 | olopatadine hcl | 159,164 |
| NULIBRY | 99 | omega-3-acid ethyl esters | 44 |
| NULOJIX | 152 | omeprazole | 173 |
| NUPLAZID | 67 | omeprazole-sodium bicarbonate | 174 |
| NURTEC | 149 | OMNARIS | 159 |
| NUTROPIN AQ NUSPIN 10 | 98 | OMNIPOD 5 DEXG7G6 PODS GEN 5 | 124 |
| NUTROPIN AQ NUSPIN 20 | 98 | OMNIPOD 5 G6 INTRO (GEN 5) | 124 |
| NUTROPIN AQ NUSPIN 5 | 98 | OMNIPOD 5 G6 PODS (GEN 5) | 124 |
| nyamyc | 89 | OMNIPOD 5 G7 INTRO (GEN 5) | 124 |
| nylia 1/35 | 83 | OMNIPOD 5 G7 PODS (GEN 5) | 124 |
| nylia 7/7/7 | 83 | OMNIPOD 5 LIBRE2 PLUS G6 | 124 |
| nymyo | 83 | OMNIPOD 5 LIBRE2 PLUS G6 PODS | 124 |
| nystatin | 42,90,153 | OMNIPOD CLASSIC PDM (GEN 3) | 124 |
| nystatin-triamcinolone | 90 | OMNIPOD CLASSIC PODS (GEN 3) | 124 |
| nystop | 90 | OMNIPOD DASH INTRO (GEN 4) | 124 |
| NYVEPRIA | 110 | OMNIPOD DASH PDM (GEN 4) | 124 |
| | | OMNIPOD DASH PODS (GEN 4) | 124 |
| O | | OMNITROPE | 98 |
| OB COMPLETE | 156 | OMNITROPE PEN 10 INJ DEVICE | 142 |
| OB COMPLETE ONE | 156 | OMNITROPE PEN 5 INJ DEVICE | 142 |
| OB COMPLETE PETITE | 156 | OMVOH | 103 |
| OB COMPLETE PREMIER | 156 | ON/GO COVID-19 ANTIGEN TEST | 95 |
| OB COMPLETE/DHA | 156 | ON/GO ONE COVID-19 HOME TEST | 95 |
| OBIZUR | 107 | ONCASPAR | 64 |
| ocella | 83 | ondansetron | 42 |
| OCREVUS | 168 | ondansetron hcl | 42 |
| OCTAGAM | 165,166 | ONETOUCH DELICA PLUS LANCET30G | 124 |
| octreotide acetate | 100 | ONETOUCH DELICA PLUS LANCET33G | 124 |
| ocuvite eye health gummies | 154 | ONETOUCH DELICA PLUS LANCING | 124 |
| ODEFSEY | 72 | ONETOUCH DELICA SAFETY LANCING | 124 |
| ODOMZO | 54 | ONETOUCH SURESOFT LANCING DEV | 124 |

| | | | |
|--|-------|---|-----|
| ONETOUCH ULTRA | 95 | oxcarbazepine | 32 |
| ONETOUCH ULTRA 2 | 124 | oxcarbazepine er | 32 |
| ONETOUCH ULTRA BLUE TEST | 95 | OXERVATE | 162 |
| ONETOUCH ULTRA CONTROL | 124 | OXLUMO | 105 |
| ONETOUCH ULTRA TEST | 95 | OXTELLAR XR | 32 |
| ONETOUCH ULTRASOFT 2 LANCETS | 125 | oxybutynin chloride | 175 |
| ONETOUCH ULTRASOFT LANCETS | 125 | oxybutynin chloride er | 175 |
| ONETOUCH VERIO | 96 | oxycodone hcl | 21 |
| ONETOUCH VERIO FLEX SYSTEM | 125 | OXYCODONE HCL ER | 21 |
| ONETOUCH VERIO REFLECT | 125 | oxycodone-acetaminophen | 22 |
| ONGENTYS | 66 | OXYCONTIN | 21 |
| ONIVYDE | 65 | oxymorphone hcl | 21 |
| ONPATTRO | 170 | OXYTROL | 175 |
| ONTRUZANT | 51 | OZEMPIC (0.25 OR 0.5 MG/DOSE) | 38 |
| ONUREG | 50 | OZEMPIC (1 MG/DOSE) | 38 |
| opcicon one-step | 86 | OZEMPIC (2 MG/DOSE) | 38 |
| OPDIVO | 52,53 | | |
| OPDIVO QVANTIG | 174 | P | |
| OPDUALAG | 57 | pacerone | 26 |
| OPILL | 86 | paclitaxel protein-bound part | 65 |
| opium | 41 | PACLITAXEL PROTEIN-BOUND PART | 65 |
| OPSUMIT | 77 | PADCEV | 53 |
| OPTICHAMBER DIAMOND | 149 | paliperidone er | 68 |
| OPTICHAMBER DIAMOND-LG MASK | 149 | pantoprazole sodium | 174 |
| OPTICHAMBER DIAMOND-MD MASK | 149 | PANZYGA | 166 |
| OPTICHAMBER DIAMOND-SM MASK | 149 | PARAGARD INTRAUTERINE COPPER | 85 |
| option 2 | 86 | paricalcitol | 99 |
| OPTIONS GYNOL II CONTRACEPTIVE | 178 | paromomycin sulfate | 16 |
| oralone | 154 | paroxetine hcl | 34 |
| ORGOVYX | 56 | paroxetine hcl er | 34 |
| ORKAMBI | 171 | PARSABIV | 100 |
| ORLADEYO | 108 | PAVBLU | 161 |
| orphenadrine citrate er | 158 | PAXLOVID | 73 |
| ORSERDU | 56 | PAXLOVID (150/100) | 73 |
| orsythia | 83 | PAXLOVID (300/100) | 73 |
| oseltamivir phosphate | 74 | pazopanib hcl | 61 |
| OTEZLA | 19 | PC LANCETS SUPER THIN 30G | 125 |
| oxaliplatin | 49 | PC UNIFINE PENTIPS | 142 |
| OXALIPLATIN | 49 | PEDIARIX | 172 |
| oxaprozin | 19 | PEDIATRIC MEDIUM MASK | 149 |
| oxazepam | 26 | PEDIATRIC SMALL MASK | 149 |

| | | | |
|--|-----|--|---------|
| PEDMARK | 65 | PFIZER-BIONT COVID-19 VAC-TRIS | 177 |
| PEDVAX HIB | 176 | PHARMACIST CHOICE ALCOHOL | 132 |
| peg 3350-kcl-na bicarb-nacl | 113 | PHARMACIST CHOICE LANCETS | 125 |
| peg-3350/electrolytes | 113 | PHARMACY COUNTER LANCETS | 125 |
| peg-3350/electrolytes/ascorbat | 113 | PHENELZINE SULFATE | 34 |
| peg-kcl-nacl-nasulf-na asc-c | 113 | phenobarbital | 112 |
| PEGASYS | 74 | phenoxybenzamine hcl | 46 |
| PEMAZYRE | 61 | phenylephrine hcl | 160 |
| PEMETREXED | 50 | phenytek | 33 |
| PEMETREXED DISODIUM | 50 | phenytoin | 33 |
| pemetrexed disodium | 50 | phenytoin infatabs | 33 |
| PEMETREXED DITROMETHAMINE | 50 | phenytoin sodium extended | 33 |
| PEMFEXY | 50 | PHESGO | 58 |
| PEN NEEDLE/5-BEVEL TIP | 142 | PHEXXI | 178 |
| PEN NEEDLES | 142 | philith | 83 |
| PEN NEEDLES 5/16" | 142 | PHOSPHOLINE IODIDE | 161 |
| PENBRAYA | 176 | phytonadione | 179 |
| penciclovir | 91 | PIASKY | 107 |
| penicillamine | 151 | PIFELTRO | 72 |
| penicillin v potassium | 166 | pilocarpine hcl | 154,161 |
| PENTACEL | 172 | PILOT COVID-19 AT-HOME TEST | 96 |
| pentamidine isethionate | 24 | pimecrolimus | 93 |
| pentazocine-naloxone hcl | 22 | PIMOZIDE | 169 |
| PENTIPS | 142 | pimtrea | 83 |
| PENTIPS GENERIC PEN NEEDLES | 143 | pindolol | 75 |
| pentoxifylline er | 108 | pioglitazone hcl | 40 |
| perampanel | 30 | pioglitazone hcl-glimepiride | 36 |
| PERFECT LANCETS 28G | 125 | pioglitazone hcl-metformin hcl | 36 |
| PERFECT LANCETS 30G | 125 | PIP LANCETS 28G | 125 |
| PERFECT POINT SAFETY LANCETS | 125 | PIP LANCETS 30G | 125 |
| PERINDOPRIL ERBUMINE | 46 | PIP PEN NEEDLES 31G X 5MM | 143 |
| perindopril erbumine | 46 | PIP PEN NEEDLES 32G X 4MM | 143 |
| PERJETA | 51 | PIQRAY (200 MG DAILY DOSE) | 61 |
| permethrin | 94 | PIQRAY (250 MG DAILY DOSE) | 61 |
| perphenazine | 69 | PIQRAY (300 MG DAILY DOSE) | 61 |
| PERPHENAZINE-AMITRIPTYLINE | 167 | pirmella 1/35 | 83 |
| PERSERIS | 68 | pirmella 7/7/7 | 83 |
| PERTZYE | 96 | piroxicam | 19 |
| PFIZER COVID-19 VAC BIVALENT | 177 | PLEGRIDY | 168 |
| PFIZER COVID-19 VAC-TRIS 5-11Y | 177 | PLEGRIDY STARTER PACK | 168 |
| PFIZER COVID-19 VAC-TRIS 6M-4Y | 177 | PLUVICTO | 64 |

| | | | |
|--|-----|--|---------|
| PNEUMOVAX 23 | 176 | PREFERRED PLUS GLUCOSE | 38 |
| PNV 27-CA/FE/FA | 156 | PREFERRED PLUS INSULIN SYRINGE | 143 |
| PNV TABS 29-1 | 156 | PREFERRED PLUS LANCETS COLORED | 125 |
| PNV-DHA | 156 | PREFERRED PLUS LANCETS THIN | 125 |
| PNV-OMEGA | 156 | PREFERRED PLUS UNIFINE PENTIPS | 143 |
| PNV-SELECT | 156 | pregabalin | 32 |
| podofilox | 93 | PREGNYL | 97 |
| POLIVY | 53 | PREHEVBRIO | 177 |
| POLY-VI-FLOR | 155 | PREMARIN | 102,178 |
| POLY-VI-FLOR/IRON | 155 | PREMPHASE | 101 |
| polycin | 162 | PREMPRO | 101 |
| polymyxin b-trimethoprim | 162 | PRENATAL | 156 |
| polysaccharide iron complex | 111 | PRENATAL PLUS | 156 |
| POMALYST | 56 | PRENATAL PLUS VITAMIN/MINERAL | 156 |
| portia-28 | 83 | PRENATE | 156 |
| PORTRAZZA | 54 | PRENATE AM | 156 |
| posaconazole | 43 | PRENATE DHA | 156 |
| pot & sod cit-cit ac | 104 | PRENATE ELITE | 157 |
| potassium chloride | 151 | PRENATE ENHANCE | 157 |
| potassium chloride crys er | 151 | PRENATE ESSENTIAL | 157 |
| potassium chloride er | 151 | PRENATE MINI | 157 |
| potassium citrate er | 104 | PRENATE PIXIE | 157 |
| potassium citrate-citric acid | 104 | PRENATE RESTORE | 157 |
| POTELIGEO | 53 | PREPLUS | 157 |
| PRALATREXATE | 50 | PRETAB | 157 |
| PRALUENT | 46 | PRETOMANID | 49 |
| pramipexole dihydrochloride | 66 | prevalite | 45 |
| pramipexole dihydrochloride er | 66 | PREVENT DROPSAFE PEN NEEDLES | 143 |
| prasugrel hcl | 108 | PREVENT SAFETY PEN NEEDLES | 143 |
| pravastatin sodium | 45 | previfem | 83 |
| PRAXBIND | 41 | PREVNAR 20 | 176 |
| prazosin hcl | 47 | PREVYMIS | 73,174 |
| PRECISION SURE-DOSE SYRINGE | 143 | PREZCOBIX | 72 |
| PRECISION SUREDOSE PLUS SYR | 143 | PREZISTA | 72 |
| PRECISION THINS GP LANCETS | 125 | PRIMACARE | 157 |
| PREDNICARBATE | 92 | primaquine phosphate | 48 |
| prednisolone | 87 | primidone | 32 |
| prednisolone acetate | 163 | PRIORIX | 177 |
| prednisolone sodium phosphate | 87 | PRIVIGEN | 166 |
| PREDNISOLONE SODIUM PHOSPHATE | 163 | PRO COMFORT ALCOHOL | 132 |
| prednisone | 87 | PRO COMFORT INSULIN SYRINGE | 143 |

| | | | |
|--|-----|--|-----|
| PRO COMFORT LANCETS 30G | 125 | PSS SELECT PLATFORMS | 125 |
| PRO COMFORT LANCETS 31G | 125 | PSS SELECT SAFETY LANCETS | 125 |
| PRO COMFORT PEN NEEDLES | 143 | PULMICORT FLEXHALER | 28 |
| PRO COMFORT SAFETY LANCETS 30G | 125 | PULMOZYME | 171 |
| probenecid | 105 | PURE COMFORT ALCOHOL PREP | 132 |
| prochlorperazine | 69 | PURE COMFORT LANCETS 30G | 125 |
| prochlorperazine maleate | 69 | PURE COMFORT PEN NEEDLE | 143 |
| PROCRIT | 110 | PURE COMFORT SAFETY PEN NEEDLE | 143 |
| procto-med hc | 23 | PX ADVANCED LANCING DEVICE | 125 |
| PROCTOFOAM HC | 23 | PX EXTRA SHORT PEN NEEDLES | 143 |
| proctosol hc | 23 | px folic acid | 109 |
| proctozone-hc | 23 | PX GLUCOSE | 38 |
| PROCYSBI | 105 | PX INSULIN SYRINGE | 143 |
| PRODIGY COUNT-A-DOSE | 125 | PX LANCET AUTO INJECTOR | 125 |
| PRODIGY INSULIN SYRINGE | 143 | PX LANCETS MICROTHIN 33G | 125 |
| PRODIGY LANCETS 28G | 125 | PX LANCETS ULTRA THIN | 125 |
| PRODIGY LANCING DEVICE | 125 | PX LANCETS ULTRA THIN 28G | 126 |
| PRODIGY SAFETY LANCETS 26G | 125 | PX MINI PEN NEEDLES | 143 |
| PRODIGY TWIST TOP LANCETS 28G | 125 | PX PEN NEEDLE | 143 |
| progesterone | 167 | PX SHORTLENGTH PEN NEEDLES | 143 |
| PROGRAF | 152 | pyrazinamide | 49 |
| PROLASTIN-C | 171 | pyridostigmine bromide | 49 |
| PROLIA | 97 | pyridostigmine bromide er | 49 |
| PROMACTA | 110 | pyrimethamine | 48 |
| promethazine hcl | 44 | PYRUKYND | 108 |
| PROMETHAZINE VC | 88 | PYRUKYND TAPER PACK | 108 |
| PROMETHAZINE VC/CODEINE | 88 | | |
| promethazine-codeine | 88 | Q | |
| promethazine-dm | 88 | QALSODY | 159 |
| PROMETHAZINE-PHENYLEPHRINE | 88 | QC ADVANCED LANCING DEVICE | 126 |
| promethegan | 44 | qc alcohol | 94 |
| propafenone hcl | 26 | QC ALCOHOL SWABS | 132 |
| propafenone hcl er | 26 | qc allergy relief | 44 |
| propranolol hcl | 75 | qc aspirin low dose | 20 |
| propranolol hcl er | 75 | qc folic acid | 109 |
| propylthiouracil | 172 | QC LANCETS SUPER THIN 30G | 126 |
| PROQUAD | 178 | QC LANCETS ULTRA THIN | 126 |
| protriptyline hcl | 36 | QC PEN NEEDLES | 143 |
| PROVENGE | 54 | QC UNIFINE PENTIPS | 143 |
| pseudoeph-bromphen-dm | 88 | QC UNILET LANCETS 28G | 126 |
| PSS SELECT GP LANCETS | 125 | QC UNILET LANCETS MICRO THIN | 126 |

| | |
|--|-----|
| QELBREE | 15 |
| QINLOCK | 62 |
| QNASL | 159 |
| QNASL CHILDRENS | 159 |
| QUADRACEL | 172 |
| QUAZEPAM | 112 |
| quetiapine fumarate | 69 |
| quetiapine fumarate er | 69 |
| QUFLORA GUMMIES | 155 |
| QUICK TOUCH INSULIN PEN NEEDLE | 143 |
| QUICKVUE AT-HOME COVID-19 TEST | 96 |
| quinapril hcl | 46 |
| quinapril-hydrochlorothiazide | 48 |
| quinidine gluconate er | 26 |
| QUINIDINE SULFATE | 26 |
| quinine sulfate | 48 |
| QULIPTA | 149 |
| QUTENZA | 93 |
| QUTENZA (2 PATCH) | 93 |
| QUTENZA (4 PATCH) | 93 |
| QVAR REDHALER | 28 |

R

| | |
|--|-----|
| RA ALCOHOL SWABS | 132 |
| RA E-ZJECT LANCETS 28G | 126 |
| RA E-ZJECT LANCETS THIN 26G | 126 |
| RA E-ZJECT LANCETS THIN 28G | 126 |
| RA E-ZJECT LANCETS ULTRA THIN | 126 |
| ra folic acid | 109 |
| RA GLUCOSE | 38 |
| RA INSULIN SYRINGE | 144 |
| ra isopropyl alcohol wipes | 94 |
| RA PEN NEEDLES | 144 |
| rabeprazole sodium | 174 |
| RADICAVA | 159 |
| RADICAVA ORS | 159 |
| RADICAVA ORS STARTER KIT | 159 |
| raloxifene hcl | 98 |
| ramelteon | 112 |
| ramipril | 46 |
| ranolazine er | 25 |
| rasagiline mesylate | 66 |
| RAYA SURE PEN NEEDLE | 144 |
| react | 86 |
| READYLANCE SAFETY LANCETS | 126 |
| REALITY INSULIN SYRINGE | 144 |
| REALITY LANCETS | 126 |
| REALITY SWABS | 132 |
| REALITY TRIGGER LANCETS | 126 |
| REBIF | 169 |
| REBIF REBIDOSE | 169 |
| REBIF REBIDOSE TITRATION PACK | 169 |
| REBIF TITRATION PACK | 169 |
| REBLOZYL | 110 |
| REBYOTA | 104 |
| reclipsen | 83 |
| RECOMBINATE | 107 |
| RECOMBIVAX HB | 178 |
| relafen | 19 |
| RELEUKO | 110 |
| RELION ALCOHOL SWABS | 132 |
| RELION GLUCOSE | 38 |
| RELION INSULIN SYRINGE | 144 |
| RELION KETONE TEST | 96 |
| RELION LANCET DEVICES 30G | 126 |
| RELION LANCETS | 126 |
| RELION LANCETS MICRO-THIN 33G | 126 |
| RELION LANCETS THIN 26G | 126 |
| RELION LANCETS ULTRA-THIN 30G | 126 |
| RELION LANCING DEVICE | 126 |
| RELION MINI PEN NEEDLES | 144 |
| RELION PEN NEEDLES | 144 |
| RELION SHORT PEN NEEDLES | 144 |
| RELION ULTRA THIN LANCETS 30G | 126 |
| RELION ULTRA THIN PLUS LANCETS | 126 |
| RELNATE DHA | 157 |
| REMICADE | 103 |
| RENFLEXIS | 103 |
| repaglinide | 40 |
| REPATHA | 46 |
| REPATHA PUSHTRONEX SYSTEM | 46 |
| REPATHA SURECLICK | 46 |

| | | | |
|---|-----|--|-----|
| RETACRIT | 110 | ROZLYTREK | 62 |
| RETEVMO | 62 | RUBRACA | 62 |
| REVUFORJ | 174 | RUCONEST | 107 |
| REXALL LANCETS ULTRA THIN 30G | 126 | rufinamide | 32 |
| REXTOVY | 41 | RUKOBIA | 72 |
| REYATAZ | 72 | RUXIENCE | 53 |
| REZDIFFRA | 102 | RYBELSUS | 39 |
| REZLIDHIA | 62 | RYBREVANT | 53 |
| RHOGAM ULTRA-FILTERED PLUS | 166 | RYDAPT | 62 |
| RHOPHYLAC | 166 | RYLAZE | 64 |
| RIABNI | 53 | RYPLAZIM | 108 |
| RIBAVIRIN | 74 | RYTELO | 62 |
| ribavirin | 74 | | |
| rifabutin | 49 | S | |
| rifampin | 49 | SAFE-T-LANCE | 126 |
| RIGHTEST ALTERNATE SITE ADAPT | 126 | SAFE-T-LANCE PLUS | 126 |
| RIGHTEST GD500 LANCING DEVICE | 126 | SAFETY INSULIN SYRINGES | 144 |
| RIGHTEST GL300 LANCETS | 126 | SAFETY LANCET 30G/PRESSURE ACT | 126 |
| riluzole | 159 | SAFETY LANCETS | 126 |
| RIMANTADINE HCL | 74 | SAFETY LANCETS 21G | 126 |
| RINVOQ | 17 | SAFETY LANCETS 23G | 126 |
| RINVOQ LQ | 17 | SAFETY LANCETS 28G | 127 |
| risedronate sodium | 97 | SAFETY PEN NEEDLES | 144 |
| RISPERDAL CONSTA | 68 | SAIZEN | 98 |
| risperidone | 68 | SAIZENPREP | 98 |
| ritonavir | 72 | sajazir | 107 |
| RITUXAN | 53 | salsalate | 20 |
| RITUXAN HYCELA | 58 | SANCUSO | 42 |
| rivelsa | 83 | SANDIMMUNE | 152 |
| rizatriptan benzoate | 150 | SANDOSTATIN LAR DEPOT | 100 |
| roflumilast | 28 | SANOFI COVID-19 VAC (BOOSTER) | 178 |
| ROLVEDON | 110 | SAPHNELO | 153 |
| romidepsin | 62 | sapropterin dihydrochloride | 100 |
| ROMIDEPSIN | 62 | SAPS CARE ALCOHOL PREP | 132 |
| ROMVIMZA | 174 | SAPS HEALTH ALCOHOL PREP | 132 |
| ropinirole hcl | 66 | SAPS HEALTH CARE ALCOHOL PREP | 132 |
| ropinirole hcl er | 66 | SAPS HEALTH PLUS LANCETS | 127 |
| ROSADAN | 94 | SAPS HEALTH TWIST TOP LANCETS | 127 |
| rosuvastatin calcium | 45 | SAPS TWIST TOP LANCETS | 127 |
| rosyrah | 83 | SAPSCARE TWIST TOP LANCETS | 127 |
| roweepra | 32 | SARCLISA | 53 |

| | | | |
|--|-----|--|--------|
| SAVELLA | 167 | silver nitrate | 91 |
| SAVELLA TITRATION PACK | 168 | silver sulfadiazine | 91 |
| saxagliptin-metformin er | 36 | SIMBRINZA | 161 |
| SB ALCOHOL PREP | 132 | simliya | 84 |
| SB INSULIN SYRINGE | 144 | simpesse | 84 |
| SB LANCETS THIN | 127 | SIMPLE DIAGNOSTICS LANCING DEV | 127 |
| SB LANCETS ULTRA THIN | 127 | SIMPONI | 17 |
| SCEMBLIX | 62 | SIMPONI ARIA | 17 |
| SCENESSE | 94 | simvastatin | 45 |
| scopolamine | 42 | SINGLE-LET | 127 |
| SE-NATAL 19 | 157 | sirolimus | 152 |
| SECUADO | 69 | SIRTURO | 49 |
| SECURESAFE INSULIN SYRINGE | 144 | SIVEXTRO | 24 |
| SECURESAFE SAFETY PEN NEEDLES | 144 | SKYCLARYS | 159 |
| SELECT-LITE DEVICE/LANCETS | 127 | SKYRIZI | 90,103 |
| SELECT-LITE LANCING DEVICE | 127 | SKYRIZI (150 MG DOSE) | 90 |
| SELECT-OB | 157 | SKYRIZI PEN | 90 |
| SELECT-OB+DHA | 157 | SKYTROFA | 98 |
| selegiline hcl | 67 | SLYND | 86 |
| selenium sulfide | 91 | SM ALCOHOL PREP | 133 |
| SELZENTRY | 72 | sm all day allergy | 44 |
| SEREVENT DISKUS | 29 | sm all day allergy relief | 44 |
| SEROSTIM | 98 | sm allergy relief | 44 |
| sertraline hcl | 35 | sm animal shapes complete | 155 |
| setlakin | 83 | sm animal shapes kids first | 156 |
| sevelamer carbonate | 104 | sm aspirin adult low strength | 20 |
| sevelamer hcl | 104 | sm aspirin ec low strength | 20 |
| SEZABY | 112 | sm aspirin low dose | 20 |
| sharobel | 86 | sm chewable c | 179 |
| SHIELD-SECURE FULL FACE SHIELD | 149 | sm childrens aspirin | 20 |
| SHINGRIX | 178 | sm cod liver oil | 158 |
| SHOPKO AUTOLET LANCING DEVICE | 127 | sm folic acid | 109 |
| SHOPKO ON-THE-GO LANCETS 30G | 127 | SM GLUCOSE | 38 |
| SHOPKO UNIFINE PENTIPS | 144 | sm iron | 111 |
| SHOPKO UNIFINE PENTIPS PLUS | 144 | sm iron slow release | 111 |
| SHOPKO UNILET LANCETS 28G | 127 | SM LANCETS 33G | 127 |
| SHOPKO UNILET LANCETS 30G | 127 | sm loratadine | 44 |
| SHUR-SEAL CONTRACEPTIVE | 178 | sm loratadine allergy relief | 44 |
| SIGNIFOR LAR | 100 | sm multiple vitamins essential | 155 |
| sildenafil citrate | 77 | sm nicotine | 170 |
| silodosin | 105 | sm nicotine polacrilex | 170 |

| | | | |
|--|---------|---|--------|
| sm super b complex/c | 154 | SPIKEVAX | 178 |
| SM TRUEDRAW LANCING DEVICE | 127 | SPINOSAD | 94 |
| sm vit c/rose hips | 179 | SPINRAZA | 160 |
| sm vitamin b-12 | 109 | SPIRIVA HANDIHALER | 27 |
| sm vitamin b-6 | 179 | SPIRIVA RESPIMAT | 27 |
| sm vitamin c | 179 | spironolactone | 97 |
| sm vitamin c/rose hips | 179 | spironolactone-hctz | 96 |
| SMART DIABETES VANTAGE LANCING | 127 | SPRAVATO (56 MG DOSE) | 34 |
| SMART SENSE COLOR LANCETS 33G | 127 | SPRAVATO (84 MG DOSE) | 34 |
| SMART SENSE GLUCOSE | 38 | sprintec 28 | 84 |
| SMART SENSE STANDARD LANCETS | 127 | SPRYCEL | 62 |
| SMART SENSE SUPER THIN LANCETS | 127 | SPS (SODIUM POLYSTYRENE SULF) | 153 |
| SMART SENSE THIN LANCETS 26G | 127 | sronyx | 84 |
| SMARTEST LANCETS 28G | 127 | ssd | 91 |
| sod citrate-citric acid | 104 | stavudine | 72 |
| sodium fluoride | 150,153 | STELARA | 103 |
| SODIUM FLUORIDE | 150 | STERILANCE PA | 127 |
| SODIUM FLUORIDE 5000 ENAMEL | 153 | STERILANCE TL | 127 |
| sodium fluoride 5000 plus | 153 | STIMUFEND | 111 |
| sodium fluoride 5000 ppm | 154 | STIOLTO RESPIMAT | 29 |
| SODIUM FLUORIDE 5000 SENSITIVE | 154 | STIVARGA | 62 |
| SODIUM OXYBATE | 167 | STRENSIQ | 100 |
| sodium polystyrene sulfonate | 152 | stress formula | 155 |
| sodium sulfacetamide wash | 91 | STRIBILD | 72 |
| SOGROYA | 98 | STRIVERDI RESPIMAT | 29 |
| SOHONOS | 158 | SUBLOCADE | 22 |
| solifenacin succinate | 175 | subvenite | 32 |
| SOLIRIS | 107 | subvenite starter kit-blue | 32 |
| SOLU-CORTEF | 87 | sucralfate | 173 |
| SOLU-MEDROL (PF) | 87 | sulfacetamide sod-sulfur wash | 88 |
| SOLUS V2 LANCETS 28G | 127 | sulfacetamide sodium | 91,162 |
| SOLUS V2 LANCING DEVICE | 127 | sulfacetamide sodium (acne) | 89 |
| SOLUS V2 TWIST LANCETS 30G | 127 | sulfacetamide sodium-sulfur | 89 |
| SOMATULINE DEPOT | 101 | SULFACETAMIDE-PREDNISOLONE | 163 |
| SOMAVERT | 97 | SULFACETAMIDE-SULFUR IN UREA | 89 |
| sorafenib tosylate | 62 | sulfadiazine | 171 |
| sorine | 75 | sulfamethoxazole-trimethoprim | 24 |
| sotalol hcl | 75 | sulfasalazine | 103 |
| sotalol hcl (af) | 75 | sulfatrim pediatric | 24 |
| SPEEDY SWAB COVID-19 ANTIGEN | 96 | sulindac | 19 |
| SPEVIGO | 90 | sumatriptan | 150 |

| | |
|---|-----------|
| sumatriptan succinate | 150 |
| SUMATRIPTAN SUCCINATE REFILL | 150 |
| sumatriptan-naproxen sodium | 150 |
| sunitinib malate | 62 |
| SUNLENCA | 72,73,174 |
| SUPER THIN LANCETS | 127 |
| SUPPRELIN LA | 99 |
| SURE COMFORT ALCOHOL PREP | 133 |
| SURE COMFORT INSULIN SYRINGE | 144 |
| SURE COMFORT LANCETS 18G | 127 |
| SURE COMFORT LANCETS 21G | 127 |
| SURE COMFORT LANCETS 23G | 128 |
| SURE COMFORT LANCETS 28G | 128 |
| SURE COMFORT LANCETS 30G | 128 |
| SURE COMFORT LANCING PEN | 128 |
| SURE COMFORT PEN NEEDLES | 144 |
| SURE-FINE PEN NEEDLES | 144 |
| SURE-JECT INSULIN SYRINGE | 145 |
| SURE-LANCE FLAT LANCETS | 128 |
| SURE-LANCE LANCETS 26G | 128 |
| SURE-LANCE THIN LANCETS 28G | 128 |
| SURE-LANCE ULTRA THIN LANCETS | 128 |
| SURE-PEN | 128 |
| SURE-PREP ALCOHOL PREP | 133 |
| SURE-TOUCH LANCETS UNIVERSAL | 128 |
| SURELITE LANCETS | 128 |
| SUSTOL | 42 |
| SUSVIMO (IMPLANT 1ST FILL) | 161 |
| SUSVIMO (IMPLANT REFILL) | 161 |
| SUTAB | 113 |
| syeda | 84 |
| SYFOVRE | 162 |
| SYLVANT | 152 |
| SYMDEKO | 171 |
| SYMLINPEN 120 | 36 |
| SYMLINPEN 60 | 36 |
| SYMPAZAN | 30 |
| SYMTUZA | 73 |
| SYNAGIS | 166 |
| SYNJARDY | 36 |
| SYNJARDY XR | 36 |

T

| | |
|-------------------------------------|--------|
| tab-a-vite/beta carotene | 155 |
| TABRECTA | 62 |
| tacrolimus | 93,152 |
| tadalafil | 77 |
| tadalafil (pah) | 77 |
| TAFINLAR | 63 |
| tafluprost (pf) | 164 |
| TAGRISSO | 54 |
| TAKHZYRO | 108 |
| TALVEY | 53 |
| TALZENNA | 63 |
| tamoxifen citrate | 56 |
| tamsulosin hcl | 105 |
| tarina 24 fe | 84 |
| tarina fe 1/20 | 84 |
| tarina fe 1/20 eq | 84 |
| TARON-C DHA | 157 |
| TASIGNA | 63 |
| TAVALISSE | 107 |
| taysofy | 84 |
| TAYTULLA | 84 |
| TAZAROTENE | 89 |
| tazarotene | 90 |
| taztia xt | 76 |
| TAZVERIK | 63 |
| TDVAX | 172 |
| TECENTRIQ | 53 |
| TECHLITE AST LANCETS | 128 |
| TECHLITE INSULIN SYRINGE | 145 |
| TECHLITE LANCETS | 128 |
| TECHLITE LANCETS 26G | 128 |
| TECHLITE LANCETS 30G | 128 |
| TECHLITE PEN NEEDLES | 145 |
| TECHLITE PLUS PEN NEEDLES | 145 |
| TECVAYLI | 53 |
| TEGRETOL | 32 |
| TEGRETOL-XR | 32 |
| TEGSEDI | 170 |
| TEKTURNA HCT | 48 |

| | | | |
|---|-----|--|--------|
| telmisartan | 47 | ticagrelor | 108 |
| telmisartan-hctz | 48 | tilia fe | 84 |
| temazepam | 112 | timolol hemihydrate | 160 |
| temozolomide | 49 | timolol maleate | 75,160 |
| temsirolimus | 63 | timolol maleate (once-daily) | 160 |
| TENIVAC | 173 | tinidazole | 24 |
| tenofovir disoproxil fumarate | 73 | TIVDAK | 53 |
| TEPEZZA | 98 | TIVICAY | 73 |
| TEPMETKO | 63 | TIVICAY PD | 73 |
| terazosin hcl | 47 | tizanidine hcl | 158 |
| terbinafine hcl | 42 | TOBRADEX | 163 |
| terbutaline sulfate | 29 | tobramycin | 16,162 |
| terconazole | 178 | tobramycin-dexamethasone | 163 |
| teriflunomide | 169 | TODAY SPONGE | 178 |
| TERIPARATIDE (RECOMBINANT) | 97 | TODAYS HEALTH LANCING DEVICE | 128 |
| testosterone | 23 | TODAYS HEALTH MINI PEN NEEDLES | 145 |
| testosterone cypionate | 23 | TODAYS HEALTH PEN NEEDLES | 145 |
| TESTOSTERONE ENANTHATE | 23 | TODAYS HEALTH SHORT PEN NEEDLE | 145 |
| TETANUS-DIPHThERIA TOXOIDS TD | 173 | TODAYS HEALTH THIN LANCETS 28G | 128 |
| tetrabenazine | 168 | TODAYS HEALTH THIN LANCETS 30G | 128 |
| tetracycline hcl | 172 | TOFIDENCE | 18 |
| TEVIMBRA | 53 | tolcapone | 66 |
| TEZSPIRE | 27 | tolterodine tartrate | 175 |
| TGT GLUCOSE | 38 | tolterodine tartrate er | 175 |
| TGT LANCET MICRO THIN 33G | 128 | tolvaptan | 101 |
| TGT LANCET THIN 26G | 128 | TOPCARE CLICKFINE PEN NEEDLES | 145 |
| TGT LANCET ULTRA THIN 30G | 128 | TOPCARE LANCETS MICRO-THIN 33G | 128 |
| TGT LANCING DEVICE | 128 | TOPCARE ULTRA COMFORT INS SYR | 145 |
| THALOMID | 151 | topiramate | 32 |
| THEO-24 | 29 | topiramate er | 32 |
| theophylline | 29 | toremifene citrate | 56 |
| theophylline er | 29 | torpenz | 63 |
| THINLETS GP LANCETS | 128 | torseamide | 96 |
| thioridazine hcl | 69 | TOUJEO MAX SOLOSTAR | 40 |
| thiotepa | 49 | TOUJEO SOLOSTAR | 40 |
| thiothixene | 70 | TPOXX | 74 |
| THRIVITE RX | 157 | TRACLEER | 77 |
| THYROGEN | 94 | TRADJENTA | 38 |
| tiadylt er | 76 | tramadol hcl | 21 |
| tiagabine hcl | 33 | TRAMADOL HCL (ER BIPHASIC) | 21 |
| TIBSOVO | 63 | tramadol hcl er | 21 |

| | | | |
|---|--------|--|-----|
| tramadol-acetaminophen | 22 | TRICARE | 157 |
| trandolapril | 46 | tricitrates | 105 |
| TRANDOLAPRIL-VERAPAMIL HCL ER | 48 | tridacaine ii | 93 |
| tranexamic acid | 112 | tridacaine iii | 93 |
| TRANSDERM-SCOP | 42 | trientine hcl | 151 |
| tranylcypromine sulfate | 34 | trifluoperazine hcl | 69 |
| TRAVEL LANCETS | 128 | TRIFLURIDINE | 162 |
| TRAVEL LANCETS ADVANCED 28G | 128 | trihexyphenidyl hcl | 66 |
| travoprost (bak free) | 164 | TRIJARDY XR | 36 |
| TRAZIMERA | 51 | TRIKAFTA | 171 |
| trazodone hcl | 35 | TRILEPTAL | 32 |
| TRELEGY ELLIPTA | 29 | trimethobenzamide hcl | 42 |
| TRELSTAR MIXJECT | 56 | trimethoprim | 24 |
| TREMFYA | 90,91 | trimipramine maleate | 36 |
| TREMFYA ONE-PRESS | 91 | TRINATAL RX 1 | 157 |
| TREMFYA PEN | 91 | TRINTELLIX | 35 |
| treprostinil | 77 | TRIPTODUR | 99 |
| TRESIBA | 40 | TRISENOX | 65 |
| TRESIBA FLEXTOUCH | 40 | TRISTART DHA | 157 |
| tretinoin | 65,89 | TRIUMEQ | 73 |
| tri femynor | 84 | TRIUMEQ PD | 73 |
| tri-estarylla | 84 | trivora (28) | 84 |
| tri-legest fe | 84 | TRODELVY | 66 |
| tri-linyah | 84 | TROKENDI XR | 32 |
| tri-lo-estarylla | 84 | tropicamide | 161 |
| tri-lo-marzia | 84 | tropium chloride | 175 |
| tri-lo-mili | 84 | tropium chloride er | 175 |
| tri-lo-sprintec | 84 | TRUE COMFORT ALCOHOL PREP PADS | 133 |
| tri-mili | 84 | TRUE COMFORT INSULIN SYRINGE | 145 |
| tri-nymyo | 84 | TRUE COMFORT PEN NEEDLES | 145 |
| tri-previfem | 84 | TRUE COMFORT PRO ALCOHOL PREP | 133 |
| tri-sprintec | 84 | TRUE COMFORT PRO INSULIN SYR | 145 |
| TRI-VI-FLOR | 155 | TRUE COMFORT PRO PEN NEEDLES | 145 |
| TRI-VITAMIN WITH FLUORIDE | 155 | TRUE COMFORT SAFETY LANCETS | 128 |
| TRI-VITE/FLUORIDE | 155 | TRUE COMFORT SAFETY PEN NEEDLE | 145 |
| tri-vylibra | 84 | TRUE COMFORT TWIST TOP LANCETS | 128 |
| tri-vylibra lo | 84 | true daily vite | 155 |
| triamcinolone acetonide | 92,154 | true ferrous sulfate | 111 |
| triamcinolone in absorbase | 92 | true folic acid | 109 |
| triamterene-hctz | 96 | true vitamin a | 179 |
| triazolam | 112 | true vitamin b1 | 179 |

| | |
|--|---------|
| true vitamin b12 | 109 |
| true vitamin b2 | 179 |
| true vitamin b3 | 179 |
| true vitamin b6 | 179 |
| true vitamin c | 179 |
| true vitamin d3 | 179,180 |
| TRUEDRAW LANCING DEVICE | 128 |
| TRUEPLUS 5-BEVEL PEN NEEDLES | 145 |
| TRUEPLUS GLUCOSE | 38 |
| TRUEPLUS GLUCOSE ON THE GO | 38 |
| TRUEPLUS INSULIN SYRINGE | 146 |
| TRUEPLUS LANCETS 26G | 128 |
| TRUEPLUS LANCETS 28G | 128 |
| TRUEPLUS LANCETS 30G | 129 |
| TRUEPLUS LANCETS 33G | 129 |
| TRUEPLUS PEN NEEDLES | 146 |
| TRUEPLUS SAFETY LANCETS 28G | 129 |
| TRULICITY | 39 |
| TRUMENBA | 176 |
| TRUQAP | 63 |
| TRYNGOLZA | 174 |
| TUKYSA | 51 |
| tulana | 87 |
| TURALIO | 63 |
| turqoz | 84 |
| TWIIST STARTER KIT | 129 |
| TWINRIX | 178 |
| TWIRLA | 85 |
| TWIST TOP LANCETS 30G | 129 |
| TYBLUME | 84 |
| TYBOST | 73 |
| tydemy | 84 |
| TYENNE | 18 |
| TYMLOS | 97 |
| TYSABRI | 169 |
| TYVASO | 77 |
| TYVASO DPI INSTITUTIONAL KIT | 77 |
| TYVASO DPI MAINTENANCE KIT | 77 |
| TYVASO DPI TITRATION KIT | 77 |
| TYVASO REFILL | 77 |
| TYVASO STARTER | 77 |

| | |
|------------------|----|
| TZIELD | 37 |
|------------------|----|

U

| | |
|--|-----|
| UBRELVY | 149 |
| UDENYCA | 111 |
| UDENYCA ONBODY | 111 |
| ULTI-LANCE AUTOMATIC | 129 |
| ULTICARE ALCOHOL SWABS | 133 |
| ULTICARE INSULIN SAFETY SYR | 146 |
| ULTICARE INSULIN SYR 1/2 UNIT | 146 |
| ULTICARE INSULIN SYRINGE | 146 |
| ULTICARE MICRO PEN NEEDLES | 146 |
| ULTICARE MINI PEN NEEDLES | 146 |
| ULTICARE PEN NEEDLES | 146 |
| ULTICARE SHORT PEN NEEDLES | 146 |
| ULTIGUARD SAFEPACK PEN NEEDLE | 146 |
| ULTIGUARD SAFEPACK SYR/NEEDLE | 146 |
| ULTILET ALCOHOL SWABS | 133 |
| ULTILET CLASSIC LANCETS | 129 |
| ULTILET INSULIN SYRINGE | 146 |
| ULTILET INSULIN SYRINGE SHORT | 146 |
| ULTILET LANCETS | 129 |
| ULTILET PEN NEEDLE | 146 |
| ULTILET SAFETY LANCETS | 129 |
| ULTILET SAFETY LANCETS 23G | 129 |
| ULTOMIRIS | 107 |
| ULTRA COMFORT INSULIN SYRINGE | 147 |
| ULTRA FLO INSULIN PEN NEEDLES | 147 |
| ULTRA FLO INSULIN SYR 1/2 UNIT | 147 |
| ULTRA FLO INSULIN SYRINGE | 147 |
| ULTRA THIN LANCETS 31G | 129 |
| ULTRA THIN PEN NEEDLES | 147 |
| ULTRA-CARE ALCOHOL PREP PADS | 133 |
| ULTRA-CARE LANCETS 30G | 129 |
| ULTRA-THIN II AUTO LANCET | 129 |
| ULTRA-THIN II INS SYR SHORT | 147 |
| ULTRA-THIN II INSULIN SYRINGE | 147 |
| ULTRA-THIN II LANCETS | 129 |
| ULTRA-THIN II MINI PEN NEEDLE | 147 |
| ULTRA-THIN II PEN NEEDLE SHORT | 147 |
| ULTRA-THIN II PEN NEEDLES | 147 |

| | | | |
|--|-----|--|-----|
| ULTRACARE INSULIN SYRINGE | 147 | UNISTIK TOUCH SAFETY LANC 23G | 130 |
| ULTRACARE PEN NEEDLES | 147 | UNISTIK TOUCH SAFETY LANC 28G | 130 |
| UNI-SOLVE | 70 | UNISTIK TOUCH SAFETY LANC 30G | 130 |
| UNIFINE OTC PEN NEEDLES | 147 | unithroid | 172 |
| UNIFINE PEN NEEDLES | 147 | UNITUXIN | 53 |
| UNIFINE PENTIPS | 147 | UNIVERSAL 1 LANCETS THIN 26G | 130 |
| UNIFINE PENTIPS PLUS | 147 | UNIVERSAL 1 LANCETS THIN 33G | 130 |
| UNIFINE PROTECT PEN NEEDLE | 147 | UNIVERSAL 1 LANCETS ULTRA THIN | 130 |
| UNIFINE SAFECONTROL PEN NEEDLE | 147 | UP & UP GLUCOSE | 38 |
| UNIFINE ULTRA PEN NEEDLE | 148 | UPLIZNA | 152 |
| UNILET COMFORTOUCH LANCET | 129 | UPTRAVI | 78 |
| UNILET EXCELITE | 129 | ursodiol | 102 |
| UNILET EXCELITE II | 129 | UZEDY | 68 |
| UNILET G.P. LANCET | 129 | | |
| UNILET G.P. SUPERLITE LANCET | 129 | V | |
| UNILET GP 28 ULTRA THIN | 129 | V-GO 20 | 130 |
| UNILET LANCET | 129 | V-GO 30 | 130 |
| UNILET MICRO-THIN 33G | 129 | V-GO 40 | 130 |
| UNILET SUPER-THIN 30G | 129 | VABYSMO | 161 |
| UNILET SUPERLITE LANCET | 129 | valacyclovir hcl | 74 |
| UNILET ULTRA-THIN 28G | 129 | VALCHLOR | 90 |
| UNISTIK 1 | 129 | valganciclovir hcl | 73 |
| UNISTIK 2 | 129 | valproic acid | 33 |
| UNISTIK 2 COMFORT | 129 | valsartan | 47 |
| UNISTIK 2 EXTRA | 129 | valsartan-hydrochlorothiazide | 48 |
| UNISTIK 2 NEONATAL | 129 | VALTOCO 10 MG DOSE | 30 |
| UNISTIK 2 NORMAL | 129 | VALTOCO 15 MG DOSE | 31 |
| UNISTIK 2 SUPER | 130 | VALTOCO 20 MG DOSE | 31 |
| UNISTIK 3 | 130 | VALTOCO 5 MG DOSE | 31 |
| UNISTIK 3 COMFORT | 130 | valtya 1/50 | 84 |
| UNISTIK 3 EXTRA | 130 | VALUE HEALTH INSULIN SYRINGE | 148 |
| UNISTIK 3 GENTLE | 130 | VALUE PLUS GLUCOSE | 38 |
| UNISTIK 3 NEONATAL | 130 | VALUE PLUS LANCET STANDARD 21G | 130 |
| UNISTIK 3 NORMAL | 130 | VALUE PLUS LANCETS SUPER THIN | 130 |
| UNISTIK CZT COMFORT | 130 | VALUE PLUS LANCETS THIN 26G | 130 |
| UNISTIK CZT NORMAL | 130 | VALUE PLUS LANCING DEVICE | 130 |
| UNISTIK NORMAL | 130 | VALUMARK LANCET SUPER THIN 30G | 130 |
| UNISTIK PRO SAFETY LANCET | 130 | VALUMARK LANCET ULTRA THIN 28G | 130 |
| UNISTIK SAFETY LANCETS 28G | 130 | VALUMARK PEN NEEDLES | 148 |
| UNISTIK SAFETY LANCETS 30G | 130 | vancomycin hcl | 24 |
| UNISTIK TOUCH SAFETY LANC 21G | 130 | VANFLYTA | 63 |

| | | | |
|--|-----|--|-----|
| VANISHPOINT INSULIN SYRINGE | 148 | VIJOICE | 152 |
| VAQTA | 178 | vilazodone hcl | 35 |
| varenicline tartrate | 170 | VILTEPSO | 159 |
| varenicline tartrate (starter) | 170 | VIMIZIM | 100 |
| varenicline tartrate(continue) | 170 | VINATE ONE | 157 |
| VARIVAX | 178 | VIOKACE | 96 |
| VAXNEUVANCE | 176 | viorele | 85 |
| VCF VAGINAL CONTRACEPTIVE | 178 | VIRACEPT | 73 |
| VECTIBIX | 54 | VIREAD | 73 |
| VELIVET | 84 | VIRT-NATE DHA | 157 |
| VELPHORO | 104 | VIRT-PN DHA | 157 |
| VEMLIDY | 74 | VIRT-PN PLUS | 157 |
| VENCLEXTA | 53 | virtussin a/c | 88 |
| VENCLEXTA STARTING PACK | 53 | virtussin ac w/alc | 88 |
| venlafaxine hcl | 35 | VISUDYNE | 162 |
| venlafaxine hcl er | 35 | VITAFOL GUMMIES | 157 |
| VENTAVIS | 77 | VITAFOL ULTRA | 157 |
| VEOPOZ | 107 | VITAFOL-NANO | 157 |
| verapamil hcl | 76 | VITAFOL-OB | 157 |
| verapamil hcl er | 76 | VITAFOL-OB+DHA | 157 |
| VEREGEN | 89 | VITAFOL-ONE | 157 |
| VERIFINE INSULIN PEN NEEDLE | 148 | vitamin a | 179 |
| VERIFINE INSULIN SYRINGE | 148 | vitamin b complex | 154 |
| VERIFINE PLUS PEN NEEDLE | 148 | vitamin b complex w/b-12 | 154 |
| VERIFINE SAFE LANCET MINI 21G | 130 | vitamin b-1 | 180 |
| VERIFINE SAFE LANCET MINI 23G | 130 | vitamin b-12 | 109 |
| VERIFINE SAFE LANCET MINI 28G | 131 | vitamin b-6 | 180 |
| VERIFINE SAFE LANCET MINI 30G | 131 | vitamin b1 | 180 |
| VERIFINE UNIVERSAL LANCETS 28G | 131 | vitamin b12 | 109 |
| VERIFINE UNIVERSAL LANCETS 30G | 131 | vitamin c | 180 |
| VERIFINE UNIVERSAL LANCETS 33G | 131 | vitamin d (ergocalciferol) | 179 |
| VERZENIO | 63 | vitamin d3 | 179 |
| vestura | 85 | VITAMINS ACD-FLUORIDE | 155 |
| VIDA MIA AUTOLET LANCING DEV | 131 | VITRAKVI | 63 |
| VIDA MIA UNIFINE PENTIPS | 148 | VIVA DHA | 157 |
| VIDA MIA UNILET LANCETS 28G | 131 | VIVAGUARD LANCETS | 131 |
| VIDA MIA UNILET LANCETS 30G | 131 | VIVAGUARD LANCETS 30G | 131 |
| vienna | 85 | VIVAGUARD LANCING DEVICE | 131 |
| vigabatrin | 33 | VIVAGUARD SAFETY LANCETS 28G | 131 |
| vigadrone | 33 | VIVI CAP | 131 |
| vigpoder | 33 | VIVI CAP1 | 131 |

| | |
|--------------------|-----|
| VIVIMUSTA | 50 |
| VIVITROL | 41 |
| VIVOTIF | 176 |
| VIZIMPRO | 54 |
| volnea | 85 |
| VONJO | 63 |
| VORANIGO | 64 |
| voriconazole | 43 |
| VOXZOGO | 100 |
| VP INSULIN SYRINGE | 148 |
| VP-PNV-DHA | 157 |
| VPRIV | 109 |
| VRAYLAR | 67 |
| VUITY | 161 |
| vyfemla | 85 |
| VYJUVEK | 94 |
| vylibra | 85 |
| VYLOY | 53 |
| VYNDAMAX | 78 |
| VYNDAQEL | 78 |
| VYONDYS 53 | 160 |
| VYVGART | 151 |
| VYVGART HYTRULO | 151 |
| VYXEOS | 58 |
| VYZULTA | 164 |

W

| | |
|------------------------------|-----|
| WALGREENS ADV TRAVEL LANCETS | 131 |
| WALGREENS GLUCOSE | 38 |
| WALGREENS LANCETS | 131 |
| WALGREENS LANCETS MICRO THIN | 131 |
| WALGREENS LANCETS SUPER THIN | 131 |
| WALGREENS THIN LANCETS | 131 |
| WALGREENS ULTRA THIN LANCETS | 131 |
| warfarin sodium | 29 |
| WEBCOL ALCOHOL PREP LARGE | 133 |
| WEBCOL ALCOHOL PREP MEDIUM | 133 |
| wee care | 111 |
| WEGMANS UNIFINE PENTIPS PLUS | 148 |
| WELIREG | 56 |
| wera | 85 |

| | |
|------------------------|-----|
| WESCAP-C DHA | 157 |
| WESCAP-PN DHA | 158 |
| WESNATE DHA | 158 |
| WESTGEL DHA | 158 |
| WIDE-SEAL DIAPHRAGM 60 | 114 |
| WIDE-SEAL DIAPHRAGM 65 | 114 |
| WIDE-SEAL DIAPHRAGM 70 | 114 |
| WIDE-SEAL DIAPHRAGM 75 | 114 |
| WIDE-SEAL DIAPHRAGM 80 | 114 |
| WIDE-SEAL DIAPHRAGM 85 | 114 |
| WIDE-SEAL DIAPHRAGM 90 | 114 |
| WIDE-SEAL DIAPHRAGM 95 | 114 |
| WILATE | 107 |
| WINRHO SDF | 166 |
| wixela inhub | 29 |
| wymzya fe | 85 |

X

| | |
|----------------------------|-------|
| XALKORI | 64 |
| xarah fe | 85 |
| XARELTO | 29,30 |
| XARELTO STARTER PACK | 30 |
| XATMEP | 50 |
| XCOPRI | 32,33 |
| XCOPRI (250 MG DAILY DOSE) | 33 |
| XCOPRI (350 MG DAILY DOSE) | 33 |
| XDEMVY | 162 |
| XELJANZ | 17 |
| XELJANZ XR | 17 |
| xelria fe | 85 |
| XEMBIFY | 166 |
| XENPOZYME | 100 |
| XEOMIN | 160 |
| XEPI | 89 |
| XERAC AC | 94 |
| XERESE | 91 |
| XERMELO | 104 |
| XGEVA | 97 |
| XIAFLEX | 151 |
| XIFAXAN | 24 |
| XIIDRA | 162 |

| | | | |
|---------------------------------------|-----|---|-----|
| XIPERE | 163 | ZEJULA | 64 |
| XOFIGO | 64 | ZELBORAF | 64 |
| XOFLUZA (40 MG DOSE) | 74 | ZEMAIRA | 171 |
| XOFLUZA (80 MG DOSE) | 74 | ZEMBRACE SYMTOUCH | 150 |
| XOLAIR | 27 | zenatane | 89 |
| XOLREMDI | 112 | ZENPEP | 96 |
| XOPENEX HFA | 29 | ZEPOSIA | 169 |
| XOSPATA | 64 | ZEPOSIA 7-DAY STARTER PACK | 169 |
| XPHOZAH | 100 | ZEPOSIA STARTER KIT | 169 |
| XPOVIO (100 MG ONCE WEEKLY) | 56 | ZEPZELCA | 50 |
| XPOVIO (40 MG ONCE WEEKLY) | 57 | ZETONNA | 159 |
| XPOVIO (40 MG TWICE WEEKLY) | 57 | ZEVALIN Y-90 | 53 |
| XPOVIO (60 MG ONCE WEEKLY) | 57 | ZEV RX INSULIN SYRINGE | 148 |
| XPOVIO (60 MG TWICE WEEKLY) | 57 | ZEV RX PEN NEEDLES | 148 |
| XPOVIO (80 MG ONCE WEEKLY) | 57 | ZEV RX STERILE ALCOHOL PREP PAD | 133 |
| XPOVIO (80 MG TWICE WEEKLY) | 57 | ZEV RX TWIST TOP LANCETS 30G | 131 |
| XTANDI | 56 | zidovudine | 73 |
| xulane | 85 | ZIEXTENZO | 111 |
| XULTOPHY | 37 | ZIIHERA | 175 |
| XYNTHA | 107 | ZINPLAVA | 166 |
| XYNTHA SOLOFUSE | 107 | ziprasidone hcl | 67 |
| XYWAV | 167 | ZOKINVY | 153 |
| Y | | | |
| yargesa | 109 | ZOLEDRONIC ACID | 97 |
| YCANTH | 93 | zoledronic acid | 97 |
| YERVOY | 53 | ZOLINZA | 64 |
| YESINTEK | 175 | zolmitriptan | 150 |
| yl folic acid | 109 | ZOLPIDEM TARTRATE | 112 |
| YONDELIS | 50 | zolpidem tartrate | 112 |
| YUSIMRY | 17 | zolpidem tartrate er | 112 |
| yuvafem | 178 | ZOMACTON | 98 |
| Z | | | |
| zafemy | 85 | ZOMACTON (FOR ZOMA-JET 10) | 98 |
| zafirlukast | 28 | zomig | 150 |
| zaleplon | 112 | zonisamide | 32 |
| ZALTRAP | 51 | zovia 1/35 (28) | 85 |
| zarah | 85 | zovia 1/35e (28) | 85 |
| ZATEAN-PN DHA | 158 | ZTALMY | 32 |
| ZATEAN-PN PLUS | 158 | zumandimine | 85 |
| | | ZURZUVAE | 34 |
| | | ZYDELIG | 64 |
| | | ZYKADIA | 64 |
| | | ZYMFENTRA (1 PEN) | 103 |

ZYMFENTRA (2 PEN) 103
ZYMFENTRA (2 SYRINGE) 103
ZYNLONTA 53
ZYPITAMAG 45
ZYPREXA RELPREVV 69