

Geisinger Health Plan Policies and Procedure Manual

Policy: MP165

Section: Medical Benefit Policy

Subject: Treatment of Vestibular Disorders

Applicable Lines of Business

Commercial	Х	CHIP	Х
Medicare	Х	ACA	X
Medicaid	Х		

I. Policy: Treatment of Vestibular Disorders

II. Purpose/Objective:

To provide a policy of coverage regarding Treatment of Vestibular Disorders

III. Responsibility:

- A. Medical Directors
- B. Medical Management

IV. Required Definitions

- 1. Attachment a supporting document that is developed and maintained by the policy writer or department requiring/authoring the policy.
- 2. Exhibit a supporting document developed and maintained in a department other than the department requiring/authoring the policy.
- 3. Devised the date the policy was implemented.
- 4. Revised the date of every revision to the policy, including typographical and grammatical changes.
- 5. Reviewed the date documenting the annual review if the policy has no revisions necessary.

V. Additional Definitions

Medical Necessity or Medically Necessary means Covered Services rendered by a Health Care Provider that the Plan determines are:

- a. appropriate for the symptoms and diagnosis or treatment of the Member's condition, illness, disease or injury;
- b. provided for the diagnosis, and the direct care and treatment of the Member's condition, illness disease or injury;
- c. in accordance with current standards of good medical treatment practiced by the general medical community.
- d. not primarily for the convenience of the Member, or the Member's Health Care Provider; and
- e. the most appropriate source or level of service that can safely be provided to the Member. When applied to hospitalization, this further means that the Member requires acute care as an inpatient due to the nature of the services rendered or the Member's condition, and the Member cannot receive safe or adequate care as an outpatient.

Medicaid Business Segment

Medically Necessary — A service, item, procedure, or level of care that is necessary for the proper treatment or management of an illness, injury, or disability is one that:

- Will, or is reasonably expected to, prevent the onset of an illness, condition, injury or disability.
- Will, or is reasonably expected to, reduce or ameliorate the physical, mental or developmental effects of an illness, condition, injury or disability.

Will assist the Member to achieve or maintain maximum functional capacity in performing daily activities, taking
into account both the functional capacity of the Member and those functional capacities that are appropriate for
Members of the same age

DEFINITIONS:

Particle repositioning maneuvers (i.e. Epley Canalith maneuver and/or Semont Maneuver) is a series of rotational maneuvers of the head and body designed to relocate displaced otoconia and other material from a foreign location in one of the semicircular canals to the vestibule area.

Vestibular Rehabilitation, also known as vestibular exercise and balance retraining, is a series of graded exercises that consist of eye, head, and body movements designed to stimulate the vestibular system. The goals of vestibular rehabilitation therapy are to improve balance, minimize falls, and decrease the subjective sensation of dizziness by improving vestibular function and promoting mechanisms of central adaptation and compensation. A minimal detectable change should also be noted on the appropriately administered functional outcome measure (ie. Dynamic gait Index, Berg Balance Assessment) to assure treatment efficacy.

Dix-Hallpike test, based on the theory of canalithiasis, involves rapidly changing the patient's position from sitting upright to lying down with the head to one side. The positionally provoked nystagmus can be used to diagnose posterior canal benign positional vertigo, and furthermore may help determine which side is affected.

INDICATIONS:

Particle repositioning maneuvers (i.e. Epley Canalith maneuver and/or Semont Maneuver) may be considered medically necessary for the treatment of benign paroxysmal positional vertigo and benign positional vertigo other than paroxysmal when evidenced by a Dix-Hallpike test and/or clinical signs and symptoms indicative of BPPV are present.

Vestibular function testing by electronystagmography (ENG) and videonystagmography testing batteries, caloric testing, or rotational chair testing may be considered medically necessary when the following conditions have been met:

- The member is experiencing symptoms of a vestibular disorder (eg, dizziness, vertigo, imbalance); AND
- A clinical evaluation, including the Dix-Hallpike test if indicated, has not identified the cause of the symptoms.

Vestibular Rehabilitation may be considered medically necessary for the treatment of stable, non-fluctuating central or peripheral vestibular dysfunctions when performed by a licensed physical/occupational therapist and **ALL** the following criteria are met:

- Stable vestibular lesions associated with balance dysfunction
- Documentation of previously failed medical management
- Symptoms which interfere with daily activities

LIMITATIONS:

The coverage for Vestibular Rehabilitation is subject to the availability and limitations of the physical/occupational therapy benefit as described in the member's applicable benefit document.

EXCLUSIONS: The Plan does **NOT** provide coverage for Vestibular Rehabilitation for indications with fluctuating vestibular symptoms, including but not limited to Meniere's disease because it is considered **experimental**, **investigational or unproven**. There is insufficient evidence in the peer-reviewed published medical literature to establish the effectiveness of this treatment on health outcomes when compared to established treatments or modalities.

The Plan does **NOT** provide coverage for the use of SensoryViewtm because it is considered **experimental**, **investigational or unproven**. There is insufficient evidence in the peer-reviewed published medical literature to establish the effectiveness of this treatment on health outcomes when compared to established treatments or modalities.

The Plan does **NOT** provide coverage for use of an aural low-pulse pressure generator (i.e. Meniett™ Device) as a treatment for Meniere's disease because it is considered **experimental**, **investigational or unproven**. Although the device is FDA approved, there is insufficient evidence in the peer-reviewed published medical literature to establish the effectiveness of this treatment on health outcomes when compared to established treatments or technologies. **See MP176 Meniett™ Device**.

Vestibular Rehabilitation used to maintain a current level of function once therapeutic goals of treatment have been achieved and no additional functional progress is apparent or expected to occur is **NOT COVERED**.

<u>Note:</u> A complete description of the process by which a given technology or service is evaluated and determined to be experimental, investigational or unproven services is outlined in MP 15 - Experimental Investigational or Unproven Services or Treatment

Medicaid Business Segment:

Any requests for services, that do not meet criteria set in the PARP, may be evaluated on a case by case basis.

CODING ASSOCIATED WITH: Treatment of Vestibular Disorders

The following codes are included below for informational purposes and may not be all inclusive. Inclusion of a procedure or device code(s) does not constitute or imply coverage nor does it imply or guarantee provider reimbursement. Coverage is determined by the member specific benefit plan document and any applicable laws regarding coverage of specific services. Please note that per Medicare coverage rules, only specific CPT/HCPCS Codes may be covered for the Medicare Business Segment. Please consult the CMS website at www.cms.gov or the local Medicare Administrative Carrier (MAC) for more information on Medicare coverage and coding requirements.

- 92531 Spontaneous nystagmus, including gaze
- 92532 Positional nystagmus test
- 92533 Caloric vestibular test, each irrigation (binaural, bithermal stimulation constitutes 4 tests)
- 92534 Optokinetic nystagmus test
- 92537 Caloric vestibular test with recording, bilateral; bithermal (ie, one warm and one cool irrigation in each ear for a total of four irrigations)
- 92538 monothermal (ie, one irrigation in each ear for a total of two irrigations)
- 92540 Basic vestibular evaluation, includes spontaneous nystagmus test with eccentric gaze fixation nystagmus, with recording, positional nystagmus test, minimum of 4 positions, with recording, optokinetic nystagmus test, bidirectional foveal and peripheral stimulation
- 92541 spontaneous nystagmus test, including gaze and fixation nystagmus, with recording
- 92542 positional nystagmus test, minimum of 4 positions, with recording
- 92544 Optokinetic nystagmus test, bidirectional, foveal or peripheral stimulation, with recording
- 92545 Oscillating tracking test, with recording
- 92546 Sinusoidal vertical axis rotational testing
- 92547 Use of vertical electrodes (list separately in addition to code for primary procedure)
- 95992 Canalith repositioning procedure(s) (eg. Epley Maneuver, Semont Maneuver), per day
- 97110 Therapeutic procedure I or more areas each 15 minutes; Therapeutic exercises to develop strength and endurance, range of motion and flexibility.
- 97112 Therapeutic procedure, one or more areas, each 15 minutes; neuromuscular re-education of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities
- 97140 Manual Therapy Techniques (eg, mobilization/ manipulation, manual lymphatic drainage, manual traction), one or More regions, each 15 minutes
- S9476 Vestibular rehabilitation program, non-physician provider, per diem

Current Procedural Terminology (CPT®) © American Medical Association: Chicago, IL

LINE OF BUSINESS:

Eligibility and contract specific benefits, limitations and/or exclusions will apply. Coverage statements found in the line of business specific benefit document will supersede this policy. For Medicare, applicable LCD's and NCD's will supercede this policy. For PA Medicaid Business segment, this policy applies as written.

REFERENCES:

American Academy of Otolaryngology-Head and Neck Surgery. Clinical Indicators for Canalith Repositioning. American Academy of Otolaryngology-Head and Neck Surgery 2000. Accessed on November 8, 2005 at: http://www.entlink.net/practice/products/Canalith-Repositioning.cfm?renderforprint=1&

American Speech-Language-Hearing Association. Role of Audiologists in Vestibular and Balance Rehabilitation: Position Statement. ASHA Ad Hoc Committee on Vestibular Rehabilitation. 1999
Accessed on November 8, 2005 at: http://www.asha.com

Cohen HS, Kimball KT. Increased Independence and Decreased Vertigo After Vestibular Rehabilitation. Otolaryngol Head Neck Surg 2003; 128:60-70.

Cohen HS< Kimball KT. Effectiveness of treatments for benign paroxysmal positional vertigo of the posterior canal. Otol Neurotol 2005 Sep; 26(5):1034-40.

Cowand JL, Wrisley DM, Walker M, Strasnick B, Jacobson JT. Efficacy of Vestibular Rehabilitation. Otolaryngol Head Neck Surg 1998; 118:49-54.

ECRI Hotline HTAIS (online). Uses of Vestibular Rehabilitation. Plymouth Meeting; ECRI. Current as of 01/16/07.

Ekvall Hansson E, Mansson NO, Ringsberg KA, Hakansson A. Dizziness among patients with whiplash-associated disorder: a randomized controlled trial. J Rehabil Med. 2006 Nov; 38(6):387-90.

Gottshall KR, Hoffer ME, Moore RJ, Balough BJ. The Role of Vestibular Rehabilitation in the Treatment of Meniere's disease. Otolaryngol Head Neck Surg 2005; 133:326-328.

Helminski JO, Janssen I, Kotaspouikis D, Kovacs K, Sheldon P, McQueen K, Hain TC. Startegies to prevent recurrence of benign paroxysmal positional vertigo Arch Otolaryngol Head Neck Surg 2005 April; 131(4):344-8.

Krebs DE, Gill-body KM, Parker SW, Ramirez JV, Wernick-Robinson M. Vestibular Rehabilitation: useful but not universally so. Otolaryngol Head Neck Surg 2003; 128:240-50.

Prokopakis et al. Benign Paroxysmal Positional Vertigo: 10-Year Experience in Treating Patients with Canalith Repositioning Procedure. Laryngoscope 2005; 115:1667-1671.

Reams, Carl. E-mail communication to GHP from the Geisinger Medical Center Otolaryngology Dept... 27 January 2006.

Steenerson RL, Cronin GW, Marbach PM. Effectiveness of Treatment Techniques in 923 Cases of Benign Paroxysmal Positional Vertigo. Laryngoscope 2005; 115:226-231.

Whitney SL, Wrisley DM, Marchetti GF, Furman JM. The Effect of Age on Vestibular Rehabilitation Outcomes. Laryngoscope 2002; 112:1785-1790.

Winifred S. Hayes. Vestibular Rehabilitation for the Treatment of vestibular and Balance Disorders. October 8, 1999. Updated on September 7, 2005.

Wrisley DM, Pavlou M. Physical Therapy for Balance Disorders. Neurol Clin 2005; 23:855-874.

American Academy of Neurology. Practice Parameter: Therapies for benign paroxysmal positional vertigo. Report of the Quality Standards Subcommittee of the American Academy of Neurology. May 2008. Accessed February 11, 2009. Available at URL address:

http://www.aan.com/index.cfm?axon=redirect&&path=/go/practice/guidelines

Ahsan SF, Standring R, Wang Y. Systematic review and meta-analysis of Meniett therapy for Meniere's disease. The Laryngoscope. 2015;125(1):203 – 208.

Syed MI, Rutka J, Hendry J, Browning GG. Positive pressure therapy for Meniere's syndrome/disease with a Meniett device: A systematic review of randomised controlled trials. Clin Otolaryngol. 2015;40(3):197-207

van den Berge MJ, van Dijk JM, Posthumus IA, Smidt N, van Dijk P, Free RH. Microvascular decompression of the cochleovestibular nerve for treatment of tinnitus and vertigo: a systematic review and meta-analysis of individual patient data. J Neurosurg. 2016 Dec 2:1-14.

Fife TD, Tusa RJ, Furman JM, et al. Assessment: Vestibular testing techniques in adults and children: Report of the Therapeutics and Technology Assessment Subcommittee of the American Academy of Neurology. Neurology. 2000;55(10):1431-1441.

Mempouo E, Lau K, Green F, et al. Customised vestibular rehabilitation with the addition of virtual reality based therapy in the management of persistent postural-perceptual dizziness. J Laryngol Otol. 2021;135(10):887-891

This policy will be revised as necessary and reviewed no less than annually.

Devised: 02/20/06

Revised: 02/07, 2/08(wording); 2/09 (coding/wording); 3/10 (coding); 3/18 (add exclusion and cross reference); 3/20 (add vestibular function testing)

Reviewed: 4/11, 4/12, 4/13, 4/14, 4/15, 4/16, 3/17, 3/19, 3/21, 3/22, 3/23

Geisinger Health Plan may refer collectively to health care coverage sponsors Geisinger Health Plan, Geisinger Quality Options, Inc., and Geisinger Indemnity Insurance Company, unless otherwise noted. Geisinger Health Plan is part of Geisinger, an integrated health care delivery and coverage organization.

Coverage for experimental or investigational treatments, services and procedures is specifically excluded under the member's certificate with Geisinger Health Plan. Unproven services outside of an approved clinical trial are also specifically excluded under the member's certificate with Geisinger Health Plan. This policy does not expand coverage to services or items specifically excluded from coverage in the member's certificate with Geisinger Health Plan. Additional information can be found in MP015 Experimental, Investigational or Unproven Services.

Prior authorization and/or pre-certification requirements for services or items may apply. Pre-certification lists may be found in the member's contract specific benefit document. Prior authorization requirements can be found at https://www.geisinger.org/health-plan/providers/ghp-clinical-policies

Please be advised that the use of the logos, service marks or names of Geisinger Health Plan, Geisinger Quality Options, Inc. and Geisinger Indemnity Insurance Company on a marketing, press releases or any communication piece regarding the contents of this medical policy is strictly prohibited without the prior written consent of Geisinger Health Plan. Additionally, the above medical policy does not confer any endorsement by Geisinger Health Plan, Geisinger Quality Options, Inc. and Geisinger Indemnity Insurance Company regarding the medical service, medical device or medical lab test described under this medical policy.