

**Policy: MP204**

**Section: Medical Benefit Policy**

**Subject: Nasal and Sinus Surgery**

**I. Policy:** Nasal and Sinus Surgery

**II. Purpose/Objective:**

To provide a policy of coverage regarding Nasal and Sinus Surgery

**III. Responsibility:**

- A. Medical Directors
- B. Medical Management

**IV. Required Definitions**

1. Attachment – a supporting document that is developed and maintained by the policy writer or department requiring/authoring the policy.
2. Exhibit – a supporting document developed and maintained in a department other than the department requiring/authoring the policy.
3. Devised – the date the policy was implemented.
4. Revised – the date of every revision to the policy, including typographical and grammatical changes.
5. Reviewed – the date documenting the annual review if the policy has no revisions necessary.

**V. Additional Definitions**

Medical Necessity or Medically Necessary means Covered Services rendered by a Health Care Provider that the Plan determines are:

- a. appropriate for the symptoms and diagnosis or treatment of the Member's condition, illness, disease or injury;
- b. provided for the diagnosis, and the direct care and treatment of the Member's condition, illness disease or injury;
- c. in accordance with current standards of good medical treatment practiced by the general medical community.
- d. not primarily for the convenience of the Member, or the Member's Health Care Provider; and
- e. the most appropriate source or level of service that can safely be provided to the Member. When applied to hospitalization, this further means that the Member requires acute care as an inpatient due to the nature of the services rendered or the Member's condition, and the Member cannot receive safe or adequate care as an outpatient.

**Medicaid Business Segment**

Medical Necessity shall mean a service or benefit that is compensable under the Medical Assistance Program and if it meets any one of the following standards:

- (i) The service or benefit will, or is reasonably expected to, prevent the onset of an illness, condition or disability.
- (ii) The service or benefit will, or is reasonably expected to, reduce or ameliorate the physical, mental or development effects of an illness, condition, injury or disability.
- (iii) The service or benefit will assist the Member to achieve or maintain maximum functional

capacity in performing daily activities, taking into account both the functional capacity of the Member and those functional capacities that are appropriate for members of the same age.

**DESCRIPTION:**

**Septoplasty:** a surgical revision of the nasal septum performed to improve breathing, relieve nasal obstruction, to reconstruct the septum following extensive surgery or traumatic injury, or to remove benign or malignant tumors.

**Rhinoplasty:** a surgical procedure to correct nasal contour and/or correct nasal function. Considered cosmetic in most instances.

**Rhinoplasty with Septoplasty or Septoplasty with Rhinoplasty:** Both procedures address all of the bone and cartilage supporting the nose and have the potential to alter the external appearance of the nose. These procedures may be performed for cosmetic and/or functional indications.

**Computer augmented endoscopic sinus surgery (CAESS)** utilizes a stereotactic image guidance system (InstaTrak™) to provide surgical field orientation outside the viewing area of the endoscope. Using two and three dimensional computer screen displays, the endoscope position is integrated and superimposed on pre-operative CT scan images oriented to the patient by using a stereotactic reference frame, to assist in surgical navigation through diseased and/or surgically revised complex anatomy.

**Balloon Sinuplasty** is an endoscopic, catheter-based device, used to dilate blocked ostia and spaces in paranasal sinus cavities without cutting bone or tissue.

**INDICATIONS:**

**Septoplasty/Rhinoplasty: REQUIRES PRIOR MEDICAL DIRECTOR or DESIGNEE AUTHORIZATION**

- **Septoplasty** may be considered for medical necessity for the following indications:
  - Medical documentation of chronic nasal airway obstruction that is refractory to attempts at non-surgical management such as, but not limited to nasal decongestants and intranasal steroids and evidenced by documentation of impairment in the ability to perform daily activities because of difficult breathing (i.e., loss of sleep and accompanying fatigue, headache, poor concentration, impacting ability to carry out physical, social and work/school responsibilities effectively); **or**
  - A deviated septum that produces chronic nasal airway obstruction and results in significant medical conditions such as, but not limited to:
    - Recurrent documented purulent sinusitis (defined as a minimum of 3 episodes in the past 12 months) refractory to non-surgical management; or
    - Recurrent epistaxis when non-surgical management has failed; or
    - Impending nasal septal perforation with failure of non-surgical management

**Or**
  - Radiographic evidence of nasal septal deformity (not present prior to the injury) as a result of traumatic injury; **or**
  - Nasal septal deformity that prevents access to other intranasal areas, when required to perform medically necessary surgical procedures such as, but not limited to sinus endoscopy, ethmoidectomy, nasal polypectomy or tumor removal; **or**
  - Septoplasty done in association with cleft palate repair
- **Rhinoplasty in conjunction with septoplasty** may be considered for medical necessity when the member's condition cannot be corrected by septoplasty and turbinectomy alone **and**;
  - There is radiographic evidence of a nasal deformity due to surgical treatment of disease, congenital abnormality or traumatic injury; **or**
  - There is the presence of an airway obstruction caused by deformity due to disease, congenital abnormality or traumatic injury that is refractory to non-surgical interventions.

**Functional Endoscopic Sinus Surgery:**

- **Functional Endoscopic Sinus Surgery (FESS)** is considered medically necessary for the treatment of sinusitis, polyposis or sinus tumor when any one of the following criteria are met:
  - Suspected tumor on imaging or
  - physical examination
  - Suppurative complications, which include but are not limited to:
    - Subperiosteal abscess
    - Brain abscess
  - Chronic polyposis with symptoms unresponsive to medical therapy
  - Allergic fungal sinusitis, as indicated by All of the following;

- Nasal polyposis
- Positive CT findings
- Eosinophilic mucus
- Mucocele
- Recurrent sinusitis that triggers or aggravates pulmonary disease, such as asthma or cystic fibrosis
- Uncomplicated sinusitis and ALL of the following:
  - Either four or more documented episodes of acute rhinosinusitis in one year, or chronic sinusitis that interferes with lifestyle
  - Maximal medical therapy has been attempted, as indicated by all of the following:
    - Antibiotic therapy
    - Trial of inhaled steroids
    - Nasal lavage
    - Allergy Assessment
- Abnormal diagnostic work-up as indicated by any one of the following:
  - Findings suggestive of obstruction or active infection on CT
  - Significant obstructive symptoms due to polyposis that persist or recur after oral and topical corticosteroid treatment
  - Nasal endoscopy finding suggestive of significant disease
- Fungal mycetoma
- Failed previous sinus surgery
- Cerebrospinal Fluid rhinorrhea
- Encephalocele

#### **Mometasone furoate sinus implant:**

The use of mometasone furoate sinus implant (eg, Propel™) is considered medically necessary when used at the time of sinus surgical procedures when all the following criteria are met:

- Member is 18 years of age or older; and
- The primary sinus procedure has been considered medically necessary; and
- One or more of the following conditions are present:
  - Contraindication to systemic steroids
  - Polypoid disease
  - Failed previous surgery or restenosis

#### **Computer augmented endoscopic sinus surgery:**

- **Computer augmented endoscopic sinus surgery (CAESS)** has been reviewed by the Geisinger Technology Assessment Committee, and is considered medically necessary **only** in the limited circumstance when pre-operative CT or MRI imaging indicates that the complexity of the surgery is increased due to :
  - Distorted anatomical landmarks due to disease or injury; **or**
  - Complex anatomical revision secondary to prior surgery; **or**
  - Disease abutting the skull base, orbit, optic nerve or carotid artery;

#### **Balloon Sinuplasty:**

Balloon sinuplasty when performed as a component of FESS, or as a stand-alone procedure is considered medically necessary when the following criteria are met:

- Recurrent frontal, maxillary or sphenoidal sinusitis refractory to conservative medical management (nasal lavage, corticosteroids, antibiotics, etc); and
- Chronic sinusitis is confirmed by imaging studies that show one or more of the following:
  - Mucosal thickening
  - Bone thickening or remodeling
  - Obstruction of the osteomeatal complex

#### **EXCLUSIONS:**

##### **Septoplasty/Rhinoplasty:**

Rhinoplasty is considered a cosmetic procedure when performed to alter the external appearance of the nose in the absence of trauma or disease. Cosmetic procedures are **NOT COVERED** per the **Exclusions** section of the applicable benefit documents.

Septoplasty performed as part of a cosmetic procedure, or performed solely to improve appearance, or in the absence of the specified medical conditions as listed under INDICATIONS is considered a cosmetic procedure. Cosmetic procedures are **NOT COVERED** per the **Exclusions** section of the applicable benefit documents.

**Computer augmented endoscopic sinus surgery:**

Computer augmented endoscopic sinus surgery is **not covered** for indications not listed in this policy or if it is determined to be not medically necessary.

**Balloon Sinuplasty:**

The Plan does **NOT** provide coverage for the use of balloon sinuplasty as a treatment for nasal polyposis, sinusitis with fungal disease, or if the sinus being treated has failed previous balloon dilation use of balloon sinuplasty for these conditions is considered **experimental, investigational or unproven**.

The Geisinger Technology Assessment Committee evaluated this technology and concluded that there is insufficient evidence in the peer-reviewed published medical literature to establish the effectiveness of this technology on health outcomes when compared to established tests or technologies.

**Note: A complete description of the process by which a given technology or service is evaluated and determined to be experimental, investigational or unproven is outlined in MP 15 - Experimental Investigational or Unproven Services or Treatment.**

**CODING ASSOCIATED WITH:** Nasal and Sinus Surgery

*The following codes are included below for informational purposes and may not be all inclusive. Inclusion of a procedure or device code(s) does not constitute or imply coverage nor does it imply or guarantee provider reimbursement. Coverage is determined by the member specific benefit plan document and any applicable laws regarding coverage of specific services. Please note that per Medicare coverage rules, only specific CPT/HCPCS Codes may be covered for the Medicare Business Segment. Please consult the CMS website at [www.cms.gov](http://www.cms.gov) or the local Medicare Administrative Carrier (MAC) for more information on Medicare coverage and coding requirements.*

**Septoplasty/Rhinoplasty:**

- 30400 Rhinoplasty, primary; lateral and alar cartilage and/or elevation of nasal tip
- 30410 Rhinoplasty, primary; complete, external parts including bony pyramid, lateral and alar cartilage, and/or elevation of nasal tip
- 30420 Rhinoplasty, primary; lateral and alar cartilages and/or elevation of nasal tip; including major septal repair
- 30430 Rhinoplasty, secondary, minor revision (small amount of nasal tip work)
- 30435 Rhinoplasty, secondary, intermediate revision (bony work with osteotomies)
- 30450 Rhinoplasty, secondary, major revision (nasal tip work and osteotomies)
- 30460 Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip only
- 30462 Rhinoplasty for nasal deformity secondary to congenital cleft lip and/or palate, including columellar lengthening; tip, septum, osteotomies
- 30520 Septoplasty or submucous resection, with or without cartilage scoring, contouring or replacement with graft
- 30620 Septal or other intranasal dermatoplasty

**Computer augmented endoscopic sinus surgery:**

- 61781 Stereotactic computer-assisted (navigational) procedure; cranial, intradural (List separately in addition to code for primary procedure)
- 61782 Stereotactic computer-assisted (navigational) procedure; cranial, extradural (List separately in addition to code for primary procedure)

**Balloon Sinuplasty:**

- 31299 Unlisted procedure, accessory sinuses
- 31295 Nasal/sinus endoscopy, surgical; with dilation of maxillary sinus ostium (eg, balloon dilation), transnasal or via canine fossa
- 31296 Nasal/sinus endoscopy, surgical; with dilation of frontal sinus ostium (eg, balloon dilation)
- 31297 Nasal/sinus endoscopy, surgical; with dilation of sphenoid sinus ostium (eg, balloon dilation)
- 31298 nasal/sinus endoscopy, surgical; with dilation of frontal and sphenoid sinus ostia (eg, balloon dilation)

**Functional Endoscopic Sinus Surgery:**

- 31233 Nasal/sinus endoscopy, diagnostic with maxillary sinusoscopy (via inferior meatus or canine fossa puncture)

31235 Nasal/sinus endoscopy, diagnostic with sphenoid sinusoscopy (via puncture of sphenoidal face or cannulation of ostium)

31237 Nasal/sinus endoscopy, surgical; with biopsy, polypectomy or debridement

31238 Nasal/sinus endoscopy, surgical; with control of nasal hemorrhage

31239 Nasal/sinus endoscopy, surgical; with dacryocystorhinostomy

31240 Nasal/sinus endoscopy, surgical; with concha bullosa resection

31241 nasal/sinus endoscopy, surgical; with ligation of sphenopalatine artery

31253 nasal/sinus endoscopy, surgical with ethmoidectomy; total (anterior and posterior), including frontal sinus exploration, with removal of tissue from frontal sinus, when performed

31254 Nasal/sinus endoscopy, surgical; with ethmoidectomy, partial (anterior)

31255 Nasal/sinus endoscopy, surgical; with ethmoidectomy, total (anterior and posterior)

31256 Nasal/sinus endoscopy, surgical, with maxillary antrostomy

31257 nasal/sinus endoscopy, surgical with ethmoidectomy; total (anterior and posterior), including sphenoidotomy

31259 nasal/sinus endoscopy, surgical with ethmoidectomy; total (anterior and posterior), including sphenoidotomy, with removal of tissue from the sphenoid sinus

31267 Nasal/sinus endoscopy, surgical, with maxillary antrostomy; with removal of tissue from maxillary sinus

31276 Nasal/sinus endoscopy, surgical with frontal sinus exploration, with or without removal of tissue from frontal sinus

31287 Nasal/sinus endoscopy, surgical, with sphenoidotomy

31288 Nasal/sinus endoscopy, surgical, with sphenoidotomy; with removal of tissue from the sphenoid sinus

31295 Nasal/sinus endoscopy, surgical; with dilation of maxillary sinus ostium (eg, balloon dilation), transnasal or via canine fossa

31296 Nasal/sinus endoscopy, surgical; with dilation of frontal sinus ostium (eg, balloon dilation)

31297 Nasal/sinus endoscopy, surgical; with dilation of sphenoid sinus ostium (eg, balloon dilation)

31298 Nasal/sinus endoscopy, surgical; with dilation of frontal and sphenoid sinus ostia (eg, balloon dilation)

S2342 nasal endoscopy for post-operative debridement following functional endoscopic sinus surgery, nasal and/or sinus cavity(s) unilateral or bilateral

S1090 : Mometasone furoate sinus implant, 370 micrograms

0406T – Nasal endoscopy, surgical, ethmoid sinus, placement of drug eluting stent (non-covered for Medicare/Medicaid)

0407T- with biopsy, polypectomy or debridement (non-covered for Medicare/Medicaid)

Current Procedural Terminology (CPT®) © American Medical Association: Chicago, IL

#### **LINE OF BUSINESS:**

**Eligibility and contract specific benefits, limitations and/or exclusions will apply. Coverage statements found in the line of business specific benefit document will supersede this policy. For Medicare, applicable LCD's and NCD's will supercede this policy. For PA Medicaid Business segment, this policy applies as written.**

#### **REFERENCES:**

Constantinides MS, Adamson PA, Cole P, “ The Long Term Effects of Open Cosmetic Septorhinoplasty on Nasal Air Flow”, Archives of Otolaryngology – Head & Neck Surgery, 122(1):41-45, Jan 1996

Georgescu AV, Major C, Ivan O, Onoe R, “Our Experience in Aesthetic Rhinoplasty: Study Made on 500 Operated Cases”, British Journal of Surgery, 85 (2S) Supplement2:90, July 1998.

Sparacino LL, “Epistaxis Management: What’s New and What’s Noteworthy”, Lippincott’s Primary care Practice 4(5):498-507, Sept/Oct 2000.

Geisinger Technology Assessment Committee Triage group evaluation. Stereotactic Sinus Surgery. June 2004.

Elishar R, Sichel JY, Gross M, et. al., Image guided navigation system – a new technology for complex endoscopic sinus surgery. Postgrad Med J. 2003; 79:686-690.

Lam SM, Huang C, Newman J, Anand VK., Computer-aided image-guided endoscopic sinus surgery in unusual cases of sphenoid disease. Rhinology 2002; Dec;40(4):179-184.

Olson G, Citardi MJ., Image-guided functional endoscopic sinus surgery. Otolaryngol Head Neck Surg. 2000 Sep; 123(3):188-194.

Neumann AM, Pasquale-Neibles K, Bhuta T, Sillers MJ., Image-guided transnasal endoscopic surgery of the paranasal sinuses and anterior skull base. Am J Rhinol. 1999 Nov-Dec; 13(6):449-454.

Metson R, Cosenza M, Gliklich RE, Montgomery WW., The role of image-guidance systems for head and neck surgery. Arch Otolaryngol Head Neck Surg. 1999;125(10):1100-1104.

Kingdom TT, Orlandi RR, Image-guided surgery of the sinuses: current technology and applications. Otolaryngologic Clinics of North America 2004 Apr; 37(2).

Tabaee A, Kacker A, Kassenoff TL, Anand V, Outcome of computer-assisted sinus surgery; a 5-year study. Am j Rhinol 2003 Sep-Oct;17(5):291-297

American Academy of Otolaryngology – Head and Neck Surgery position statement. Use of Computer-Aided Surgery. Nov 2002.

ECRI HTAIS Hotline (online). InstaTrek Endoscopic Endonasal Imaging Services. July, 8, 2005.

Tabaee A, Hsu AK, Shrime MG, Rickert S, Close LG. Quality of life and complications following image-guided endoscopic sinus surgery. Otolaryngol – Head Neck Surg 2006;135:76-80.

Acclarent INC. (Website). Relieva™ Devices Balloon Sinuplasty™. Menio Park, Ca. Accessed May 10,2006. Available at: <http://www.acclarent.com/professional/index.html>

Brown CL, Bolger WE. Safety and feasibility of balloon catheter dilation of paranasal sinus ostia: a preliminary investigation. Ann Otol Rhinol Laryngol. 2006 Apr;115(4):293-9.

Food and Drug Administration (FDA) [website]. 510(k) Summary-Relieva Sinus Balloon Dilation Catheter. April 5, 2005. Available at <http://www.fda.gov/cdrh/pdf4/K043527.pdf> Accessed on May 10, 2006.

Winifred S. Hayes. Hayes Alert (online) Balloon dilation procedure to treat chronic sinusitis. April 2006 Volume IX, Number 4.

Geisinger Technology Assessment Triage Committee Review, Balloon Sinuplasty October 30, 2006.

Geisinger Technology Assessment Committee, Balloon Sinuplasty, July 2007.

ECRI. HTAIS TARGET database (online) Endoscopic balloon Dilation or sinuses for sinusitis. ECRI. January 2007.

Bolger WE, Brown CL, Church CA, Goldberg AN, Karanfilov B, Kuhn FA, Levine HL, Sillers MJ, Vaughn WC, Weiss RL. Safety and Outcomes of Balloon Catheter Sinusotomy: A multicenter 24-week Analysis in 115 patients. Otolaryngol Head Neck Surg 2007;137(1); 10-20.

Bolger WE, and Vaughan WC. Catheter-based dilation of the sinus ostia: Initial safety and feasibility analysis in a cadaver model. Am J Rhinology 2006;20(3):290-294.

Chester AC, Antisdell JL, Sindwani R. Symptom-specific outcomes of endoscopic sinus surgery: a systematic review. Otolaryngol Head Neck Surg. 2009 May;140(5):633-9.

Forwith KD, Chandra RK, Yun PT, Miller SK, Jampel HD. ADVANCE: a multisite trial of bioabsorbable steroid-eluting sinus implants. Laryngoscope. 2011; 121(11):2473-2480.

Marple BF, Smith TL, Han JK, et al. Advance II : A prospective, randomized study assessing safety and efficacy of bioabsorbable steroid-releasing sinus implants. Otolaryngol Head Neck Surg. 2012; 146(6):1004-1011.

Murr AH, Smith TL, Hwang PH, et al. Safety and efficacy of a novel bioabsorbable, steroid-eluting sinus stent. Int Forum Allergy Rhinol. 2011; 1(1):23-32

Han JK, Marple BF, Smith TL. Effect of steroid-releasing sinus implants on postoperative medical and surgical interventions: an efficacy meta-analysis. Int Forum Allergy Rhinol 2012; 2(4):271-9.

Gould J, Alexander I, Tomkin E, et al. In-office, multisinus balloon dilation: 1-Year outcomes from a prospective, multicenter, open label trial. Am J Rhinol Allergy. 2014; 28(2):156-163

Hamilos DL. Management of chronic rhinosinusitis. UpToDate. May 8, 2014

Karanfilov B, Silvers S, Pasha R, et al. Office-based balloon sinus dilation: A prospective, multicenter study of 203 patients. *International Forum of Allergy and Rhinology*. 3 (5) (pp 404-411), 2013.

Marzetti A, Tedaldi M, Passali FM. The role of balloon sinuplasty in the treatment of sinus headache. *Otolaryngol Pol*. 2014; 68(1):15-19

Levine SB, Truitt T, Schwartz M, et al. In-office stand-alone balloon dilation of maxillary sinus ostia and ethmoid infundibula in adults with chronic or recurrent acute rhinosinusitis: a prospective, multi-institutional study with 1-year follow-up. *Ann Otol Rhinol Laryngol*. Nov 2013;122(11):665-671

Bikhazi N, Light J, Truitt T, et al. Standalone balloon dilation versus sinus surgery for chronic rhinosinusitis: A prospective, multicenter, randomized, controlled trial with 1-year follow-up. *Am J Rhinol Allergy*. Jul 2014;28(4):323-329.

ECRI Standalone balloon sinus dilation for treating chronic rhinosinusitis in adults. Health technology assessment/Emerging technology evidence report. August 2015.

Rosenfeld RM, Piccirillo JF, Chandrasekhar SS, et al. Clinical practice guideline (update): adult sinusitis. *Otolaryngol Head Neck Surg*. Apr 2015;152(2 Suppl):S1-S39.

Sikand A, Silvers SL, Pasha R, et al. Office-based balloon sinus dilation: 1-year follow-up of a prospective, multicenter study. *Ann Otol Rhinol Laryngol*. Aug 2015;124(8):630-637

Hathorn IF, Pace-Asciak P, Habib AR, et al. Randomized controlled trial: hybrid technique using balloon dilation of the frontal sinus drainage pathway. *Int Forum Allergy Rhinol*. Feb 2015;5(2):167-173.

Chandra RK, Kern RC, Cutler JL3, Et al. REMODEL larger cohort with long-term outcomes and meta-analysis of standalone balloon dilation studies. *Laryngoscope*. 2016 Jan;126(1):44-50. doi: 10.1002/lary.25507.

Koskinen A, Myller J, Mattila P, Et al. Long-term follow-up after ESS and balloon sinuplasty: Comparison of symptom reduction and patient satisfaction. *Acta Otolaryngol*. 2016 May;136(5):532-6.

Levy JM, Marino MJ, McCoul ED. Paranasal sinus balloon catheter dilation for treatment of chronic rhinosinusitis: a systematic review and meta-analysis. *Otolaryngol Head Neck Surg*. Jan 2016;154(1):33-40.

American Academy of Otolaryngology - Head and Neck Surgery. Position statement: dilation of sinuses, any method (e.g., balloon, etc.). March 2017

Stolovitzky JP, Mehendale N, Matheny KE, et al. Medical therapy versus balloon sinus dilation in adults with chronic rhinosinusitis (MERLOT): 12-month follow-up. *Am J Rhinol Allergy*. 2018;32(4):294-302.

Minni A, Dragonetti A, Sciuto A, et al. Use of balloon catheter dilation vs. traditional endoscopic sinus surgery in management of light and severe chronic rhinosinusitis of the frontal sinus: A multicenter prospective randomized study. *Eur Rev Med Pharmacol Sci*. 2018;22(2):285-293

Piccirillo JF, Payne SC, Rosenfeld RM, et al. Clinical consensus statement: Balloon dilation of the sinuses. *Otolaryngol Head Neck Surg*. 2018;158(2):203-214.

Stolovitzky P, Sidle DM, Ow RA, et al. A prospective study for treatment of nasal valve collapse due to lateral wall insufficiency: Outcomes using a bioabsorbable implant. *Laryngoscope*. May 14 2018

Kern RC, Stolovitzky JP, Silvers SL, et al. A phase 3 trial of mometasone furoate sinus implants for chronic sinusitis with recurrent nasal polyps. *Int Forum Allergy Rhinol*.2018;8:471–481.

This policy will be revised as necessary and reviewed no less than annually.

**Devised:** 08/2007

**Revised:** 4/15 (Added Mometasone furoate sinus implant, removed Exclusion); 4/17 (revise balloon sinuplasty criteria)

**Reviewed:** 9/08, 11/09, 11/10, 11/11, 11/12, 11/13, 11/14, 5/16, 4/18, 4/19, 4/20