

Policy: MP059

Section: Medical Benefit Policy

Subject: Fetal Surgery

I. Policy: Fetal Surgery

II. Purpose/Objective:

To provide a policy of coverage regarding Fetal Surgery

III. Responsibility:

- A. Medical Directors
- B. Medical Management

IV. Required Definitions

1. Attachment – a supporting document that is developed and maintained by the policy writer or department requiring/authoring the policy.
2. Exhibit – a supporting document developed and maintained in a department other than the department requiring/authoring the policy.
3. Devised – the date the policy was implemented.
4. Revised – the date of every revision to the policy, including typographical and grammatical changes.
5. Reviewed – the date documenting the annual review if the policy has no revisions necessary.

V. Additional Definitions

Medical Necessity or Medically Necessary means Covered Services rendered by a Health Care Provider that the Plan determines are:

- a. appropriate for the symptoms and diagnosis or treatment of the Member's condition, illness, disease or injury;
- b. provided for the diagnosis, and the direct care and treatment of the Member's condition, illness disease or injury;
- c. in accordance with current standards of good medical treatment practiced by the general medical community.
- d. not primarily for the convenience of the Member, or the Member's Health Care Provider; and
- e. the most appropriate source or level of service that can safely be provided to the Member. When applied to hospitalization, this further means that the Member requires acute care as an inpatient due to the nature of the services rendered or the Member's condition, and the Member cannot receive safe or adequate care as an outpatient.

Medicaid Business Segment

Medical Necessity shall mean a service or benefit that is compensable under the Medical Assistance Program and if it meets any one of the following standards:

- (i) The service or benefit will, or is reasonably expected to, prevent the onset of an illness, condition or disability.
- (ii) The service or benefit will, or is reasonably expected to, reduce or ameliorate the physical, mental or development effects of an illness, condition, injury or disability.
- (iii) The service or benefit will assist the Member to achieve or maintain maximum functional capacity in performing daily activities, taking into account both the functional capacity of the Member and those functional capacities that are appropriate for members of the same age.

DESCRIPTION:

Fetal surgery involves opening the uterus (either by traditional cesarean surgical incision or through single or multiple fetoscopic port incisions), surgically correcting a fetal abnormality, then returning the fetus to the uterus and closing the uterus.

INDICATIONS: REQUIRES PRIOR MEDICAL DIRECTOR OR DESIGNEE AUTHORIZATION

The Plan will cover fetal surgery for the following indications:

- Congenital cystic adenomatoid malformations
- Urinary tract obstruction
- Hydronephrosis
- Acardiac twins
- High risk sacrococcygeal teratomas (SCT)
- Twin reversed arterial perfusion
- Myelomeningocele repair
- Fetal cord ligation for twin to twin transfusion*
*only in the event of 100% predicted infant mortality without intervention

LIMITATIONS:

Requests for in utero fetal surgery for indications not listed in this policy will be reviewed on a per-case basis, utilizing current published peer-reviewed medical literature and assessments by currently contracted technology assessment vendors.

CODING ASSOCIATED WITH: Fetal surgery

The following codes are included below for informational purposes and may not be all inclusive. Inclusion of a procedure or device code(s) does not constitute or imply coverage nor does it imply or guarantee provider reimbursement. Coverage is determined by the member specific benefit plan document and any applicable laws regarding coverage of specific services. Please note that per Medicare coverage rules, only specific CPT/HCPCS Codes may be covered for the Medicare Business Segment. Please consult the CMS website at www.cms.gov or the local Medicare Administrative Carrier (MAC) for more information on Medicare coverage and coding requirements

- 59072 Fetal umbilical cord occlusion, including ultrasound guidance
- 59074 Fetal fluid drainage (e.g., vesicocentesis, thoracocentesis, paracentesis), including ultrasound guidance
- 59076 Fetal shunt placement, including ultrasound guidance
- S2400 Repair, congenital diaphragmatic hernia in the fetus using temporary tracheal occlusion, procedure performed in utero
- S2401 Repair, urinary tract obstruction in the fetus, procedure performed in utero
- S2402 Repair, congenital cystic adenomatoid malformation in the fetus, procedure performed in utero
- S2403 Repair, extralobar pulmonary sequestration in the fetus, performed in utero
- S2404 Repair, myelomeningocele in the fetus, procedure performed in utero
- S2405 Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero
- S2409 Repair, congenital malformation of fetus, procedure performed in utero, not otherwise classified
- S2411 Fetoscopic laser therapy for treatment of twin-to-twin transfusion syndrome

Current Procedural Terminology (CPT®) © American Medical Association: Chicago, IL

LINE OF BUSINESS:

Eligibility and contract specific benefits, limitations and/or exclusions will apply. Coverage statements found in the line of business specific benefit document will supersede this policy. For Medicare, applicable LCD's and NCD's will supercede this policy. For PA Medicaid Business segment, this policy applies as written.

REFERENCES:

Dommergues M, Louis-Sylvestre C, et.al., "Congenital Adenomatoid Malformation of the Lung: When is Active Fetal Therapy Indicated?", *American Journal of Obstetrics & Gynecology*, 177(4):953-958, Oct 1997.

Adzick NS, Harrison MR, et.al., "Fetal Lung Lesions: Management and Outcome", *American Journal of Obstetrics & Gynecology*, 179(4):884-889, Oct 1998.

Adzick NS, Harrison MR, et. al., "Open Fetal Surgery for Congenital Cystic Adenomatoid Malformation of the Lung", *American Journal of Obstetrics and Gynecology*, 178(1S)Supplement:28S, Jan 1998.

Alexander JM, Ramus R, Cox S, Gilstrap LC, "Outcome of Twin Gestations With a Single Anomalous Fetus", *American Journal of Obstetrics & Gynecology*, 177(4):849-852, Oct 1997.

Crombleholme TM, Robertson F, Marx G, Yarnell R, D'Alton ME, "Fetoscopic Cord Ligation to Prevent Neurological Injury in Monozygous Twins", *Lancet*, 348(9021):191, July 20, 1996.

Gloor JM, "Management of Prenatally Detected Fetal Hydronephrosis", *Mayo Clinic Proceedings*, 70(2):145-152, Feb 1995.

Allen MH, Garabelis NS, Bornick PW, Quintero RA, "Minimally Invasive Treatment of Twin-to-Twin Transfusion Syndrome, *AORN Journal*, 71(4):795-796, 801-812, 815-818, Apr 2000.

Geisinger Technical Assessment Committee, Fetal Surgery, Oct 14, 1998, Jan 13, 1999, April 14, 1999.

Hartmann, Katherine E. MD, PhD; McPheeters, Melissa L. PhD, MPH; et al. "Evidence to Inform Decisions About Maternal-Fetal Surgery: Technical Brief" *Obstetrics & Gynecology* 117(5) 1191-1204 May, 2011

Uptodate. Sacrococcygeal germ cell tumors. Updated Feb. 21, 2014. <http://www.uptodate.com/contents/sacrococcygeal-germ-cell-tumors>

Walsh WF, Chescheir NC, Gillam-Krakauer M et al. Maternal-fetal surgical procedures. Comparative Effectiveness Technical Briefs, No. 5. Rockville (MD): Agency for Healthcare Research and Quality (US) 2011 Apr. Report No. 10(11)-EHC059-EF. Available online at: <http://www.ncbi.nlm.nih.gov/books/NBK54520/pdf/TOC.pdf>.

Araujo Junior E, Tonni G, Chung M, et al. Perinatal outcomes and intrauterine complications following fetal intervention for congenital heart disease: Systematic review and meta-analysis of observational studies. *Ultrasound Obstet Gynecol*. 2016 Jan 22

Holland MG, Mastrobattista JM, Lucas MJ. Diagnosis and management of twin reversed arterial perfusion (TRAP) sequence. UpToDate. Waltham, MA: UpToDate

Moise KJ, Jr., Johnson A. Management of twin-twin transfusion syndrome. UpToDate. Waltham, MA: UpToDate.

Adzick NS, Thom EA, Spong CY, et al. A randomized trial of prenatal versus postnatal repair of myelomeningocele. *N Engl J Med*. 2011;364(11):993-1004.

Committee on Obstetric Practice, Society for Maternal-Fetal Medicine. Committee Opinion No. 720: Maternal-Fetal Surgery for Myelomeningocele. *Obstet Gynecol*. 2017 Sep;130(3):e164-e167.

Committee on Practice Bulletins-Obstetrics. Practice Bulletin No. 187: Neural Tube Defects. *Obstet Gynecol*. 2017 Dec;130(6):e279-e290.

Hayes, Inc. Directory. In utero fetal surgery for myelomeningocele. July 23, 2018.

Farmer DL, Thom EA, Brock JW 3rd, et al. The Management of Myelomeningocele Study: full cohort 30-month pediatric outcomes. *Am J Obstet Gynecol*. 2018; 218(2):256.e1-256.e13.

Kabagambe SK, Jensen GW, Chen YJ, et al. Fetal surgery for myelomeningocele: a systematic review and metaanalysis of outcomes in fetoscopic versus open repair. *Fetal Diagn Ther*. 2018;43(3):161-174

Witlox R, S, G, M, Lopriore E, Rijken M, et al: Long-term neurodevelopmental and respiratory outcome after intrauterine therapy for fetal thoracic abnormalities. *Fetal Diagn Ther* 2019;45:162-16

This policy will be revised as necessary and reviewed no less than annually.

Devised: 10/98

Revised: 4/99, 7/02, 7/03 (add limitation); 8/04, 8/14(added indication); 7/16 (add indications); 8/18 (added indication)

Reviewed: 8/05; 8/06; 8/07, 9/08, 9/09, 7/10, 8/11, 8/12, 8/13, 8/15, 7/17. 8/19, 8/20

Geisinger Health Plan may refer collectively to health care coverage sponsors Geisinger Health Plan, Geisinger Quality Options, Inc., and Geisinger Indemnity Insurance Company, unless otherwise noted. Geisinger Health Plan is part of Geisinger, an integrated health care delivery and coverage organization.