

Policy: MP191

Section: Medical Benefit Policy

Subject: Computerized Cognitive Health Assessment Systems

Applicable Lines of Business

Commercial	X	CHIP	X
Medicare	X	ACA	X
Medicaid	X		

I. Policy: Computerized Cognitive Health Assessment Systems

II. Purpose/Objective:

To provide a policy of coverage regarding Computerized Cognitive Health Assessment Systems

III. Responsibility:

- A. Medical Directors
- B. Medical Management

IV. Required Definitions

1. Attachment – a supporting document that is developed and maintained by the policy writer or department requiring/authoring the policy.
2. Exhibit – a supporting document developed and maintained in a department other than the department requiring/authoring the policy.
3. Devised – the date the policy was implemented.
4. Revised – the date of every revision to the policy, including typographical and grammatical changes.
5. Reviewed – the date documenting the annual review if the policy has no revisions necessary.

V. Additional Definitions

Medical Necessity or Medically Necessary means Covered Services rendered by a Health Care Provider that the Plan determines are:

- a. appropriate for the symptoms and diagnosis or treatment of the Member's condition, illness, disease or injury;
- b. provided for the diagnosis, and the direct care and treatment of the Member's condition, illness disease or injury;
- c. in accordance with current standards of good medical treatment practiced by the general medical community.
- d. not primarily for the convenience of the Member, or the Member's Health Care Provider; and
- e. the most appropriate source or level of service that can safely be provided to the Member. When applied to hospitalization, this further means that the Member requires acute care as an inpatient due to the nature of the services rendered or the Member's condition, and the Member cannot receive safe or adequate care as an outpatient.

Medicaid Business Segment

Medically Necessary — A service, item, procedure, or level of care that is necessary for the proper treatment or management of an illness, injury, or disability is one that:

- Will, or is reasonably expected to, prevent the onset of an illness, condition, injury or disability.
- Will, or is reasonably expected to, reduce or ameliorate the physical, mental or developmental effects of an illness, condition, injury or disability.

- Will assist the Member to achieve or maintain maximum functional capacity in performing daily activities, taking into account both the functional capacity of the Member and those functional capacities that are appropriate for Members of the same age

DESCRIPTION:

Computerized Cognitive Health Assessment Systems have been proposed for use in assessing cognitive function of patients with a variety of neurological and mental health conditions including but not limited to mild cognitive impairment, dementia, traumatic brain injury, Parkinson’s disease, Schizophrenia, and concussion management.

Examples of computerized cognitive health assessments include, but not limited to:

- Mindstreams® Cognitive Health Assessment (NeuroTrax, Newark, NJ)
- Cambridge Neuropsychological Testing (CANTAB®) (Cambridge Cognition LTD, Cambridge, UK)
- CNS Vital Signs® (CNS Vital Signs, LLC, Chapel Hill, NC)
- Computer Administered Neuropsychological Screen for Mild Cognitive Impairment (CANS-MCI®) (Screen, INC., Seattle, WA).
- Cognivue® (Victor, NY)
- BrainCare™ (NeuroTrax, Medina, New York)

EXCLUSIONS: The Plan does **NOT** provide coverage for Computerized Cognitive Health Assessment Systems, including but not limited to Mindstreams™, for use as a screening, evaluation and/or assessment tool as an alternative to traditional neuropsychological testing because it is considered **experimental, investigational or unproven**. The Geisinger Technology Assessment Committee evaluated this technology and concluded that there is insufficient evidence in the peer-reviewed published medical literature to establish the effectiveness of this test on health outcomes when compared to established tests or technologies.

The Plan does **NOT** provide coverage for Computerized Cognitive Health Assessment testing for any indication including but not limited to sporting event field assessment of concussion or closed head injury because it is **considered experimental, investigational or unproven**. There is insufficient evidence in the peer-reviewed published medical literature to establish the effectiveness of this test on health outcomes when compared to established tests or technologies.

Medicaid Business Segment:

Any requests for services, that do not meet criteria set in the PARP, may be evaluated on a case by case basis.

Note: A complete description of the process by which a given technology or service is evaluated and determined to be experimental, investigational or unproven is outlined in MP 15 - Experimental Investigational or Unproven Services or Treatment.

LINE OF BUSINESS:

Eligibility and contract specific benefits, limitations and/or exclusions will apply. Coverage statements found in the line of business specific benefit document will supersede this policy. For Medicare, applicable LCD’s and NCD’s will supercede this policy. For PA Medicaid Business segment, this policy applies as written.

REFERENCES:

Geisinger Technology Assessment Committee Triage Group. Mindstreams Cognitive Health Assessment System . October 31, 2006.

Doniger GM, Dwolatzky T, Zucker DM, Chertkow H, Crystal H, Schweiger A, Simon ES. Computerized cognitive testing battery identifies mild cognitive impairment and mild dementia even in the presence of depressive symptoms. AM J Alshemiers Dis Other Demen. 2006 Jan-Feb;21(1):28-36.

Doniger GM, Zucker DM, Schweiger A, Dwolatzky T, Chertkow H, Crystal H, Simon ES. Towards practical cognitive assessment for detection of early dementia: a 30-minute computerized battery discriminates as well as longer testing. Curr Alzheimer Res. 2005 Apr;2(2):117-24.

Ritsner MS, Blumenkrantz H, Dubinsky T, Swolatzky T. The detection of neurocognitive decline in schizophrenia using the Mindstreams computerized Cognitive Test Battery. Schizophr Res. 2006 Feb. 15;82(1):39-49 Epub 2005 Dec.
Dwolatzky T, Whitehead V, Doniger GM, Simon ES, Schweiger A, Jaffe D, Chertkow H. Validity of a novel computerized cognitive battery for mild cognitive impairment. BMC Geriatrics 2003;3:4.

Ganguli M, Dodge HH, Shen C, DeKosky ST. Mild Cognitive Impairment, amnesic type: An epidemiologic study. *Neurology* 2004;63:115-121.

Darby D, Maruff P, Collie A, McStephen M. Mild cognitive impairment can be detected by multiple assessments in a single day. *Neurology* 2002;59:1042-1046.

Petersen RC, Doody R, Kurz A, Mohs RC, Morris JC, Rabins PV, Ritchie K, Rossor M, Thal L, Winblad B. Current concepts in mild cognitive impairment. *Arch Neurol.* 2001;58:1985-1992.

Petersen RC, Thomas RG, Grundman M, Bennett D, Doody R, Ferris S, Galasko D, Jin S, Kaye J, Levey A, Pfeiffer E, Sano M, van Dyck CH, Thal LJ; Alzheimer's Disease Cooperative Study Group. Vitamin E and donepezil for the treatment of mild cognitive impairment. *N Engl J Med.* 2005 Jun 9;352(23):2379-88.

Peterson RC, Stevens JC, Ganguli M, Tangalos EG, Cummings JL, DeKosky ST. Practice Parameter: Early detection of dementia: Mild cognitive impairment (an evidence-based review). *Neurology* 2001;56:1133-1142.

Guskiewicz KM, Bruce SL, Cantu RC, Ferrara MS, Kelly JP, McCrea M, Putukian M, Valovich McLeod TC. National Athletic Trainers' Association Position Statement: Management of Sport-Related Concussion. *J Athletic Training* 2004;39(3):280-97.

Van Kampen DA, Lovell MR, Pardini JE, Collins MW, Fu FH. The "Value Added" of Neurocognitive testing after sports-related concussions. *Am J Sports Med* 2006 Oct;34(10):1630-5.

Moser RS, Schatz P, Jordan BD. Prolonged effects of concussion in high school athletes. *Neurosurgery* 2005; 57:300-306.

Wild K, Howieson D, Webbe F, Seelye A, Kaye J. Status of computerized cognitive testing in aging: a systematic review. *Alzheimers Dement.* 2008 Nov;4(6):428-37.

Schmidt JD, Register-Mihalik JK, Mihalik JP, et al. Identifying Impairments after Concussion: Normative Data versus Individualized Baselines. *Med Sci Sports Exerc.* 2012 Apr 19.

Resch J, Driscoll A, McCaffrey N, et al. ImPact test-retest reliability: reliably unreliable? *J Athl Train.* 2013 Jul-Aug;48(4):506-11.

Nakayama Y, Covassin T, Schatz P, et al. Examination of the Test-Retest Reliability of a Computerized Neurocognitive Test Battery. *Am J Sports Med.* 2014 Jun 6;42(8):2000-2005.

MacDonald J, Duerson D. Reliability of a Computerized Neurocognitive Test in Baseline Concussion Testing of High School Athletes. *Clin J Sport Med.* 2014 Jul 24.

Roebuck-Spencer TM, Glen T, Puente AE, et al. Cognitive screening tests versus comprehensive neuropsychological test batteries: A National Academy of Neuropsychology education paper. *Arch Clin Neuropsychol.* 2017 Mar 10:1-8.

Nelson LD, Furger RE, Gikas P, et al. Prospective, head-to-head study of three computerized neurocognitive assessment tools part 2: utility for assessment of mild traumatic brain injury in emergency department patients. *J Int Neuropsychol Soc.* 2017 Apr;23(4):293-303.

Hayes, Inc. Hayes Medical Technology Directory. Computerized Neurocognitive Testing (CNT) for Sports-Related Head Injury. Lansdale, PA: Hayes, Inc.; January 2014. Updated January 2017.

Lau BC, Collins MW, Lovell MR. Sensitivity and specificity of subacute computerized neurocognitive testing and symptom evaluation in predicting outcomes after sports-related concussion. *Am J Sports Med.* 2011 Jun;39(6):1209-16

Farnsworth JL 2nd, Dargo L, Ragan BG, Kang M. Reliability of Computerized Neurocognitive Tests for Concussion Assessment: A Meta-Analysis. *J Athl Train.* 2017 Sep;52(9):826-83

Meehan WP 3rd, d'Hemecourt P, Collins CL, Taylor AM, Comstock RD. Computerized neurocognitive testing for the management of sport-related concussions. *Pediatrics.* 2012 Jan;129(1):38-44. Epub 2011 Nov 30.

Broglio SP, Katz BP, Zhao S, McCrea M, McAllister T; CARE Consortium Investigators. Test-Retest Reliability and Interpretation of Common Concussion Assessment Tools: Findings from the NCAA-DoD CARE Consortium. *Sports Med.* 2018 May;48(5):1255-1268.

McGrath N, Eloi J. The Role of Neuropsychology in the Evaluation of Concussion. *Semin Pediatr Neurol.* 2019 Jul;30:83-95.

Ivins BJ, Arrieux JP, Schwab KA, Haran FJ, Cole WR. Using Rates of Low Scores to Assess Agreement between Brief Computerized Neuropsychological Assessment Batteries: A Clinically-based Approach for Psychometric Comparisons. *Arch Clin Neuropsychol.* 2019;34(8):1392-1408

Tsoy E, Zygouris S, Possin KL. Current State of Self-Administered Brief Computerized Cognitive Assessments for Detection of Cognitive Disorders in Older Adults: A Systematic Review. *J Prev Alzheimers Dis.* 2021; 8(3): 267–276.

This policy will be revised as necessary and reviewed no less than annually.

Devised: 09/2006

Revised: 12/08 (wording); 12/09 (examples), 11/19 (add examples); 11/21 (add field concussion assessment exclusion)

Reviewed: 12/07, 12/10, 12/11, 12/12, 12/13, 12/14; 12/15, 12/16, 11/17, 11/18, 11/20, 11/22

Geisinger Health Plan may refer collectively to health care coverage sponsors Geisinger Health Plan, Geisinger Quality Options, Inc., and Geisinger Indemnity Insurance Company, unless otherwise noted. Geisinger Health Plan is part of Geisinger, an integrated health care delivery and coverage organization.

Coverage for experimental or investigational treatments, services and procedures is specifically excluded under the member's certificate with Geisinger Health Plan. Unproven services outside of an approved clinical trial are also specifically excluded under the member's certificate with Geisinger Health Plan. This policy does not expand coverage to services or items specifically excluded from coverage in the member's certificate with Geisinger Health Plan. Additional information can be found in MP015 Experimental, Investigational or Unproven Services.

Prior authorization and/or pre-certification requirements for services or items may apply. Pre-certification lists may be found in the member's contract specific benefit document. Prior authorization requirements can be found at <https://www.geisinger.org/health-plan/providers/ghp-clinical-policies>

Please be advised that the use of the logos, service marks or names of Geisinger Health Plan, Geisinger Quality Options, Inc. and Geisinger Indemnity Insurance Company on a marketing, press releases or any communication piece regarding the contents of this medical policy is strictly prohibited without the prior written consent of Geisinger Health Plan. Additionally, the above medical policy does not confer any endorsement by Geisinger Health Plan, Geisinger Quality Options, Inc. and Geisinger Indemnity Insurance Company regarding the medical service, medical device or medical lab test described under this medical policy.