

Policy: MP211

**Section: Medical Benefit Policy** 

# Subject: Endovascular Repair of Intracranial Aneurysms

### **Applicable Lines of Business**

Commercial	Х	СНІР	Х
Medicare	Х	ACA	Х
Medicaid	Х		

I. Policy: Endovascular Repair of Intracranial Aneurysms

#### II. Purpose/Objective:

To provide a policy of coverage regarding Endovascular Repair of Intracranial Aneurysms

### III. Responsibility:

- A. Medical Directors
- **B.** Medical Management

### **IV. Required Definitions**

- 1. Attachment a supporting document that is developed and maintained by the policy writer or department requiring/authoring the policy.
- 2. Exhibit a supporting document developed and maintained in a department other than the department requiring/authoring the policy.
- 3. Devised the date the policy was implemented.
- 4. Revised the date of every revision to the policy, including typographical and grammatical changes.
- 5. Reviewed the date documenting the annual review if the policy has no revisions necessary.

### V. Additional Definitions

Medical Necessity or Medically Necessary means Covered Services rendered by a Health Care Provider that the Plan determines are:

- a. appropriate for the symptoms and diagnosis or treatment of the Member's condition, illness, disease or injury;
- provided for the diagnosis, and the direct care and treatment of the Member's condition, illness disease or injury;
- c. in accordance with current standards of good medical treatment practiced by the general medical community.
- d. not primarily for the convenience of the Member, or the Member's Health Care Provider; and
- e. the most appropriate source or level of service that can safely be provided to the Member. When applied to hospitalization, this further means that the Member requires acute care as an inpatient due to the nature of the services rendered or the Member's condition, and the Member cannot receive safe or adequate care as an outpatient.

### **Medicaid Business Segment**

Medically Necessary — A service, item, procedure, or level of care that is necessary for the proper treatment or management of an illness, injury, or disability is one that:

- Will, or is reasonably expected to, prevent the onset of an illness, condition, injury or disability.
- Will, or is reasonably expected to, reduce or ameliorate the physical, mental or developmental effects of an illness, condition, injury or disability.
- Will assist the Member to achieve or maintain maximum functional capacity in performing daily activities, taking

into account both the functional capacity of the Member and those functional capacities that are appropriate for Members of the same age

## **DESCRIPTION:**

Endovascular repair of intracranial aneurysms, also called coil embolization, is intended as a less invasive alternative to surgical clipping. The objective is to occlude blood flow to the vascular lesion by using electrolytically detachable coils and/or stents that are percutaneously deployed within the aneurysm.

## **INDICATIONS:**

Endovascular repair of intracranial aneurysms is considered medically necessary for the following indications:

- Ruptured intracranial aneurysm or pseudoaneurysm
- Unruptured intracranial aneurysm or pseudoaneurysm when size, location or other characteristics make surgical repair technically more difficult, unfeasible, or contraindicated.
- The device has FDA approval specific to the indication.

The following devices have received FDA approval for humanitarian use with embolic coils in the treatment of unruptured wide-neck intracranial aneurysms:

- The Neuroform<sup>™</sup> Microdelivery Stent System
- The Enterprise™ Vascular Reconstruction Device and Delivery System
- The LVIS® or LVIS® Jr. Low-Profile Visualized Intraluminal Support Device

The use of an intracranial stent in conjunction with endovascular coil embolization of a wide-neck intracranial aneurysm is considered medically necessary.

The Pipeline® Embolization Device or flow-diverting stent, received FDA premarket approval for endovascular treatment of large or giant wide-necked intracranial aneurysms in the internal carotid artery in adult patients aged 22 years or older. It is considered medically necessary when standard endovascular techniques do not allow for complete isolation of the aneurysm, e.g., wide-neck aneurysm (4 mm or more) or sack-to-neck ratio less than 2:1.

See Also: MP184 Intracranial Percutaneous Transluminal Angioplasty

## **Medicaid Business Segment:**

Any requests for services, that do not meet criteria set in the PARP, may be evaluated on a case by case basis.

Note: A complete description of the process by which a given technology or service is evaluated and determined to be experimental, investigational or unproven is outlined in MP 15 - Experimental Investigational or Unproven Services or Treatment.

### CODING ASSOCIATED WITH:

The following codes are included below for informational purposes and may not be all inclusive. Inclusion of a procedure or device code(s) does not constitute or imply coverage nor does it imply or guarantee provider reimbursement. Coverage is determined by the member specific benefit plan document and any applicable laws regarding coverage of specific services. Please note that per Medicare coverage rules, only specific CPT/HCPCS Codes may be covered for the Medicare Business Segment. Please consult the CMS website at www.cms.gov or the local Medicare Administrative Carrier (MAC) for more information on Medicare coverage and coding requirements.

- 61623 Endovascular temporary balloon arterial occlusion, head or neck (extracranial/intracranial) including selective catheterization of vessel to be occluded, positioning and inflation of occlusion balloon, concomitant neurological monitoring, and radiologic supervision and interpretation of all angiography required for balloon occlusion and to exclude vascular injuring post occlusion
- 61624 Transcatheter permanent occlusion or embolization (e.g., for tumor destruction, to achieve hemostasis, to occlude a vascular malformation), percutaneous, any method; central nervous system (intracranial, spinal cord)
- 75894 Transcatheter therapy, embolization, any method, radiological supervision and interpretation

Current Procedural Terminology (CPT®) © American Medical Association: Chicago, IL.

#### LINE OF BUSINESS:

Eligibility and contract specific benefits, limitations and/or exclusions will apply. Coverage statements found in the line of business specific benefit document will supersede this policy. For Medicare, applicable LCD's and NCD's will supercede this policy. For PA Medicaid Business segment, this policy applies as written.

### **REFERENCES:**

Biondi A, Janardhan V, Katz JM, et al. Neuroform stent-assisted coil embolization of wide-neck intracranial aneurysms: Strategies in stent deployment and mid-term follow-up. Neurosurgery 2007;61(3):460-469.

Jabbour P, Koebbe C, Veznedaroglu E, Benitez RP, Rosenwasser R. Stent-assited coil placement for unruptured cerebral aneurysms. Neurosurgery Focus 2004;17(5):1-4.

Akpek S, Arat A, Morsi H, et. al. Self-expandable stent-assisted coiling of wide necked intracranial aneurysms: a single center experience. Am J Neuroradiol 2005;26:1223-1231.

Johnston SC, Higashida RT, Barrow DL, et al. AHA Scientific Statement. Recommendations for the endovascular treatment of intracranial aneurysms. Stroke 2002;33:2536-2544.

Zenteno M, Freitas JMM, Alburto-Murieta Y, et. al. Balloon-expandable stenting with and without coiling for wide-neck and complex aneurysms. Surgical neurology 2006;66:603-610.

Pandey AS, Koebbe C, Rosenwasser R, Veznedaroglu E. Endovascular coil embolization of ruptured and unruptured posyerior circulation aneurysms: review of a 10-year experience. Neurosurgery 2007;60(4):626-636.

Winifred S. Hayes. Hayes Inc. Online. Endovascular Therapy for Intracranial Aneurysms. Mar. 13, 2006.

Brooks, NP, Turk, AS, Niemann, DB, agaard-Kienitz, B, Pulfer, K, and Cook, T. Frequency of thromboembolic events associated with endovascular aneurysm treatment: retrospective case series. *J Neurosurg.* 2008;108(6):1095-1100.

Lubicz, B, Collignon, L, Lefranc, F, Bruneau, M, Brotchi, J, Baleriaux, D, and Witte, OD. Circumferential and fusiform intracranial aneurysms: reconstructive endovascular treatment with self-expandable stents. *Neuroradiology*. 2008;50(6):499-507.

ECRI Institute. Stent-assisted coil placement for intracranial aneurysms [Hotline Report (HTAIS]. 2008

ECRI Institute. Coil Embolization of Intracranial Aneurysms [Hotline Report (HTAIS)]. 2011. https://members2.ecri.org/Components/Hotline/Pages/12285.aspx

Nelson PK, Lyyk P, et al. The Pipeline Embolization Device for the Intracranial Treatment of Aneurysms Trial. Am J Neuroradiol. 2011;32:34-40.

Saatci I, Yavuz K, et al. Treatment of Intracranial Aneurysms Using the Pipeline Flow-Diverter Embolization Device: A Single-Center Experience with Long-Term Follow-Up Results. Am J Neuroradiol2012;33:1436-1446.

Withers K, Carolan-Rees G, Dale M. Pipeline<sup>™</sup> Embolization Device for the Treatment of Complex Intracranial Aneurysms. Applied health economics and health Policy. 2013; 11(1):5-13.

Sfyroeras GS, Dalainas I, et al. Flow-diverting stents for the treatment of arterial aneurysms. J vasc Surg. 2012;56(13):839-846.

Agarwal A, Gokhale S, Gupta J, et al. Use of pipeline flow diverting stents for wide neck intracranial aneurysms: A retrospective institutional review. Asian J Neurosurg. 2014 Jan;9(1):3-6.

Chung J, Lim YC, Suh SH, et al. Stent-assisted coil embolization of ruptured wide-necked aneurysms in the acute period: incidence of and risk factors for periprocedural complications. J Neurosurg. 2014 Jul;121(1):4-11

Zaidat O, Castonguay A, Puri A, et al. E-001 TARGET Intracranial Aneurysm Coiling Prospective Multicenter Registry: Initial Periprocedural Results in 120 Patients. J Neurointerv Surg. 2014 Jul;6 Suppl 1:A38.

Nossek E, Chalif D, Lombardo K, Setton A. P-003 endovascular concurrent use of coils and pipeline embolization device for intracranial aneurysms: clinical and angiographic results. J Neurointerv Surg. 2014 Jul;6 Suppl 1:A22.

Fischer S, Perez MA, Kurre W, et al. Pipeline embolization device for the treatment of intra- and extracranial fusiform and dissecting aneurysms: initial experience and long-term follow-up. Neurosurgery. 2014 Oct;75(4):364-74.

Lin N, Brouillard AM, Keigher KM, et al. Utilization of Pipeline embolization device for treatment of ruptured intracranial aneurysms: US multicenter experience. J Neurointerv Surg. 2014 Sep 17.

Martínez-Galdámez M, Romance A, Vega P, et al. Pipeline endovascular device for the treatment of intracranial aneurysms at the level of the circle of Willis and beyond: multicenter experience. J Neurointerv Surg. 2014 Sep 8.

Centers for Medicare & Medicaid Services. Decision Memo for Intracranial Stenting and Angioplasty (CAG-00085R5)

Park, MS, Kilburg, C, Taussky, P, et al. Pipeline Embolization Device with or without Adjunctive Coil Embolization: Analysis of Complications from the IntrePED Registry. AJNR American journal of neuroradiology. 2016 Jan 14.

Kallmes, DF, Hanel, R, Lopes, D, et al. International retrospective study of the pipeline embolization device: a multicenter aneurysm treatment study. AJNR Am J Neuroradiol. 2015 Jan;36(1):108-15.

Guedon, A, Clarencon, F, Di Maria, F, et al. Very late ischemic complications in flow-diverter stents: a retrospective analysis of a single-center series. Journal of neurosurgery. 2016 Jan 29:1-7.

Zhao, X, Li, Z, Fang, X, Liu, J, Wu, D, Lai, N. Treatment of ruptured middle cerebral artery aneurysms by endovascular approach: a single-center experience. The International journal of neuroscience. 2017 May;127(5):433-8.

Consoli, A, Vignoli, C, Renieri, L, et al. Assisted coiling of saccular wide-necked unruptured intracranial aneurysms: stent versus balloon. Journal of neurointerventional surgery. 2016 Jan;8(1):52-7.

Raymond J, Gentric JC, Darsaut TE, et al. Flow diversion in the treatment of aneurysms: a randomized care trial and registry. J Neurosurg. Sep 2017;127(3):454-462.

Zuo Q, et al. Safety of coiling with stent placement for the treatment of ruptured wide-necked intracranial aneurysms: a contemporary cohort study in a high-volume center after improvement of skills and strategy. J Neurosurg 2018 Aug 1:1-7.

Xin WQ, Xin QQ, Yuan Y et al. Comparison of Flow Diversion and Coiling for the Treatment of Unruptured Intracranial Aneurysms. World Neurosurg. 2019 Aug;128:464-472

Hanel RA, Cortez GM, Coon AL, et al. Surpass Intracranial Aneurysm Embolization System Pivotal Trial to Treat Large or Giant Wide-Neck Aneurysms - SCENT: 3-year outcomes. J Neurointerv Surg. Nov 14 2022.

Kan P, Mohanty A, Meyers PM, et al. Treatment of large and giant posterior communicating artery aneurysms with the Surpass streamline flow diverter: results from the SCENT trial. J Neurointerv Surg. May 12 2022.

This policy will be revised as necessary and reviewed no less than annually.

**Devised:** 1/08

Revised: 2/15 (added pipeline embolization device); 1/16 (added FDA approved stent info); 1/21 (refine criteria)

Reviewed: 1/09, 1/10, 2/11, 2/12, 2/13, 2/14, 2/17, 1/18, 1/19, 1/20, 1/22, 1/23, 1/24

#### CMS UM Oversight Committee Approval: 12/23

Geisinger Health Plan may refer collectively to health care coverage sponsors Geisinger Health Plan, Geisinger Quality Options, Inc., and Geisinger Indemnity Insurance Company, unless otherwise noted. Geisinger Health Plan is part of Geisinger, an integrated health care delivery and coverage organization.

Coverage for experimental or investigational treatments, services and procedures is specifically excluded under the member's certificate with Geisinger Health Plan. Unproven services outside of an approved clinical trial are also specifically excluded under the member's certificate with Geisinger Health Plan. This policy does not expand coverage to services or items specifically excluded from coverage in the member's certificate with Geisinger Health Plan. Additional information can be found in MP015 Experimental, Investigational or Unproven Services.

Prior authorization and/or pre-certification requirements for services or items may apply. Pre-certification lists may be found in the member's contract specific benefit document. Prior authorization requirements can be found at https://www.geisinger.org/health-plan/providers/ghp-clinical-policies

Please be advised that the use of the logos, service marks or names of Geisinger Health Plan, Geisinger Quality Options, Inc. and Geisinger Indemnity Insurance Company on a marketing, press releases or any communication piece regarding the contents of this medical policy is strictly prohibited without the prior written consent of Geisinger Health Plan. Additionally, the above medical policy does not confer any endorsement by Geisinger Health Plan, Geisinger Quality Options, Inc. and Geisinger Indemnity Insurance Company regarding the medical service, medical device or medical lab test described under this medical policy.