

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Fine needle aspiration; without imaging guidance	\$ 177.00
Fine needle aspiration; without imaging guidance	\$ 1,068.00
Fine needle aspiration; with imaging guidance	\$ 1,145.00
Fine needle aspiration; with imaging guidance	\$ 1,145.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous	\$ 2,440.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous	\$ 2,440.00
Placement of soft tissue localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous, including imaging guidance; first lesion	\$ 622.00
Placement of soft tissue localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous, including imaging guidance; each additional lesion (List separately in addition to code for primary procedure)	\$ 442.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); simple or single	\$ 510.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); complicated or multiple	\$ 905.00
Incision and drainage of pilonidal cyst; simple	\$ 276.00
Incision and removal of foreign body, subcutaneous tissues; simple	\$ 388.00
Incision and drainage of hematoma, seroma or fluid collection	\$ 2,162.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 450.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 450.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 450.00
Debridement of extensive eczematous or infected skin; up to 10% of body surface	\$ 658.00
Debridement including removal of foreign material at the site of an open fracture and/or an open dislocation (eg, excisional debridement); skin and subcutaneous tissues	\$ 2,201.00
Debridement including removal of foreign material at the site of an open fracture and/or an open dislocation (eg, excisional debridement); skin, subcutaneous tissue, muscle fascia, muscle, and bone	\$ 2,915.00
Debridement, subcutaneous tissue (includes epidermis and dermis, if performed); first 20 sq cm or less	\$ 1,217.00
Debridement, muscle and/or fascia (includes epidermis, dermis, and subcutaneous tissue, if performed); first 20 sq cm or less	\$ 1,693.00
Debridement, bone (includes epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed); first 20 sq cm or less	\$ 3,090.00
Debridement, subcutaneous tissue (includes epidermis and dermis, if performed); each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 800.00
Paring or cutting of benign hyperkeratotic lesion (eg, corn or callus); 2 to 4 lesions	\$ 358.00
Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; single lesion	\$ 585.00
Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; each separate/additional lesion (List separately in addition to code for primary procedure)	\$ 391.00
Removal of skin tags, multiple fibrocutaneous tags, any area; up to and including 15 lesions	\$ 466.00
Trimming of nondystrophic nails, any number	\$ 224.00
Debridement of nail(s) by any method(s); 1 to 5	\$ 320.00
Avulsion of nail plate, partial or complete, simple; single	\$ 164.00
Avulsion of nail plate, partial or complete, simple; each additional nail plate (List separately in addition to code for primary procedure)	\$ 121.00
Evacuation of subungual hematoma	\$ 261.00
Excision of nail and nail matrix, partial or complete (eg, ingrown or deformed nail), for permanent removal	\$ 1,439.00
Repair of nail bed	\$ 895.00
Wedge excision of skin of nail fold (eg, for ingrown toenail)	\$ 554.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 2.5 cm or less	\$ 517.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 2.6 cm to 7.5 cm	\$ 484.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 7.6 cm to 12.5 cm	\$ 281.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 12.6 cm to 20.0 cm	\$ 295.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); over 30.0 cm	\$ 1,236.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.5 cm or less	\$ 470.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.6 cm to 5.0 cm	\$ 530.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 5.1 cm to 7.5 cm	\$ 281.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 7.6 cm to 12.5 cm	\$ 881.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 12.6 cm to 20.0 cm	\$ 1,096.00
Treatment of superficial wound dehiscence; simple closure	\$ 1,497.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 2.5 cm or less	\$ 756.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 2.6 cm to 7.5 cm	\$ 957.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 7.6 cm to 12.5 cm	\$ 1,052.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 12.6 cm to 20.0 cm	\$ 1,174.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 20.1 cm to 30.0 cm	\$ 1,241.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); over 30.0 cm	\$ 1,853.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 2.5 cm or less	\$ 706.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 2.6 cm to 7.5 cm	\$ 861.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 7.6 cm to 12.5 cm	\$ 987.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 12.6 cm to 20.0 cm	\$ 1,290.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.5 cm or less	\$ 816.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.6 cm to 5.0 cm	\$ 588.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 5.1 cm to 7.5 cm	\$ 995.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 7.6 cm to 12.5 cm	\$ 1,094.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 12.6 cm to 20.0 cm	\$ 1,353.00
Repair, complex, trunk; 2.6 cm to 7.5 cm	\$ 2,101.00
Repair, complex, scalp, arms, and/or legs; 1.1 cm to 2.5 cm	\$ 1,320.00
Repair, complex, scalp, arms, and/or legs; 2.6 cm to 7.5 cm	\$ 1,531.00
Repair, complex, scalp, arms, and/or legs; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 881.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; 1.1 cm to 2.5 cm	\$ 1,440.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; 2.6 cm to 7.5 cm	\$ 1,689.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 1,218.00
Repair, complex, eyelids, nose, ears and/or lips; 1.1 cm to 2.5 cm	\$ 1,964.00
Repair, complex, eyelids, nose, ears and/or lips; 2.6 cm to 7.5 cm	\$ 2,121.00
Adjacent tissue transfer or rearrangement, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; defect 10 sq cm or less	\$ 6,608.00
Adjacent tissue transfer or rearrangement, eyelids, nose, ears and/or lips; defect 10 sq cm or less	\$ 5,831.00
Adjacent tissue transfer or rearrangement, eyelids, nose, ears and/or lips; defect 10.1 sq cm to 30.0 sq cm	\$ 5,290.00
Initial treatment, first degree burn, when no more than local treatment is required	\$ 423.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; small (less than 5% total body surface area)	\$ 216.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; medium (eg, whole face or whole extremity, or 5% to 10% total body surface area)	\$ 726.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; large (eg, more than 1 extremity, or greater than 10% total body surface area)	\$ 915.00
Chemical cauterization of granulation tissue (ie, proud flesh)	\$ 476.00
Unlisted procedure, skin, mucous membrane and subcutaneous tissue	\$ 881.00
Puncture aspiration of cyst of breast	\$ 1,142.00
Puncture aspiration of cyst of breast; each additional cyst (List separately in addition to code for primary procedure)	\$ 660.00
Injection procedure only for mammary ductogram or galactogram	\$ 866.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including stereotactic guidance	\$ 2,995.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including stereotactic guidance	\$ 4,004.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including stereotactic guidance (List separately in addition to code for primary procedure)	\$ 2,995.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including stereotactic guidance (List separately in addition to code for primary procedure)	\$ 1,326.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including ultrasound guidance	\$ 2,995.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including ultrasound guidance	\$ 4,004.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 2,995.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 1,326.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including magnetic resonance guidance	\$ 2,995.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including magnetic resonance guidance (List separately in addition to code for primary procedure)	\$ 2,995.00
Biopsy of breast; open, incisional	\$ 2,405.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including mammographic guidance	\$ 3,043.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including mammographic guidance	\$ 2,159.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including mammographic guidance (List separately in addition to code for primary procedure)	\$ 1,619.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including mammographic guidance (List separately in addition to code for primary procedure)	\$ 712.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including stereotactic guidance	\$ 3,043.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including stereotactic guidance (List separately in addition to code for primary procedure)	\$ 1,619.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including ultrasound guidance	\$ 3,043.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including ultrasound guidance	\$ 2,159.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 1,619.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 712.00
Placement of breast localization device(s) (eg clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including magnetic resonance guidance	\$ 3,043.00
Placement of breast localization device(s) (eg clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including magnetic resonance guidance (List separately in addition to code for primary procedure)	\$ 1,619.00
Biopsy, muscle, percutaneous needle	\$ 2,703.00
Biopsy, muscle, percutaneous needle	\$ 2,703.00
Biopsy, bone, trocar, or needle; superficial (eg, ilium, sternum, spinous process, ribs)	\$ 2,636.00
Biopsy, bone, trocar, or needle; superficial (eg, ilium, sternum, spinous process, ribs)	\$ 2,636.00
Biopsy, bone, trocar, or needle; deep (eg, vertebral body, femur)	\$ 4,271.00
Injection of sinus tract; diagnostic (sinogram)	\$ 771.00
Injection of sinus tract; diagnostic (sinogram)	\$ 771.00
Injection(s); single tendon sheath, or ligament, aponeurosis (eg, plantar 'fascia')	\$ 800.00
Injection(s); single or multiple trigger point(s), 1 or 2 muscle(s)	\$ 831.00
Arthrocentesis, aspiration and/or injection, small joint or bursa (eg, fingers, toes); without ultrasound guidance	\$ 847.00
Arthrocentesis, aspiration and/or injection, small joint or bursa (eg, fingers, toes); with ultrasound guidance, with permanent recording and reporting	\$ 2,422.00
Arthrocentesis, aspiration and/or injection, intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa); without ultrasound guidance	\$ 840.00
Arthrocentesis, aspiration and/or injection, intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa); without ultrasound guidance	\$ 840.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 906.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 906.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 906.00
Aspiration and/or injection of ganglion cyst(s) any location	\$ 712.00
Insertion of wire or pin with application of skeletal traction, including removal (separate procedure)	\$ 4,763.00
Monitoring of interstitial fluid pressure (includes insertion of device, eg, wick catheter technique, needle manometer technique) in detection of muscle compartment syndrome	\$ 1,068.00
Closed treatment of nasal bone fracture without manipulation	\$ 809.00
Closed treatment of nasal bone fracture; without stabilization	\$ 3,825.00
Closed treatment of temporomandibular dislocation; initial or subsequent	\$ 760.00
Biopsy, soft tissue of neck or thorax	\$ 3,634.00
Closed treatment of sternum fracture	\$ 568.00
Closed treatment of vertebral body fracture(s), without manipulation, requiring and including casting or bracing	\$ 1,212.00
Closed treatment of vertebral fracture(s) and/or dislocation(s) requiring casting or bracing, with and including casting and/or bracing by manipulation or traction	\$ 2,443.00
Injection procedure for shoulder arthrography or enhanced CT/MRI shoulder arthrography	\$ 632.00
Closed treatment of clavicular fracture; without manipulation	\$ 632.00
Closed treatment of clavicular fracture; with manipulation	\$ 4,220.00
Closed treatment of scapular fracture; without manipulation	\$ 1,093.00
Closed treatment of proximal humeral (surgical or anatomical neck) fracture; without manipulation	\$ 837.00
Closed treatment of proximal humeral (surgical or anatomical neck) fracture; with manipulation, with or without skeletal traction	\$ 3,878.00
Closed treatment of greater humeral tuberosity fracture; without manipulation	\$ 1,087.00
Closed treatment of greater humeral tuberosity fracture; with manipulation	\$ 3,807.00
Closed treatment of shoulder dislocation, with manipulation; without anesthesia	\$ 1,110.00
Closed treatment of shoulder dislocation, with manipulation; requiring anesthesia	\$ 1,969.00
Closed treatment of shoulder dislocation, with fracture of greater humeral tuberosity, with manipulation	\$ 1,969.00
Closed treatment of shoulder dislocation, with surgical or anatomical neck fracture, with manipulation	\$ 1,367.00
Injection procedure for elbow arthrography	\$ 690.00
Closed treatment of humeral shaft fracture; without manipulation	\$ 1,260.00
Closed treatment of humeral shaft fracture; with manipulation, with or without skeletal traction	\$ 1,137.00
Closed treatment of supracondylar or transcondylar humeral fracture, with or without intercondylar extension; without manipulation	\$ 1,113.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Closed treatment of supracondylar or transcondylar humeral fracture, with or without intercondylar extension; with manipulation, with or without skin or skeletal traction	\$ 1,971.00
Closed treatment of humeral epicondylar fracture, medial or lateral; without manipulation	\$ 1,175.00
Closed treatment of humeral epicondylar fracture, medial or lateral; with manipulation	\$ 776.00
Closed treatment of humeral condylar fracture, medial or lateral; without manipulation	\$ 1,476.00
Closed treatment of humeral condylar fracture, medial or lateral; with manipulation	\$ 1,695.00
Treatment of closed elbow dislocation; without anesthesia	\$ 946.00
Treatment of closed elbow dislocation; requiring anesthesia	\$ 3,726.00
Closed treatment of Monteggia type of fracture dislocation at elbow (fracture proximal end of ulna with dislocation of radial head), with manipulation	\$ 3,690.00
Closed treatment of radial head subluxation in child, nursemaid elbow, with manipulation	\$ 383.00
Closed treatment of radial head or neck fracture; without manipulation	\$ 707.00
Closed treatment of radial head or neck fracture; with manipulation	\$ 1,753.00
Closed treatment of ulnar fracture, proximal end (eg, olecranon or coronoid process[es]); without manipulation	\$ 1,394.00
Closed treatment of ulnar fracture, proximal end (eg, olecranon or coronoid process[es]); with manipulation	\$ 1,198.00
Injection procedure for wrist arthrography	\$ 721.00
Closed treatment of radial shaft fracture; without manipulation	\$ 821.00
Closed treatment of radial shaft fracture; with manipulation	\$ 1,754.00
Closed treatment of ulnar shaft fracture; without manipulation	\$ 768.00
Closed treatment of ulnar shaft fracture; with manipulation	\$ 1,178.00
Closed treatment of radial and ulnar shaft fractures; without manipulation	\$ 1,177.00
Closed treatment of radial and ulnar shaft fractures; with manipulation	\$ 1,931.00
Open treatment of radial AND ulnar shaft fractures, with internal fixation, when performed; of radius AND ulna	\$ 6,423.00
Closed treatment of distal radial fracture (eg, Colles or Smith type) or epiphyseal separation, includes closed treatment of fracture of ulnar styloid, when performed; without manipulation	\$ 1,044.00
Closed treatment of distal radial fracture (eg, Colles or Smith type) or epiphyseal separation, includes closed treatment of fracture of ulnar styloid, when performed; with manipulation	\$ 1,902.00
Closed treatment of carpal scaphoid (navicular) fracture; without manipulation	\$ 831.00
Closed treatment of carpal scaphoid (navicular) fracture; with manipulation	\$ 2,181.00
Closed treatment of carpal bone fracture (excluding carpal scaphoid [navicular]); with manipulation, each bone	\$ 1,814.00
Closed treatment of distal radioulnar dislocation with manipulation	\$ 1,502.00
Closed treatment of trans-scaphoperilunar type of fracture dislocation, with manipulation	\$ 2,069.00
Closed treatment of lunate dislocation, with manipulation	\$ 3,576.00
Repair, extensor tendon, finger, primary or secondary; without free graft, each tendon	\$ 4,986.00
Closed treatment of metacarpal fracture, single; without manipulation, each bone	\$ 843.00
Closed treatment of metacarpal fracture, single; with manipulation, each bone	\$ 1,026.00
Closed treatment of carpometacarpal dislocation, thumb, with manipulation	\$ 896.00
Closed treatment of carpometacarpal dislocation, other than thumb, with manipulation, each joint; without anesthesia	\$ 725.00
Closed treatment of metacarpophalangeal dislocation, single, with manipulation; without anesthesia	\$ 790.00
Closed treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb; without manipulation, each	\$ 719.00
Closed treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb; with manipulation, with or without skin or skeletal traction, each	\$ 801.00
Closed treatment of articular fracture, involving metacarpophalangeal or interphalangeal joint; without manipulation, each	\$ 824.00
Closed treatment of articular fracture, involving metacarpophalangeal or interphalangeal joint; with manipulation, each	\$ 969.00
Closed treatment of distal phalangeal fracture, finger or thumb; without manipulation, each	\$ 684.00
Closed treatment of distal phalangeal fracture, finger or thumb; with manipulation, each	\$ 383.00
Percutaneous skeletal fixation of distal phalangeal fracture, finger or thumb, each	\$ 7,713.00
Open treatment of distal phalangeal fracture, finger or thumb, includes internal fixation, when performed, each	\$ 8,395.00
Closed treatment of interphalangeal joint dislocation, single, with manipulation; without anesthesia	\$ 377.00
Closed treatment of interphalangeal joint dislocation, single, with manipulation; requiring anesthesia	\$ 1,816.00
Amputation, finger or thumb, primary or secondary, any joint or phalanx, single, including neurectomies; with direct closure	\$ 4,101.00
Amputation, finger or thumb, primary or secondary, any joint or phalanx, single, including neurectomies; with local advancement flaps (V-Y, hood)	\$ 5,779.00
Injection procedure for hip arthrography; without anesthesia	\$ 840.00
Injection procedure for hip arthrography; with anesthesia	\$ 1,987.00
Closed treatment of posterior pelvic ring fracture(s), dislocation(s), diastasis or subluxation of the ilium, sacroiliac joint, and/or sacrum, with or without anterior pelvic ring fracture(s) and/or dislocation(s) of the pubic symphysis and/or superior/inferior rami, unilateral or bilateral; without manipulation	\$ 933.00
Closed treatment of acetabulum (hip socket) fracture(s); without manipulation	\$ 1,694.00
Closed treatment of acetabulum (hip socket) fracture(s); with manipulation, with or without skeletal traction	\$ 4,250.00
Closed treatment of femoral fracture, proximal end, neck; without manipulation	\$ 1,374.00
Closed treatment of femoral fracture, proximal end, neck; with manipulation, with or without skeletal traction	\$ 4,386.00
Closed treatment of hip dislocation, traumatic; without anesthesia	\$ 1,093.00
Closed treatment of post hip arthroplasty dislocation; without anesthesia	\$ 1,089.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Closed treatment of post hip arthroplasty dislocation; requiring regional or general anesthesia	\$ 4,794.00
Incision and drainage, deep abscess, bursa, or hematoma, thigh or knee region	\$ 4,936.00
Injection of contrast for knee arthrography	\$ 612.00
Removal of foreign body, deep, thigh region or knee area	\$ 6,148.00
Closed treatment of femoral fracture, distal end, medial or lateral condyle, without manipulation	\$ 1,752.00
Closed treatment of femoral fracture, distal end, medial or lateral condyle, with manipulation	\$ 2,275.00
Closed treatment of patellar fracture, without manipulation	\$ 1,194.00
Closed treatment of tibial fracture, proximal (plateau); without manipulation	\$ 1,735.00
Closed treatment of tibial fracture, proximal (plateau); with or without manipulation, with skeletal traction	\$ 3,772.00
Closed treatment of knee dislocation; without anesthesia	\$ 1,421.00
Closed treatment of patellar dislocation; without anesthesia	\$ 1,096.00
Biopsy, soft tissue of leg or ankle area; superficial	\$ 2,465.00
Biopsy, soft tissue of leg or ankle area; deep (subfascial or intramuscular)	\$ 4,803.00
Injection procedure for ankle arthrography	\$ 816.00
Closed treatment of tibial shaft fracture (with or without fibular fracture); without manipulation	\$ 1,313.00
Closed treatment of tibial shaft fracture (with or without fibular fracture); with manipulation, with or without skeletal traction	\$ 3,739.00
Closed treatment of medial malleolus fracture; without manipulation	\$ 1,218.00
Closed treatment of medial malleolus fracture; with manipulation, with or without skin or skeletal traction	\$ 3,715.00
Closed treatment of posterior malleolus fracture; without manipulation	\$ 1,752.00
Closed treatment of proximal fibula or shaft fracture; without manipulation	\$ 1,341.00
Closed treatment of proximal fibula or shaft fracture; with manipulation	\$ 3,770.00
Closed treatment of distal fibular fracture (lateral malleolus); without manipulation	\$ 1,266.00
Closed treatment of distal fibular fracture (lateral malleolus); with manipulation	\$ 1,410.00
Closed treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli or medial and posterior malleoli); without manipulation	\$ 1,049.00
Closed treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli or medial and posterior malleoli); with manipulation	\$ 1,436.00
Closed treatment of trimalleolar ankle fracture; without manipulation	\$ 1,110.00
Closed treatment of trimalleolar ankle fracture; with manipulation	\$ 1,731.00
Closed treatment of fracture of weight bearing articular portion of distal tibia (eg, pilon or tibial plafond), with or without anesthesia; without manipulation	\$ 1,380.00
Closed treatment of fracture of weight bearing articular portion of distal tibia (eg, pilon or tibial plafond), with or without anesthesia; with skeletal traction and/or requiring manipulation	\$ 3,578.00
Closed treatment of ankle dislocation; without anesthesia	\$ 1,326.00
Removal of foreign body, foot; subcutaneous	\$ 1,721.00
Closed treatment of calcaneal fracture; without manipulation	\$ 1,010.00
Closed treatment of calcaneal fracture; with manipulation	\$ 3,648.00
Closed treatment of talus fracture; with manipulation	\$ 727.00
Treatment of tarsal bone fracture (except talus and calcaneus); without manipulation, each	\$ 783.00
Closed treatment of metatarsal fracture; without manipulation, each	\$ 753.00
Closed treatment of metatarsal fracture; with manipulation, each	\$ 946.00
Closed treatment of fracture great toe, phalanx or phalanges; without manipulation	\$ 573.00
Closed treatment of fracture great toe, phalanx or phalanges; with manipulation	\$ 862.00
Closed treatment of fracture, phalanx or phalanges, other than great toe; without manipulation, each	\$ 674.00
Closed treatment of fracture, phalanx or phalanges, other than great toe; with manipulation, each	\$ 716.00
Closed treatment of talotarsal joint dislocation; without anesthesia	\$ 760.00
Closed treatment of tarsometatarsal joint dislocation; without anesthesia	\$ 1,004.00
Closed treatment of metatarsophalangeal joint dislocation; without anesthesia	\$ 633.00
Closed treatment of interphalangeal joint dislocation; without anesthesia	\$ 720.00
Application, cast; elbow to finger (short arm)	\$ 592.00
Application of long arm splint (shoulder to hand)	\$ 208.00
Application of short arm splint (forearm to hand); static	\$ 433.00
Application of short arm splint (forearm to hand); dynamic	\$ 544.00
Application of finger splint; static	\$ 403.00
Strapping; shoulder (eg, Velpeau)	\$ 208.00
Application of hip spica cast; 1 leg	\$ 1,400.00
Application of long leg cast (thigh to toes)	\$ 781.00
Application of long leg cast brace	\$ 712.00
Application of short leg cast (below knee to toes)	\$ 666.00
Application of short leg cast (below knee to toes); walking or ambulatory type	\$ 697.00
Application of long leg splint (thigh to ankle or toes)	\$ 276.00
Application of short leg splint (calf to foot)	\$ 433.00
Removal foreign body, intranasal; office type procedure	\$ 380.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Control nasal hemorrhage, anterior, simple (limited cautery and/or packing) any method	\$ 450.00
Control nasal hemorrhage, anterior, complex (extensive cautery and/or packing) any method	\$ 750.00
Control nasal hemorrhage, posterior, with posterior nasal packs and/or cautery, any method; initial	\$ 862.00
Intubation, endotracheal, emergency procedure	\$ 1,025.00
Intubation, endotracheal, emergency procedure	\$ 1,025.00
Intubation, endotracheal, emergency procedure	\$ 1,025.00
Tracheotomy tube change prior to establishment of fistula tract	\$ 701.00
Laryngoscopy, flexible; diagnostic	\$ 797.00
Tracheostomy, emergency procedure; transtracheal	\$ 2,578.00
Tracheobronchoscopy through established tracheostomy incision	\$ 3,293.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; diagnostic, with cell washing, when performed (separate procedure)	\$ 3,781.00
Biopsy, pleura, percutaneous needle	\$ 2,205.00
Biopsy, lung or mediastinum, percutaneous needle	\$ 3,128.00
Insertion of indwelling tunneled pleural catheter with cuff	\$ 7,802.00
Tube thoracostomy, includes connection to drainage system (eg, water seal), when performed, open (separate procedure)	\$ 1,828.00
Tube thoracostomy, includes connection to drainage system (eg, water seal), when performed, open (separate procedure)	\$ 1,828.00
Removal of indwelling tunneled pleural catheter with cuff	\$ 1,617.00
Thoracentesis, needle or catheter, aspiration of the pleural space; without imaging guidance	\$ 1,618.00
Thoracentesis, needle or catheter, aspiration of the pleural space; with imaging guidance	\$ 2,550.00
Thoracentesis, needle or catheter, aspiration of the pleural space; with imaging guidance	\$ 2,550.00
Thoracentesis, needle or catheter, aspiration of the pleural space; with imaging guidance	\$ 2,550.00
Pleural drainage, percutaneous, with insertion of indwelling catheter; with imaging guidance	\$ 4,480.00
Pleural drainage, percutaneous, with insertion of indwelling catheter; with imaging guidance	\$ 4,480.00
Ablation therapy for reduction or eradication of 1 or more pulmonary tumor(s) including pleura or chest wall when involved by tumor extension, percutaneous, radiofrequency, unilateral	\$ 12,685.00
Unlisted procedure, lungs and pleura	\$ 840.00
Pericardiocentesis; initial	\$ 2,698.00
Pericardiocentesis; initial	\$ 2,698.00
Introduction of needle or intracatheter, aortic, translumbar	\$ 2,095.00
Venipuncture, younger than age 3 years, necessitating the skill of a physician or other qualified health care professional, not to be used for routine venipuncture; femoral or jugular vein	\$ 178.00
Venipuncture, age 3 years or older, necessitating the skill of a physician or other qualified health care professional (separate procedure), for diagnostic or therapeutic purposes (not to be used for routine venipuncture)	\$ 225.00
Collection of venous blood by venipuncture	\$ 39.00
Collection of venous blood by venipuncture	\$ 39.00
Collection of venous blood by venipuncture	\$ 39.00
Collection of venous blood by venipuncture	\$ 39.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 39.00
Collection of venous blood by venipuncture	\$ 39.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 43.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 43.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 32.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 32.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 32.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 32.00
Transfusion, blood or blood components	\$ 2,038.00
Transfusion, blood or blood components	\$ 1,415.00
Transfusion, blood or blood components	\$ 1,415.00
Transfusion, blood or blood components	\$ 1,415.00
Transfusion, blood or blood components	\$ 1,415.00
Transfusion, blood or blood components	\$ 1,415.00
Transfusion, blood or blood components	\$ 1,415.00
Therapeutic apheresis; for white blood cells	\$ 5,517.00
Therapeutic apheresis; for red blood cells	\$ 5,076.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Therapeutic apheresis; for platelets	\$ 4,487.00
Therapeutic apheresis; for plasma pheresis	\$ 4,320.00
Therapeutic apheresis; for plasma pheresis	\$ 3,856.00
Insertion of non-tunneled centrally inserted central venous catheter; younger than 5 years of age	\$ 3,123.00
Insertion of non-tunneled centrally inserted central venous catheter; age 5 years or older	\$ 2,618.00
Insertion of non-tunneled centrally inserted central venous catheter; age 5 years or older	\$ 3,139.00
Insertion of non-tunneled centrally inserted central venous catheter; age 5 years or older	\$ 3,139.00
Insertion of peripherally inserted central venous catheter (PICC), without subcutaneous port or pump; age 5 years or older	\$ 2,494.00
Insertion of peripherally inserted central venous catheter (PICC), without subcutaneous port or pump; age 5 years or older	\$ 2,494.00
Collection of blood specimen from a completely implantable venous access device	\$ 227.00
Collection of blood specimen from a completely implantable venous access device	\$ 227.00
Collection of blood specimen from a completely implantable venous access device	\$ 227.00
Collection of blood specimen using established central or peripheral catheter, venous, not otherwise specified	\$ 211.00
Collection of blood specimen using established central or peripheral catheter, venous, not otherwise specified	\$ 211.00
Collection of blood specimen using established central or peripheral catheter, venous, not otherwise specified	\$ 211.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 914.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 972.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 972.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 972.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 972.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 972.00
Arterial puncture, withdrawal of blood for diagnosis	\$ 144.00
Arterial puncture, withdrawal of blood for diagnosis	\$ 144.00
Arterial puncture, withdrawal of blood for diagnosis	\$ 144.00
Arterial catheterization or cannulation for sampling, monitoring or transfusion (separate procedure); percutaneous	\$ 1,425.00
Arterial catheterization or cannulation for sampling, monitoring or transfusion (separate procedure); percutaneous	\$ 1,425.00
Placement of needle for intraosseous infusion	\$ 579.00
Management of recipient hematopoietic progenitor cell donor search and cell acquisition	\$ 2,447.00
Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogeneic	\$ 9,874.00
Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogeneic	\$ 9,125.00
Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous	\$ 10,036.00
Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage	\$ 3,100.00
Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor	\$ 1,321.00
Bone marrow; biopsy, needle or trocar	\$ 1,197.00
Diagnostic bone marrow; biopsy(ies) and aspiration(s)	\$ 603.00
Allogeneic lymphocyte infusions	\$ 1,464.00
Biopsy or excision of lymph node(s); by needle, superficial (eg, cervical, inguinal, axillary)	\$ 3,712.00
Biopsy or excision of lymph node(s); by needle, superficial (eg, cervical, inguinal, axillary)	\$ 3,712.00
Injection procedure; radioactive tracer for identification of sentinel node	\$ 1,096.00
Unlisted procedure, hemic or lymphatic system	\$ 550.00
Unlisted procedure, hemic or lymphatic system	\$ 550.00
Drainage of abscess, cyst, hematoma, vestibule of mouth; simple	\$ 615.00
Closure of laceration, vestibule of mouth; 2.5 cm or less	\$ 781.00
Repair of laceration 2.5 cm or less; floor of mouth and/or anterior two-thirds of tongue	\$ 813.00
Drainage of abscess, cyst, hematoma from dentoalveolar structures	\$ 635.00
Biopsy of salivary gland; needle	\$ 1,789.00
Biopsy of salivary gland; incisional	\$ 5,688.00
Incision and drainage abscess; peritonsillar	\$ 1,092.00
Biopsy; nasopharynx, survey for unknown primary lesion	\$ 6,423.00
Control oropharyngeal hemorrhage, primary or secondary (eg, post-tonsillectomy); simple	\$ 1,331.00
Gastric intubation and aspiration(s) therapeutic, necessitating physician's skill (eg, for gastrointestinal hemorrhage), including lavage if performed	\$ 563.00
Change of gastrostomy tube, percutaneous, without imaging or endoscopic guidance	\$ 802.00
Repositioning of a naso- or oro-gastric feeding tube, through the duodenum for enteric nutrition	\$ 2,254.00
Introduction of long gastrointestinal tube (eg, Miller-Abbott) (separate procedure)	\$ 1,119.00
Incision and drainage of ischiorectal and/or perirectal abscess (separate procedure)	\$ 4,523.00
Incision and drainage, perianal abscess, superficial	\$ 649.00
Incision of thrombosed hemorrhoid, external	\$ 799.00
Excision of thrombosed hemorrhoid, external	\$ 3,770.00
Anoscopy; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 468.00
Biopsy of liver, needle; percutaneous	\$ 3,335.00
Biopsy of liver, needle; percutaneous	\$ 3,335.00
Biopsy of liver, needle; when done for indicated purpose at time of other major procedure (List separately in addition to code for primary procedure)	\$ 3,193.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Biopsy of liver, needle; when done for indicated purpose at time of other major procedure (List separately in addition to code for primary procedure)	\$ 3,193.00
Ablation, open, of 1 or more liver tumor(s); radiofrequency	\$ 1,651.00
Ablation, 1 or more liver tumor(s), percutaneous, radiofrequency	\$ 11,114.00
Ablation, 1 or more liver tumor(s), percutaneous, radiofrequency	\$ 11,114.00
Cholecystostomy, percutaneous, complete procedure, including imaging guidance, catheter placement, cholecystogram when performed, and radiological supervision	\$ 5,902.00
Injection procedure for cholangiography, percutaneous, complete diagnostic procedure including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision ; existing access	\$ 969.00
Placement of biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision ; external	\$ 3,435.00
Endoluminal biopsy(ies) of biliary tree, percutaneous, any method(s) (eg, brush, forceps, and/or needle), including imaging guidance (eg, fluoroscopy), and all associated radiological supervision , single or multiple (List separately in addition to code for primary procedure)	\$ 677.00
Biliary endoscopy, percutaneous via T-tube or other tract; with dilation of biliary duct stricture(s) without stent	\$ 4,894.00
Biopsy of pancreas, percutaneous needle	\$ 2,443.00
Biopsy of pancreas, percutaneous needle	\$ 2,443.00
Abdominal paracentesis (diagnostic or therapeutic); without imaging guidance	\$ 1,285.00
Abdominal paracentesis (diagnostic or therapeutic); with imaging guidance	\$ 1,132.00
Abdominal paracentesis (diagnostic or therapeutic); with imaging guidance	\$ 1,132.00
Abdominal paracentesis (diagnostic or therapeutic); with imaging guidance	\$ 1,132.00
Biopsy, abdominal or retroperitoneal mass, percutaneous needle	\$ 2,444.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); visceral (eg, kidney, liver, spleen, lung/mediastinum), percutaneous	\$ 3,292.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); visceral (eg, kidney, liver, spleen, lung/mediastinum), percutaneous	\$ 3,292.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); peritoneal or retroperitoneal, percutaneous	\$ 3,292.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); peritoneal or retroperitoneal, percutaneous	\$ 3,292.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); peritoneal or retroperitoneal, transvaginal or transrectal	\$ 4,004.00
Exchange of previously placed abscess or cyst drainage catheter under radiological guidance (separate procedure)	\$ 2,627.00
Contrast injection for assessment of abscess or cyst via previously placed drainage catheter or tube (separate procedure)	\$ 765.00
Replacement of gastrostomy or cecostomy (or other colonic) tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 1,797.00
Contrast injection(s) for radiological evaluation of existing gastrostomy, duodenostomy, jejunostomy, gastro-jejunostomy, or cecostomy (or other colonic) tube, from a percutaneous approach including image documentation and report	\$ 964.00
Unlisted procedure, abdomen, peritoneum and omentum	\$ 1,137.00
Renal biopsy; percutaneous, by trocar or needle	\$ 4,284.00
Renal biopsy; percutaneous, by trocar or needle	\$ 4,284.00
Aspiration and/or injection of renal cyst or pelvis by needle, percutaneous	\$ 2,075.00
Injection procedure for antegrade nephrostogram and/or ureterogram, complete diagnostic procedure including imaging guidance (eg, ultrasound and fluoroscopy) and all associated radiological supervision ; existing access	\$ 684.00
Ablation, renal tumor(s), unilateral, percutaneous, cryotherapy	\$ 15,073.00
Injection procedure for ureterography or ureteropyelography through ureterostomy or indwelling ureteral catheter	\$ 1,409.00
Injection procedure for visualization of ileal conduit and/or ureteropyelography, exclusive of radiologic service	\$ 777.00
Aspiration of bladder; with insertion of suprapubic catheter	\$ 4,284.00
Injection procedure for cystography or voiding urethrocytography	\$ 833.00
Injection procedure for retrograde urethrocytography	\$ 1,156.00
Bladder irrigation, simple, lavage and/or instillation	\$ 656.00
Bladder irrigation, simple, lavage and/or instillation	\$ 656.00
Bladder irrigation, simple, lavage and/or instillation	\$ 669.00
Bladder irrigation, simple, lavage and/or instillation	\$ 669.00
Bladder irrigation, simple, lavage and/or instillation	\$ 656.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 300.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 300.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 300.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 300.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 300.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 300.00
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 365.00
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 365.00
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 365.00
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 365.00
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 365.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 365.00
Insertion of temporary indwelling bladder catheter; complicated (eg, altered anatomy, fractured catheter/balloon)	\$ 550.00
Change of cystostomy tube; simple	\$ 794.00
Bladder instillation of anticarcinogenic agent (including retention time)	\$ 970.00
Bladder instillation of anticarcinogenic agent (including retention time)	\$ 970.00
Bladder instillation of anticarcinogenic agent (including retention time)	\$ 970.00
Needle electromyography studies (EMG) of anal or urethral sphincter, any technique	\$ 1,021.00
Measurement of post-voiding residual urine and/or bladder capacity by ultrasound, non-imaging	\$ 559.00
Slitting of prepuce, dorsal or lateral (separate procedure); except newborn	\$ 4,188.00
Circumcision, using clamp or other device with regional dorsal penile or ring block	\$ 4,154.00
Biopsy, prostate; needle or punch, single or multiple, any approach	\$ 2,143.00
Placement of interstitial device(s) for radiation therapy guidance (eg, fiducial markers, dosimeter), prostate (via needle, any approach), single or multiple	\$ 2,996.00
Incision and drainage of vulva or perineal abscess	\$ 2,066.00
Incision and drainage of Bartholin's gland abscess	\$ 586.00
Endometrial sampling (biopsy) with or without endocervical sampling (biopsy), without cervical dilation, any method (separate procedure)	\$ 656.00
Removal of intrauterine device (IUD)	\$ 630.00
Catheterization and introduction of saline or contrast material for saline infusion sonohysterography (SIS) or hysterosalpingography	\$ 910.00
Catheterization and introduction of saline or contrast material for saline infusion sonohysterography (SIS) or hysterosalpingography	\$ 910.00
Amniocentesis; diagnostic	\$ 1,173.00
Fetal non-stress test	\$ 406.00
Unlisted procedure, maternity care and delivery	\$ 458.00
Biopsy thyroid, percutaneous core needle	\$ 1,411.00
Aspiration and/or injection, thyroid cyst	\$ 1,145.00
Aspiration and/or injection, thyroid cyst	\$ 1,145.00
Unlisted procedure, endocrine system	\$ 2,114.00
Cisternal or lateral cervical (C1-C2) puncture; without injection (separate procedure)	\$ 239.00
Cisternal or lateral cervical (C1-C2) puncture; with injection of medication or other substance for diagnosis or treatment	\$ 1,990.00
Percutaneous aspiration within the nucleus pulposus, intervertebral disc, or paravertebral tissue for diagnostic purposes	\$ 2,102.00
Spinal puncture, lumbar, diagnostic	\$ 721.00
Spinal puncture, lumbar, diagnostic	\$ 721.00
Injection, epidural, of blood or clot patch	\$ 1,682.00
Injection, epidural, of blood or clot patch	\$ 1,682.00
Myelography via lumbar injection, including radiological supervision ; cervical	\$ 4,105.00
Myelography via lumbar injection, including radiological supervision ; thoracic	\$ 4,023.00
Myelography via lumbar injection, including radiological supervision ; lumbosacral	\$ 4,070.00
Myelography via lumbar injection, including radiological supervision ; 2 or more regions (eg, lumbar/thoracic, cervical/thoracic, lumbar/cervical, lumbar/thoracic/cervical)	\$ 4,679.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)	\$ 2,079.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)	\$ 2,079.00
Injection, anesthetic agent; trigeminal nerve, any division or branch	\$ 980.00
Injection, anesthetic agent; facial nerve	\$ 886.00
Injection, anesthetic agent; intercostal nerve, single	\$ 1,638.00
Injection, anesthetic agent; other peripheral nerve or branch	\$ 1,195.00
Injection(s), anesthetic agent and/or steroid, plantar common digital nerve(s) (eg, Morton's neuroma)	\$ 572.00
Transversus abdominis plane (TAP) block (abdominal plane block, rectus sheath block) unilateral; by injection(s) (includes imaging guidance, when performed)	\$ 124.00
Transversus abdominis plane (TAP) block (abdominal plane block, rectus sheath block) unilateral; by continuous infusion(s) (includes imaging guidance, when performed)	\$ 124.00
Transversus abdominis plane (TAP) block (abdominal plane block, rectus sheath block) bilateral; by injections (includes imaging guidance, when performed)	\$ 178.00
Transversus abdominis plane (TAP) block (abdominal plane block, rectus sheath block) bilateral; by continuous infusions (includes imaging guidance, when performed)	\$ 178.00
Unlisted procedure, nervous system	\$ 1,048.00
Removal of foreign body, external eye; conjunctival superficial	\$ 143.00
Removal of foreign body, external eye; conjunctival embedded (includes concretions), subconjunctival, or scleral nonperforating	\$ 657.00
Removal of foreign body, external eye; corneal, without slit lamp	\$ 334.00
Removal of foreign body, external eye; corneal, with slit lamp	\$ 573.00
Drainage external ear, abscess or hematoma; simple	\$ 276.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Removal foreign body from external auditory canal; without general anesthesia	\$ 372.00
Removal impacted cerumen using irrigation/lavage, unilateral	\$ 145.00
Removal impacted cerumen requiring instrumentation, unilateral	\$ 130.00
Cisternography, positive contrast, radiological supervision	\$ 1,987.00
Radiologic examination, eye, for detection of foreign body	\$ 470.00
Radiologic examination, mandible; partial, less than 4 views	\$ 641.00
Radiologic examination, mandible; complete, minimum of 4 views	\$ 632.00
Radiologic examination, mastoids; less than 3 views per side	\$ 441.00
Radiologic examination, mastoids; complete, minimum of 3 views per side	\$ 691.00
Radiologic examination, internal auditory meati, complete	\$ 391.00
Radiologic examination, facial bones; less than 3 views	\$ 623.00
Radiologic examination, facial bones; complete, minimum of 3 views	\$ 658.00
Radiologic examination, nasal bones, complete, minimum of 3 views	\$ 494.00
Radiologic examination; optic foramina	\$ 445.00
Radiologic examination; orbits, complete, minimum of 4 views	\$ 507.00
Radiologic examination, sinuses, paranasal, less than 3 views	\$ 337.00
Radiologic examination, sinuses, paranasal, complete, minimum of 3 views	\$ 621.00
Radiologic examination, sella turcica	\$ 346.00
Radiologic examination, skull; less than 4 views	\$ 367.00
Radiologic examination, skull; complete, minimum of 4 views	\$ 1,177.00
Radiologic examination, temporomandibular joint, open and closed mouth; bilateral	\$ 718.00
Temporomandibular joint arthrography, radiological supervision	\$ 1,525.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 4,835.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 4,835.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 4,835.00
Radiologic examination; neck, soft tissue	\$ 523.00
Radiologic examination, salivary gland for calculus	\$ 503.00
Sialography, radiological supervision	\$ 970.00
Computed tomography, head or brain; without contrast material	\$ 2,733.00
Computed tomography, head or brain; with contrast material(s)	\$ 3,050.00
Computed tomography, head or brain; without contrast material, followed by contrast material(s) and further sections	\$ 3,741.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material	\$ 2,907.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; with contrast material(s)	\$ 3,790.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material, followed by contrast material(s) and further sections	\$ 3,624.00
Computed tomography, maxillofacial area; without contrast material	\$ 2,733.00
Computed tomography, maxillofacial area; with contrast material(s)	\$ 3,892.00
Computed tomography, maxillofacial area; without contrast material, followed by contrast material(s) and further sections	\$ 3,624.00
Computed tomography, soft tissue neck; without contrast material	\$ 2,965.00
Computed tomography, soft tissue neck; with contrast material(s)	\$ 3,363.00
Computed tomography, soft tissue neck; without contrast material followed by contrast material(s) and further sections	\$ 3,669.00
Computed tomographic angiography, head, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,005.00
Computed tomographic angiography, neck, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,005.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s)	\$ 4,684.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; with contrast material(s)	\$ 5,610.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s), followed by contrast material(s) and further sequences	\$ 6,224.00
Magnetic resonance angiography, head; without contrast material(s)	\$ 3,788.00
Magnetic resonance angiography, head; with contrast material(s)	\$ 4,692.00
Magnetic resonance angiography, head; without contrast material(s), followed by contrast material(s) and further sequences	\$ 5,106.00
Magnetic resonance angiography, neck; without contrast material(s)	\$ 3,745.00
Magnetic resonance angiography, neck; with contrast material(s)	\$ 4,479.00
Magnetic resonance angiography, neck; without contrast material(s), followed by contrast material(s) and further sequences	\$ 5,904.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material	\$ 3,989.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); with contrast material(s)	\$ 4,623.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material, followed by contrast material(s) and further sequences	\$ 6,099.00
Magnetic resonance imaging, brain, functional MRI; including test selection and administration of repetitive body part movement and/or visual stimulation, not requiring physician or psychologist administration	\$ 4,164.00
Magnetic resonance imaging, brain, functional MRI; requiring physician or psychologist administration of entire neurofunctional testing	\$ 4,115.00
Radiologic examination, chest; single view	\$ 419.00
Radiologic examination, chest; 2 views	\$ 472.00
Radiologic examination, chest; 3 views	\$ 376.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Radiologic examination, chest; 4 or more views	\$ 878.00
Radiologic examination, ribs, unilateral; 2 views	\$ 637.00
Radiologic examination, ribs, unilateral; including posteroanterior chest, minimum of 3 views	\$ 611.00
Radiologic examination, ribs, bilateral; 3 views	\$ 951.00
Radiologic examination, ribs, bilateral; including posteroanterior chest, minimum of 4 views	\$ 964.00
Radiologic examination; sternum, minimum of 2 views	\$ 573.00
Radiologic examination; sternoclavicular joint or joints, minimum of 3 views	\$ 422.00
Computed tomography, thorax; without contrast material	\$ 2,945.00
Computed tomography, thorax; with contrast material(s)	\$ 4,057.00
Computed tomography, thorax; without contrast material, followed by contrast material(s) and further sections	\$ 4,392.00
Computed tomographic angiography, chest (noncoronary), with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,335.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s)	\$ 3,783.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); with contrast material(s)	\$ 5,196.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s), followed by contrast material(s) and further sequences	\$ 6,304.00
Radiologic examination, spine, single view, specify level	\$ 576.00
Radiologic examination, spine, cervical; 2 or 3 views	\$ 520.00
Radiologic examination, spine, cervical; 4 or 5 views	\$ 1,039.00
Radiologic examination, spine, cervical; 6 or more views	\$ 946.00
Radiologic examination, spine; thoracic, 2 views	\$ 682.00
Radiologic examination, spine; thoracic, 3 views	\$ 718.00
Radiologic examination, spine; thoracic, minimum of 4 views	\$ 831.00
Radiologic examination, spine; thoracolumbar junction, minimum of 2 views	\$ 732.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); one view	\$ 493.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 2 or 3 views	\$ 493.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 4 or 5 views	\$ 493.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); minimum of 6 views	\$ 493.00
Radiologic examination, spine, lumbosacral; 2 or 3 views	\$ 576.00
Radiologic examination, spine, lumbosacral; minimum of 4 views	\$ 829.00
Radiologic examination, spine, lumbosacral; complete, including bending views, minimum of 6 views	\$ 915.00
Radiologic examination, spine, lumbosacral; bending views only, 2 or 3 views	\$ 819.00
Computed tomography, cervical spine; without contrast material	\$ 3,624.00
Computed tomography, cervical spine; with contrast material	\$ 4,623.00
Computed tomography, cervical spine; without contrast material, followed by contrast material(s) and further sections	\$ 4,116.00
Computed tomography, thoracic spine; without contrast material	\$ 3,431.00
Computed tomography, thoracic spine; with contrast material	\$ 4,321.00
Computed tomography, thoracic spine; without contrast material, followed by contrast material(s) and further sections	\$ 5,297.00
Computed tomography, lumbar spine; without contrast material	\$ 3,431.00
Computed tomography, lumbar spine; with contrast material	\$ 3,631.00
Computed tomography, lumbar spine; without contrast material, followed by contrast material(s) and further sections	\$ 4,116.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; without contrast material	\$ 3,970.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; with contrast material(s)	\$ 5,651.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; without contrast material	\$ 3,963.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; with contrast material(s)	\$ 5,540.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; without contrast material	\$ 4,574.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; with contrast material(s)	\$ 5,541.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; cervical	\$ 5,457.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; thoracic	\$ 5,467.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; lumbar	\$ 6,181.00
Radiologic examination, pelvis; 1 or 2 views	\$ 477.00
Radiologic examination, pelvis; complete, minimum of 3 views	\$ 620.00
Computed tomographic angiography, pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,787.00
Computed tomography, pelvis; without contrast material	\$ 3,451.00
Computed tomography, pelvis; with contrast material(s)	\$ 4,292.00
Computed tomography, pelvis; without contrast material, followed by contrast material(s) and further sections	\$ 4,793.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s)	\$ 3,757.00
Magnetic resonance (eg, proton) imaging, pelvis; with contrast material(s)	\$ 5,472.00
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s), followed by contrast material(s) and further sequences	\$ 5,016.00
Radiologic examination, sacroiliac joints; 3 or more views	\$ 472.00
Radiologic examination, sacrum and coccyx, minimum of 2 views	\$ 484.00
Myelography, cervical, radiological supervision	\$ 2,770.00
Myelography, thoracic, radiological supervision	\$ 2,687.00
Myelography, lumbosacral, radiological supervision	\$ 2,736.00
Myelography, 2 or more regions (eg, lumbar/thoracic, cervical/thoracic, lumbar/cervical, lumbar/thoracic/cervical), radiological supervision	\$ 3,343.00
Radiologic examination; clavicle, complete	\$ 404.00
Radiologic examination; scapula, complete	\$ 419.00
Radiologic examination, shoulder; 1 view	\$ 314.00
Radiologic examination, shoulder; complete, minimum of 2 views	\$ 513.00
Radiologic examination, shoulder, arthrography, radiological supervision	\$ 1,051.00
Radiologic examination; acromioclavicular joints, bilateral, with or without weighted distraction	\$ 427.00
Radiologic examination; humerus, minimum of 2 views	\$ 453.00
Radiologic examination, elbow; 2 views	\$ 453.00
Radiologic examination, elbow; complete, minimum of 3 views	\$ 523.00
Radiologic examination, elbow, arthrography, radiological supervision	\$ 1,260.00
Radiologic examination; forearm, 2 views	\$ 445.00
Radiologic examination; upper extremity, infant, minimum of 2 views	\$ 262.00
Radiologic examination, wrist; 2 views	\$ 428.00
Radiologic examination, wrist; complete, minimum of 3 views	\$ 494.00
Radiologic examination, wrist, arthrography, radiological supervision	\$ 1,378.00
Radiologic examination, hand; 2 views	\$ 463.00
Radiologic examination, hand; minimum of 3 views	\$ 617.00
Radiologic examination, finger(s), minimum of 2 views	\$ 365.00
Computed tomography, upper extremity; without contrast material	\$ 2,733.00
Computed tomography, upper extremity; with contrast material(s)	\$ 3,728.00
Computed tomography, upper extremity; without contrast material, followed by contrast material(s) and further sections	\$ 3,431.00
Computed tomographic angiography, upper extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,288.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s)	\$ 4,077.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; with contrast material(s)	\$ 4,921.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s), followed by contrast material(s) and further sequences	\$ 5,856.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s)	\$ 3,776.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; with contrast material(s)	\$ 3,783.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s), followed by contrast material(s) and further sequences	\$ 5,466.00
Radiologic examination, hip, unilateral, with pelvis when performed; 1 view	\$ 668.00
Radiologic examination, hip, unilateral, with pelvis when performed; 2-3 views	\$ 668.00
Radiologic examination, hip, unilateral, with pelvis when performed; minimum of 4 views	\$ 668.00
Radiologic examination, hips, bilateral, with pelvis when performed; 2 views	\$ 798.00
Radiologic examination, hips, bilateral, with pelvis when performed; 3-4 views	\$ 798.00
Radiologic examination, hips, bilateral, with pelvis when performed; minimum of 5 views	\$ 798.00
Radiologic examination, hip, arthrography, radiological supervision	\$ 1,277.00
Radiologic examination, femur; 1 view	\$ 523.00
Radiologic examination, femur; minimum 2 views	\$ 523.00
Radiologic examination, knee; 1 or 2 views	\$ 419.00
Radiologic examination, knee; 3 views	\$ 627.00
Radiologic examination, knee; complete, 4 or more views	\$ 784.00
Radiologic examination, knee; both knees, standing, anteroposterior	\$ 597.00
Radiologic examination, knee, arthrography, radiological supervision	\$ 1,488.00
Radiologic examination; tibia and fibula, 2 views	\$ 524.00
Radiologic examination; lower extremity, infant, minimum of 2 views	\$ 376.00
Radiologic examination, ankle; 2 views	\$ 445.00
Radiologic examination, ankle; complete, minimum of 3 views	\$ 471.00
Radiologic examination, ankle, arthrography, radiological supervision	\$ 1,363.00
Radiologic examination, foot; 2 views	\$ 412.00
Radiologic examination, foot; complete, minimum of 3 views	\$ 520.00
Radiologic examination; calcaneus, minimum of 2 views	\$ 404.00
Radiologic examination; toe(s), minimum of 2 views	\$ 321.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Computed tomography, lower extremity; without contrast material	\$ 3,451.00
Computed tomography, lower extremity; with contrast material(s)	\$ 3,783.00
Computed tomography, lower extremity; without contrast material, followed by contrast material(s) and further sections	\$ 3,814.00
Computed tomographic angiography, lower extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,188.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s)	\$ 3,788.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; with contrast material(s)	\$ 4,446.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s), followed by contrast material(s) and further sequences	\$ 5,596.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material	\$ 3,870.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; with contrast material(s)	\$ 4,446.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material(s), followed by contrast material(s) and further sequences	\$ 5,271.00
Radiologic examination, abdomen; 1 view	\$ 419.00
Radiologic examination, abdomen; 2 views	\$ 577.00
Radiologic examination, abdomen; 3 or more views	\$ 625.00
Radiologic examination, abdomen; complete acute abdomen series, including supine, erect, and/or decubitus views, single view chest	\$ 732.00
Computed tomography, abdomen; without contrast material	\$ 3,566.00
Computed tomography, abdomen; with contrast material(s)	\$ 3,804.00
Computed tomography, abdomen; without contrast material, followed by contrast material(s) and further sections	\$ 5,057.00
Computed tomographic angiography, abdomen and pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 5,488.00
Computed tomographic angiography, abdomen, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,705.00
Computed tomography, abdomen and pelvis; without contrast material	\$ 7,016.00
Computed tomography, abdomen and pelvis; with contrast material(s)	\$ 7,375.00
Computed tomography, abdomen and pelvis; without contrast material in one or both body regions, followed by contrast material(s) and further sections in one or both body regions	\$ 9,880.00
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s)	\$ 4,036.00
Magnetic resonance (eg, proton) imaging, abdomen; with contrast material(s)	\$ 5,505.00
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s), followed by with contrast material(s) and further sequences	\$ 5,782.00
Radiologic examination; pharynx and/or cervical esophagus	\$ 1,035.00
Radiologic examination; esophagus	\$ 783.00
Swallowing function, with cineradiography/videoradiography	\$ 1,194.00
Radiologic examination, gastrointestinal tract, upper; with or without delayed images, without KUB	\$ 1,227.00
Radiologic examination, gastrointestinal tract, upper; with or without delayed images, with KUB	\$ 1,223.00
Radiologic examination, gastrointestinal tract, upper; with small intestine, includes multiple serial images	\$ 1,863.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed images, without KUB	\$ 1,413.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed images, with KUB	\$ 1,404.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with small intestine follow-through	\$ 1,564.00
Radiologic examination, small intestine, includes multiple serial images	\$ 700.00
Radiologic examination, small intestine, includes multiple serial images; via enteroclysis tube	\$ 1,456.00
Computed tomographic (CT) colonography, diagnostic, including image postprocessing; without contrast material	\$ 2,622.00
Computed tomographic (CT) colonography, diagnostic, including image postprocessing; with contrast material(s) including non-contrast images, if performed	\$ 2,964.00
Computed tomographic (CT) colonography, screening, including image postprocessing	\$ 2,427.00
Radiologic examination, colon; contrast (eg, barium) enema, with or without KUB	\$ 1,201.00
Radiologic examination, colon; air contrast with specific high density barium, with or without glucagon	\$ 1,513.00
Therapeutic enema, contrast or air, for reduction of intussusception or other intraluminal obstruction (eg, meconium ileus)	\$ 1,851.00
Cholecystography, oral contrast	\$ 943.00
Cholangiography and/or pancreatography; intraoperative, radiological supervision	\$ 1,112.00
Cholangiography and/or pancreatography; additional set intraoperative, radiological supervision (List separately in addition to code for primary procedure)	\$ 1,112.00
Endoscopic catheterization of the biliary ductal system, radiological supervision	\$ 1,651.00
Endoscopic catheterization of the pancreatic ductal system, radiological supervision	\$ 1,533.00
Combined endoscopic catheterization of the biliary and pancreatic ductal systems, radiological supervision	\$ 2,088.00
Introduction of long gastrointestinal tube (eg, Miller-Abbott), including multiple fluoroscopies and images, radiological supervision	\$ 1,038.00
Intraluminal dilation of strictures and/or obstructions (eg, esophagus), radiological supervision	\$ 1,321.00
Urography (pyelography), intravenous, with or without KUB, with or without tomography	\$ 1,197.00
Urography, infusion, drip technique and/or bolus technique; with nephrotomography	\$ 1,833.00
Urography, retrograde, with or without KUB	\$ 1,521.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Urography, antegrade (pyelostogram, nephrostogram, loopogram), radiological supervision	\$ 1,425.00
Cystography, minimum of 3 views, radiological supervision	\$ 906.00
Urethrocytography, retrograde, radiological supervision	\$ 892.00
Urethrocytography, voiding, radiological supervision	\$ 989.00
Dilation of nephrostomy, ureters, or urethra, radiological supervision	\$ 1,895.00
Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging when performed; single or first gestation	\$ 592.00
Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging when performed; each additional gestation (List separately in addition to code for primary procedure)	\$ 790.00
Hysterosalpingography, radiological supervision	\$ 1,190.00
Perineogram (eg, vaginogram, for sex determination or extent of anomalies)	\$ 1,102.00
Cardiac magnetic resonance imaging for morphology and function without contrast material	\$ 4,356.00
Cardiac magnetic resonance imaging for morphology and function without contrast material; with stress imaging	\$ 5,946.00
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences	\$ 4,951.00
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences; with stress imaging	\$ 5,892.00
Cardiac magnetic resonance imaging for velocity flow mapping (List separately in addition to code for primary procedure)	\$ 2,601.00
Computed tomography, heart, without contrast material, with quantitative evaluation of coronary calcium	\$ 125.00
Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology (including 3D image postprocessing, assessment of cardiac function, and evaluation of venous structures, if performed)	\$ 3,025.00
Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology in the setting of congenital heart disease (including 3D image postprocessing, assessment of LV cardiac function, RV structure and function and evaluation of venous structures, if performed)	\$ 3,217.00
Computed tomographic angiography, heart, coronary arteries and bypass grafts (when present), with contrast material, including 3D image postprocessing (including evaluation of cardiac structure and morphology, assessment of cardiac function, and evaluation of venous structures, if performed)	\$ 3,773.00
Computed tomographic angiography, abdominal aorta and bilateral iliofemoral lower extremity runoff, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 5,225.00
Transcatheter therapy, embolization, any method, radiological supervision	\$ 6,649.00
Change of percutaneous tube or drainage catheter with contrast monitoring (eg, genitourinary system, abscess), radiological supervision	\$ 1,544.00
Change of percutaneous tube or drainage catheter with contrast monitoring (eg, genitourinary system, abscess), radiological supervision	\$ 1,544.00
Radiological guidance (ie, fluoroscopy, ultrasound, or computed tomography), for percutaneous drainage (eg, abscess, specimen collection), with placement of catheter, radiological supervision	\$ 2,103.00
Radiological guidance (ie, fluoroscopy, ultrasound, or computed tomography), for percutaneous drainage (eg, abscess, specimen collection), with placement of catheter, radiological supervision	\$ 2,103.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 1,096.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 1,096.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,096.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,096.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,096.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,065.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,330.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,599.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,863.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 2,131.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 2,397.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 2,666.00
Radiologic examination from nose to rectum for foreign body, single view, child	\$ 422.00
Radiologic examination, abscess, fistula or sinus tract study, radiological supervision	\$ 1,140.00
Radiological examination, surgical specimen	\$ 618.00
Radiological examination, surgical specimen	\$ 618.00
Radiologic examination, single plane body section (eg, tomography), other than with urography	\$ 1,163.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
3D rendering with interpretation and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; requiring image postprocessing on an independent workstation	\$ 1,160.00
3D rendering with interpretation and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; requiring image postprocessing on an independent workstation	\$ 1,160.00
Computed tomography, limited or localized follow-up study	\$ 1,730.00
Magnetic resonance spectroscopy	\$ 3,631.00
Unlisted computed tomography procedure (eg, diagnostic, interventional)	\$ 797.00
Unlisted computed tomography procedure (eg, diagnostic, interventional)	\$ 797.00
Unlisted magnetic resonance procedure (eg, diagnostic, interventional)	\$ 1,048.00
Unlisted magnetic resonance procedure (eg, diagnostic, interventional)	\$ 1,048.00
Echoencephalography, real time with image documentation (gray scale) (for determination of ventricular size, delineation of cerebral contents, and detection of fluid masses or other intracranial abnormalities), including A-mode encephalography as secondary component where indicated	\$ 1,043.00
Ophthalmic ultrasound, diagnostic; B-scan (with or without superimposed non-quantitative A-scan)	\$ 707.00
Ophthalmic ultrasonic foreign body localization	\$ 437.00
Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid), real time with image documentation	\$ 989.00
Ultrasound, chest (includes mediastinum), real time with image documentation	\$ 755.00
Ultrasound, chest (includes mediastinum), real time with image documentation	\$ 755.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; complete	\$ 791.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; limited	\$ 791.00
Ultrasound, abdominal, real time with image documentation; complete	\$ 1,478.00
Ultrasound, abdominal, real time with image documentation; limited (eg, single organ, quadrant, follow-up)	\$ 976.00
Ultrasound, abdominal, real time with image documentation; limited (eg, single organ, quadrant, follow-up)	\$ 976.00
Ultrasound, abdominal aorta, real time with image documentation, screening study for abdominal aortic aneurysm (AAA)	\$ 809.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; complete	\$ 1,151.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; limited	\$ 946.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; limited	\$ 946.00
Ultrasound, transplanted kidney, real time and duplex Doppler with image documentation	\$ 1,291.00
Ultrasound, spinal canal and contents	\$ 733.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 989.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 632.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 1,153.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 1,156.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; single or first gestation	\$ 1,554.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 1,051.00
Ultrasound, pregnant uterus, real time with image documentation, limited (eg, fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid volume), 1 or more fetuses	\$ 1,039.00
Ultrasound, pregnant uterus, real time with image documentation, limited (eg, fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid volume), 1 or more fetuses	\$ 1,039.00
Ultrasound, pregnant uterus, real time with image documentation, follow-up (eg, re-evaluation of fetal size by measuring standard growth parameters and amniotic fluid volume, re-evaluation of organ system(s) suspected or confirmed to be abnormal on a previous scan), transabdominal approach, per fetus	\$ 763.00
Ultrasound, pregnant uterus, real time with image documentation, transvaginal	\$ 865.00
Ultrasound, pregnant uterus, real time with image documentation, transvaginal	\$ 865.00
Fetal biophysical profile; without non-stress testing	\$ 1,241.00
Doppler velocimetry, fetal; umbilical artery	\$ 766.00
Doppler velocimetry, fetal; middle cerebral artery	\$ 761.00
Ultrasound, transvaginal	\$ 1,048.00
Saline infusion sonohysterography (SIS), including color flow Doppler, when performed	\$ 1,274.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; complete	\$ 1,338.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; limited or follow-up (eg, for follicles)	\$ 783.00
Ultrasound, scrotum and contents	\$ 1,029.00
Ultrasound, transrectal	\$ 1,453.00
Ultrasound, transrectal	\$ 1,453.00
Ultrasound, extremity, nonvascular, real-time with image documentation; complete	\$ 906.00
Ultrasound, extremity, nonvascular, real-time with image documentation; limited, anatomic specific	\$ 906.00
Ultrasound, extremity, nonvascular, real-time with image documentation; limited, anatomic specific	\$ 906.00
Ultrasound, infant hips, real time with imaging documentation; dynamic (requiring physician or other qualified health care professional manipulation)	\$ 1,068.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Ultrasonic guidance for pericardiocentesis, imaging supervision	\$ 1,579.00
Ultrasound guidance for vascular access requiring ultrasound evaluation of potential access sites, documentation of selected vessel patency, concurrent realtime ultrasound visualization of vascular needle entry, with permanent recording and reporting (List separately in addition to code for primary procedure)	\$ 933.00
Ultrasound guidance for vascular access requiring ultrasound evaluation of potential access sites, documentation of selected vessel patency, concurrent realtime ultrasound visualization of vascular needle entry, with permanent recording and reporting (List separately in addition to code for primary procedure)	\$ 933.00
Ultrasound guidance for vascular access requiring ultrasound evaluation of potential access sites, documentation of selected vessel patency, concurrent realtime ultrasound visualization of vascular needle entry, with permanent recording and reporting (List separately in addition to code for primary procedure)	\$ 933.00
Ultrasound guidance for, and monitoring of, parenchymal tissue ablation	\$ 1,297.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,430.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,430.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,430.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,430.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,430.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,430.00
Ultrasonic guidance for amniocentesis, imaging supervision	\$ 973.00
Ultrasonic guidance, intraoperative	\$ 1,409.00
Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device) (List separately in addition to code for primary procedure)	\$ 1,534.00
Fluoroscopic guidance and localization of needle or catheter tip for spine or paraspinous diagnostic or therapeutic injection procedures (epidural or subarachnoid) (List separately in addition to code for primary procedure)	\$ 1,029.00
Computed tomography guidance for stereotactic localization	\$ 3,129.00
Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision	\$ 3,077.00
Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision	\$ 3,077.00
Computed tomography guidance for, and monitoring of, parenchymal tissue ablation	\$ 3,397.00
Magnetic resonance guidance for needle placement (eg, for biopsy, needle aspiration, injection, or placement of localization device) radiological supervision	\$ 3,426.00
Magnetic resonance guidance for needle placement (eg, for biopsy, needle aspiration, injection, or placement of localization device) radiological supervision	\$ 3,426.00
Mammary ductogram or galactogram, single duct, radiological supervision	\$ 1,048.00
Screening digital breast tomosynthesis, bilateral (List separately in addition to code for primary procedure)	\$ 125.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; unilateral	\$ 650.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral	\$ 821.00
Screening mammography, bilateral (2-view study of each breast), including computer-aided detection (CAD) when performed	\$ 734.00
Bone age studies	\$ 597.00
Bone length studies (orthoroentgenogram, scanogram)	\$ 577.00
Radiologic examination, osseous survey; complete (axial and appendicular skeleton)	\$ 1,940.00
Radiologic examination, osseous survey, infant	\$ 977.00
Computed tomography, bone mineral density study, 1 or more sites, axial skeleton (eg, hips, pelvis, spine)	\$ 839.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)	\$ 881.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; appendicular skeleton (peripheral) (eg, radius, wrist, heel)	\$ 804.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine), including vertebral fracture assessment	\$ 925.00
Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA)	\$ 476.00
Brachytherapy isodose plan; complex (calculation[s] made from over 10 sources, or remote afterloading brachytherapy, over 12 channels), includes basic dosimetry calculation(s)	\$ 2,638.00
Special medical radiation physics consultation	\$ 1,608.00
Special treatment procedure (eg, total body irradiation, hemibody radiation, per oral or endocavitary irradiation)	\$ 3,930.00
Interstitial radiation source application, complex, includes supervision, handling, loading of radiation source, when performed	\$ 8,524.00
Supervision, handling, loading of radiation source	\$ 869.00
Supervision, handling, loading of radiation source	\$ 869.00
Thyroid uptake, single or multiple quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)	\$ 1,194.00
Thyroid imaging (including vascular flow, when performed)	\$ 846.00
Thyroid imaging (including vascular flow, when performed); with single or multiple uptake(s) quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)	\$ 2,158.00
Thyroid carcinoma metastases imaging; whole body	\$ 3,024.00
Parathyroid planar imaging (including subtraction, when performed)	\$ 2,361.00
Parathyroid planar imaging (including subtraction, when performed); with tomographic (SPECT)	\$ 2,241.00
Parathyroid planar imaging (including subtraction, when performed); with tomographic (SPECT), and concurrently acquired computed tomography (CT) for anatomical localization	\$ 3,947.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Bone marrow imaging; limited area	\$ 1,711.00
Whole blood volume determination, including separate measurement of plasma volume and red cell volume (radiopharmaceutical volume-dilution technique)	\$ 2,625.00
Lymphatics and lymph nodes imaging	\$ 2,855.00
Liver imaging; static only	\$ 2,063.00
Liver imaging (SPECT)	\$ 3,223.00
Liver imaging (SPECT); with vascular flow	\$ 2,856.00
Liver and spleen imaging; static only	\$ 2,491.00
Liver and spleen imaging; with vascular flow	\$ 2,756.00
Hepatobiliary system imaging, including gallbladder when present	\$ 2,247.00
Hepatobiliary system imaging, including gallbladder when present; with pharmacologic intervention, including quantitative measurement(s) when performed	\$ 2,352.00
Salivary gland function study	\$ 2,195.00
Gastroesophageal reflux study	\$ 2,405.00
Gastric emptying imaging study (eg, solid, liquid, or both);	\$ 1,983.00
Acute gastrointestinal blood loss imaging	\$ 2,490.00
Intestine imaging (eg, ectopic gastric mucosa, Meckel's localization, volvulus)	\$ 2,254.00
Peritoneal-venous shunt patency test (eg, for LeVeen, Denver shunt)	\$ 1,728.00
Unlisted gastrointestinal procedure, diagnostic nuclear medicine	\$ 1,610.00
Bone and/or joint imaging; limited area	\$ 1,536.00
Bone and/or joint imaging; whole body	\$ 2,199.00
Bone and/or joint imaging; 3 phase study	\$ 2,472.00
Bone and/or joint imaging; tomographic (SPECT)	\$ 3,303.00
Non-cardiac vascular flow imaging (ie, angiography, venography)	\$ 1,250.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 3,225.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 6,743.00
Myocardial perfusion imaging, planar (including qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 4,784.00
Myocardial perfusion imaging, planar (including qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 5,301.00
Acute venous thrombosis imaging, peptide	\$ 3,001.00
Venous thrombosis imaging, venogram; unilateral	\$ 1,275.00
Venous thrombosis imaging, venogram; bilateral	\$ 2,069.00
Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without additional quantitative processing	\$ 2,697.00
Cardiac blood pool imaging, gated equilibrium, SPECT, at rest, wall motion study plus ejection fraction, with or without quantitative processing	\$ 3,004.00
Pulmonary ventilation imaging (eg, aerosol or gas)	\$ 2,054.00
Pulmonary perfusion imaging (eg, particulate)	\$ 2,072.00
Pulmonary ventilation (eg, aerosol or gas) and perfusion imaging	\$ 2,162.00
Quantitative differential pulmonary perfusion, including imaging when performed	\$ 2,280.00
Quantitative differential pulmonary perfusion and ventilation (eg, aerosol or gas), including imaging when performed	\$ 3,132.00
Brain imaging, less than 4 static views; with vascular flow	\$ 1,987.00
Brain imaging, tomographic (SPECT)	\$ 3,530.00
Brain imaging, positron emission tomography (PET); metabolic evaluation	\$ 9,339.00
Brain imaging, positron emission tomography (PET); metabolic evaluation	\$ 9,339.00
Cerebrospinal fluid flow, imaging (not including introduction of material); cisternography	\$ 2,559.00
Cerebrospinal fluid flow, imaging (not including introduction of material); shunt evaluation	\$ 1,932.00
Cerebrospinal fluid leakage detection and localization	\$ 2,871.00
Kidney imaging morphology	\$ 2,057.00
Kidney imaging morphology; with vascular flow	\$ 2,415.00
Kidney imaging morphology; with vascular flow and function, single study without pharmacological intervention	\$ 2,907.00
Kidney imaging morphology; with vascular flow and function, single study without pharmacological intervention	\$ 2,907.00
Kidney imaging morphology; with vascular flow and function, single study, with pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)	\$ 2,845.00
Kidney imaging morphology; with vascular flow and function, multiple studies, with and without pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)	\$ 2,628.00
Kidney imaging morphology; tomographic (SPECT)	\$ 2,789.00
Kidney function study, non-imaging radioisotopic study	\$ 1,662.00
Ureteral reflux study (radiopharmaceutical voiding cystogram)	\$ 2,102.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Testicular imaging with vascular flow	\$ 1,871.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); limited area	\$ 2,486.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); multiple areas	\$ 3,091.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); whole body, single day imaging	\$ 3,982.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); tomographic (SPECT)	\$ 2,416.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); whole body, requiring 2 or more days imaging	\$ 4,671.00
Radiopharmaceutical localization of inflammatory process; limited area	\$ 2,807.00
Radiopharmaceutical localization of inflammatory process; whole body	\$ 3,732.00
Radiopharmaceutical localization of inflammatory process; tomographic (SPECT)	\$ 3,099.00
Positron emission tomography (PET) imaging; limited area (eg, chest, head/neck)	\$ 8,763.00
Positron emission tomography (PET) imaging; skull base to mid-thigh	\$ 9,091.00
Positron emission tomography (PET) imaging; whole body	\$ 9,694.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; limited area (eg, chest, head/neck)	\$ 8,776.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; skull base to mid-thigh	\$ 10,272.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; whole body	\$ 10,890.00
Radiopharmaceutical therapy, by oral administration	\$ 2,399.00
Radiopharmaceutical therapy, by intravenous administration	\$ 1,903.00
Radiopharmaceutical therapy, radiolabeled monoclonal antibody by intravenous infusion	\$ 2,885.00
Radiopharmaceutical therapy, by intra-arterial particulate administration	\$ 1,903.00
Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)	\$ 375.00
Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)	\$ 375.00
Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)	\$ 265.00
Electrolyte panel This panel must include the following: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)	\$ 128.00
Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)	\$ 460.00
Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)	\$ 460.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 152.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 152.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 240.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 77.00
Renal function panel This panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)	\$ 332.00
Acute hepatitis panel This panel must include the following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B core antibody (HBcAb), IgM antibody (86705) Hepatitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)	\$ 672.00
Hepatic function panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase, alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)	\$ 227.00
Amikacin	\$ 78.00
Amikacin	\$ 229.00
Amikacin	\$ 229.00
Caffeine	\$ 213.00
Carbamazepine; total	\$ 213.00
Carbamazepine; total	\$ 479.00
Carbamazepine; free	\$ 457.00
Cyclosporine	\$ 302.00
Cyclosporine	\$ 129.00
Clozapine	\$ 56.00
Digoxin; total	\$ 200.00
Valproic acid (dipropylacetic acid); total	\$ 217.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Valproic acid (dipropylacetic acid); free	\$ 300.00
Ethosuximide	\$ 126.00
Everolimus	\$ 636.00
Gentamicin	\$ 213.00
Gentamicin	\$ 213.00
Gentamicin	\$ 213.00
Gabapentin, whole blood, serum, or plasma	\$ 256.00
Haloperidol	\$ 200.00
Lamotrigine	\$ 155.00
Lidocaine	\$ 190.00
Lidocaine	\$ 90.00
Levetiracetam	\$ 155.00
Lithium	\$ 86.00
Mycophenolate (mycophenolic acid)	\$ 600.00
Oxcarbazepine	\$ 320.00
Phenobarbital	\$ 213.00
Phenobarbital	\$ 35.00
Phenytoin; total	\$ 194.00
Phenytoin; free	\$ 192.00
Phenytoin; free	\$ 126.00
Primidone	\$ 195.00
Primidone	\$ 69.00
Primidone	\$ 48.00
Procainamide; with metabolites (eg, n-acetyl procainamide)	\$ 297.00
Procainamide; with metabolites (eg, n-acetyl procainamide)	\$ 77.00
Quinidine	\$ 190.00
Quinidine	\$ 62.00
Sirolimus - various dosages	\$ 732.00
Tacrolimus	\$ 415.00
Theophylline	\$ 199.00
Tobramycin	\$ 199.00
Tobramycin	\$ 199.00
Tobramycin	\$ 199.00
Topiramate	\$ 398.00
Vancomycin	\$ 216.00
Vancomycin	\$ 216.00
Vancomycin	\$ 216.00
Zonisamide	\$ 723.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 213.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 213.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 687.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 168.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 627.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 1,193.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 522.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 915.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 1,047.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 57.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 57.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 57.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 57.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 176.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 359.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 397.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 336.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 578.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 937.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 975.00
Drug screening Fentanyl	\$ 302.00
Drug screening Fentanyl	\$ 302.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy	\$ 128.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy	\$ 128.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	\$ 144.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	\$ 144.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	\$ 144.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy	\$ 100.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy	\$ 100.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 93.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 93.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 93.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 93.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 93.00
Urinalysis; qualitative or semiquantitative, except immunoassays	\$ 97.00
Urinalysis; qualitative or semiquantitative, except immunoassays	\$ 100.00
Urinalysis; microscopic only	\$ 58.00
Urinalysis; microscopic only	\$ 58.00
Urinalysis; microscopic only	\$ 58.00
Urine pregnancy test, by visual color comparison methods	\$ 93.00
Urine pregnancy test, by visual color comparison methods	\$ 93.00
Urine pregnancy test, by visual color comparison methods	\$ 93.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Volume measurement for timed collection, each	\$ 32.00
Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-1a/b (L33P)	\$ 1,793.00
ASPA (aspartoacylase) (eg, Canavan disease) gene analysis, common variants (eg, E285A, Y231X)	\$ 1,128.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 54.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 5,802.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 7,132.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; known familial variants	\$ 1,151.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants	\$ 5,802.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants	\$ 7,132.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 3,855.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 3,855.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 3,590.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 646.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 646.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative	\$ 3,155.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative	\$ 646.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 3,265.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 2,420.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 311.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants in BRCA1 (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 16,721.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants in BRCA1 (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 5,388.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC, 6174delT variants	\$ 3,519.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; uncommon duplication/deletion variants	\$ 4,219.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 54.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 9,790.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	\$ 2,913.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	\$ 54.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	\$ 11,691.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	\$ 2,913.00
CALR (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9	\$ 1,588.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)	\$ 635.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)	\$ 635.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence	\$ 3,025.00
CYP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17)	\$ 1,038.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 5,756.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 6,852.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 6,852.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 8,444.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities	\$ 5,756.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities	\$ 5,890.00
EGFR (epidermal growth factor receptor) (eg, non-small cell lung cancer) gene analysis, common variants (eg, exon 19 LREA deletion, L858R, T790M, G719A, G719S, L861Q)	\$ 3,265.00
F2 (prothrombin, coagulation factor II) (eg, hereditary hypercoagulability) gene analysis, 20210G>A variant	\$ 719.00
F5 (coagulation factor V) (eg, hereditary hypercoagulability) gene analysis, Leiden variant	\$ 709.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 1,157.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 1,029.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 270.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 671.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 271.00
GBA (glucosidase, beta, acid) (eg, Gaucher disease) gene analysis, common variants (eg, N370S, 84GG, L444P, IVS2+1G>A)	\$ 954.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)	\$ 373.00
HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)	\$ 1,636.00
IKBKAP (inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg, 2507+6T>C, R696P)	\$ 2,218.00
IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg, polymerase chain reaction)	\$ 867.00
IGH@ (Immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, B-cell), variable region somatic mutation analysis	\$ 2,218.00
Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)	\$ 5,068.00
Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)	\$ 3,829.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection	\$ 2,396.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection	\$ 2,423.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type	\$ 3,217.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type	\$ 3,217.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type	\$ 3,217.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type	\$ 3,217.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type	\$ 3,217.00
HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; duplication/deletion variants	\$ 2,355.00
JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant	\$ 1,847.00
JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant	\$ 1,728.00
KIT (v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal stromal tumor [GIST], acute myeloid leukemia, melanoma), gene analysis, targeted sequence analysis (eg, exons 8, 11, 13, 17, 18)	\$ 3,219.00
KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)	\$ 3,265.00
KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)	\$ 311.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 622.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 622.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 681.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 681.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 1,304.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 739.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 3,734.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,104.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 3,733.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,102.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 3,201.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,102.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 3,202.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,102.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 3,627.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,102.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants	\$ 2,913.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 3,626.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,102.00
NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)	\$ 3,265.00
NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)	\$ 318.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,102.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,102.00
PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis	\$ 55.00
PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; known familial variant	\$ 311.00
PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; duplication/deletion analysis	\$ 4,324.00
SMPD1 (sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, Niemann-Pick disease, Type A) gene analysis, common variants (eg, R496L, L302P, fsP330)	\$ 3,025.00
SNRPN/UBE3A (small nuclear ribonucleoprotein polypeptide N and ubiquitin protein ligase E3A) (eg, Prader-Willi syndrome and/or Angelman syndrome), methylation analysis	\$ 1,565.00
SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)	\$ 2,039.00
SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)	\$ 3,029.00
TRG@ (T cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)	\$ 2,324.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 7,146.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 3,083.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 4,127.00
HLA Class I typing, low resolution (eg, antigen equivalents); complete (ie, HLA-A, -B, and -C)	\$ 1,732.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 4,407.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 1,644.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 1,644.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 1,644.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 966.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 597.00
HLA Class II typing, low resolution (eg, antigen equivalents); HLA-DRB1/3/4/5 and -DQB1	\$ 1,249.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 920.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 339.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 950.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 3,284.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 3,284.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 461.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,266.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,265.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 1,750.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 393.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 213.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 213.00
HLA Class I and II typing, high resolution (ie, alleles or allele groups), HLA-A, -B, -C, and -DRB1	\$ 5,330.00
HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)	\$ 4,227.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-A, -B, or -C), each	\$ 2,859.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-A, -B, or -C), each	\$ 2,859.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each	\$ 790.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each	\$ 1,538.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 720.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 339.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 950.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 2,867.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 2,862.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 613.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 613.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 461.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,930.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,930.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,654.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 395.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 395.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 216.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 216.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 1,529.00
Molecular pathology procedure, Level 1 (eg, identification of single germline variant [eg, SNP] by techniques such as restriction enzyme digestion or melt curve analysis) ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), K304E variant ACE (angiotensin converting enzyme) (eg, hereditary blood pressure regulation), insertion/deletion variant AGTR1 (angiotensin II receptor, type 1) (eg, essential hypertension), 1166A>C variant BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), Y438N variant CCR5 (chemokine C-C motif receptor 5) (eg, HIV resistance), 32-bp deletion mutation/794 825del32 deletion CLRN1 (clarin 1) (eg, Usher syndrome, type 3), N48K variant DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and capecitabine drug metabolism), IVS14+1G>A variant F2 (coagulation factor 2) (eg, hereditary hypercoagulability), 1199G>A variant F5 (coagulation factor V) (eg, hereditary hypercoagulability), HR2 variant F7 (coagulation factor VII (serum prothrombin conversion accelerator)) (eg, hereditary hypercoagulability), R353Q variant F13B (coagulation factor XIII, B polypeptide) (eg, hereditary hypercoagulability), V34L variant FGB (fibrinogen beta chain) (eg, hereditary ischemic heart disease), -455G>A variant FGFR1 (fibroblast growth factor receptor 1) (eg, Pfeiffer syndrome type 1, craniosynostosis), P252R variant FGFR3 (fibroblast growth factor receptor 3) (eg, Muenke syndrome), P250R variant FKTN (fukutin) (eg, Fukuyama congenital muscular dystrophy), retrotransposon insertion variant GNE (glucosamine [UDP-N-acetyl]-2-epimerase/N-acetylmannosamine kinase) (eg, inclusion body myopathy 2 [IBM2], Nonaka myopathy), M712T variant Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-1a/b (L33P) Human Platelet Antigen 2 genotyping (HPA-2), GP1BA (glycoprotein Ib [platelet], alpha polypeptide [GPIba]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-2a/b (T145M) Human Platelet Antigen 3 genotyping (HPA-3), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-3a/b (I843S) Human Platelet Antigen 4 genotyping (HPA-4), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-4a/b (R143Q) Human Platelet Antigen 5 genotyping (HPA-5), ITGA2 (integrin, alpha 2 [CD49B, alpha 2 subunit of VLA-2 receptor] [GPIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-5a/b (K505E) Human Platelet Antigen 6 genotyping (HPA-6w), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-6a/b (R489Q) Human Platelet Antigen 9 genotyping (HPA-9w), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-9a/b (V837M) Human Platelet Antigen 15 genotyping (HPA-15), CD109 (CD109 molecule) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-15a/b (S682Y) IL28B (interleukin 28B [interferon, lambda 3]) (eg, drug response), rs12979860 variant IVD (isovaleryl-CoA dehydrogenase) (eg, isovaleric acidemia), A282V variant LCT (lactase-phlorizin hydrolase) (eg, lactose intolerance), 13910 C>T variant NEB (nebulin) (eg, nemaline myopathy 2), exon 55 deletion variant PCDH15 (protocadherin-related 15) (eg, Usher syndrome type 1F), R245X variant SERPINE1 (serpine peptidase inhibitor clade E, member 1, plasminogen activator inhibitor -1, PAI-1) (eg, thrombophilia), 4G variant SHOC2 (soc-2 suppressor of clear homolog) (eg, Noonan-like syndrome with loose anagen hair), S2G variant SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg, adverse drug reaction), V174A variant SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy), exon 7 deletion SRY (sex determining region Y) (eg, 46,XX testicular disorder of sex development, gonadal dysgenesis), gene analysis TOR1A (torsin family 1, member A [torsin A]) (eg, early-onset primary dystonia [DYT1]), 907_909delGAG (904_906delGAG) variant	\$ 499.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 1,762.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 4,180.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 10,468.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 3,028.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 8,014.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGfra (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 700.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 5,068.00</p>

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFRα (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris) common variants (eg, R501X 2282del4 R2447X S3247X 3702delG) FOXO1/PAX3 (t(12;13)) (eg, alveolar rhabdomyosarcoma)	\$ 310.00
Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis	\$ 3,145.00
Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis	\$ 1,207.00

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis	\$ 710.00
Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD, use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)	\$ 1,912.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)</p>	<p>\$ 1,828.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)</p>	<p>\$ 4,316.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)</p>	<p>\$ 310.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)</p>	<p>\$ 310.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 6,209.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 5,488.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 4,194.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial	\$ 10,468.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 972.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 3,025.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 310.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 310.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 56.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 54.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 972.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 2,533.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 10,468.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 8,283.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 4,841.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 3,025.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrofolipamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 310.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 55.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydroliipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 56.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene	\$ 54.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 55.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 55.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 55.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 9,778.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia type 1), full gene</p>	<p>\$ 10,468.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 7,584.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia type 1), full gene</p>	<p>\$ 7,132.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 7,777.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 18,875.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 8,283.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia type 1), full gene</p>	<p>\$ 8,283.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 8,284.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 4,841.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 3,025.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia type 1), full gene</p>	<p>\$ 55.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 54.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia type 1), full gene</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene	\$ 54.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia type 1), full gene</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 54.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 55.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 57.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter) full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia type 1) full gene sequence</p>	\$ 57.00
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin S]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	\$ 4,843.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 4,843.00</p>
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 54.00</p>
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 57.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephtrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 56.00</p>
<p>Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2) (eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence</p>	<p>\$ 54.00</p>
<p>Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2) (eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence</p>	<p>\$ 54.00</p>

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2) (eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence	\$ 55.00
Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2) (eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence	\$ 55.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis	\$ 11,875.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis	\$ 11,875.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator exome (eg, parents, siblings) (List separately in addition to code for primary procedure)	\$ 5,938.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator exome (eg, parents, siblings) (List separately in addition to code for primary procedure)	\$ 5,938.00
Unlisted molecular pathology procedure	\$ 1,369.00
Unlisted molecular pathology procedure	\$ 1,491.00
Unlisted molecular pathology procedure	\$ 177.00
Unlisted molecular pathology procedure	\$ 54.00
Unlisted molecular pathology procedure	\$ 54.00
Unlisted molecular pathology procedure	\$ 54.00
Unlisted molecular pathology procedure	\$ 54.00
Unlisted molecular pathology procedure	\$ 445.00
Unlisted molecular pathology procedure	\$ 2,858.00
Unlisted molecular pathology procedure	\$ 2,913.00
Unlisted molecular pathology procedure	\$ 2,913.00
Unlisted molecular pathology procedure	\$ 2,913.00
Unlisted molecular pathology procedure	\$ 2,453.00
Unlisted molecular pathology procedure	\$ 3,783.00
Unlisted molecular pathology procedure	\$ 4,180.00
Unlisted molecular pathology procedure	\$ 1,793.00
Unlisted molecular pathology procedure	\$ 2,862.00
Unlisted molecular pathology procedure	\$ 1,420.00
Unlisted molecular pathology procedure	\$ 6,164.00
Unlisted molecular pathology procedure	\$ 4,194.00
Unlisted molecular pathology procedure	\$ 4,324.00
Unlisted molecular pathology procedure	\$ 4,316.00
Unlisted molecular pathology procedure	\$ 1,151.00
Unlisted molecular pathology procedure	\$ 1,420.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Unlisted molecular pathology procedure	\$ 6,164.00
Unlisted molecular pathology procedure	\$ 2,913.00
Unlisted molecular pathology procedure	\$ 2,913.00
Unlisted molecular pathology procedure	\$ 2,913.00
Unlisted molecular pathology procedure	\$ 2,453.00
Unlisted molecular pathology procedure	\$ 4,904.00
Unlisted molecular pathology procedure	\$ 21,803.00
Unlisted molecular pathology procedure	\$ 11,884.00
Unlisted molecular pathology procedure	\$ 10,468.00
Unlisted molecular pathology procedure	\$ 403.00
Unlisted molecular pathology procedure	\$ 27.00
Unlisted molecular pathology procedure	\$ 34.00
Unlisted molecular pathology procedure	\$ 3,009.00
Unlisted molecular pathology procedure	\$ 5,388.00
Unlisted molecular pathology procedure	\$ 5,388.00
Unlisted molecular pathology procedure	\$ 5,388.00
Unlisted molecular pathology procedure	\$ 5,388.00
Unlisted molecular pathology procedure	\$ 310.00
Unlisted molecular pathology procedure	\$ 310.00
Unlisted molecular pathology procedure	\$ 310.00
Unlisted molecular pathology procedure	\$ 310.00
Unlisted molecular pathology procedure	\$ 310.00
Unlisted molecular pathology procedure	\$ 310.00
Unlisted molecular pathology procedure	\$ 55.00
Unlisted molecular pathology procedure	\$ 57.00
Unlisted molecular pathology procedure	\$ 57.00
Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score	\$ 25,609.00
Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes (50 content and 8 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence risk score	\$ 13,845.00
Oncology (breast), mRNA, microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk of distant metastasis	\$ 22,365.00
Oncology (colon), mRNA, gene expression profiling by real-time RT-PCR of 12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence score	\$ 17,510.00
Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result	\$ 2,831.00
Unlisted multianalyte assay with algorithmic analysis	\$ 2,323.00
Unlisted multianalyte assay with algorithmic analysis	\$ 21,551.00
Ketone body(s) (eg, acetone, acetoacetic acid, beta-hydroxybutyrate); quantitative	\$ 578.00
Acylcarnitines; qualitative, each specimen	\$ 128.00
Acylcarnitines; quantitative, each specimen	\$ 2,282.00
Adrenocorticotrophic hormone (ACTH)	\$ 219.00
Albumin; serum, plasma or whole blood	\$ 35.00
Albumin; serum, plasma or whole blood	\$ 53.00
Albumin; serum, plasma or whole blood	\$ 42.00
Albumin; urine or other source, quantitative, each specimen	\$ 41.00
Albumin; urine or other source, quantitative, each specimen	\$ 25.00
Albumin; urine or other source, quantitative, each specimen	\$ 42.00
Albumin; urine, microalbumin, quantitative	\$ 144.00
Albumin; urine, microalbumin, quantitative	\$ 144.00
Aldolase	\$ 149.00
Aldosterone	\$ 352.00
Aldosterone	\$ 211.00
Aldosterone	\$ 221.00
Aldosterone	\$ 165.00
Aldosterone	\$ 165.00
Aldosterone	\$ 165.00
Alpha-1-antitrypsin; total	\$ 199.00
Alpha-1-antitrypsin; total	\$ 1,077.00
Alpha-1-antitrypsin; total	\$ 52.00
Alpha-fetoprotein (AFP); serum	\$ 105.00
Alpha-fetoprotein (AFP); serum	\$ 325.00
Alpha-fetoprotein (AFP); serum	\$ 64.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Alpha-fetoprotein (AFP); amniotic fluid	\$ 139.00
Alpha-fetoprotein (AFP); amniotic fluid	\$ 117.00
Alpha-fetoprotein (AFP); amniotic fluid	\$ 139.00
Alpha-fetoprotein (AFP); AFP-L3 fraction isoform and total AFP (including ratio)	\$ 270.00
Aluminum	\$ 270.00
Amino acids; single, quantitative, each specimen	\$ 458.00
Amino acids; single, quantitative, each specimen	\$ 484.00
Amino acids; single, quantitative, each specimen	\$ 521.00
Aminolevulinic acid, delta (ALA); Aminolevulinic acid (protein) level	\$ 95.00
Amino acids, 6 or more amino acids, quantitative, each specimen	\$ 2,577.00
Ammonia	\$ 186.00
Ammonia	\$ 40.00
Amniotic fluid scan (spectrophotometric)	\$ 67.00
Amylase	\$ 171.00
Amylase	\$ 171.00
Amylase	\$ 171.00
Amylase	\$ 171.00
Amylase	\$ 154.00
Amylase	\$ 154.00
Amylase	\$ 146.00
Androstenedione	\$ 357.00
Androstenedione	\$ 547.00
Androstenedione	\$ 177.00
Androstenedione	\$ 592.00
Angiotensin I - converting enzyme (ACE)	\$ 217.00
Angiotensin I - converting enzyme (ACE)	\$ 143.00
Apolipoprotein, each	\$ 130.00
Apolipoprotein, each	\$ 130.00
Apolipoprotein, each	\$ 90.00
Apolipoprotein, each	\$ 426.00
Arsenic	\$ 293.00
Arsenic	\$ 309.00
Arsenic	\$ 229.00
Arsenic	\$ 131.00
Ascorbic acid (Vitamin C), blood	\$ 125.00
Beta-2 microglobulin	\$ 195.00
Beta-2 microglobulin	\$ 346.00
Beta-2 microglobulin	\$ 61.00
Bile acids; total	\$ 1,062.00
Bilirubin; total	\$ 32.00
Bilirubin; total	\$ 32.00
Bilirubin; total	\$ 149.00
Bilirubin; direct	\$ 32.00
Biotinidase, each specimen	\$ 606.00
Biotinidase, each specimen	\$ 58.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)	\$ 43.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)	\$ 43.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	\$ 42.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	\$ 42.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening	\$ 43.00
Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations	\$ 116.00
Cadmium	\$ 258.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 177.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 206.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 86.00
Calcitonin	\$ 342.00
Calcitonin	\$ 110.00
Calcium; total	\$ 32.00
Calcium; total	\$ 32.00
Calcium; total	\$ 32.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Calcium; ionized	\$ 142.00
Calcium; ionized	\$ 142.00
Calcium; ionized	\$ 142.00
Calcium; ionized	\$ 142.00
Calcium; ionized	\$ 142.00
Calcium; ionized	\$ 142.00
Calcium; urine quantitative, timed specimen	\$ 108.00
Calcium; urine quantitative, timed specimen	\$ 95.00
Calcium; urine quantitative, timed specimen	\$ 89.00
Calculus; infrared spectroscopy	\$ 243.00
Carbon dioxide (bicarbonate)	\$ 32.00
Carbon dioxide (bicarbonate)	\$ 32.00
Carbon dioxide (bicarbonate)	\$ 32.00
Carboxyhemoglobin; quantitative	\$ 149.00
Carcinoembryonic antigen (CEA)	\$ 232.00
Carnitine (total and free), quantitative, each specimen	\$ 799.00
Carnitine (total and free), quantitative, each specimen	\$ 1,359.00
Carnitine (total and free), quantitative, each specimen	\$ 2,084.00
Carnitine (total and free), quantitative, each specimen	\$ 2,084.00
Carotene	\$ 116.00
Catecholamines; fractionated	\$ 278.00
Catecholamines; fractionated	\$ 278.00
Catecholamines; fractionated	\$ 337.00
Catecholamines; fractionated	\$ 104.00
Catecholamines; fractionated	\$ 87.00
Ceruloplasmin	\$ 167.00
Ceruloplasmin	\$ 41.00
Chemiluminescent assay	\$ 398.00
Chemiluminescent assay	\$ 376.00
Chemiluminescent assay	\$ 1,193.00
Chloramphenicol	\$ 156.00
Chloride; blood	\$ 32.00
Chloride; blood	\$ 32.00
Chloride; blood	\$ 32.00
Chloride; blood	\$ 32.00
Chloride; urine	\$ 32.00
Chloride; urine	\$ 78.00
Chloride; other source	\$ 48.00
Chloride; other source	\$ 124.00
Chloride; other source	\$ 124.00
Chlorinated hydrocarbons, screen	\$ 487.00
Cholesterol, serum or whole blood, total	\$ 32.00
Cholesterol, serum or whole blood, total	\$ 32.00
Cholesterol, serum or whole blood, total	\$ 74.00
Cholinesterase; serum	\$ 172.00
Cholinesterase; serum	\$ 105.00
Cholinesterase; RBC	\$ 217.00
Chromium	\$ 192.00
Citrate	\$ 200.00
Citrate	\$ 188.00
Citrate	\$ 166.00
Collagen cross links, any method	\$ 783.00
Collagen cross links, any method	\$ 122.00
Copper	\$ 176.00
Copper	\$ 114.00
Cortisol; free	\$ 229.00
Cortisol; free	\$ 176.00
Cortisol; total	\$ 253.00
Cortisol; total	\$ 200.00
Cortisol; total	\$ 390.00
Cortisol; total	\$ 309.00
Cortisol; total	\$ 331.00
Cortisol; total	\$ 67.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Cortisol; total	\$ 67.00
Cortisol; total	\$ 68.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 293.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 824.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 710.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 710.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 814.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 318.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 122.00
Creatine kinase (CK), (CPK); total	\$ 57.00
Creatine kinase (CK), (CPK); total	\$ 57.00
Creatine kinase (CK), (CPK); isoenzymes	\$ 191.00
Creatine kinase (CK), (CPK); MB fraction only	\$ 194.00
Creatinine; blood	\$ 32.00
Creatinine; blood	\$ 32.00
Creatinine; blood	\$ 32.00
Creatinine; other source	\$ 37.00
Creatinine; other source	\$ 94.00
Creatinine; other source	\$ 37.00
Creatinine; other source	\$ 27.00
Creatinine; other source	\$ 376.00
Creatinine; other source	\$ 48.00
Creatinine; other source	\$ 42.00
Creatinine; other source	\$ 38.00
Creatinine; other source	\$ 44.00
Creatinine; other source	\$ 147.00
Creatinine; other source	\$ 58.00
Creatinine; other source	\$ 39.00
Creatinine; other source	\$ 25.00
Creatinine; other source	\$ 52.00
Creatinine; other source	\$ 28.00
Creatinine; other source	\$ 18.00
Creatinine; other source	\$ 31.00
Creatinine; other source	\$ 25.00
Creatinine; other source	\$ 25.00
Creatinine; other source	\$ 18.00
Creatinine; other source	\$ 18.00
Creatinine; clearance	\$ 143.00
Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)	\$ 105.00
Cyanide	\$ 261.00
Cyanocobalamin (Vitamin B-12)	\$ 201.00
Dehydroepiandrosterone (DHEA)	\$ 188.00
Dehydroepiandrosterone (DHEA)	\$ 310.00
Dehydroepiandrosterone (DHEA)	\$ 538.00
Dehydroepiandrosterone (DHEA)	\$ 471.00
Dehydroepiandrosterone (DHEA)	\$ 510.00
Dehydroepiandrosterone-sulfate (DHEA-S)	\$ 95.00
Desoxycorticosterone, 11-	\$ 1,080.00
Desoxycorticosterone, 11-	\$ 378.00
Desoxycorticosterone, 11-	\$ 627.00
Deoxycortisol, 11-	\$ 299.00
Deoxycortisol, 11-	\$ 226.00
Deoxycortisol, 11-	\$ 353.00
Deoxycortisol, 11-	\$ 370.00
Dibucaine number	\$ 89.00
Vitamin D; 1, 25 dihydroxy, includes fraction(s), if performed	\$ 118.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Elastase, pancreatic (EL-1), fecal, qualitative or semi-quantitative	\$ 1,919.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 1,558.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 931.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 814.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 299.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 299.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 299.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 299.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 2,349.00
Electrophoretic technique, not elsewhere specified	\$ 122.00
Electrophoretic technique, not elsewhere specified	\$ 622.00
Erythropoietin	\$ 172.00
Erythropoietin	\$ 122.00
Estradiol	\$ 260.00
Estradiol	\$ 399.00
Estradiol	\$ 399.00
Estrogens; total	\$ 261.00
Estriol	\$ 296.00
Estriol	\$ 94.00
Estrone	\$ 282.00
Ethylene glycol	\$ 128.00
Ethylene glycol	\$ 253.00
Ethylene glycol	\$ 253.00
Fat or lipids, feces; qualitative	\$ 113.00
Fat or lipids, feces; qualitative	\$ 113.00
Fat or lipids, feces; qualitative	\$ 114.00
Fat or lipids, feces; quantitative	\$ 346.00
Fatty acids, nonesterified	\$ 143.00
Very long chain fatty acids	\$ 1,303.00
Ferritin	\$ 270.00
Fetal fibronectin, cervicovaginal secretions, semi-quantitative	\$ 2,105.00
Folic acid; serum	\$ 49.00
Folic acid; RBC	\$ 176.00
Folic acid; RBC	\$ 42.00
Galactose-1-phosphate uridyl transferase; quantitative	\$ 1,647.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 167.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 167.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 167.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 94.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 94.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 74.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 74.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 221.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 502.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 502.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 244.00
Gammaglobulin (immunoglobulin); IgE	\$ 229.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 173.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 173.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 173.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 173.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 185.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 185.00
Gases, blood, pH only	\$ 97.00
Gases, blood, pH only	\$ 97.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 149.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 149.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 149.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 149.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 149.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 149.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry	\$ 149.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry	\$ 149.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry	\$ 149.00
Gases, blood, O2 saturation only, by direct measurement, except pulse oximetry	\$ 168.00
Gastrin	\$ 217.00
Gastrin	\$ 74.00
Glucagon	\$ 591.00
Glucose, body fluid, other than blood	\$ 32.00
Glucose, body fluid, other than blood	\$ 32.00
Glucose, body fluid, other than blood	\$ 32.00
Glucose, body fluid, other than blood	\$ 32.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; post glucose dose (includes glucose)	\$ 41.00
Glucose; post glucose dose (includes glucose)	\$ 41.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 94.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 94.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 94.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 41.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 41.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 41.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 41.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 41.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 41.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 41.00
Glucose-6-phosphate dehydrogenase (G6PD); quantitative	\$ 168.00
Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use	\$ 53.00
Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use	\$ 53.00
Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use	\$ 53.00
Glutamyltransferase, gamma (GGT)	\$ 46.00
Glutamyltransferase, gamma (GGT)	\$ 199.00
Glycated protein	\$ 58.00
Gonadotropin; follicle stimulating hormone (FSH)	\$ 229.00
Gonadotropin; luteinizing hormone (LH)	\$ 243.00
Growth hormone, human (HGH) (somatotropin)	\$ 218.00
Haptoglobin; quantitative	\$ 172.00
Haptoglobin; quantitative	\$ 344.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 422.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 292.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 453.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 166.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 108.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 448.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 56.00
Hemoglobin; F (fetal), qualitative	\$ 68.00
Hemoglobin; F (fetal), qualitative	\$ 89.00
Hemoglobin; glycosylated (A1C)	\$ 144.00
Hemoglobin; glycosylated (A1C)	\$ 144.00
Hemoglobin; glycosylated (A1C)	\$ 42.00
Hemoglobin; methemoglobin, quantitative	\$ 144.00
Hemoglobin; plasma	\$ 176.00
Hemoglobin; urine	\$ 173.00
Histamine	\$ 633.00
Histamine	\$ 548.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,029.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 616.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 616.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 616.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,015.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 925.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 925.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,054.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,374.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 213.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 602.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 733.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 733.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 2,849.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,810.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 2,087.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 2,087.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 2,228.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 2,574.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,780.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,780.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,780.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,691.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,691.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 928.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 691.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 632.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 632.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 696.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,883.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 523.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 347.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 3,258.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,220.00
Insulin; total	\$ 171.00
Insulin; free	\$ 340.00
Iron	\$ 107.00
Iron	\$ 1,122.00
Iron	\$ 521.00
Iron binding capacity	\$ 145.00
Ketosteroids, 17- (17-KS); total	\$ 217.00
Ketosteroids, 17- (17-KS); total	\$ 119.00
Lactate (lactic acid)	\$ 53.00
Lactate (lactic acid)	\$ 53.00
Lactate (lactic acid)	\$ 166.00
Lactate (lactic acid)	\$ 166.00
Lactate (lactic acid)	\$ 166.00
Lactate dehydrogenase (LD), (LDH)	\$ 57.00
Lactate dehydrogenase (LD), (LDH)	\$ 57.00
Lactate dehydrogenase (LD), (LDH)	\$ 97.00
Lactate dehydrogenase (LD), (LDH); isoenzymes, separation and quantitation	\$ 270.00
Lactoferrin, fecal; qualitative	\$ 282.00
Lead	\$ 105.00
Lead	\$ 105.00
Lead	\$ 122.00
Lead	\$ 122.00
Lead	\$ 105.00
Lead	\$ 80.00
Lead	\$ 95.00
Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio	\$ 1,159.00
Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio	\$ 179.00
Fetal lung maturity assessment; lamellar body density	\$ 152.00
Lipase	\$ 170.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Lipase	\$ 170.00
Lipase	\$ 146.00
Lipoprotein (a)	\$ 186.00
Lipoprotein (a)	\$ 57.00
Lipoprotein-associated phospholipase A2 (Lp-PLA2)	\$ 369.00
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed	\$ 483.00
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed	\$ 204.00
Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)	\$ 85.00
Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)	\$ 127.00
Lipoprotein, direct measurement; LDL cholesterol	\$ 89.00
Luteinizing releasing factor (LRH)	\$ 1,857.00
Magnesium	\$ 105.00
Magnesium	\$ 67.00
Magnesium	\$ 619.00
Magnesium	\$ 59.00
Magnesium	\$ 44.00
Magnesium	\$ 40.00
Magnesium	\$ 98.00
Manganese	\$ 399.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 300.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 58.00
Mercury, quantitative	\$ 243.00
Mercury, quantitative	\$ 247.00
Mercury, quantitative	\$ 152.00
Mercury, quantitative	\$ 229.00
Mercury, quantitative	\$ 113.00
Metanephrines	\$ 195.00
Metanephrines	\$ 195.00
Metanephrines	\$ 639.00
Metanephrines	\$ 119.00
Metanephrines	\$ 92.00
Mucopolysaccharides, acid, quantitative	\$ 139.00
Myelin basic protein, cerebrospinal fluid	\$ 171.00
Myelin basic protein, cerebrospinal fluid	\$ 131.00
Myoglobin	\$ 172.00
Myoglobin	\$ 305.00
Natriuretic peptide	\$ 553.00
Natriuretic peptide	\$ 553.00
Natriuretic peptide	\$ 339.00
Nephelometry, each analyte not elsewhere specified	\$ 370.00
Nephelometry, each analyte not elsewhere specified	\$ 370.00
Nephelometry, each analyte not elsewhere specified	\$ 162.00
Nephelometry, each analyte not elsewhere specified	\$ 162.00
Nephelometry, each analyte not elsewhere specified	\$ 162.00
Nephelometry, each analyte not elsewhere specified	\$ 162.00
Nephelometry, each analyte not elsewhere specified	\$ 634.00
Nephelometry, each analyte not elsewhere specified	\$ 378.00
Nucleotidase 5'-	\$ 852.00
Oligoclonal immune (oligoclonal bands)	\$ 417.00
Oligoclonal immune (oligoclonal bands)	\$ 166.00
Organic acids; total, quantitative, each specimen	\$ 2,184.00
Organic acid, single, quantitative	\$ 1,195.00
Organic acid, single, quantitative	\$ 359.00
Organic acid, single, quantitative	\$ 1,271.00
Osmolality; blood	\$ 143.00
Osmolality; urine	\$ 156.00
Osteocalcin (bone g1a protein)	\$ 516.00
Oxalate	\$ 122.00
Oxalate	\$ 107.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Oxalate	\$ 139.00
Parathormone (parathyroid hormone)	\$ 469.00
Parathormone (parathyroid hormone)	\$ 469.00
Parathormone (parathyroid hormone)	\$ 469.00
Parathormone (parathyroid hormone)	\$ 469.00
pH; body fluid, not otherwise specified	\$ 59.00
pH; body fluid, not otherwise specified	\$ 59.00
pH; body fluid, not otherwise specified	\$ 59.00
pH; body fluid, not otherwise specified	\$ 59.00
pH; body fluid, not otherwise specified	\$ 30.00
pH; body fluid, not otherwise specified	\$ 28.00
pH; body fluid, not otherwise specified	\$ 63.00
Phencyclidine (PCP) drug level	\$ 151.00
Phencyclidine (PCP) drug level	\$ 207.00
Phencyclidine (PCP) drug level	\$ 1,178.00
Phencyclidine (PCP) drug level	\$ 69.00
Calprotectin, fecal	\$ 796.00
Phenylalanine (PKU), blood	\$ 448.00
Phosphatase, acid; prostatic	\$ 153.00
Phosphatase, alkaline	\$ 32.00
Phosphatase, alkaline	\$ 147.00
Phosphatase, alkaline	\$ 60.00
Phosphatase, alkaline	\$ 578.00
Phosphatase, alkaline; heat stable (total not included)	\$ 147.00
Phosphatase, alkaline; isoenzymes	\$ 297.00
Phosphatase, alkaline; isoenzymes	\$ 130.00
Phosphatase, alkaline; isoenzymes	\$ 616.00
Phosphorus inorganic (phosphate)	\$ 32.00
Phosphorus inorganic (phosphate)	\$ 32.00
Phosphorus inorganic (phosphate)	\$ 435.00
Phosphorus inorganic (phosphate); urine	\$ 94.00
Phosphorus inorganic (phosphate); urine	\$ 32.00
Phosphorus inorganic (phosphate); urine	\$ 48.00
Phosphorus inorganic (phosphate); urine	\$ 57.00
Porphobilinogen, urine; quantitative	\$ 97.00
Porphobilinogen, urine; quantitative	\$ 97.00
Evaluation of cervicovaginal fluid for specific amniotic fluid protein(s) (eg, placental alpha microglobulin-1 [PAMG-1], placental protein 12 [PP12], alpha-fetoprotein), qualitative, each specimen	\$ 426.00
Porphyrins, urine; quantitation and fractionation	\$ 239.00
Porphyrins, urine; quantitation and fractionation	\$ 260.00
Potassium; serum, plasma or whole blood	\$ 32.00
Potassium; serum, plasma or whole blood	\$ 32.00
Potassium; serum, plasma or whole blood	\$ 32.00
Potassium; serum, plasma or whole blood	\$ 32.00
Potassium; serum, plasma or whole blood	\$ 32.00
Potassium; serum, plasma or whole blood	\$ 32.00
Potassium; urine	\$ 74.00
Potassium; urine	\$ 78.00
Potassium; urine	\$ 42.00
Potassium; urine	\$ 25.00
Prealbumin	\$ 172.00
Pregnenolone	\$ 905.00
17 Oh Pregnenolone	\$ 1,041.00
17 Oh Pregnenolone	\$ 280.00
17 Oh Pregnenolone	\$ 463.00
Progesterone	\$ 240.00
Progesterone	\$ 256.00
Progesterone	\$ 423.00
Procalcitonin (PCT)	\$ 359.00
Procalcitonin (PCT)	\$ 359.00
Prolactin	\$ 297.00
Prostate specific antigen (PSA); total	\$ 260.00
Prostate specific antigen (PSA); total	\$ 260.00
Prostate specific antigen (PSA); free	\$ 173.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 76.00
Protoporphyrin, RBC; quantitative	\$ 168.00
Protoporphyrin, RBC; quantitative	\$ 107.00
Protoporphyrin, RBC; quantitative	\$ 154.00
Proinsulin	\$ 677.00
Pyridoxal phosphate (Vitamin B-6)	\$ 153.00
Pyruvate	\$ 171.00
Pyruvate kinase	\$ 610.00
Receptor assay; non-endocrine (specify receptor)	\$ 779.00
Renin	\$ 143.00
Renin	\$ 166.00
Renin	\$ 130.00
Renin	\$ 130.00
Renin	\$ 130.00
Renin	\$ 130.00
Renin	\$ 130.00
Renin	\$ 130.00
Riboflavin (Vitamin B-2)	\$ 212.00
Selenium	\$ 381.00
Serotonin	\$ 617.00
Sex hormone binding globulin (SHBG)	\$ 102.00
Sex hormone binding globulin (SHBG)	\$ 251.00
Sodium; serum, plasma or whole blood	\$ 32.00
Sodium; serum, plasma or whole blood	\$ 32.00
Sodium; serum, plasma or whole blood	\$ 32.00
Sodium; serum, plasma or whole blood	\$ 32.00
Sodium; urine	\$ 52.00
Sodium; urine	\$ 78.00
Sodium; urine	\$ 44.00
Sodium; urine	\$ 42.00
Sodium; other source	\$ 52.00
Somatomedin	\$ 316.00
Somatomedin	\$ 125.00
Somatomedin	\$ 110.00
Spectrophotometry, analyte not elsewhere specified	\$ 25.00
Spectrophotometry, analyte not elsewhere specified	\$ 206.00
Spectrophotometry, analyte not elsewhere specified	\$ 718.00
Spectrophotometry, analyte not elsewhere specified	\$ 146.00
Specific gravity (except urine)	\$ 60.00
Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen	\$ 97.00
Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen	\$ 57.00
Sugars (mono-, di-, and oligosaccharides); single quantitative, each specimen	\$ 1,880.00
Sulfate, urine	\$ 44.00
Testosterone; free	\$ 413.00
Testosterone; free	\$ 67.00
Testosterone; total	\$ 282.00
Testosterone; total	\$ 316.00
Testosterone; total	\$ 543.00
Testosterone; total	\$ 487.00
Testosterone; total	\$ 68.00
Testosterone; total	\$ 523.00
Testosterone; total	\$ 63.00
Thiamine (Vitamin B-1)	\$ 275.00
Thiamine (Vitamin B-1)	\$ 97.00
Thiocyanate	\$ 241.00
Thyroglobulin	\$ 260.00
Thyroxine; total	\$ 135.00
Thyroxine; free	\$ 166.00
Thyroxine; free	\$ 341.00
Thyroxine binding globulin (TBG)	\$ 192.00
Thyroid stimulating hormone (TSH)	\$ 198.00
Thyroid stimulating hormone (TSH)	\$ 198.00
Thyroid stimulating hormone (TSH)	\$ 346.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Thyroid stimulating immune globulins (TSI)	\$ 1,269.00
Tocopherol alpha (Vitamin E)	\$ 186.00
Transferase; aspartate amino (AST) (SGOT)	\$ 32.00
Transferase; alanine amino (ALT) (SGPT)	\$ 32.00
Transferase; alanine amino (ALT) (SGPT)	\$ 32.00
Transferase; alanine amino (ALT) (SGPT)	\$ 149.00
Transferrin	\$ 200.00
Triglycerides	\$ 35.00
Triglycerides	\$ 35.00
Triglycerides	\$ 74.00
Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)	\$ 64.00
Triiodothyronine T3; total (TT-3)	\$ 131.00
Triiodothyronine T3; total (TT-3)	\$ 102.00
Triiodothyronine T3; free	\$ 226.00
Triiodothyronine T3; free	\$ 118.00
Triiodothyronine T3; reverse	\$ 1,092.00
Troponin, quantitative	\$ 165.00
Troponin, quantitative	\$ 104.00
Troponin, quantitative	\$ 104.00
Trypsin; duodenal fluid	\$ 152.00
Urea nitrogen; quantitative	\$ 32.00
Urea nitrogen; quantitative	\$ 32.00
Urea nitrogen; quantitative	\$ 32.00
Urea nitrogen; quantitative	\$ 32.00
Urea nitrogen; quantitative	\$ 32.00
Urea nitrogen, urine	\$ 78.00
Urea nitrogen, urine	\$ 32.00
Uric acid; blood	\$ 52.00
Uric acid; other source	\$ 52.00
Uric acid; other source	\$ 78.00
Uric acid; other source	\$ 52.00
Uric acid; other source	\$ 37.00
Uric acid; other source	\$ 32.00
Vanillylmandelic acid (VMA), urine	\$ 201.00
Vanillylmandelic acid (VMA), urine	\$ 201.00
Vanillylmandelic acid (VMA), urine	\$ 52.00
Vanillylmandelic acid (VMA), urine	\$ 52.00
Vasoactive intestinal peptide (VIP)	\$ 1,362.00
Vasopressin (antidiuretic hormone, ADH)	\$ 282.00
Vitamin A	\$ 195.00
Vitamin K	\$ 1,408.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 243.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 530.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 404.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 122.00
Xylose absorption test, blood and/or urine	\$ 229.00
Xylose absorption test, blood and/or urine	\$ 229.00
Zinc	\$ 199.00
Zinc	\$ 170.00
Zinc	\$ 94.00
C-peptide	\$ 291.00
Gonadotropin, chorionic (hCG); quantitative	\$ 102.00
Gonadotropin, chorionic (hCG); quantitative	\$ 102.00
Gonadotropin, chorionic (hCG); quantitative	\$ 319.00
Gonadotropin, chorionic (hCG); quantitative	\$ 56.00
Gonadotropin, chorionic (hCG); qualitative	\$ 93.00
Unlisted chemistry procedure	\$ 143.00
Blood count; blood smear, microscopic examination with manual differential WBC count	\$ 46.00
Blood count; blood smear, microscopic examination with manual differential WBC count	\$ 46.00
Blood count; blood smear, microscopic examination without manual differential WBC count	\$ 46.00
Blood count; blood smear, microscopic examination without manual differential WBC count	\$ 46.00
Blood count; manual differential WBC count, buffy coat	\$ 46.00
Blood count; manual differential WBC count, buffy coat	\$ 46.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Blood count; spun microhematocrit	\$ 37.00
Blood count; hematocrit (Hct)	\$ 58.00
Blood count; hematocrit (Hct)	\$ 58.00
Blood count; hematocrit (Hct)	\$ 58.00
Blood count; hematocrit (Hct)	\$ 58.00
Blood count; hematocrit (Hct)	\$ 8.00
Blood count; hemoglobin (Hgb)	\$ 58.00
Blood count; hemoglobin (Hgb)	\$ 58.00
Blood count; hemoglobin (Hgb)	\$ 58.00
Blood count; hemoglobin (Hgb)	\$ 58.00
Blood count; hemoglobin (Hgb)	\$ 8.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count	\$ 143.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count	\$ 143.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 120.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 120.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 120.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 120.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 120.00
Blood count; red blood cell (RBC), automated	\$ 64.00
Blood count; red blood cell (RBC), automated	\$ 10.00
Blood count; reticulocyte, manual	\$ 235.00
Blood count; reticulocyte, manual	\$ 668.00
Blood count; reticulocyte, automated	\$ 83.00
Blood count; reticulocytes, automated, including 1 or more cellular parameters (eg, reticulocyte hemoglobin content [CHR], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement	\$ 83.00
Blood count; leukocyte (WBC), automated	\$ 240.00
Blood count; leukocyte (WBC), automated	\$ 89.00
Blood count; leukocyte (WBC), automated	\$ 89.00
Blood count; platelet, automated	\$ 72.00
Reticulated platelet assay	\$ 83.00
Bone marrow, smear interpretation	\$ 521.00
Clotting; factor II, prothrombin, specific	\$ 273.00
Clotting; factor V (AcG or proaccelerin), labile factor	\$ 273.00
Clotting; factor VII (proconvertin, stable factor)	\$ 275.00
Clotting; factor VIII (AHG), 1-stage	\$ 275.00
Clotting; factor VIII (AHG), 1-stage	\$ 740.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 341.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 740.00
Clotting; factor VIII, VW factor antigen	\$ 341.00
Clotting; factor VIII, VW factor antigen	\$ 1,152.00
Clotting; factor VIII, VW factor antigen	\$ 740.00
Clotting; factor VIII, von Willebrand factor, multimeric analysis	\$ 561.00
Clotting; factor VIII, von Willebrand factor, multimeric analysis	\$ 740.00
Clotting; factor IX (PTC or Christmas)	\$ 318.00
Clotting; factor X (Stuart-Prower)	\$ 318.00
Clotting; factor XI (PTA)	\$ 318.00
Clotting; factor XII (Hageman)	\$ 318.00
Clotting; factor XIII (fibrin stabilizing), screen solubility	\$ 318.00
Clotting inhibitors or anticoagulants; antithrombin III, activity	\$ 291.00
Clotting inhibitors or anticoagulants; protein C, antigen	\$ 296.00
Clotting inhibitors or anticoagulants; protein C, activity	\$ 291.00
Clotting inhibitors or anticoagulants; protein S, total	\$ 239.00
Clotting inhibitors or anticoagulants; protein S, free	\$ 264.00
Clotting inhibitors or anticoagulants; protein S, free	\$ 557.00
Activated Protein C (APC) resistance assay	\$ 201.00
Factor inhibitor test	\$ 195.00
Factor inhibitor test	\$ 1,226.00
Factor inhibitor test	\$ 906.00
Coagulation time; activated	\$ 104.00
Coagulation time; activated	\$ 125.00
Coagulation time; activated	\$ 171.00
Coagulation time; activated	\$ 125.00
Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative	\$ 297.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Fibrin(ogen) degradation (split) products (FDP) (FSP); paracoagulation	\$ 174.00
Fibrin degradation products, D-dimer; quantitative	\$ 145.00
Fibrinogen; activity	\$ 235.00
Fibrinogen; activity	\$ 147.00
Fibrinogen; activity	\$ 235.00
Fibrinogen; antigen	\$ 89.00
Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte	\$ 906.00
Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte	\$ 1,226.00
Fibrinolytic factors and inhibitors; alpha-2 antiplasmin	\$ 730.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 1,749.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 1,768.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 495.00
Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay	\$ 594.00
Heinz bodies; direct	\$ 60.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)	\$ 135.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)	\$ 89.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette	\$ 76.00
Hemolysin, acid	\$ 152.00
Heparin assay	\$ 52.00
Heparin neutralization	\$ 107.00
Iron stain, peripheral blood	\$ 76.00
Leukocyte alkaline phosphatase with count	\$ 166.00
Muramidase	\$ 229.00
Muramidase	\$ 229.00
Osmotic fragility, RBC; incubated	\$ 58.00
Platelet, aggregation (in vitro), each agent	\$ 576.00
Platelet, aggregation (in vitro), each agent	\$ 201.00
Platelet, aggregation (in vitro), each agent	\$ 201.00
Platelet, aggregation (in vitro), each agent	\$ 201.00
Platelet, aggregation (in vitro), each agent	\$ 370.00
Platelet, aggregation (in vitro), each agent	\$ 343.00
Platelet, aggregation (in vitro), each agent	\$ 343.00
Platelet, aggregation (in vitro), each agent	\$ 576.00
Platelet, aggregation (in vitro), each agent	\$ 278.00
Platelet, aggregation (in vitro), each agent	\$ 547.00
Platelet, aggregation (in vitro), each agent	\$ 692.00
Phospholipid neutralization; platelet	\$ 340.00
Phospholipid neutralization; platelet	\$ 318.00
Prothrombin time	\$ 166.00
Prothrombin time	\$ 102.00
Prothrombin time	\$ 102.00
Prothrombin time; substitution, plasma fractions, each	\$ 270.00
Russell viper venom time (includes venom); diluted	\$ 220.00
Reptilase test	\$ 139.00
Sedimentation rate, erythrocyte; non-automated	\$ 116.00
Sedimentation rate, erythrocyte; non-automated	\$ 116.00
Sedimentation rate, erythrocyte; non-automated	\$ 116.00
Sedimentation rate, erythrocyte; automated	\$ 116.00
Sickling of RBC, reduction	\$ 26.00
Sickling of RBC, reduction	\$ 60.00
Thrombin time; plasma	\$ 145.00
Thrombin time; plasma	\$ 152.00
Thrombin time; plasma	\$ 152.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 135.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 135.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 147.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 58.00
Thromboplastin time, partial (PTT); substitution, plasma fractions, each	\$ 32.00
Thromboplastin time, partial (PTT); substitution, plasma fractions, each	\$ 32.00
Viscosity	\$ 127.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 118.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 118.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 118.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 74.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 74.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 139.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 90.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 241.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 41.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 41.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 218.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 127.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 698.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 30.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 28.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 28.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 39.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 28.00
Allergen specific IGE; quantitative or semiquantitative, recombinant or purified component, each	\$ 44.00
Allergen specific IGE; quantitative or semiquantitative, recombinant or purified component, each	\$ 44.00
Allergen specific IGE; quantitative or semiquantitative, recombinant or purified component, each	\$ 43.00
Allergen specific IGE; quantitative or semiquantitative, recombinant or purified component, each	\$ 43.00
Allergen specific IGE; quantitative or semiquantitative, recombinant or purified component, each	\$ 43.00
Antibody identification; leukocyte antibodies	\$ 3,604.00
Antibody identification; leukocyte antibodies	\$ 2,784.00
Antibody identification; leukocyte antibodies	\$ 3,043.00
Antibody identification; leukocyte antibodies	\$ 1,366.00
Antibody identification; leukocyte antibodies	\$ 209.00
Antibody identification; leukocyte antibodies	\$ 796.00
Antibody identification; platelet antibodies	\$ 417.00
Antibody identification; platelet antibodies	\$ 4,802.00
Antibody identification; platelet antibodies	\$ 1,580.00
Antibody identification; platelet antibodies	\$ 259.00
Antibody identification; platelet antibodies	\$ 259.00
Antibody identification; platelet antibodies	\$ 259.00
Antibody identification; platelet antibodies	\$ 259.00
Antibody identification; platelet antibodies	\$ 2,342.00
Antibody identification; platelet antibodies	\$ 3,849.00
Antibody identification; platelet antibodies	\$ 189.00
Antibody identification; platelet antibodies	\$ 189.00
Antibody identification; platelet antibodies	\$ 189.00
Antibody identification; platelet antibodies	\$ 189.00
Antibody identification; platelet antibodies	\$ 188.00
Antibody identification test for platelet antibodies	\$ 422.00
Antinuclear antibodies (ANA)	\$ 171.00
Antinuclear antibodies (ANA); titer	\$ 171.00
Antistreptolysin O; titer	\$ 135.00
Antistreptolysin O; titer	\$ 38.00
Blood bank physician services; investigation of transfusion reaction including suspicion of transmissible disease, interpretation and written report	\$ 379.00
C-reactive protein	\$ 120.00
C-reactive protein; high sensitivity (hsCRP)	\$ 145.00
Beta 2 Glycoprotein I antibody, each	\$ 269.00
Beta 2 Glycoprotein I antibody, each	\$ 269.00
Beta 2 Glycoprotein I antibody, each	\$ 269.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 353.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 353.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 353.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 128.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 129.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 129.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 4,016.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 1,987.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 1,987.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 2,364.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood); physician interpretation and report, when required	\$ 1,987.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood); physician interpretation and report, when required	\$ 1,987.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood); physician interpretation and report, when required	\$ 2,364.00
Cold agglutinin; titer	\$ 130.00
Complement; antigen, each component	\$ 235.00
Complement; antigen, each component	\$ 235.00
Complement; antigen, each component	\$ 192.00
Complement; antigen, each component	\$ 188.00
Complement; antigen, each component	\$ 1,326.00
Complement; functional activity, each component	\$ 270.00
Complement; functional activity, each component	\$ 936.00
Complement; total hemolytic (CH50)	\$ 89.00
Cyclic citrullinated peptide (CCP), antibody	\$ 639.00
Deoxyribonuclease, antibody	\$ 217.00
Deoxyribonucleic acid (DNA) antibody; native or double stranded	\$ 229.00
Deoxyribonucleic acid (DNA) antibody; single stranded	\$ 266.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 171.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 166.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 194.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 194.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 201.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 201.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 509.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 226.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 282.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 378.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 378.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 404.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 213.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 355.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 342.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 662.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 374.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 681.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,104.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,193.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 504.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 889.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 599.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,371.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,371.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,371.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,193.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,193.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,923.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,460.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,460.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,460.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,067.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,067.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,067.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 652.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 145.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 145.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 145.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 145.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 145.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 145.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 95.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 172.00
Immunodiffusion; not elsewhere specified	\$ 188.00
Immunodiffusion; not elsewhere specified	\$ 817.00
Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody	\$ 130.00
Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody	\$ 100.00
Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody	\$ 95.00
Immune complex assay	\$ 305.00
Immune complex assay	\$ 286.00
Immunofixation electrophoresis; serum	\$ 297.00
Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)	\$ 299.00
Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)	\$ 1,700.00
Inhibin A	\$ 553.00
Inhibin A	\$ 54.00
Insulin antibodies	\$ 78.00
Intrinsic factor antibodies	\$ 602.00
Islet cell antibody	\$ 131.00
Islet cell antibody	\$ 145.00
Islet cell antibody	\$ 1,669.00
Islet cell antibody	\$ 1,547.00
Islet cell antibody	\$ 1,247.00
Islet cell antibody	\$ 1,744.00
Islet cell antibody	\$ 1,571.00
Islet cell antibody	\$ 1,637.00
Islet cell antibody	\$ 231.00
Leukocyte histamine release test (LHR)	\$ 278.00
Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, ATP)	\$ 949.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 780.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 781.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 789.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 789.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 789.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 789.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 789.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 789.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 785.00
B cells, total count	\$ 176.00
Natural killer (NK) cells, total count	\$ 176.00
T cells; total count	\$ 213.00
T cells; total count	\$ 186.00
T cells; total count	\$ 388.00
T cells; absolute CD4 and CD8 count, including ratio	\$ 216.00
Stem cells (ie, CD34), total count	\$ 1,750.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 177.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 386.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 321.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Antibody; bacterium, not elsewhere specified	\$ 114.00
Antibody; bacterium, not elsewhere specified	\$ 114.00
Antibody; bacterium, not elsewhere specified	\$ 114.00
Antibody; bacterium, not elsewhere specified	\$ 114.00
Antibody; bacterium, not elsewhere specified	\$ 114.00
Antibody; bacterium, not elsewhere specified	\$ 114.00
Antibody; bacterium, not elsewhere specified	\$ 114.00
Antibody; Bartonella	\$ 93.00
Antibody; Bartonella	\$ 93.00
Antibody; Bartonella	\$ 93.00
Antibody; Bartonella	\$ 93.00
Antibody; Bartonella	\$ 143.00
Antibody; Bartonella	\$ 143.00
Antibody; Bartonella	\$ 143.00
Antibody; Bartonella	\$ 143.00
Antibody; Blastomyces	\$ 200.00
Antibody; Blastomyces	\$ 192.00
Antibody; Blastomyces	\$ 192.00
Antibody; Blastomyces	\$ 343.00
Antibody; Bordetella	\$ 264.00
Antibody; Bordetella	\$ 264.00
Antibody; Bordetella	\$ 264.00
Antibody; Bordetella	\$ 264.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 436.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 436.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 1,704.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 1,704.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 61.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 62.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 379.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 379.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 240.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 194.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 798.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 798.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 76.00
Antibody; Campylobacter	\$ 1,227.00
Antibody; Chlamydia	\$ 748.00
Antibody; Chlamydia	\$ 667.00
Antibody; Chlamydia	\$ 365.00
Antibody; Chlamydia	\$ 168.00
Antibody; Chlamydia	\$ 365.00
Antibody; Chlamydia	\$ 309.00
Antibody; Chlamydia	\$ 309.00
Antibody; Chlamydia	\$ 309.00
Antibody; Chlamydia	\$ 309.00
Antibody; Chlamydia	\$ 309.00
Antibody; Chlamydia	\$ 309.00
Antibody; Chlamydia	\$ 667.00
Antibody; Chlamydia	\$ 239.00
Antibody; Chlamydia	\$ 48.00
Antibody; Chlamydia	\$ 48.00
Antibody; Chlamydia, IgM	\$ 806.00
Antibody; Chlamydia, IgM	\$ 974.00
Antibody; Chlamydia, IgM	\$ 365.00
Antibody; Chlamydia, IgM	\$ 440.00
Antibody; Chlamydia, IgM	\$ 440.00
Antibody; Chlamydia, IgM	\$ 440.00
Antibody; Chlamydia, IgM	\$ 347.00
Antibody; Chlamydia, IgM	\$ 168.00
Antibody; Chlamydia, IgM	\$ 63.00
Antibody; Coccidioides	\$ 232.00
Antibody; Coccidioides	\$ 331.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Antibody; Coxiella burnetii (Q fever)	\$ 30.00
Antibody; Coxiella burnetii (Q fever)	\$ 32.00
Antibody; Coxiella burnetii (Q fever)	\$ 188.00
Antibody; Coxiella burnetii (Q fever)	\$ 188.00
Antibody; Coxiella burnetii (Q fever)	\$ 62.00
Antibody; Coxiella burnetii (Q fever)	\$ 62.00
Antibody; Coxiella burnetii (Q fever)	\$ 62.00
Antibody; Coxiella burnetii (Q fever)	\$ 62.00
Antibody; Coxiella burnetii (Q fever)	\$ 165.00
Antibody; Coxiella burnetii (Q fever)	\$ 165.00
Antibody; Coxiella burnetii (Q fever)	\$ 127.00
Antibody; Coxiella burnetii (Q fever)	\$ 127.00
Antibody; cytomegalovirus (CMV)	\$ 131.00
Antibody; cytomegalovirus (CMV)	\$ 174.00
Antibody; cytomegalovirus (CMV)	\$ 57.00
Antibody; cytomegalovirus (CMV)	\$ 35.00
Antibody; cytomegalovirus (CMV), IgM	\$ 174.00
Antibody; Diphtheria	\$ 236.00
Analysis for antibody to La crosse (California) virus (encephalitis causing virus)	\$ 363.00
Analysis for antibody to La crosse (California) virus (encephalitis causing virus)	\$ 363.00
Analysis for antibody to Eastern equine virus (viral encephalitis)	\$ 363.00
Analysis for antibody to Eastern equine virus (viral encephalitis)	\$ 363.00
Analysis for antibody to St. Louis virus (viral encephalitis)	\$ 363.00
Analysis for antibody to St. Louis virus (viral encephalitis)	\$ 363.00
Analysis for antibody to Western equine virus (viral encephalitis)	\$ 363.00
Analysis for antibody to Western equine virus (viral encephalitis)	\$ 363.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 52.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 139.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 139.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 139.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 200.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 200.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 200.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 200.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 200.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 188.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 188.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 188.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 188.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 188.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 188.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 52.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 49.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 49.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 49.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 49.00
Antibody; Epstein-Barr (EB) virus, early antigen (EA)	\$ 125.00
Antibody; Epstein-Barr (EB) virus, early antigen (EA)	\$ 162.00
Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)	\$ 176.00
Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)	\$ 190.00
Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)	\$ 190.00
Antibody; Ehrlichia	\$ 404.00
Antibody; Ehrlichia	\$ 404.00
Antibody; fungus, not elsewhere specified	\$ 100.00
Antibody; fungus, not elsewhere specified	\$ 95.00
Antibody; fungus, not elsewhere specified	\$ 243.00
Antibody; fungus, not elsewhere specified	\$ 243.00
Antibody; Giardia lamblia	\$ 386.00
Antibody; Giardia lamblia	\$ 258.00
Antibody; Giardia lamblia	\$ 258.00
Antibody; Giardia lamblia	\$ 244.00
Antibody; Helicobacter pylori	\$ 248.00
Antibody; Helicobacter pylori	\$ 167.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Antibody; Helicobacter pylori	\$ 167.00
Antibody; Helicobacter pylori	\$ 167.00
Antibody; Helicobacter pylori	\$ 83.00
Antibody; Helicobacter pylori	\$ 89.00
Antibody; helminth, not elsewhere specified	\$ 392.00
Antibody; helminth, not elsewhere specified	\$ 726.00
Antibody; helminth, not elsewhere specified	\$ 925.00
Antibody; helminth, not elsewhere specified	\$ 677.00
Antibody; helminth, not elsewhere specified	\$ 352.00
Antibody; Haemophilus influenza	\$ 251.00
Antibody; HTLV-I	\$ 341.00
Antibody; HTLV-I	\$ 21.00
Antibody; HTLV-II	\$ 431.00
Antibody; HTLV-II	\$ 25.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 504.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 126.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 569.00
Antibody; herpes simplex, non-specific type test	\$ 155.00
Antibody; herpes simplex, type 1	\$ 149.00
Antibody; herpes simplex, type 1	\$ 149.00
Antibody; herpes simplex, type 2	\$ 149.00
Antibody; herpes simplex, type 2	\$ 149.00
Antibody; herpes simplex, type 2	\$ 67.00
Antibody; histoplasma	\$ 143.00
Antibody; histoplasma	\$ 143.00
Antibody; histoplasma	\$ 343.00
Antibody; HIV-1	\$ 362.00
Antibody; HIV-1	\$ 162.00
Antibody; HIV-2	\$ 426.00
Antibody; HIV-2	\$ 201.00
Antibody; HIV-2	\$ 190.00
Antibody; HIV-1 and HIV-2, single result	\$ 186.00
Antibody; HIV-1 and HIV-2, single result	\$ 186.00
Antibody; HIV-1 and HIV-2, single result	\$ 543.00
Antibody; HIV-1 and HIV-2, single result	\$ 543.00
Antibody; HIV-1 and HIV-2, single result	\$ 89.00
Antibody; HIV-1 and HIV-2, single result	\$ 30.00
Hepatitis B core antibody (HBcAb); total	\$ 176.00
Hepatitis B core antibody (HBcAb); total	\$ 147.00
Hepatitis B core antibody (HBcAb); total	\$ 168.00
Hepatitis B core antibody (HBcAb); total	\$ 30.00
Hepatitis B core antibody (HBcAb); IgM antibody	\$ 184.00
Hepatitis B core antibody (HBcAb); IgM antibody	\$ 145.00
Hepatitis B surface antibody (HBsAb)	\$ 176.00
Hepatitis B surface antibody (HBsAb)	\$ 90.00
Hepatitis B surface antibody (HBsAb)	\$ 128.00
Hepatitis Be antibody (HBeAb)	\$ 176.00
Hepatitis Be antibody (HBeAb)	\$ 143.00
Hepatitis Be antibody (HBeAb)	\$ 53.00
Hepatitis A antibody (HAAb)	\$ 173.00
Hepatitis A antibody (HAAb)	\$ 151.00
Hepatitis A antibody (HAAb), IgM antibody	\$ 161.00
Hepatitis A antibody (HAAb), IgM antibody	\$ 139.00
Antibody; influenza virus	\$ 78.00
Antibody; influenza virus	\$ 78.00
Antibody; Legionella	\$ 192.00
Antibody; Legionella	\$ 39.00
Antibody; Legionella	\$ 192.00
Antibody; Legionella	\$ 38.00
Antibody; Legionella	\$ 60.00
Antibody; Legionella	\$ 52.00
Antibody; Leptospira	\$ 260.00
Antibody; mumps	\$ 223.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Antibody; mumps	\$ 223.00
Antibody; mumps	\$ 753.00
Antibody; mycoplasma	\$ 80.00
Antibody; mycoplasma	\$ 97.00
Antibody; Nocardia	\$ 95.00
Antibody; parvovirus	\$ 64.00
Antibody; parvovirus	\$ 63.00
Antibody; protozoa, not elsewhere specified	\$ 408.00
Antibody; protozoa, not elsewhere specified	\$ 30.00
Antibody; Rickettsia	\$ 73.00
Antibody; Rickettsia	\$ 73.00
Antibody; Rickettsia	\$ 79.00
Antibody; Rickettsia	\$ 79.00
Antibody; Rickettsia	\$ 79.00
Antibody; Rickettsia	\$ 79.00
Antibody; Rickettsia	\$ 100.00
Antibody; Rickettsia	\$ 100.00
Antibody; Rickettsia	\$ 111.00
Antibody; Rickettsia	\$ 111.00
Antibody; rubella	\$ 176.00
Antibody; rubella	\$ 176.00
Antibody; rubella	\$ 176.00
Antibody; rubella	\$ 176.00
Antibody; rubeola	\$ 236.00
Antibody; rubeola	\$ 236.00
Antibody; tetanus	\$ 266.00
Antibody; Toxoplasma	\$ 130.00
Antibody; Toxoplasma, IgM	\$ 167.00
Antibody; Treponema pallidum	\$ 58.00
Antibody; Treponema pallidum	\$ 67.00
Antibody; Treponema pallidum	\$ 162.00
Antibody; Trichinella	\$ 668.00
Antibody; varicella-zoster	\$ 174.00
Antibody; varicella-zoster	\$ 174.00
Antibody; varicella-zoster	\$ 236.00
Antibody; varicella-zoster	\$ 143.00
Antibody; varicella-zoster	\$ 143.00
Antibody; virus, not elsewhere specified	\$ 776.00
Antibody; virus, not elsewhere specified	\$ 776.00
Antibody; virus, not elsewhere specified	\$ 53.00
Antibody; virus, not elsewhere specified	\$ 4,697.00
Antibody; virus, not elsewhere specified	\$ 100.00
Antibody; Zika virus, IgM	\$ 512.00
Thyroglobulin antibody	\$ 177.00
Thyroglobulin antibody	\$ 264.00
Hepatitis C antibody	\$ 184.00
Hepatitis C antibody	\$ 184.00
Hepatitis C antibody	\$ 184.00
Hepatitis C antibody	\$ 172.00
Hepatitis C antibody	\$ 172.00
Hepatitis C antibody	\$ 186.00
Hepatitis C antibody	\$ 35.00
Hepatitis C antibody; confirmatory test (eg, immunoblot)	\$ 566.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 3,844.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 3,844.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 6,093.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 6,093.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 1,625.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 3,413.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 3,413.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 845.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 845.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 845.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Serum screening for cytotoxic percent reactive antibody (PRA); standard method	\$ 1,469.00
Serum screening for cytotoxic percent reactive antibody (PRA); standard method	\$ 1,469.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 1,976.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 235.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 966.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 253.00
HLA typing; A, B, or C, multiple antigens	\$ 2,878.00
HLA typing; DR/DQ, single antigen	\$ 1,750.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 7,209.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 1,926.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 2,975.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 2,975.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 2,125.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 701.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 701.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 701.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 701.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 720.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 318.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I and Class II HLA antigens	\$ 2,935.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class I	\$ 845.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class II	\$ 719.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 3,604.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 1,660.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 10,099.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 4,245.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 2,784.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 1,468.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 10,099.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I	\$ 830.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I	\$ 1,660.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II	\$ 733.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II	\$ 1,468.00
Unlisted immunology procedure	\$ 499.00
Unlisted immunology procedure	\$ 83.00
Antibody screen, RBC, each serum technique	\$ 146.00
Antibody screen, RBC, each serum technique	\$ 104.00
Antibody screen, RBC, each serum technique	\$ 6.00
Antibody elution (RBC), each elution	\$ 108.00
Antibody elution (RBC), each elution	\$ 108.00
Antibody identification, RBC antibodies, each panel for each serum technique	\$ 251.00
Antibody identification, RBC antibodies, each panel for each serum technique	\$ 251.00
Antihuman globulin test (Coombs test); direct, each antiserum	\$ 223.00
Antihuman globulin test (Coombs test); direct, each antiserum	\$ 223.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Antihuman globulin test (Coombs test); direct, each antiserum	\$ 223.00
Antihuman globulin test (Coombs test); indirect, each antibody titer	\$ 105.00
Antihuman globulin test (Coombs test); indirect, each antibody titer	\$ 105.00
Antihuman globulin test (Coombs test); indirect, each antibody titer	\$ 105.00
Antihuman globulin test (Coombs test); indirect, each antibody titer	\$ 105.00
Antihuman globulin test (Coombs test); indirect, each antibody titer	\$ 105.00
Autologous blood or component, collection processing and storage; predeposited	\$ 235.00
Blood typing, serologic; ABO	\$ 57.00
Blood typing, serologic; ABO	\$ 7.00
Blood typing, serologic; Rh (D)	\$ 57.00
Blood typing, serologic; Rh (D)	\$ 7.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	\$ 105.00
Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	\$ 232.00
Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	\$ 232.00
Blood typing, serologic; Rh phenotyping, complete	\$ 232.00
Compatibility test each unit; immediate spin technique	\$ 229.00
Compatibility test each unit; antiglobulin technique	\$ 244.00
Compatibility test each unit; electronic	\$ 183.00
Fresh frozen plasma, thawing, each unit	\$ 156.00
Fresh frozen plasma, thawing, each unit	\$ 42.00
Frozen blood, each unit; thawing	\$ 156.00
Frozen blood, each unit; thawing	\$ 334.00
Hemolysins and agglutinins; auto, screen, each	\$ 101.00
Irradiation of blood product, each unit	\$ 261.00
Irradiation of blood product, each unit	\$ 72.00
Volume reduction of blood or blood product (eg, red blood cells or platelets), each unit	\$ 313.00
Pooling of platelets or other blood products	\$ 78.00
Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	\$ 176.00
Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	\$ 125.00
Splitting of blood or blood products, each unit	\$ 78.00
Unlisted transfusion medicine procedure	\$ 807.00
Unlisted transfusion medicine procedure	\$ 404.00
Concentration (any type), for infectious agents	\$ 57.00
Concentration (any type), for infectious agents	\$ 21.00
Concentration (any type), for infectious agents	\$ 313.00
Concentration (any type), for infectious agents	\$ 258.00
Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)	\$ 213.00
Culture, bacterial; stool, aerobic, with isolation and preliminary examination (eg, KIA, LIA), Salmonella and Shigella species	\$ 213.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 74.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 101.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 292.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 292.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 264.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 292.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 144.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 147.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 147.00
Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates	\$ 353.00
Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates	\$ 152.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 101.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 101.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 101.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 101.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 101.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 101.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 101.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 73.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 60.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, presumptive, pathogenic organisms, screening only	\$ 139.00
Culture, presumptive, pathogenic organisms, screening only	\$ 149.00
Culture, presumptive, pathogenic organisms, screening only	\$ 139.00
Culture, presumptive, pathogenic organisms, screening only	\$ 139.00
Culture, presumptive, pathogenic organisms, screening only	\$ 139.00
Culture, presumptive, pathogenic organisms, screening only	\$ 78.00
Culture, presumptive, pathogenic organisms, screening only	\$ 139.00
Culture, presumptive, pathogenic organisms, screening only	\$ 139.00
Culture, presumptive, pathogenic organisms, screening only	\$ 139.00
Culture, presumptive, pathogenic organisms, screening only	\$ 74.00
Culture, bacterial; quantitative colony count, urine	\$ 145.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail	\$ 218.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail	\$ 218.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	\$ 243.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	\$ 243.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood	\$ 260.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood	\$ 81.00
Culture, fungi, definitive identification, each organism; yeast	\$ 220.00
Culture, fungi, definitive identification, each organism; yeast	\$ 220.00
Culture, fungi, definitive identification, each organism; yeast	\$ 220.00
Culture, fungi, definitive identification, each organism; yeast	\$ 76.00
Culture, fungi, definitive identification, each organism; yeast	\$ 220.00
Culture, fungi, definitive identification, each organism; yeast	\$ 220.00
Culture, fungi, definitive identification, each organism; yeast	\$ 220.00
Culture, fungi, definitive identification, each organism; mold	\$ 370.00
Culture, fungi, definitive identification, each organism; mold	\$ 370.00
Culture, fungi, definitive identification, each organism; mold	\$ 370.00
Culture, mycoplasma, any source	\$ 149.00
Culture, mycoplasma, any source	\$ 681.00
Culture, mycoplasma, any source	\$ 165.00
Culture, mycoplasma, any source	\$ 124.00
Culture, chlamydia, any source	\$ 226.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 235.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 194.00
Culture, typing; immunofluorescent method, each antiserum	\$ 20.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 297.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 297.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 139.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 722.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 166.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 297.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 124.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 124.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 124.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 48.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 166.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 166.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 166.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 166.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 166.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 166.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 97.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 238.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 431.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 260.00
Smear, primary source with interpretation; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites	\$ 79.00
Smear, primary source with interpretation; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites	\$ 32.00
Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 83.00
Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 83.00
Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 83.00
Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 83.00
Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 83.00
Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (eg, scabies)	\$ 83.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 286.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 100.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 223.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 167.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 167.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 167.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 79.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 442.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 510.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 177.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 177.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 177.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 177.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 83.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 114.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 89.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 287.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 536.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 769.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 432.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 657.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 147.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 418.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique	\$ 1,383.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 1,408.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 1,795.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 1,532.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 980.00
Infectious agent detection by nucleic acid (DNA or RNA); Candida species, direct probe technique	\$ 322.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 86.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 80.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 1,029.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique	\$ 53.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 174.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 170.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 144.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 174.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 146.00
Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique	\$ 436.00
Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique	\$ 237.00
Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique	\$ 237.00
Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification	\$ 554.00
Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification	\$ 554.00
Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed	\$ 1,359.00
Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed	\$ 979.00
Infectious agent detection by nucleic acid (DNA or RNA); vancomycin resistance (eg, enterococcus species van A, van B), amplified probe technique	\$ 571.00
Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, direct probe technique	\$ 322.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique	\$ 1,290.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification	\$ 1,285.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 1,407.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 1,407.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 1,321.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 511.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 511.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 936.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 561.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 561.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification	\$ 657.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, quantification	\$ 1,714.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	\$ 2,083.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	\$ 563.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique	\$ 2,460.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique	\$ 2,045.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 592.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 2,312.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 1,631.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 2,046.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, amplified probe technique	\$ 1,631.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 86.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 80.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 223.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 124.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 144.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 223.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 97.00
Detection test for human papillomavirus (hpv)	\$ 295.00
Detection test for human papillomavirus (hpv)	\$ 300.00
Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed	\$ 240.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets	\$ 614.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets	\$ 661.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets	\$ 1,365.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets	\$ 1,282.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, amplified probe technique	\$ 294.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 662.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 620.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 296.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, direct probe technique	\$ 128.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique	\$ 254.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique	\$ 417.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique	\$ 322.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique	\$ 217.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique	\$ 585.00
Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique	\$ 512.00
Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique	\$ 512.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 165.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,072.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 561.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 86.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 592.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 80.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,645.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 2,044.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 718.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 718.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,783.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 3,154.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,787.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 78.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 762.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 910.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 834.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 904.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 762.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 904.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 762.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 904.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 834.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 969.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 904.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 904.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 1,387.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 2,041.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique	\$ 154.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 1,532.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 980.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 1,408.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 3,623.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 2,283.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 2,283.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 5,180.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 5,181.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 2,283.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 156.00
Infectious agent antigen detection by immunoassay with direct optical observation; respiratory syncytial virus	\$ 200.00
Infectious agent antigen detection by immunoassay with direct optical observation; respiratory syncytial virus	\$ 212.00
Infectious agent antigen detection by immunoassay with direct optical observation; Streptococcus, group A	\$ 93.00
Infectious agent antigen detection by immunoassay with direct optical observation; Streptococcus, group A	\$ 93.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 256.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 256.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 74.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 37.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 37.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 116.00
Infectious agent drug susceptibility analysis	\$ 653.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions	\$ 2,832.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions	\$ 1,304.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 2,548.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 739.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 3,218.00
Analysis test for HIV-1 virus	\$ 653.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 1,788.00
Unlisted microbiology procedure	\$ 80.00
Unlisted microbiology procedure	\$ 41.00
Unlisted microbiology procedure	\$ 172.00
Cytopathology, fluids, washings or brushings, except cervical or vaginal; smears with interpretation	\$ 198.00
Cytopathology, concentration technique, smears and interpretation (eg, Saccomanno technique)	\$ 198.00
Cytopathology, concentration technique, smears and interpretation (eg, Saccomanno technique)	\$ 198.00
Cytopathology, concentration technique, smears and interpretation (eg, Saccomanno technique)	\$ 198.00
Cytopathology, selective cellular enhancement technique with interpretation (eg, liquid based slide preparation method), except cervical or vaginal	\$ 270.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; manual	\$ 3,496.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; manual	\$ 2,053.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; using computer-assisted technology	\$ 3,496.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 192.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 192.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 277.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 277.00
Pap test (Pap smear)	\$ 154.00
Cytopathology, slides, cervical or vaginal, definitive hormonal evaluation (eg, maturation index, karyopyknotic index, estrogenic index) (List separately in addition to code[s] for other technical and interpretation services)	\$ 72.00
Cytopathology, smears, any other source; screening and interpretation	\$ 145.00
Cytopathology, smears, any other source; preparation, screening and interpretation	\$ 145.00
Cytopathology, smears, any other source; preparation, screening and interpretation	\$ 145.00
Cytopathology, smears, any other source; extended study involving over 5 slides and/or multiple stains	\$ 278.00
Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision	\$ 127.00
Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision	\$ 127.00
Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, first evaluation episode, each site	\$ 206.00
Cytopathology, evaluation of fine needle aspirate; interpretation and report	\$ 216.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision	\$ 316.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision	\$ 316.00
Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, each separate additional evaluation episode, same site (List separately in addition to code for primary procedure)	\$ 206.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 253.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 431.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 258.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 261.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 318.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 256.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 5,141.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 1,281.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 307.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 452.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,994.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,550.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,456.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,045.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,725.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,352.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,438.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,438.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 960.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 960.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 960.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 960.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,523.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,523.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,523.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,608.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 709.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,243.00
Chromosome analysis; additional karyotypes, each study	\$ 356.00
Chromosome analysis; additional karyotypes, each study	\$ 251.00
Chromosome analysis; additional karyotypes, each study	\$ 251.00
Chromosome analysis; additional karyotypes, each study	\$ 216.00
Chromosome analysis; additional karyotypes, each study	\$ 303.00
Chromosome analysis; additional karyotypes, each study	\$ 168.00
Chromosome analysis; additional high resolution study	\$ 461.00
Cytogenetics and molecular cytogenetics	\$ 424.00
Cytogenetics and molecular cytogenetics	\$ 474.00
Cytogenetics and molecular cytogenetics	\$ 673.00
Level I - Surgical pathology, gross examination only	\$ 52.00
Level II - Surgical pathology, gross and microscopic examination Appendix, incidental Fallopian tube, sterilization Fingers/toes, amputation, traumatic Foreskin, newborn Hernia sac, any location Hydrocele sac Nerve Skin, plastic repair Sympathetic ganglion Testis, castration Vaginal mucosa, incidental Vas deferens, sterilization	\$ 93.00
Level III - Surgical pathology, gross and microscopic examination Abortion, induced Abscess Aneurysm - arterial/ventricular Anus, tag Appendix, other than incidental Artery, atheromatous plaque Bartholin's gland cyst Bone fragment(s), other than pathologic fracture Bursa/synovial cyst Carpal tunnel tissue Cartilage, shavings Cholesteatoma Colon, colostomy stoma Conjunctiva - biopsy/pterygium Cornea Diverticulum - esophagus/small intestine Dupuytren's contracture tissue Femoral head, other than fracture Fissure/fistula Foreskin, other than newborn Gallbladder Ganglion cyst Hematoma Hemorrhoids Hydatid of Morgagni Intervertebral disc Joint, loose body Meniscus Mucocele, salivary Neuroma - Morton's/traumatic Pilonidal cyst/sinus Polyps, inflammatory - nasal/sinusoidal Skin - cyst/tag/debridement Soft tissue, debridement Soft tissue, lipoma Spermatocele Tendon/tendon sheath Testicular appendage Thrombus or embolus Tonsil and/or adenoids Varicocele Vas deferens, other than sterilization Vein, varicosity	\$ 122.00
Level IV - Surgical pathology, gross and microscopic examination Abortion - spontaneous/missed Artery, biopsy Bone marrow, biopsy Bone exostosis Brain/meninges, other than for tumor resection Breast, biopsy, not requiring microscopic evaluation of surgical margins Breast, reduction mammoplasty Bronchus, biopsy Cell block, any source Cervix, biopsy Colon, biopsy Duodenum, biopsy Endocervix, curettings/biopsy Endometrium, curettings/biopsy Esophagus, biopsy Extremity, amputation, traumatic Fallopian tube, biopsy Fallopian tube, ectopic pregnancy Femoral head, fracture Fingers/toes, amputation, non-traumatic Gingiva/oral mucosa, biopsy Heart valve Joint, resection Kidney, biopsy Larynx, biopsy Leiomyoma(s), uterine myomectomy - without uterus Lip, biopsy/wedge resection Lung, transbronchial biopsy Lymph node, biopsy Muscle, biopsy Nasal mucosa, biopsy Nasopharynx/oropharynx, biopsy Nerve, biopsy Odontogenic/dental cyst Omentum, biopsy Ovary with or without tube, non-neoplastic Ovary, biopsy/wedge resection Parathyroid gland Peritoneum, biopsy Pituitary tumor Placenta, other than third trimester Pleura/pericardium - biopsy/tissue Polyp, cervical/endometrial Polyp, colorectal Polyp, stomach/small intestine Prostate, needle biopsy Prostate, TUR Salivary gland, biopsy Sinus, paranasal biopsy Skin, other than cyst/tag/debridement/plastic repair Small intestine, biopsy Soft tissue, other than tumor/mass/lipoma/debridement Spleen Stomach, biopsy Synovium Testis, other than tumor/biopsy/castration Thyroglossal duct/brachial cleft cyst Tongue, biopsy Tonsil, biopsy Trachea, biopsy Ureter, biopsy Urethra, biopsy Urinary bladder, biopsy Uterus, with or without tubes and ovaries, for prolapse Vagina, biopsy Vulva/labia, biopsy	\$ 194.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Level IV - Surgical pathology, gross and microscopic examination Abortion - spontaneous/missed Artery, biopsy Bone marrow, biopsy Bone exostosis Brain/meninges, other than for tumor resection Breast, biopsy, not requiring microscopic evaluation of surgical margins Breast, reduction mammoplasty Bronchus, biopsy Cell block, any source Cervix, biopsy Colon, biopsy Duodenum, biopsy Endocervix, curettings/biopsy Endometrium, curettings/biopsy Esophagus, biopsy Extremity, amputation, traumatic Fallopian tube, biopsy Fallopian tube, ectopic pregnancy Femoral head, fracture Fingers/toes, amputation, non-traumatic Gingiva/oral mucosa, biopsy Heart valve Joint, resection Kidney, biopsy Larynx, biopsy Leiomyoma(s), uterine myomectomy - without uterus Lip, biopsy/wedge resection Lung, transbronchial biopsy Lymph node, biopsy Muscle, biopsy Nasal mucosa, biopsy Nasopharynx/oropharynx, biopsy Nerve, biopsy Odontogenic/dental cyst Omentum, biopsy Ovary with or without tube, non-neoplastic Ovary, biopsy/wedge resection Parathyroid gland Peritoneum, biopsy Pituitary tumor Placenta, other than third trimester Pleura/pericardium - biopsy/tissue Polyp, cervical/endometrial Polyp, colorectal Polyp, stomach/small intestine Prostate, needle biopsy Prostate, TUR Salivary gland, biopsy Sinus, paranasal biopsy Skin, other than cyst/tag/debridement/plastic repair Small intestine, biopsy Soft tissue, other than tumor/mass/lipoma/debridement Spleen Stomach, biopsy Synovium Testis, other than tumor/biopsy/castration Thyroglossal duct/brachial cleft cyst Tongue, biopsy Tonsil, biopsy Trachea, biopsy Ureter, biopsy Urethra, biopsy Urinary bladder, biopsy Uterus, with or without tubes and ovaries, for prolapse Vagina, biopsy Vulva/labia, biopsy	\$ 194.00
Level IV - Surgical pathology, gross and microscopic examination Abortion - spontaneous/missed Artery, biopsy Bone marrow, biopsy Bone exostosis Brain/meninges, other than for tumor resection Breast, biopsy, not requiring microscopic evaluation of surgical margins Breast, reduction mammoplasty Bronchus, biopsy Cell block, any source Cervix, biopsy Colon, biopsy Duodenum, biopsy Endocervix, curettings/biopsy Endometrium, curettings/biopsy Esophagus, biopsy Extremity, amputation, traumatic Fallopian tube, biopsy Fallopian tube, ectopic pregnancy Femoral head, fracture Fingers/toes, amputation, non-traumatic Gingiva/oral mucosa, biopsy Heart valve Joint, resection Kidney, biopsy Larynx, biopsy Leiomyoma(s), uterine myomectomy - without uterus Lip, biopsy/wedge resection Lung, transbronchial biopsy Lymph node, biopsy Muscle, biopsy Nasal mucosa, biopsy Nasopharynx/oropharynx, biopsy Nerve, biopsy Odontogenic/dental cyst Omentum, biopsy Ovary with or without tube, non-neoplastic Ovary, biopsy/wedge resection Parathyroid gland Peritoneum, biopsy Pituitary tumor Placenta, other than third trimester Pleura/pericardium - biopsy/tissue Polyp, cervical/endometrial Polyp, colorectal Polyp, stomach/small intestine Prostate, needle biopsy Prostate, TUR Salivary gland, biopsy Sinus, paranasal biopsy Skin, other than cyst/tag/debridement/plastic repair Small intestine, biopsy Soft tissue, other than tumor/mass/lipoma/debridement Spleen Stomach, biopsy Synovium Testis, other than tumor/biopsy/castration Thyroglossal duct/brachial cleft cyst Tongue, biopsy Tonsil, biopsy Trachea, biopsy Ureter, biopsy Urethra, biopsy Urinary bladder, biopsy Uterus, with or without tubes and ovaries, for prolapse Vagina, biopsy Vulva/labia, biopsy	\$ 194.00
Level V - Surgical pathology, gross and microscopic examination Adrenal, resection Bone - biopsy/curettings Bone fragment(s), pathologic fracture Brain, biopsy Brain/meninges, tumor resection Breast, excision of lesion, requiring microscopic evaluation of surgical margins Breast, mastectomy - partial/simple Cervix, conization Colon, segmental resection, other than for tumor Extremity, amputation, non-traumatic Eye, enucleation Kidney, partial/total nephrectomy Larynx, partial/total resection Liver, biopsy - needle/wedge Liver, partial resection Lung, wedge biopsy Lymph nodes, regional resection Mediastinum, mass Myocardium, biopsy Odontogenic tumor Ovary with or without tube, neoplastic Pancreas, biopsy Placenta, third trimester Prostate, except radical resection Salivary gland Sentinel lymph node Small intestine, resection, other than for tumor Soft tissue mass (except lipoma) - biopsy/simple excision Stomach - subtotal/total resection, other than for tumor Testis, biopsy Thymus, tumor Thyroid, total/lobe Ureter, resection Urinary bladder, TUR Uterus, with or without tubes and ovaries, other than neoplastic/prolapse	\$ 313.00
Level V - Surgical pathology, gross and microscopic examination Adrenal, resection Bone - biopsy/curettings Bone fragment(s), pathologic fracture Brain, biopsy Brain/meninges, tumor resection Breast, excision of lesion, requiring microscopic evaluation of surgical margins Breast, mastectomy - partial/simple Cervix, conization Colon, segmental resection, other than for tumor Extremity, amputation, non-traumatic Eye, enucleation Kidney, partial/total nephrectomy Larynx, partial/total resection Liver, biopsy - needle/wedge Liver, partial resection Lung, wedge biopsy Lymph nodes, regional resection Mediastinum, mass Myocardium, biopsy Odontogenic tumor Ovary with or without tube, neoplastic Pancreas, biopsy Placenta, third trimester Prostate, except radical resection Salivary gland Sentinel lymph node Small intestine, resection, other than for tumor Soft tissue mass (except lipoma) - biopsy/simple excision Stomach - subtotal/total resection, other than for tumor Testis, biopsy Thymus, tumor Thyroid, total/lobe Ureter, resection Urinary bladder, TUR Uterus, with or without tubes and ovaries, other than neoplastic/prolapse	\$ 313.00
Level VI - Surgical pathology, gross and microscopic examination Bone resection Breast, mastectomy - with regional lymph nodes Colon, segmental resection for tumor Colon, total resection Esophagus, partial/total resection Extremity, disarticulation Fetus, with dissection Larynx, partial/total resection - with regional lymph nodes Lung - total/lobe/segment resection Pancreas, total/subtotal resection Prostate, radical resection Small intestine, resection for tumor Soft tissue tumor, extensive resection Stomach - subtotal/total resection for tumor Testis, tumor Tongue/tonsil -resection for tumor Urinary bladder, partial/total resection Uterus, with or without tubes and ovaries, neoplastic Vulva, total/subtotal resection	\$ 942.00
Decalcification procedure (List separately in addition to code for surgical pathology examination)	\$ 93.00
Special stain including interpretation and report; Group I for microorganisms (eg, acid fast, methenamine silver)	\$ 112.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 94.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 94.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 523.00
Special stain including interpretation and report; histochemical stain on frozen tissue block (List separately in addition to code for primary procedure)	\$ 138.00
Special stain including interpretation and report; Group III, for enzyme constituents	\$ 322.00
Special stain including interpretation and report; Group III, for enzyme constituents	\$ 322.00
Consultation and report on referred slides prepared elsewhere	\$ 2,149.00
Consultation and report on referred material requiring preparation of slides	\$ 957.00
Pathology consultation during surgery; first tissue block, with frozen section(s), single specimen	\$ 219.00
Pathology consultation during surgery; each additional tissue block with frozen section(s) (List separately in addition to code for primary procedure)	\$ 219.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Pathology consultation during surgery; cytologic examination (eg, touch prep, squash prep), initial site	\$ 124.00
Pathology consultation during surgery; cytologic examination (eg, touch prep, squash prep), each additional site (List separately in addition to code for primary procedure)	\$ 124.00
Immunohistochemistry or immunocytochemistry, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 286.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 286.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 372.00
Immunohistochemistry or immunocytochemistry, per specimen; each multiplex antibody stain procedure	\$ 483.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 397.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 261.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 1,166.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 1,166.00
Electron microscopy, diagnostic	\$ 1,771.00
Immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 397.00
Immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 261.00
Morphometric analysis; tumor (eg, DNA ploidy)	\$ 673.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; manual	\$ 715.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 715.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 1,166.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 673.00
In situ hybridization (eg, FISH), per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 1,227.00
In situ hybridization (eg, FISH), per specimen; initial single probe stain procedure	\$ 1,227.00
In situ hybridization (eg, FISH), per specimen; each multiplex probe stain procedure	\$ 1,511.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; initial single probe stain procedure	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 798.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 798.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; each multiplex probe stain procedure	\$ 3,939.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each multiplex probe stain procedure	\$ 2,315.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each multiplex probe stain procedure	\$ 2,315.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each multiplex probe stain procedure	\$ 3,151.00
Bilirubin, total, transcutaneous	\$ 240.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 101.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 57.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count	\$ 841.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count	\$ 386.00
Leukocyte assessment, fecal, qualitative or semiquantitative	\$ 104.00
Crystal identification by light microscopy with or without polarizing lens analysis, tissue or any body fluid (except urine)	\$ 102.00
Crystal identification by light microscopy with or without polarizing lens analysis, tissue or any body fluid (except urine)	\$ 102.00
Nasal smear for eosinophils	\$ 83.00
Nasal smear for eosinophils	\$ 83.00
Sweat collection by iontophoresis	\$ 150.00
Sweat collection by iontophoresis	\$ 150.00
Semen analysis; sperm presence and motility of sperm, if performed	\$ 195.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)	\$ 35.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	\$ 35.00
Influenza virus vaccine (IIV), split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use	\$ 50.00
Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use	\$ 641.00
Influenza virus vaccine, trivalent (RIV3), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use	\$ 50.00
Influenza virus vaccine, quadrivalent (cclIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use	\$ 50.00
Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.25 mL dosage, for intramuscular use	\$ 35.00
Electroconvulsive therapy (includes necessary monitoring)	\$ 1,861.00
Visual field examination, unilateral or bilateral, with interpretation and report; extended examination (eg, Goldmann visual fields with at least 3 isopters plotted and static determination within the central 30°), or quantitative, automated threshold perimetry, Octopus program G-1, 32 or 42, Humphrey visual field analyzer full threshold programs 30-2, 24-2, or 30/60-2)	\$ 579.00
Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual	\$ 556.00
Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria)	\$ 485.00
Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (eg, receptive and expressive language)	\$ 485.00
Behavioral and qualitative analysis of voice and resonance	\$ 485.00
Treatment of swallowing dysfunction and/or oral function for feeding	\$ 440.00
Auditory evoked potentials for evoked response audiometry and/or testing of the central nervous system; comprehensive	\$ 1,418.00
Evaluation of oral and pharyngeal swallowing function	\$ 691.00
Motion fluoroscopic evaluation of swallowing function by cine or video recording	\$ 779.00
Motion fluoroscopic evaluation of swallowing function by cine or video recording	\$ 841.00
Cardiopulmonary resuscitation (eg, in cardiac arrest)	\$ 1,430.00
Cardiopulmonary resuscitation (eg, in cardiac arrest)	\$ 1,430.00
Temporary transcutaneous pacing	\$ 1,250.00
Cardioversion, elective, electrical conversion of arrhythmia; external	\$ 1,523.00
Cardioversion, elective, electrical conversion of arrhythmia; external	\$ 1,523.00
Cardioversion, elective, electrical conversion of arrhythmia; external	\$ 1,523.00
Cardioversion, elective, electrical conversion of arrhythmia; external	\$ 1,523.00
Electrocardiogram, routine ECG with at least 12 leads; tracing only, without interpretation and report	\$ 304.00
Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; tracing only, without interpretation and report	\$ 1,403.00
Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; tracing only, without interpretation and report	\$ 1,403.00
Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; tracing only, without interpretation and report	\$ 1,403.00
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; recording (includes connection, recording, and disconnection)	\$ 1,059.00
Transthoracic echocardiography for congenital cardiac anomalies; complete	\$ 2,094.00
Transthoracic echocardiography for congenital cardiac anomalies; follow-up or limited study	\$ 1,311.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, with spectral Doppler echocardiography, and with color flow Doppler echocardiography	\$ 2,724.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, without spectral or color Doppler echocardiography	\$ 1,906.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, follow-up or limited study	\$ 1,163.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, follow-up or limited study	\$ 1,163.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); including probe placement, image acquisition, interpretation and report	\$ 3,590.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); placement of transesophageal probe only	\$ 2,227.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); image acquisition, interpretation and report only	\$ 2,357.00
Doppler echocardiography, pulsed wave and/or continuous wave with spectral display (List separately in addition to codes for echocardiographic imaging); complete	\$ 977.00
Doppler echocardiography, pulsed wave and/or continuous wave with spectral display (List separately in addition to codes for echocardiographic imaging); complete	\$ 977.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Doppler echocardiography, pulsed wave and/or continuous wave with spectral display (List separately in addition to codes for echocardiographic imaging); follow-up or limited study (List separately in addition to codes for echocardiographic imaging)	\$ 663.00
Doppler echocardiography color flow velocity mapping (List separately in addition to codes for echocardiography)	\$ 856.00
Doppler echocardiography color flow velocity mapping (List separately in addition to codes for echocardiography)	\$ 856.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 1,862.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 1,862.00
Insertion and placement of flow directed catheter (eg, Swan-Ganz) for monitoring purposes	\$ 4,232.00
Peripheral arterial disease (PAD) rehabilitation, per session	\$ 367.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)	\$ 265.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)	\$ 5.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; with continuous ECG monitoring (per session)	\$ 281.00
Unlisted cardiovascular service or procedure	\$ 673.00
Duplex scan of extracranial arteries; complete bilateral study	\$ 1,935.00
Duplex scan of extracranial arteries; complete bilateral study	\$ 1,935.00
Duplex scan of extracranial arteries; unilateral or limited study	\$ 1,177.00
Transcranial Doppler study of the intracranial arteries; complete study	\$ 1,842.00
Transcranial Doppler study of the intracranial arteries; limited study	\$ 1,230.00
Transcranial Doppler study of the intracranial arteries; vasoreactivity study	\$ 1,334.00
Transcranial Doppler study of the intracranial arteries; emboli detection without intravenous microbubble injection	\$ 1,455.00
Transcranial Doppler study of the intracranial arteries; emboli detection with intravenous microbubble injection	\$ 1,256.00
Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries with, transcutaneous oxygen tension measurement at 1-2 levels)	\$ 922.00
Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries with, transcutaneous oxygen tension measurement at 1-2 levels)	\$ 922.00
Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	\$ 1,715.00
Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	\$ 1,715.00
Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	\$ 1,715.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 1,145.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 1,145.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 1,145.00
Duplex scan of upper extremity arteries or arterial bypass grafts; complete bilateral study	\$ 1,648.00
Duplex scan of upper extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 1,143.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 1,812.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 1,812.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 1,812.00
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 1,438.00
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 1,438.00
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 1,438.00
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 1,438.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study	\$ 1,792.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study	\$ 1,792.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; limited study	\$ 1,344.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; limited study	\$ 1,344.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study	\$ 1,382.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study	\$ 1,382.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; unilateral or limited study	\$ 1,064.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; unilateral or limited study	\$ 1,064.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, initial day	\$ 1,062.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, each subsequent day	\$ 964.00
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 450.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 491.00
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 491.00
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 491.00
Bronchodilation responsiveness, spirometry as in 94010, pre- and post-bronchodilator administration	\$ 801.00
Bronchodilation responsiveness, spirometry as in 94010, pre- and post-bronchodilator administration	\$ 1,691.00
Bronchodilation responsiveness, spirometry as in 94010, pre- and post-bronchodilator administration	\$ 1,691.00
Bronchospasm provocation evaluation, multiple spirometric determinations as in 94010, with administered agents (eg, antigen[s], cold air, methacholine)	\$ 1,156.00
Bronchospasm provocation evaluation, multiple spirometric determinations as in 94010, with administered agents (eg, antigen[s], cold air, methacholine)	\$ 1,156.00
Exercise test for bronchospasm, including pre- and post-spirometry, electrocardiographic recording(s), and pulse oximetry	\$ 596.00
Exercise test for bronchospasm, including pre- and post-spirometry, electrocardiographic recording(s), and pulse oximetry	\$ 596.00
Pulmonary stress testing (eg, 6-minute walk test), including measurement of heart rate, oximetry, and oxygen titration, when performed	\$ 572.00
Pulmonary stress testing (eg, 6-minute walk test), including measurement of heart rate, oximetry, and oxygen titration, when performed	\$ 572.00
Cardiopulmonary exercise testing, including measurements of minute ventilation, CO2 production, O2 uptake, and electrocardiographic recordings	\$ 1,847.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 251.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 251.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 241.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 251.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 251.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 207.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 207.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 251.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 207.00
Aerosol inhalation of pentamidine for pneumocystis carinii pneumonia treatment or prophylaxis	\$ 677.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; first hour	\$ 372.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; first hour	\$ 372.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; each additional hour (List separately in addition to code for primary procedure)	\$ 341.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; each additional hour (List separately in addition to code for primary procedure)	\$ 341.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 302.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 302.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 220.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 220.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 465.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 110.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 465.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 110.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 465.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 465.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 853.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 132.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 132.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 132.00
Plethysmography for determination of lung volumes and, when performed, airway resistance	\$ 650.00
Plethysmography for determination of lung volumes and, when performed, airway resistance	\$ 650.00
Gas dilution or washout for determination of lung volumes and, when performed, distribution of ventilation and closing volumes	\$ 465.00
Gas dilution or washout for determination of lung volumes and, when performed, distribution of ventilation and closing volumes	\$ 465.00
Airway resistance by impulse oscillometry	\$ 465.00
Diffusing capacity (eg, carbon monoxide, membrane) (List separately in addition to code for primary procedure)	\$ 465.00
Diffusing capacity (eg, carbon monoxide, membrane) (List separately in addition to code for primary procedure)	\$ 465.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Noninvasive ear or pulse oximetry for oxygen saturation; by continuous overnight monitoring (separate procedure)	\$ 312.00
Noninvasive ear or pulse oximetry for oxygen saturation; by continuous overnight monitoring (separate procedure)	\$ 312.00
Circadian respiratory pattern recording (pediatric pneumogram), 12-24 hour continuous recording, infant	\$ 1,255.00
Unlisted pulmonary service or procedure	\$ 454.00
Unlisted pulmonary service or procedure	\$ 235.00
Unlisted pulmonary service or procedure	\$ 406.00
Unlisted pulmonary service or procedure	\$ 454.00
Unlisted pulmonary service or procedure	\$ 417.00
Unlisted pulmonary service or procedure	\$ 406.00
Unlisted pulmonary service or procedure	\$ 406.00
Unlisted pulmonary service or procedure	\$ 298.00
Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; patient-provided equipment, sensor placement, hook-up, calibration of monitor, patient training, and printout of recording	\$ 375.00
Electroencephalogram (EEG) extended monitoring; 41-60 minutes	\$ 1,536.00
Electroencephalogram (EEG) extended monitoring; greater than 1 hour	\$ 2,101.00
Electroencephalogram (EEG); including recording awake and drowsy	\$ 1,075.00
Electroencephalogram (EEG); including recording awake and drowsy	\$ 1,075.00
Electroencephalogram (EEG); including recording awake and asleep	\$ 1,599.00
Electroencephalogram (EEG); recording in coma or sleep only	\$ 1,796.00
Electroencephalogram (EEG); cerebral death evaluation only	\$ 1,866.00
Electrocorticogram at surgery (separate procedure)	\$ 2,102.00
Needle electromyography; 1 extremity with or without related paraspinal areas	\$ 715.00
Needle electromyography; 2 extremities with or without related paraspinal areas	\$ 576.00
Needle electromyography; 3 extremities with or without related paraspinal areas	\$ 1,119.00
Needle electromyography; 4 extremities with or without related paraspinal areas	\$ 823.00
Needle electromyography; larynx	\$ 453.00
Needle electromyography; hemidiaphragm	\$ 718.00
Needle electromyography; cranial nerve supplied muscle(s), unilateral	\$ 669.00
Needle electromyography; cranial nerve supplied muscles, bilateral	\$ 726.00
Needle electromyography; thoracic paraspinal muscles (excluding T1 or T12)	\$ 453.00
Needle electromyography; limited study of muscles in 1 extremity or non-limb (axial) muscles (unilateral or bilateral), other than thoracic paraspinal, cranial nerve supplied muscles, or sphincters	\$ 462.00
Needle electromyography using single fiber electrode, with quantitative measurement of jitter, blocking and/or fiber density, any/all sites of each muscle studied	\$ 855.00
Needle electromyography, each extremity, with related paraspinal areas, when performed, done with nerve conduction, amplitude and latency/velocity study; limited (List separately in addition to code for primary procedure)	\$ 474.00
Needle electromyography, each extremity, with related paraspinal areas, when performed, done with nerve conduction, amplitude and latency/velocity study; complete, five or more muscles studied, innervated by three or more nerves or four or more spinal levels (List separately in addition to code for primary procedure)	\$ 623.00
Needle electromyography, non-extremity (cranial nerve supplied or axial) muscle(s) done with nerve conduction, amplitude and latency/velocity study (List separately in addition to code for primary procedure)	\$ 428.00
Nerve conduction studies; 1-2 studies	\$ 666.00
Nerve conduction studies; 3-4 studies	\$ 1,206.00
Nerve conduction studies; 5-6 studies	\$ 1,861.00
Nerve conduction studies; 7-8 studies	\$ 2,534.00
Nerve conduction studies; 9-10 studies	\$ 3,200.00
Nerve conduction studies; 11-12 studies	\$ 3,841.00
Nerve conduction studies; 13 or more studies	\$ 4,885.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper limbs	\$ 1,610.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in lower limbs	\$ 1,610.00
Central motor evoked potential study (transcranial motor stimulation); upper limbs	\$ 576.00
Central motor evoked potential study (transcranial motor stimulation); lower limbs	\$ 576.00
Visual evoked potential (VEP) testing central nervous system, checkerboard or flash	\$ 1,491.00
Orbicularis oculi (blink) reflex, by electrodiagnostic testing	\$ 411.00
Neuromuscular junction testing (repetitive stimulation, paired stimuli), each nerve, any 1 method	\$ 575.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper and lower limbs	\$ 2,533.00
Central motor evoked potential study (transcranial motor stimulation); in upper and lower limbs	\$ 1,682.00
Continuous intraoperative neurophysiology monitoring in the operating room, one on one monitoring requiring personal attendance, each 15 minutes (List separately in addition to code for primary procedure)	\$ 298.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby) or for monitoring of more than one case while in the operating room, per hour (List separately in addition to code for primary procedure)	\$ 1,349.00
Monitoring for localization of cerebral seizure focus by cable or radio, 16 or more channel telemetry, combined electroencephalographic (EEG) and video recording and interpretation (eg, for presurgical localization), each 24 hours	\$ 6,311.00
Monitoring for localization of cerebral seizure focus by computerized portable 16 or more channel EEG, electroencephalographic (EEG) recording and interpretation, each 24 hours, unattended	\$ 4,167.00
Pharmacological or physical activation requiring physician or other qualified health care professional attendance during EEG recording of activation phase (eg, thiopental activation test)	\$ 2,015.00
Electroencephalogram (EEG) during nonintra cranial surgery (eg, carotid surgery)	\$ 2,199.00
Digital analysis of electroencephalogram (EEG) (eg, for epileptic spike analysis)	\$ 1,183.00
Wada activation test for hemispheric function, including electroencephalographic (EEG) monitoring	\$ 2,649.00
Functional cortical and subcortical mapping by stimulation and/or recording of electrodes on brain surface, or of depth electrodes, to provoke seizures or identify vital brain structures; initial hour of attendance by a physician or other qualified health care professional	\$ 1,541.00
Functional cortical and subcortical mapping by stimulation and/or recording of electrodes on brain surface, or of depth electrodes, to provoke seizures or identify vital brain structures; each additional hour of attendance by a physician or other qualified health care professional (List separately in addition to code for primary procedure)	\$ 242.00
Canalith repositioning procedure(s) (eg, Epley maneuver, Semont maneuver), per day	\$ 242.00
Neurofunctional testing selection and administration during noninvasive imaging functional brain mapping, with test administered entirely by a physician or other qualified health care professional (ie, psychologist), with review of test results and report	\$ 1,016.00
Medical genetics and genetic counseling services, each 30 minutes face-to-face with patient/family	\$ 110.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 1,324.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 700.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 700.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 700.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 700.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 700.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 700.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 700.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 445.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 700.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 700.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 700.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 700.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 700.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 700.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 1,435.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 700.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 700.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 700.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 700.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 700.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 700.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 700.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 519.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 574.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 574.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 574.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 574.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 574.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 574.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 574.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); additional sequential infusion of a new drug/substance, up to 1 hour (List separately in addition to code for primary procedure)	\$ 948.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); additional sequential infusion of a new drug/substance, up to 1 hour (List separately in addition to code for primary procedure)	\$ 700.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of the same substance/drug provided in a facility (List separately in addition to code for primary procedure)	\$ 174.00
Chemotherapy administration, subcutaneous or intramuscular; non-hormonal anti-neoplastic	\$ 396.00
Chemotherapy administration, subcutaneous or intramuscular; non-hormonal anti-neoplastic	\$ 396.00
Chemotherapy administration, subcutaneous or intramuscular; hormonal anti-neoplastic	\$ 383.00
Chemotherapy administration, subcutaneous or intramuscular; hormonal anti-neoplastic	\$ 383.00
Chemotherapy administration; intravenous, push technique, single or initial substance/drug	\$ 218.00
Chemotherapy administration; intravenous, push technique, single or initial substance/drug	\$ 218.00
Chemotherapy administration; intravenous, push technique, each additional substance/drug (List separately in addition to code for primary procedure)	\$ 489.00
Chemotherapy administration; intravenous, push technique, each additional substance/drug (List separately in addition to code for primary procedure)	\$ 489.00
Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug	\$ 711.00
Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug	\$ 711.00
Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug	\$ 711.00
Chemotherapy administration, intravenous infusion technique; each additional hour (List separately in addition to code for primary procedure)	\$ 711.00
Chemotherapy administration, intravenous infusion technique; each additional hour (List separately in addition to code for primary procedure)	\$ 711.00
Chemotherapy administration, intravenous infusion technique; each additional hour (List separately in addition to code for primary procedure)	\$ 711.00
Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure)	\$ 509.00
Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure)	\$ 509.00
Chemotherapy administration, into CNS (eg, intrathecal), requiring and including spinal puncture	\$ 1,293.00
Irrigation of implanted venous access device for drug delivery systems	\$ 401.00
Irrigation of implanted venous access device for drug delivery systems	\$ 265.00
Irrigation of implanted venous access device for drug delivery systems	\$ 265.00
Irrigation of implanted venous access device for drug delivery systems	\$ 265.00
Irrigation of implanted venous access device for drug delivery systems	\$ 265.00
Irrigation of implanted venous access device for drug delivery systems	\$ 265.00
Application of a modality to 1 or more areas; hot or cold packs	\$ 98.00
Application of a modality to 1 or more areas; hot or cold packs	\$ 98.00
Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility	\$ 207.00
Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility	\$ 207.00
Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities	\$ 166.00
Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)	\$ 193.00
Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing and sequencing tasks), direct (one-on-one) patient contact	\$ 410.00
Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing and sequencing tasks), direct (one-on-one) patient contact	\$ 410.00
Therapeutic procedure(s), group (2 or more individuals)	\$ 231.00
Physical therapy evaluation: low complexity, requiring these components: A history with no personal factors and/or comorbidities that impact the plan of care; An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with stable and/or uncomplicated characteristics; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family.	\$ 341.00
Physical therapy evaluation: moderate complexity, requiring these components: A history of present problem with 1-2 personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures in addressing a total of 3 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; An evolving clinical presentation with changing characteristics; and Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 455.00
Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with unstable and unpredictable characteristics; and Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 569.00
Re-evaluation of physical therapy established plan of care, requiring these components: An examination including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome Typically, 20 minutes are spent face-to-face with the patient and/or family.	\$ 257.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Occupational therapy evaluation, low complexity, requiring these components: An occupational profile and medical and therapy history, which includes a brief history including review of medical and/or therapy records relating to the presenting problem; An assessment(s) that identifies 1-3 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of low complexity, which includes an analysis of the occupational profile, analysis of data from problem-focused assessment(s), and consideration of a limited number of treatment options. Patient presents with no comorbidities that affect occupational performance. Modification of tasks or assistance (eg, physical or verbal) with assessment(s) is not necessary to enable completion of evaluation component. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 383.00
Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes an expanded review of medical and/or therapy records and additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 3-5 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of moderate analytic complexity, which includes an analysis of the occupational profile, analysis of data from detailed assessment(s), and consideration of several treatment options. Patient may present with comorbidities that affect occupational performance. Minimal to moderate modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 510.00
Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 5 or more performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of high analytic complexity, which includes an analysis of the patient profile, analysis of data from comprehensive assessment(s), and consideration of multiple treatment options. Patient presents with comorbidities that affect occupational performance. Significant modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 60 minutes are spent face-to-face with the patient and/or family.	\$ 638.00
Re-evaluation of occupational therapy established plan of care, requiring these components: An assessment of changes in patient functional or medical status with revised plan of care; An update to the initial occupational profile to reflect changes in condition or environment that affect future interventions and/or goals; and A revised plan of care. A formal reevaluation is performed when there is a documented change in functional status or a significant change to the plan of care is required. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 302.00
Therapeutic activities, direct (one-on-one) patient contact (use of dynamic activities to improve functional performance), each 15 minutes	\$ 192.00
Therapeutic activities, direct (one-on-one) patient contact (use of dynamic activities to improve functional performance), each 15 minutes	\$ 192.00
Self-care/home management training (eg, activities of daily living (ADL) and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices/adaptive equipment) direct one-on-one contact, each 15 minutes	\$ 162.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; first 20 sq cm or less	\$ 304.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 403.00
Removal of devitalized tissue from wound(s), non-selective debridement, without anesthesia (eg, wet-to-moist dressings, enzymatic, abrasion, larval therapy), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session	\$ 230.00
Orthotic(s)/prosthetic(s) management and/or training, upper extremity(ies), lower extremity(ies), and/or trunk, subsequent orthotic(s)/prosthetic(s) encounter, each 15 minutes	\$ 183.00
Unlisted physical medicine/rehabilitation service or procedure	\$ 364.00
Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes	\$ 44.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 59.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 37.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 30.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 23.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 67.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 73.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient younger than 5 years of age	\$ 356.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 371.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 309.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient younger than 5 years of age	\$ 395.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 360.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 289.00
Phlebotomy, therapeutic (separate procedure)	\$ 216.00
Phlebotomy, therapeutic (separate procedure)	\$ 282.00
Phlebotomy, therapeutic (separate procedure)	\$ 282.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor.	\$ 351.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity.	\$ 477.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity.	\$ 477.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity.	\$ 858.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity, and require urgent evaluation by the physician, or other qualified health care professionals but do not pose an immediate significant threat to life or physiologic function.	\$ 1,715.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components within the constraints imposed by the urgency of the patient's clinical condition and/or mental status: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.	\$ 2,477.00
Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes	\$ 2,860.00
Critical care, evaluation and management of the critically ill or critically injured patient; each additional 30 minutes (List separately in addition to code for primary service)	\$ 1,488.00
Cerebral perfusion analysis using computed tomography with contrast administration, including post-processing of parametric maps with determination of cerebral blood flow, cerebral blood volume, and mean transit time	\$ 3,012.00
Computer-aided detection, including computer algorithm analysis of MRI image data for lesion detection/characterization, pharmacokinetic analysis, with further physician review for interpretation, breast MRI (List separately in addition to code for primary procedure)	\$ 395.00
External electrocardiographic recording for more than 48 hours up to 21 days by continuous rhythm recording and storage; recording (includes connection and initial recording)	\$ 886.00
Incontinence supply; miscellaneous	\$ 17,434.00
Incontinence supply; miscellaneous	\$ 9,749.00
Incontinence supply; miscellaneous	\$ 9,749.00
Indwelling catheter, foley type, two-way, all silicone, each	\$ 152.00
Ostomy supply; miscellaneous	\$ 158.00
Sling Arm	\$ 465.00
Oxygen probe for use with oximeter device, replacement	\$ 116.00
Peak expiratory flow rate meter, hand held	\$ 86.00
Cannula, nasal	\$ 179.00
Breathing circuits	\$ 296.00
Breathing circuits	\$ 218.00
Breathing circuits	\$ 160.00
Spacer, bag or reservoir, with or without mask, for use with metered dose inhaler	\$ 80.00
Spacer, bag or reservoir, with or without mask, for use with metered dose inhaler	\$ 59.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Radiopharmaceutical, diagnostic, not otherwise classified	\$ 1,102.00
Tissue marker, implantable, any type, each	\$ 458.00
Tissue marker, implantable, any type, each	\$ 58.00
Tissue marker, implantable, any type, each	\$ 620.00
Tissue marker, implantable, any type, each	\$ 1,391.00
Tissue marker, implantable, any type, each	\$ 620.00
Tissue marker, implantable, any type, each	\$ 620.00
Gastric Band & Dissector	\$ 12,476.00
Reamer Shaper 52 X 18	\$ 3,055.00
Miscellaneous dialysis supplies, not otherwise specified	\$ 1,004.00
Foam dressing, wound cover, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	\$ 157.00
Foam dressing, wound cover, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	\$ 175.00
Foam dressing, wound cover, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	\$ 285.00
Foam dressing, wound cover, sterile, pad size 16 sq. in. or less, with any size adhesive border, each dressing	\$ 377.00
Hydrocolloid dressing, wound cover, sterile, pad size more than 48 sq. in., with any size adhesive border, each dressing	\$ 87.00
Specialty absorptive dressing, wound cover, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	\$ 118.00
Transparent film, sterile, more than 16 sq. in. but less than or equal to 48 sq. in., each dressing	\$ 48.00
Transparent film, sterile, more than 16 sq. in. but less than or equal to 48 sq. in., each dressing	\$ 225.00
Gauze, impregnated, other than water, normal saline, or zinc paste, sterile, any width, per linear yard	\$ 30.00
Gauze, impregnated, other than water, normal saline, or zinc paste, sterile, any width, per linear yard	\$ 32.00
Packing strips, non-impregnated, sterile, up to 2 inches in width, per linear yard	\$ 26.00
Compression burn garment, bodysuit (head to foot), custom fabricated	\$ 581.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 297.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 2,937.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 617.00
Canister, disposable, used with suction pump, each	\$ 316.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 146.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 383.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 383.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 372.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 746.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 368.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 595.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 1,471.00
Monitoring feature/device, stand-alone or integrated, any type, includes all accessories, components and electronics, not otherwise classified	\$ 60.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 892.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 892.00
Technetium tc-99m tetrofosmin, diagnostic, per study dose	\$ 645.02
Technetium tc-99m medronate, diagnostic, per study dose, up to 30 millicuries	\$ 235.33
Technetium tc-99m apcitide, diagnostic, per study dose, up to 20 millicuries	\$ 1,196.15
Thallium tl-201 thallos chloride, diagnostic, per millicurie	\$ 342.63
Indium in-111 capromab pendetide, diagnostic, per study dose, up to 10 millicuries	\$ 10,364.21
Iodine i-131 iobenguane sulfate, diagnostic, per 0.5 millicurie	\$ 7,479.30
Iodine i-123 sodium iodide, diagnostic, per millicurie	\$ 1,594.87
Technetium tc-99m disofenin, diagnostic, per study dose, up to 15 millicuries	\$ 435.30
Technetium tc-99m pertechnetate, diagnostic, per millicurie	\$ 108.52
Iodine i-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries	\$ 385.31
Iodine i-131 sodium iodide capsule(s), therapeutic, per millicurie	\$ 286.54
Technetium tc-99m exametazime, diagnostic, per study dose, up to 25 millicuries	\$ 4,320.04
Iodine i-131 iodinated serum albumin, diagnostic, per 5 microcuries	\$ 1,275.41
Iodine i-131 sodium iodide capsule(s), diagnostic, per millicurie	\$ 358.48
Iodine i-131 sodium iodide solution, therapeutic, per millicurie	\$ 179.24
Technetium tc-99m depreotide, diagnostic, per study dose, up to 35 millicuries	\$ 1,160.79
Technetium tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries	\$ 340.19
Technetium tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries	\$ 291.42
Technetium tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries	\$ 223.14
Technetium tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries	\$ 228.02
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 470.66
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 471.00
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 470.66
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 470.66
Indium in-111 ibritumomab tiuxetan, diagnostic, per study dose, up to 5 millicuries	\$ 11,779.84
Yttrium y-90 ibritumomab tiuxetan, therapeutic, per treatment dose, up to 40 millicuries	\$ 121,705.06

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Indium in-111 oxyquinoline, diagnostic, per 0.5 millicurie	\$ 5,252.82
Indium in-111 pentetate, diagnostic, per 0.5 millicurie	\$ 4,116.42
Technetium tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicurie	\$ 245.08
Technetium tc-99m succimer, diagnostic, per study dose, up to 10 millicuries	\$ 1,275.41
Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries	\$ 1,754.60
Chromium cr-51 sodium chromate, diagnostic, per study dose, up to 250 microcuries	\$ 6,547.74
Iodine i-125 sodium iothalamate, diagnostic, per study dose, up to 10 microcuries	\$ 545.04
Gallium ga-67 citrate, diagnostic, per millicurie	\$ 368.23
Technetium tc-99m biccisate, diagnostic, per study dose, up to 25 millicuries	\$ 3,445.80
Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 602.34
Technetium tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries	\$ 197.53
Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries	\$ 1,125.43
Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries	\$ 8,719.35
Technetium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries	\$ 257.27
Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose	\$ 6,055.13
Indium in-111 labeled autologous white blood cells, diagnostic, per study dose	\$ 6,427.03
Indium in-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries	\$ 9,688.71
Injection, gadolinium-based magnetic resonance contrast agent, not otherwise specified (nos), per ml	\$ 29.28
Sodium fluoride f-18, diagnostic, per study dose, up to 30 millicuries	\$ 1,149.82
Injection, gadoxetate disodium, 1 ml	\$ 81.70
Injection, gadoxetate disodium, 1 ml	\$ 81.70
Iodine i-123 iobenguane, diagnostic, per study dose, up to 15 millicuries	\$ 11,218.94
Iodine 1-123 ioflupane, diagnostic, per study dose, up to 5 millicuries	\$ 8,719.35
Injection, gadobutrol, 0.1 ml	\$ 12.19
Injection, gadobutrol, 0.1 ml	\$ 12.19
Samarium sm-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries	\$ 27,638.29
Nasogastric tubing with stylet	\$ 82.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 700.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 817.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,212.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 730.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 245.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 752.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 298.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,809.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 250.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,310.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,083.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,808.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,289.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 379.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,640.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 600.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 146.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 486.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 2,972.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 2,784.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 486.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,822.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 37.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 407.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,852.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 4,010.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 4,010.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,288.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 331.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 609.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 730.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 730.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 383.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 2,780.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 448.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 140.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Catheter, drainage	\$ 986.00
Catheter, drainage	\$ 77.00
Catheter, drainage	\$ 714.00
Catheter, drainage	\$ 4,527.00
Catheter, drainage	\$ 766.00
Catheter, drainage	\$ 3,297.00
Catheter, drainage	\$ 3,504.00
Catheter, drainage	\$ 58.00
Catheter, drainage	\$ 277.00
Catheter, drainage	\$ 1,475.00
Catheter, drainage	\$ 116.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, other than cool-tip	\$ 6,393.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, other than cool-tip	\$ 4,373.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,418.00
Catheter, hemodialysis/peritoneal, long-term	\$ 3,414.00
Catheter, hemodialysis/peritoneal, long-term	\$ 678.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,901.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 244.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 255.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 246.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 115.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 558.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 671.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 251.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 774.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 251.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 399.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 399.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 399.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 399.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 794.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 568.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 481.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 481.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 481.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 977.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,025.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,266.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,266.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,045.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,175.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 321.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 321.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 321.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 127.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,502.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,390.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 285.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,502.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,225.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 943.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 2,798.00
Catheter, hemodialysis/peritoneal, short-term	\$ 1,113.00
Catheter, hemodialysis/peritoneal, short-term	\$ 693.00
Catheter, intraspinal	\$ 2,000.00
Catheter, intraspinal	\$ 4,406.00
Catheter, thrombectomy/embolectomy	\$ 174.00
Catheter, thrombectomy/embolectomy	\$ 311.00
Catheter, thrombectomy/embolectomy	\$ 311.00
Catheter, thrombectomy/embolectomy	\$ 558.00
Catheter, thrombectomy/embolectomy	\$ 2,714.00
Catheter, thrombectomy/embolectomy	\$ 7,475.00
Catheter, thrombectomy/embolectomy	\$ 8,830.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Catheter, thrombectomy/embolectomy	\$ 10,486.00
Catheter, thrombectomy/embolectomy	\$ 9,402.00
Catheter, thrombectomy/embolectomy	\$ 9,824.00
Catheter, thrombectomy/embolectomy	\$ 7,625.00
Catheter, thrombectomy/embolectomy	\$ 3,250.00
Catheter, thrombectomy/embolectomy	\$ 9,733.00
Catheter, ureteral	\$ 95.00
Catheter, ureteral	\$ 115.00
Catheter, ureteral	\$ 769.00
Catheter, ureteral	\$ 95.00
Catheter, ureteral	\$ 982.00
Catheter, ureteral	\$ 744.00
Catheter, ureteral	\$ 135.00
Catheter, ureteral	\$ 801.00
Catheter, ureteral	\$ 801.00
Catheter, intracardiac echocardiography	\$ 4,928.00
Closure device, vascular (implantable/insertable)	\$ 1,572.00
Closure device, vascular (implantable/insertable)	\$ 1,869.00
Closure device, vascular (implantable/insertable)	\$ 1,749.00
Connective tissue, human (includes fascia lata)	\$ 4,002.00
Connective tissue, human (includes fascia lata)	\$ 7,636.00
Connective tissue, human (includes fascia lata)	\$ 4,601.00
Connective tissue, human (includes fascia lata)	\$ 4,593.00
Connective tissue, human (includes fascia lata)	\$ 6,381.00
Connective tissue, human (includes fascia lata)	\$ 6,820.00
Connective tissue, human (includes fascia lata)	\$ 4,850.00
Connective tissue, human (includes fascia lata)	\$ 8,818.00
Connective tissue, human (includes fascia lata)	\$ 3,523.00
Connective tissue, human (includes fascia lata)	\$ 6,803.00
Connective tissue, human (includes fascia lata)	\$ 7,183.00
Connective tissue, human (includes fascia lata)	\$ 5,047.00
Connective tissue, human (includes fascia lata)	\$ 8,124.00
Connective tissue, human (includes fascia lata)	\$ 2,636.00
Connective tissue, human (includes fascia lata)	\$ 11,256.00
Connective tissue, human (includes fascia lata)	\$ 5,816.00
Connective tissue, human (includes fascia lata)	\$ 6,362.00
Connective tissue, human (includes fascia lata)	\$ 6,257.00
Connective tissue, human (includes fascia lata)	\$ 3,628.00
Connective tissue, human (includes fascia lata)	\$ 11,521.00
Connective tissue, human (includes fascia lata)	\$ 1,390.00
Connective tissue, human (includes fascia lata)	\$ 3,344.00
Connective tissue, human (includes fascia lata)	\$ 9,668.00
Connective tissue, human (includes fascia lata)	\$ 10,730.00
Connective tissue, non-human (includes synthetic)	\$ 6,783.00
Connective tissue, non-human (includes synthetic)	\$ 2,678.00
Connective tissue, non-human (includes synthetic)	\$ 4,766.00
Connective tissue, non-human (includes synthetic)	\$ 9,072.00
Connective tissue, non-human (includes synthetic)	\$ 6,389.00
Connective tissue, non-human (includes synthetic)	\$ 2,233.00
Connective tissue, non-human (includes synthetic)	\$ 3,786.00
Connective tissue, non-human (includes synthetic)	\$ 6,395.00
Connective tissue, non-human (includes synthetic)	\$ 8,499.00
Connective tissue, non-human (includes synthetic)	\$ 6,395.00
Connective tissue, non-human (includes synthetic)	\$ 5,222.00
Connective tissue, non-human (includes synthetic)	\$ 2,510.00
Event recorder, cardiac (implantable)	\$ 3,113.00
Adhesion barrier	\$ 2,348.00
Adhesion barrier	\$ 125.00
Adhesion barrier	\$ 3,523.00
Adhesion barrier	\$ 1,227.00
Adhesion barrier	\$ 2,184.00
Adhesion barrier	\$ 4,353.00
Adhesion barrier	\$ 3,398.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Adhesion barrier	\$ 3,491.00
Adhesion barrier	\$ 5,319.00
Adhesion barrier	\$ 11,651.00
Adhesion barrier	\$ 1,514.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 41,513.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 83,559.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 48,951.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 83,744.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 43,368.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 92,314.00
Graft, vascular	\$ 6,190.00
Graft, vascular	\$ 5,306.00
Graft, vascular	\$ 4,032.00
Graft, vascular	\$ 5,840.00
Graft, vascular	\$ 6,855.00
Graft, vascular	\$ 6,445.00
Graft, vascular	\$ 5,744.00
Graft, vascular	\$ 5,089.00
Graft, vascular	\$ 4,790.00
Graft, vascular	\$ 33,147.00
Graft, vascular	\$ 16,509.00
Graft, vascular	\$ 3,324.00
Graft, vascular	\$ 3,324.00
Graft, vascular	\$ 3,512.00
Graft, vascular	\$ 3,512.00
Graft, vascular	\$ 3,324.00
Graft, vascular	\$ 4,790.00
Graft, vascular	\$ 4,790.00
Graft, vascular	\$ 4,790.00
Graft, vascular	\$ 4,790.00
Graft, vascular	\$ 3,750.00
Graft, vascular	\$ 7,685.00
Graft, vascular	\$ 876.00
Graft, vascular	\$ 1,547.00
Graft, vascular	\$ 2,586.00
Graft, vascular	\$ 2,586.00
Graft, vascular	\$ 2,586.00
Graft, vascular	\$ 2,586.00
Graft, vascular	\$ 2,586.00
Graft, vascular	\$ 3,532.00
Graft, vascular	\$ 3,306.00
Graft, vascular	\$ 11,245.00
Graft, vascular	\$ 2,956.00
Graft, vascular	\$ 5,606.00
Graft, vascular	\$ 2,956.00
Graft, vascular	\$ 486.00
Graft, vascular	\$ 3,831.00
Graft, vascular	\$ 5,109.00
Graft, vascular	\$ 7,107.00
Graft, vascular	\$ 1,999.00
Graft, vascular	\$ 3,954.00
Graft, vascular	\$ 3,642.00
Graft, vascular	\$ 2,863.00
Graft, vascular	\$ 18,894.00
Graft, vascular	\$ 1,251.00
Graft, vascular	\$ 546.00
Graft, vascular	\$ 29,530.00
Graft, vascular	\$ 1,281.00
Graft, vascular	\$ 965.00
Graft, vascular	\$ 11,873.00
Graft, vascular	\$ 12,779.00
Graft, vascular	\$ 1,749.00
Graft, vascular	\$ 10,563.00
Graft, vascular	\$ 5,964.00
Guide wire	\$ 1,049.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Guide wire	\$ 1,049.00
Guide wire	\$ 361.00
Guide wire	\$ 115.00
Guide wire	\$ 160.00
Guide wire	\$ 255.00
Guide wire	\$ 100.00
Guide wire	\$ 202.00
Guide wire	\$ 499.00
Guide wire	\$ 473.00
Guide wire	\$ 115.00
Guide wire	\$ 1,152.00
Guide wire	\$ 331.00
Guide wire	\$ 611.00
Guide wire	\$ 1,394.00
Guide wire	\$ 341.00
Guide wire	\$ 346.00
Guide wire	\$ 136.00
Guide wire	\$ 127.00
Guide wire	\$ 276.00
Guide wire	\$ 466.00
Guide wire	\$ 1,959.00
Guide wire	\$ 934.00
Guide wire	\$ 146.00
Guide wire	\$ 798.00
Guide wire	\$ 865.00
Guide wire	\$ 858.00
Guide wire	\$ 145.00
Guide wire	\$ 94.00
Guide wire	\$ 6,231.00
Guide wire	\$ 422.00
Guide wire	\$ 499.00
Guide wire	\$ 770.00
Guide wire	\$ 1,770.00
Guide wire	\$ 579.00
Guide wire	\$ 455.00
Guide wire	\$ 781.00
Guide wire	\$ 136.00
Guide wire	\$ 693.00
Guide wire	\$ 716.00
Guide wire	\$ 495.00
Guide wire	\$ 1,460.00
Guide wire	\$ 361.00
Guide wire	\$ 216.00
Guide wire	\$ 3,124.00
Guide wire	\$ 226.00
Guide wire	\$ 1,062.00
Guide wire	\$ 1,062.00
Guide wire	\$ 742.00
Guide wire	\$ 226.00
Guide wire	\$ 263.00
Guide wire	\$ 228.00
Guide wire	\$ 482.00
Guide wire	\$ 1,430.00
Guide wire	\$ 663.00
Guide wire	\$ 835.00
Guide wire	\$ 9,500.00
Guide wire	\$ 2,756.00
Guide wire	\$ 417.00
Guide wire	\$ 612.00
Guide wire	\$ 658.00
Guide wire	\$ 1,364.00
Guide wire	\$ 108.00
Guide wire	\$ 227.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Guide wire	\$ 114.00
Guide wire	\$ 273.00
Guide wire	\$ 318.00
Guide wire	\$ 245.00
Guide wire	\$ 354.00
Guide wire	\$ 299.00
Guide wire	\$ 2,050.00
Guide wire	\$ 328.00
Guide wire	\$ 266.00
Guide wire	\$ 751.00
Guide wire	\$ 700.00
Guide wire	\$ 751.00
Guide wire	\$ 135.00
Guide wire	\$ 1,387.00
Guide wire	\$ 3,316.00
Guide wire	\$ 199.00
Guide wire	\$ 95.00
Guide wire	\$ 1,271.00
Guide wire	\$ 716.00
Guide wire	\$ 749.00
Guide wire	\$ 1,025.00
Guide wire	\$ 164.00
Guide wire	\$ 273.00
Guide wire	\$ 143.00
Guide wire	\$ 2,260.00
Guide wire	\$ 1,940.00
Guide wire	\$ 134.00
Guide wire	\$ 1,192.00
Guide wire	\$ 220.00
Guide wire	\$ 309.00
Guide wire	\$ 7,282.00
Guide wire	\$ 341.00
Guide wire	\$ 781.00
Guide wire	\$ 341.00
Guide wire	\$ 258.00
Repair device, urinary, incontinence, with sling graft	\$ 6,037.00
Repair device, urinary, incontinence, with sling graft	\$ 14,586.00
Repair device, urinary, incontinence, with sling graft	\$ 8,374.00
Repair device, urinary, incontinence, with sling graft	\$ 7,366.00
Repair device, urinary, incontinence, with sling graft	\$ 7,877.00
Repair device, urinary, incontinence, with sling graft	\$ 9,635.00
Repair device, urinary, incontinence, with sling graft	\$ 9,079.00
Repair device, urinary, incontinence, with sling graft	\$ 6,706.00
Infusion pump, programmable (implantable)	\$ 48,745.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,786.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,354.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 1,830.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,786.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,719.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,837.00
Joint device (implantable)	\$ 9,611.00
Joint device (implantable)	\$ 7,574.00
Joint device (implantable)	\$ 29,319.00
Joint device (implantable)	\$ 10,907.00
Joint device (implantable)	\$ 11,852.00
Joint device (implantable)	\$ 12,027.00
Joint device (implantable)	\$ 3,393.00
Joint device (implantable)	\$ 10,653.00
Joint device (implantable)	\$ 2,558.00
Joint device (implantable)	\$ 6,573.00
Joint device (implantable)	\$ 6,843.00
Joint device (implantable)	\$ 10,386.00
Joint device (implantable)	\$ 7,144.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 4,829.00
Joint device (implantable)	\$ 6,573.00
Joint device (implantable)	\$ 3,393.00
Joint device (implantable)	\$ 658.00
Joint device (implantable)	\$ 378.00
Joint device (implantable)	\$ 11,570.00
Joint device (implantable)	\$ 3,645.00
Joint device (implantable)	\$ 739.00
Joint device (implantable)	\$ 739.00
Joint device (implantable)	\$ 6,230.00
Joint device (implantable)	\$ 2,436.00
Joint device (implantable)	\$ 6,298.00
Joint device (implantable)	\$ 8,041.00
Joint device (implantable)	\$ 2,671.00
Joint device (implantable)	\$ 4,439.00
Joint device (implantable)	\$ 3,890.00
Joint device (implantable)	\$ 5,580.00
Joint device (implantable)	\$ 3,307.00
Joint device (implantable)	\$ 3,766.00
Joint device (implantable)	\$ 10,517.00
Joint device (implantable)	\$ 21,956.00
Joint device (implantable)	\$ 5,222.00
Joint device (implantable)	\$ 5,222.00
Joint device (implantable)	\$ 3,184.00
Joint device (implantable)	\$ 1,857.00
Joint device (implantable)	\$ 6,193.00
Joint device (implantable)	\$ 6,193.00
Joint device (implantable)	\$ 6,003.00
Joint device (implantable)	\$ 6,003.00
Joint device (implantable)	\$ 4,046.00
Joint device (implantable)	\$ 6,193.00
Joint device (implantable)	\$ 6,866.00
Joint device (implantable)	\$ 11,251.00
Joint device (implantable)	\$ 12,186.00
Joint device (implantable)	\$ 9,359.00
Joint device (implantable)	\$ 14,522.00
Joint device (implantable)	\$ 9,221.00
Joint device (implantable)	\$ 6,771.00
Joint device (implantable)	\$ 9,830.00
Joint device (implantable)	\$ 11,911.00
Joint device (implantable)	\$ 6,902.00
Joint device (implantable)	\$ 10,132.00
Joint device (implantable)	\$ 11,149.00
Joint device (implantable)	\$ 26,565.00
Joint device (implantable)	\$ 6,902.00
Joint device (implantable)	\$ 9,470.00
Joint device (implantable)	\$ 10,194.00
Joint device (implantable)	\$ 11,570.00
Joint device (implantable)	\$ 5,222.00
Joint device (implantable)	\$ 15,095.00
Joint device (implantable)	\$ 3,766.00
Joint device (implantable)	\$ 22,928.00
Joint device (implantable)	\$ 3,847.00
Joint device (implantable)	\$ 15,169.00
Joint device (implantable)	\$ 5,418.00
Joint device (implantable)	\$ 11,116.00
Joint device (implantable)	\$ 6,334.00
Joint device (implantable)	\$ 5,900.00
Joint device (implantable)	\$ 11,484.00
Joint device (implantable)	\$ 10,132.00
Joint device (implantable)	\$ 9,221.00
Joint device (implantable)	\$ 5,580.00
Joint device (implantable)	\$ 5,580.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 5,580.00
Joint device (implantable)	\$ 3,786.00
Joint device (implantable)	\$ 3,786.00
Joint device (implantable)	\$ 5,906.00
Joint device (implantable)	\$ 3,295.00
Joint device (implantable)	\$ 3,295.00
Joint device (implantable)	\$ 3,242.00
Joint device (implantable)	\$ 10,427.00
Joint device (implantable)	\$ 9,553.00
Joint device (implantable)	\$ 4,439.00
Joint device (implantable)	\$ 10,427.00
Joint device (implantable)	\$ 9,553.00
Joint device (implantable)	\$ 1,023.00
Joint device (implantable)	\$ 18,640.00
Joint device (implantable)	\$ 19,704.00
Joint device (implantable)	\$ 14,756.00
Joint device (implantable)	\$ 12,392.00
Joint device (implantable)	\$ 17,927.00
Joint device (implantable)	\$ 19,704.00
Joint device (implantable)	\$ 7,391.00
Joint device (implantable)	\$ 7,391.00
Joint device (implantable)	\$ 8,379.00
Joint device (implantable)	\$ 8,379.00
Joint device (implantable)	\$ 11,750.00
Joint device (implantable)	\$ 8,379.00
Joint device (implantable)	\$ 11,269.00
Joint device (implantable)	\$ 7,281.00
Joint device (implantable)	\$ 8,157.00
Joint device (implantable)	\$ 22,951.00
Joint device (implantable)	\$ 3,315.00
Joint device (implantable)	\$ 3,393.00
Joint device (implantable)	\$ 3,393.00
Joint device (implantable)	\$ 12,370.00
Joint device (implantable)	\$ 11,116.00
Joint device (implantable)	\$ 6,469.00
Joint device (implantable)	\$ 8,077.00
Joint device (implantable)	\$ 27,246.00
Joint device (implantable)	\$ 29,411.00
Joint device (implantable)	\$ 12,014.00
Joint device (implantable)	\$ 10,415.00
Joint device (implantable)	\$ 13,975.00
Joint device (implantable)	\$ 18,383.00
Joint device (implantable)	\$ 20,427.00
Joint device (implantable)	\$ 20,627.00
Joint device (implantable)	\$ 2,919.00
Joint device (implantable)	\$ 9,876.00
Joint device (implantable)	\$ 8,016.00
Joint device (implantable)	\$ 9,508.00
Joint device (implantable)	\$ 11,100.00
Joint device (implantable)	\$ 6,692.00
Joint device (implantable)	\$ 16,380.00
Joint device (implantable)	\$ 5,463.00
Joint device (implantable)	\$ 6,452.00
Joint device (implantable)	\$ 9,836.00
Joint device (implantable)	\$ 10,676.00
Joint device (implantable)	\$ 12,373.00
Joint device (implantable)	\$ 1,087.00
Joint device (implantable)	\$ 7,958.00
Joint device (implantable)	\$ 8,199.00
Joint device (implantable)	\$ 12,438.00
Joint device (implantable)	\$ 11,914.00
Joint device (implantable)	\$ 3,242.00
Joint device (implantable)	\$ 22,755.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 3,242.00
Joint device (implantable)	\$ 17,066.00
Joint device (implantable)	\$ 18,544.00
Joint device (implantable)	\$ 42,499.00
Joint device (implantable)	\$ 21,938.00
Joint device (implantable)	\$ 13,749.00
Joint device (implantable)	\$ 9,100.00
Joint device (implantable)	\$ 1,023.00
Joint device (implantable)	\$ 12,711.00
Joint device (implantable)	\$ 9,622.00
Joint device (implantable)	\$ 7,608.00
Joint device (implantable)	\$ 6,783.00
Joint device (implantable)	\$ 12,779.00
Joint device (implantable)	\$ 5,336.00
Joint device (implantable)	\$ 7,114.00
Joint device (implantable)	\$ 9,267.00
Joint device (implantable)	\$ 7,114.00
Joint device (implantable)	\$ 8,289.00
Joint device (implantable)	\$ 16,279.00
Joint device (implantable)	\$ 16,614.00
Joint device (implantable)	\$ 15,478.00
Joint device (implantable)	\$ 6,902.00
Joint device (implantable)	\$ 11,570.00
Joint device (implantable)	\$ 3,295.00
Joint device (implantable)	\$ 5,254.00
Joint device (implantable)	\$ 10,113.00
Joint device (implantable)	\$ 20,202.00
Joint device (implantable)	\$ 9,865.00
Joint device (implantable)	\$ 17,127.00
Joint device (implantable)	\$ 20,705.00
Joint device (implantable)	\$ 20,895.00
Joint device (implantable)	\$ 19,646.00
Joint device (implantable)	\$ 18,050.00
Joint device (implantable)	\$ 9,824.00
Joint device (implantable)	\$ 23,778.00
Joint device (implantable)	\$ 6,573.00
Joint device (implantable)	\$ 15,092.00
Joint device (implantable)	\$ 11,416.00
Joint device (implantable)	\$ 6,527.00
Joint device (implantable)	\$ 21,639.00
Joint device (implantable)	\$ 11,332.00
Joint device (implantable)	\$ 6,975.00
Joint device (implantable)	\$ 634.00
Joint device (implantable)	\$ 3,217.00
Joint device (implantable)	\$ 3,735.00
Joint device (implantable)	\$ 3,792.00
Joint device (implantable)	\$ 4,254.00
Joint device (implantable)	\$ 6,836.00
Joint device (implantable)	\$ 7,392.00
Joint device (implantable)	\$ 9,060.00
Joint device (implantable)	\$ 8,367.00
Joint device (implantable)	\$ 6,527.00
Joint device (implantable)	\$ 8,756.00
Joint device (implantable)	\$ 10,664.00
Joint device (implantable)	\$ 3,645.00
Joint device (implantable)	\$ 9,998.00
Joint device (implantable)	\$ 872.00
Joint device (implantable)	\$ 3,268.00
Joint device (implantable)	\$ 3,464.00
Joint device (implantable)	\$ 3,628.00
Joint device (implantable)	\$ 4,466.00
Joint device (implantable)	\$ 4,929.00
Joint device (implantable)	\$ 5,361.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 5,553.00
Joint device (implantable)	\$ 5,839.00
Joint device (implantable)	\$ 7,831.00
Joint device (implantable)	\$ 8,411.00
Joint device (implantable)	\$ 8,843.00
Joint device (implantable)	\$ 9,109.00
Joint device (implantable)	\$ 9,341.00
Joint device (implantable)	\$ 9,998.00
Joint device (implantable)	\$ 10,716.00
Joint device (implantable)	\$ 10,940.00
Joint device (implantable)	\$ 11,234.00
Joint device (implantable)	\$ 11,675.00
Joint device (implantable)	\$ 11,813.00
Joint device (implantable)	\$ 13,338.00
Joint device (implantable)	\$ 13,600.00
Joint device (implantable)	\$ 13,995.00
Joint device (implantable)	\$ 14,560.00
Joint device (implantable)	\$ 15,740.00
Joint device (implantable)	\$ 16,137.00
Joint device (implantable)	\$ 16,459.00
Joint device (implantable)	\$ 16,774.00
Joint device (implantable)	\$ 20,679.00
Joint device (implantable)	\$ 21,482.00
Joint device (implantable)	\$ 22,103.00
Joint device (implantable)	\$ 32,918.00
Joint device (implantable)	\$ 34,681.00
Joint device (implantable)	\$ 36,510.00
Joint device (implantable)	\$ 17,066.00
Joint device (implantable)	\$ 13,995.00
Joint device (implantable)	\$ 21,501.00
Joint device (implantable)	\$ 9,591.00
Joint device (implantable)	\$ 2,833.00
Joint device (implantable)	\$ 6,430.00
Joint device (implantable)	\$ 11,810.00
Joint device (implantable)	\$ 12,081.00
Joint device (implantable)	\$ 6,248.00
Joint device (implantable)	\$ 5,839.00
Joint device (implantable)	\$ 11,594.00
Joint device (implantable)	\$ 26,613.00
Joint device (implantable)	\$ 2,881.00
Joint device (implantable)	\$ 2,692.00
Joint device (implantable)	\$ 1,134.00
Joint device (implantable)	\$ 3,304.00
Joint device (implantable)	\$ 747.00
Joint device (implantable)	\$ 11,141.00
Joint device (implantable)	\$ 10,873.00
Joint device (implantable)	\$ 8,157.00
Joint device (implantable)	\$ 10,716.00
Joint device (implantable)	\$ 15,095.00
Joint device (implantable)	\$ 727.00
Joint device (implantable)	\$ 6,826.00
Joint device (implantable)	\$ 11,419.00
Joint device (implantable)	\$ 7,282.00
Joint device (implantable)	\$ 21,501.00
Joint device (implantable)	\$ 11,419.00
Joint device (implantable)	\$ 3,732.00
Joint device (implantable)	\$ 8,157.00
Joint device (implantable)	\$ 18,431.00
Joint device (implantable)	\$ 10,909.00
Joint device (implantable)	\$ 13,036.00
Joint device (implantable)	\$ 9,998.00
Joint device (implantable)	\$ 11,685.00
Joint device (implantable)	\$ 15,095.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 8,157.00
Joint device (implantable)	\$ 4,604.00
Joint device (implantable)	\$ 731.00
Joint device (implantable)	\$ 10,010.00
Joint device (implantable)	\$ 4,929.00
Joint device (implantable)	\$ 731.00
Joint device (implantable)	\$ 11,210.00
Joint device (implantable)	\$ 8,809.00
Joint device (implantable)	\$ 11,810.00
Joint device (implantable)	\$ 10,010.00
Joint device (implantable)	\$ 4,929.00
Joint device (implantable)	\$ 4,604.00
Joint device (implantable)	\$ 7,306.00
Joint device (implantable)	\$ 5,905.00
Joint device (implantable)	\$ 731.00
Joint device (implantable)	\$ 11,210.00
Joint device (implantable)	\$ 9,707.00
Joint device (implantable)	\$ 11,570.00
Joint device (implantable)	\$ 9,844.00
Joint device (implantable)	\$ 8,157.00
Joint device (implantable)	\$ 22,103.00
Joint device (implantable)	\$ 10,010.00
Joint device (implantable)	\$ 9,998.00
Joint device (implantable)	\$ 5,361.00
Joint device (implantable)	\$ 10,716.00
Joint device (implantable)	\$ 6,826.00
Joint device (implantable)	\$ 9,591.00
Joint device (implantable)	\$ 9,998.00
Joint device (implantable)	\$ 21,595.00
Lead, neurostimulator (implantable)	\$ 943.00
Lead, neurostimulator (implantable)	\$ 20,868.00
Lead, neurostimulator (implantable)	\$ 12,081.00
Lead, neurostimulator (implantable)	\$ 25,369.00
Lead, neurostimulator (implantable)	\$ 2,273.00
Lead, neurostimulator (implantable)	\$ 23,390.00
Lead, neurostimulator (implantable)	\$ 15,061.00
Lead, neurostimulator (implantable)	\$ 13,885.00
Lead, neurostimulator (implantable)	\$ 28,175.00
Lead, neurostimulator (implantable)	\$ 14,337.00
Lead, neurostimulator (implantable)	\$ 836.00
Lead, pacemaker, transvenous vdd single pass	\$ 95.00
Lead, pacemaker, transvenous vdd single pass	\$ 107.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,341.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 9,122.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 5,007.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,224.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 2,894.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,901.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 7,548.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 7,036.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,208.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 2,426.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,487.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,200.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,693.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 2,555.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,433.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,674.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,407.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 313.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 368.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 499.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 861.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,301.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,184.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,952.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,632.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 11,342.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,441.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,785.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 700.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,291.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,927.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,988.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,770.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 10,161.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 10,005.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,942.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 7,279.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,524.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,528.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,650.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,371.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 228.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,963.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,722.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 2,738.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 12,131.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 16,128.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,586.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,700.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,367.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 10,673.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 11,689.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 12,597.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 18,824.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 24,437.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 41,582.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,669.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,888.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 183.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,319.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,487.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,371.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,009.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,529.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 17,604.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 13,081.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 21,327.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 24,983.00
Morcellator	\$ 4,460.00
Ocular implant, aqueous drainage assist device	\$ 3,916.00
Ocular device, intraoperative, detached retina	\$ 930.00
Ocular device, intraoperative, detached retina	\$ 458.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 16,865.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 14,298.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 13,486.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 19,545.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 15,940.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 15,062.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 14,567.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 9,592.00
Patient programmer, neurostimulator	\$ 7,233.00
Patient programmer, neurostimulator	\$ 7,264.00
Patient programmer, neurostimulator	\$ 7,233.00
Patient programmer, neurostimulator	\$ 3,916.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Port, indwelling (implantable)	\$ 1,980.00
Port, indwelling (implantable)	\$ 3,952.00
Port, indwelling (implantable)	\$ 2,419.00
Port, indwelling (implantable)	\$ 4,914.00
Port, indwelling (implantable)	\$ 3,484.00
Port, indwelling (implantable)	\$ 2,128.00
Port, indwelling (implantable)	\$ 16,611.00
Port, indwelling (implantable)	\$ 3,472.00
Port, indwelling (implantable)	\$ 2,403.00
Port, indwelling (implantable)	\$ 4,031.00
Port, indwelling (implantable)	\$ 5,302.00
Port, indwelling (implantable)	\$ 93.00
Prosthesis, breast (implantable)	\$ 2,837.00
Prosthesis, breast (implantable)	\$ 2,837.00
Prosthesis, breast (implantable)	\$ 2,837.00
Prosthesis, breast (implantable)	\$ 4,471.00
Prosthesis, breast (implantable)	\$ 5,254.00
Prosthesis, breast (implantable)	\$ 6,995.00
Prosthesis, breast (implantable)	\$ 4,766.00
Prosthesis, breast (implantable)	\$ 4,766.00
Prosthesis, breast (implantable)	\$ 7,144.00
Prosthesis, breast (implantable)	\$ 4,008.00
Retinal tamponade device, silicone oil	\$ 2,878.00
Prosthesis, urinary sphincter (implantable)	\$ 10,098.00
Prosthesis, urinary sphincter (implantable)	\$ 16,406.00
Prosthesis, urinary sphincter (implantable)	\$ 15,919.00
Septal defect implant system, intracardiac	\$ 26,460.00
Surgical tissue localization and excision device (implantable)	\$ 3,445.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 72,441.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 66,110.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 70,789.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 121,771.00
Interspinous process distraction device (implantable)	\$ 10,108.00
Interspinous process distraction device (implantable)	\$ 11,668.00
Stent, coated/covered, with delivery system	\$ 948.00
Stent, coated/covered, with delivery system	\$ 948.00
Stent, coated/covered, with delivery system	\$ 768.00
Stent, coated/covered, with delivery system	\$ 781.00
Stent, coated/covered, with delivery system	\$ 781.00
Stent, coated/covered, with delivery system	\$ 56,096.00
Stent, coated/covered, with delivery system	\$ 12,099.00
Stent, coated/covered, with delivery system	\$ 17,615.00
Stent, coated/covered, with delivery system	\$ 10,885.00
Stent, coated/covered, with delivery system	\$ 10,447.00
Stent, coated/covered, with delivery system	\$ 10,885.00
Stent, coated/covered, with delivery system	\$ 11,763.00
Stent, coated/covered, with delivery system	\$ 12,163.00
Stent, coated/covered, with delivery system	\$ 13,899.00
Stent, coated/covered, with delivery system	\$ 16,070.00
Stent, coated/covered, with delivery system	\$ 12,163.00
Stent, coated/covered, with delivery system	\$ 13,899.00
Stent, coated/covered, with delivery system	\$ 67,850.00
Stent, coated/covered, with delivery system	\$ 71,015.00
Stent, coated/covered, with delivery system	\$ 76,216.00
Stent, coated/covered, with delivery system	\$ 81,415.00
Stent, coated/covered, with delivery system	\$ 18,450.00
Stent, coated/covered, with delivery system	\$ 20,376.00
Stent, coated/covered, with delivery system	\$ 22,070.00
Stent, coated/covered, with delivery system	\$ 33,939.00
Stent, coated/covered, with delivery system	\$ 45,242.00
Stent, coated/covered, with delivery system	\$ 12,597.00
Stent, coated/covered, with delivery system	\$ 14,333.00
Stent, coated/covered, with delivery system	\$ 16,505.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Stent, coated/covered, with delivery system	\$ 11,493.00
Stent, coated/covered, with delivery system	\$ 12,601.00
Stent, coated/covered, with delivery system	\$ 11,444.00
Stent, coated/covered, without delivery system	\$ 781.00
Stent, coated/covered, without delivery system	\$ 9,635.00
Stent, coated/covered, without delivery system	\$ 9,182.00
Stent, non-coated/non-covered, with delivery system	\$ 6,621.00
Stent, non-coated/non-covered, with delivery system	\$ 4,961.00
Stent, non-coated/non-covered, with delivery system	\$ 5,580.00
Stent, non-coated/non-covered, with delivery system	\$ 5,580.00
Stent, non-coated/non-covered, with delivery system	\$ 9,726.00
Stent, non-coated/non-covered, with delivery system	\$ 10,766.00
Stent, non-coated/non-covered, with delivery system	\$ 11,240.00
Stent, non-coated/non-covered, with delivery system	\$ 10,469.00
Stent, non-coated/non-covered, with delivery system	\$ 10,469.00
Stent, non-coated/non-covered, with delivery system	\$ 33,601.00
Stent, non-coated/non-covered, with delivery system	\$ 13,686.00
Stent, non-coated/non-covered, with delivery system	\$ 10,096.00
Stent, non-coated/non-covered, with delivery system	\$ 10,570.00
Stent, non-coated/non-covered, with delivery system	\$ 10,065.00
Stent, non-coated/non-covered, with delivery system	\$ 13,517.00
Stent, non-coated/non-covered, with delivery system	\$ 15,288.00
Stent, non-coated/non-covered, with delivery system	\$ 13,253.00
Stent, non-coated/non-covered, with delivery system	\$ 16,477.00
Stent, non-coated/non-covered, with delivery system	\$ 14,384.00
Stent, non-coated/non-covered, with delivery system	\$ 13,704.00
Stent, non-coated/non-covered, with delivery system	\$ 10,992.00
Stent, non-coated/non-covered, with delivery system	\$ 29,594.00
Stent, non-coated/non-covered, with delivery system	\$ 37,985.00
Stent, non-coated/non-covered, with delivery system	\$ 37,985.00
Stent, non-coated/non-covered, with delivery system	\$ 6,527.00
Stent, non-coated/non-covered, with delivery system	\$ 37,091.00
Stent, non-coated/non-covered, with delivery system	\$ 39,505.00
Stent, non-coated/non-covered, with delivery system	\$ 19,108.00
Stent, non-coated/non-covered, with delivery system	\$ 15,820.00
Stent, non-coated/non-covered, with delivery system	\$ 16,697.00
Stent, non-coated/non-covered, with delivery system	\$ 10,665.00
Stent, non-coated/non-covered, with delivery system	\$ 47,595.00
Stent, non-coated/non-covered, with delivery system	\$ 56,209.00
Stent, non-coated/non-covered, with delivery system	\$ 25,009.00
Stent, non-coated/non-covered, with delivery system	\$ 15,941.00
Stent, non-coated/non-covered, with delivery system	\$ 34,300.00
Stent, non-coated/non-covered, with delivery system	\$ 12,601.00
Stent, non-coated/non-covered, with delivery system	\$ 11,037.00
Stent, non-coated/non-covered, with delivery system	\$ 45,334.00
Stent, non-coated/non-covered, with delivery system	\$ 4,602.00
Stent, non-coated/non-covered, with delivery system	\$ 701.00
Stent, non-coated/non-covered, without delivery system	\$ 458.00
Stent, non-coated/non-covered, without delivery system	\$ 5,580.00
Stent, non-coated/non-covered, without delivery system	\$ 6,947.00
Stent, non-coated/non-covered, without delivery system	\$ 10,766.00
Stent, non-coated/non-covered, without delivery system	\$ 9,100.00
Stent, non-coated/non-covered, without delivery system	\$ 35,295.00
Stent, non-coated/non-covered, without delivery system	\$ 10,005.00
Stent, non-coated/non-covered, without delivery system	\$ 5,254.00
Vena cava filter	\$ 4,602.00
Vena cava filter	\$ 9,254.00
Vena cava filter	\$ 5,580.00
Vena cava filter	\$ 7,295.00
Dialysis access system (implantable)	\$ 1,998.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 3,497.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 781.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 4,145.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 8,800.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 4,797.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 5,046.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 1,627.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 5,046.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 4,569.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 2,436.00
Embolization protective system	\$ 7,897.00
Embolization protective system	\$ 8,140.00
Embolization protective system	\$ 11,207.00
Catheter, transluminal angioplasty, laser	\$ 10,907.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 241.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 145.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 383.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 124.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 939.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 354.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 672.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,853.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 354.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 341.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 436.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,361.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,737.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,102.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,737.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,347.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,119.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 15,514.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,374.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 274.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,428.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 635.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 450.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 306.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 460.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 499.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 2,749.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 2,749.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 503.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 226.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 513.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 576.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 450.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 227.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 227.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 136.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 400.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 739.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 916.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 71.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 247.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 965.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 553.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 400.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 180.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 3,408.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 965.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 342.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 916.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 521.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 627.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 400.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 400.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 510.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 2,556.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 239.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 176.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 388.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 982.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,735.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,839.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,062.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 502.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 865.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 6,621.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 2,032.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 3,355.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,391.00
Lead, neurostimulator test kit (implantable)	\$ 2,475.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 3,953.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 4,220.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 3,304.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 3,357.00
Stent, non-coronary, temporary, without delivery system	\$ 274.00
Stent, non-coronary, temporary, without delivery system	\$ 916.00
Stent, non-coronary, temporary, without delivery system	\$ 1,083.00
Stent, non-coronary, temporary, without delivery system	\$ 1,677.00
Stent, non-coronary, temporary, without delivery system	\$ 916.00
Stent, non-coronary, temporary, without delivery system	\$ 700.00
Stent, non-coronary, temporary, without delivery system	\$ 701.00
Probe/needle, cryoablation	\$ 3,281.00
Catheter, suprapubic/cystoscopic	\$ 652.00
Catheter, suprapubic/cystoscopic	\$ 553.00
Catheter, occlusion	\$ 581.00
Catheter, occlusion	\$ 725.00
Catheter, occlusion	\$ 544.00
Catheter, occlusion	\$ 1,694.00
Repair device, urinary, incontinence, without sling graft	\$ 2,633.00
Repair device, urinary, incontinence, without sling graft	\$ 7,780.00
Repair device, urinary, incontinence, without sling graft	\$ 2,888.00
Repair device, urinary, incontinence, without sling graft	\$ 4,389.00
Brachytherapy source, non-stranded, cesium-131, per source	\$ 544.00
Magnetic resonance angiography with contrast, abdomen	\$ 4,213.00
Magnetic resonance angiography without contrast, abdomen	\$ 4,099.00
Magnetic resonance angiography without contrast followed by with contrast, abdomen	\$ 5,383.00
Magnetic resonance imaging with contrast, breast; unilateral	\$ 5,159.00
Magnetic resonance imaging without contrast, breast; unilateral	\$ 4,384.00
Magnetic resonance imaging without contrast followed by with contrast, breast; unilateral	\$ 4,951.00
Magnetic resonance imaging with contrast, breast; bilateral	\$ 6,223.00
Magnetic resonance imaging without contrast, breast; bilateral	\$ 5,390.00
Magnetic resonance imaging without contrast followed by with contrast, breast; bilateral	\$ 6,326.00
Magnetic resonance angiography with contrast, chest (excluding myocardium)	\$ 4,411.00
Magnetic resonance angiography without contrast, chest (excluding myocardium)	\$ 4,118.00
Magnetic resonance angiography without contrast followed by with contrast, chest (excluding myocardium)	\$ 5,406.00
Magnetic resonance angiography with contrast, lower extremity	\$ 5,462.00
Magnetic resonance angiography without contrast, lower extremity	\$ 4,266.00
Magnetic resonance angiography without contrast followed by with contrast, lower extremity	\$ 5,725.00
Magnetic resonance angiography with contrast, pelvis	\$ 4,272.00
Magnetic resonance angiography without contrast, pelvis	\$ 3,993.00
Magnetic resonance angiography without contrast followed by with contrast, pelvis	\$ 5,239.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, for congenital cardiac anomalies; complete	\$ 2,218.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, for congenital cardiac anomalies; follow-up or limited study	\$ 1,660.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, follow-up or limited study	\$ 1,788.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 2,801.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 2,801.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, complete, with spectral doppler echocardiography, and with color flow doppler echocardiography	\$ 3,281.00
Magnetic resonance angiography with contrast, spinal canal and contents	\$ 4,089.00
Magnetic resonance angiography without contrast, spinal canal and contents	\$ 4,947.00
Magnetic resonance angiography without contrast followed by with contrast, spinal canal and contents	\$ 4,297.00
Magnetic resonance angiography with contrast, upper extremity	\$ 5,245.00
Magnetic resonance angiography without contrast, upper extremity	\$ 4,392.00
Magnetic resonance angiography without contrast followed by with contrast, upper extremity	\$ 4,791.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 540.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 3,333.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 3,791.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 10,942.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 14,158.00
Unclassified drugs or biologicals	\$ 2,524.00
Unclassified drugs or biologicals	\$ 491.00
Water circulating cold pad with pump	\$ 954.00
Water circulating cold pad with pump	\$ 1,022.00
Water circulating cold pad with pump	\$ 265.00
Ambulatory infusion pump, single or multiple channels, electric or battery operated, with administrative equipment, worn by patient	\$ 1,467.00
Administration of influenza virus vaccine	\$ 35.00
Administration of influenza virus vaccine	\$ 35.00
Administration of influenza virus vaccine	\$ 35.00
Administration of pneumococcal vaccine	\$ 35.00
Administration of pneumococcal vaccine	\$ 35.00
Administration of pneumococcal vaccine	\$ 35.00
Prostate cancer screening; prostate specific antigen test (psa)	\$ 260.00
Diabetes outpatient self-management training services, individual, per 30 minutes	\$ 176.00
Diabetes outpatient self-management training services, individual, per 30 minutes	\$ 176.00
Diabetes outpatient self-management training services, group session (2 or more), per 30 minutes	\$ 80.00
Diabetes outpatient self-management training services, group session (2 or more), per 30 minutes	\$ 80.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 192.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 192.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 277.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 277.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision	\$ 316.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision	\$ 316.00
Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening	\$ 154.00
Wound closure utilizing tissue adhesive(s) only	\$ 585.00
Medical nutrition therapy; reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition or treatment regimen (including additional hours needed for renal disease), individual, face to face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy, reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition, or treatment regimen (including additional hours needed for renal disease), group (2 or more individuals), each 30 minutes	\$ 44.00
Diagnostic digital breast tomosynthesis, unilateral or bilateral (list separately in addition to g0204 or g0206)	\$ 125.00
Electrical stimulation (unattended), to one or more areas for indication(s) other than wound care, as part of a therapy plan of care	\$ 146.00
Reconstruction, computed tomographic angiography of aorta for surgical planning for vascular surgery	\$ 2,297.00
Low dose ct scan (ldct) for lung cancer screening	\$ 125.00
Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 simultaneous	\$ 116.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Hospital observation service, per hour	\$ 157.00
Hospital observation service, per hour	\$ 157.00
Hospital observation service, per hour	\$ 157.00
Hospital observation service, per hour	\$ 157.00
Hospital observation service, per hour	\$ 157.00
Direct admission of patient for hospital observation care	\$ 325.00
Direct admission of patient for hospital observation care	\$ 325.00
Direct admission of patient for hospital observation care	\$ 325.00
Surgical pathology, gross and microscopic examinations, for prostate needle biopsy, any method	\$ 837.00
Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby), per patient, (attention directed exclusively to one patient) each 15 minutes (list in addition to primary procedure)	\$ 489.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 145.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 145.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 114.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 114.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 129.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 147.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 170.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 211.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 114.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 129.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 147.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 170.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 211.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 114.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 129.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 147.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 170.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 211.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 292.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 147.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 275.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 291.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 291.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Injection, acetazolamide sodium, up to 500 mg	\$ 1,490.00
Injection, acetazolamide sodium, up to 500 mg	\$ 1,490.00
Injection, furosemide, up to 20 mg	\$ 16.51
Injection, sincalide, 5 micrograms	\$ 732.72
Injection, chlorpromazine hcl, up to 50 mg	\$ 203.42
Injection, hydroxyzine hcl, up to 25 mg	\$ 24.10
Cervical, flexible, non-adjustable, prefabricated, off-the-shelf (foam collar)	\$ 613.00
Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment	\$ 281.00
Knee orthosis, immobilizer, canvas longitudinal, prefabricated, off-the-shelf	\$ 1,256.00
Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, semi-rigid, prefabricated, includes fitting and adjustment	\$ 666.00
Tracheostomy speaking valve	\$ 241.00
Implantable breast prosthesis, silicone or equal	\$ 4,766.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 2,837.00
Injectable bulking agent, dextranomer/hyaluronic acid copolymer implant, urinary tract, 1 ml, includes shipping and necessary supplies	\$ 11,506.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 2,717.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 3,499.00
Ocular implant	\$ 1,277.00
Ossicula implant	\$ 2,928.00
Ossicula implant	\$ 2,700.00
Ossicula implant	\$ 2,297.00
Cochlear device, includes all internal and external components	\$ 68,191.00
Cochlear device, includes all internal and external components	\$ 2,366.00
Cochlear device, includes all internal and external components	\$ 2,389.00
Implantable neurostimulator electrode, each	\$ 16,869.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 7,630.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 6,525.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 6,260.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 658.00
External recharging system for battery (internal) for use with implantable neurostimulator, replacement only	\$ 10,945.00
External recharging system for battery (internal) for use with implantable neurostimulator, replacement only	\$ 11,824.00
Auditory osseointegrated device, includes all internal and external components	\$ 38,360.00
Auditory osseointegrated device, includes all internal and external components	\$ 48,783.00
Prosthetic implant, not otherwise specified	\$ 13,704.00
Orthotic and prosthetic supply, accessory, and/or service component of another hcpcs "I" code	\$ 731.00
Orthotic and prosthetic supply, accessory, and/or service component of another hcpcs "I" code	\$ 2,722.00
Orthotic and prosthetic supply, accessory, and/or service component of another hcpcs "I" code	\$ 435.00
Screening papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision	\$ 127.00
Screening papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision	\$ 127.00
Blood (whole), for transfusion, per unit	\$ 5,280.00
Blood, split unit	\$ 811.00
Blood, split unit	\$ 1,017.00
Blood, split unit	\$ 676.00
Blood, split unit	\$ 512.00
Blood, split unit	\$ 247.00
Blood, split unit	\$ 125.00
Blood, split unit	\$ 191.00
Blood, split unit	\$ 154.00
Blood, split unit	\$ 1,584.00
Blood, split unit	\$ 463.00
Blood, split unit	\$ 1,362.00
Blood, split unit	\$ 910.00
Blood, split unit	\$ 687.00
Blood, split unit	\$ 331.00
Blood, split unit	\$ 168.00
Blood, split unit	\$ 2,679.00
Blood, split unit	\$ 424.00
Blood, split unit	\$ 274.00
Blood, split unit	\$ 3,427.00
Blood, split unit	\$ 1,880.00
Cryoprecipitate, each unit	\$ 519.00
Cryoprecipitate, each unit	\$ 2,011.00
Red blood cells, leukocytes reduced, each unit	\$ 2,068.00
Fresh frozen plasma (single donor), frozen within 8 hours of collection, each unit	\$ 789.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Platelets, each unit	\$ 1,061.00
Red blood cells, each unit	\$ 1,939.00
Platelets, leukocytes reduced, each unit	\$ 2,461.00
Platelets, pheresis, each unit	\$ 5,089.00
Platelets, pheresis, each unit	\$ 2,588.00
Platelets, pheresis, leukocytes reduced, each unit	\$ 5,065.00
Platelets, pheresis, leukocytes reduced, each unit	\$ 2,588.00
Platelets, pheresis, leukocytes reduced, each unit	\$ 5,089.00
Platelets, pheresis, irradiated, each unit	\$ 5,089.00
Platelets, pheresis, irradiated, each unit	\$ 2,588.00
Plasma, cryoprecipitate reduced, each unit	\$ 633.00
Infusion, albumin (human), 5%, 250 ml	\$ 534.00
Infusion, albumin (human), 5%, 250 ml	\$ 534.00
Granulocytes, pheresis, each unit	\$ 4,868.00
Whole blood or red blood cells, leukocytes reduced, frozen, deglycerol, washed, each unit	\$ 2,969.00
Fresh frozen plasma between 8-24 hours of collection, each unit	\$ 534.00
Catheterization for collection of specimen, single patient, all places of service	\$ 300.00
Catheterization for collection of specimen, single patient, all places of service	\$ 300.00
Fern test	\$ 78.00
Splint supplies, miscellaneous (includes thermoplastics, strapping, fasteners, padding and other supplies)	\$ 46.00
Splint supplies, miscellaneous (includes thermoplastics, strapping, fasteners, padding and other supplies)	\$ 46.00
Skin substitute, not otherwise specified	\$ 4,930.93
Skin substitute, not otherwise specified	\$ 1,383.92
Skin substitute, not otherwise specified	\$ 3,873.78
Integra bilayer matrix wound dressing (bmwd), per square centimeter	\$ 3,051.95
Graftjacket, per square centimeter	\$ 1,320.53
Alloderm, per square centimeter	\$ 262.15
Alloderm, per square centimeter	\$ 186.56
Alloderm, per square centimeter	\$ 262.15
Alloderm, per square centimeter	\$ 357.26
Alloderm, per square centimeter	\$ 236.55
Alloderm, per square centimeter	\$ 276.78
Alloderm, per square centimeter	\$ 276.78
Alloderm, per square centimeter	\$ 276.78
Alloderm, per square centimeter	\$ 276.78
Alloderm, per square centimeter	\$ 276.78
Alloderm, per square centimeter	\$ 185.33
Matristem micromatrix, 1 mg	\$ 11,353.07
Matristem micromatrix, 1 mg	\$ 8,227.97
Matristem micromatrix, 1 mg	\$ 2,086.25
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 104.86
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 104.86
Arthroflex, per square centimeter	\$ 734.03
Strattice tm, per square centimeter	\$ 226.79
Strattice tm, per square centimeter	\$ 226.79
Strattice tm, per square centimeter	\$ 226.79
Strattice tm, per square centimeter	\$ 226.79
Strattice tm, per square centimeter	\$ 226.79
Strattice tm, per square centimeter	\$ 226.79
Injection, sulfur hexafluoride lipid microspheres, per ml	\$ 134.00
Oral magnetic resonance contrast agent, per 100 ml	\$ 26.54
Oral magnetic resonance contrast agent, per 100 ml	\$ 26.54
Injection, perflutren lipid microspheres, per ml	\$ 530.52
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 2.31
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 14.44
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 14.44
High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	\$ 2.31
High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	\$ 14.60
High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	\$ 14.60
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 14.52
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 46.65
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 14.52
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 18.41
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 22.84

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 60.76
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 22.84
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 6.95
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 23.05
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 4.59
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 17.03
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 25.51
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 32.92
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 4.59
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 18.16
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 16.06
Fabrication and fitting of ocular conformer	\$ 354.00
Anterior chamber intraocular lens	\$ 962.00
Posterior chamber intraocular lens	\$ 417.00
Posterior chamber intraocular lens	\$ 658.00
Posterior chamber intraocular lens	\$ 1,065.00
Posterior chamber intraocular lens	\$ 892.00
Posterior chamber intraocular lens	\$ 892.27
Amniotic membrane for surgical reconstruction, per procedure	\$ 5,872.10
Room & Care/BED - MED-Surg/3N Private	\$ 1,802.00
Room & Care/BED - MED-Surg/3N Isolation	\$ 2,107.00
Room & Care/BED - MED-Surg/3N Private MED Justfd	\$ 1,802.00
Room & Care/BED - MED-Surg/3N Semiprivate	\$ 1,802.00
Room & Care/BED - MED-Surg/3N Telemetry	\$ 3,027.00
Med-Surg/3N:Soru/Hr	\$ 210.00
Bridge On Discharge	\$ 145.00
Room & Care/BED - Psych/4 Psych Semiprivate	\$ 2,218.00
Room & Care/BED - Psych/4 Psych Private MED Justfd	\$ 2,218.00
Room & Care/BED - Psych/4 Isolation	\$ 2,218.00
Room & Care/BED - Psych/4 Telemetry	\$ 3,027.00
Room & Care/BED - Nursery	\$ 1,126.00
Room & Care/BED - Nursery Telemetry	\$ 3,027.00
Room & Care/BED - SCU Intensive Care	\$ 3,366.00
Room & Care/BED - SCU IntermED Special Care	\$ 3,027.00
Room & Care/BED - SCU Isolation	\$ 3,366.00
Room & Care/BED - SCU Private	\$ 3,366.00
Room & Care/BED - SCU Semiprivate	\$ 3,366.00
Room & Care/BED - SCU Telemetry	\$ 3,027.00
Scu:Soru/Hr	\$ 210.00
Kit Victim Sex Crime	\$ 212.00
Incentive Spirometer Dev (S)	\$ 43.00
Bipap/Cpap Circuit (S)	\$ 325.00
Mucociliary Clearing Dev (S)	\$ 313.00
Nebulizer Disposable (S)	\$ 28.00
Oscillary Vest Supply (S)	\$ 723.00
Ezpac Device (S)	\$ 400.00
Bipap/Cpap Mask (S)	\$ 158.00
Insp Muscle Strength Dev (S)	\$ 168.00
Reservoir W/Mask (S)	\$ 97.00
Suctn Closed 14F Trch Set (S)	\$ 95.00
Co2 Detectors Adult/Ped (S)	\$ 93.00
Holder Endo Trach (S)	\$ 66.00
Anes Dis 000-030 Min	\$ 440.00
Anes Dis 031-090 Min	\$ 879.00
Anes Dis 091-150 Min	\$ 1,320.00
Anes Dis 151-210 Min	\$ 1,758.00
Anes Dis 211-270 Min	\$ 2,198.00
Anes Dis 271-330 Min	\$ 2,638.00
Anes Dis 331-390 Min	\$ 3,078.00
Anes Dis 391-450 Min	\$ 3,518.00
Anes Dis 451-510 Min	\$ 3,956.00
Anes Dis 511-570 Min	\$ 4,397.00
Anes Dis 571-630 Min	\$ 4,838.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Anes Dis 631-690 Min	\$ 5,277.00
Rs:Adult Oximetric Catheter	\$ 1,056.00
Rs:Gown/Blanket	\$ 112.00
Rs:Disp Sterile Defib Paddles	\$ 407.00
Rs:Electrode Pad Adult	\$ 298.00
Rs:Spinal Tray	\$ 157.00
Rs:Epidural Anesthesia Tray Ob	\$ 263.00
Rs:Transwarmer	\$ 168.00
Cath Inf Per/Cent/Mid	\$ 654.00
Cath Inf Per/Cent/Mid	\$ 1,318.00
Rs:Lightwand Lighted Stylet	\$ 119.00
Rs:A-Line Cannula	\$ 386.00
Rs:Brachial Art	\$ 135.00
Rs:Gown/Blanket	\$ 67.00
Rs:Gown/Blanket	\$ 67.00
Rs:Gown/Blanket	\$ 220.00
Rs:Gown/Blanket	\$ 747.00
Rs:Gown/Blanket	\$ 124.00
Rs:Gown/Blanket	\$ 134.00
Rs:Fluid Warmer	\$ 88.00
Rs:Lvl 1 Liver Tubing	\$ 725.00
Rs:Kit Transducer A-Line	\$ 72.00
Rs:Probe Cover	\$ 101.00
Rs:Lma Fasttrack/3-5	\$ 739.00
Rs:Blade/Knife/Scalpel	\$ 128.00
Rs:Comb Spinal Epidural Set	\$ 199.00
Rs:Spinal Needle	\$ 125.00
Rs:Spinal Needle	\$ 125.00
Rs:Gertie Marx Ndl 26G	\$ 101.00
Rs:Resuscitator Babysafe	\$ 104.00
Rs:Electrode Pacing	\$ 5,222.00
Rs:Pace/Defib/Cardio Mon	\$ 176.00
Rs:Electrode Pad/Ped	\$ 189.00
Rs:Intraosseous Diekmann Ndl	\$ 337.00
Rs:Bis Peds Xp Sensor	\$ 179.00
Rs:Airway Lma Supreme Sz 4	\$ 216.00
Rs:Airway Lma Supreme Sz 5	\$ 216.00
Rs:Airway Lma Supreme Sz 3	\$ 216.00
Rs:Airway Lma Ambu Mask	\$ 70.00
Rs:Maxfast Forehead Sensor	\$ 173.00
Rs:Comb Spinal Epidural Ndl	\$ 95.00
Rs:Bis Sensor Probe	\$ 136.00
Rs:Spinal Tray	\$ 128.00
Intubation Set	\$ 700.00
Blade Ferris Smith 050226Pl	\$ 111.00
Bottle (Disposable)	\$ 115.00
Bone Cement	\$ 815.00
Bone Cement	\$ 621.00
Needle Retrobular	\$ 46.00
Cannula Retroplegia	\$ 734.00
Suture Retriever	\$ 334.00
Pass Probe	\$ 883.00
Carrier (Skin Graft)	\$ 178.00
Surgifoam Sponge	\$ 179.00
Puddlevac Suction	\$ 132.00
Intracardiac Sump	\$ 111.00
Manometer Tray	\$ 55.00
Surgiclip	\$ 422.00
Endo Loop Pds	\$ 825.00
Blade Trephine (Corneal)	\$ 364.00
Catheter (Occlusion)	\$ 151.00
Catheter (Occlusion)	\$ 196.00
Vari Stimulator	\$ 437.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Clamp (Syn Ex-Fix)	\$ 2,871.00
Tube Reuter Bobbin	\$ 227.00
Carrier (Skin Graft)	\$ 178.00
Facioplasty Support	\$ 160.00
Facioplasty Support	\$ 160.00
Tube (Trach)	\$ 346.00
Teflon Felt 019306Ct	\$ 700.00
Needle (Bx)	\$ 216.00
Conformer Universal	\$ 167.00
Vest (Gynecomastia)	\$ 296.00
Vein Stripper	\$ 297.00
T-Tube (Drainage)	\$ 98.00
Oper Rm 241-255 Min	\$ 9,905.00
Oper Rm 256-270 Min	\$ 10,430.00
Oper Rm 271-285 Min	\$ 10,952.00
Oper Rm 286-300 Min	\$ 11,475.00
Oper Rm 301-315 Min	\$ 11,999.00
Oper Rm 316-330 Min	\$ 12,522.00
Oper Rm 331-345 Min	\$ 13,045.00
Oper Rm 346-360 Min	\$ 13,568.00
Oper Rm 361-375 Min	\$ 14,093.00
Oper Rm 376-390 Min	\$ 14,616.00
Oper Rm 391-405 Min	\$ 15,139.00
Oper Rm 406-420 Min	\$ 15,662.00
Oper Rm 421-435 Min	\$ 16,186.00
Oper Rm 436-450 Min	\$ 16,710.00
Oper Rm 451-465 Min	\$ 17,234.00
Oper Rm 466-480 Min	\$ 17,757.00
Oper Rm 481-495 Min	\$ 18,282.00
Oper Rm 496-510 Min	\$ 18,805.00
Oper Rm 511-525 Min	\$ 19,328.00
Oper Rm 526-540 Min	\$ 19,851.00
Oper Rm 541-555 Min	\$ 20,376.00
Oper Rm 556-570 Min	\$ 20,898.00
Oper Rm 571-585 Min	\$ 21,421.00
Oper Rm 586-600 Min	\$ 21,944.00
Shunt	\$ 1,096.00
Traction Bow	\$ 316.00
Multiclip Applier	\$ 1,145.00
Bile Bag	\$ 28.00
Facioplasty Support	\$ 160.00
Soft/Fibra Insert	\$ 97.00
Extremity Sheet	\$ 59.00
Suction Kam-Vac Tip	\$ 328.00
Ringers 3000	\$ 114.00
Bss 500Cc 00650795500t	\$ 313.00
Valve (Aorta)	\$ 12,800.00
Bss+ 500Cc 00650800500t	\$ 313.00
Clamp (Syn Ex-Fix)	\$ 3,366.00
Brov Tunneler	\$ 313.00
Trauma Charge	\$ 13,960.00
Ct Nonroutine Setup	\$ 2,147.00
Neuro Nonroutine Setup	\$ 2,147.00
Ortho Nonroutine Setup	\$ 2,147.00
Laser Charge	\$ 5,781.00
Microscope 0-14 Min	\$ 2,391.00
Microscope 15 Min And Over	\$ 5,781.00
Loop (Resect)	\$ 530.00
Shoulder Traction Kit	\$ 654.00
Cautery Pencil	\$ 227.00
D&E Collection Tubing 23116Gy	\$ 75.00
Pacing Wires Orange 025100Ct	\$ 111.00
Scleral Component (Eye)	\$ 121.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Scleral Component (Eye)	\$ 118.00
Scleral Component (Eye)	\$ 152.00
Shunt (Artery)	\$ 257.00
Shunt	\$ 2,815.00
Tip Vacurette	\$ 49.00
Valve (Conduit)	\$ 20,556.00
Valve (Conduit)	\$ 20,556.00
Valve (Aorta)	\$ 12,800.00
Valve (Aorta)	\$ 12,800.00
Valve (Mitral) St. Jude	\$ 14,858.00
Valve (Mitral) St. Jude	\$ 14,858.00
Valve (Mitral) St. Jude	\$ 14,858.00
Valve (Mitral) St. Jude	\$ 14,858.00
Washer	\$ 211.00
Washer	\$ 222.00
Facioplast Support Univ	\$ 151.00
Laser Wand	\$ 83.00
Saline 3000Cc 01440Ms	\$ 102.00
Pros Tomp 0501En	\$ 3,333.00
Probe (Laprosopic)	\$ 816.00
Stapler (Linear)	\$ 841.00
Tube Modified T 24-0072En	\$ 163.00
Cannula Kit Acuflex	\$ 218.00
Leroy Raney Clip 201034En	\$ 103.00
Stapler (Linear)	\$ 453.00
Stapler (Reload)	\$ 441.00
Stapler (Linear)	\$ 892.00
Stapler (Linear)	\$ 1,870.00
Stapler (Linear)	\$ 1,234.00
Thoracoport	\$ 128.00
Endopath Scissor Dcs12Gy	\$ 560.00
Blade Sternal 27788125Ct	\$ 413.00
Intubation Set	\$ 658.00
Leveen Inflator Guage	\$ 485.00
Light Pipe 20Pic 630.06Ot	\$ 482.00
Loop (Resect)	\$ 895.00
Cautery Accutemp 8443000Vs	\$ 77.00
Drape (C-Arm)	\$ 35.00
Endopath Babcock	\$ 1,453.00
Endo Clip Applier	\$ 794.00
Loop (Resect)	\$ 542.00
Loop (Resect)	\$ 544.00
Endopath Dissector Btd05Gy	\$ 331.00
Endopath Veress Needle	\$ 173.00
Drape (Steri)	\$ 63.00
Annuloplasty Ring	\$ 11,942.00
Annuloplasty Ring 450028Ct	\$ 11,708.00
Coban Sterile 15845Op	\$ 33.00
Feeding Tube	\$ 171.00
Cotton 1 Lb 1070Op	\$ 88.00
Endo Clip Applier	\$ 1,912.00
Glycine 3000Cc 2B7317Ms	\$ 91.00
Load Gold Eyelid	\$ 1,951.00
Load Gold Eyelid	\$ 2,556.00
Loop Ostomy Bridge 7767Gs	\$ 23.00
Pacing Wires (Atrial)	\$ 162.00
Sterile Water 3000Cc 2B7117Ms	\$ 91.00
Valve (Aorta)	\$ 11,444.00
Valve (Conduit)	\$ 20,556.00
Annuloplasty Ring	\$ 11,942.00
D&E Filter 205201Gy	\$ 208.00
Ace Bandage	\$ 20.00
Ace Bandage	\$ 21.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Ace Bandage	\$ 23.00
Uterine Manipulator	\$ 215.00
Ostomy Pouch	\$ 21.00
Pacing Wires (White)	\$ 101.00
Urometer	\$ 62.00
Wetfield Eraser 221265Ot	\$ 314.00
Cautery Extended Blad 138020Ms	\$ 38.00
Catheter Tray	\$ 32.00
Urine Drain Bag	\$ 26.00
Soft/Fibra Insert Cv5074Vs	\$ 97.00
Trach Tube	\$ 289.00
Tube Pope 14-5250En	\$ 112.00
Urine Drain Bag	\$ 34.00
Surgilav Fem Tip 207.64Op	\$ 116.00
Sphere Silicone 16Mm L1416Ot	\$ 135.00
Bra Surgi Xxlg	\$ 550.00
Avitene Jar 110001Ms	\$ 899.00
Bra Surgi Med	\$ 550.00
Stapler (Reload)	\$ 162.00
Stockinette Impervious 0274Ms	\$ 38.00
Blade	\$ 58.00
Tur Y-Tubing 2C4005Ur	\$ 43.00
Steridrape	\$ 49.00
Steridrape	\$ 38.00
Steridrape	\$ 46.00
Steridrape (Towel)	\$ 20.00
Laser Vac Tubing Lvt102Sgy	\$ 60.00
Softjaw Spring Clip Cv5107Vs	\$ 97.00
Endo Loop O Vicryl Ej10Ggy	\$ 337.00
Stapler (Circular)	\$ 2,797.00
Stapler (Circular)	\$ 2,797.00
Raney Clip 201037Ns	\$ 83.00
Intracardial Sump Ped 12013Ct	\$ 111.00
Guide Pin Dhs 338.00Op	\$ 378.00
Finger Trap M 305223Op	\$ 143.00
Surgilav Fem Brush 20754Op	\$ 133.00
Trephine Corneal 009703Ot	\$ 364.00
Ostomy Wafer 3722Gs	\$ 34.00
Pin Ball	\$ 59.00
Pacing Wire Tpw50Ct	\$ 101.00
Grounding Pad	\$ 54.00
Multiclip Applier Er420Gs	\$ 821.00
Valve (Conduit)	\$ 15,061.00
Shunt Flow Control 42410Ns	\$ 5,224.00
Washer	\$ 215.00
Cement Pressurizer M 206545Op	\$ 137.00
T-Tube (Drainage)	\$ 72.00
Narrow Open 5000223Op	\$ 3,852.00
Endo Flo Irrigator 0043970Gy	\$ 613.00
Merocel Breath Tube 400460En	\$ 48.00
Endocatch li 173049Gs	\$ 865.00
Cuff Tourniquet 60707503Op	\$ 173.00
Burr Egg 1607235Op	\$ 473.00
Burr Round 160829Op	\$ 881.00
Annuloplasty Ring	\$ 9,525.00
Bra Surgi Xxlg	\$ 309.00
Pouch Fluid Collection 3107Gy	\$ 58.00
Leroy Raney Clip 201035En	\$ 108.00
Shunt Flow Control Med 42324Ns	\$ 5,224.00
Reservoir Vent 44210ns	\$ 1,222.00
Annuloplasty Ring	\$ 9,525.00
Phrenic Nerve Pad 38003Ct	\$ 111.00
Aortic Punch Ap540Ct	\$ 135.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Aortic Punch Ap548Ct	\$ 135.00
Aortic Punch 2.5 Ct	\$ 135.00
Annuloplasty Ring	\$ 9,525.00
Gelfoam 50 032301Vs	\$ 126.00
Reservoir Vent Csf 44104Ns	\$ 2,798.00
Needle Access 3Mm An3Mmur	\$ 694.00
Peg Tube Ponsky 20Fr 000330Gs	\$ 669.00
Oper Rm 000-015 Min	\$ 1,026.00
Oper Rm 016-030 Min	\$ 2,052.00
Oper Rm 031-045 Min	\$ 2,575.00
Oper Rm 046-060 Min	\$ 3,098.00
Oper Rm 061-075 Min	\$ 3,623.00
Oper Rm 076-090 Min	\$ 4,146.00
Oper Rm 091-105 Min	\$ 4,670.00
Oper Rm 106-120 Min	\$ 5,193.00
Oper Rm 121-135 Min	\$ 5,717.00
Oper Rm 136-150 Min	\$ 6,240.00
Oper Rm 151-165 Min	\$ 6,763.00
Oper Rm 166-180 Min	\$ 7,287.00
Oper Rm 181-195 Min	\$ 7,811.00
Oper Rm 196-210 Min	\$ 8,334.00
Oper Rm 211-225 Min	\$ 8,857.00
Oper Rm 226-240 Min	\$ 9,381.00
Oper Rm 601-615 Min	\$ 22,469.00
Oper Rm 616-630 Min	\$ 22,992.00
Oper Rm 631-645 Min	\$ 23,516.00
Oper Rm 646-660 Min	\$ 24,039.00
Oper Rm 661-675 Min	\$ 24,563.00
Oper Rm 676-690 Min	\$ 25,086.00
Oper Rm 691-705 Min	\$ 25,609.00
Oper Rm 706-720 Min	\$ 26,132.00
Oper Rm 721-735 Min	\$ 26,656.00
Oper Rm 736-750 Min	\$ 27,180.00
Oper Rm 751-765 Min	\$ 27,703.00
Oper Rm 766-780 Min	\$ 28,226.00
Oper Rm 781-795 Min	\$ 28,752.00
Oper Rm 796-810 Min	\$ 29,275.00
Oper Rm 811-825 Min	\$ 29,798.00
Oper Rm 826-840 Min	\$ 30,322.00
Oper Rm 841-855 Min	\$ 30,846.00
Oper Rm 856-870 Min	\$ 31,369.00
Oper Rm 871-885 Min	\$ 31,891.00
Oper Rm 886-900 Min	\$ 32,414.00
Oper Rm 901-915 Min	\$ 32,938.00
Oper Rm 916-930 Min	\$ 33,461.00
Oper Rm 931-945 Min	\$ 33,985.00
Oper Rm 946-960 Min	\$ 34,509.00
Oper Rm 961-975 Min	\$ 35,033.00
Oper Rm 976-990 Min	\$ 35,556.00
Oper Rm 991-1005 Min	\$ 36,079.00
Oper Rm 1006-1020 Min	\$ 36,602.00
Oper Rm 1021-1035 Min	\$ 37,127.00
Oper Rm 1036-1050 Min	\$ 37,650.00
Oper Rm 1051-1065 Min	\$ 38,173.00
Oper Rm 1066-1080 Min	\$ 38,697.00
Oper Rm 1081-1095 Min	\$ 39,221.00
Oper Rm 1096-1110 Min	\$ 39,744.00
Oper Rm 1111-1125 Min	\$ 40,268.00
Oper Rm 1126-1140 Min	\$ 40,792.00
Oper Rm 1141-1155 Min	\$ 41,316.00
Oper Rm 1156-1170 Min	\$ 41,839.00
Oper Rm 1171-1185 Min	\$ 42,361.00
Oper Rm 1186-1200 Min	\$ 42,884.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Oper Rm 1201-1215 Min	\$ 43,409.00
Oper Rm 1216-1230 Min	\$ 43,932.00
Oper Rm 1231-1245 Min	\$ 44,455.00
Oper Rm 1246-1260 Min	\$ 44,978.00
Oper Rm 1261-1275 Min	\$ 45,502.00
Oper Rm 1276-1290 Min	\$ 46,025.00
Oper Rm 1291-1305 Min	\$ 46,549.00
Oper Rm 1306-1320 Min	\$ 47,073.00
Oper Rm 1321-1335 Min	\$ 47,598.00
Oper Rm 1336-1350 Min	\$ 48,121.00
Oper Rm 1351-1365 Min	\$ 48,644.00
Oper Rm 1366-1380 Min	\$ 49,167.00
Oper Rm 1381-1395 Min	\$ 49,691.00
Oper Rm 1396-1410 Min	\$ 50,215.00
Oper Rm 1411-1425 Min	\$ 50,738.00
Oper Rm 1426-1440 Min	\$ 51,261.00
Lonestar Retractor Kit 3307Lgs	\$ 419.00
Cutter Abrader 2.9 3530Op	\$ 504.00
Needle Arterial Amc/4 Vs	\$ 39.00
Cannula Cor Artery 30317Ct	\$ 359.00
Teflon Pledget 6X4.5 019312Vs	\$ 21.00
Endo Cutter Reload	\$ 2,200.00
Stent Positioner	\$ 152.00
Retract-O-Tape	\$ 135.00
Homograft Aortic Hva Ct	\$ 28,625.00
Blade Serrated 3.5 1883502En	\$ 865.00
Blade Tricut 4.0 1884004En	\$ 865.00
Reservoir Omayo 44000Ns	\$ 2,884.00
Cannula 10Mm Short S100710Gs	\$ 462.00
Orthofuser Of1Op	\$ 797.00
Rod Easy 1/4 Psb-3558Op	\$ 2,342.00
Cuff Tourniquet 60-7070-101Op	\$ 142.00
Annuloplasty Ring	\$ 9,525.00
Valve (Aorta)	\$ 21,286.00
Shunt Flow Control Low 42322Ns	\$ 5,224.00
Valve (Aorta)	\$ 21,286.00
Ostomy Pouch Ped 9768Gs	\$ 26.00
Loop (Resect)	\$ 518.00
Valve (Aorta)	\$ 25,913.00
Valve (Aorta)	\$ 25,913.00
Blade Double 27796275Op	\$ 344.00
Biopsy Forcps Radl Jw 505160Ur	\$ 2,787.00
Bskt Tplss Ntse045065Udhur	\$ 982.00
Torque Tool 46-603Vas	\$ 63.00
Adapter Tuohy-Borst 15-302Vas	\$ 92.00
Fascia Lata Tutoplast 2Cmx14Cm	\$ 3,847.00
Lap Hrmnic Shears 5Mm Lcsk5Gy	\$ 2,537.00
Hand Pack Sop11Hngsa Op	\$ 327.00
Neuropen 15Mm 2120-025Ns	\$ 5,801.00
O Prolene (Capio) 833-123 Ur	\$ 244.00
Aspirator Str 7Fr Ent-100As-P	\$ 644.00
Adapter Check-Flo 050805 Ur	\$ 118.00
Annuloplasty Ring	\$ 7,295.00
Annuloplasty Ring	\$ 7,295.00
Annuloplasty Ring	\$ 7,295.00
Annuloplasty Ring	\$ 7,295.00
Annuloplasty Ring	\$ 7,295.00
Normal Saline .9% 1000Cc Strle	\$ 174.00
Aspirator Vtt 45Deg Ent-101-Af	\$ 644.00
Electrde Strp Subdurl Cie6P Ns	\$ 2,436.00
Electrde Strp Subdurl Cie8P Ns	\$ 1,627.00
Stapler (Linear)	\$ 956.00
Instatrck	\$ 5,781.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Vag Nerve Rod	\$ 3,338.00
Lap Closure Devc Kt Ct1512N Gy	\$ 946.00
Blade Oscillating 5072-101 Op	\$ 490.00
Protack Autosuture 174006 Gs	\$ 2,112.00
Craniofacial Repair Kit 5Cc Ns	\$ 11,350.00
Blade Oscillating 5071-195 Op	\$ 155.00
Fragmatome Accss Pak 1021Hp Ot	\$ 441.00
Cannula Aortic Dlp 22Fr Ct	\$ 152.00
Gfi Tubing Set 8065-8080-02 Ot	\$ 413.00
Shunt Intravascular 2.0Mm Ct	\$ 463.00
Plastibell 9210 Gs	\$ 46.00
Vagal Nerve Accessory Kit Ns	\$ 3,852.00
Shunt Sundt Internal 3X4 Vs	\$ 2,815.00
Shunt Sundt Internal 3.5X5 Vs	\$ 2,815.00
Shunt Sundt Internal 4X5 Vs	\$ 2,815.00
Catheter Pig 5.0 Vs	\$ 134.00
Valve (Aorta)	\$ 16,416.00
Valve (Aorta)	\$ 16,416.00
Valve (Aorta)	\$ 16,416.00
Valve (Aorta)	\$ 16,416.00
D&E Disposa-Filter Assembly Gy	\$ 63.00
Soft Tissue Retractor	\$ 2,273.00
Bioglue Surg Adhesive	\$ 3,943.00
Bioglue Applicator Tip 10Cm	\$ 80.00
D&E Vacurette Tip 14Mm	\$ 54.00
Urometer Latex Free	\$ 99.00
Cement Mix Kit Acm	\$ 686.00
Cement Restrictor Universal	\$ 1,064.00
Cement Restrictor Small	\$ 1,064.00
Cement Restrictor Large	\$ 1,064.00
Intro/Sheath (Non-Laser)	\$ 2,549.00
Harmonic Scalpel Shear Crv	\$ 1,309.00
Cautery Adjust-A-Temp Aa02	\$ 94.00
Valve (Aorta)	\$ 14,858.00
Electrode (Bipolar)	\$ 1,387.00
Surgilav Tip	\$ 82.00
Cautery Cord Lap. Univ	\$ 55.00
Suture Guide Gfs-10A	\$ 427.00
Ep Retractor li Nylon 2004S	\$ 3,645.00
Anastomosis Vis. Device	\$ 499.00
Connector Str 45103 Ns	\$ 544.00
Valve Mitral Porcine 6625	\$ 18,016.00
Stapler (Endo)	\$ 1,922.00
Stapler (Linear)	\$ 2,698.00
Tube Pezzer 14-24Fr	\$ 68.00
Blade Skimmer-Angle 18-83525	\$ 2,016.00
Psi Tec Aspiration Tubing Ps	\$ 115.00
Acceleratr Reciproctng Handpc	\$ 224.00
Trapsystem Bone Marrow Kit Op	\$ 283.00
Valve Mitral Hancock li T510	\$ 16,416.00
Knot Pusher Kp-1 Ct	\$ 1,378.00
Wittman Patch Wp2040 Gs	\$ 9,644.00
Shunt Passer 48409 Ns	\$ 1,114.00
Valve (Aorta)	\$ 14,858.00
Ureteral Dilatation Set 240100	\$ 1,312.00
External Drain Bag 46124 Ns	\$ 344.00
Ventriculostomy Kit 46156 Ns	\$ 2,273.00
Washer Spiked C26Xx Op	\$ 1,336.00
Surgidac 1730Xx Gs	\$ 166.00
Pursestring Instr 45/65 Gs	\$ 571.00
Stapler	\$ 2,281.00
Head Rest Osi 1937	\$ 107.00
Shunt 1.5Mm Intravascular	\$ 11,114.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Tip Curved Standard 23Khz	\$ 3,798.00
Curved Ext Std Tip 36Khz	\$ 3,798.00
8.0 Adj Hyperflex Trach Tube	\$ 1,348.00
6.0 Adj Hyperflex Trach Tube	\$ 1,400.00
5Mm Round Burr	\$ 823.00
T4 Hood	\$ 173.00
Syringe/Gauge Inflation System	\$ 262.00
Carrier 8"	\$ 178.00
Carrier 6"	\$ 259.00
High Flow Insufflation Tubing	\$ 76.00
-2.8 Blade	\$ 124.00
Heated Insufflation Tubing	\$ 328.00
Crescent Blade	\$ 629.00
Platinum Class Helical Bkt 3Fr	\$ 1,013.00
Non-Retracting Grasping Forcep	\$ 1,080.00
Di Articulating St Bkt3FrX10Mm	\$ 1,474.00
Cautery Needle Tip Non Stick	\$ 116.00
Vitrectomy Kit #Op039	\$ 1,428.00
#Op077-07 Blade Needle	\$ 225.00
Ethicon Specimen Pouch 10Mm	\$ 564.00
Shunt Intravascular 2.5Mm	\$ 437.00
Lumbar I/F Cage Peek 9X11X21	\$ 14,610.00
Mon Rod Prebent 6.35X45Mm	\$ 1,627.00
Monarch Rod 6.35X450Mm TI	\$ 3,097.00
Mon Cap TI #1770-91-060	\$ 1,256.00
Lumbar Cage 9X9X25	\$ 10,618.00
Brachy Drapes	\$ 28.00
Brachy Grid	\$ 490.00
Drill (Neuro)	\$ 1,047.00
Annuloplasty Ring	\$ 8,499.00
Annuloplasty Ring	\$ 8,499.00
Annuloplasty Ring	\$ 8,499.00
Annuloplasty Ring	\$ 8,499.00
Distal Cathetr Kit W/Bactiseal	\$ 3,165.00
Nitrol Tipless Stone Basket	\$ 1,474.00
Electrosurgical Snare(Dispsbl)	\$ 93.00
Perforator	\$ 1,183.00
Sternal Saw Blade	\$ 75.00
Hip Abduction Pillow	\$ 296.00
Subdural Pressure Monitor Kit	\$ 6,057.00
Doppler Probe	\$ 1,608.00
Endostitch Softsilk	\$ 166.00
Saphyre 90Deg 3Mm Suction	\$ 1,200.00
Knee/Ankle/Foot Pack	\$ 465.00
Lumbar Wdg Cage Peek-9X9X11X21	\$ 11,873.00
Caspar Distraction Pin	\$ 428.00
Clip Aneurysm	\$ 458.00
Disposable Tourniquet Cuff 24"	\$ 192.00
Recovery 000-030 Min	\$ 294.00
Recovery 031-060 Min	\$ 586.00
Recovery 061-090 Min	\$ 879.00
Recovery 091-120 Min	\$ 1,173.00
Recovery 121-150 Min	\$ 1,467.00
Recovery 151-180 Min	\$ 1,591.00
Recovery 181-210 Min	\$ 1,717.00
Recovery 211-240 Min	\$ 1,842.00
Recovery 241-270 Min	\$ 1,969.00
Recovery 271-300 Min	\$ 2,094.00
Rs:Gown/Blanket	\$ 112.00
Surgical Suite Procedure Room	\$ 4,402.00
Ice Man Cooler	\$ 861.00
Ice Man Cooler Pad	\$ 307.00
Femostop	\$ 707.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Pre-Op Prep 000-030 Min	\$ 126.00
Pre-Op Prep 031-060 Min	\$ 251.00
Pre-Op Prep 061-090 Min	\$ 377.00
Pre-Op Prep 091-120 Min	\$ 503.00
Recovery 301-330 Min	\$ 2,218.00
Recovery 331-360 Min	\$ 2,346.00
Recovery 361-390 Min	\$ 2,472.00
Recovery 391-420 Min	\$ 2,595.00
Recovery 421-450 Min	\$ 2,722.00
Recovery 451-480 Min	\$ 2,849.00
Recovery 481-540 Min	\$ 2,975.00
Recovery 541-600 Min	\$ 3,098.00
Recovery 601-660 Min	\$ 3,225.00
Recovery 661-720 Min	\$ 3,350.00
Pre-Op Prep 121-150 Min	\$ 629.00
Pre-Op Prep 151-180 Min	\$ 753.00
Pre-Op Prep 181-210 Min	\$ 879.00
Pre-Op Prep 241-270 Min	\$ 1,132.00
Pre-Op Prep 211-240 Min	\$ 1,005.00
Pre-Op Prep 271-300 Min	\$ 1,256.00
Pre-Op Prep 301-330 Min	\$ 1,381.00
Pre-Op Prep 331-360 Min	\$ 1,509.00
Ext Recovery Per Hour	\$ 1,211.00
Rs:Gown/Blanket	\$ 101.00
Sleeve Knee Scd Sm	\$ 474.00
Sleeve Knee Scd Med	\$ 171.00
Kit Chemo 20/Cs 61543	\$ 86.00
Rs:Cataract Kit	\$ 37.00
Pre-Op Prep 000-030 Min	\$ 126.00
Pre-Op Prep 031-060 Min	\$ 251.00
Pre-Op Prep 061-090 Min	\$ 377.00
Pre-Op Prep 091-120 Min	\$ 503.00
Recovery 000-030 Min	\$ 294.00
Recovery 031-060 Min	\$ 586.00
Recovery 061-090 Min	\$ 879.00
Recovery 091-120 Min	\$ 1,173.00
Recovery 121-150 Min	\$ 1,467.00
Recovery 151-180 Min	\$ 1,591.00
Recovery 181-210 Min	\$ 1,717.00
Recovery 211-240 Min	\$ 1,842.00
Recovery 241-270 Min	\$ 1,969.00
Recovery 271-300 Min	\$ 2,094.00
Recovery 301-330 Min	\$ 2,218.00
Recovery 331-360 Min	\$ 2,346.00
Recovery 361-390 Min	\$ 2,472.00
Recovery 391-420 Min	\$ 2,595.00
Recovery 421-450 Min	\$ 2,722.00
Recovery 451-480 Min	\$ 2,849.00
Recovery 481-540 Min	\$ 2,975.00
Recovery 541-600 Min	\$ 3,098.00
Recovery 601-660 Min	\$ 3,225.00
Recovery 661-720 Min	\$ 3,350.00
Pre-Op Prep 121-150 Min	\$ 629.00
Pre-Op Prep 151-180 Min	\$ 753.00
Pre-Op Prep 181-210 Min	\$ 879.00
Pre-Op Prep 211-240 Min	\$ 1,005.00
Pre-Op Prep 241-270 Min	\$ 1,132.00
Pre-Op Prep 271-300 Min	\$ 1,256.00
Pre-Op Prep 301-330 Min	\$ 1,381.00
Pre-Op Prep 331-360 Min	\$ 1,509.00
Rs:Chemo Kit	\$ 86.00
Lumb Wedg Cage Peek11X11X13X25	\$ 11,873.00
Switchblade Metzzenbaumtip	\$ 393.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Catheter Passer	\$ 1,044.00
Joint Device (Hip)	\$ 14,619.00
Drill (Guide)	\$ 1,320.00
Laser Fiber	\$ 4,326.00
4.0Mm Acromioblaster	\$ 435.00
4.5Mm Bone Cutter	\$ 832.00
Falope Ring Applicator Kit	\$ 1,467.00
Lg Ext Fix Multi-Pin Clamp	\$ 4,228.00
Lg Ext Fix Clamp	\$ 3,676.00
Lg Ex Fix Rod Attachment	\$ 3,491.00
Catheter Kmp 4.1X100Cm	\$ 136.00
Omni Suction Cannisters	\$ 210.00
Diego Paratube Set(Sctn/Irrgn)	\$ 145.00
Silicone 5Cm Silo Bag	\$ 1,935.00
Tls Surgical Drain System 7Fr	\$ 246.00
Ventricular Drainage Set	\$ 2,167.00
Stapler (Reload)	\$ 246.00
Reload Ta 90B-4.8	\$ 3,206.00
Corneal Punch Troutman 9729	\$ 259.00
Lap Aspirating Device 14Ga	\$ 152.00
Stapler	\$ 72.00
Cranial Biopsy Needle 960-225	\$ 3,950.00
Bipolar Cautery(25G) 53.00.25	\$ 580.00
Laser Probe (25G) 55.26.25	\$ 1,355.00
Gelport 100Mm C8101	\$ 3,209.00
Kit Extension 7489-66	\$ 4,145.00
Dual Head Access 3550-09	\$ 1,183.00
Electrode (Laposcopic)	\$ 364.00
Disposable Heads 9660	\$ 33.00
Tympanocentesis Collector	\$ 183.00
Kyphon Mixer A07A	\$ 658.00
Kyphon Hv-R Bone Cement C01A	\$ 982.00
Helicoidal Rasp 5820-80-21	\$ 1,047.00
Kyphon Tool Kit To1A	\$ 7,295.00
Twist In Cannula 6Mm (Ar-6535)	\$ 216.00
Fiberwire (Ar-7203)	\$ 163.00
Kyphx Bone Biopsy Device	\$ 1,023.00
Arterial Line (Cvp-10-0S1076)	\$ 395.00
Filter Psitech (Pt-1000380)	\$ 183.00
Helical Blade (456.301)	\$ 295.00
Ratio Procedure Kit	\$ 181.00
Dual Tip 20G 7"	\$ 155.00
Cannula Seal (400077)	\$ 135.00
Cannula Seal 5Mm (400161)	\$ 151.00
Robotic Procedure	\$ 7,082.00
Bowel Grasper (#400127)	\$ 1,194.00
Max Core Disp Biopsy Instr	\$ 293.00
Ligasure 5Mm Vessel Sealing	\$ 3,422.00
Drain Pouch Clip (175635)	\$ 19.00
Needle Jam Chiti 4" (Dj4011X)	\$ 175.00
Backflush Instrument 25G	\$ 829.00
Bonecutter 3.5Mm	\$ 833.00
Cannula Trocar 25G	\$ 1,023.00
Cannula Dilator 5Mm Mini Step	\$ 446.00
Introducer Miniport 2Mm	\$ 312.00
Clamp Insert 61Mm	\$ 208.00
Ligasure Atlas 20Cm	\$ 3,487.00
Cannula Trocar 25G	\$ 296.00
Breast Sizer 125Cc	\$ 377.00
Bioglue Applicator Tip	\$ 437.00
Forcep Cadiere Robotic	\$ 9,182.00
Evacuator Urovac Ellik	\$ 225.00
Suture Passing Wire Ar-1255-18	\$ 620.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Infuse Bone Graft Kit-Small Kt	\$ 15,744.00
Infuse Bone Graft Kit-Med Kit	\$ 22,263.00
Infuse Bone Graft Kit-Large Kt	\$ 24,594.00
Infuse Bone Graft Kit-Large li	\$ 24,594.00
Handpiece Bipolar Left Curved	\$ 12,601.00
Accurus 10Cc	\$ 450.00
Vitrectomy Pack (8065741017)	\$ 2,323.00
Tips Selector(1529165/1523215)	\$ 4,660.00
Knotpusher Fastfix (7209084)	\$ 1,062.00
Drape Probe (Pc3787)	\$ 117.00
Needle Deflux (159042)	\$ 446.00
Drain Silicone 19Fr(Dynjwe2190	\$ 93.00
Basin Single Set	\$ 130.00
Bra Super Queen (Ez-On-Surg)	\$ 360.00
Stapler	\$ 4,047.00
Stapler (Reload)	\$ 2,135.00
Clamp Muscle Biopsy(#130-1111)	\$ 99.00
Ivus Machine Usage Fee Per Hr	\$ 6,061.00
Vulcan Ligament Chisel 7209646	\$ 1,216.00
Applicator Duplo 35Ext	\$ 373.00
Floseal Nt	\$ 6,567.00
Pouch Mesh Synchroned 8590-1	\$ 700.00
Blade Tps Router51207158 49 47	\$ 477.00
Catheter Chol 4Fr (20018-M55)	\$ 380.00
Trocar Tip Passing Pin 2.4X432	\$ 950.00
Seal Heartstring Proximal	\$ 2,798.00
Cannula Disposable 9Mmx75Mm	\$ 265.00
Needle Biopsy Magnum (Mn120)	\$ 147.00
Blade Oscillating 2109-109S11	\$ 161.00
Blade Saw 2108-103S11	\$ 359.00
Suction Irrigation Tubing	\$ 216.00
Drape Urocatcher	\$ 124.00
Blade Right Ang Sagittal	\$ 432.00
Suture Passer Scorpion	\$ 1,143.00
Suture Fiberwire #2 Ar-7201	\$ 263.00
Applier Endo Lg 10Mm	\$ 682.00
Applier Endoclip 5Mm	\$ 2,273.00
Bag Spec Endo 10	\$ 557.00
Endoclamp Babcock	\$ 571.00
Clip Lig Med 11.5	\$ 482.00
Dissect Endo 5 Caut Uni	\$ 613.00
Endostitch	\$ 883.00
Endo 4-0 Polysorb	\$ 164.00
Instr Pursestring 45	\$ 592.00
Needle 14G Verastep	\$ 151.00
Needle Insuf 120	\$ 125.00
Needle Verastep 14G	\$ 175.00
0 Surgidac 48In	\$ 167.00
Port Mini 2Mm Intr	\$ 233.00
Port Mini 2Mm Sleev	\$ 240.00
Sears Endo Mini	\$ 592.00
Shears Endo Caut 5Mm	\$ 495.00
Shear Mini 2Mm	\$ 509.00
Stapler (Reload)	\$ 315.00
Stapler	\$ 2,281.00
Stapler (Multi)	\$ 718.00
Stapler (Multi)	\$ 658.00
Stapler Mult 60-3.8	\$ 395.00
Stapler (Multi)	\$ 1,081.00
Stapler (Reload)	\$ 1,381.00
Stapler (Reload)	\$ 1,101.00
Stapler (Reload)	\$ 1,079.00
Stapler (Reload)	\$ 1,342.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Stapler (Reload)	\$ 1,232.00
Stapler (Reload)	\$ 1,232.00
Stapler (Reload)	\$ 1,726.00
Stapler (Reload)	\$ 572.00
Stapler (Reload)	\$ 425.00
Stapler (Reload)	\$ 395.00
Stapler Rel Mul 80-3.8	\$ 572.00
Stapler (Reload)	\$ 347.00
Stapler (Reload)	\$ 367.00
Stapler (Reload)	\$ 341.00
Stapler	\$ 755.00
Trocar & Bulb Syringe	\$ 1,069.00
Trocar Hasson 5-12Mm	\$ 443.00
Trocar Versport 10-15	\$ 391.00
Trocar Visprt 5-11	\$ 380.00
Trocar Vrsprt 5-8 100	\$ 391.00
Healos 2 Bone Graft 5MI	\$ 3,950.00
Healos 2 Bone Graft 10MI	\$ 6,843.00
Collect Surg Instrument	\$ 1,273.00
Biom Pack	\$ 530.00
Shears Crvd 8Mm Harmonic	\$ 6,692.00
Harmonic Scalpel Ace 14S	\$ 3,054.00
Harmonic Scalpel Ace 23P	\$ 3,523.00
Ankle Wrap-On Polar Care	\$ 934.00
Dilator Set Endovascular	\$ 1,428.00
Loop Right Angle 24Fr Cuttin	\$ 425.00
Electrode (Subdermal)	\$ 742.00
Loop Superpulse	\$ 3,094.00
Blade Diego Turbi 2Mm	\$ 865.00
Probe Laser	\$ 1,824.00
Probe Laser	\$ 1,004.00
Duovisc System	\$ 658.00
6-10Mm Bone Graft Harvester	\$ 2,393.00
Greenlight Laserscope	\$ 6,995.00
Avitene Collagn Spnge 8X12.5X1	\$ 245.00
Avitene Collagn Spnge 8X12.5X3	\$ 281.00
Handpiece Abc And Argon	\$ 525.00
Set Y Spike	\$ 289.00
Pack Evlt Basic Proc.	\$ 658.00
Blade Intra Oral	\$ 973.00
Inflation Device Eagle	\$ 474.00
Gloves Radiation (Size 6)	\$ 300.00
Forcep Rj3 Lg Capacity	\$ 95.00
Forcep Radial Jaw	\$ 151.00
Retractor Wound Alexis Extra	\$ 332.00
Forcep Dissecting	\$ 13,253.00
Ocutome Irrigating	\$ 1,112.00
Stapler (Multi)	\$ 1,667.00
Stapler (Reload)	\$ 776.00
Sut. "E" Pack Dr. Franklin	\$ 1,337.00
Sut. "E" Pack Dr. Elmore	\$ 1,187.00
Revas.Leg Lower	\$ 895.00
Bur Fluted 1.0	\$ 621.00
Applicator Floseal	\$ 491.00
Kit Pleurx Drainage	\$ 452.00
Curette Disposable Cement	\$ 144.00
Needle Coaptite	\$ 354.00
Trail Cable	\$ 1,224.00
Lap Sac 5X8	\$ 507.00
Lap Sac 8X10	\$ 507.00
Endo Gia Reload White	\$ 794.00
Handpiece Abc	\$ 599.00
Probe Cyberwand	\$ 3,295.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Gelpport 120Mm	\$ 3,686.00
Bone Ostene Material	\$ 616.00
Cath Foley Sil 18Fr	\$ 100.00
Basin Single Sure Set	\$ 116.00
Urchin Cardiac Retractor	\$ 2,354.00
Tunneling Tool	\$ 1,143.00
Restraint Snuggle Wrap	\$ 99.00
Restraint Snuggle Wrap	\$ 199.00
Restraint Snuggle Wrap	\$ 216.00
Restraint Snuggle Wrap	\$ 183.00
Ankle Distractor	\$ 393.00
Electrode (Leep)	\$ 149.00
Electrode (Leep)	\$ 149.00
Electrode (Leep)	\$ 158.00
Harmonic Wave Instrument	\$ 2,705.00
Stapler	\$ 2,837.00
Device Orvil 21Mm	\$ 620.00
Tool Tunneling (Sc-4250)	\$ 1,756.00
Needle Insertion (Sc-4200)	\$ 1,273.00
Elevator Passing (Sc-4230)	\$ 435.00
Bit (Drill)	\$ 546.00
Bit (Drill)	\$ 821.00
Tip (Drill/Guidewire)	\$ 535.00
Forceps Radial Jaw #31523	\$ 256.00
Surgical Postop Support Bra	\$ 360.00
Implant Stabilizer Support	\$ 93.00
Abdominal Binder;Postop Supprt	\$ 72.00
High Waist Girdle-Postop	\$ 376.00
Male Body Suit:6046098	\$ 872.00
Drain Sump Sar 28Fr Surg Drain	\$ 119.00
Blade Altk Cbm (6041063)	\$ 672.00
Roller Lasik (6042567)	\$ 112.00
Blade Scalpel 5Mm Harmonic	\$ 2,039.00
Hook Dissecting Ultracision	\$ 1,255.00
Sinus Balloon Catheter	\$ 3,705.00
Bit (Drill)	\$ 1,719.00
Blade Knife Earn	\$ 128.00
Ligasure 10Mm 6046480	\$ 4,003.00
Hot Disp Biopsy Forcep 6047015	\$ 155.00
Retractor (3 Sizes)	\$ 377.00
System Ttp Vario Ariel	\$ 2,928.00
Fiber 800 6047019	\$ 2,999.00
Probe Laser	\$ 1,709.00
Guide Nail Driving 3.2 X 480Mm	\$ 892.00
Ligasure Atlas Hnd 20	\$ 3,772.00
Inline Bipolar Coag	\$ 7,295.00
Catheter Umbilical 3.5	\$ 117.00
Bands Parham Sternal Closure	\$ 550.00
Suture 2-0 (Quill)	\$ 166.00
Bit (Drill)	\$ 462.00
Blade 2.65 Slit Ang	\$ 99.00
Tube Drain Jp 7Mm	\$ 53.00
Tube Drain Jp 10Mm	\$ 53.00
Reservoir Jackson Pratt 100Cc	\$ 85.00
Tube Insufflation	\$ 53.00
Tray Skin Prep (Gel)	\$ 33.00
Device Perm Birth Cntrl	\$ 10,366.00
Tubing High Flo Insufflation	\$ 327.00
Scalpel Harmonic Shear Cvd	\$ 3,604.00
Hook Synergy Dissec.	\$ 1,883.00
Blade Cvd Synergy	\$ 2,061.00
Tip Blade Switch Cvd	\$ 377.00
Endo Sheath 4Mm	\$ 450.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Bit (Drill)	\$ 546.00
Bit (Drill)	\$ 556.00
Bit (Drill)	\$ 543.00
Bit (Drill)	\$ 3,232.00
Bit (Drill)	\$ 1,198.00
Bit (Drill)	\$ 1,061.00
Bit (Drill)	\$ 1,256.00
Bit (Drill)	\$ 3,373.00
Bit (Drill)	\$ 3,409.00
Bit (Drill)	\$ 1,076.00
Rod Reaming 2.5Mm W/Ball Tip	\$ 780.00
Rod Offset Tip 351.71S(3 Szs)	\$ 1,231.00
Bit (Drill)	\$ 2,184.00
Clamp Mr. Safe 390.007	\$ 4,574.00
Clamp Med Pin 390.026	\$ 3,556.00
Clamp Med Pin 390.027(2 Sizes)	\$ 3,650.00
Clamp Med Combo 390.031	\$ 3,595.00
Clamp Med 390.033	\$ 4,351.00
Arista Hemost Part Sm0005-Usa	\$ 901.00
Arista Hemost Part Sm0002-Usa	\$ 1,781.00
Arista Hemost Part Sm0007-Usa	\$ 2,346.00
Needle 1/2 Taper Mayo 216704	\$ 51.00
Bone Wax 2.5 W31G	\$ 59.00
Monocryl 5-0 Y303H	\$ 32.00
Retention Bolsters 450G	\$ 33.00
Suture Chromic 0 U-246H	\$ 34.00
Suture Chromic 0 817H	\$ 37.00
Suture Chromic 2-0 816H	\$ 731.00
Suture Chromic 2-0 G123H	\$ 39.00
Suture Chromic 3-0 U204H	\$ 37.00
Suture Chromic 3-0 1638H	\$ 53.00
Suture Chromic 4-0 G121H	\$ 43.00
Suture Chromic 4-0 1637G	\$ 64.00
Suture Chromic 5-0 U202H	\$ 35.00
Suture Chromic 5-0 K895H	\$ 60.00
Suture Chromic 5-0 687G	\$ 68.00
Suture Ethibond 0 X864H	\$ 28.00
Suture Ethibond 0 Cx74T	\$ 70.00
Suture Ethibond 0 X524H	\$ 51.00
Suture Ethibond 1-0 X518H	\$ 38.00
Suture Ethibond 1--0 X865H	\$ 28.00
Suture Ethibond 2-0 X519H	\$ 35.00
Suture Ethibond 2-0 X513H	\$ 51.00
Suture Ethibond 3-0 X663H	\$ 33.00
Suture Ethibond 3-0 X522H	\$ 51.00
Suture Ethibond 4-0 X183H	\$ 30.00
Suture Ethibond 4-0 X303H	\$ 37.00
Suture Ethilon 0 L886T	\$ 45.00
Suture Ethilon 1 489T	\$ 39.00
Suture Ethilon 2-0 664H	\$ 30.00
Suture Ethilon 2-0 1674H	\$ 28.00
Suture Ethilon 2-0 470G	\$ 39.00
Suture Ethilon 3-0 1671H	\$ 28.00
Suture Ethilon 3-0 642G	\$ 30.00
Suture Ethilon 3-0 1663H	\$ 45.00
Suture Ethilon 4-0 1864G	\$ 51.00
Suture Ethilon 5-0 698H	\$ 43.00
Suture Ethilon 5-0 1865G	\$ 51.00
Suture Ethilon 6-0 1698G	\$ 49.00
Suture Ethilon 7-0 1647G	\$ 43.00
Suture Mersilene 4-0 R691G	\$ 48.00
Suture Monocryl 3-0 Y416H	\$ 30.00
Suture Monocryl 3-0 Y427H	\$ 52.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Suture Monocryl 3-0 Y936H	\$ 53.00
Suture Monocryl 2-0 Y605H	\$ 32.00
Suture Monocryl 3-0 Y305H	\$ 32.00
Suture Monocryl 4-0 Y304H	\$ 32.00
Suture Monocryl 4-0 Y494G	\$ 55.00
Suture Monocryl 5-0 Y493G	\$ 52.00
Suture Monocryl 5-0 Y834G	\$ 55.00
Suture Monocryl 6-0 Y833G	\$ 55.00
Suture Pds li 0 Z340H	\$ 33.00
Suture Pds li 1-0 Z341H	\$ 34.00
Suture Pds li 1-0 Z880G	\$ 49.00
Suture Pds li 2-0 Z339H	\$ 33.00
Suture Pds li 3-0 Z316H	\$ 35.00
Suture Pds li 3-0 Z497G	\$ 49.00
Suture Pds li 4-0 Z304H	\$ 33.00
Suture Pds li 4-0 Z496G	\$ 53.00
Suture Pds li 5-0 Z844G	\$ 53.00
Suture Pds li 6-0 833G	\$ 54.00
Suture Plain 0 S104H	\$ 37.00
Suture Plain 2-0 898H	\$ 42.00
Suture Plain 4-0 1824H	\$ 34.00
Suture Plain 4-0 1644G	\$ 64.00
Suture Plain 5-0 686G	\$ 66.00
Suture Plain 5-0 1915G	\$ 70.00
Suture Plain 6-0 1916G	\$ 72.00
Suture Poly Button 520G	\$ 35.00
Suture Prolene 0 8690H	\$ 35.00
Suture Prolene 1 8845G	\$ 42.00
Suture Prolene 2 8825G	\$ 52.00
Suture Prolene 2-0 8623H	\$ 33.00
Suture Prolene 2-0 8417H	\$ 39.00
Suture Prolene 2-0 8523H	\$ 53.00
Suture Prolene 3-0 8558H	\$ 52.00
Suture Prolene 4-0 8581H	\$ 53.00
Suture Prolene 4-0 8204H	\$ 63.00
Suture Prolene 5-0 8556H	\$ 54.00
Suture Prolene 5-0 8205H	\$ 63.00
Suture Prolene 6-0 8606G	\$ 52.00
Suture Prolene 6-0 8617G	\$ 54.00
Suture Silk 639G	\$ 43.00
Suture Silk 0 K834H	\$ 23.00
Suture Silk 0 Sa76G	\$ 32.00
Suture Silk 0 678H	\$ 28.00
Suture Silk 1-0 Sa77G	\$ 32.00
Suture Silk 2-0 K833H	\$ 23.00
Suture Silk 2-0 Sa5H	\$ 23.00
Suture Silk 2-0 423H	\$ 23.00
Suture Silk 2-0 Sa75H	\$ 32.00
Suture Silk 2-0 685H	\$ 28.00
Suture Silk 3-0 K832H	\$ 23.00
Suture Silk 3-0 K572H	\$ 42.00
Suture Silk 4 Sa10G	\$ 30.00
Suture Silk 4-0 736G	\$ 32.00
Suture Silk 4-0 1677G	\$ 42.00
Suture Silk 5-0 K870H	\$ 26.00
Suture Silk 5-0 N271H	\$ 35.00
Suture Silk 5-0 1676G	\$ 43.00
Suture Silk Tie 2 Sa8H	\$ 22.00
Suture Vicryl 0 J334H	\$ 26.00
Suture Vicryl 0 J106T	\$ 51.00
Suture Vicryl 1-0 J617H	\$ 28.00
Suture Vicryl 1-0 Jb947	\$ 33.00
Suture Vicryl 2-0 J306H	\$ 26.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Suture Vicryl 3-0 J606H	\$ 26.00
Suture Vicryl 3-0 J824G	\$ 48.00
Suture Vicryl 4-0 J304H	\$ 28.00
Suture Vicryl 4-0 J464G	\$ 48.00
Suture Vicryl 4-0 Rapidevr426G	\$ 58.00
Suture Vicryl 5-0 J213H	\$ 28.00
Suture Vicryl 5-0 J834G	\$ 49.00
Suture Vicryl 5-0 Vr493	\$ 58.00
Suture Vicryl 6-0 J212H	\$ 30.00
Suture Vicryl 6-0 J510G	\$ 45.00
Tape Umbilical Cotton U11T	\$ 23.00
Needle Free French Eye 212903	\$ 51.00
Hemoclip Titanium Md/Lg 003200	\$ 48.00
Hemoclip Titanium Sm 001201	\$ 43.00
Suture Nylon 10-0 Cu-1	\$ 185.00
Dermabond 2.0 Octyl Adhesive	\$ 208.00
Sut Pds li 0 Z740D	\$ 158.00
Suture Chromic 0 47T	\$ 104.00
Suture Chromic 4-0 793G	\$ 143.00
Suture Chromic 6-0 796G	\$ 82.00
Suture Chromic 6-0 790G	\$ 144.00
Suture Cottony li Dacron X4323	\$ 147.00
Suture Ethibond 0 Cx45D	\$ 118.00
Suture Ethibond 2-0 Mx563	\$ 145.00
Suture Ethibond 2-0 D5666	\$ 149.00
Suture Ethibond 2-0 Mx69G	\$ 143.00
Suture Ethibond 2-0 D6798	\$ 230.00
Suture Ethibond 3-0 X916H	\$ 37.00
Suture Ethibond 5-0 X727H	\$ 67.00
Suture Ethibond 5-0 D6296	\$ 133.00
Suture Ethibond 6-0 X706H	\$ 68.00
Suture Ethilon 0 D3747	\$ 173.00
Suture Ethilon 10-0 2820G	\$ 140.00
Suture Ethilon 8-0 1716G	\$ 112.00
Suture Ethilon 8-0 2808G	\$ 127.00
Suture Ethilon 9-0 2829G	\$ 178.00
Suture Mersilene 4-0 1778G	\$ 114.00
Suture Mersilene 5Mm Rs-20	\$ 293.00
Suture Nurolon 0 C545D	\$ 119.00
Suture Nurolon 1 C520D	\$ 107.00
Suture Nurolon 3-0 C553D	\$ 133.00
Suture Nurolon 4-0 C584D	\$ 78.00
Suture Nurolon 4-0 C554D	\$ 126.00
Suture Pds li Z765D	\$ 157.00
Suture Pds li 5-0 Z320H	\$ 66.00
Suture Pds li 5-0 Z126H	\$ 101.00
Suture Pds li 6-0 Z117H	\$ 135.00
Suture Pds li 7-0 Z155H	\$ 144.00
Suture Plain 5-0 1915G	\$ 72.00
Suture Plain 6-0 770G	\$ 151.00
Suture Prolene 10-1 2795G	\$ 286.00
Suture Prolene 3-0 8976H	\$ 67.00
Suture Prolene 5-0 8720H	\$ 101.00
Suture Prolene 5-0 8725H	\$ 87.00
Suture Prolene 6-0 8706H	\$ 101.00
Suture Prolene 6-0 8805H	\$ 124.00
Suture Prolene 6-0 M8711H	\$ 328.00
Suture Prolene 7-0 8701H	\$ 124.00
Suture Prolene 7-0 8304H	\$ 127.00
Suture Prolene 8-0 8730H	\$ 226.00
Suture Silk 2-0 C016D	\$ 92.00
Suture Silk 3-0 C013D	\$ 92.00
Suture Silk 3-0 C053D	\$ 104.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Suture Silk 4-0 N267H	\$ 36.00
Suture Silk 4-0 C054D	\$ 111.00
Suture Silk 4-0 Cr 18Inshc014D	\$ 82.00
Suture Silk 6-0 K801H	\$ 83.00
Suture Steel 18Ga Ds-18	\$ 135.00
Suture Steel 4-0 539G	\$ 85.00
Suture Vicryl J762D	\$ 134.00
Suture Vicryl 0 J707T	\$ 70.00
Suture Vicryl 0 J727D	\$ 103.00
Suture Vicryl 0 J701D	\$ 132.00
Suture Vicryl 0 D8003	\$ 391.00
Suture Vicryl 1-0 J650H	\$ 136.00
Suture Vicryl 1-0 Jb841	\$ 126.00
Suture Vicryl 2 J649G	\$ 137.00
Suture Vicryl 2-0 J905T	\$ 70.00
Suture Vicryl 2-0 J789D	\$ 157.00
Suture Vicryl 2-0 D8001	\$ 557.00
Suture Vicryl 3-0 J904T	\$ 70.00
Suture Vicryl 3-0 J787D	\$ 121.00
Suture Vicryl 4-0 J103T	\$ 77.00
Suture Vicryl 4-0 J743D	\$ 142.00
Suture Vicryl 5-0 J571G	\$ 104.00
Suture Vicryl 6-0 J446G	\$ 109.00
Suture Vicryl 7-0 J546G	\$ 132.00
Suture Vicryl 8-0 J401G	\$ 133.00
Suture Vicryl 9-0 V402G	\$ 166.00
Suture Pilling 2-0 G7-100C9K	\$ 1,198.00
Suture Pilling 2-0 G7-106C9K	\$ 1,380.00
Hemoclip Titanium Lg 004200	\$ 37.00
Suture Dexon 5-0 9536-21	\$ 59.00
Suture Ticron 1 3190-71	\$ 107.00
Suture Ticron 2-0 3336-51	\$ 126.00
Suture Ticron 2-0 3306-56	\$ 842.00
Suture Ticron 2-0 3323-56	\$ 1,194.00
Suture Ticron 5 3027-79	\$ 82.00
Suture Cv-4 Th-26 4N06A	\$ 197.00
Suture Cv7 Ttc9 Ndl 7K02A	\$ 197.00
Floor Mat 83630-2	\$ 81.00
Ligaclip Accuclip Oms-A8	\$ 1,108.00
Seal Scope Warmer C310	\$ 46.00
Connector Quick Spine 55400	\$ 5,198.00
Blade Saw Rec 511.905S	\$ 573.00
Saw Blade 19Mm 519.114S	\$ 597.00
Shield Soft 7024	\$ 286.00
Stapler	\$ 2,424.00
Suture Cv-4 Th-22 3200A	\$ 249.00
Suture Steel 5-0 M653G	\$ 140.00
Suture Steel 2-0 M400G	\$ 116.00
Suture Prolene 7-0 M8304	\$ 388.00
Ligaclip Cart Med Lt202	\$ 180.00
Pcp30 Pcp30	\$ 18.00
Tubing Assembly 314.745S	\$ 3,184.00
Drive Shaft Seal 351.718S	\$ 94.00
Reamer Heads 352.250S	\$ 2,490.00
Cath Connector Straight 45103	\$ 544.00
Bit (Drill)	\$ 1,197.00
Bit (Drill)	\$ 1,198.00
Bit (Drill)	\$ 1,305.00
Isolator Transpolr Pen 6048502	\$ 10,653.00
Blade Str 4.55 Elite 6046722	\$ 818.00
Monoderm Suture 6049037	\$ 142.00
Latitude Curette	\$ 1,567.00
Guide Wire	\$ 1,219.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Trocar Bladeless	\$ 599.00
Shear Endo 5Mm Longer Shaft	\$ 579.00
Dissector Glidepath	\$ 3,512.00
Tape Glidepath	\$ 1,361.00
Dr. Petrick Cds Pack	\$ 3,856.00
Disposable Biopsy Needle	\$ 3,404.00
Probe Disposable Doppler	\$ 3,604.00
Laparoscopic Tubing	\$ 88.00
Ace Harmnic Crvd Shears Ace36E	\$ 3,412.00
Set Irrg 4Lead Lat Fr 15239-01	\$ 128.00
Incircle Monarch 3Cm 03-48315U	\$ 9,100.00
Malyugin Ring	\$ 2,032.00
Micor Clip 30-Cartrdg Gem2431	\$ 1,205.00
Tip .9Mm Micro Purp Tip	\$ 458.00
Probe Vitrectomy Inf	\$ 1,023.00
Wrench Hex	\$ 435.00
Pump Refill Kit	\$ 241.00
Needle Interject 6026567	\$ 276.00
Pks Molly Forceps	\$ 1,265.00
Disposable Handswitch	\$ 387.00
Combo Blade & Hook	\$ 1,874.00
Ace Harmonic Handpiece	\$ 2,890.00
Laser Fiber 365 #6018597	\$ 3,572.00
Tube Beveled Grommet	\$ 142.00
Thermal Collagen Wand	\$ 2,636.00
Joint Device (Hip)	\$ 22,216.00
Saw Blade	\$ 652.00
Blade Patella Reamer	\$ 1,256.00
Coupler Ves Blue 1.5 6047652	\$ 1,755.00
Kit Instrument	\$ 1,677.00
Kit Instrument	\$ 1,371.00
Ligasure Impact 36Mm	\$ 4,983.00
Cap Mini 6"" Transfer Set	\$ 476.00
Fixation Dev Permasorb #113092	\$ 1,869.00
Relieva Spacr Strats Bc1017Rs	\$ 5,222.00
Relieva Hndle Gde Cath Sdkk01	\$ 492.00
Fiber W/ Needle 6050196	\$ 620.00
Trocar 900-800 Apple 6019763	\$ 257.00
Instrumnt 1.2Mm Scope 24-3000	\$ 3,362.00
Sleeve Drill 5Mm-11Mm Ocd-05	\$ 1,980.00
Blade Patella Reaming 38Mm	\$ 1,431.00
Colostomy Kit 70Mm	\$ 76.00
Set Basin Dbl	\$ 75.00
Suture Monoderm 2-0 6051929	\$ 189.00
Clip Horizon Medium 24 6039109	\$ 112.00
Suture Spec.9-0 Prolene D8229	\$ 803.00
Suture Spec.9-0 Prolene D8225	\$ 1,006.00
Trocar Endo Disp 5Mm COQ10	\$ 92.00
Trocar Endo Disp 5&12Mm	\$ 192.00
Trocar Endo Disp 15Mm COR37	\$ 425.00
Trocar Lap Blunt 10Mm COR47	\$ 263.00
Chloraprep With Tint	\$ 66.00
Ligaclip	\$ 152.00
Ligaclip	\$ 60.00
Ligaclip	\$ 49.00
Cannula12Mm Stability	\$ 140.00
Trocar Threaded 12 X 100	\$ 274.00
Wand Reflex Ultra 45	\$ 1,830.00
Cannula Nonthreaded 5Mm-12Mm	\$ 92.00
Bowl Cement Mixevac Iii	\$ 354.00
Cement Mixing Gun	\$ 163.00
App Flex Tip EviceI	\$ 212.00
App Surgiflo Matrix Endo 24Cm	\$ 403.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Cutter Mole Ring 5Mm	\$ 10,275.00
Fixation System Sorbafix 15	\$ 3,612.00
Pusher Knot Meniscal	\$ 1,023.00
App Rigid Tip Evice	\$ 320.00
Drill (Tip)	\$ 553.00
White Disposable Tip	\$ 302.00
Lavender Disposable Tip	\$ 302.00
Pack Setup	\$ 75.00
Baha Drilling Unit	\$ 6,091.00
Kit Vaso View Vh-3000	\$ 6,231.00
Clip Absorbable Vicryl	\$ 1,377.00
Fixation Device Permasorb Lp	\$ 3,943.00
Clip Resolution	\$ 1,387.00
Forcep Ped W/O Ndl	\$ 300.00
Schanz Screw 4X100	\$ 2,273.00
Hakim Programmable Valve	\$ 18,082.00
Set Pump Angiojet	\$ 2,032.00
Sheath Endoscrub 45 Deg	\$ 378.00
Device Novasure Disposable	\$ 7,053.00
Occluder Vas Flore 1.00	\$ 575.00
Suture Shuttle 45 Deg L	\$ 1,039.00
Bur Oval	\$ 2,293.00
Blade Skimmer	\$ 2,016.00
Bag Silo 6Cm	\$ 2,194.00
Valve Heart Mitral 25Mm	\$ 26,342.00
Blade Skimmer 2.9Mm 13Cm	\$ 2,658.00
Blade Skimmer 3.5Mm 18Cm	\$ 2,546.00
Bolt Wire Ex-Fix	\$ 365.00
Post Wire Small Ex-Fix	\$ 1,569.00
Electrode	\$ 1,200.00
Tube Lead Insertion	\$ 1,062.00
Drive Motor Sleeve	\$ 241.00
Lina Loop El 160-8	\$ 2,837.00
Disposable Check Flo Adapter	\$ 135.00
Rigid Pneumatic Probe	\$ 1,999.00
Electrode (Miconeedle)	\$ 322.00
Radiopaque Background Suture	\$ 85.00
Bolt Long Connection Extrnl	\$ 104.00
Wire Post Tall Extrnl	\$ 1,790.00
Ring Half 180Mm	\$ 3,603.00
Drl Bit J Ltch/Min 1.1-1.5Mm	\$ 535.00
Magna Ease Valve- Pericardial	\$ 32,105.00
Ring Annuloplasty Physio	\$ 11,878.00
Duraseal Spine Sealant 2-5MI	\$ 4,406.00
Platform Unilateral	\$ 10,088.00
Platform Bilateral	\$ 15,288.00
Probe Laser Flex Tip 23G	\$ 1,387.00
Instrument Cautery Mono 5Mm	\$ 18,860.00
Endo Probe Illumi 25 Ga	\$ 1,922.00
Tool Reduction	\$ 1,622.00
Screwdriver Stage I Disposable	\$ 2,837.00
Lead Cover Boot	\$ 739.00
Recharging System	\$ 10,945.00
Styler Disposable	\$ 3,242.00
Micro Access Tearaway Introd	\$ 143.00
Micro Introducer Sheath	\$ 239.00
Plug li Amplatzer Vasc 10Mm	\$ 5,463.00
Probe Dyonics Eflex Ablator	\$ 3,843.00
Disposable Arth Hip	\$ 2,049.00
Disposable Blade Bone Cutter	\$ 972.00
Kyphx Osteo Introducer System	\$ 7,295.00
Electrode (Subdermal)	\$ 4,353.00
Electrode Grid Subdermal	\$ 6,121.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Forcep Grasper Allig	\$ 1,224.00
Port Sils 5Mm Cann	\$ 3,697.00
Disp Access Kit 4Mm	\$ 1,418.00
Pack Univ Split No Gown	\$ 135.00
Pack Universal	\$ 115.00
Pack Laparoscopy Iv	\$ 107.00
Atriclip 35Mm Ach135	\$ 7,264.00
Dash Retractor Disposable	\$ 523.00
Esophyx2 Tissue Mold R2001	\$ 15,514.00
Esophyx2 Fastener Cart R2165	\$ 3,242.00
Keller Funnel Ks-005	\$ 814.00
Illuminator Sinus Relieva	\$ 3,751.00
Putty Dbx 10Cc	\$ 7,770.00
Probe Stim Magstim Bipolar	\$ 579.00
Lightmat Ultra Thin Flexible	\$ 457.00
Tem Silicone Sealing Inserts	\$ 716.00
Tem Suture Clips	\$ 1,161.00
Tem Tubing Set	\$ 1,224.00
3 Dose Cement Mix System	\$ 957.00
Light Pipe With Pic 20Ga	\$ 515.00
Fenestrated Bipolar Forcep	\$ 2,194.00
Guide Osteotomy Accucut	\$ 700.00
Concorde Bullet Cage	\$ 14,610.00
Pacing Cables Atrial/Ventr	\$ 135.00
Grafton Matrix Strip 1Cmx10Cm	\$ 7,382.00
Suture Vloc 180	\$ 184.00
Bone Mill Blade Disp	\$ 2,675.00
Mc3 Tricuspid Ring	\$ 10,968.00
Endo Gia Crvd Reload Disp	\$ 1,336.00
Aortic Punch Disp	\$ 162.00
Pressure Monitor Disp	\$ 658.00
Irrigation Needle	\$ 192.00
Sms Sugical Monitoring Serv	\$ 5,781.00
Cutter (Linear)	\$ 2,393.00
Secure Strap 25	\$ 3,956.00
Halo Bipolar Cut Forcep Dsp	\$ 3,935.00
Cor Knot Device Dsp	\$ 3,242.00
Cor Knot Loads	\$ 337.00
Cartilage Knife Blade	\$ 118.00
Spatula Bipolar	\$ 2,919.00
Needle Marrow Max	\$ 1,830.00
Endo Retrieval Bag Disposable	\$ 458.00
Electrode Integra Depth 8/10	\$ 3,983.00
Electrode Integra Depth 12	\$ 4,971.00
Tourniquet (Hemoclear)	\$ 739.00
Inlet Closure Ctxl Device	\$ 1,284.00
Burrhole Reservoir Ped Progav	\$ 1,949.00
Shunt Assistant Pedi 10	\$ 6,814.00
Valve Progav	\$ 10,603.00
Valve Ped Flush 15 Progav	\$ 12,913.00
Valve Heart Trifecta	\$ 24,784.00
Grafton Dbm Gel	\$ 657.00
Suture Gortex Cv-8	\$ 226.00
Storm Operating Kit	\$ 4,569.00
Valve Pulmonary Contegra	\$ 22,726.00
Versajet Hydrosurgery Sys	\$ 4,008.00
Kyphon Express Fx Kit	\$ 17,094.00
Osteomed Disposable Battery	\$ 861.00
Battery Pk Single Use Sterile	\$ 1,444.00
Stapler	\$ 3,079.00
Scalpel Bone Blade Ultrasound	\$ 3,742.00
Valve Heart Aortic Epic	\$ 17,548.00
Valve Heart Mitral	\$ 17,548.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Valve Heart Supra Aortic	\$ 16,192.00
Valve Heart Biocor Mitral	\$ 16,192.00
Alexis Wound Protector/Retr	\$ 509.00
Forcep Bipolar Equip	\$ 2,939.00
Catheter Vanschie	\$ 224.00
Peri Strips With Veritas	\$ 1,518.00
Ring Tricuspid 24Mm	\$ 13,681.00
Disp Pad Knee Positioner	\$ 481.00
Bone Marrow Kit	\$ 10,968.00
Pack Graft Delivery	\$ 3,295.00
Myosure Tissue Removal Device	\$ 7,866.00
Aquilex Tubing	\$ 1,023.00
Sheath Acc 13/15Fr	\$ 982.00
Disp Laparoscopic Grasper	\$ 377.00
Kit Marrowstim Concentration	\$ 9,210.00
Pulsavac System Stryker	\$ 404.00
Clip Liga 5Mm	\$ 3,175.00
Stone Basket	\$ 1,474.00
Blade Oscillate	\$ 127.00
Dolphin Collection	\$ 184.00
Endoloop Ovicryl	\$ 825.00
Hand Control Universal	\$ 556.00
Needle Insufflation 120Mm	\$ 125.00
Pack Arthoscop	\$ 152.00
Pack C-Section	\$ 442.00
Pack Ent	\$ 108.00
Pack Shoulder Drape	\$ 226.00
Probe Ablation 3Mm Opes	\$ 1,428.00
Probe J Hook	\$ 276.00
Harmonic Shear Har36	\$ 3,412.00
Trocar Sleeve 5Mm	\$ 239.00
Trocar 5Mm	\$ 869.00
Tube Suction Orthopedic	\$ 133.00
Tubing Arthro Pump	\$ 506.00
Suture Absorbable LvI001	\$ 45.00
Suture Non-Absorbable LvI002	\$ 166.00
Cutter Flip 8.5Mm Ar-1204Af-85	\$ 3,288.00
Guide Set Custom	\$ 7,608.00
Inserter Button Ar2262	\$ 1,432.00
Kit Pleurx Peritoneal Cath	\$ 3,791.00
Kit Wrist Fixation 03.304.322S	\$ 9,490.00
Pad Boot 72200635	\$ 1,166.00
Pin Temp 1.4Mm 58820024	\$ 1,284.00
Reamer 8Mm Headed Ar-1408	\$ 1,954.00
Transfix Kit Ar-1978S	\$ 1,606.00
Trepine Coring 7Mm 900727	\$ 4,228.00
Acl Kit Ar-1897S	\$ 2,659.00
Transfix Drill Ar-1974	\$ 2,067.00
H Graft Allograft 12Mm	\$ 9,657.00
Graft Btb Allograft Fbpl	\$ 11,667.00
Burr Abrader 4.0Mm 72203128	\$ 835.00
Guide Wire .045 Ws1106St	\$ 99.00
Talon Grasper 2.5Mmx160Cm	\$ 1,004.00
Kiwi Procup Dome	\$ 318.00
Suture Vicryl Ct-1 J840 Abs	\$ 119.00
Forcep Open Seal Pk	\$ 1,711.00
Cuff Nerve Collagen/Neuroflex	\$ 11,541.00
Cord Disp Dac Acmi	\$ 164.00
Endoscopic Marker (Spot)	\$ 199.00
Trocar 11Mm Long Ctf31	\$ 266.00
Needle Inject Carr	\$ 316.00
Vcare Cup Med Cervical	\$ 725.00
Coefficient Rumi 3.5	\$ 726.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Proximate Linear Stapler	\$ 1,640.00
Tourniquet 44Inch	\$ 307.00
Tourniquet Disp 12 X 3.5	\$ 202.00
Tourniquet Sp 30 X 4	\$ 265.00
Adaptor Standard 118001	\$ 1,596.00
Cable 4051	\$ 260.00
Cable Extension 8 Ft 5070152-0	\$ 731.00
Clip Stimulation 2012022	\$ 2,622.00
Cover Central Hole 71336500	\$ 731.00
Elecsurg Lap Needle 60-5272-93	\$ 222.00
Follower Heyman Multiple Sizes	\$ 592.00
Kit Mini Concentration	\$ 10,909.00
Kit Accessory Ams 700 72401850	\$ 3,335.00
Kit Interstim Extension 3095	\$ 3,499.00
Kit Maxcess Disposable	\$ 11,076.00
Kit Push Lock 3.5 Ar-1926Ds	\$ 1,781.00
Kit Pushlock 2.5 Ar-1926Bc	\$ 3,583.00
Kit Test Lead 3065-U	\$ 2,166.00
Kit Wrist Fix 04250	\$ 10,333.00
Kit Xlif Nvm5 Disposable	\$ 5,828.00
Kron Manipjecter Ut Mnplatr 6	\$ 222.00
Liner 32Mm 135250	\$ 742.00
Needle Multifire Scorpion Ar-1	\$ 1,732.00
Ntngm 1Step Hydrocoated Ure D	\$ 971.00
Rental Generator 422127	\$ 6,394.00
Shuttle Suture 251005	\$ 1,536.00
Sizer Uterine Rumi 3.0 Kc-Rumi	\$ 726.00
Tissue Vh 2.0MI 921029	\$ 1,403.00
Transurethral Inj Sys 652200	\$ 208.00
Tube Mdllry Align Ring 8Mm	\$ 428.00
Tube Mdllry Align Rng 6.3Mm	\$ 485.00
Pillow Abduction Large	\$ 171.00
Drape Isolation Vertical 6619	\$ 196.00
Plat Retreiver Roth Net Univ	\$ 731.00
Ortholav 9" Splash Shield	\$ 133.00
Tip Blade Switch Cvd 89-5103	\$ 379.00
Needle Homer Mammalok 20Gx10	\$ 277.00
Brace Ankle Gel Universal	\$ 125.00
Ball Electrode 5Mm Diameter	\$ 112.00
Cone Biopsy Excisor 900-155	\$ 180.00
Blade Os 49X63X.6	\$ 157.00
Osc Saw Blade Tn19013790	\$ 555.00
Electrode Cutting Loop	\$ 518.00
Disposabale Pack-Linvatec/Hall	\$ 3,078.00
Suture Prolene 6-0 8305H	\$ 118.00
Fan Tip For Pulsavac	\$ 132.00
Sut Prolene 5-0 9702H	\$ 143.00
Set Drill And Pin	\$ 557.00
Disposable Kit Suturotak	\$ 1,151.00
Blade Aggresv Dis	\$ 522.00
Tiger Loop	\$ 223.00
Hemastat Surgicel	\$ 286.00
Retainer Glassman Viscera	\$ 206.00
Reamer Cannulated	\$ 1,320.00
Sut Prolene Looped	\$ 353.00
Suture Wire Vit	\$ 223.00
Hemostat Surgical 4X8	\$ 458.00
Blade Sinus/Tricut	\$ 846.00
Tisseel Fibrin Sealant 4MI	\$ 1,603.00
Titanium Helical Blade	\$ 7,728.00
Shaper 48/18	\$ 1,931.00
Bakri Balloon	\$ 1,539.00
Ip Mnt Consult 008-022 Min	\$ 66.00

Geisinger Bloomsburg Hospital
PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Ip Mnt Consult 053-067 Min	\$ 264.00
Ip Mnt Consult 038-052 Min	\$ 198.00
Ip Mnt Consult 023-037 Min	\$ 132.00
Ip Diab Ed 008-022 Min	\$ 88.00
Ip Diab Ed 023-037 Min	\$ 175.00
Ip Diab Ed 038-052 Min	\$ 264.00
Ip Diab Ed 053-067 Min	\$ 352.00
Ip Diab Ed 068-082 Min	\$ 440.00
Ip Mnt Consult 068-082 Min	\$ 330.00
Ip Mnt Consult 083-097 Min	\$ 396.00
Ip Mnt Consult 098-112 Min	\$ 462.00
Ip Mnt Consult 113-127 Min	\$ 528.00
Ip Diab Ed 083-097 Min	\$ 528.00
Ip Diab Ed 098-112 Min	\$ 616.00
Ip Diab Ed 113-127 Min	\$ 705.00
Ip Tel-Mnt Consult 008-022 Min	\$ 66.00
Ip Tel-Mnt Consult 023-037 Min	\$ 132.00
Ip Tel-Mnt Consult 038-052 Min	\$ 198.00
Ip Tel-Mnt Consult 053-067 Min	\$ 264.00
Ip Tel-Mnt Consult 068-082 Min	\$ 330.00
Ip Tel-Mnt Consult 083-097 Min	\$ 396.00
Ip Tel-Mnt Consult 098-112 Min	\$ 462.00
Ip Tel-Mnt Consult 113-127 Min	\$ 528.00
Dau Medical Review Officer	\$ 130.00
Paternity Testing/Phleb/Photo	\$ 191.00
Paternity Testing/Phleb/Photo	\$ 191.00
Nitrous Oxide Admin-Hospital	\$ 101.00
Sex Crimes Kit	\$ 143.00
Anesthesia Ed 00-60 Min	\$ 2,427.00
Anesthesia Ed 61-90 Min	\$ 3,237.00
Anesthesia Ed 91-150 Min	\$ 4,650.00
Room & Care/BED - ED Psych Semiprivate	\$ 2,218.00
Room & Care/BED - ED Intensive Care	\$ 3,366.00
Room & Care/BED - ED Private MED Justfd	\$ 1,802.00
Room & Care/BED - ED InterMED Special Care	\$ 3,027.00
Room & Care/BED - ED Semiprivate	\$ 1,802.00
Room & Care/BED - ED Isolation	\$ 2,107.00
Room & Care/BED - ED Telemetry	\$ 3,027.00
Cs Long Arm Splint Adult Fbrgl	\$ 146.00
Cs Long Arm Splint Ped Fbrgl	\$ 80.00
Cs Shrt Arm Splint Adult Fbrgl	\$ 80.00
Cs Shrt Arm Splint Ped Fbrgl	\$ 274.00
Cs Long Leg Splint Adult Fbrgl	\$ 207.00
Cs Short Leg Splnt Adult Fbrgl	\$ 207.00
Cs Short Leg Splnt Ped Fbrgl	\$ 59.00
Finger Splint Static	\$ 542.00
Simple Oxygen Device Initial	\$ 58.00
Glidescope	\$ 727.00
Gvl Disp Blades	\$ 127.00
Refurbished Scope	\$ 260.00
Gvl Stylet	\$ 82.00
Labor Room/Delivery	\$ 2,414.00
Preprd Childbirth	\$ 60.00
Refrsh Childbirth	\$ 20.00
Breastfeed Class	\$ 10.00
Parent Basic Skill	\$ 30.00
Sibling Class	\$ 10.00
Room & Care/BED - Ob/2N Semiprivate	\$ 1,754.00
Room & Care/BED - Ob/2N Private	\$ 1,754.00
Room & Care/BED - Ob/2N Telemetry	\$ 3,027.00
Room & Care/BED - Ob/2N Isolation	\$ 1,754.00
Ob/L&D/2N:Soru/Hr	\$ 210.00
Needle Biopsy Local Bard	\$ 296.00

Geisinger Bloomsburg Hospital

PUBLISHED: January 1, 2019

DESCRIPTION	CHARGE
Device Biopsy Localization	\$ 6,883.00
Needle Breast Local Homer	\$ 620.00