

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Intracardiac echocardiography during therapeutic/diagnostic intervention, including imaging supervision (List separately in addition to code for primary procedure)	\$ 11,074.00
Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without additional quantitative processing	\$ 4,954.00
Computed tomographic angiography, heart, coronary arteries and bypass grafts (when present), with contrast material, including 3D image postprocessing (including evaluation of cardiac structure and morphology, assessment of cardiac function, and evaluation of venous structures, if performed)	\$ 485.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 617.00
Thallium tl-201 thallos chloride, diagnostic, per millicurie	\$ 228.00
Technetium tc-99m tetrofosmin, diagnostic, per study dose	\$ 588.00
Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 573.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 4.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 508.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 3,632.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 6,426.00
Computed tomography, heart, without contrast material, with quantitative evaluation of coronary calcium	\$ 55.00
Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology (including 3D image postprocessing, assessment of cardiac function, and evaluation of venous structures, if performed)	\$ 485.00
Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology in the setting of congenital heart disease (including 3D image postprocessing, assessment of LV cardiac function, RV structure and function and evaluation of venous structures, if performed)	\$ 485.00
Electrocardiogram, routine ECG with at least 12 leads; tracing only, without interpretation and report	\$ 282.00
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; scanning analysis with report	\$ 330.00
Rhythm ECG, 1-3 leads; tracing only without interpretation and report	\$ 192.00
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; recording (includes connection, recording, and disconnection)	\$ 330.00
Transtelephonic rhythm strippacemaker evaluation(s) single, dual, or multiple lead pacemaker system, includes recording with and without magnet application with analysis, review and report(s) by a physician or other qualified health care professional, up to 90 days	\$ 395.00
External electrocardiographic recording for more than 48 hours up to 21 days by continuous rhythm recording and storage; recording (includes connection and initial recording)	\$ 330.00
Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; tracing only, without interpretation and report	\$ 1,273.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, follow-up or limited study	\$ 1,231.00
Evaluation of cardiovascular function with tilt table evaluation, with continuous ECG monitoring and intermittent blood pressure monitoring, with or without pharmacological intervention	\$ 1,373.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); including probe placement, image acquisition, interpretation and report	\$ 3,530.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 1,271.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report; including performance of continuous electrocardiographic monitoring, with supervision by a physician or other qualified health care professional	\$ 1,485.00
Doppler echocardiography, pulsed wave and/or continuous wave with spectral display (List separately in addition to codes for echocardiographic imaging); follow-up or limited study (List separately in addition to codes for echocardiographic imaging)	\$ 546.00
Transthoracic echocardiography for congenital cardiac anomalies; complete	\$ 1,485.00
Transthoracic echocardiography for congenital cardiac anomalies; follow-up or limited study	\$ 1,485.00
Injection, perflutren lipid microspheres, per ml	\$ 552.00
Doppler echocardiography color flow velocity mapping (List separately in addition to codes for echocardiography)	\$ 789.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, with spectral Doppler echocardiography, and with color flow Doppler echocardiography	\$ 2,670.00
Cardioversion, elective, electrical conversion of arrhythmia; external	\$ 1,167.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, without spectral or color Doppler echocardiography	\$ 1,275.00
Doppler echocardiography, pulsed wave and/or continuous wave with spectral display (List separately in addition to codes for echocardiographic imaging); complete	\$ 604.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, complete, with spectral doppler echocardiography, and with color flow doppler echocardiography	\$ 2,670.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, complete, without spectral or color doppler echocardiography	\$ 1,275.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, follow-up or limited study	\$ 1,231.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 1,271.00
Transthoracic echocardiography, with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report; including performance of continuous electrocardiographic monitoring, with physician supervision	\$ 2,167.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, for congenital cardiac anomalies; complete	\$ 2,167.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, for congenital cardiac anomalies; follow-up or limited study	\$ 2,167.00
Injection, sulfur hexafluoride lipid microspheres, per ml	\$ 96.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; manual	\$ 697.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; using computer-assisted technology	\$ 341.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each multiplex probe stain procedure	\$ 2,315.00
Electron microscopy, diagnostic	\$ 723.00
Phlebotomy, therapeutic (separate procedure)	\$ 323.00
Direct admission of patient for hospital observation care	\$ 543.00
Room & Care/Bed - Telemetry/8M Semiprivate	\$ 3,804.00
Room & Care/Bed - Telemetry/8M Intensive Care	\$ 13,226.00
Room & Care/Bed - Telemetry/8M Intermed Special Care	\$ 6,702.00
Room & Care/Bed - Telemetry/8M Cardiac Intensive Care	\$ 13,226.00
Room & Care/Bed - Telemetry/8M Private	\$ 3,804.00
Room & Care/Bed - Telemetry/8M Isolation	\$ 13,587.00
Room & Care/Bed - Telemetry/8M Telemetry	\$ 3,804.00
Room & Care/Bed - Telemetry/8M Private Med Justfd	\$ 3,804.00
Hospital observation service, per hour	\$ 609.00
Surgical overnight recovery, per hour	\$ 609.00
Collection of venous blood by venipuncture	\$ 23.00
Transfusion, blood or blood components	\$ 2,080.00
Collection of blood specimen using established central or peripheral catheter, venous, not otherwise specified	\$ 301.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 510.00
Bladder irrigation, simple, lavage and/or instillation	\$ 714.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 330.00
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 210.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 523.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 68.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 818.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 92.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); additional sequential infusion of a new drug/substance, up to 1 hour (List separately in addition to code for primary procedure)	\$ 272.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); concurrent infusion (List separately in addition to code for primary procedure)	\$ 54.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 147.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intravenous push, single or initial substance/drug	\$ 321.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of a new substance/drug (List separately in addition to code for primary procedure)	\$ 115.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of the same substance/drug provided in a facility (List separately in addition to code for primary procedure)	\$ 140.00
Irrigation of implanted venous access device for drug delivery systems	\$ 459.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Administration of influenza virus vaccine	\$ 95.00
Administration of pneumococcal vaccine	\$ 95.00
Direct admission of patient for hospital observation care	\$ 397.00
Room & Care/Bed - Med-Surg/7M Semiprivate	\$ 2,002.00
Room & Care/Bed - Med-Surg/7M Private	\$ 2,304.00
Room & Care/Bed - Med-Surg/7M Isolation	\$ 2,542.00
Room & Care/Bed - Med-Surg/7M Private Med Justfd	\$ 2,002.00
Room & Care/Bed - Med-Surg/7M Telemetry	\$ 2,002.00
Room & Care/Bed - Med-Surg/7M Intensive Care	\$ 12,520.00
Room & Care/Bed - Med-Surg/7M Intermed Special Care	\$ 5,987.00
Room & Care/Bed - Med-Surg/7M Cardiac Intensive Care	\$ 12,520.00
Hospital observation service, per hour	\$ 438.00
Surgical overnight recovery, per hour	\$ 438.00
Catheterization for collection of specimen, single patient, all places of service	\$ 88.00
Room & Care/Bed - Med-Surg/7E Semiprivate	\$ 2,002.00
Room & Care/Bed - Med-Surg/7E Private	\$ 2,304.00
Room & Care/Bed - Med-Surg/7E Isolation	\$ 2,542.00
Room & Care/Bed - Med-Surg/7E Telemetry	\$ 2,002.00
Room & Care/Bed - Med-Surg/7E Private Med Justfd	\$ 2,002.00
Room & Care/Bed - Med-Surg/7E Intensive Care	\$ 12,520.00
Room & Care/Bed - Med-Surg/7E Intermed Special Care	\$ 5,987.00
Room & Care/Bed - Med-Surg/7E Cardiac Intensive Care	\$ 12,520.00
Room & Care/Bed - Bhext/1M Isolation	\$ 3,562.00
Room & Care/Bed - Bhext/1M Private Med Justfd	\$ 3,562.00
Room & Care/Bed - Bhext/1M Psych Semiprivate	\$ 2,760.00
Room & Care/Bed - Bhext/1M Psych Private Med Justfd	\$ 3,562.00
Room & Care/Bed - Bhacute/1M Psych Semiprivate	\$ 2,760.00
Room & Care/Bed - Bhacute/1M Psych Private Med Justfd	\$ 3,562.00
Room & Care/Bed - Bhacute/1M Isolation	\$ 3,562.00
Room & Care/Bed - Bhacute/1M Private Med Justfd	\$ 3,562.00
Room & Care/Bed - Pediatrics/4M Semiprivate	\$ 2,020.00
Room & Care/Bed - Pediatrics/4M Isolation	\$ 2,310.00
Room & Care/Bed - Pediatrics/4M Telemetry	\$ 2,020.00
Room & Care/Bed - Pediatrics/4M Private	\$ 2,572.00
Room & Care/Bed - Pediatrics/4M Private Med Justfd	\$ 2,572.00
Room & Care/Bed - Pediatrics/4M Intermed Special Care	\$ 14,806.00
Room & Care/Bed - Pediatrics/4M Cardiac Intensive Care	\$ 14,806.00
Room & Care/Bed - Pediatrics/4M Intensive Care	\$ 14,806.00
Room & Care/Bed - Nursery	\$ 1,228.00
Room & Care/Bed - Adult Icu/8 Telemetry	\$ 12,520.00
Room & Care/Bed - Adult Icu/8 Intensive Care	\$ 12,520.00
Room & Care/Bed - Adult Icu/8 Private Med Justfd	\$ 12,520.00
Room & Care/Bed - Adult Icu/8 Intermed Special Care	\$ 6,702.00
Room & Care/Bed - Adult Icu/8 Cardiac Intensive Care	\$ 12,520.00
Room & Care/Bed - Adult Icu/8 Private	\$ 12,520.00
Room & Care/Bed - Adult Icu/8 Semiprivate	\$ 3,081.00
Room & Care/Bed - Adult Icu/8 Isolation	\$ 12,953.00
Hospital observation service, per hour	\$ 656.00
Surgical overnight recovery, per hour	\$ 656.00
Direct admission of patient for hospital observation care	\$ 1,065.00
Organ donor bed	\$ 3,802.00
Room & Care/Bed - Adult Icu/2 Intensive Care	\$ 12,520.00
Room & Care/Bed - Adult Icu/2 Intermed Special Care	\$ 6,702.00
Room & Care/Bed - Adult Icu/2 Semiprivate	\$ 3,081.00
Room & Care/Bed - Adult Icu/2 Isolation	\$ 12,953.00
Room & Care/Bed - Adult Icu/2 Private	\$ 12,520.00
Room & Care/Bed - Adult Icu/2 Telemetry	\$ 12,520.00
Room & Care/Bed - Adult Icu/2 Private Med Justfd	\$ 12,520.00
Room & Care/Bed - Adult Icu/2 Cardiac Intensive Care	\$ 12,520.00
Room & Care/Bed - Cvicu/Hh2 Intensive Care	\$ 12,520.00
Room & Care/Bed - Cvicu/Hh2 Intermed Special Care	\$ 6,702.00
Room & Care/Bed - Cvicu/Hh2 Semiprivate	\$ 3,081.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Room & Care/Bed - Cvicu/Hh2 Isolation	\$ 12,953.00
Room & Care/Bed - Cvicu/Hh2 Cardiac Intensive Care	\$ 12,520.00
Room & Care/Bed - Cvicu/Hh2 Telemetry	\$ 12,520.00
Room & Care/Bed - Cvicu/Hh2 Private	\$ 12,520.00
Room & Care/Bed - Cvicu/Hh2 Private Med Justfd	\$ 12,520.00
Room & Care/Bed - Ortho/6M Isolation	\$ 13,587.00
Room & Care/Bed - Ortho/6M Private	\$ 3,804.00
Room & Care/Bed - Ortho/6M Intensive Care	\$ 12,520.00
Room & Care/Bed - Ortho/6M Intermed Special Care	\$ 6,702.00
Room & Care/Bed - Ortho/6M Semiprivate	\$ 2,002.00
Room & Care/Bed - Ortho/6M Telemetry	\$ 3,081.00
Room & Care/Bed - Ortho/6M Private Med Justfd	\$ 3,804.00
Room & Care/Bed - Ortho/6M Cardiac Intensive Care	\$ 13,226.00
Room & Care/Bed - Cardiac/Scu/Hh2 Intermed Special Care	\$ 6,702.00
Room & Care/Bed - Cardiac/Scu/Hh2 Semiprivate	\$ 3,081.00
Room & Care/Bed - Cardiac/Scu/Hh2 Isolation	\$ 7,604.00
Room & Care/Bed - Cardiac/Scu/Hh2 Intensive Care	\$ 12,520.00
Direct admission of patient for hospital observation care	\$ 576.00
Room & Care/Bed - Cardiac/Scu/Hh2 Telemetry	\$ 3,081.00
Room & Care/Bed - Cardiac/Scu/Hh2 Cardiac Intensive Care	\$ 12,520.00
Room & Care/Bed - Cardiac/Scu/Hh2 Private	\$ 5,902.00
Room & Care/Bed - Cardiac/Scu/Hh2 Private Med Justfd	\$ 5,902.00
Room & Care/Bed - Med-Surg/4M Private	\$ 2,304.00
Room & Care/Bed - Med-Surg/4M Semiprivate	\$ 2,002.00
Room & Care/Bed - Med-Surg/4M Isolation	\$ 2,542.00
Room & Care/Bed - Med-Surg/4M Telemetry	\$ 2,002.00
Room & Care/Bed - Med-Surg/4M Intensive Care	\$ 12,520.00
Room & Care/Bed - Med-Surg/4M Private Med Justfd	\$ 2,002.00
Room & Care/Bed - Med-Surg/4M Intermed Special Care	\$ 5,987.00
Room & Care/Bed - Med-Surg/4M Cardiac Intensive Care	\$ 12,520.00
Room & Care/Bed - Med-Surg/6M Semiprivate	\$ 2,002.00
Room & Care/Bed - Med-Surg/6M Private	\$ 2,304.00
Room & Care/Bed - Med-Surg/6M Private Med Justfd	\$ 2,002.00
Room & Care/Bed - Med-Surg/6M Isolation	\$ 2,542.00
Room & Care/Bed - Med-Surg/6M Telemetry	\$ 2,002.00
Room & Care/Bed - Med-Surg/6M Intermed Special Care	\$ 5,987.00
Room & Care/Bed - Med-Surg/6M Cardiac Intensive Care	\$ 12,520.00
Room & Care/Bed - Med-Surg/6M Intensive Care	\$ 12,520.00
Room & Care/Bed - Nicu/3M Isolation	\$ 14,806.00
Room & Care/Bed - Nicu/3M Neonatal Special Care	\$ 7,420.00
Room & Care/Bed - Nicu/3M Neonatal Intensive Care	\$ 14,806.00
Room & Care/Bed - Nicu/3M Nursery	\$ 2,415.00
Initiation of selective head or total body hypothermia in the critically ill neonate, includes appropriate patient selection by review of clinical, imaging and laboratory data, confirmation of esophageal temperature probe location, evaluation of amplitude EEG, supervision of controlled hypothermia, and assessment of patient tolerance of cooling	\$ 775.00
Therapeutic apheresis; for plasma pheresis	\$ 4,018.00
Hemodialysis procedure with single evaluation by a physician or other qualified health care professional	\$ 1,519.00
Inpatient CAPD	\$ 1,093.00
Inpatient Dialysis 7Am-7Pm	\$ 1,587.00
Inpatient Dialysis 7Pm-7Am	\$ 1,880.00
Inpatient CRRT Machine Setup (Davita)	\$ 428.00
Inpatient CRRT Machine/24Hr (Davita)	\$ 619.00
Inpatient CRRT Nursing Svc 000-060Min	\$ 330.00
Inpatient CRRT Nursing Svc 061-120Min	\$ 569.00
Inpatient CRRT Nursing Svc 121-180Min	\$ 850.00
Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes	\$ 175.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 220.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 330.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 330.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital ip/observation, each subsequent day	\$ 3,392.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital ip/observation, initial day	\$ 3,723.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; first hour	\$ 1,271.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital ip/observation, each subsequent day	\$ 2,935.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital ip/observation, initial day	\$ 4,226.00
Intrapulmonary surfactant administration by a physician or other qualified health care professional through endotracheal tube	\$ 115.00
Unlisted pulmonary service or procedure	\$ 168.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 268.00
Inhale Bronch Chal No Pft'S	\$ 947.00
Unlisted pulmonary service or procedure	\$ 140.00
Plethysmography for determination of lung volumes and, when performed, airway resistance	\$ 915.00
Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes	\$ 91.00
Tracheotomy tube change prior to establishment of fistula tract	\$ 243.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 273.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 158.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 231.00
#REF!	\$ 523.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 140.00
Pulmonary stress testing (eg, 6-minute walk test), including measurement of heart rate, oximetry, and oxygen titration, when performed	\$ 443.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 1,899.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 1,476.00
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 115.00
Noninvasive ear or pulse oximetry for oxygen saturation; by continuous overnight monitoring (separate procedure)	\$ 657.00
Arterial puncture, withdrawal of blood for diagnosis	\$ 115.00
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 677.00
Carbon dioxide, expired gas determination by infrared analyzer	\$ 256.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; each additional hour (List separately in addition to code for primary procedure)	\$ 176.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 268.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 60.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 140.00
Catheter aspiration (separate procedure); tracheobronchial with fiberscope, bedside	\$ 475.00
Intubation, endotracheal, emergency procedure	\$ 600.00
Unlisted pulmonary service or procedure	\$ 420.00
Pulmonary compliance study (eg, plethysmography, volume and pressure measurements)	\$ 420.00
Respiratory flow volume loop	\$ 444.00
Maximum breathing capacity, maximal voluntary ventilation	\$ 110.00
Muscle testing, manual (separate procedure) with report; extremity (excluding hand) or trunk	\$ 111.00
Aerosol inhalation of pentamidine for pneumocystis carinii pneumonia treatment or prophylaxis	\$ 178.00
Exercise test for bronchospasm, including pre- and post-spirometry, electrocardiographic recording(s), and pulse oximetry	\$ 443.00
Bronchospasm provocation evaluation, multiple spirometric determinations as in 94010, with administered agents (eg, antigen[s], cold air, methacholine)	\$ 947.00
Bronchodilation responsiveness, spirometry as in 94010, pre- and post-bronchodilator administration	\$ 1,065.00
Gas dilution or washout for determination of lung volumes and, when performed, distribution of ventilation and closing volumes	\$ 335.00
Diffusing capacity (eg, carbon monoxide, membrane) (List separately in addition to code for primary procedure)	\$ 1,065.00
Cardiopulmonary resuscitation (eg, in cardiac arrest)	\$ 1,644.00
Tracheostomy, planned (separate procedure)	\$ 115.00
Pulmonary rehabilitation, including exercise (includes monitoring), one hour, per session, up to two sessions per day	\$ 463.00
Therapeutic procedures to increase strength or endurance of respiratory muscles, face to face, one on one, each 15 minutes (includes monitoring)	\$ 118.00
Therapeutic procedures to improve respiratory function, other than described by g0237, one on one, face to face, per 15 minutes (includes monitoring)	\$ 208.00
Therapeutic procedures to improve respiratory function or increase strength or endurance of respiratory muscles, two or more individuals (includes monitoring)	\$ 216.00
Pulm Rehab Thr Selfpay/Month	\$ 48.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Pulm Rehab Thr Selfpay/Session	\$ 5.00
Multiple sleep latency or maintenance of wakefulness testing, recording, analysis and interpretation of physiological measurements of sleep during multiple trials to assess sleepiness	\$ 3,705.00
Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, attended by a technologist	\$ 6,181.00
Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, with initiation of continuous positive airway pressure therapy or bilevel ventilation, attended by a technologist	\$ 7,410.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 118.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 103.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 169.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 195.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 219.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 45.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 101.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 233.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 261.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 280.00
Sleep study, unattended, simultaneous recording; minimum of heart rate, oxygen saturation, and respiratory analysis (eg, by airflow or peripheral arterial tone)	\$ 704.00
Sleep study, simultaneous recording of ventilation, respiratory effort, ECG or heart rate, and oxygen saturation, attended by a technologist	\$ 3,297.00
Polysomnography; younger than 6 years, sleep staging with 4 or more additional parameters of sleep, attended by a technologist	\$ 6,181.00
Polysomnography; younger than 6 years, sleep staging with 4 or more additional parameters of sleep, with initiation of continuous positive airway pressure therapy or bi-level ventilation, attended by a technologist	\$ 7,410.00
Sleep study, unattended, simultaneous recording of, heart rate, oxygen saturation, respiratory airflow, and respiratory effort (eg, thoracoabdominal movement)	\$ 704.00
Home sleep test (hst) with type iii portable monitor, unattended; minimum of 4 channels: 2 respiratory movement/airflow, 1 ecg/heart rate and 1 oxygen saturation	\$ 704.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 48.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 108.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 248.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 278.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 298.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 126.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 110.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 180.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 208.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 164.00
Anesthesia Disbursement - 000-030 Min	\$ 1,693.00
Anesthesia Disbursement - 031-090 Min	\$ 1,815.00
Anesthesia Disbursement - 091-150 Min	\$ 1,987.00
Anesthesia Disbursement - 151-210 Min	\$ 2,116.00
Anesthesia Disbursement - 211-270 Min	\$ 2,180.00
Anesthesia Disbursement - 271-330 Min	\$ 2,653.00
Anesthesia Disbursement - 331-390 Min	\$ 3,149.00
Anesthesia Disbursement - 391-450 Min	\$ 3,451.00
Anesthesia Disbursement - 451-510 Min	\$ 3,765.00
Anesthesia Disbursement - 511-570 Min	\$ 4,093.00
Anesthesia Disbursement - 571-630 Min	\$ 4,429.00
Anesthesia Disbursement - 631-690 Min	\$ 4,733.00
Injection, epidural, of blood or clot patch	\$ 2,185.00
Intubation, endotracheal, emergency procedure	\$ 1,189.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); placement of transesophageal probe only	\$ 494.00
Insertion and placement of flow directed catheter (eg, Swan-Ganz) for monitoring purposes	\$ 753.00
Arterial catheterization or cannulation for sampling, monitoring or transfusion (separate procedure); percutaneous	\$ 197.00
Insertion of non-tunneled centrally inserted central venous catheter; age 5 years or older	\$ 2,299.00
Spinal puncture, lumbar, diagnostic	\$ 556.00
Injection, anesthetic agent; brachial plexus, single	\$ 703.00
Injection, anesthetic agent; axillary nerve	\$ 703.00
Injection, anesthetic agent; sciatic nerve, single	\$ 558.00
Injection, anesthetic agent; femoral nerve, single	\$ 558.00
Injection, anesthetic agent; other peripheral nerve or branch	\$ 558.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; without imaging guidance	\$ 2,107.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)	\$ 2,107.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); without imaging guidance	\$ 2,107.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)	\$ 2,107.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; without imaging guidance	\$ 1,674.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)	\$ 1,674.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); without imaging guidance	\$ 1,674.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)	\$ 1,674.00
Insertion of non-tunneled centrally inserted central venous catheter; younger than 5 years of age	\$ 2,258.00
Collection of venous blood by venipuncture	\$ 22.00
Recovery room time - 000-030 Min	\$ 658.00
Recovery room time - 031-060 Min	\$ 879.00
Recovery room time - 061-090 Min	\$ 951.00
Recovery room time - 091-120 Min	\$ 1,134.00
Recovery room time - 121-150 Min	\$ 1,463.00
Recovery room time - 151-180 Min	\$ 1,673.00
Recovery room time - 181-210 Min	\$ 1,793.00
Recovery room time - 211-240 Min	\$ 2,088.00
Recovery room time - 241-270 Min	\$ 2,341.00
Recovery room time - 271-300 Min	\$ 2,415.00
Pre-operative preparation: 000-030 Min	\$ 529.00
Pre-operative preparation: 031-060 Min	\$ 793.00
Pre-operative preparation: 061-090 Min	\$ 938.00
Pre-operative preparation: 091-120 Min	\$ 1,126.00
Recovery room time - 301-330 Min	\$ 2,487.00
Recovery room time - 331-360 Min	\$ 2,561.00
Recovery room time - 361-390 Min	\$ 2,634.00
Recovery room time - 391-420 Min	\$ 2,707.00
Recovery room time - 421-450 Min	\$ 2,853.00
Recovery room time - 451-480 Min	\$ 3,000.00
Recovery room time - 481-540 Min	\$ 3,147.00
Recovery room time - 541-600 Min	\$ 3,293.00
Recovery room time - 601-660 Min	\$ 3,439.00
Recovery room time - 661-720 Min	\$ 3,586.00
Pre-operative preparation: 121-150 Min	\$ 1,219.00
Pre-operative preparation: 151-180 Min	\$ 1,360.00
Pre-operative preparation: 181-210 Min	\$ 1,501.00
Pre-operative preparation: 241-270 Min	\$ 1,641.00
Pre-operative preparation: 211-240 Min	\$ 1,594.00
Pre-operative preparation: 271-300 Min	\$ 1,688.00
Pre-operative preparation: 301-330 Min	\$ 1,735.00
Pre-operative preparation: 331-360 Min	\$ 1,829.00
Electroconvulsive therapy (includes necessary monitoring)	\$ 581.00
Extended Recovery Per Hour	\$ 1,132.00
Pre-operative preparation: 000-030 Min	\$ 384.00
Pre-operative preparation: 031-060 Min	\$ 577.00
Pre-operative preparation: 061-090 Min	\$ 682.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Pre-operative preparation: 091-120 Min	\$ 818.00
Recovery room time - 000-030 Min	\$ 479.00
Recovery room time - 031-060 Min	\$ 719.00
Recovery room time - 061-090 Min	\$ 865.00
Pre-operative preparation: 121-150 Min	\$ 886.00
Pre-operative preparation: 151-180 Min	\$ 989.00
Pre-operative preparation: 181-210 Min	\$ 1,091.00
Pre-operative preparation: 211-240 Min	\$ 1,159.00
Pre-operative preparation: 241-270 Min	\$ 1,193.00
Pre-operative preparation: 271-300 Min	\$ 1,227.00
Pre-operative preparation: 301-330 Min	\$ 1,420.00
Pre-operative preparation: 331-360 Min	\$ 1,496.00
Phlebotomy, therapeutic (separate procedure)	\$ 322.00
Bladder instillation of anticarcinogenic agent (including retention time)	\$ 714.00
Collection of blood specimen from a completely implantable venous access device	\$ 301.00
Operating Room Time - 000-015 Min	\$ 2,634.00
Operating Room Time - 016-030 Min	\$ 5,614.00
Operating Room Time - 031-045 Min	\$ 7,078.00
Operating Room Time - 046-060 Min	\$ 8,090.00
Operating Room Time - 061-075 Min	\$ 9,842.00
Operating Room Time - 076-090 Min	\$ 10,517.00
Operating Room Time - 091-105 Min	\$ 11,667.00
Operating Room Time - 106-120 Min	\$ 13,568.00
Operating Room Time - 121-135 Min	\$ 14,571.00
Operating Room Time - 136-150 Min	\$ 14,929.00
Operating Room Time - 151-165 Min	\$ 15,650.00
Operating Room Time - 166-180 Min	\$ 16,132.00
Operating Room Time - 181-195 Min	\$ 16,856.00
Operating Room Time - 196-210 Min	\$ 17,766.00
Operating Room Time - 211-225 Min	\$ 18,289.00
Operating Room Time - 226-240 Min	\$ 18,812.00
Operating Room Time - 241-255 Min	\$ 19,857.00
Operating Room Time - 256-270 Min	\$ 20,902.00
Operating Room Time - 271-285 Min	\$ 21,946.00
Operating Room Time - 286-300 Min	\$ 22,992.00
Operating Room Time - 301-315 Min	\$ 25,740.00
Operating Room Time - 316-330 Min	\$ 26,956.00
Operating Room Time - 331-345 Min	\$ 26,127.00
Operating Room Time - 346-360 Min	\$ 27,172.00
Operating Room Time - 361-375 Min	\$ 28,217.00
Operating Room Time - 376-390 Min	\$ 29,936.00
Operating Room Time - 391-405 Min	\$ 31,964.00
Operating Room Time - 406-420 Min	\$ 32,680.00
Operating Room Time - 421-435 Min	\$ 33,420.00
Operating Room Time - 436-450 Min	\$ 34,183.00
Operating Room Time - 451-465 Min	\$ 34,912.00
Operating Room Time - 466-480 Min	\$ 35,651.00
Operating Room Time - 481-495 Min	\$ 36,392.00
Operating Room Time - 496-510 Min	\$ 37,130.00
Operating Room Time - 511-525 Min	\$ 37,870.00
Operating Room Time - 526-540 Min	\$ 38,562.00
Operating Room Time - 541-555 Min	\$ 39,214.00
Operating Room Time - 556-570 Min	\$ 39,868.00
Operating Room Time - 571-585 Min	\$ 40,522.00
Operating Room Time - 586-600 Min	\$ 41,175.00
Operating Room Time - 601-615 Min	\$ 41,830.00
Operating Room Time - 616-630 Min	\$ 42,483.00
Operating Room Time - 631-645 Min	\$ 43,136.00
Operating Room Time - 646-660 Min	\$ 43,792.00
Operating Room Time - 661-675 Min	\$ 44,442.00
Operating Room Time - 676-690 Min	\$ 45,097.00
Operating Room Time - 691-705 Min	\$ 45,751.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Operating Room Time - 706-720 Min	\$ 46,404.00
Operating Room Time - 721-735 Min	\$ 47,059.00
Operating Room Time - 736-750 Min	\$ 47,711.00
Operating Room Time - 751-765 Min	\$ 48,366.00
Operating Room Time - 766-780 Min	\$ 49,019.00
Operating Room Time - 781-795 Min	\$ 49,673.00
Operating Room Time - 796-810 Min	\$ 50,326.00
Operating Room Time - 811-825 Min	\$ 50,978.00
Operating Room Time - 826-840 Min	\$ 51,632.00
Operating Room Time - 841-855 Min	\$ 52,285.00
Operating Room Time - 856-870 Min	\$ 52,941.00
Operating Room Time - 871-885 Min	\$ 53,593.00
Operating Room Time - 886-900 Min	\$ 54,247.00
Operating Room Time - 901-915 Min	\$ 54,901.00
Operating Room Time - 916-930 Min	\$ 55,555.00
Operating Room Time - 931-945 Min	\$ 56,208.00
Operating Room Time - 946-960 Min	\$ 56,862.00
Operating Room Time - 961-975 Min	\$ 57,515.00
Operating Room Time - 976-990 Min	\$ 58,169.00
Operating Room Time - 991-1005 Min	\$ 58,822.00
Operating Room Time - 1006-1020 Min	\$ 58,065.00
Operating Room Time - 1021-1035 Min	\$ 58,703.00
Operating Room Time - 1036-1050 Min	\$ 60,783.00
Operating Room Time - 1051-1065 Min	\$ 61,437.00
Operating Room Time - 1066-1080 Min	\$ 62,091.00
Operating Room Time - 1081-1095 Min	\$ 62,742.00
Operating Room Time - 1096-1110 Min	\$ 63,397.00
Operating Room Time - 1111-1125 Min	\$ 64,050.00
Operating Room Time - 1126-1140 Min	\$ 64,703.00
Operating Room Time - 1141-1155 Min	\$ 65,359.00
Operating Room Time - 1156-1170 Min	\$ 66,012.00
Operating Room Time - 1171-1185 Min	\$ 66,665.00
Operating Room Time - 1186-1200 Min	\$ 67,319.00
Operating Room Time - 1201-1215 Min	\$ 67,971.00
Operating Room Time - 1216-1230 Min	\$ 68,625.00
Operating Room Time - 1231-1245 Min	\$ 69,278.00
Operating Room Time - 1246-1260 Min	\$ 69,933.00
Operating Room Time - 1261-1275 Min	\$ 70,585.00
Operating Room Time - 1276-1290 Min	\$ 71,240.00
Operating Room Time - 1291-1305 Min	\$ 71,894.00
Operating Room Time - 1306-1320 Min	\$ 72,548.00
Operating Room Time - 1321-1335 Min	\$ 73,202.00
Operating Room Time - 1336-1350 Min	\$ 73,855.00
Operating Room Time - 1351-1365 Min	\$ 74,508.00
Operating Room Time - 1366-1380 Min	\$ 75,359.00
Operating Room Time - 1381-1395 Min	\$ 76,209.00
Operating Room Time - 1396-1410 Min	\$ 77,060.00
Operating Room Time - 1411-1425 Min	\$ 77,911.00
Operating Room Time - 1426-1440 Min	\$ 78,762.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 3,875.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 4,125.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 4,375.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 4,625.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 4,875.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 200.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 450.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 750.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 1,050.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 1,350.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 1,375.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 1,625.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 1,875.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 2,125.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 2,375.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 2,625.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 2,875.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 3,125.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 3,375.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 3,625.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 15,625.00
Adhesion barrier	\$ 200.00
Adhesion barrier	\$ 450.00
Adhesion barrier	\$ 750.00
Adhesion barrier	\$ 1,050.00
Adhesion barrier	\$ 1,350.00
Adhesion barrier	\$ 1,375.00
Adhesion barrier	\$ 1,625.00
Adhesion barrier	\$ 1,875.00
Adhesion barrier	\$ 2,125.00
Adhesion barrier	\$ 2,375.00
Adhesion barrier	\$ 2,625.00
Adhesion barrier	\$ 2,875.00
Adhesion barrier	\$ 3,125.00
Adhesion barrier	\$ 3,375.00
Adhesion barrier	\$ 3,625.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 24,875.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 25,125.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 25,375.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 25,625.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 25,875.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 26,125.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 26,375.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 26,625.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 31,125.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 31,375.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 32,625.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 33,125.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 33,375.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 33,625.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 33,875.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 34,125.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 34,375.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 34,625.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 37,875.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 40,625.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 40,875.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 41,875.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 42,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 25,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 25,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 26,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 26,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 26,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 25,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 25,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 36,875.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 45,875.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 46,125.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 46,375.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 46,625.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 49,875.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 50,375.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 51,125.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 51,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, balloon dilatation, non-vascular	\$ 2,875.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 200.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 450.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 750.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 1,050.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 1,350.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 1,375.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 1,625.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 1,875.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 2,125.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 2,375.00
Catheter, drainage	\$ 200.00
Catheter, drainage	\$ 450.00
Catheter, drainage	\$ 750.00
Catheter, drainage	\$ 1,050.00
Catheter, drainage	\$ 1,350.00
Catheter, drainage	\$ 1,375.00
Catheter, drainage	\$ 1,625.00
Catheter, drainage	\$ 1,875.00
Catheter, drainage	\$ 2,125.00
Catheter, drainage	\$ 2,375.00
Catheter, drainage	\$ 2,625.00
Catheter, drainage	\$ 2,875.00
Catheter, drainage	\$ 3,125.00
Catheter, drainage	\$ 3,375.00
Catheter, drainage	\$ 3,625.00
Catheter, drainage	\$ 3,875.00
Catheter, drainage	\$ 4,125.00
Catheter, drainage	\$ 5,875.00
Catheter, drainage	\$ 6,125.00
Catheter, drainage	\$ 6,375.00
Catheter, drainage	\$ 6,625.00
Catheter, drainage	\$ 6,875.00
Catheter, drainage	\$ 11,625.00
Catheter, drainage	\$ 11,875.00
Catheter, drainage	\$ 12,125.00
Catheter, drainage	\$ 12,375.00
Catheter, drainage	\$ 12,625.00
Catheter, drainage	\$ 12,875.00
Catheter, drainage	\$ 13,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 200.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 450.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 750.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,050.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,350.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,875.00
Catheter, hemodialysis/peritoneal, long-term	\$ 200.00
Catheter, hemodialysis/peritoneal, long-term	\$ 450.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,875.00
Catheter, hemodialysis/peritoneal, long-term	\$ 3,125.00
Catheter, hemodialysis/peritoneal, long-term	\$ 3,375.00
Catheter, hemodialysis/peritoneal, long-term	\$ 3,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, hemodialysis/peritoneal, long-term	\$ 3,875.00
Catheter, hemodialysis/peritoneal, long-term	\$ 750.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,050.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,350.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,375.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,625.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,875.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,125.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,375.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,625.00
Catheter, hemodialysis/peritoneal, long-term	\$ 5,625.00
Catheter, hemodialysis/peritoneal, short-term	\$ 1,350.00
Catheter, hemodialysis/peritoneal, short-term	\$ 200.00
Catheter, hemodialysis/peritoneal, short-term	\$ 450.00
Catheter, hemodialysis/peritoneal, short-term	\$ 750.00
Catheter, hemodialysis/peritoneal, short-term	\$ 1,050.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 450.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 750.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 1,050.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 1,350.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 1,375.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 200.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 450.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 750.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 200.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 450.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 750.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,050.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,350.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,375.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,625.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,875.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 2,125.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 2,375.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 2,625.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 2,875.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 3,125.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 3,375.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 3,625.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 3,875.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 4,125.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 4,375.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 4,625.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 4,875.00
Catheter, intradiscal	\$ 1,375.00
Catheter, intradiscal	\$ 1,625.00
Catheter, intradiscal	\$ 1,875.00
Catheter, intradiscal	\$ 2,125.00
Catheter, intradiscal	\$ 2,375.00
Catheter, intradiscal	\$ 2,625.00
Catheter, intraspinal	\$ 750.00
Catheter, intraspinal	\$ 1,050.00
Catheter, intraspinal	\$ 1,350.00
Catheter, intraspinal	\$ 1,625.00
Catheter, intraspinal	\$ 1,875.00
Catheter, intraspinal	\$ 2,125.00
Catheter, intraspinal	\$ 2,375.00
Catheter, intraspinal	\$ 2,625.00
Catheter, intraspinal	\$ 2,875.00
Catheter, occlusion	\$ 200.00
Catheter, occlusion	\$ 450.00
Catheter, occlusion	\$ 750.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, occlusion	\$ 1,050.00
Catheter, occlusion	\$ 1,350.00
Catheter, occlusion	\$ 1,375.00
Catheter, occlusion	\$ 1,625.00
Catheter, occlusion	\$ 1,875.00
Catheter, occlusion	\$ 2,125.00
Catheter, occlusion	\$ 2,375.00
Catheter, thrombectomy/embolectomy	\$ 200.00
Catheter, thrombectomy/embolectomy	\$ 450.00
Catheter, thrombectomy/embolectomy	\$ 750.00
Catheter, thrombectomy/embolectomy	\$ 1,050.00
Catheter, thrombectomy/embolectomy	\$ 1,350.00
Catheter, thrombectomy/embolectomy	\$ 1,375.00
Catheter, thrombectomy/embolectomy	\$ 1,625.00
Catheter, thrombectomy/embolectomy	\$ 1,875.00
Catheter, thrombectomy/embolectomy	\$ 2,125.00
Catheter, thrombectomy/embolectomy	\$ 2,375.00
Catheter, thrombectomy/embolectomy	\$ 2,625.00
Catheter, thrombectomy/embolectomy	\$ 2,875.00
Catheter, thrombectomy/embolectomy	\$ 3,125.00
Catheter, thrombectomy/embolectomy	\$ 3,375.00
Catheter, thrombectomy/embolectomy	\$ 3,625.00
Catheter, thrombectomy/embolectomy	\$ 3,875.00
Catheter, thrombectomy/embolectomy	\$ 4,125.00
Catheter, thrombectomy/embolectomy	\$ 4,375.00
Catheter, thrombectomy/embolectomy	\$ 4,625.00
Catheter, thrombectomy/embolectomy	\$ 4,875.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 200.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 450.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 750.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 1,050.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 1,350.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 1,375.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 1,625.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 1,875.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,125.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,375.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,625.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,875.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 3,125.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 3,375.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 3,625.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 3,875.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 4,125.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 4,375.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 4,625.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 4,875.00
Catheter, ureteral	\$ 200.00
Catheter, ureteral	\$ 450.00
Catheter, ureteral	\$ 750.00
Catheter, ureteral	\$ 1,050.00
Catheter, ureteral	\$ 1,350.00
Catheter, ureteral	\$ 1,375.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 200.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 450.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 750.00
Closure device, vascular (implantable/insertable)	\$ 200.00
Closure device, vascular (implantable/insertable)	\$ 450.00
Closure device, vascular (implantable/insertable)	\$ 750.00
Closure device, vascular (implantable/insertable)	\$ 1,050.00
Closure device, vascular (implantable/insertable)	\$ 1,350.00
Closure device, vascular (implantable/insertable)	\$ 1,375.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Closure device, vascular (implantable/insertable)	\$ 1,625.00
Closure device, vascular (implantable/insertable)	\$ 1,875.00
Closure device, vascular (implantable/insertable)	\$ 2,125.00
Closure device, vascular (implantable/insertable)	\$ 2,375.00
Closure device, vascular (implantable/insertable)	\$ 2,625.00
Closure device, vascular (implantable/insertable)	\$ 2,875.00
Closure device, vascular (implantable/insertable)	\$ 3,125.00
Closure device, vascular (implantable/insertable)	\$ 3,375.00
Connective tissue, human (includes fascia lata)	\$ 200.00
Connective tissue, human (includes fascia lata)	\$ 450.00
Connective tissue, human (includes fascia lata)	\$ 750.00
Connective tissue, human (includes fascia lata)	\$ 1,050.00
Connective tissue, human (includes fascia lata)	\$ 1,350.00
Connective tissue, human (includes fascia lata)	\$ 1,375.00
Connective tissue, human (includes fascia lata)	\$ 1,625.00
Connective tissue, human (includes fascia lata)	\$ 1,875.00
Connective tissue, human (includes fascia lata)	\$ 2,125.00
Connective tissue, human (includes fascia lata)	\$ 2,375.00
Connective tissue, human (includes fascia lata)	\$ 2,625.00
Connective tissue, human (includes fascia lata)	\$ 2,875.00
Connective tissue, human (includes fascia lata)	\$ 3,125.00
Connective tissue, human (includes fascia lata)	\$ 3,375.00
Connective tissue, human (includes fascia lata)	\$ 3,625.00
Connective tissue, human (includes fascia lata)	\$ 3,875.00
Connective tissue, human (includes fascia lata)	\$ 4,125.00
Connective tissue, human (includes fascia lata)	\$ 4,375.00
Connective tissue, human (includes fascia lata)	\$ 4,625.00
Connective tissue, human (includes fascia lata)	\$ 4,875.00
Connective tissue, human (includes fascia lata)	\$ 5,125.00
Connective tissue, human (includes fascia lata)	\$ 5,375.00
Connective tissue, human (includes fascia lata)	\$ 5,625.00
Connective tissue, human (includes fascia lata)	\$ 5,875.00
Connective tissue, human (includes fascia lata)	\$ 6,125.00
Connective tissue, human (includes fascia lata)	\$ 7,375.00
Connective tissue, human (includes fascia lata)	\$ 7,625.00
Connective tissue, human (includes fascia lata)	\$ 7,875.00
Connective tissue, human (includes fascia lata)	\$ 8,125.00
Connective tissue, human (includes fascia lata)	\$ 8,375.00
Connective tissue, human (includes fascia lata)	\$ 8,625.00
Connective tissue, human (includes fascia lata)	\$ 8,875.00
Connective tissue, human (includes fascia lata)	\$ 9,125.00
Connective tissue, human (includes fascia lata)	\$ 9,375.00
Connective tissue, human (includes fascia lata)	\$ 9,625.00
Connective tissue, human (includes fascia lata)	\$ 9,875.00
Connective tissue, human (includes fascia lata)	\$ 10,125.00
Connective tissue, human (includes fascia lata)	\$ 10,375.00
Connective tissue, human (includes fascia lata)	\$ 10,625.00
Connective tissue, human (includes fascia lata)	\$ 23,375.00
Connective tissue, human (includes fascia lata)	\$ 23,625.00
Connective tissue, non-human (includes synthetic)	\$ 200.00
Connective tissue, non-human (includes synthetic)	\$ 450.00
Connective tissue, non-human (includes synthetic)	\$ 750.00
Connective tissue, non-human (includes synthetic)	\$ 1,050.00
Connective tissue, non-human (includes synthetic)	\$ 1,350.00
Connective tissue, non-human (includes synthetic)	\$ 1,375.00
Connective tissue, non-human (includes synthetic)	\$ 1,625.00
Connective tissue, non-human (includes synthetic)	\$ 1,875.00
Connective tissue, non-human (includes synthetic)	\$ 2,125.00
Connective tissue, non-human (includes synthetic)	\$ 2,375.00
Connective tissue, non-human (includes synthetic)	\$ 2,625.00
Connective tissue, non-human (includes synthetic)	\$ 2,875.00
Connective tissue, non-human (includes synthetic)	\$ 3,125.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Connective tissue, non-human (includes synthetic)	\$ 3,375.00
Connective tissue, non-human (includes synthetic)	\$ 3,625.00
Connective tissue, non-human (includes synthetic)	\$ 3,875.00
Connective tissue, non-human (includes synthetic)	\$ 4,125.00
Connective tissue, non-human (includes synthetic)	\$ 4,375.00
Connective tissue, non-human (includes synthetic)	\$ 4,625.00
Connective tissue, non-human (includes synthetic)	\$ 4,875.00
Connective tissue, non-human (includes synthetic)	\$ 5,125.00
Connective tissue, non-human (includes synthetic)	\$ 5,375.00
Connective tissue, non-human (includes synthetic)	\$ 5,625.00
Connective tissue, non-human (includes synthetic)	\$ 5,875.00
Connective tissue, non-human (includes synthetic)	\$ 6,125.00
Connective tissue, non-human (includes synthetic)	\$ 6,375.00
Connective tissue, non-human (includes synthetic)	\$ 6,625.00
Connective tissue, non-human (includes synthetic)	\$ 6,875.00
Connective tissue, non-human (includes synthetic)	\$ 7,125.00
Connective tissue, non-human (includes synthetic)	\$ 7,375.00
Connective tissue, non-human (includes synthetic)	\$ 7,625.00
Connective tissue, non-human (includes synthetic)	\$ 7,875.00
Connective tissue, non-human (includes synthetic)	\$ 8,125.00
Dialysis access system (implantable)	\$ 200.00
Dialysis access system (implantable)	\$ 450.00
Dialysis access system (implantable)	\$ 750.00
Dialysis access system (implantable)	\$ 1,050.00
Dialysis access system (implantable)	\$ 1,350.00
Dialysis access system (implantable)	\$ 1,375.00
Dialysis access system (implantable)	\$ 2,375.00
Dialysis access system (implantable)	\$ 2,625.00
Dialysis access system (implantable)	\$ 4,125.00
Dialysis access system (implantable)	\$ 4,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 200.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 450.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 750.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 1,050.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 1,350.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 1,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 1,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 1,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 2,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 2,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 2,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 2,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 3,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 4,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 5,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 5,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 5,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 5,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 6,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 6,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 6,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 6,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 7,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 7,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 7,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 7,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 8,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 8,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 8,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 8,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 9,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 9,375.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 9,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 9,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 10,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 10,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 10,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 10,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 11,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 11,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 11,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 11,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 12,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 12,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 12,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 12,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 16,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 16,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 16,625.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 200.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 450.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 750.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 1,050.00
Event recorder, cardiac (implantable)	\$ 9,875.00
Event recorder, cardiac (implantable)	\$ 10,125.00
Event recorder, cardiac (implantable)	\$ 10,375.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 200.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 450.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 200.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 450.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 750.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,050.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,350.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 16,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 16,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 16,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 17,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 18,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 19,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 20,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 20,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 20,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 20,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 21,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 21,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 22,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 22,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 22,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 23,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 23,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 23,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 23,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 24,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 24,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 24,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 24,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 26,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 27,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 27,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 27,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 27,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 28,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 28,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 40,125.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 40,375.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 40,625.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 40,875.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 41,125.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 41,375.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 41,625.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 41,875.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 42,125.00
Graft, vascular	\$ 200.00
Graft, vascular	\$ 450.00
Graft, vascular	\$ 750.00
Graft, vascular	\$ 1,050.00
Graft, vascular	\$ 1,350.00
Graft, vascular	\$ 1,375.00
Graft, vascular	\$ 1,625.00
Graft, vascular	\$ 1,875.00
Graft, vascular	\$ 2,125.00
Graft, vascular	\$ 2,375.00
Graft, vascular	\$ 2,625.00
Graft, vascular	\$ 2,875.00
Graft, vascular	\$ 3,125.00
Graft, vascular	\$ 3,375.00
Graft, vascular	\$ 3,625.00
Graft, vascular	\$ 3,875.00
Graft, vascular	\$ 4,125.00
Graft, vascular	\$ 4,375.00
Graft, vascular	\$ 4,625.00
Graft, vascular	\$ 4,875.00
Graft, vascular	\$ 5,125.00
Graft, vascular	\$ 5,375.00
Graft, vascular	\$ 5,625.00
Graft, vascular	\$ 5,875.00
Graft, vascular	\$ 6,125.00
Graft, vascular	\$ 6,375.00
Graft, vascular	\$ 6,625.00
Graft, vascular	\$ 6,875.00
Graft, vascular	\$ 7,125.00
Graft, vascular	\$ 7,375.00
Graft, vascular	\$ 7,625.00
Graft, vascular	\$ 7,875.00
Graft, vascular	\$ 8,125.00
Graft, vascular	\$ 8,375.00
Graft, vascular	\$ 8,625.00
Graft, vascular	\$ 8,875.00
Graft, vascular	\$ 9,125.00
Graft, vascular	\$ 9,375.00
Graft, vascular	\$ 9,625.00
Graft, vascular	\$ 9,875.00
Graft, vascular	\$ 10,125.00
Graft, vascular	\$ 10,375.00
Graft, vascular	\$ 10,625.00
Graft, vascular	\$ 10,875.00
Graft, vascular	\$ 11,125.00
Graft, vascular	\$ 11,375.00
Graft, vascular	\$ 11,625.00
Graft, vascular	\$ 11,875.00
Graft, vascular	\$ 12,125.00
Graft, vascular	\$ 12,375.00
Graft, vascular	\$ 12,625.00
Graft, vascular	\$ 12,875.00
Graft, vascular	\$ 13,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Graft, vascular	\$ 13,375.00
Graft, vascular	\$ 13,625.00
Graft, vascular	\$ 13,875.00
Graft, vascular	\$ 14,125.00
Graft, vascular	\$ 14,375.00
Graft, vascular	\$ 14,625.00
Graft, vascular	\$ 14,875.00
Graft, vascular	\$ 15,125.00
Graft, vascular	\$ 15,375.00
Graft, vascular	\$ 15,625.00
Graft, vascular	\$ 15,875.00
Graft, vascular	\$ 16,125.00
Graft, vascular	\$ 16,375.00
Graft, vascular	\$ 16,625.00
Graft, vascular	\$ 16,875.00
Graft, vascular	\$ 17,125.00
Graft, vascular	\$ 17,375.00
Graft, vascular	\$ 17,625.00
Graft, vascular	\$ 17,875.00
Graft, vascular	\$ 18,125.00
Graft, vascular	\$ 18,375.00
Graft, vascular	\$ 18,625.00
Graft, vascular	\$ 18,875.00
Graft, vascular	\$ 19,125.00
Graft, vascular	\$ 19,375.00
Graft, vascular	\$ 19,625.00
Graft, vascular	\$ 19,875.00
Graft, vascular	\$ 20,125.00
Graft, vascular	\$ 20,375.00
Graft, vascular	\$ 20,625.00
Graft, vascular	\$ 20,875.00
Graft, vascular	\$ 21,125.00
Graft, vascular	\$ 21,375.00
Graft, vascular	\$ 21,625.00
Graft, vascular	\$ 21,875.00
Graft, vascular	\$ 22,125.00
Graft, vascular	\$ 22,375.00
Graft, vascular	\$ 22,625.00
Graft, vascular	\$ 22,875.00
Graft, vascular	\$ 23,125.00
Graft, vascular	\$ 23,375.00
Graft, vascular	\$ 23,625.00
Graft, vascular	\$ 23,875.00
Graft, vascular	\$ 24,125.00
Graft, vascular	\$ 24,375.00
Graft, vascular	\$ 24,625.00
Graft, vascular	\$ 24,875.00
Graft, vascular	\$ 25,125.00
Graft, vascular	\$ 25,375.00
Graft, vascular	\$ 25,625.00
Graft, vascular	\$ 25,875.00
Graft, vascular	\$ 26,125.00
Graft, vascular	\$ 26,375.00
Graft, vascular	\$ 26,625.00
Graft, vascular	\$ 36,875.00
Graft, vascular	\$ 38,625.00
Graft, vascular	\$ 38,875.00
Graft, vascular	\$ 39,125.00
Graft, vascular	\$ 46,125.00
Guide wire	\$ 200.00
Guide wire	\$ 450.00
Guide wire	\$ 750.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Guide wire	\$ 1,050.00
Guide wire	\$ 1,350.00
Guide wire	\$ 1,375.00
Guide wire	\$ 1,625.00
Guide wire	\$ 1,875.00
Guide wire	\$ 2,125.00
Guide wire	\$ 2,375.00
Guide wire	\$ 2,625.00
Guide wire	\$ 2,875.00
Guide wire	\$ 3,125.00
Guide wire	\$ 3,375.00
Guide wire	\$ 3,625.00
Guide wire	\$ 3,875.00
Guide wire	\$ 4,125.00
Guide wire	\$ 4,375.00
Guide wire	\$ 4,625.00
Guide wire	\$ 4,875.00
Surgical Procedure - Cv Perf Open Heart W/Wo Bypass	\$ 14,382.00
Tissue marker, implantable, any type, each	\$ 1,625.00
Tissue marker, implantable, any type, each	\$ 1,875.00
Tissue marker, implantable, any type, each	\$ 2,125.00
Tissue marker, implantable, any type, each	\$ 2,375.00
Tissue marker, implantable, any type, each	\$ 200.00
Tissue marker, implantable, any type, each	\$ 450.00
Tissue marker, implantable, any type, each	\$ 750.00
Tissue marker, implantable, any type, each	\$ 1,050.00
Tissue marker, implantable, any type, each	\$ 1,350.00
Tissue marker, implantable, any type, each	\$ 1,375.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 200.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 450.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 750.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 1,050.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 1,375.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 1,625.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 1,875.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 2,125.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 2,375.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold putty, integra os osteoconductive scaffold putty), per 0.5 cc	\$ 1,350.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 200.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 450.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 750.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 1,050.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 1,350.00
Implantable neurostimulator, pulse generator, any type	\$ 200.00
Implantable neurostimulator, pulse generator, any type	\$ 450.00
Implantable neurostimulator, pulse generator, any type	\$ 750.00
Implantable neurostimulator, pulse generator, any type	\$ 1,050.00
Infusion pump, non-programmable, temporary (implantable)	\$ 200.00
Infusion pump, non-programmable, temporary (implantable)	\$ 450.00
Infusion pump, non-programmable, temporary (implantable)	\$ 1,350.00
Infusion pump, non-programmable, temporary (implantable)	\$ 1,375.00
Infusion pump, non-programmable, temporary (implantable)	\$ 1,625.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Infusion pump, non-programmable, temporary (implantable)	\$ 1,875.00
Infusion pump, programmable (implantable)	\$ 26,125.00
Infusion pump, programmable (implantable)	\$ 26,375.00
Infusion pump, programmable (implantable)	\$ 26,625.00
Infusion pump, programmable (implantable)	\$ 26,875.00
Infusion pump, programmable (implantable)	\$ 27,125.00
Infusion pump, programmable (implantable)	\$ 27,375.00
Infusion pump, programmable (implantable)	\$ 27,625.00
Refill kit for implantable infusion pump	\$ 200.00
Refill kit for implantable infusion pump	\$ 450.00
Refill kit for implantable infusion pump	\$ 750.00
Infusion pump, non-programmable, permanent (implantable)	\$ 450.00
Infusion pump, non-programmable, permanent (implantable)	\$ 750.00
Infusion pump, non-programmable, permanent (implantable)	\$ 1,050.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 200.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 450.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 750.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,050.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,350.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,375.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,625.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,875.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 2,125.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 2,375.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 2,625.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 200.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 450.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 750.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 200.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 450.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 750.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,050.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,350.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,375.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,625.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,875.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 2,125.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 2,375.00
Joint device (implantable)	\$ 200.00
Joint device (implantable)	\$ 450.00
Joint device (implantable)	\$ 750.00
Joint device (implantable)	\$ 1,050.00
Joint device (implantable)	\$ 1,350.00
Joint device (implantable)	\$ 1,375.00
Joint device (implantable)	\$ 1,625.00
Joint device (implantable)	\$ 1,875.00
Joint device (implantable)	\$ 2,125.00
Joint device (implantable)	\$ 2,375.00
Joint device (implantable)	\$ 2,625.00
Joint device (implantable)	\$ 2,875.00
Joint device (implantable)	\$ 3,125.00
Joint device (implantable)	\$ 3,375.00
Joint device (implantable)	\$ 3,625.00
Joint device (implantable)	\$ 3,875.00
Joint device (implantable)	\$ 4,125.00
Joint device (implantable)	\$ 4,375.00
Joint device (implantable)	\$ 4,625.00
Joint device (implantable)	\$ 4,875.00
Joint device (implantable)	\$ 5,125.00
Joint device (implantable)	\$ 5,375.00
Joint device (implantable)	\$ 5,625.00
Joint device (implantable)	\$ 5,875.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 6,125.00
Joint device (implantable)	\$ 6,375.00
Joint device (implantable)	\$ 6,625.00
Joint device (implantable)	\$ 6,875.00
Joint device (implantable)	\$ 7,125.00
Joint device (implantable)	\$ 7,375.00
Joint device (implantable)	\$ 7,625.00
Joint device (implantable)	\$ 7,875.00
Joint device (implantable)	\$ 8,125.00
Joint device (implantable)	\$ 8,375.00
Joint device (implantable)	\$ 8,625.00
Joint device (implantable)	\$ 8,875.00
Joint device (implantable)	\$ 9,125.00
Joint device (implantable)	\$ 9,375.00
Joint device (implantable)	\$ 9,625.00
Joint device (implantable)	\$ 9,875.00
Joint device (implantable)	\$ 10,125.00
Joint device (implantable)	\$ 10,375.00
Joint device (implantable)	\$ 10,625.00
Joint device (implantable)	\$ 10,875.00
Joint device (implantable)	\$ 11,125.00
Joint device (implantable)	\$ 11,375.00
Joint device (implantable)	\$ 11,625.00
Joint device (implantable)	\$ 11,875.00
Joint device (implantable)	\$ 12,125.00
Joint device (implantable)	\$ 12,375.00
Joint device (implantable)	\$ 12,625.00
Joint device (implantable)	\$ 12,875.00
Joint device (implantable)	\$ 13,125.00
Joint device (implantable)	\$ 13,375.00
Joint device (implantable)	\$ 13,625.00
Joint device (implantable)	\$ 13,875.00
Joint device (implantable)	\$ 14,125.00
Joint device (implantable)	\$ 14,375.00
Joint device (implantable)	\$ 14,625.00
Joint device (implantable)	\$ 14,875.00
Joint device (implantable)	\$ 15,125.00
Joint device (implantable)	\$ 15,375.00
Joint device (implantable)	\$ 15,625.00
Joint device (implantable)	\$ 15,875.00
Joint device (implantable)	\$ 16,125.00
Joint device (implantable)	\$ 16,375.00
Joint device (implantable)	\$ 16,625.00
Joint device (implantable)	\$ 16,875.00
Joint device (implantable)	\$ 17,125.00
Joint device (implantable)	\$ 17,375.00
Joint device (implantable)	\$ 17,625.00
Joint device (implantable)	\$ 17,875.00
Joint device (implantable)	\$ 18,125.00
Joint device (implantable)	\$ 18,375.00
Joint device (implantable)	\$ 18,625.00
Joint device (implantable)	\$ 18,875.00
Joint device (implantable)	\$ 19,125.00
Joint device (implantable)	\$ 19,375.00
Joint device (implantable)	\$ 19,625.00
Joint device (implantable)	\$ 19,875.00
Joint device (implantable)	\$ 20,125.00
Joint device (implantable)	\$ 20,375.00
Joint device (implantable)	\$ 20,625.00
Joint device (implantable)	\$ 20,875.00
Joint device (implantable)	\$ 21,125.00
Joint device (implantable)	\$ 21,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 21,625.00
Joint device (implantable)	\$ 21,875.00
Joint device (implantable)	\$ 22,125.00
Joint device (implantable)	\$ 22,375.00
Joint device (implantable)	\$ 22,625.00
Joint device (implantable)	\$ 22,875.00
Joint device (implantable)	\$ 23,125.00
Joint device (implantable)	\$ 23,375.00
Joint device (implantable)	\$ 23,625.00
Joint device (implantable)	\$ 23,875.00
Joint device (implantable)	\$ 24,125.00
Joint device (implantable)	\$ 24,375.00
Joint device (implantable)	\$ 24,625.00
Joint device (implantable)	\$ 24,875.00
Joint device (implantable)	\$ 25,125.00
Joint device (implantable)	\$ 25,375.00
Joint device (implantable)	\$ 26,875.00
Joint device (implantable)	\$ 27,125.00
Joint device (implantable)	\$ 27,375.00
Joint device (implantable)	\$ 27,625.00
Joint device (implantable)	\$ 27,875.00
Joint device (implantable)	\$ 28,125.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 450.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 750.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 1,050.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 1,350.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 8,125.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 9,375.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 10,875.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 6,375.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 6,625.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 6,875.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 7,125.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 7,375.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 7,625.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 7,875.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 8,125.00
Lead, neurostimulator (implantable)	\$ 200.00
Lead, neurostimulator (implantable)	\$ 450.00
Lead, neurostimulator (implantable)	\$ 750.00
Lead, neurostimulator (implantable)	\$ 1,050.00
Lead, neurostimulator (implantable)	\$ 1,350.00
Lead, neurostimulator (implantable)	\$ 1,375.00
Lead, neurostimulator (implantable)	\$ 1,625.00
Lead, neurostimulator (implantable)	\$ 1,875.00
Lead, neurostimulator (implantable)	\$ 2,125.00
Lead, neurostimulator (implantable)	\$ 2,375.00
Lead, neurostimulator (implantable)	\$ 2,625.00
Lead, neurostimulator (implantable)	\$ 2,875.00
Lead, neurostimulator (implantable)	\$ 9,375.00
Lead, neurostimulator (implantable)	\$ 9,875.00
Lead, neurostimulator (implantable)	\$ 3,125.00
Lead, neurostimulator (implantable)	\$ 3,375.00
Lead, neurostimulator (implantable)	\$ 3,625.00
Lead, neurostimulator (implantable)	\$ 3,875.00
Lead, neurostimulator (implantable)	\$ 4,125.00
Lead, neurostimulator (implantable)	\$ 4,375.00
Lead, neurostimulator (implantable)	\$ 4,625.00
Lead, neurostimulator (implantable)	\$ 4,875.00
Lead, neurostimulator (implantable)	\$ 5,125.00
Lead, neurostimulator (implantable)	\$ 5,375.00
Lead, neurostimulator (implantable)	\$ 5,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Lead, neurostimulator (implantable)	\$ 5,875.00
Lead, neurostimulator (implantable)	\$ 6,125.00
Lead, neurostimulator (implantable)	\$ 6,375.00
Lead, neurostimulator (implantable)	\$ 6,625.00
Lead, neurostimulator (implantable)	\$ 6,875.00
Lead, neurostimulator (implantable)	\$ 7,125.00
Lead, neurostimulator (implantable)	\$ 7,375.00
Lead, neurostimulator (implantable)	\$ 7,625.00
Lead, neurostimulator (implantable)	\$ 7,875.00
Lead, neurostimulator (implantable)	\$ 8,125.00
Lead, neurostimulator (implantable)	\$ 8,375.00
Lead, neurostimulator (implantable)	\$ 8,625.00
Lead, neurostimulator (implantable)	\$ 8,875.00
Lead, neurostimulator (implantable)	\$ 9,125.00
Lead, neurostimulator (implantable)	\$ 9,625.00
Lead, neurostimulator (implantable)	\$ 11,375.00
Lead, neurostimulator (implantable)	\$ 12,875.00
Lead, neurostimulator (implantable)	\$ 13,875.00
Lead, neurostimulator (implantable)	\$ 14,125.00
Lead, neurostimulator (implantable)	\$ 14,625.00
Lead, neurostimulator (implantable)	\$ 15,375.00
Lead, neurostimulator (implantable)	\$ 15,625.00
Lead, neurostimulator (implantable)	\$ 16,125.00
Lead, neurostimulator test kit (implantable)	\$ 4,375.00
Lead, neurostimulator test kit (implantable)	\$ 4,625.00
Lead, neurostimulator test kit (implantable)	\$ 4,875.00
Lead, neurostimulator test kit (implantable)	\$ 200.00
Lead, neurostimulator test kit (implantable)	\$ 450.00
Lead, neurostimulator test kit (implantable)	\$ 750.00
Lead, neurostimulator test kit (implantable)	\$ 1,050.00
Lead, neurostimulator test kit (implantable)	\$ 1,350.00
Lead, neurostimulator test kit (implantable)	\$ 1,375.00
Lead, neurostimulator test kit (implantable)	\$ 1,625.00
Lead, neurostimulator test kit (implantable)	\$ 1,875.00
Lead, neurostimulator test kit (implantable)	\$ 2,125.00
Lead, neurostimulator test kit (implantable)	\$ 2,375.00
Lead, neurostimulator test kit (implantable)	\$ 2,625.00
Lead, neurostimulator test kit (implantable)	\$ 2,875.00
Lead, neurostimulator test kit (implantable)	\$ 3,125.00
Lead, neurostimulator test kit (implantable)	\$ 3,375.00
Lead, neurostimulator test kit (implantable)	\$ 3,625.00
Lead, neurostimulator test kit (implantable)	\$ 3,875.00
Lead, neurostimulator test kit (implantable)	\$ 4,125.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 200.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 450.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 750.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 1,050.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 1,350.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 1,375.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 1,625.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 1,875.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 2,125.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 2,375.00
Lead, pacemaker, transvenous vdd single pass	\$ 200.00
Lead, pacemaker, transvenous vdd single pass	\$ 450.00
Lead, pacemaker, transvenous vdd single pass	\$ 1,350.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 3.00
High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml	\$ 4.00
#REF!	\$ 5,625.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 3.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 200.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 450.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 750.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,050.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,350.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,875.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 2,125.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 2,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 2,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 2,875.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,125.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,875.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,125.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 4,875.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 5,125.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 5,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 5,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 5,875.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,125.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,875.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 7,125.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 7,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 7,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 7,875.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,125.00
Morcellator	\$ 1,050.00
Morcellator	\$ 1,350.00
Morcellator	\$ 1,375.00
Morcellator	\$ 1,625.00
Morcellator	\$ 1,875.00
Morcellator	\$ 2,125.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 200.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 450.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 750.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 1,050.00
Infusion, normal saline solution , 1000 cc	\$ 200.00
Infusion, normal saline solution , 1000 cc	\$ 450.00
Ocular device, intraoperative, detached retina	\$ 200.00
Ocular device, intraoperative, detached retina	\$ 450.00
Ocular device, intraoperative, detached retina	\$ 750.00
Ocular device, intraoperative, detached retina	\$ 1,050.00
Ocular device, intraoperative, detached retina	\$ 1,350.00
Ocular device, intraoperative, detached retina	\$ 1,375.00
Ocular device, intraoperative, detached retina	\$ 1,625.00
Ocular device, intraoperative, detached retina	\$ 1,875.00
Patient programmer, neurostimulator	\$ 2,125.00
Patient programmer, neurostimulator	\$ 2,375.00
Patient programmer, neurostimulator	\$ 2,625.00
Patient programmer, neurostimulator	\$ 2,875.00
Patient programmer, neurostimulator	\$ 3,125.00
Patient programmer, neurostimulator	\$ 3,375.00
Port, indwelling (implantable)	\$ 750.00
Port, indwelling (implantable)	\$ 1,050.00
Port, indwelling (implantable)	\$ 1,350.00
Port, indwelling (implantable)	\$ 1,375.00
Port, indwelling (implantable)	\$ 1,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Port, indwelling (implantable)	\$ 1,875.00
Port, indwelling (implantable)	\$ 2,125.00
Port, indwelling (implantable)	\$ 2,375.00
Port, indwelling (implantable)	\$ 2,625.00
Port, indwelling (implantable)	\$ 2,875.00
Port, indwelling (implantable)	\$ 3,125.00
Port, indwelling (implantable)	\$ 3,375.00
Port, indwelling (implantable)	\$ 3,625.00
Port, indwelling (implantable)	\$ 3,875.00
Port, indwelling (implantable)	\$ 4,125.00
Port, indwelling (implantable)	\$ 6,125.00
Port, indwelling (implantable)	\$ 6,375.00
Port, indwelling (implantable)	\$ 6,625.00
Port, indwelling (implantable)	\$ 6,875.00
Port, indwelling (implantable)	\$ 7,125.00
Port, indwelling (implantable)	\$ 7,375.00
Port, indwelling (implantable)	\$ 7,625.00
Port, indwelling (implantable)	\$ 7,875.00
Port, indwelling (implantable)	\$ 8,125.00
Port, indwelling (implantable)	\$ 8,375.00
Port, indwelling (implantable)	\$ 8,625.00
Ossicula implant	\$ 200.00
Ossicula implant	\$ 450.00
Ossicula implant	\$ 750.00
Ossicula implant	\$ 1,050.00
Ossicula implant	\$ 1,350.00
Ossicula implant	\$ 1,375.00
Ossicula implant	\$ 1,625.00
Ossicula implant	\$ 1,875.00
Ossicula implant	\$ 2,125.00
Ossicula implant	\$ 2,375.00
Ossicula implant	\$ 2,625.00
Probe/needle, cryoablation	\$ 4,875.00
Probe/needle, cryoablation	\$ 5,125.00
Probe/needle, cryoablation	\$ 5,375.00
Probe/needle, cryoablation	\$ 5,625.00
Probe/needle, cryoablation	\$ 5,875.00
Probe/needle, cryoablation	\$ 6,125.00
Probe/needle, cryoablation	\$ 6,375.00
Probe/needle, cryoablation	\$ 6,625.00
Probe/needle, cryoablation	\$ 6,875.00
Probe/needle, cryoablation	\$ 7,125.00
Probe/needle, cryoablation	\$ 7,375.00
Probe/needle, cryoablation	\$ 7,625.00
Probe/needle, cryoablation	\$ 7,875.00
Prosthesis, penile, inflatable	\$ 1,375.00
Prosthesis, penile, inflatable	\$ 1,625.00
Prosthesis, penile, inflatable	\$ 1,875.00
Prosthesis, penile, inflatable	\$ 2,125.00
Prosthesis, penile, inflatable	\$ 2,375.00
Prosthesis, penile, inflatable	\$ 4,375.00
Prosthesis, penile, inflatable	\$ 4,625.00
Prosthesis, penile, inflatable	\$ 4,875.00
Prosthesis, penile, inflatable	\$ 5,125.00
Prosthesis, penile, inflatable	\$ 5,375.00
Prosthesis, penile, inflatable	\$ 18,625.00
Prosthesis, breast (implantable)	\$ 200.00
Prosthesis, breast (implantable)	\$ 450.00
Prosthesis, breast (implantable)	\$ 1,050.00
Prosthesis, breast (implantable)	\$ 1,350.00
Prosthesis, breast (implantable)	\$ 1,375.00
Prosthesis, breast (implantable)	\$ 1,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Prosthesis, breast (implantable)	\$ 1,875.00
Prosthesis, breast (implantable)	\$ 2,125.00
Prosthesis, breast (implantable)	\$ 2,375.00
Prosthesis, breast (implantable)	\$ 2,625.00
Prosthesis, breast (implantable)	\$ 2,875.00
Prosthesis, breast (implantable)	\$ 3,125.00
Prosthesis, breast (implantable)	\$ 3,375.00
Prosthesis, breast (implantable)	\$ 3,625.00
Prosthesis, breast (implantable)	\$ 3,875.00
Prosthesis, breast (implantable)	\$ 4,125.00
Prosthesis, breast (implantable)	\$ 4,375.00
Prosthesis, breast (implantable)	\$ 4,625.00
Prosthesis, breast (implantable)	\$ 4,875.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 3,125.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 3,375.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 3,625.00
Repair device, urinary, incontinence, with sling graft	\$ 1,375.00
Repair device, urinary, incontinence, with sling graft	\$ 1,625.00
Repair device, urinary, incontinence, with sling graft	\$ 1,875.00
Repair device, urinary, incontinence, with sling graft	\$ 2,125.00
Repair device, urinary, incontinence, with sling graft	\$ 2,375.00
Repair device, urinary, incontinence, with sling graft	\$ 2,625.00
Repair device, urinary, incontinence, with sling graft	\$ 2,875.00
Repair device, urinary, incontinence, with sling graft	\$ 3,125.00
Repair device, urinary, incontinence, with sling graft	\$ 3,375.00
Repair device, urinary, incontinence, with sling graft	\$ 3,625.00
Repair device, urinary, incontinence, with sling graft	\$ 3,875.00
Repair device, urinary, incontinence, with sling graft	\$ 4,125.00
Repair device, urinary, incontinence, with sling graft	\$ 4,375.00
Repair device, urinary, incontinence, with sling graft	\$ 4,625.00
Repair device, urinary, incontinence, with sling graft	\$ 4,875.00
Repair device, urinary, incontinence, with sling graft	\$ 5,125.00
Repair device, urinary, incontinence, with sling graft	\$ 5,375.00
Repair device, urinary, incontinence, with sling graft	\$ 5,625.00
Repair device, urinary, incontinence, with sling graft	\$ 5,875.00
Repair device, urinary, incontinence, with sling graft	\$ 6,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 200.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 450.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 750.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 1,050.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 1,350.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 1,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 1,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 1,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 4,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 4,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 4,625.00
Retinal tamponade device, silicone oil	\$ 750.00
Retinal tamponade device, silicone oil	\$ 1,050.00
Retinal tamponade device, silicone oil	\$ 1,350.00
Sealant, pulmonary, liquid	\$ 200.00
Sealant, pulmonary, liquid	\$ 450.00
Sealant, pulmonary, liquid	\$ 750.00
Sealant, pulmonary, liquid	\$ 1,050.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Sealant, pulmonary, liquid	\$ 1,350.00
Sealant, pulmonary, liquid	\$ 1,375.00
Sealant, pulmonary, liquid	\$ 1,625.00
Sealant, pulmonary, liquid	\$ 1,875.00
Sealant, pulmonary, liquid	\$ 2,125.00
Sealant, pulmonary, liquid	\$ 2,375.00
Sealant, pulmonary, liquid	\$ 2,625.00
Sealant, pulmonary, liquid	\$ 2,875.00
Sealant, pulmonary, liquid	\$ 3,125.00
Sealant, pulmonary, liquid	\$ 3,375.00
Sealant, pulmonary, liquid	\$ 3,625.00
Sealant, pulmonary, liquid	\$ 3,875.00
Septal defect implant system, intracardiac	\$ 11,625.00
Septal defect implant system, intracardiac	\$ 11,875.00
Septal defect implant system, intracardiac	\$ 12,125.00
Septal defect implant system, intracardiac	\$ 12,375.00
Septal defect implant system, intracardiac	\$ 12,625.00
Septal defect implant system, intracardiac	\$ 12,875.00
Septal defect implant system, intracardiac	\$ 13,125.00
Septal defect implant system, intracardiac	\$ 13,375.00
Septal defect implant system, intracardiac	\$ 13,625.00
Septal defect implant system, intracardiac	\$ 13,875.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 200.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 4,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 4,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 5,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 5,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 5,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 5,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 6,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 6,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 6,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 6,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 7,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 7,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 7,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 7,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 8,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 8,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 8,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 8,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 9,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 9,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 9,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 9,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 10,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 10,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 10,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 10,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 11,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 11,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 11,625.00
Stent, coated/covered, with delivery system	\$ 200.00
Stent, coated/covered, with delivery system	\$ 450.00
Stent, coated/covered, with delivery system	\$ 750.00
Stent, coated/covered, with delivery system	\$ 1,050.00
Stent, coated/covered, with delivery system	\$ 1,350.00
Stent, coated/covered, with delivery system	\$ 1,375.00
Stent, coated/covered, with delivery system	\$ 1,625.00
Stent, coated/covered, with delivery system	\$ 1,875.00
Stent, coated/covered, with delivery system	\$ 2,125.00
Stent, coated/covered, with delivery system	\$ 2,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Stent, non-coronary, temporary, without delivery system	\$ 1,050.00
Stent, non-coronary, temporary, without delivery system	\$ 2,375.00
Stent, non-coronary, temporary, without delivery system	\$ 1,350.00
Stent, non-coronary, temporary, without delivery system	\$ 1,375.00
Stent, non-coronary, temporary, without delivery system	\$ 1,625.00
Stent, non-coronary, temporary, without delivery system	\$ 1,875.00
Stent, non-coronary, temporary, without delivery system	\$ 2,125.00
Stent, non-coronary, temporary, without delivery system	\$ 2,625.00
Stent, non-coronary, temporary, with delivery system	\$ 2,375.00
Stent, non-coronary, temporary, with delivery system	\$ 2,625.00
Stent, non-coronary, temporary, with delivery system	\$ 2,875.00
Stent, non-coronary, temporary, with delivery system	\$ 4,875.00
Stent, non-coronary, temporary, with delivery system	\$ 5,125.00
Stent, non-coronary, temporary, with delivery system	\$ 5,375.00
Stent, non-coronary, temporary, with delivery system	\$ 5,625.00
Stent, non-coronary, temporary, with delivery system	\$ 5,875.00
Stent, non-coronary, temporary, with delivery system	\$ 6,125.00
Stent, non-coronary, temporary, with delivery system	\$ 6,375.00
Stent, non-coronary, temporary, with delivery system	\$ 6,625.00
Stent, non-coated/non-covered, with delivery system	\$ 1,375.00
Stent, non-coated/non-covered, with delivery system	\$ 1,625.00
Stent, non-coated/non-covered, with delivery system	\$ 1,875.00
Stent, non-coated/non-covered, with delivery system	\$ 2,125.00
Stent, non-coated/non-covered, with delivery system	\$ 2,375.00
Stent, non-coated/non-covered, with delivery system	\$ 2,625.00
Stent, non-coated/non-covered, with delivery system	\$ 2,875.00
Stent, non-coated/non-covered, with delivery system	\$ 3,125.00
Stent, non-coated/non-covered, with delivery system	\$ 3,375.00
Stent, non-coated/non-covered, with delivery system	\$ 3,625.00
Stent, non-coated/non-covered, with delivery system	\$ 3,875.00
Stent, non-coated/non-covered, with delivery system	\$ 4,125.00
Stent, non-coated/non-covered, with delivery system	\$ 4,375.00
Stent, non-coated/non-covered, with delivery system	\$ 4,625.00
Stent, non-coated/non-covered, with delivery system	\$ 4,875.00
Stent, non-coated/non-covered, with delivery system	\$ 5,125.00
Stent, non-coated/non-covered, with delivery system	\$ 5,375.00
Stent, non-coated/non-covered, with delivery system	\$ 5,625.00
Stent, non-coated/non-covered, with delivery system	\$ 5,875.00
Stent, non-coated/non-covered, with delivery system	\$ 6,125.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 200.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 450.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 750.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 1,050.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 1,350.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 1,375.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 1,625.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 1,875.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 2,125.00
Intermittent urinary catheter; straight tip, with or without coating (teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	\$ 2,375.00
Closure devices - including sutures, staples and staplers	\$ 1,050.00
Closure devices - including sutures, staples and staplers	\$ 1,350.00
Closure devices - including sutures, staples and staplers	\$ 1,375.00
Closure devices - including sutures, staples and staplers	\$ 1,625.00
Closure devices - including sutures, staples and staplers	\$ 1,875.00
Closure devices - including sutures, staples and staplers	\$ 2,125.00
Closure devices - including sutures, staples and staplers	\$ 2,375.00
Surgical Procedure - IABP Monitoring Per Hour	\$ 269.00
Surgical Procedure - IABP Set Up	\$ 1,517.00
Surgical Procedure - Open Heart Stand By	\$ 3,216.00
Surgical Procedure - Percutaneous Bypass	\$ 4,923.00
Surgical Procedure - Ssep Monitoring Per Minute	\$ 19.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 200.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 450.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 750.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 1,050.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 1,350.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 1,375.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 200.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 450.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 750.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 1,050.00
Vascular graft material, synthetic, implant	\$ 1,350.00
Vascular graft material, synthetic, implant	\$ 1,875.00
Vascular graft material, synthetic, implant	\$ 2,125.00
Vascular graft material, synthetic, implant	\$ 3,125.00
Vascular graft material, synthetic, implant	\$ 3,375.00
Vascular graft material, synthetic, implant	\$ 3,625.00
Vascular graft material, synthetic, implant	\$ 3,875.00
Vascular graft material, synthetic, implant	\$ 6,375.00
Vascular graft material, synthetic, implant	\$ 6,875.00
Vascular graft material, synthetic, implant	\$ 7,125.00
Vascular graft material, synthetic, implant	\$ 7,375.00
Vascular graft material, synthetic, implant	\$ 7,625.00
Vascular graft material, synthetic, implant	\$ 7,875.00
Vena cava filter	\$ 1,350.00
Vena cava filter	\$ 1,375.00
Vena cava filter	\$ 1,625.00
Vena cava filter	\$ 1,875.00
Vena cava filter	\$ 2,125.00
Vena cava filter	\$ 2,375.00
Vena cava filter	\$ 2,625.00
Vena cava filter	\$ 2,875.00
Vena cava filter	\$ 3,125.00
Vena cava filter	\$ 3,375.00
Vena cava filter	\$ 3,625.00
Vena cava filter	\$ 3,875.00
Vena cava filter	\$ 4,125.00
Vena cava filter	\$ 4,375.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 2.00
Closure devices - including sutures, staples and staplers	\$ 200.00
Closure devices - including sutures, staples and staplers	\$ 450.00
Closure devices - including sutures, staples and staplers	\$ 750.00
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 441.84
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 915.30
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 454.66
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 497.07
#REF!	\$ 975.00
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 283.57
Integra bilayer matrix wound dressing (bmwd), per square centimeter	\$ 83.00
Integra bilayer matrix wound dressing (bmwd), per square centimeter	\$ 126.00
Alloderm, per square centimeter	\$ 180.00
Strattice tm, per square centimeter	\$ 146.00
Alloderm, per square centimeter	\$ 130.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 26,875.00
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 19.00
#REF!	\$ 6,125.00
#REF!	\$ 6,375.00
#REF!	\$ 6,625.00
#REF!	\$ 6,875.00
#REF!	\$ 7,125.00
#REF!	\$ 7,375.00
#REF!	\$ 7,625.00
#REF!	\$ 7,875.00
#REF!	\$ 8,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
#REF!	\$ 8,375.00
#REF!	\$ 8,625.00
#REF!	\$ 8,875.00
#REF!	\$ 9,125.00
#REF!	\$ 9,375.00
#REF!	\$ 9,625.00
#REF!	\$ 9,875.00
#REF!	\$ 10,125.00
#REF!	\$ 10,375.00
#REF!	\$ 10,625.00
#REF!	\$ 10,875.00
#REF!	\$ 11,125.00
#REF!	\$ 11,375.00
#REF!	\$ 11,625.00
#REF!	\$ 12,875.00
#REF!	\$ 13,125.00
#REF!	\$ 13,375.00
#REF!	\$ 13,625.00
#REF!	\$ 13,875.00
#REF!	\$ 14,125.00
#REF!	\$ 14,375.00
#REF!	\$ 14,875.00
#REF!	\$ 15,125.00
#REF!	\$ 15,375.00
#REF!	\$ 15,625.00
#REF!	\$ 15,875.00
#REF!	\$ 16,125.00
#REF!	\$ 16,375.00
#REF!	\$ 16,625.00
#REF!	\$ 16,875.00
#REF!	\$ 17,625.00
#REF!	\$ 17,875.00
#REF!	\$ 18,125.00
#REF!	\$ 18,375.00
#REF!	\$ 18,625.00
#REF!	\$ 18,875.00
#REF!	\$ 19,125.00
#REF!	\$ 19,375.00
#REF!	\$ 19,625.00
#REF!	\$ 19,875.00
#REF!	\$ 20,125.00
#REF!	\$ 20,375.00
#REF!	\$ 20,625.00
#REF!	\$ 20,875.00
#REF!	\$ 21,125.00
#REF!	\$ 750.00
#REF!	\$ 1,375.00
#REF!	\$ 2,375.00
#REF!	\$ 200.00
#REF!	\$ 450.00
#REF!	\$ 1,050.00
#REF!	\$ 1,350.00
#REF!	\$ 1,625.00
#REF!	\$ 1,875.00
#REF!	\$ 2,125.00
#REF!	\$ 2,625.00
#REF!	\$ 2,875.00
#REF!	\$ 3,125.00
#REF!	\$ 3,375.00
#REF!	\$ 3,625.00
#REF!	\$ 11,875.00
#REF!	\$ 12,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
#REF!	\$ 12,375.00
#REF!	\$ 12,625.00
#REF!	\$ 3,875.00
#REF!	\$ 4,125.00
#REF!	\$ 4,375.00
#REF!	\$ 4,625.00
#REF!	\$ 4,875.00
#REF!	\$ 5,125.00
#REF!	\$ 5,375.00
#REF!	\$ 5,875.00
#REF!	\$ 14,625.00
Refill kit for implantable infusion pump	\$ 1,050.00
Refill kit for implantable infusion pump	\$ 1,350.00
Refill kit for implantable infusion pump	\$ 1,375.00
Refill kit for implantable infusion pump	\$ 1,625.00
Refill kit for implantable infusion pump	\$ 1,875.00
Refill kit for implantable infusion pump	\$ 2,125.00
Refill kit for implantable infusion pump	\$ 2,375.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 200.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 1,625.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 1,875.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 2,125.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 2,375.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 2,625.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 2,875.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 3,125.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 3,375.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 3,625.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 3,875.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 4,125.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 4,375.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 4,625.00
Implantable access catheter, (e.g., venous, arterial, epidural subarachnoid, or peritoneal, etc.) external access	\$ 4,875.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 1,050.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 1,350.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 1,375.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 1,625.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 1,875.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 2,125.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 2,375.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 2,625.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 2,875.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 3,125.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 3,375.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 3,625.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 3,875.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 4,125.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 4,375.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 4,625.00
Indwelling catheter; foley type, three way for continuous irrigation, each	\$ 4,875.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 1,050.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 1,350.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 1,375.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 1,625.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 1,875.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 2,125.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 2,375.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 1,350.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 1,375.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 1,625.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 1,875.00
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 2,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	\$ 2,375.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 750.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 1,050.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 1,350.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 1,375.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 1,625.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 1,875.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 2,125.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 2,375.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 200.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 450.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 750.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 1,050.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 1,350.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 1,375.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 1,625.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 1,875.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 2,125.00
Transparent film, sterile, 16 sq. in. or less, each dressing	\$ 2,375.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 200.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 450.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 750.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 1,050.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 1,350.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 1,375.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 1,625.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 1,875.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 2,125.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 2,375.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 200.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 450.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 750.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 1,050.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 1,350.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 1,375.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 1,625.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 1,875.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 2,125.00
Light compression bandage, elastic, knitted/woven, width greater than or equal to five inches, per yard	\$ 2,375.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 1,350.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 1,375.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 1,625.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 1,875.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 2,125.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 2,375.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 1,350.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 1,375.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 1,625.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 1,875.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 2,125.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 2,375.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,625.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,875.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 2,125.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 2,375.00
Catheter, transluminal atherectomy, directional	\$ 200.00
Catheter, transluminal atherectomy, directional	\$ 450.00
Catheter, transluminal atherectomy, directional	\$ 750.00
Catheter, transluminal atherectomy, directional	\$ 1,050.00
Catheter, transluminal atherectomy, directional	\$ 1,350.00
Catheter, transluminal atherectomy, directional	\$ 1,375.00
Catheter, transluminal atherectomy, directional	\$ 1,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Cardioverter-defibrillator, single chamber (implantable)	\$ 41,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 41,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 41,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 42,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 42,375.00
Catheter, transluminal atherectomy, rotational	\$ 3,625.00
Catheter, transluminal atherectomy, rotational	\$ 3,875.00
Catheter, transluminal atherectomy, rotational	\$ 4,125.00
Catheter, transluminal atherectomy, rotational	\$ 4,375.00
Catheter, transluminal atherectomy, rotational	\$ 4,625.00
Catheter, transluminal atherectomy, rotational	\$ 4,875.00
Catheter, transluminal atherectomy, rotational	\$ 5,125.00
Catheter, transluminal atherectomy, rotational	\$ 5,375.00
Catheter, transluminal atherectomy, rotational	\$ 5,625.00
Catheter, transluminal atherectomy, rotational	\$ 5,875.00
Catheter, transluminal atherectomy, rotational	\$ 6,125.00
Catheter, transluminal atherectomy, rotational	\$ 6,375.00
Catheter, transluminal atherectomy, rotational	\$ 6,625.00
Catheter, transluminal atherectomy, rotational	\$ 6,875.00
Catheter, transluminal atherectomy, rotational	\$ 7,125.00
Catheter, transluminal atherectomy, rotational	\$ 7,375.00
Catheter, transluminal atherectomy, rotational	\$ 7,625.00
Catheter, transluminal atherectomy, rotational	\$ 7,875.00
Catheter, transluminal atherectomy, rotational	\$ 8,125.00
Catheter, transluminal atherectomy, rotational	\$ 8,375.00
Catheter, transluminal atherectomy, rotational	\$ 8,625.00
Catheter, transluminal atherectomy, rotational	\$ 8,875.00
Catheter, transluminal atherectomy, rotational	\$ 9,125.00
Catheter, transluminal atherectomy, rotational	\$ 9,375.00
Catheter, transluminal atherectomy, rotational	\$ 9,625.00
Catheter, balloon dilatation, non-vascular	\$ 3,125.00
Catheter, balloon dilatation, non-vascular	\$ 3,375.00
Catheter, balloon dilatation, non-vascular	\$ 3,625.00
Catheter, balloon dilatation, non-vascular	\$ 3,875.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 2,625.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 2,875.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 3,125.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 3,375.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 3,625.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 3,875.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 4,125.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 4,375.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 4,625.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 4,875.00
Catheter, intravascular ultrasound	\$ 200.00
Catheter, intravascular ultrasound	\$ 450.00
Catheter, intravascular ultrasound	\$ 750.00
Catheter, intravascular ultrasound	\$ 1,050.00
Catheter, intravascular ultrasound	\$ 1,350.00
Catheter, intravascular ultrasound	\$ 1,375.00
Catheter, intravascular ultrasound	\$ 1,625.00
Catheter, intravascular ultrasound	\$ 1,875.00
Catheter, intravascular ultrasound	\$ 2,125.00
Catheter, intravascular ultrasound	\$ 2,375.00
Catheter, intravascular ultrasound	\$ 2,625.00
Catheter, intravascular ultrasound	\$ 2,875.00
Catheter, intravascular ultrasound	\$ 3,125.00
Catheter, intravascular ultrasound	\$ 3,375.00
Catheter, intravascular ultrasound	\$ 3,625.00
Catheter, intravascular ultrasound	\$ 3,875.00
Catheter, intravascular ultrasound	\$ 4,125.00
Catheter, intravascular ultrasound	\$ 4,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, intravascular ultrasound	\$ 4,625.00
Catheter, intravascular ultrasound	\$ 4,875.00
Catheter, drainage	\$ 4,375.00
Catheter, drainage	\$ 4,625.00
Catheter, drainage	\$ 4,875.00
Catheter, drainage	\$ 5,125.00
Catheter, drainage	\$ 5,375.00
Catheter, drainage	\$ 5,625.00
Catheter, drainage	\$ 7,125.00
Catheter, drainage	\$ 7,375.00
Catheter, drainage	\$ 7,625.00
Catheter, drainage	\$ 7,875.00
Catheter, drainage	\$ 8,125.00
Catheter, drainage	\$ 8,375.00
Catheter, drainage	\$ 8,625.00
Catheter, drainage	\$ 8,875.00
Catheter, drainage	\$ 9,125.00
Catheter, drainage	\$ 9,375.00
Catheter, drainage	\$ 9,625.00
Catheter, drainage	\$ 9,875.00
Catheter, drainage	\$ 10,125.00
Catheter, drainage	\$ 10,375.00
Catheter, drainage	\$ 10,625.00
Catheter, drainage	\$ 10,875.00
Catheter, drainage	\$ 11,125.00
Catheter, drainage	\$ 11,375.00
Catheter, drainage	\$ 13,375.00
Catheter, drainage	\$ 13,625.00
Catheter, drainage	\$ 13,875.00
Catheter, drainage	\$ 14,125.00
Catheter, drainage	\$ 14,375.00
Catheter, drainage	\$ 14,625.00
Catheter, drainage	\$ 14,875.00
Catheter, hemodialysis/peritoneal, long-term	\$ 4,125.00
Catheter, hemodialysis/peritoneal, long-term	\$ 4,375.00
Catheter, hemodialysis/peritoneal, long-term	\$ 4,625.00
Catheter, hemodialysis/peritoneal, long-term	\$ 4,875.00
Catheter, hemodialysis/peritoneal, long-term	\$ 5,125.00
Catheter, hemodialysis/peritoneal, long-term	\$ 5,375.00
Catheter, hemodialysis/peritoneal, long-term	\$ 5,875.00
Catheter, hemodialysis/peritoneal, long-term	\$ 6,125.00
Catheter, hemodialysis/peritoneal, short-term	\$ 1,375.00
Catheter, hemodialysis/peritoneal, short-term	\$ 1,625.00
Catheter, hemodialysis/peritoneal, short-term	\$ 1,875.00
Catheter, hemodialysis/peritoneal, short-term	\$ 2,125.00
Catheter, hemodialysis/peritoneal, short-term	\$ 2,375.00
Catheter, hemodialysis/peritoneal, short-term	\$ 2,625.00
Catheter, hemodialysis/peritoneal, short-term	\$ 2,875.00
Catheter, hemodialysis/peritoneal, short-term	\$ 3,125.00
Catheter, hemodialysis/peritoneal, short-term	\$ 3,375.00
Catheter, hemodialysis/peritoneal, short-term	\$ 3,625.00
Catheter, intradiscal	\$ 1,350.00
Catheter, intradiscal	\$ 2,875.00
Catheter, intradiscal	\$ 3,125.00
Catheter, intradiscal	\$ 3,375.00
Catheter, intradiscal	\$ 3,625.00
Catheter, intradiscal	\$ 3,875.00
Catheter, intradiscal	\$ 4,125.00
Catheter, intradiscal	\$ 4,375.00
Catheter, intradiscal	\$ 4,625.00
Catheter, intradiscal	\$ 4,875.00
Catheter, intraspinal	\$ 200.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, intraspinal	\$ 450.00
Catheter, intraspinal	\$ 1,375.00
Catheter, intraspinal	\$ 3,125.00
Catheter, intraspinal	\$ 3,375.00
Catheter, intraspinal	\$ 3,625.00
Catheter, ureteral	\$ 1,625.00
Catheter, ureteral	\$ 1,875.00
Catheter, ureteral	\$ 2,125.00
Catheter, ureteral	\$ 2,375.00
Catheter, ureteral	\$ 2,625.00
Catheter, ureteral	\$ 2,875.00
Catheter, ureteral	\$ 3,125.00
Catheter, ureteral	\$ 3,375.00
Catheter, ureteral	\$ 3,625.00
Closure device, vascular (implantable/insertable)	\$ 3,625.00
Closure device, vascular (implantable/insertable)	\$ 3,875.00
Closure device, vascular (implantable/insertable)	\$ 4,125.00
Closure device, vascular (implantable/insertable)	\$ 4,375.00
Closure device, vascular (implantable/insertable)	\$ 4,625.00
Closure device, vascular (implantable/insertable)	\$ 4,875.00
Connective tissue, human (includes fascia lata)	\$ 6,375.00
Connective tissue, human (includes fascia lata)	\$ 6,625.00
Connective tissue, human (includes fascia lata)	\$ 6,875.00
Connective tissue, human (includes fascia lata)	\$ 7,125.00
Connective tissue, human (includes fascia lata)	\$ 10,875.00
Connective tissue, human (includes fascia lata)	\$ 11,125.00
Connective tissue, human (includes fascia lata)	\$ 11,375.00
Connective tissue, human (includes fascia lata)	\$ 11,625.00
Connective tissue, human (includes fascia lata)	\$ 11,875.00
Connective tissue, human (includes fascia lata)	\$ 12,125.00
Connective tissue, human (includes fascia lata)	\$ 12,375.00
Connective tissue, human (includes fascia lata)	\$ 12,625.00
Connective tissue, human (includes fascia lata)	\$ 12,875.00
Connective tissue, human (includes fascia lata)	\$ 13,125.00
Connective tissue, human (includes fascia lata)	\$ 13,375.00
Connective tissue, human (includes fascia lata)	\$ 13,625.00
Connective tissue, human (includes fascia lata)	\$ 13,875.00
Connective tissue, human (includes fascia lata)	\$ 14,125.00
Connective tissue, human (includes fascia lata)	\$ 14,375.00
Connective tissue, human (includes fascia lata)	\$ 14,625.00
Connective tissue, human (includes fascia lata)	\$ 14,875.00
Connective tissue, human (includes fascia lata)	\$ 15,125.00
Connective tissue, human (includes fascia lata)	\$ 15,375.00
Connective tissue, human (includes fascia lata)	\$ 15,625.00
Connective tissue, human (includes fascia lata)	\$ 15,875.00
Connective tissue, human (includes fascia lata)	\$ 16,125.00
Connective tissue, human (includes fascia lata)	\$ 16,375.00
Connective tissue, human (includes fascia lata)	\$ 16,625.00
Connective tissue, human (includes fascia lata)	\$ 16,875.00
Connective tissue, human (includes fascia lata)	\$ 17,125.00
Connective tissue, human (includes fascia lata)	\$ 17,375.00
Connective tissue, human (includes fascia lata)	\$ 17,625.00
Connective tissue, human (includes fascia lata)	\$ 17,875.00
Connective tissue, human (includes fascia lata)	\$ 18,125.00
Connective tissue, human (includes fascia lata)	\$ 18,375.00
Connective tissue, human (includes fascia lata)	\$ 18,625.00
Connective tissue, human (includes fascia lata)	\$ 18,875.00
Connective tissue, human (includes fascia lata)	\$ 19,125.00
Connective tissue, human (includes fascia lata)	\$ 19,375.00
Connective tissue, human (includes fascia lata)	\$ 19,625.00
Connective tissue, human (includes fascia lata)	\$ 19,875.00
Connective tissue, human (includes fascia lata)	\$ 20,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Connective tissue, human (includes fascia lata)	\$ 20,375.00
Connective tissue, human (includes fascia lata)	\$ 20,625.00
Connective tissue, human (includes fascia lata)	\$ 20,875.00
Connective tissue, human (includes fascia lata)	\$ 21,125.00
Connective tissue, human (includes fascia lata)	\$ 21,375.00
Connective tissue, human (includes fascia lata)	\$ 21,625.00
Connective tissue, human (includes fascia lata)	\$ 21,875.00
Connective tissue, human (includes fascia lata)	\$ 22,125.00
Connective tissue, human (includes fascia lata)	\$ 22,375.00
Connective tissue, human (includes fascia lata)	\$ 22,625.00
Connective tissue, human (includes fascia lata)	\$ 22,875.00
Connective tissue, human (includes fascia lata)	\$ 23,125.00
Connective tissue, human (includes fascia lata)	\$ 23,875.00
Connective tissue, human (includes fascia lata)	\$ 24,125.00
Connective tissue, human (includes fascia lata)	\$ 24,375.00
Connective tissue, human (includes fascia lata)	\$ 24,625.00
Connective tissue, human (includes fascia lata)	\$ 24,875.00
Connective tissue, non-human (includes synthetic)	\$ 8,375.00
Connective tissue, non-human (includes synthetic)	\$ 8,625.00
Connective tissue, non-human (includes synthetic)	\$ 8,875.00
Connective tissue, non-human (includes synthetic)	\$ 9,125.00
Connective tissue, non-human (includes synthetic)	\$ 9,375.00
Connective tissue, non-human (includes synthetic)	\$ 9,625.00
Connective tissue, non-human (includes synthetic)	\$ 9,875.00
Connective tissue, non-human (includes synthetic)	\$ 10,125.00
Connective tissue, non-human (includes synthetic)	\$ 10,375.00
Connective tissue, non-human (includes synthetic)	\$ 10,625.00
Connective tissue, non-human (includes synthetic)	\$ 10,875.00
Connective tissue, non-human (includes synthetic)	\$ 11,125.00
Connective tissue, non-human (includes synthetic)	\$ 11,375.00
Connective tissue, non-human (includes synthetic)	\$ 11,625.00
Connective tissue, non-human (includes synthetic)	\$ 11,875.00
Connective tissue, non-human (includes synthetic)	\$ 12,125.00
Connective tissue, non-human (includes synthetic)	\$ 12,375.00
Event recorder, cardiac (implantable)	\$ 7,375.00
Event recorder, cardiac (implantable)	\$ 7,625.00
Event recorder, cardiac (implantable)	\$ 7,875.00
Event recorder, cardiac (implantable)	\$ 8,125.00
Event recorder, cardiac (implantable)	\$ 8,375.00
Event recorder, cardiac (implantable)	\$ 8,625.00
Event recorder, cardiac (implantable)	\$ 8,875.00
Event recorder, cardiac (implantable)	\$ 9,125.00
Event recorder, cardiac (implantable)	\$ 9,375.00
Event recorder, cardiac (implantable)	\$ 9,625.00
Event recorder, cardiac (implantable)	\$ 10,625.00
Event recorder, cardiac (implantable)	\$ 10,875.00
Event recorder, cardiac (implantable)	\$ 11,125.00
Event recorder, cardiac (implantable)	\$ 11,375.00
Event recorder, cardiac (implantable)	\$ 11,625.00
Event recorder, cardiac (implantable)	\$ 11,875.00
Event recorder, cardiac (implantable)	\$ 12,125.00
Event recorder, cardiac (implantable)	\$ 12,375.00
Adhesion barrier	\$ 3,875.00
Adhesion barrier	\$ 4,125.00
Adhesion barrier	\$ 4,375.00
Adhesion barrier	\$ 4,625.00
Adhesion barrier	\$ 4,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 12,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 12,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 12,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 13,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 13,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Graft, vascular	\$ 31,875.00
Graft, vascular	\$ 32,125.00
Graft, vascular	\$ 32,375.00
Graft, vascular	\$ 32,625.00
Graft, vascular	\$ 32,875.00
Graft, vascular	\$ 33,125.00
Graft, vascular	\$ 33,375.00
Graft, vascular	\$ 33,625.00
Graft, vascular	\$ 33,875.00
Graft, vascular	\$ 34,125.00
Graft, vascular	\$ 34,375.00
Graft, vascular	\$ 34,625.00
Graft, vascular	\$ 34,875.00
Graft, vascular	\$ 35,125.00
Graft, vascular	\$ 35,375.00
Graft, vascular	\$ 35,625.00
Graft, vascular	\$ 35,875.00
Graft, vascular	\$ 36,125.00
Graft, vascular	\$ 36,375.00
Graft, vascular	\$ 36,625.00
Graft, vascular	\$ 37,125.00
Graft, vascular	\$ 37,375.00
Graft, vascular	\$ 37,625.00
Graft, vascular	\$ 37,875.00
Graft, vascular	\$ 38,125.00
Graft, vascular	\$ 38,375.00
Graft, vascular	\$ 39,375.00
Graft, vascular	\$ 39,625.00
Graft, vascular	\$ 39,875.00
Graft, vascular	\$ 40,125.00
Graft, vascular	\$ 40,375.00
Graft, vascular	\$ 40,625.00
Graft, vascular	\$ 40,875.00
Graft, vascular	\$ 41,125.00
Graft, vascular	\$ 41,375.00
Graft, vascular	\$ 41,625.00
Graft, vascular	\$ 41,875.00
Graft, vascular	\$ 42,125.00
Graft, vascular	\$ 42,375.00
Graft, vascular	\$ 42,625.00
Graft, vascular	\$ 42,875.00
Graft, vascular	\$ 43,125.00
Graft, vascular	\$ 43,375.00
Graft, vascular	\$ 43,625.00
Graft, vascular	\$ 43,875.00
Graft, vascular	\$ 44,125.00
Graft, vascular	\$ 44,375.00
Graft, vascular	\$ 44,625.00
Graft, vascular	\$ 44,875.00
Graft, vascular	\$ 45,125.00
Graft, vascular	\$ 45,375.00
Graft, vascular	\$ 45,625.00
Graft, vascular	\$ 45,875.00
Graft, vascular	\$ 46,375.00
Graft, vascular	\$ 46,625.00
Graft, vascular	\$ 46,875.00
Graft, vascular	\$ 47,125.00
Graft, vascular	\$ 47,375.00
Graft, vascular	\$ 47,625.00
Graft, vascular	\$ 47,875.00
Graft, vascular	\$ 48,125.00
Graft, vascular	\$ 48,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Graft, vascular	\$ 48,625.00
Graft, vascular	\$ 48,875.00
Graft, vascular	\$ 49,125.00
Graft, vascular	\$ 49,375.00
Graft, vascular	\$ 49,625.00
Graft, vascular	\$ 49,875.00
Graft, vascular	\$ 50,125.00
Graft, vascular	\$ 50,375.00
Graft, vascular	\$ 50,625.00
Graft, vascular	\$ 50,875.00
Graft, vascular	\$ 51,125.00
Graft, vascular	\$ 51,375.00
Graft, vascular	\$ 51,625.00
Graft, vascular	\$ 51,875.00
Graft, vascular	\$ 52,125.00
Graft, vascular	\$ 52,375.00
Graft, vascular	\$ 52,625.00
Graft, vascular	\$ 52,875.00
Graft, vascular	\$ 53,125.00
Graft, vascular	\$ 53,375.00
Graft, vascular	\$ 53,625.00
Graft, vascular	\$ 53,875.00
Graft, vascular	\$ 54,125.00
Graft, vascular	\$ 54,375.00
Graft, vascular	\$ 54,625.00
Graft, vascular	\$ 54,875.00
Graft, vascular	\$ 55,125.00
Graft, vascular	\$ 55,375.00
Graft, vascular	\$ 55,625.00
Graft, vascular	\$ 55,875.00
Graft, vascular	\$ 56,125.00
Imaging coil, magnetic resonance (insertable)	\$ 200.00
Imaging coil, magnetic resonance (insertable)	\$ 450.00
Imaging coil, magnetic resonance (insertable)	\$ 750.00
Imaging coil, magnetic resonance (insertable)	\$ 1,050.00
Imaging coil, magnetic resonance (insertable)	\$ 1,350.00
Imaging coil, magnetic resonance (insertable)	\$ 1,375.00
Imaging coil, magnetic resonance (insertable)	\$ 1,625.00
Imaging coil, magnetic resonance (insertable)	\$ 1,875.00
Imaging coil, magnetic resonance (insertable)	\$ 2,125.00
Imaging coil, magnetic resonance (insertable)	\$ 2,375.00
Imaging coil, magnetic resonance (insertable)	\$ 2,625.00
Imaging coil, magnetic resonance (insertable)	\$ 2,875.00
Repair device, urinary, incontinence, with sling graft	\$ 200.00
Repair device, urinary, incontinence, with sling graft	\$ 450.00
Repair device, urinary, incontinence, with sling graft	\$ 750.00
Repair device, urinary, incontinence, with sling graft	\$ 1,050.00
Repair device, urinary, incontinence, with sling graft	\$ 1,350.00
Infusion pump, programmable (implantable)	\$ 24,875.00
Infusion pump, programmable (implantable)	\$ 25,125.00
Infusion pump, programmable (implantable)	\$ 25,375.00
Infusion pump, programmable (implantable)	\$ 25,625.00
Infusion pump, programmable (implantable)	\$ 25,875.00
Infusion pump, programmable (implantable)	\$ 27,875.00
Infusion pump, programmable (implantable)	\$ 28,125.00
Infusion pump, programmable (implantable)	\$ 28,375.00
Infusion pump, programmable (implantable)	\$ 28,625.00
Infusion pump, programmable (implantable)	\$ 28,875.00
Infusion pump, programmable (implantable)	\$ 29,125.00
Infusion pump, programmable (implantable)	\$ 29,375.00
Infusion pump, programmable (implantable)	\$ 29,625.00
Infusion pump, programmable (implantable)	\$ 29,875.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 4,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 5,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 5,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 5,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 5,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 6,125.00
Joint device (implantable)	\$ 25,625.00
Joint device (implantable)	\$ 25,875.00
Joint device (implantable)	\$ 26,125.00
Joint device (implantable)	\$ 26,375.00
Joint device (implantable)	\$ 26,625.00
Joint device (implantable)	\$ 28,375.00
Joint device (implantable)	\$ 28,625.00
Joint device (implantable)	\$ 28,875.00
Joint device (implantable)	\$ 29,125.00
Joint device (implantable)	\$ 29,375.00
Joint device (implantable)	\$ 29,625.00
Joint device (implantable)	\$ 29,875.00
Joint device (implantable)	\$ 30,125.00
Joint device (implantable)	\$ 30,375.00
Joint device (implantable)	\$ 30,625.00
Joint device (implantable)	\$ 30,875.00
Joint device (implantable)	\$ 31,125.00
Joint device (implantable)	\$ 31,375.00
Joint device (implantable)	\$ 31,625.00
Joint device (implantable)	\$ 31,875.00
Joint device (implantable)	\$ 32,125.00
Joint device (implantable)	\$ 32,375.00
Joint device (implantable)	\$ 32,625.00
Joint device (implantable)	\$ 32,875.00
Joint device (implantable)	\$ 33,125.00
Joint device (implantable)	\$ 33,375.00
Joint device (implantable)	\$ 33,625.00
Joint device (implantable)	\$ 33,875.00
Joint device (implantable)	\$ 34,125.00
Joint device (implantable)	\$ 34,375.00
Joint device (implantable)	\$ 34,625.00
Joint device (implantable)	\$ 34,875.00
Joint device (implantable)	\$ 35,125.00
Joint device (implantable)	\$ 35,375.00
Joint device (implantable)	\$ 35,625.00
Joint device (implantable)	\$ 35,875.00
Joint device (implantable)	\$ 36,125.00
Joint device (implantable)	\$ 36,375.00
Joint device (implantable)	\$ 36,625.00
Joint device (implantable)	\$ 36,875.00
Joint device (implantable)	\$ 37,125.00
Joint device (implantable)	\$ 37,375.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 4,875.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 5,125.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 5,375.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 5,625.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 5,875.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 6,125.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 8,375.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 8,625.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 8,875.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 9,125.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 9,375.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 9,625.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 9,875.00
Lead, neurostimulator (implantable)	\$ 10,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Lead, neurostimulator (implantable)	\$ 10,375.00
Lead, neurostimulator (implantable)	\$ 10,625.00
Lead, neurostimulator (implantable)	\$ 10,875.00
Lead, neurostimulator (implantable)	\$ 11,125.00
Lead, neurostimulator (implantable)	\$ 11,625.00
Lead, neurostimulator (implantable)	\$ 11,875.00
Lead, neurostimulator (implantable)	\$ 12,125.00
Lead, neurostimulator (implantable)	\$ 12,375.00
Lead, neurostimulator (implantable)	\$ 12,625.00
Lead, neurostimulator (implantable)	\$ 13,125.00
Lead, neurostimulator (implantable)	\$ 13,375.00
Lead, neurostimulator (implantable)	\$ 13,625.00
Lead, neurostimulator (implantable)	\$ 14,375.00
Lead, neurostimulator (implantable)	\$ 14,875.00
Lead, neurostimulator (implantable)	\$ 15,125.00
Lead, neurostimulator (implantable)	\$ 15,875.00
Lead, neurostimulator (implantable)	\$ 16,375.00
Lead, neurostimulator (implantable)	\$ 16,625.00
Lead, neurostimulator (implantable)	\$ 16,875.00
Lead, neurostimulator (implantable)	\$ 17,125.00
Lead, neurostimulator (implantable)	\$ 17,375.00
Lead, neurostimulator (implantable)	\$ 17,625.00
Lead, neurostimulator (implantable)	\$ 17,875.00
Lead, neurostimulator (implantable)	\$ 18,125.00
Lead, neurostimulator (implantable)	\$ 18,375.00
Lead, neurostimulator (implantable)	\$ 18,625.00
Lead, pacemaker, transvenous vdd single pass	\$ 750.00
Lead, pacemaker, transvenous vdd single pass	\$ 1,050.00
Lead, pacemaker, transvenous vdd single pass	\$ 1,375.00
Lead, pacemaker, transvenous vdd single pass	\$ 1,625.00
Lead, pacemaker, transvenous vdd single pass	\$ 1,875.00
Lead, pacemaker, transvenous vdd single pass	\$ 2,125.00
Lead, pacemaker, transvenous vdd single pass	\$ 2,375.00
Lead, pacemaker, transvenous vdd single pass	\$ 2,625.00
Lead, pacemaker, transvenous vdd single pass	\$ 2,875.00
Lead, pacemaker, transvenous vdd single pass	\$ 3,125.00
Lead, pacemaker, transvenous vdd single pass	\$ 3,375.00
Lead, pacemaker, transvenous vdd single pass	\$ 3,625.00
Lead, pacemaker, transvenous vdd single pass	\$ 3,875.00
Lead, pacemaker, transvenous vdd single pass	\$ 4,125.00
Lead, pacemaker, transvenous vdd single pass	\$ 4,375.00
Lead, pacemaker, transvenous vdd single pass	\$ 4,625.00
Lead, pacemaker, transvenous vdd single pass	\$ 4,875.00
Lens, intraocular (new technology)	\$ 200.00
Lens, intraocular (new technology)	\$ 450.00
Lens, intraocular (new technology)	\$ 750.00
Lens, intraocular (new technology)	\$ 1,050.00
Lens, intraocular (new technology)	\$ 1,350.00
Lens, intraocular (new technology)	\$ 1,375.00
Lens, intraocular (new technology)	\$ 1,625.00
Lens, intraocular (new technology)	\$ 1,875.00
Lens, intraocular (new technology)	\$ 2,125.00
Lens, intraocular (new technology)	\$ 2,375.00
Lens, intraocular (new technology)	\$ 2,625.00
Lens, intraocular (new technology)	\$ 2,875.00
Lens, intraocular (new technology)	\$ 3,125.00
Lens, intraocular (new technology)	\$ 3,375.00
Lens, intraocular (new technology)	\$ 3,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 8,875.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 9,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 9,375.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 9,625.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 9,875.00
Morcellator	\$ 200.00
Morcellator	\$ 450.00
Morcellator	\$ 750.00
Morcellator	\$ 2,375.00
Morcellator	\$ 2,625.00
Morcellator	\$ 2,875.00
Morcellator	\$ 3,125.00
Morcellator	\$ 3,375.00
Morcellator	\$ 3,625.00
Morcellator	\$ 3,875.00
Morcellator	\$ 4,125.00
Morcellator	\$ 4,375.00
Morcellator	\$ 4,625.00
Morcellator	\$ 4,875.00
Ocular implant, aqueous drainage assist device	\$ 200.00
Ocular implant, aqueous drainage assist device	\$ 450.00
Ocular implant, aqueous drainage assist device	\$ 750.00
Ocular implant, aqueous drainage assist device	\$ 1,050.00
Ocular implant, aqueous drainage assist device	\$ 1,350.00
Ocular implant, aqueous drainage assist device	\$ 1,375.00
Ocular implant, aqueous drainage assist device	\$ 1,625.00
Ocular implant, aqueous drainage assist device	\$ 1,875.00
Ocular implant, aqueous drainage assist device	\$ 2,125.00
Ocular implant, aqueous drainage assist device	\$ 2,375.00
Ocular implant, aqueous drainage assist device	\$ 2,625.00
Ocular implant, aqueous drainage assist device	\$ 2,875.00
Ocular implant, aqueous drainage assist device	\$ 3,125.00
Ocular implant, aqueous drainage assist device	\$ 3,375.00
Ocular implant, aqueous drainage assist device	\$ 3,625.00
Ocular device, intraoperative, detached retina	\$ 2,125.00
Ocular device, intraoperative, detached retina	\$ 2,375.00
Ocular device, intraoperative, detached retina	\$ 2,625.00
Ocular device, intraoperative, detached retina	\$ 2,875.00
Ocular device, intraoperative, detached retina	\$ 3,125.00
Ocular device, intraoperative, detached retina	\$ 3,375.00
Ocular device, intraoperative, detached retina	\$ 3,625.00
Ocular device, intraoperative, detached retina	\$ 3,875.00
Ocular device, intraoperative, detached retina	\$ 4,125.00
Ocular device, intraoperative, detached retina	\$ 4,375.00
Ocular device, intraoperative, detached retina	\$ 4,625.00
Ocular device, intraoperative, detached retina	\$ 4,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 3,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 3,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 3,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 4,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 4,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 4,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 13,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 13,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 13,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 13,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 14,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 14,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 14,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 14,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 15,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 15,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 15,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 15,875.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 16,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 17,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 17,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 17,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 17,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 18,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 18,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 18,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 18,875.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 19,125.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 19,375.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 19,625.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 19,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 3,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 3,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 4,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 4,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 11,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 12,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 12,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 12,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 12,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 13,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 13,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 13,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 13,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 14,125.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 14,375.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 14,625.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 14,875.00
Patient programmer, neurostimulator	\$ 1,350.00
Patient programmer, neurostimulator	\$ 1,375.00
Patient programmer, neurostimulator	\$ 1,625.00
Patient programmer, neurostimulator	\$ 1,875.00
Patient programmer, neurostimulator	\$ 3,625.00
Patient programmer, neurostimulator	\$ 3,875.00
Patient programmer, neurostimulator	\$ 4,125.00
Patient programmer, neurostimulator	\$ 4,375.00
Patient programmer, neurostimulator	\$ 4,625.00
Patient programmer, neurostimulator	\$ 4,875.00
Port, indwelling (implantable)	\$ 200.00
Port, indwelling (implantable)	\$ 450.00
Port, indwelling (implantable)	\$ 4,375.00
Port, indwelling (implantable)	\$ 4,625.00
Port, indwelling (implantable)	\$ 4,875.00
Port, indwelling (implantable)	\$ 5,125.00
Port, indwelling (implantable)	\$ 5,375.00
Port, indwelling (implantable)	\$ 5,625.00
Port, indwelling (implantable)	\$ 5,875.00
Prosthesis, breast (implantable)	\$ 5,125.00
Prosthesis, breast (implantable)	\$ 5,375.00
Prosthesis, breast (implantable)	\$ 5,625.00
Prosthesis, penile, inflatable	\$ 200.00
Prosthesis, penile, inflatable	\$ 450.00
Prosthesis, penile, inflatable	\$ 750.00
Prosthesis, penile, inflatable	\$ 1,050.00
Prosthesis, penile, inflatable	\$ 1,350.00
Prosthesis, penile, inflatable	\$ 2,625.00
Prosthesis, penile, inflatable	\$ 2,875.00
Prosthesis, penile, inflatable	\$ 3,125.00
Prosthesis, penile, inflatable	\$ 3,375.00
Prosthesis, penile, inflatable	\$ 3,625.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Prosthesis, penile, inflatable	\$ 3,875.00
Prosthesis, penile, inflatable	\$ 4,125.00
Prosthesis, penile, inflatable	\$ 5,625.00
Prosthesis, penile, inflatable	\$ 5,875.00
Prosthesis, penile, inflatable	\$ 6,125.00
Prosthesis, penile, inflatable	\$ 6,375.00
Prosthesis, penile, inflatable	\$ 6,625.00
Prosthesis, penile, inflatable	\$ 6,875.00
Prosthesis, penile, inflatable	\$ 7,125.00
Prosthesis, penile, inflatable	\$ 7,375.00
Prosthesis, penile, inflatable	\$ 7,625.00
Prosthesis, penile, inflatable	\$ 7,875.00
Prosthesis, penile, inflatable	\$ 8,125.00
Prosthesis, penile, inflatable	\$ 8,375.00
Prosthesis, penile, inflatable	\$ 8,625.00
Prosthesis, penile, inflatable	\$ 8,875.00
Prosthesis, penile, inflatable	\$ 9,125.00
Prosthesis, penile, inflatable	\$ 9,375.00
Prosthesis, penile, inflatable	\$ 9,625.00
Prosthesis, penile, inflatable	\$ 9,875.00
Prosthesis, penile, inflatable	\$ 10,125.00
Prosthesis, penile, inflatable	\$ 10,375.00
Prosthesis, penile, inflatable	\$ 10,625.00
Prosthesis, penile, inflatable	\$ 10,875.00
Prosthesis, penile, inflatable	\$ 11,125.00
Prosthesis, penile, inflatable	\$ 11,375.00
Prosthesis, penile, inflatable	\$ 11,625.00
Prosthesis, penile, inflatable	\$ 11,875.00
Prosthesis, penile, inflatable	\$ 12,125.00
Prosthesis, penile, inflatable	\$ 12,375.00
Prosthesis, penile, inflatable	\$ 12,625.00
Prosthesis, penile, inflatable	\$ 12,875.00
Prosthesis, penile, inflatable	\$ 13,125.00
Prosthesis, penile, inflatable	\$ 13,375.00
Prosthesis, penile, inflatable	\$ 13,625.00
Prosthesis, penile, inflatable	\$ 13,875.00
Prosthesis, penile, inflatable	\$ 14,125.00
Prosthesis, penile, inflatable	\$ 14,375.00
Prosthesis, penile, inflatable	\$ 14,625.00
Prosthesis, penile, inflatable	\$ 14,875.00
Prosthesis, penile, inflatable	\$ 15,125.00
Prosthesis, penile, inflatable	\$ 15,375.00
Prosthesis, penile, inflatable	\$ 15,625.00
Prosthesis, penile, inflatable	\$ 15,875.00
Prosthesis, penile, inflatable	\$ 16,125.00
Prosthesis, penile, inflatable	\$ 16,375.00
Prosthesis, penile, inflatable	\$ 16,625.00
Prosthesis, penile, inflatable	\$ 16,875.00
Prosthesis, penile, inflatable	\$ 17,125.00
Prosthesis, penile, inflatable	\$ 17,375.00
Prosthesis, penile, inflatable	\$ 17,625.00
Prosthesis, penile, inflatable	\$ 17,875.00
Prosthesis, penile, inflatable	\$ 18,125.00
Prosthesis, penile, inflatable	\$ 18,375.00
Prosthesis, penile, inflatable	\$ 18,875.00
Prosthesis, penile, inflatable	\$ 19,125.00
Prosthesis, penile, inflatable	\$ 19,375.00
Prosthesis, penile, inflatable	\$ 19,625.00
Prosthesis, penile, inflatable	\$ 19,875.00
Prosthesis, penile, inflatable	\$ 20,125.00
Prosthesis, penile, inflatable	\$ 20,375.00
Prosthesis, penile, inflatable	\$ 20,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Prosthesis, penile, inflatable	\$ 20,875.00
Prosthesis, penile, inflatable	\$ 21,125.00
Prosthesis, penile, inflatable	\$ 21,375.00
Prosthesis, penile, inflatable	\$ 21,625.00
Prosthesis, penile, inflatable	\$ 21,875.00
Prosthesis, penile, inflatable	\$ 22,125.00
Prosthesis, penile, inflatable	\$ 22,375.00
Retinal tamponade device, silicone oil	\$ 200.00
Retinal tamponade device, silicone oil	\$ 450.00
Retinal tamponade device, silicone oil	\$ 1,375.00
Retinal tamponade device, silicone oil	\$ 1,625.00
Retinal tamponade device, silicone oil	\$ 1,875.00
Retinal tamponade device, silicone oil	\$ 2,125.00
Retinal tamponade device, silicone oil	\$ 2,375.00
Retinal tamponade device, silicone oil	\$ 2,625.00
Retinal tamponade device, silicone oil	\$ 2,875.00
Retinal tamponade device, silicone oil	\$ 3,125.00
Retinal tamponade device, silicone oil	\$ 3,375.00
Retinal tamponade device, silicone oil	\$ 3,625.00
Septal defect implant system, intracardiac	\$ 11,125.00
Septal defect implant system, intracardiac	\$ 11,375.00
Septal defect implant system, intracardiac	\$ 14,125.00
Septal defect implant system, intracardiac	\$ 14,375.00
Septal defect implant system, intracardiac	\$ 14,625.00
Septal defect implant system, intracardiac	\$ 14,875.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 32,375.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 32,625.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 32,875.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 33,125.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 33,375.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 33,625.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 33,875.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 34,125.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 34,375.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 34,625.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 34,875.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 35,125.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 35,375.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 35,625.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 35,875.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 36,125.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 36,375.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 36,625.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 36,875.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 37,125.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 37,375.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 42,375.00
Stent, coated/covered, with delivery system	\$ 3,625.00
Stent, coated/covered, with delivery system	\$ 3,875.00
Stent, coated/covered, with delivery system	\$ 4,125.00
Stent, coated/covered, with delivery system	\$ 4,375.00
Stent, coated/covered, with delivery system	\$ 4,625.00
Stent, coated/covered, with delivery system	\$ 4,875.00
Stent, coated/covered, with delivery system	\$ 5,125.00
Stent, coated/covered, with delivery system	\$ 5,375.00
Stent, coated/covered, with delivery system	\$ 5,625.00
Stent, non-coated/non-covered, with delivery system	\$ 200.00
Stent, non-coated/non-covered, with delivery system	\$ 450.00
Stent, non-coated/non-covered, with delivery system	\$ 750.00
Stent, non-coated/non-covered, with delivery system	\$ 1,050.00
Stent, non-coated/non-covered, with delivery system	\$ 1,350.00
Vena cava filter	\$ 200.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Prosthesis, penile, inflatable	\$ 34,375.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 16,125.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 16,375.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 16,625.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 16,875.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 17,125.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 17,375.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 200.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 1,050.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 1,350.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 1,375.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 1,625.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 1,875.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 2,125.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 2,375.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 2,625.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 2,875.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 3,125.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 3,375.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 3,625.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 3,875.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 4,125.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 4,375.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 4,625.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 4,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 5,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 5,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 5,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 5,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 6,125.00
Infusion pump, non-programmable, permanent (implantable)	\$ 200.00
Infusion pump, non-programmable, permanent (implantable)	\$ 1,350.00
Infusion pump, non-programmable, permanent (implantable)	\$ 1,375.00
Infusion pump, non-programmable, permanent (implantable)	\$ 1,625.00
Infusion pump, non-programmable, permanent (implantable)	\$ 1,875.00
Infusion pump, non-programmable, permanent (implantable)	\$ 2,125.00
Infusion pump, non-programmable, permanent (implantable)	\$ 2,375.00
Infusion pump, non-programmable, permanent (implantable)	\$ 2,625.00
Infusion pump, non-programmable, permanent (implantable)	\$ 2,875.00
Infusion pump, non-programmable, permanent (implantable)	\$ 3,125.00
Infusion pump, non-programmable, permanent (implantable)	\$ 3,375.00
Infusion pump, non-programmable, permanent (implantable)	\$ 3,625.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 1,050.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 1,350.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 1,375.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 1,625.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 1,875.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 2,125.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 2,375.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 2,625.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 2,875.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 3,125.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 3,375.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 3,625.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 2,875.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 3,125.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 3,375.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 3,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 13,625.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 13,875.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 14,125.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 14,375.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 14,625.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 14,875.00
Lead, neurostimulator test kit (implantable)	\$ 5,125.00
Lead, neurostimulator test kit (implantable)	\$ 5,375.00
Lead, neurostimulator test kit (implantable)	\$ 5,625.00
Lead, neurostimulator test kit (implantable)	\$ 5,875.00
Lead, neurostimulator test kit (implantable)	\$ 6,125.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 2,625.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 2,875.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 3,125.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 3,375.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 3,625.00
Sealant, pulmonary, liquid	\$ 4,125.00
Sealant, pulmonary, liquid	\$ 4,375.00
Sealant, pulmonary, liquid	\$ 4,625.00
Sealant, pulmonary, liquid	\$ 4,875.00
Stent, non-coronary, temporary, without delivery system	\$ 2,875.00
Stent, non-coronary, temporary, without delivery system	\$ 3,125.00
Stent, non-coronary, temporary, without delivery system	\$ 3,375.00
Stent, non-coronary, temporary, without delivery system	\$ 3,625.00
Stent, non-coronary, temporary, without delivery system	\$ 3,875.00
Stent, non-coronary, temporary, without delivery system	\$ 4,125.00
Stent, non-coronary, temporary, without delivery system	\$ 4,375.00
Stent, non-coronary, temporary, without delivery system	\$ 4,625.00
Stent, non-coronary, temporary, without delivery system	\$ 4,875.00
Probe/needle, cryoablation	\$ 8,125.00
Probe/needle, cryoablation	\$ 8,375.00
Probe/needle, cryoablation	\$ 8,625.00
Probe/needle, cryoablation	\$ 8,875.00
Probe/needle, cryoablation	\$ 9,125.00
Probe/needle, cryoablation	\$ 9,375.00
Probe/needle, cryoablation	\$ 9,625.00
Probe/needle, cryoablation	\$ 9,875.00
Prosthesis, penile, non-inflatable	\$ 200.00
Prosthesis, penile, non-inflatable	\$ 450.00
Prosthesis, penile, non-inflatable	\$ 750.00
Prosthesis, penile, non-inflatable	\$ 1,050.00
Prosthesis, penile, non-inflatable	\$ 1,350.00
Prosthesis, penile, non-inflatable	\$ 1,375.00
Prosthesis, penile, non-inflatable	\$ 1,625.00
Prosthesis, penile, non-inflatable	\$ 1,875.00
Prosthesis, penile, non-inflatable	\$ 2,125.00
Prosthesis, penile, non-inflatable	\$ 2,375.00
Prosthesis, penile, non-inflatable	\$ 2,625.00
Prosthesis, penile, non-inflatable	\$ 2,875.00
Prosthesis, penile, non-inflatable	\$ 3,125.00
Prosthesis, penile, non-inflatable	\$ 3,375.00
Prosthesis, penile, non-inflatable	\$ 3,625.00
Stent, non-coronary, temporary, with delivery system	\$ 1,350.00
Stent, non-coronary, temporary, with delivery system	\$ 1,375.00
Stent, non-coronary, temporary, with delivery system	\$ 1,625.00
Stent, non-coronary, temporary, with delivery system	\$ 1,875.00
Stent, non-coronary, temporary, with delivery system	\$ 2,125.00
Stent, non-coronary, temporary, with delivery system	\$ 6,875.00
Stent, non-coronary, temporary, with delivery system	\$ 7,125.00
Stent, non-coronary, temporary, with delivery system	\$ 7,375.00
Stent, non-coronary, temporary, with delivery system	\$ 7,625.00
Stent, non-coronary, temporary, with delivery system	\$ 7,875.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Stent, non-coronary, temporary, with delivery system	\$ 8,125.00
Stent, non-coronary, temporary, with delivery system	\$ 8,375.00
Stent, non-coronary, temporary, with delivery system	\$ 8,625.00
Stent, non-coronary, temporary, with delivery system	\$ 8,875.00
Stent, non-coronary, temporary, with delivery system	\$ 9,125.00
Stent, non-coronary, temporary, with delivery system	\$ 9,375.00
Stent, non-coronary, temporary, with delivery system	\$ 9,625.00
Stent, non-coronary, temporary, with delivery system	\$ 9,875.00
Infusion pump, non-programmable, temporary (implantable)	\$ 2,125.00
Infusion pump, non-programmable, temporary (implantable)	\$ 2,375.00
Infusion pump, non-programmable, temporary (implantable)	\$ 2,625.00
Infusion pump, non-programmable, temporary (implantable)	\$ 2,875.00
Infusion pump, non-programmable, temporary (implantable)	\$ 3,125.00
Infusion pump, non-programmable, temporary (implantable)	\$ 3,375.00
Infusion pump, non-programmable, temporary (implantable)	\$ 3,625.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 1,375.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 1,625.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 1,875.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 2,125.00
Porous purified collagen matrix bone void filler (integra mozaik osteoconductive scaffold strip), per 0.5 cc	\$ 2,375.00
Infusion, normal saline solution , 1000 cc	\$ 750.00
Infusion, normal saline solution , 1000 cc	\$ 1,050.00
Infusion, normal saline solution , 1000 cc	\$ 1,350.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 450.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 750.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 1,050.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 1,350.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 1,375.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 1,625.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 1,875.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 2,125.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 2,375.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 200.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 450.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 750.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 1,050.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 1,350.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 1,375.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 1,625.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 1,875.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 2,125.00
Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral, any size, any type	\$ 2,375.00
Implantable breast prosthesis, silicone or equal	\$ 200.00
Implantable breast prosthesis, silicone or equal	\$ 450.00
Implantable breast prosthesis, silicone or equal	\$ 750.00
Implantable breast prosthesis, silicone or equal	\$ 1,050.00
Implantable breast prosthesis, silicone or equal	\$ 1,350.00
Implantable breast prosthesis, silicone or equal	\$ 1,375.00
Implantable breast prosthesis, silicone or equal	\$ 1,625.00
Implantable breast prosthesis, silicone or equal	\$ 2,125.00
Implantable breast prosthesis, silicone or equal	\$ 2,375.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 200.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 450.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 750.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 1,050.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 1,350.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 1,375.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 1,625.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 1,875.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 2,125.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 2,375.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 1,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 1,875.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 2,125.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 2,375.00
Ocular implant	\$ 200.00
Ocular implant	\$ 450.00
Ocular implant	\$ 750.00
Ocular implant	\$ 1,050.00
Ocular implant	\$ 1,350.00
Ocular implant	\$ 1,375.00
Ocular implant	\$ 1,625.00
Ocular implant	\$ 1,875.00
Ocular implant	\$ 2,125.00
Ocular implant	\$ 2,375.00
Aqueous shunt	\$ 200.00
Aqueous shunt	\$ 450.00
Aqueous shunt	\$ 750.00
Aqueous shunt	\$ 1,050.00
Aqueous shunt	\$ 1,350.00
Aqueous shunt	\$ 1,375.00
Aqueous shunt	\$ 1,625.00
Aqueous shunt	\$ 1,875.00
Aqueous shunt	\$ 2,125.00
Aqueous shunt	\$ 2,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 8,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 8,875.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 9,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 9,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 9,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 9,875.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 10,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 10,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 10,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 10,875.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 11,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 11,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 11,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 11,875.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 12,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 12,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 12,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 12,875.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 13,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 13,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 13,625.00
Vascular graft material, synthetic, implant	\$ 200.00
Vascular graft material, synthetic, implant	\$ 450.00
Vascular graft material, synthetic, implant	\$ 750.00
Vascular graft material, synthetic, implant	\$ 1,050.00
Vascular graft material, synthetic, implant	\$ 1,375.00
Vascular graft material, synthetic, implant	\$ 1,625.00
Vascular graft material, synthetic, implant	\$ 2,375.00
Vascular graft material, synthetic, implant	\$ 2,625.00
Vascular graft material, synthetic, implant	\$ 2,875.00
Vascular graft material, synthetic, implant	\$ 4,125.00
Vascular graft material, synthetic, implant	\$ 4,375.00
Vascular graft material, synthetic, implant	\$ 4,625.00
Vascular graft material, synthetic, implant	\$ 4,875.00
Vascular graft material, synthetic, implant	\$ 5,125.00
Vascular graft material, synthetic, implant	\$ 5,375.00
Vascular graft material, synthetic, implant	\$ 5,625.00
Vascular graft material, synthetic, implant	\$ 5,875.00
Vascular graft material, synthetic, implant	\$ 6,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Vascular graft material, synthetic, implant	\$ 6,625.00
Vascular graft material, synthetic, implant	\$ 8,125.00
Vascular graft material, synthetic, implant	\$ 8,375.00
Vascular graft material, synthetic, implant	\$ 8,625.00
Vascular graft material, synthetic, implant	\$ 8,875.00
Vascular graft material, synthetic, implant	\$ 9,125.00
Vascular graft material, synthetic, implant	\$ 9,375.00
Vascular graft material, synthetic, implant	\$ 9,625.00
Vascular graft material, synthetic, implant	\$ 9,875.00
Implantable neurostimulator, pulse generator, any type	\$ 1,350.00
Implantable neurostimulator, pulse generator, any type	\$ 1,375.00
Implantable neurostimulator, pulse generator, any type	\$ 1,625.00
Implantable neurostimulator, pulse generator, any type	\$ 1,875.00
Implantable neurostimulator, pulse generator, any type	\$ 2,125.00
Implantable neurostimulator, pulse generator, any type	\$ 2,375.00
Implantable neurostimulator, pulse generator, any type	\$ 2,625.00
Implantable neurostimulator, pulse generator, any type	\$ 2,875.00
Implantable neurostimulator, pulse generator, any type	\$ 3,125.00
Implantable neurostimulator, pulse generator, any type	\$ 3,375.00
Implantable neurostimulator, pulse generator, any type	\$ 3,625.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 2,375.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 2,625.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 2,875.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 3,875.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 4,125.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 4,375.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 4,625.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 4,875.00
Posterior chamber intraocular lens	\$ 200.00
Posterior chamber intraocular lens	\$ 450.00
Posterior chamber intraocular lens	\$ 750.00
Posterior chamber intraocular lens	\$ 1,050.00
Posterior chamber intraocular lens	\$ 1,350.00
Posterior chamber intraocular lens	\$ 1,375.00
Posterior chamber intraocular lens	\$ 1,625.00
Posterior chamber intraocular lens	\$ 1,875.00
Posterior chamber intraocular lens	\$ 2,125.00
Posterior chamber intraocular lens	\$ 2,375.00
Presbyopia correcting function of intraocular lens	\$ 200.00
Presbyopia correcting function of intraocular lens	\$ 450.00
Presbyopia correcting function of intraocular lens	\$ 750.00
Presbyopia correcting function of intraocular lens	\$ 1,050.00
Presbyopia correcting function of intraocular lens	\$ 1,350.00
Presbyopia correcting function of intraocular lens	\$ 1,375.00
Presbyopia correcting function of intraocular lens	\$ 1,625.00
Presbyopia correcting function of intraocular lens	\$ 1,875.00
Presbyopia correcting function of intraocular lens	\$ 2,125.00
Presbyopia correcting function of intraocular lens	\$ 2,375.00
Presbyopia correcting function of intraocular lens	\$ 2,625.00
Presbyopia correcting function of intraocular lens	\$ 2,875.00
Presbyopia correcting function of intraocular lens	\$ 3,125.00
Presbyopia correcting function of intraocular lens	\$ 3,375.00
Presbyopia correcting function of intraocular lens	\$ 3,625.00
#REF!	\$ 17,125.00
#REF!	\$ 17,375.00
#REF!	\$ 21,375.00
#REF!	\$ 21,625.00
#REF!	\$ 21,875.00
#REF!	\$ 22,125.00
#REF!	\$ 22,375.00
#REF!	\$ 22,625.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 42,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Embolization protective system	\$ 1,050.00
Embolization protective system	\$ 1,350.00
Embolization protective system	\$ 1,375.00
Embolization protective system	\$ 1,625.00
Embolization protective system	\$ 1,875.00
Embolization protective system	\$ 2,125.00
Embolization protective system	\$ 2,375.00
Embolization protective system	\$ 2,625.00
Embolization protective system	\$ 2,875.00
Embolization protective system	\$ 3,125.00
Embolization protective system	\$ 3,375.00
Embolization protective system	\$ 3,625.00
Embolization protective system	\$ 3,875.00
Embolization protective system	\$ 4,125.00
Embolization protective system	\$ 4,375.00
Embolization protective system	\$ 4,625.00
Embolization protective system	\$ 4,875.00
Embolization protective system	\$ 5,125.00
Embolization protective system	\$ 5,375.00
Embolization protective system	\$ 5,625.00
Embolization protective system	\$ 5,875.00
Embolization protective system	\$ 6,125.00
Catheter, transluminal angioplasty, laser	\$ 200.00
Catheter, transluminal angioplasty, laser	\$ 450.00
Catheter, transluminal angioplasty, laser	\$ 750.00
Catheter, transluminal angioplasty, laser	\$ 1,050.00
Catheter, transluminal angioplasty, laser	\$ 1,350.00
Catheter, transluminal angioplasty, laser	\$ 1,375.00
Catheter, transluminal angioplasty, laser	\$ 1,625.00
Catheter, transluminal angioplasty, laser	\$ 1,875.00
Catheter, transluminal angioplasty, laser	\$ 2,125.00
Catheter, transluminal angioplasty, laser	\$ 2,375.00
Catheter, transluminal angioplasty, laser	\$ 2,625.00
Catheter, transluminal angioplasty, laser	\$ 2,875.00
Catheter, transluminal angioplasty, laser	\$ 3,125.00
Catheter, transluminal angioplasty, laser	\$ 3,375.00
Catheter, transluminal angioplasty, laser	\$ 3,625.00
Catheter, transluminal angioplasty, laser	\$ 3,875.00
Catheter, transluminal angioplasty, laser	\$ 4,125.00
Catheter, transluminal angioplasty, laser	\$ 4,375.00
Catheter, transluminal angioplasty, laser	\$ 4,625.00
Catheter, transluminal angioplasty, laser	\$ 4,875.00
Catheter, transluminal angioplasty, laser	\$ 5,125.00
Catheter, transluminal angioplasty, laser	\$ 5,375.00
Catheter, transluminal angioplasty, laser	\$ 5,625.00
Catheter, transluminal angioplasty, laser	\$ 5,875.00
Catheter, transluminal angioplasty, laser	\$ 6,125.00
Catheter, transluminal angioplasty, laser	\$ 6,375.00
Catheter, transluminal angioplasty, laser	\$ 6,625.00
Catheter, transluminal angioplasty, laser	\$ 6,875.00
Catheter, transluminal angioplasty, laser	\$ 7,125.00
Catheter, transluminal angioplasty, laser	\$ 7,375.00
Catheter, transluminal angioplasty, laser	\$ 7,625.00
Catheter, transluminal angioplasty, laser	\$ 7,875.00
Catheter, transluminal angioplasty, laser	\$ 8,125.00
Catheter, transluminal angioplasty, laser	\$ 8,375.00
Catheter, transluminal angioplasty, laser	\$ 8,625.00
Catheter, transluminal angioplasty, laser	\$ 8,875.00
Catheter, transluminal angioplasty, laser	\$ 9,125.00
Catheter, transluminal angioplasty, laser	\$ 9,375.00
Catheter, transluminal angioplasty, laser	\$ 9,625.00
Catheter, transluminal angioplasty, laser	\$ 9,875.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, transluminal angioplasty, laser	\$ 10,125.00
Catheter, transluminal angioplasty, laser	\$ 10,375.00
Catheter, transluminal angioplasty, laser	\$ 10,625.00
Catheter, transluminal angioplasty, laser	\$ 10,875.00
Catheter, transluminal angioplasty, laser	\$ 11,125.00
Catheter, transluminal angioplasty, laser	\$ 11,375.00
Catheter, transluminal angioplasty, laser	\$ 11,625.00
Catheter, transluminal angioplasty, laser	\$ 11,875.00
Catheter, transluminal angioplasty, laser	\$ 12,125.00
Catheter, transluminal angioplasty, laser	\$ 12,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 6,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 6,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 6,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 7,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 7,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 7,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 7,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 8,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 8,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 8,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 8,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 9,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 9,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 9,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 9,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 10,125.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 10,375.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 10,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 10,875.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 11,125.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 200.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 450.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 750.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 1,050.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 1,350.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 1,375.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 1,625.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 1,875.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 2,125.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 2,375.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 2,625.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 2,875.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 3,125.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 3,375.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 3,625.00
Lead, left ventricular coronary venous system	\$ 200.00
Lead, left ventricular coronary venous system	\$ 450.00
Lead, left ventricular coronary venous system	\$ 750.00
Lead, left ventricular coronary venous system	\$ 1,050.00
Lead, left ventricular coronary venous system	\$ 1,350.00
Lead, left ventricular coronary venous system	\$ 1,375.00
Lead, left ventricular coronary venous system	\$ 1,625.00
Lead, left ventricular coronary venous system	\$ 1,875.00
Lead, left ventricular coronary venous system	\$ 2,125.00
Lead, left ventricular coronary venous system	\$ 2,375.00
Lead, left ventricular coronary venous system	\$ 2,625.00
Lead, left ventricular coronary venous system	\$ 2,875.00
Lead, left ventricular coronary venous system	\$ 3,125.00
Lead, left ventricular coronary venous system	\$ 3,375.00
Lead, left ventricular coronary venous system	\$ 3,625.00
Lead, left ventricular coronary venous system	\$ 3,875.00
Lead, left ventricular coronary venous system	\$ 4,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Pacemaker, other than single or dual chamber (implantable)	\$ 19,625.00
Pacemaker, other than single or dual chamber (implantable)	\$ 19,875.00
Pacemaker, other than single or dual chamber (implantable)	\$ 20,125.00
Pacemaker, other than single or dual chamber (implantable)	\$ 20,375.00
Pacemaker, other than single or dual chamber (implantable)	\$ 20,625.00
Pacemaker, other than single or dual chamber (implantable)	\$ 20,875.00
Pacemaker, other than single or dual chamber (implantable)	\$ 21,125.00
Pacemaker, other than single or dual chamber (implantable)	\$ 21,375.00
Pacemaker, other than single or dual chamber (implantable)	\$ 21,625.00
Pacemaker, other than single or dual chamber (implantable)	\$ 21,875.00
Pacemaker, other than single or dual chamber (implantable)	\$ 22,125.00
Pacemaker, other than single or dual chamber (implantable)	\$ 22,375.00
Pacemaker, other than single or dual chamber (implantable)	\$ 22,625.00
Pacemaker, other than single or dual chamber (implantable)	\$ 22,875.00
Pacemaker, other than single or dual chamber (implantable)	\$ 23,125.00
Pacemaker, other than single or dual chamber (implantable)	\$ 23,375.00
Pacemaker, other than single or dual chamber (implantable)	\$ 23,625.00
Pacemaker, other than single or dual chamber (implantable)	\$ 23,875.00
Pacemaker, other than single or dual chamber (implantable)	\$ 24,125.00
Pacemaker, other than single or dual chamber (implantable)	\$ 24,375.00
Pacemaker, other than single or dual chamber (implantable)	\$ 24,625.00
Pacemaker, other than single or dual chamber (implantable)	\$ 24,875.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 1,350.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 1,375.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 1,625.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 1,875.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 2,125.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 2,625.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 2,875.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 3,125.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 3,375.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 3,625.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 3,875.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 4,125.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 4,375.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 4,625.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 4,875.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 5,125.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 5,375.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 5,625.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 5,875.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 6,125.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 6,375.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 6,625.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 6,875.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 7,125.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 7,375.00
Stent, non-coronary, temporary, with delivery system	\$ 200.00
Stent, non-coronary, temporary, with delivery system	\$ 450.00
Stent, non-coronary, temporary, with delivery system	\$ 750.00
Stent, non-coronary, temporary, with delivery system	\$ 1,050.00
Catheter, suprapubic/cystoscopic	\$ 200.00
Catheter, suprapubic/cystoscopic	\$ 450.00
Catheter, suprapubic/cystoscopic	\$ 750.00
Catheter, suprapubic/cystoscopic	\$ 1,050.00
Catheter, suprapubic/cystoscopic	\$ 1,350.00
Catheter, transluminal angioplasty, drug-coated, non-laser	\$ 2,375.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 7,625.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 7,875.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 8,125.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 8,375.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 8,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 200.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 450.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 750.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 1,050.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 1,350.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 1,375.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 1,625.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 1,875.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 2,125.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 2,375.00
#REF!	\$ 22,875.00
#REF!	\$ 23,125.00
#REF!	\$ 23,375.00
#REF!	\$ 23,625.00
#REF!	\$ 23,875.00
#REF!	\$ 24,125.00
#REF!	\$ 24,375.00
#REF!	\$ 24,625.00
#REF!	\$ 24,875.00
#REF!	\$ 25,125.00
#REF!	\$ 25,375.00
#REF!	\$ 25,625.00
#REF!	\$ 25,875.00
#REF!	\$ 26,125.00
#REF!	\$ 26,375.00
#REF!	\$ 26,625.00
#REF!	\$ 26,875.00
#REF!	\$ 27,125.00
#REF!	\$ 27,375.00
#REF!	\$ 27,625.00
#REF!	\$ 27,875.00
#REF!	\$ 28,125.00
#REF!	\$ 28,375.00
#REF!	\$ 28,625.00
#REF!	\$ 28,875.00
#REF!	\$ 29,125.00
#REF!	\$ 29,375.00
#REF!	\$ 29,625.00
#REF!	\$ 29,875.00
#REF!	\$ 30,125.00
#REF!	\$ 30,375.00
#REF!	\$ 30,625.00
#REF!	\$ 30,875.00
#REF!	\$ 31,125.00
#REF!	\$ 31,375.00
#REF!	\$ 31,625.00
#REF!	\$ 31,875.00
#REF!	\$ 32,125.00
#REF!	\$ 32,375.00
#REF!	\$ 32,625.00
#REF!	\$ 32,875.00
#REF!	\$ 33,125.00
#REF!	\$ 33,375.00
#REF!	\$ 33,625.00
#REF!	\$ 33,875.00
#REF!	\$ 34,125.00
#REF!	\$ 34,375.00
#REF!	\$ 34,625.00
#REF!	\$ 34,875.00
#REF!	\$ 35,125.00
#REF!	\$ 35,375.00
#REF!	\$ 35,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
#REF!	\$ 35,875.00
#REF!	\$ 36,125.00
#REF!	\$ 36,375.00
#REF!	\$ 36,625.00
#REF!	\$ 36,875.00
#REF!	\$ 37,125.00
#REF!	\$ 37,375.00
#REF!	\$ 37,625.00
#REF!	\$ 37,875.00
#REF!	\$ 38,125.00
#REF!	\$ 38,375.00
#REF!	\$ 38,625.00
#REF!	\$ 38,875.00
#REF!	\$ 39,125.00
#REF!	\$ 39,375.00
#REF!	\$ 39,625.00
#REF!	\$ 39,875.00
#REF!	\$ 40,125.00
#REF!	\$ 40,375.00
#REF!	\$ 40,625.00
#REF!	\$ 40,875.00
#REF!	\$ 41,125.00
#REF!	\$ 41,375.00
#REF!	\$ 41,625.00
#REF!	\$ 41,875.00
#REF!	\$ 42,125.00
#REF!	\$ 42,375.00
#REF!	\$ 42,625.00
#REF!	\$ 42,875.00
#REF!	\$ 43,125.00
#REF!	\$ 43,375.00
#REF!	\$ 43,625.00
#REF!	\$ 43,875.00
#REF!	\$ 44,125.00
#REF!	\$ 44,375.00
#REF!	\$ 44,625.00
#REF!	\$ 44,875.00
#REF!	\$ 45,125.00
#REF!	\$ 45,375.00
#REF!	\$ 45,625.00
#REF!	\$ 45,875.00
#REF!	\$ 46,125.00
#REF!	\$ 46,375.00
#REF!	\$ 46,625.00
#REF!	\$ 46,875.00
#REF!	\$ 47,125.00
#REF!	\$ 47,375.00
#REF!	\$ 47,625.00
#REF!	\$ 47,875.00
#REF!	\$ 48,125.00
#REF!	\$ 48,375.00
#REF!	\$ 48,625.00
#REF!	\$ 48,875.00
#REF!	\$ 49,125.00
#REF!	\$ 49,375.00
#REF!	\$ 49,625.00
#REF!	\$ 49,875.00
#REF!	\$ 50,125.00
#REF!	\$ 50,375.00
#REF!	\$ 50,625.00
#REF!	\$ 50,875.00
#REF!	\$ 51,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
#REF!	\$ 51,375.00
#REF!	\$ 51,625.00
#REF!	\$ 51,875.00
#REF!	\$ 52,125.00
#REF!	\$ 52,375.00
#REF!	\$ 52,625.00
#REF!	\$ 52,875.00
#REF!	\$ 53,125.00
#REF!	\$ 53,375.00
#REF!	\$ 53,625.00
#REF!	\$ 53,875.00
#REF!	\$ 54,125.00
#REF!	\$ 54,375.00
#REF!	\$ 54,625.00
#REF!	\$ 54,875.00
#REF!	\$ 55,125.00
#REF!	\$ 55,375.00
#REF!	\$ 55,625.00
#REF!	\$ 55,875.00
#REF!	\$ 56,125.00
#REF!	\$ 56,375.00
#REF!	\$ 56,625.00
#REF!	\$ 56,875.00
#REF!	\$ 57,125.00
#REF!	\$ 57,375.00
#REF!	\$ 57,625.00
#REF!	\$ 57,875.00
#REF!	\$ 58,125.00
#REF!	\$ 58,375.00
#REF!	\$ 58,625.00
#REF!	\$ 58,875.00
#REF!	\$ 59,125.00
#REF!	\$ 59,375.00
#REF!	\$ 59,625.00
#REF!	\$ 59,875.00
#REF!	\$ 60,125.00
#REF!	\$ 60,375.00
#REF!	\$ 60,625.00
#REF!	\$ 60,875.00
#REF!	\$ 61,125.00
#REF!	\$ 61,375.00
#REF!	\$ 61,625.00
#REF!	\$ 61,875.00
#REF!	\$ 62,125.00
#REF!	\$ 62,375.00
#REF!	\$ 62,625.00
#REF!	\$ 62,875.00
#REF!	\$ 63,125.00
#REF!	\$ 63,375.00
#REF!	\$ 63,625.00
#REF!	\$ 63,875.00
#REF!	\$ 64,125.00
#REF!	\$ 64,375.00
#REF!	\$ 64,625.00
#REF!	\$ 64,875.00
#REF!	\$ 65,125.00
#REF!	\$ 65,375.00
#REF!	\$ 65,625.00
#REF!	\$ 65,875.00
#REF!	\$ 66,125.00
#REF!	\$ 66,375.00
#REF!	\$ 66,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
#REF!	\$ 66,875.00
#REF!	\$ 67,125.00
#REF!	\$ 67,375.00
#REF!	\$ 67,625.00
#REF!	\$ 67,875.00
#REF!	\$ 68,125.00
#REF!	\$ 68,375.00
#REF!	\$ 68,625.00
#REF!	\$ 68,875.00
#REF!	\$ 69,125.00
#REF!	\$ 69,375.00
#REF!	\$ 69,625.00
#REF!	\$ 69,875.00
#REF!	\$ 70,125.00
#REF!	\$ 70,375.00
#REF!	\$ 70,625.00
#REF!	\$ 70,875.00
#REF!	\$ 71,125.00
#REF!	\$ 71,375.00
#REF!	\$ 71,625.00
#REF!	\$ 71,875.00
#REF!	\$ 72,125.00
#REF!	\$ 72,375.00
#REF!	\$ 72,625.00
#REF!	\$ 72,875.00
#REF!	\$ 73,125.00
#REF!	\$ 73,375.00
#REF!	\$ 73,625.00
#REF!	\$ 73,875.00
#REF!	\$ 74,125.00
#REF!	\$ 74,375.00
#REF!	\$ 74,625.00
#REF!	\$ 74,875.00
#REF!	\$ 75,125.00
#REF!	\$ 75,375.00
#REF!	\$ 75,625.00
#REF!	\$ 75,875.00
#REF!	\$ 76,125.00
#REF!	\$ 76,375.00
#REF!	\$ 76,625.00
#REF!	\$ 76,875.00
#REF!	\$ 77,125.00
#REF!	\$ 77,375.00
#REF!	\$ 77,625.00
#REF!	\$ 77,875.00
#REF!	\$ 78,125.00
#REF!	\$ 78,375.00
#REF!	\$ 78,625.00
#REF!	\$ 78,875.00
#REF!	\$ 79,125.00
#REF!	\$ 79,375.00
#REF!	\$ 79,625.00
#REF!	\$ 79,875.00
#REF!	\$ 80,125.00
#REF!	\$ 80,375.00
#REF!	\$ 80,625.00
#REF!	\$ 80,875.00
#REF!	\$ 81,125.00
#REF!	\$ 81,375.00
#REF!	\$ 81,625.00
#REF!	\$ 81,875.00
#REF!	\$ 82,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
#REF!	\$ 82,375.00
#REF!	\$ 82,625.00
#REF!	\$ 82,875.00
#REF!	\$ 83,125.00
#REF!	\$ 83,375.00
#REF!	\$ 83,625.00
#REF!	\$ 83,875.00
#REF!	\$ 84,125.00
#REF!	\$ 84,375.00
#REF!	\$ 84,625.00
#REF!	\$ 84,875.00
#REF!	\$ 85,125.00
#REF!	\$ 85,375.00
#REF!	\$ 85,625.00
#REF!	\$ 85,875.00
#REF!	\$ 86,125.00
#REF!	\$ 86,375.00
#REF!	\$ 86,625.00
#REF!	\$ 86,875.00
#REF!	\$ 87,125.00
#REF!	\$ 87,375.00
Ossicula implant	\$ 2,875.00
Ossicula implant	\$ 3,125.00
Ossicula implant	\$ 3,375.00
Ossicula implant	\$ 3,625.00
Ossicula implant	\$ 3,875.00
Ossicula implant	\$ 4,125.00
Ossicula implant	\$ 4,375.00
Ossicula implant	\$ 4,625.00
Ossicula implant	\$ 4,875.00
Ossicula implant	\$ 5,125.00
Ossicula implant	\$ 5,375.00
Ossicula implant	\$ 5,625.00
Ossicula implant	\$ 5,875.00
Ossicula implant	\$ 6,125.00
Ossicula implant	\$ 6,375.00
Ossicula implant	\$ 6,625.00
Ossicula implant	\$ 6,875.00
Ossicula implant	\$ 7,125.00
Ossicula implant	\$ 7,375.00
Cochlear device, includes all internal and external components	\$ 24,875.00
Cochlear device, includes all internal and external components	\$ 25,125.00
Cochlear device, includes all internal and external components	\$ 25,375.00
Cochlear device, includes all internal and external components	\$ 25,625.00
Cochlear device, includes all internal and external components	\$ 25,875.00
Cochlear device, includes all internal and external components	\$ 26,125.00
Cochlear device, includes all internal and external components	\$ 26,375.00
Cochlear device, includes all internal and external components	\$ 26,625.00
Cochlear device, includes all internal and external components	\$ 26,875.00
Cochlear device, includes all internal and external components	\$ 27,125.00
Cochlear device, includes all internal and external components	\$ 27,375.00
Cochlear device, includes all internal and external components	\$ 27,625.00
Cochlear device, includes all internal and external components	\$ 27,875.00
Cochlear device, includes all internal and external components	\$ 28,125.00
Cochlear device, includes all internal and external components	\$ 28,375.00
Cochlear device, includes all internal and external components	\$ 28,625.00
Cochlear device, includes all internal and external components	\$ 28,875.00
Cochlear device, includes all internal and external components	\$ 29,125.00
Cochlear device, includes all internal and external components	\$ 29,375.00
Cochlear device, includes all internal and external components	\$ 29,625.00
Cochlear device, includes all internal and external components	\$ 29,875.00
Cochlear device, includes all internal and external components	\$ 30,125.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Auditory osseointegrated device, external sound processor, replacement	\$ 9,625.00
Auditory osseointegrated device, external sound processor, replacement	\$ 9,875.00
Auditory osseointegrated device, external sound processor, replacement	\$ 10,125.00
Auditory osseointegrated device, external sound processor, replacement	\$ 10,375.00
Auditory osseointegrated device, external sound processor, replacement	\$ 10,625.00
Auditory osseointegrated device, external sound processor, replacement	\$ 10,875.00
Auditory osseointegrated device, external sound processor, replacement	\$ 11,125.00
Auditory osseointegrated device, external sound processor, replacement	\$ 11,375.00
Auditory osseointegrated device, external sound processor, replacement	\$ 11,625.00
Auditory osseointegrated device, external sound processor, replacement	\$ 11,875.00
Auditory osseointegrated device, external sound processor, replacement	\$ 12,125.00
Auditory osseointegrated device, external sound processor, replacement	\$ 12,375.00
Graftjacket, per square centimeter	\$ 370.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 42,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 42,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 43,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 43,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 43,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 43,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 44,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 44,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 44,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 44,875.00
Porcine implant, permacol, per square centimeter	\$ 213.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 200.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 450.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 750.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 1,050.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 1,350.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 1,375.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 1,625.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 1,875.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 2,125.00
Radiofrequency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	\$ 2,375.00
Integra flowable wound matrix, injectable, 1 cc	\$ 2,125.00
Alloderm, per square centimeter	\$ 200.00
Anterior chamber intraocular lens	\$ 200.00
Anterior chamber intraocular lens	\$ 450.00
Anterior chamber intraocular lens	\$ 750.00
Anterior chamber intraocular lens	\$ 1,050.00
Anterior chamber intraocular lens	\$ 1,350.00
Anterior chamber intraocular lens	\$ 1,375.00
Anterior chamber intraocular lens	\$ 1,625.00
Anterior chamber intraocular lens	\$ 1,875.00
Anterior chamber intraocular lens	\$ 2,125.00
Anterior chamber intraocular lens	\$ 2,375.00
Semi-implantable middle ear hearing prosthesis	\$ 200.00
Semi-implantable middle ear hearing prosthesis	\$ 450.00
Semi-implantable middle ear hearing prosthesis	\$ 750.00
Semi-implantable middle ear hearing prosthesis	\$ 1,050.00
Semi-implantable middle ear hearing prosthesis	\$ 1,350.00
Semi-implantable middle ear hearing prosthesis	\$ 1,375.00
Semi-implantable middle ear hearing prosthesis	\$ 1,625.00
Semi-implantable middle ear hearing prosthesis	\$ 1,875.00
Semi-implantable middle ear hearing prosthesis	\$ 2,125.00
Semi-implantable middle ear hearing prosthesis	\$ 2,375.00
#REF!	\$ 851.00
Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; initiation, veno-venous	\$ 3,391.00
Surgical Procedure - Auto Transfusion Services	\$ 3,628.00
Surgical Procedure - Cancellation Fee	\$ 1,517.00
Surgical Procedure - Cell Saver Fee	\$ 2,995.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 45,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Cardioverter-defibrillator, single chamber (implantable)	\$ 45,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 45,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 45,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 46,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 46,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 46,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 46,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 47,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 47,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 47,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 47,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 48,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 48,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 48,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 48,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 49,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 49,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 49,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 49,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 50,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 50,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 50,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 50,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 51,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 51,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 51,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 51,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 52,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 52,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 52,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 52,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 53,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 53,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 53,625.00
Knee orthosis, immobilizer, canvas longitudinal, prefabricated, off-the-shelf	\$ 226.00
Cervical, semi-rigid, adjustable molded chin cup (plastic collar with mandibular/occipital piece)	\$ 246.00
Repair device, urinary, incontinence, without sling graft	\$ 1,350.00
Serum clotting time tube, for dialysis, per 50	\$ 750.00
Strattice tm, per square centimeter	\$ 88.00
#REF!	\$ 288.00
#REF!	\$ 566.00
Prosthetic implant, not otherwise specified	\$ 200.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 4.22
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 2.14
Injection, gadobutrol, 0.1 ml	\$ 19.31
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 7.13
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 10,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 63,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 64,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 64,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 64,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 64,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 65,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 65,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 65,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 65,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 66,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 66,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 66,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 66,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 67,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 67,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Generator, neurostimulator (implantable), non-rechargeable	\$ 67,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 67,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 68,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 68,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 68,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 68,875.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 69,125.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 69,375.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 69,625.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 69,875.00
Placement of interstitial device(s) for radiation therapy/surgery guidance (e.g., fiducial markers, dosimeter), for other than the following sites (any approach): abdomen, pelvis, prostate, retroperitoneum, thorax, single or multiple	\$ 2,375.00
Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 58.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 58.00
Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes	\$ 44.00
Medical nutrition therapy; reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition or treatment regimen (including additional hours needed for renal disease), individual, face to face with the patient, each 15 minutes	\$ 58.00
Medical nutrition therapy, reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition, or treatment regimen (including additional hours needed for renal disease), group (2 or more individuals), each 30 minutes	\$ 44.00
Diabetes outpatient self-management training services, individual, per 30 minutes	\$ 140.00
Diabetes outpatient self-management training services, group session (2 or more), per 30 minutes	\$ 71.00
Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; patient-provided equipment, sensor placement, hook-up, calibration of monitor, patient training, and printout of recording	\$ 355.00
Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual	\$ 231.00
Evaluation of oral and pharyngeal swallowing function	\$ 438.00
Tracheostomy speaking valve	\$ 332.00
Electrical stimulation (unattended), to one or more areas for indication(s) other than wound care, as part of a therapy plan of care	\$ 173.00
Application of a modality to 1 or more areas; electrical stimulation (manual), each 15 minutes	\$ 259.00
Development of cognitive skills to improve attention, memory, problem solving (includes compensatory training), direct (one-on-one) patient contact, each 15 minutes	\$ 173.00
Treatment of swallowing dysfunction and/or oral function for feeding	\$ 304.00
Motion fluoroscopic evaluation of swallowing function by cine or video recording	\$ 438.00
Standardized cognitive performance testing (eg, Ross Information Processing Assessment) per hour of a qualified health care professional's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 388.00
Mobility: walking & moving around functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Mobility: walking & moving around functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Mobility: walking & moving around functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Changing & maintaining body position functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Changing & maintaining body position functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Changing & maintaining body position functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Carrying, moving & handling objects functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Carrying, moving and handling objects, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Carrying, moving & handling objects functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Self care functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Self care functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Self care functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Other physical or occupational therapy primary functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Other physical or occupational therapy primary functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Other physical or occupational therapy primary functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Other physical or occupational therapy subsequent functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Other physical or occupational therapy subsequent functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Other physical or occupational therapy subsequent functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Swallowing functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Swallowing functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Swallowing functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Motor speech functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Motor speech functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Motor speech functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Spoken language comprehension functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Spoken language comprehension functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Spoken language comprehension functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Spoken language expression functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Spoken language expression functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Spoken language expression functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Attention functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Attention functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Attention functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Memory functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Memory functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Memory functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Voice functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Voice functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Voice functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Other speech language pathology functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Other speech language pathology functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Other speech language pathology functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Evaluation of speech fluency (eg, stuttering, cluttering)	\$ 327.00
Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria)	\$ 265.00
Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (eg, receptive and expressive language)	\$ 552.00
Behavioral and qualitative analysis of voice and resonance	\$ 278.00
Pure tone audiometry (threshold); air only	\$ 45.00
Developmental screening (eg, developmental milestone survey, speech and language delay screen), with scoring and documentation, per standardized instrument	\$ 171.00
Developmental testing, (includes assessment of motor, language, social, adaptive, and/or cognitive functioning by standardized developmental instruments) with interpretation and report	\$ 439.00
Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing and sequencing tasks), direct (one-on-one) patient contact	\$ 690.00
Therapeutic procedure(s), group (2 or more individuals)	\$ 184.00
Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities	\$ 173.00
Manual therapy techniques (eg, mobilization/ manipulation, manual lymphatic drainage, manual traction), 1 or more regions, each 15 minutes	\$ 173.00
Self-care/home management training (eg, activities of daily living (ADL) and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices/adaptive equipment) direct one-on-one contact, each 15 minutes	\$ 173.00
Orthotic(s)/prosthetic(s) management and/or training, upper extremity(ies), lower extremity(ies), and/or trunk, subsequent orthotic(s)/prosthetic(s) encounter, each 15 minutes	\$ 158.00
Therapeutic activities, direct (one-on-one) patient contact (use of dynamic activities to improve functional performance), each 15 minutes	\$ 173.00
Application of a modality to 1 or more areas; hot or cold packs	\$ 67.00
Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility	\$ 173.00
Muscle testing, manual (separate procedure) with report; extremity (excluding hand) or trunk	\$ 104.00
Muscle testing, manual (separate procedure) with report; hand, with or without comparison with normal side	\$ 103.00
Muscle testing, manual (separate procedure) with report; total evaluation of body, excluding hands	\$ 124.00
Muscle testing, manual (separate procedure) with report; total evaluation of body, including hands	\$ 174.00
Range of motion measurements and report (separate procedure); hand, with or without comparison with normal side	\$ 51.00
Range of motion measurements and report (separate procedure); each extremity (excluding hand) or each trunk section (spine)	\$ 59.00
Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(s), lower extremity(s) and/or trunk, each 15 minutes	\$ 173.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; first 20 sq cm or less	\$ 320.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 273.00
Removal of devitalized tissue from wound(s), non-selective debridement, without anesthesia (eg, wet-to-moist dressings, enzymatic, abrasion, larval therapy), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session	\$ 158.00
Application of a modality to 1 or more areas; vasopneumatic devices	\$ 65.00
Application of a modality to 1 or more areas; paraffin bath	\$ 36.00
Application of a modality to 1 or more areas; whirlpool	\$ 343.00
Application of a modality to 1 or more areas; ultrasound, each 15 minutes	\$ 173.00
Therapeutic procedure, 1 or more areas, each 15 minutes; massage, including effleurage, petrissage and/or tapotement (stroking, compression, percussion)	\$ 173.00
Community/work reintegration training (eg, shopping, transportation, money management, avocational activities and/or work environment/modification analysis, work task analysis, use of assistive technology device/adaptive equipment), direct one-on-one contact, each 15 minutes	\$ 102.00
Wheelchair management (eg, assessment, fitting, training), each 15 minutes	\$ 103.00
Physical performance test or measurement (eg, musculoskeletal, functional capacity), with written report, each 15 minutes	\$ 173.00
Application of short arm splint (forearm to hand); dynamic	\$ 330.00
Application of finger splint; static	\$ 283.00
Application of finger splint; dynamic	\$ 180.00
Application of short arm splint (forearm to hand); static	\$ 283.00
Application of long arm splint (shoulder to hand)	\$ 283.00
Strapping; shoulder (eg, Velpeau)	\$ 180.00
Strapping; elbow or wrist	\$ 94.00
Strapping; hand or finger	\$ 94.00
Application of surface (transcutaneous) neurostimulator	\$ 53.00
Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities), per hour of the psychologist's or physician's time, both face-to-face time with the patient and time interpreting test results and preparing the report	\$ 767.00
Application of a modality to 1 or more areas; iontophoresis, each 15 minutes	\$ 216.00
Application of a modality to 1 or more areas; contrast baths, each 15 minutes	\$ 173.00
Unlisted modality (specify type and time if constant attendance)	\$ 49.00
Sensory integrative techniques to enhance sensory processing and promote adaptive responses to environmental demands, direct (one-on-one) patient contact, each 15 minutes	\$ 99.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 199.00
Hand orthosis, metacarpal fracture orthosis, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 304.00
Application of short leg splint (calf to foot)	\$ 343.00
Reaching/grabbing device, any type, any length, each	\$ 39.00
Wrist hand finger orthosis, without joint(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 239.00
Application of a modality to 1 or more areas; traction, mechanical	\$ 173.00
Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)	\$ 173.00
Assistive technology assessment (eg, to restore, augment or compensate for existing function, optimize functional tasks and/or maximize environmental accessibility), direct one-on-one contact, with written report, each 15 minutes	\$ 222.00
Prosthetic training, upper and/or lower extremity(s), each 15 minutes	\$ 111.00
Wrist hand finger orthosis, rigid without joints, may include soft interface material; straps, custom fabricated, includes fitting and adjustment	\$ 1,078.00
Occupational therapy evaluation, low complexity, requiring these components: An occupational profile and medical and therapy history, which includes a brief history including review of medical and/or therapy records relating to the presenting problem; An assessment(s) that identifies 1-3 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of low complexity, which includes an analysis of the occupational profile, analysis of data from problem-focused assessment(s), and consideration of a limited number of treatment options. Patient presents with no comorbidities that affect occupational performance. Modification of tasks or assistance (eg, physical or verbal) with assessment(s) is not necessary to enable completion of evaluation component. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 612.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes an expanded review of medical and/or therapy records and additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 3-5 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of moderate analytic complexity, which includes an analysis of the occupational profile, analysis of data from detailed assessment(s), and consideration of several treatment options. Patient may present with comorbidities that affect occupational performance. Minimal to moderate modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 658.00
Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 5 or more performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of high analytic complexity, which includes an analysis of the patient profile, analysis of data from comprehensive assessment(s), and consideration of multiple treatment options. Patient presents with comorbidities that affect occupational performance. Significant modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 60 minutes are spent face-to-face with the patient and/or family.	\$ 703.00
Re-evaluation of occupational therapy established plan of care, requiring these components: An assessment of changes in patient functional or medical status with revised plan of care; An update to the initial occupational profile to reflect changes in condition or environment that affect future interventions and/or goals; and A revised plan of care. A formal reevaluation is performed when there is a documented change in functional status or a significant change to the plan of care is required. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 308.00
Reaching/grabbing device, any type, any length, each	\$ 93.00
Therapeutic procedure(s), group (2 or more individuals)	\$ 62.00
Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(s), lower extremity(s) and/or trunk, each 15 minutes	\$ 127.00
Canalith repositioning procedure(s) (eg, Epley maneuver, Semont maneuver), per day	\$ 145.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; first 20 sq cm or less	\$ 173.00
Removal of devitalized tissue from wound(s), non-selective debridement, without anesthesia (eg, wet-to-moist dressings, enzymatic, abrasion, larval therapy), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session	\$ 320.00
Negative pressure wound therapy (eg, vacuum assisted drainage collection), utilizing durable medical equipment (DME), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session; total wound(s) surface area less than or equal to 50 square centimeters	\$ 372.00
Negative pressure wound therapy (eg, vacuum assisted drainage collection), utilizing durable medical equipment (DME), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters	\$ 633.00
Strapping; thorax	\$ 413.00
Strapping; hip	\$ 180.00
Strapping; knee	\$ 216.00
Strapping; ankle and/or foot	\$ 173.00
Strapping; Unna boot	\$ 390.00
Application of multi-layer compression system; leg (below knee), including ankle and foot	\$ 334.00
Unlisted procedure, casting or strapping	\$ 413.00
Application of a modality to 1 or more areas; infrared	\$ 20.00
Negative pressure wound therapy, (eg, vacuum assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area less than or equal to 50 square centimeters	\$ 715.00
Negative pressure wound therapy, (eg, vacuum assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters	\$ 715.00
Low frequency, non-contact, non-thermal ultrasound, including topical application(s), when performed, wound assessment, and instruction(s) for ongoing care, per day	\$ 505.00
Electrical stimulation, (unattended), to one or more areas, for chronic stage iii and stage iv pressure ulcers, arterial ulcers, diabetic ulcers, and venous stasis ulcers not demonstrating measurable signs of healing after 30 days of conventional care, as part of a therapy plan of care	\$ 47.00
#REF!	\$ 40.00
Physical therapy evaluation: low complexity, requiring these components: A history with no personal factors and/or comorbidities that impact the plan of care; An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with stable and/or uncomplicated characteristics; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family.	\$ 612.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Physical therapy evaluation: moderate complexity, requiring these components: A history of present problem with 1-2 personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures in addressing a total of 3 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; An evolving clinical presentation with changing characteristics; and Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 658.00
Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with unstable and unpredictable characteristics; and Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 703.00
Re-evaluation of physical therapy established plan of care, requiring these components: An examination including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome Typically, 20 minutes are spent face-to-face with the patient and/or family.	\$ 308.00
Patient Wellness Initial Visit	\$ 12.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)	\$ 330.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; with continuous ECG monitoring (per session)	\$ 330.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)	\$ 5.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)	\$ 48.00
Peripheral arterial disease (PAD) rehabilitation, per session	\$ 175.00
Insertion or replacement of permanent implantable defibrillator system, with transvenous lead(s), single or dual chamber	\$ 33,596.00
Right heart catheterization including measurement(s) of oxygen saturation and cardiac output, when performed	\$ 3,244.00
Insertion of intra-aortic balloon assist device, percutaneous	\$ 5,349.00
Intravascular Doppler velocity and/or pressure derived coronary flow reserve measurement (coronary vessel or graft) during coronary angiography including pharmacologically induced stress; initial vessel (List separately in addition to code for primary procedure)	\$ 4,148.00
Endoluminal imaging of coronary vessel or graft using intravascular ultrasound (IVUS) or optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report; initial vessel (List separately in addition to code for primary procedure)	\$ 5,537.00
Intravascular Doppler velocity and/or pressure derived coronary flow reserve measurement (coronary vessel or graft) during coronary angiography including pharmacologically induced stress; each additional vessel (List separately in addition to code for primary procedure)	\$ 2,726.00
Endoluminal imaging of coronary vessel or graft using intravascular ultrasound (IVUS) or optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report; each additional vessel (List separately in addition to code for primary procedure)	\$ 3,480.00
Insertion or replacement of temporary transvenous single chamber cardiac electrode or pacemaker catheter (separate procedure)	\$ 7,986.00
Insertion and placement of flow directed catheter (eg, Swan-Ganz) for monitoring purposes	\$ 784.00
Pericardiocentesis; initial	\$ 784.00
Percutaneous transcatheter closure of congenital interatrial communication (ie, Fontan fenestration, atrial septal defect) with implant	\$ 16,923.00
Insertion of non-tunneled centrally inserted central venous catheter; age 5 years or older	\$ 3,386.00
Aortography, abdominal plus bilateral iliofemoral lower extremity, catheter, by serialography, radiological supervision	\$ 6,400.00
Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 3,437.00
Aortography, abdominal, by serialography, radiological supervision	\$ 2,702.00
Introduction of needle or intracatheter; extremity artery	\$ 2,172.00
Iliac and/or femoral artery angiography, non-selective, bilateral or ipsilateral to catheter insertion, performed at the same time as cardiac catheterization and/or coronary angiography, includes positioning or placement of the catheter in the distal aorta or ipsilateral femoral or iliac artery, injection of dye, production of permanent images, and radiologic supervision (list separately in addition to primary procedure)	\$ 2,071.00
Transcatheter placement of intravascular stent(s), cervical carotid artery, open or percutaneous, including angioplasty, when performed, and radiological supervision ; with distal embolic protection	\$ 15,431.00
Primary percutaneous transluminal mechanical thrombectomy, noncoronary, non-intracranial, arterial or arterial bypass graft, including fluoroscopic guidance and intraprocedural pharmacological thrombolytic injection(s); second and all subsequent vessel(s) within the same vascular family (List separately in addition to code for primary mechanical thrombectomy procedure)	\$ 8,380.00
Secondary percutaneous transluminal thrombectomy (eg, nonprimary mechanical, snare basket, suction technique), noncoronary, non-intracranial, arterial or arterial bypass graft, including fluoroscopic guidance and intraprocedural pharmacological thrombolytic injections, provided in conjunction with another percutaneous intervention other than primary mechanical thrombectomy (List separately in addition to code for primary procedure)	\$ 28,743.00
Primary percutaneous transluminal mechanical thrombectomy, noncoronary, non-intracranial, arterial or arterial bypass graft, including fluoroscopic guidance and intraprocedural pharmacological thrombolytic injection(s); initial vessel	\$ 8,380.00
Percutaneous transluminal coronary thrombectomy mechanical (List separately in addition to code for primary procedure)	\$ 7,999.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Selective catheter placement, arterial system; each first order thoracic or brachiocephalic branch, within a vascular family	\$ 3,310.00
Selective catheter placement, arterial system; initial second order abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 3,309.00
Selective catheter placement, arterial system; initial third order or more selective abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 4,345.00
Selective catheter placement, arterial system; additional second order, third order, and beyond, abdominal, pelvic, or lower extremity artery branch, within a vascular family (List in addition to code for initial second or third order vessel as appropriate)	\$ 2,972.00
Placement of occlusive device into either a venous or arterial access site, post surgical or interventional procedure (e.g., angioseal plug, vascular plug)	\$ 1,523.00
Cardiopulmonary resuscitation (eg, in cardiac arrest)	\$ 1,710.00
Cardioversion, elective, electrical conversion of arrhythmia; external	\$ 1,214.00
Thrombolysis, coronary; by intracoronary infusion, including selective coronary angiography	\$ 2,954.00
Injection procedure during cardiac catheterization including imaging supervision, interpretation, and report; for supraaortic aortography (List separately in addition to code for primary procedure)	\$ 2,637.00
Transcatheter placement of extracranial vertebral artery stent(s), including radiologic supervision , open or percutaneous; each additional vessel (List separately in addition to code for primary procedure)	\$ 2,901.00
Transcatheter placement of extracranial vertebral artery stent(s), including radiologic supervision , open or percutaneous; initial vessel	\$ 2,180.00
Introduction of catheter, superior or inferior vena cava	\$ 2,600.00
Venography, caval, superior, with serialography, radiological supervision	\$ 784.00
Venography, caval, inferior, with serialography, radiological supervision	\$ 2,703.00
Angiography, selective, each additional vessel studied after basic examination, radiological supervision (List separately in addition to code for primary procedure)	\$ 2,338.00
Angiography, pulmonary, unilateral, selective, radiological supervision	\$ 2,702.00
Angiography, visceral, selective or supraseductive (with or without flush aortogram), radiological supervision	\$ 4,492.00
Angiography, extremity, bilateral, radiological supervision	\$ 2,702.00
Angiography, extremity, unilateral, radiological supervision	\$ 6,647.00
Introduction of catheter, aorta	\$ 3,133.00
Pericardiocentesis; subsequent	\$ 717.00
Selective catheter placement, left or right pulmonary artery	\$ 1,206.00
Percutaneous balloon valvuloplasty; aortic valve	\$ 9,293.00
Intravascular ultrasound (noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision ; initial noncoronary vessel (List separately in addition to code for primary procedure)	\$ 2,349.00
Intravascular ultrasound (noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision ; each additional noncoronary vessel (List separately in addition to code for primary procedure)	\$ 2,349.00
Removal of intra-aortic balloon assist device, percutaneous	\$ 1,009.00
Cardioassist-method of circulatory assist; internal	\$ 8,932.00
Unlisted cardiovascular service or procedure	\$ 437.00
Venography, extremity, unilateral, radiological supervision	\$ 784.00
#REF!	\$ 83,178.00
Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device) (List separately in addition to code for primary procedure)	\$ 1,387.00
Left heart catheterization including intraprocedural injection(s) for left ventriculography, imaging supervision , when performed	\$ 3,244.00
Combined right and left heart catheterization including intraprocedural injection(s) for left ventriculography, imaging supervision , when performed	\$ 3,244.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision	\$ 3,244.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision ; with catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) including intraprocedural injection(s) for bypass graft angiography	\$ 3,244.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision ; with right heart catheterization	\$ 3,244.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision ; with catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) including intraprocedural injection(s) for bypass graft angiography and right heart catheterization	\$ 3,244.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision ; with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed	\$ 3,244.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision ; with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) with bypass graft angiography	\$ 3,244.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision ; with right and left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed	\$ 3,244.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision ; with right and left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) with bypass graft angiography	\$ 3,244.00
Left heart catheterization by transseptal puncture through intact septum or by transapical puncture (List separately in addition to code for primary procedure)	\$ 10,186.00
Pharmacologic agent administration (eg, inhaled nitric oxide, intravenous infusion of nitroprusside, dobutamine, milrinone, or other agent) including assessing hemodynamic measurements before, during, after and repeat pharmacologic agent administration, when performed (List separately in addition to code for primary procedure)	\$ 996.00
Physiologic exercise study (eg, bicycle or arm ergometry) including assessing hemodynamic measurements before and after (List separately in addition to code for primary procedure)	\$ 1,421.00
Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal angioplasty	\$ 7,841.00
Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	\$ 23,855.00
Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal angioplasty (List separately in addition to code for primary procedure)	\$ 7,841.00
Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	\$ 6,142.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal angioplasty	\$ 7,841.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with atherectomy, includes angioplasty within the same vessel, when performed	\$ 20,370.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	\$ 11,164.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed	\$ 30,220.00
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal angioplasty	\$ 7,841.00
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with atherectomy, includes angioplasty within the same vessel, when performed	\$ 16,923.00
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	\$ 16,923.00
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed	\$ 31,932.00
Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal angioplasty (List separately in addition to code for primary procedure)	\$ 7,841.00
Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with atherectomy, includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	\$ 21,491.00
Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	\$ 17,226.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision ; iliac artery, each vessel	\$ 16,923.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision ; renal artery	\$ 11,164.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision ; visceral artery (except renal), each vessel	\$ 9,914.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision ; abdominal aorta	\$ 11,164.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision ; brachiocephalic trunk and branches, each vessel	\$ 11,164.00
Selective catheter placement (first-order), main renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture and catheter placement(s), fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision , including pressure gradient measurements when performed, and flush aortogram when performed; unilateral	\$ 6,400.00
Selective catheter placement (first-order), main renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture and catheter placement(s), fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision , including pressure gradient measurements when performed, and flush aortogram when performed; bilateral	\$ 6,400.00
Insertion of intravascular vena cava filter, endovascular approach including vascular access, vessel selection, and radiological supervision , intraprocedural roadmapping, and imaging guidance (ultrasound and fluoroscopy), when performed	\$ 8,902.00
Retrieval (removal) of intravascular vena cava filter, endovascular approach including vascular access, vessel selection, and radiological supervision , intraprocedural roadmapping, and imaging guidance (ultrasound and fluoroscopy), when performed	\$ 6,109.00
Percutaneous transcatheter closure of the left atrial appendage with endocardial implant, including fluoroscopy, transseptal puncture, catheter placement(s), left atrial angiography, left atrial appendage angiography, when performed, and radiological supervision	\$ 34,307.00
Percutaneous transluminal coronary angioplasty; single major coronary artery or branch	\$ 5,524.00
Percutaneous transluminal coronary angioplasty; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	\$ 11,454.00
Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; single major coronary artery or branch	\$ 11,164.00
Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	\$ 16,238.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Percutaneous transluminal coronary atherectomy, with coronary angioplasty when performed; single major coronary artery or branch	\$ 11,164.00
Percutaneous transcatheter placement of drug eluting intracoronary stent(s), with coronary angioplasty when performed; single major coronary artery or branch	\$ 11,164.00
Percutaneous transcatheter placement of drug-eluting intracoronary stent(s), with coronary angioplasty when performed; each additional branch of a major coronary artery (list separately in addition to code for primary procedure)	\$ 21,311.00
Selective catheter placement, subclavian or innominate artery, unilateral, with angiography of the ipsilateral vertebral circulation and all associated radiological supervision , includes angiography of the cervicocerebral arch, when performed	\$ 6,085.00
Selective catheter placement, vertebral artery, unilateral, with angiography of the ipsilateral vertebral circulation and all associated radiological supervision , includes angiography of the cervicocerebral arch, when performed	\$ 9,567.00
Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel	\$ 11,164.00
Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; single vessel	\$ 11,164.00
Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (List separately in addition to code for primary procedure)	\$ 17,347.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; percutaneous femoral artery approach	\$ 22,073.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; open femoral artery approach	\$ 28,014.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; open axillary artery approach	\$ 28,014.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; open iliac artery approach	\$ 28,014.00
Selective catheter placement, common carotid or innominate artery, unilateral, any approach, with angiography of the ipsilateral extracranial carotid circulation and all associated radiological supervision , includes angiography of the cervicocerebral arch, when performed	\$ 5,850.00
Insertion of ventricular assist device, percutaneous including radiological supervision ; arterial access only	\$ 9,785.00
Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel	\$ 11,164.00
Percutaneous transluminal coronary atherectomy, with intracoronary stent, with coronary angioplasty when performed; single major coronary artery or branch	\$ 16,923.00
Percutaneous transluminal coronary atherectomy, with intracoronary stent, with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	\$ 22,694.00
Percutaneous transluminal coronary atherectomy, with drug eluting intracoronary stent, with coronary angioplasty when performed; single major coronary artery or branch	\$ 16,923.00
Percutaneous transluminal coronary atherectomy, with drug-eluting intracoronary stent, with coronary angioplasty when performed; each additional branch of a major coronary artery (list separately in addition to code for primary procedure)	\$ 18,625.00
Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel	\$ 11,164.00
Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (list separately in addition to code for primary procedure)	\$ 24,625.00
Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel	\$ 16,923.00
Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; single vessel	\$ 16,923.00
Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (list separately in addition to code for primary procedure)	\$ 25,407.00
Transcatheter therapy, venous infusion for thrombolysis, any method, including radiological supervision , initial treatment day	\$ 2,702.00
Transcatheter therapy, arterial or venous infusion for thrombolysis other than coronary, any method, including radiological supervision , continued treatment on subsequent day during course of thrombolytic therapy, including follow-up catheter contrast injection, position change, or exchange, when performed	\$ 784.00
Transcatheter therapy, arterial or venous infusion for thrombolysis other than coronary, any method, including radiological supervision , continued treatment on subsequent day during course of thrombolytic therapy, including follow-up catheter contrast injection, position change, or exchange, when performed; cessation of thrombolysis including removal of catheter and vessel closure by any method	\$ 4,623.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; transapical exposure (eg, left thoracotomy)	\$ 26,144.00
Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s) for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and including all angioplasty within the same vessel, when performed; initial artery	\$ 11,164.00
Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s)for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	\$ 13,735.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Transcatheter placement of an intravascular stent(s), open or percutaneous, including radiological supervision and including angioplasty within the same vessel, when performed; initial vein	\$ 11,164.00
Transcatheter placement of an intravascular stent(s), open or percutaneous, including radiological supervision and including angioplasty within the same vessel, when performed; each additional vein (List separately in addition to code for primary procedure)	\$ 11,118.00
Vascular embolization or occlusion, inclusive of all radiological supervision, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; venous, other than hemorrhage (eg, congenital or acquired venous malformations, venous and capillary hemangiomas, varices, varicoceles)	\$ 16,682.00
Vascular embolization or occlusion, inclusive of all radiological supervision, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; arterial, other than hemorrhage or tumor (eg, congenital or acquired arterial malformations, arteriovenous malformations, arteriovenous fistulas, aneurysms, pseudoaneurysms)	\$ 11,164.00
Percutaneous transcatheter closure of patent ductus arteriosus	\$ 16,923.00
Transcatheter renal sympathetic denervation, percutaneous approach including arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy, contrast injection(s), intraprocedural roadmapping and radiological supervision, including pressure gradient measurements, flush aortogram and diagnostic renal angiography when performed; unilateral	\$ 5,524.00
Transcatheter renal sympathetic denervation, percutaneous approach including arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy, contrast injection(s), intraprocedural roadmapping and radiological supervision, including pressure gradient measurements, flush aortogram and diagnostic renal angiography when performed; bilateral	\$ 5,524.00
Transcatheter placement of intravascular stent(s), intrathoracic common carotid artery or innominate artery, open or percutaneous antegrade approach, including angioplasty, when performed, and radiological supervision	\$ 9,930.00
Selective catheter placement, venous system; second order, or more selective, branch (eg, left adrenal vein, petrosal sinus)	\$ 1,206.00
Insertion of peripherally inserted central venous catheter (PICC), without subcutaneous port or pump; age 5 years or older	\$ 2,391.00
Removal of tunneled central venous catheter, without subcutaneous port or pump	\$ 938.00
Collection of blood specimen using established central or peripheral catheter, venous, not otherwise specified	\$ 314.00
Dec clotting by thrombolytic agent of implanted vascular access device or catheter	\$ 530.00
Percutaneous transluminal mechanical thrombectomy, vein(s), including intraprocedural pharmacological thrombolytic injections and fluoroscopic guidance, repeat treatment on subsequent day during course of thrombolytic therapy	\$ 2,702.00
Transcatheter therapy, arterial infusion for thrombolysis other than coronary or intracranial, any method, including radiological supervision, initial treatment day	\$ 2,153.00
Aortography, thoracic, by serialography, radiological supervision	\$ 4,492.00
Angiography, pelvic, selective or supraseductive, radiological supervision	\$ 6,400.00
Ultrasound guidance for vascular access requiring ultrasound evaluation of potential access sites, documentation of selected vessel patency, concurrent realtime ultrasound visualization of vascular needle entry, with permanent recording and reporting (List separately in addition to code for primary procedure)	\$ 1,387.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 86.00
Endovascular repair of iliac artery bifurcation (eg, aneurysm, pseudoaneurysm, arteriovenous malformation, trauma) using bifurcated endoprosthesis from the common iliac artery into both the external and internal iliac artery, unilateral	\$ 6,699.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 248.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 214.00
Angiography, pulmonary, bilateral, selective, radiological supervision	\$ 2,702.00
Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, aortic valve	\$ 16,923.00
Percutaneous transcatheter closure of paravalvular leak; each additional occlusion device (List separately in addition to code for primary procedure)	\$ 3,268.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and image documentation and report	\$ 784.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and image documentation and report; with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision necessary to perform the angioplasty	\$ 5,524.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and image documentation and report; with transcatheter placement of intravascular stent(s), peripheral dialysis segment, including all imaging and radiological supervision necessary to perform the stenting, and all angioplasty within the peripheral dialysis segment	\$ 11,164.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision , diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s)	\$ 5,524.00
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision , diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s); with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision necessary to perform the angioplasty	\$ 11,164.00
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision , diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s); with transcatheter placement of intravascular stent(s), peripheral dialysis segment, including all imaging and radiological supervision necessary to perform the stenting, and all angioplasty within the peripheral dialysis circuit	\$ 16,923.00
Transluminal balloon angioplasty, central dialysis segment, performed through dialysis circuit, including all imaging and radiological supervision required to perform the angioplasty (List separately in addition to code for primary procedure)	\$ 11,598.00
Transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging radiological supervision required to perform the stenting, and all angioplasty in the central dialysis segment (List separately in addition to code for primary procedure)	\$ 11,598.00
Dialysis circuit permanent vascular embolization or occlusion (including main circuit or any accessory veins), endovascular, including all imaging and radiological supervision necessary to complete the intervention (List separately in addition to code for primary procedure)	\$ 15,464.00
Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), open or percutaneous, including all imaging and radiological supervision necessary to perform the angioplasty within the same artery; initial artery	\$ 5,524.00
Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), open or percutaneous, including all imaging and radiological supervision necessary to perform the angioplasty within the same artery; each additional artery (List separately in addition to code for primary procedure)	\$ 2,553.00
Transluminal balloon angioplasty (except dialysis circuit), open or percutaneous, including all imaging and radiological supervision necessary to perform the angioplasty within the same vein; initial vein	\$ 5,524.00
Transluminal balloon angioplasty (except dialysis circuit), open or percutaneous, including all imaging and radiological supervision necessary to perform the angioplasty within the same vein; each additional vein (List separately in addition to code for primary procedure)	\$ 3,867.00
Removal of percutaneous ventricular assist device at separate and distinct session from insertion	\$ 1,935.00
Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, mitral valve	\$ 16,923.00
#REF!	\$ 5,359.00
Repositioning of percutaneous ventricular assist device with imaging guidance at separate and distinct session from insertion	\$ 4,701.00
Catheter, transluminal atherectomy, directional	\$ 7,625.00
Catheter, transluminal atherectomy, directional	\$ 7,875.00
Catheter, transluminal atherectomy, directional	\$ 8,125.00
Catheter, transluminal atherectomy, directional	\$ 8,375.00
Catheter, transluminal atherectomy, directional	\$ 8,625.00
Catheter, transluminal atherectomy, directional	\$ 8,875.00
Catheter, transluminal atherectomy, directional	\$ 9,125.00
Catheter, transluminal atherectomy, directional	\$ 9,375.00
Catheter, transluminal atherectomy, directional	\$ 9,625.00
Catheter, transluminal atherectomy, directional	\$ 9,875.00
Catheter, transluminal atherectomy, directional	\$ 10,125.00
Catheter, transluminal atherectomy, directional	\$ 10,375.00
Catheter, transluminal atherectomy, directional	\$ 10,625.00
Catheter, transluminal atherectomy, rotational	\$ 2,125.00
Catheter, transluminal atherectomy, rotational	\$ 2,375.00
Catheter, transluminal atherectomy, rotational	\$ 2,625.00
Catheter, transluminal atherectomy, rotational	\$ 2,875.00
Catheter, thrombectomy/embolectomy	\$ 5,125.00
Catheter, thrombectomy/embolectomy	\$ 5,375.00
Catheter, thrombectomy/embolectomy	\$ 5,625.00
Catheter, thrombectomy/embolectomy	\$ 5,875.00
Catheter, thrombectomy/embolectomy	\$ 6,125.00
Catheter, thrombectomy/embolectomy	\$ 6,375.00
Catheter, thrombectomy/embolectomy	\$ 6,625.00
Catheter, thrombectomy/embolectomy	\$ 6,875.00
Catheter, thrombectomy/embolectomy	\$ 7,125.00
Catheter, thrombectomy/embolectomy	\$ 7,375.00
#REF!	\$ 89,320.00
Catheter, transluminal atherectomy, directional	\$ 6,375.00
Catheter, transluminal atherectomy, directional	\$ 6,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, transluminal atherectomy, directional	\$ 6,875.00
Catheter, transluminal atherectomy, directional	\$ 7,125.00
Catheter, transluminal atherectomy, directional	\$ 7,375.00
Catheter, transluminal atherectomy, directional	\$ 10,875.00
Catheter, transluminal atherectomy, directional	\$ 11,125.00
Catheter, transluminal atherectomy, rotational	\$ 1,350.00
Catheter, transluminal atherectomy, rotational	\$ 1,375.00
Catheter, transluminal atherectomy, rotational	\$ 1,625.00
Catheter, transluminal atherectomy, rotational	\$ 1,875.00
Catheter, transluminal atherectomy, rotational	\$ 3,125.00
Catheter, transluminal atherectomy, rotational	\$ 3,375.00
Septal defect implant system, intracardiac	\$ 24,875.00
Catheter, balloon dilatation, non-vascular	\$ 8,875.00
Catheter, balloon dilatation, non-vascular	\$ 9,125.00
Catheter, balloon dilatation, non-vascular	\$ 9,375.00
Guide wire	\$ 5,125.00
Guide wire	\$ 5,375.00
#REF!	\$ 81,098.00
#REF!	\$ 799.00
#REF!	\$ 4,393.00
Catheter, transluminal atherectomy, rotational	\$ 1.00
Stent, non-coated/non-covered, with delivery system	\$ 4,926.00
Embolization protective system	\$ 3,328.00
Stent, non-coated/non-covered, with delivery system	\$ 6,257.00
Embolization protective system	\$ 4,926.00
Selective catheter placement, common carotid or innominate artery, unilateral, any approach, with angiography of the ipsilateral intracranial carotid circulation and all associated radiological supervision , includes angiography of the extracranial carotid and cervicocerebral arch, when performed	\$ 5,850.00
Implantation of patient-activated cardiac event recorder	\$ 7,678.00
Removal of an implantable, patient-activated cardiac event recorder	\$ 593.00
Electrophysiologic evaluation of single or dual chamber pacing cardioverter-defibrillator leads including defibrillation threshold evaluation (induction of arrhythmia, evaluation of sensing and pacing for arrhythmia termination) at time of initial implantation or replacement; with testing of single or dual chamber pacing cardioverter-defibrillator pulse generator	\$ 2,672.00
Additional linear or focal intracardiac catheter ablation of the left or right atrium for treatment of atrial fibrillation remaining after completion of pulmonary vein isolation (List separately in addition to code for primary procedure)	\$ 7,579.00
Catheter, intravascular ultrasound	\$ 7,625.00
Catheter, intravascular ultrasound	\$ 7,875.00
Catheter, intravascular ultrasound	\$ 8,125.00
Catheter, intravascular ultrasound	\$ 8,375.00
Catheter, intravascular ultrasound	\$ 8,625.00
Septal defect implant system, intracardiac	\$ 1,875.00
Septal defect implant system, intracardiac	\$ 2,125.00
Septal defect implant system, intracardiac	\$ 2,375.00
Septal defect implant system, intracardiac	\$ 2,625.00
Septal defect implant system, intracardiac	\$ 2,875.00
Catheter, transluminal atherectomy, rotational	\$ 200.00
Catheter, transluminal atherectomy, rotational	\$ 450.00
Catheter, transluminal atherectomy, rotational	\$ 750.00
Catheter, transluminal atherectomy, rotational	\$ 1,050.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 6,125.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 6,375.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 6,625.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 6,875.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 7,125.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 7,375.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 5,125.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 5,375.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 5,625.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 5,875.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 6,125.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 5,125.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 5,375.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 5,625.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 5,875.00
Injection procedure for extremity venography (including introduction of needle or intracatheter)	\$ 2,261.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 6,375.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 6,625.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 6,875.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 7,125.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 7,375.00
Intraventricular pacing	\$ 5,510.00
Intra-atrial pacing	\$ 5,510.00
Electrophysiologic follow-up study with pacing and recording to test effectiveness of therapy, including induction or attempted induction of arrhythmia	\$ 5,510.00
Comprehensive electrophysiologic evaluation with right atrial pacing and recording, right ventricular pacing and recording, His bundle recording, including insertion and repositioning of multiple electrode catheters, without induction or attempted induction of arrhythmia	\$ 5,510.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of arrhythmia; with right atrial pacing and recording, right ventricular pacing and recording, His bundle recording	\$ 5,510.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of arrhythmia; with left atrial pacing and recording from coronary sinus or left atrium (List separately in addition to code for primary procedure)	\$ 5,829.00
Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); ventricular	\$ 10,360.00
Removal of transvenous pacemaker electrode(s); single lead system, atrial or ventricular	\$ 2,817.00
Evaluation of cardiovascular function with tilt table evaluation, with continuous ECG monitoring and intermittent blood pressure monitoring, with or without pharmacological intervention	\$ 1,374.00
Intracardiac catheter ablation of atrioventricular node function, atrioventricular conduction for creation of complete heart block, with or without temporary pacemaker placement	\$ 5,510.00
Insertion of implantable defibrillator pulse generator only; with existing single lead	\$ 24,213.00
Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial	\$ 10,360.00
Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial and ventricular	\$ 10,360.00
Insertion of pacemaker pulse generator only; with existing single lead	\$ 7,678.00
Insertion of pacemaker pulse generator only; with existing dual leads	\$ 10,360.00
Upgrade of implanted pacemaker system, conversion of single chamber system to dual chamber system (includes removal of previously placed pulse generator, testing of existing lead, insertion of new lead, insertion of new pulse generator)	\$ 10,360.00
Repositioning of previously implanted transvenous pacemaker or implantable defibrillator (right atrial or right ventricular) electrode	\$ 2,598.00
Insertion of 2 transvenous electrodes, permanent pacemaker or implantable defibrillator	\$ 7,678.00
Repair of single transvenous electrode, permanent pacemaker or implantable defibrillator	\$ 2,817.00
Repair of 2 transvenous electrodes for permanent pacemaker or implantable defibrillator	\$ 2,817.00
Relocation of skin pocket for pacemaker	\$ 18,452.00
Removal of implantable defibrillator pulse generator only	\$ 2,817.00
Relocation of skin pocket for implantable defibrillator	\$ 1,571.00
Removal of transvenous pacemaker electrode(s); dual lead system	\$ 2,817.00
Removal of single or dual chamber implantable defibrillator electrode(s); by transvenous extraction	\$ 2,817.00
Insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system) (List separately in addition to code for primary procedure)	\$ 20,927.00
Removal of permanent pacemaker pulse generator only	\$ 7,678.00
Insertion of implantable defibrillator pulse generator only; with existing dual leads	\$ 24,213.00
Intracardiac electrophysiologic 3-dimensional mapping (List separately in addition to code for primary procedure)	\$ 7,143.00
Intraventricular and/or intra-atrial mapping of tachycardia site(s) with catheter manipulation to record from multiple sites to identify origin of tachycardia (List separately in addition to code for primary procedure)	\$ 4,212.00
Programmed stimulation and pacing after intravenous drug infusion (List separately in addition to code for primary procedure)	\$ 4,927.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of arrhythmia; with left ventricular pacing and recording (List separately in addition to code for primary procedure)	\$ 3,961.00
Insertion of a single transvenous electrode, permanent pacemaker or implantable defibrillator	\$ 7,678.00
Insertion of pacing electrode, cardiac venous system, for left ventricular pacing, with attachment to previously placed pacemaker or implantable defibrillator pulse generator (including revision of pocket, removal, insertion, and/or replacement of existing generator)	\$ 10,360.00
Repositioning of previously implanted cardiac venous system (left ventricular) electrode (including removal, insertion and/or replacement of existing generator)	\$ 2,598.00
Insertion or replacement of temporary transvenous dual chamber pacing electrodes (separate procedure)	\$ 7,678.00
Insertion or replacement of temporary transvenous single chamber cardiac electrode or pacemaker catheter (separate procedure)	\$ 7,678.00
Electrophysiologic evaluation of single or dual chamber transvenous pacing cardioverter-defibrillator (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing and pacing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters)	\$ 2,742.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 1,600.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Venography, extremity, unilateral, radiological supervision	\$ 753.00
Incision and drainage of hematoma, seroma or fluid collection	\$ 1,361.00
Left heart catheterization by transseptal puncture through intact septum or by transapical puncture (List separately in addition to code for primary procedure)	\$ 2,742.00
Insertion of pacemaker pulse generator only; with existing multiple leads	\$ 18,452.00
Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; single lead system	\$ 7,678.00
Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; dual lead system	\$ 10,360.00
Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; multiple lead system	\$ 18,452.00
Insertion of implantable defibrillator pulse generator only; with existing multiple leads	\$ 33,596.00
Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; single lead system	\$ 24,213.00
Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; dual lead system	\$ 24,213.00
Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; multiple lead system	\$ 33,596.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of an arrhythmia with right atrial pacing and recording, right ventricular pacing and recording (when necessary), and His bundle recording (when necessary) with intracardiac catheter ablation of arrhythmogenic focus; with treatment of ventricular tachycardia or focus of ventricular ectopy including intracardiac electrophysiologic 3D mapping, when performed, and left ventricular pacing and recording, when performed	\$ 18,473.00
Intracardiac catheter ablation of a discrete mechanism of arrhythmia which is distinct from the primary ablated mechanism, including repeat diagnostic maneuvers, to treat a spontaneous or induced arrhythmia (List separately in addition to code for primary procedure)	\$ 10,585.00
Comprehensive electrophysiologic evaluation including transseptal catheterizations, insertion and repositioning of multiple electrode catheters with induction or attempted induction of an arrhythmia including left or right atrial pacing/recording when necessary, right ventricular pacing/recording when necessary, and His bundle recording when necessary with intracardiac catheter ablation of atrial fibrillation by pulmonary vein isolation	\$ 18,473.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of an arrhythmia with right atrial pacing and recording, right ventricular pacing and recording (when necessary), and His bundle recording (when necessary) with intracardiac catheter ablation of arrhythmogenic focus; with treatment of supraventricular tachycardia by ablation of fast or slow atrioventricular pathway, accessory atrioventricular connection, cavo-tricuspid isthmus or other single atrial focus or source of atrial re-entry	\$ 18,473.00
Insertion or replacement of permanent subcutaneous implantable defibrillator system, with subcutaneous electrode, including defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters, when performed	\$ 33,596.00
Insertion of subcutaneous implantable defibrillator electrode	\$ 7,678.00
Removal of subcutaneous implantable defibrillator electrode	\$ 2,817.00
Repositioning of previously implanted subcutaneous implantable defibrillator electrode	\$ 2,817.00
Electrophysiologic evaluation of subcutaneous implantable defibrillator (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters)	\$ 3,193.00
Venography, extremity, bilateral, radiological supervision	\$ 753.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 248.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 20,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 20,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 20,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 21,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 21,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 22,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 22,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 22,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 22,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 23,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 23,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 24,125.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 24,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 1,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 1,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 1,875.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 2,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 2,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 2,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 2,875.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 3,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 3,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 3,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 5,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 5,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 5,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 5,875.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 6,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 6,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 6,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 7,125.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 7,375.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 7,625.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 8,375.00
Event recorder, cardiac (implantable)	\$ 6,125.00
Event recorder, cardiac (implantable)	\$ 6,375.00
Event recorder, cardiac (implantable)	\$ 6,625.00
Event recorder, cardiac (implantable)	\$ 6,875.00
Event recorder, cardiac (implantable)	\$ 7,125.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 3,625.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 3,875.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 4,125.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 4,375.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 4,625.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 10,125.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 10,375.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 10,625.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 11,875.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 26,875.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 14,625.00
Pacemaker, other than single or dual chamber (implantable)	\$ 11,875.00
Pacemaker, other than single or dual chamber (implantable)	\$ 12,125.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 47,625.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient younger than 5 years of age	\$ 240.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 240.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 173.00
#REF!	\$ 79,963.00
Percutaneous transcatheter closure of the left atrial appendage with endocardial implant, including fluoroscopy, transseptal puncture, catheter placement(s), left atrial angiography, left atrial appendage angiography, when performed, and radiological supervision	\$ 32,981.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 3,625.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 3,875.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 4,125.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 4,375.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 4,625.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 4,875.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 5,125.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 5,375.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 5,625.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 5,875.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 6,125.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 6,375.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 54,625.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 54,875.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 55,125.00
Transcatheter insertion or replacement of permanent leadless pacemaker, ventricular	\$ 31,486.00
Arterial catheterization or cannulation for sampling, monitoring or transfusion (separate procedure); percutaneous	\$ 207.00
Peri-procedural device evaluation (in person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review and report by a physician or other qualified health care professional; single, dual, or multiple lead pacemaker system	\$ 1,151.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Right ventricular recording	\$ 414.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, laser	\$ 7,625.00
Transcatheter removal of permanent leadless pacemaker, ventricular	\$ 5,029.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 110,625.00
Tube pericardiostomy	\$ 1,629.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 9,875.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 10,125.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 10,375.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 10,625.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 10,875.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 11,125.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 11,375.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 11,625.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 11,875.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, laser	\$ 6,625.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, laser	\$ 6,875.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, laser	\$ 7,125.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, laser	\$ 7,375.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 6,625.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 6,875.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 7,125.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 7,375.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 57,625.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 57,875.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 58,125.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 58,375.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 58,625.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 58,875.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 59,125.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 59,375.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 59,625.00
Bundle of His recording	\$ 414.00
Electroencephalogram (EEG); including recording awake and asleep	\$ 1,172.00
Electroencephalogram (EEG); including recording awake and drowsy	\$ 1,172.00
Visual field examination, unilateral or bilateral, with interpretation and report; extended examination (eg, Goldmann visual fields with at least 3 isopters plotted and static determination within the central 30Â°, or quantitative, automated threshold perimetry, Octopus program G-1, 32 or 42, Humphrey visual field analyzer full threshold programs 30-2, 24-2, or 30/60-2)	\$ 330.00
Electroencephalogram (EEG) during nonintracranial surgery (eg, carotid surgery)	\$ 193.00
Monitoring for localization of cerebral seizure focus by computerized portable 16 or more channel EEG, electroencephalographic (EEG) recording and interpretation, each 24 hours, unattended	\$ 2,928.00
Transcranial Doppler study of the intracranial arteries; complete study	\$ 747.00
Monitoring for localization of cerebral seizure focus by cable or radio, 16 or more channel telemetry, combined electroencephalographic (EEG) and video recording and interpretation (eg, for presurgical localization), each 24 hours	\$ 2,991.00
Electroencephalogram (EEG) extended monitoring; greater than 1 hour	\$ 1,251.00
Electroencephalogram (EEG) extended monitoring; 41-60 minutes	\$ 1,172.00
Central motor evoked potential study (transcranial motor stimulation); upper limbs	\$ 2,991.00
Central motor evoked potential study (transcranial motor stimulation); lower limbs	\$ 2,991.00
Transcranial Doppler study of the intracranial arteries; vasoreactivity study	\$ 747.00
Transcranial Doppler study of the intracranial arteries; emboli detection without intravenous microbubble injection	\$ 372.00
Transcranial Doppler study of the intracranial arteries; emboli detection with intravenous microbubble injection	\$ 372.00
Needle electromyography; larynx	\$ 318.00
Needle electromyography; hemidiaphragm	\$ 454.00
Transcranial Doppler study of the intracranial arteries; limited study	\$ 372.00
Electroencephalogram (EEG); recording in coma or sleep only	\$ 1,172.00
Electroencephalogram (EEG); cerebral death evaluation only	\$ 1,385.00
Needle electromyography; cranial nerve supplied muscles, bilateral	\$ 454.00
Pharmacological or physical activation requiring physician or other qualified health care professional attendance during EEG recording of activation phase (eg, thiopental activation test)	\$ 1,385.00
Digital analysis of electroencephalogram (EEG) (eg, for epileptic spike analysis)	\$ 343.00
Wada activation test for hemispheric function, including electroencephalographic (EEG) monitoring	\$ 2,991.00
Functional cortical and subcortical mapping by stimulation and/or recording of electrodes on brain surface, or of depth electrodes, to provoke seizures or identify vital brain structures; initial hour of attendance by a physician or other qualified health care professional	\$ 2,991.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Functional cortical and subcortical mapping by stimulation and/or recording of electrodes on brain surface, or of depth electrodes, to provoke seizures or identify vital brain structures; each additional hour of attendance by a physician or other qualified health care professional (List separately in addition to code for primary procedure)	\$ 618.00
Needle electromyography studies (EMG) of anal or urethral sphincter, any technique	\$ 721.00
Auditory evoked potentials for evoked response audiometry and/or testing of the central nervous system; comprehensive	\$ 770.00
Electrocorticogram at surgery (separate procedure)	\$ 1,200.00
Needle electromyography; 1 extremity with or without related paraspinal areas	\$ 318.00
Needle electromyography; 2 extremities with or without related paraspinal areas	\$ 318.00
Needle electromyography; 3 extremities with or without related paraspinal areas	\$ 454.00
Needle electromyography; 4 extremities with or without related paraspinal areas	\$ 454.00
Needle electromyography; cranial nerve supplied muscle(s), unilateral	\$ 454.00
Needle electromyography; thoracic paraspinal muscles (excluding T1 or T12)	\$ 454.00
Needle electromyography; limited study of muscles in 1 extremity or non-limb (axial) muscles (unilateral or bilateral), other than thoracic paraspinal, cranial nerve supplied muscles, or sphincters	\$ 318.00
Needle electromyography using single fiber electrode, with quantitative measurement of jitter, blocking and/or fiber density, any/all sites of each muscle studied	\$ 454.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper limbs	\$ 770.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in lower limbs	\$ 770.00
Visual evoked potential (VEP) testing central nervous system, checkerboard or flash	\$ 770.00
Orbicularis oculi (blink) reflex, by electrodiagnostic testing	\$ 195.00
Neuromuscular junction testing (repetitive stimulation, paired stimuli), each nerve, any 1 method	\$ 454.00
Needle electromyography, each extremity, with related paraspinal areas, when performed, done with nerve conduction, amplitude and latency/velocity study; limited (List separately in addition to code for primary procedure)	\$ 68.00
Needle electromyography, each extremity, with related paraspinal areas, when performed, done with nerve conduction, amplitude and latency/velocity study; complete, five or more muscles studied, innervated by three or more nerves or four or more spinal levels (List separately in addition to code for primary procedure)	\$ 164.00
Needle electromyography, non-extremity (cranial nerve supplied or axial) muscle(s) done with nerve conduction, amplitude and latency/velocity study (List separately in addition to code for primary procedure)	\$ 135.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper and lower limbs	\$ 1,385.00
Central motor evoked potential study (transcranial motor stimulation); in upper and lower limbs	\$ 2,991.00
Nerve conduction studies; 1-2 studies	\$ 454.00
Nerve conduction studies; 3-4 studies	\$ 770.00
Nerve conduction studies; 5-6 studies	\$ 770.00
Nerve conduction studies; 7-8 studies	\$ 770.00
Nerve conduction studies; 9-10 studies	\$ 1,385.00
Nerve conduction studies; 11-12 studies	\$ 1,385.00
Nerve conduction studies; 13 or more studies	\$ 1,385.00
Continuous intraoperative neurophysiology monitoring in the operating room, one on one monitoring requiring personal attendance, each 15 minutes (List separately in addition to code for primary procedure)	\$ 219.00
Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby) or for monitoring of more than one case while in the operating room, per hour (List separately in addition to code for primary procedure)	\$ 687.00
Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby), per patient, (attention directed exclusively to one patient) each 15 minutes (list in addition to primary procedure)	\$ 290.00
Needle oculoelectromyography, 1 or more extraocular muscles, 1 or both eyes, with interpretation and report	\$ 180.00
Auditory evoked potentials for evoked response audiometry and/or testing of the central nervous system; limited	\$ 420.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in the trunk or head	\$ 420.00
Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex cranial nerve neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming, with or without nerve interface testing, first hour	\$ 372.00
Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex cranial nerve neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming, each additional 30 minutes after first hour (List separately in addition to code for primary procedure)	\$ 330.00
Targeted Case Management 15Min	\$ 40.00
Targeted Case Management 30Min	\$ 71.00
Unlisted Psych Service/Therapy	\$ 209.00
Unlisted Psych Service/Therapy	\$ 1,251.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Techneium tc-99m sestamibi, diagnostic, per study dose	\$ 657.11
Techneium tc-99m tetrofosmin, diagnostic, per study dose	\$ 626.22
Techneium tc-99m medronate, diagnostic, per study dose, up to 30 millicuries	\$ 152.30
Thallium tl-201 thallos chloride, diagnostic, per millicurie	\$ 242.82
Iodine i-131 iobenguane sulfate, diagnostic, per 0.5 millicurie	\$ 4,628.49
Techneium tc-99m pertechnetate, diagnostic, per millicurie	\$ 2.13
Iodine i-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries	\$ 223.65
Iodine i-131 sodium iodide capsule(s), therapeutic, per millicurie	\$ 142.71
Techneium tc-99m exametazime, diagnostic, per study dose, up to 25 millicuries	\$ 2,847.81
Techneium tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries	\$ 269.45
Techneium tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries	\$ 146.97
Techneium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 140.58
Techneium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 533.57
Indium in-111 pentetate, diagnostic, per 0.5 millicurie	\$ 3,695.55
Techneium tc-99m succimer, diagnostic, per study dose, up to 10 millicuries	\$ 957.44
Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries	\$ 383.40
Gallium ga-67 citrate, diagnostic, per millicurie	\$ 140.58
Techneium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 610.25
Techneium tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries	\$ 116.09
Techneium tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries	\$ 577.23
Techneium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries	\$ 830.70
Techneium tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries	\$ 96.92
Techneium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries	\$ 459.02
Techneium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose	\$ 4,293.02
Indium in-111 labeled autologous white blood cells, diagnostic, per study dose	\$ 3,586.92
Indium in-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries	\$ 998.97
Sodium fluoride f-18, diagnostic, per study dose, up to 30 millicuries	\$ 383.40
Injection, gadoxetate disodium, 1 ml	\$ 63.90
Iodine i-123 iobenguane, diagnostic, per study dose, up to 15 millicuries	\$ 10,042.95
Injection, gadobutrol, 0.1 ml	\$ 1.07
Samarium sm-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries	\$ 27,358.79
Radium ra-223 dichloride, therapeutic, per microcurie	\$ 710.36
Oral magnetic resonance contrast agent, per 100 ml	\$ 10.65
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 2.13
High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	\$ 25.56
High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml	\$ 4.26
Injection, gadobenate dimeglumine (multihance), per ml	\$ 18.11
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 7.46
Low osmolar contrast material, 100-199 mg/ml iodine concentration, per ml	\$ 4.26
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 2.13
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 4.26
Gallium ga-68, dotatate, diagnostic, 0.1 millicurie	\$ 301.40
Fluciclovine f-18, diagnostic, 1 millicurie	\$ 1,937.24
Injection, gadolinium-based magnetic resonance contrast agent, not otherwise specified (nos), per ml	\$ 18.11
Hemorrhoidectomy, internal, by ligation other than rubber band; single hemorrhoid column/group	\$ 8,033.00
Removal of fecal impaction or foreign body (separate procedure) under anesthesia	\$ 3,253.00
Enema Prep	\$ 580.00
Endoscopic evaluation of small intestinal pouch (eg, Kock pouch, ileal reservoir [S or J]); diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 2,476.00
Endoscopic evaluation of small intestinal pouch (eg, Kock pouch, ileal reservoir [S or J]); with biopsy, single or multiple	\$ 2,476.00
Perirectal injection of sclerosing solution for prolapse	\$ 2,476.00
Sphincterotomy, anal, division of sphincter (separate procedure)	\$ 8,033.00
Esophageal motility (manometric study of the esophagus and/or gastroesophageal junction) study with interpretation and report	\$ 1,862.00
Cystourethroscopy, with calibration and/or dilation of urethral stricture or stenosis, with or without meatotomy, with or without injection procedure for cystography, male or female	\$ 6,095.00
Anorectal manometry	\$ 1,454.00
#REF!	\$ 39.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 138.00
Yag Laser Fee	\$ 1,424.00
Esophagogastroduodenoscopy, flexible, transoral; with endoscopic ultrasound examination, including the esophagus, stomach, and either the duodenum or a surgically altered stomach where the jejunum is examined distal to the anastomosis	\$ 4,949.00
Esophagoscopy, flexible, transoral; with endoscopic ultrasound examination	\$ 4,949.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with transendoscopic stent placement (includes predilation)	\$ 14,606.00
Sigmoidoscopy, flexible; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)	\$ 14,606.00
Colonoscopy, flexible; with endoscopic stent placement (includes pre- and post-dilation and guide wire passage, when performed)	\$ 5,887.00
Lithotripsy, extracorporeal shock wave	\$ 8,923.00
Colorectal cancer screening; colonoscopy on individual at high risk	\$ 2,476.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intravenous push, single or initial substance/drug	\$ 361.00
Esophagogastroduodenoscopy, flexible, transoral; with delivery of thermal energy to the muscle of lower esophageal sphincter and/or gastric cardia, for treatment of gastroesophageal reflux disease	\$ 9,306.00
Esophagoscopy, flexible, transoral; with directed submucosal injection(s), any substance	\$ 4,949.00
Esophagogastroduodenoscopy, flexible, transoral; with directed submucosal injection(s), any substance	\$ 2,594.00
Sigmoidoscopy, flexible; with directed submucosal injection(s), any substance	\$ 2,476.00
Sigmoidoscopy, flexible; with transendoscopic balloon dilation	\$ 3,253.00
Colonoscopy, flexible; with directed submucosal injection(s), any substance	\$ 3,253.00
Colonoscopy, flexible; with transendoscopic balloon dilation	\$ 3,253.00
Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic ultrasound-guided intramural or transmural fine needle aspiration/biopsy(s) (includes endoscopic ultrasound examination of the esophagus, stomach, and either the duodenum or a surgically altered stomach where the jejunum is examined distal to the anastomosis)	\$ 4,949.00
Esophagogastroduodenoscopy, flexible, transoral; with endoscopic ultrasound examination limited to the esophagus, stomach or duodenum, and adjacent structures	\$ 4,949.00
Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic ultrasound-guided intramural or transmural fine needle aspiration/biopsy(s), (includes endoscopic ultrasound examination limited to the esophagus, stomach or duodenum, and adjacent structures)	\$ 4,949.00
Colorectal cancer screening; flexible sigmoidoscopy	\$ 2,476.00
Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk	\$ 2,476.00
Sigmoidoscopy, flexible; with endoscopic ultrasound examination	\$ 3,253.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with brushing or protected brushings	\$ 4,706.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with bronchial alveolar lavage	\$ 4,706.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with bronchial or endobronchial biopsy(s), single or multiple sites	\$ 4,706.00
Tracheobronchoscopy through established tracheostomy incision	\$ 1,640.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; diagnostic, with cell washing, when performed (separate procedure)	\$ 4,706.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with placement of tracheal stent(s) (includes tracheal/bronchial dilation as required)	\$ 16,172.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with therapeutic aspiration of tracheobronchial tree, subsequent, same hospital stay	\$ 1,342.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with removal of foreign body	\$ 4,706.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transbronchial needle aspiration biopsy(s), trachea, main stem and/or lobar bronchus(i)	\$ 9,011.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with therapeutic aspiration of tracheobronchial tree, initial	\$ 4,706.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with placement of catheter(s) for intracavitary radioelement application	\$ 4,706.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with destruction of tumor or relief of stenosis by any method other than excision (eg, laser therapy, cryotherapy)	\$ 9,011.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transbronchial lung biopsy(s), each additional lobe (List separately in addition to code for primary procedure)	\$ 2,431.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transbronchial needle aspiration biopsy(s), each additional lobe (List separately in addition to code for primary procedure)	\$ 2,431.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 3,221.00
Unlisted procedure, biliary tract	\$ 2,594.00
Unlisted procedure, trachea, bronchi	\$ 542.00
Unlisted procedure, stomach	\$ 2,594.00
Unlisted procedure, esophagus	\$ 2,594.00
Unlisted procedure, rectum	\$ 2,476.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with endobronchial ultrasound (EBUS) guided transtracheal and/or transbronchial sampling (eg, aspiration[s]/biopsy[ies]), one or two mediastinal and/or hilar lymph node stations or structures	\$ 9,011.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with endobronchial ultrasound (EBUS) guided transtracheal and/or transbronchial sampling (eg, aspiration[s]/biopsy[ies]), 3 or more mediastinal and/or hilar lymph node stations or structures	\$ 9,011.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transendoscopic endobronchial ultrasound (EBUS) during bronchoscopic diagnostic or therapeutic intervention(s) for peripheral lesion(s) (List separately in addition to code for primary procedure[s])	\$ 4,254.00
Unclassified drugs	\$ 2,325.00
Preparation of fecal microbiota for instillation, including assessment of donor specimen	\$ 2,090.00
Stent, non-coronary, temporary, without delivery system	\$ 5,875.00
Stent, non-coronary, temporary, without delivery system	\$ 6,125.00
Stent, non-coronary, temporary, without delivery system	\$ 6,375.00
Stent, non-coronary, temporary, without delivery system	\$ 6,625.00
Stent, non-coronary, temporary, without delivery system	\$ 6,875.00
Stent, non-coronary, temporary, with delivery system	\$ 3,125.00
Probe/needle, cryoablation	\$ 200.00
Probe/needle, cryoablation	\$ 450.00
Probe/needle, cryoablation	\$ 750.00
Probe/needle, cryoablation	\$ 1,050.00
Probe/needle, cryoablation	\$ 1,350.00
Probe/needle, cryoablation	\$ 1,375.00
Probe/needle, cryoablation	\$ 1,625.00
Probe/needle, cryoablation	\$ 1,875.00
Probe/needle, cryoablation	\$ 2,125.00
Probe/needle, cryoablation	\$ 2,375.00
Stent, non-coronary, temporary, with delivery system	\$ 3,375.00
Stent, non-coronary, temporary, with delivery system	\$ 3,625.00
Stent, non-coronary, temporary, with delivery system	\$ 3,875.00
Stent, non-coronary, temporary, with delivery system	\$ 4,125.00
Stent, non-coronary, temporary, with delivery system	\$ 4,375.00
Stent, non-coronary, temporary, with delivery system	\$ 4,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 6,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 6,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 6,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 7,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 7,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 7,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 7,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 8,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 8,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 8,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 8,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 9,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 9,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 9,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 9,875.00
High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	\$ 24.00
Stent, non-coronary, temporary, without delivery system	\$ 7,125.00
Stent, non-coronary, temporary, without delivery system	\$ 7,375.00
Stent, non-coronary, temporary, without delivery system	\$ 7,625.00
Stent, non-coronary, temporary, without delivery system	\$ 7,875.00
Stent, non-coronary, temporary, without delivery system	\$ 8,125.00
Stent, non-coronary, temporary, without delivery system	\$ 8,375.00
Stent, non-coronary, temporary, without delivery system	\$ 8,625.00
Stent, non-coronary, temporary, without delivery system	\$ 5,125.00
Stent, non-coronary, temporary, without delivery system	\$ 5,375.00
Stent, non-coronary, temporary, without delivery system	\$ 5,625.00
Esophagoscopy, flexible, transoral; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 2,310.00
Esophagoscopy, flexible, transoral; with biopsy, single or multiple	\$ 4,408.00
Esophagoscopy, flexible, transoral; with injection sclerosis of esophageal varices	\$ 4,408.00
Esophagoscopy, flexible, transoral; with removal of foreign body(s)	\$ 4,408.00
Esophagoscopy, flexible, transoral; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 4,408.00
Esophagoscopy, flexible, transoral; with transendoscopic balloon dilation (less than 30 mm diameter)	\$ 4,408.00
Esophagoscopy, flexible, transoral; with insertion of guide wire followed by passage of dilator(s) over guide wire	\$ 4,408.00
Esophagoscopy, flexible, transoral; with control of bleeding, any method	\$ 4,408.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Esophagogastroduodenoscopy, flexible, transoral; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 2,310.00
Esophagogastroduodenoscopy, flexible, transoral; with biopsy, single or multiple	\$ 2,310.00
Esophagogastroduodenoscopy, flexible, transoral; with insertion of intraluminal tube or catheter	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with injection sclerosis of esophageal/gastric varices	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with dilation of gastric/duodenal stricture(s) (eg, balloon, bougie)	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with directed placement of percutaneous gastrostomy tube	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with removal of foreign body(s)	\$ 2,055.00
Esophagogastroduodenoscopy, flexible, transoral; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with control of bleeding, any method	\$ 4,408.00
Endoscopic retrograde cholangiopancreatography (ERCP); diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 8,289.00
Endoscopic retrograde cholangiopancreatography (ERCP); with sphincterotomy/papillotomy	\$ 8,289.00
Endoscopic retrograde cholangiopancreatography (ERCP); with removal of calculi/debris from biliary/pancreatic duct(s)	\$ 6,588.00
Endoscopic retrograde cholangiopancreatography (ERCP); with destruction of calculi, any method (eg, mechanical, electrohydraulic, lithotripsy)	\$ 13,011.00
Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 2,205.00
Sigmoidoscopy, flexible; with biopsy, single or multiple	\$ 2,205.00
Sigmoidoscopy, flexible; with removal of foreign body(s)	\$ 2,898.00
Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps	\$ 2,205.00
Sigmoidoscopy, flexible; with control of bleeding, any method	\$ 2,898.00
Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)	\$ 2,898.00
Sigmoidoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed	\$ 2,898.00
Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 2,205.00
Colonoscopy, flexible; with removal of foreign body(s)	\$ 2,898.00
Colonoscopy, flexible; with biopsy, single or multiple	\$ 2,898.00
Colonoscopy, flexible; with control of bleeding, any method	\$ 2,898.00
Colonoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)	\$ 2,898.00
Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 2,898.00
Ligation, direct, esophageal varices	\$ 2,341.00
Esophagogastroduodenoscopy, flexible, transoral; with band ligation of esophageal/gastric varices	\$ 4,408.00
Esophagoscopy, flexible, transoral; with band ligation of esophageal varices	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic balloon dilation of esophagus (less than 30 mm diameter)	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps	\$ 4,408.00
Dilation of esophagus, over guide wire	\$ 4,408.00
Colonoscopy through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 2,205.00
Colonoscopy through stoma; with biopsy, single or multiple	\$ 2,898.00
Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 2,898.00
Colonoscopy through stoma; with control of bleeding, any method	\$ 2,898.00
Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 2,898.00
Endoscopic retrograde cholangiopancreatography (ERCP); with biopsy, single or multiple	\$ 8,289.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with control of bleeding (eg, injection, bipolar cautery, unipolar cautery, laser, heater probe, stapler, plasma coagulator)	\$ 4,408.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with removal of foreign body(s)	\$ 4,408.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with biopsy, single or multiple	\$ 4,408.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 4,408.00
Dilation of esophagus, by unguided sound or bougie, single or multiple passes	\$ 2,310.00
Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps	\$ 2,898.00
Ileoscopy, through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 2,310.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 185.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 364.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transbronchial lung biopsy(s), single lobe	\$ 8,027.00
Ileoscopy, through stoma; with biopsy, single or multiple	\$ 2,310.00
Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps	\$ 2,898.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 4,408.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps or bipolar cautery	\$ 4,408.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Esophagogastroduodenoscopy, flexible, transoral; with insertion of guide wire followed by passage of dilator(s) through esophagus over guide wire	\$ 2,310.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, including ileum; with control of bleeding (eg, injection, bipolar cautery, unipolar cautery, laser, heater probe, stapler, plasma coagulator)	\$ 4,408.00
Ileoscopy, through stoma; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)	\$ 8,289.00
Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre-and post-dilation and guide wire passage, when performed)	\$ 2,898.00
Sigmoidoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s)	\$ 2,898.00
Endoscopic cannulation of papilla with direct visualization of pancreatic/common bile duct(s) (List separately in addition to code(s) for primary procedure)	\$ 3,067.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, including ileum; diagnostic, with or without collection of specimen(s) by brushing or washing (separate procedure)	\$ 4,408.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, including ileum; with biopsy, single or multiple	\$ 4,408.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, including ileum; with transendoscopic stent placement (includes predilation)	\$ 13,011.00
Biopsy of liver, needle; percutaneous	\$ 4,083.00
Colonoscopy, flexible; with endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures	\$ 2,898.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cautery or snare technique	\$ 4,408.00
Gastric intubation and aspiration(s) therapeutic, necessitating physician's skill (eg, for gastrointestinal hemorrhage), including lavage if performed	\$ 767.00
Gastric intubation and aspiration, diagnostic; single specimen (eg, acid analysis)	\$ 767.00
Gastric intubation and aspiration, diagnostic; collection of multiple fractional specimens with gastric stimulation, single or double lumen tube (gastric secretory study) (eg, histamine, insulin, pentagastrin, calcium, secretin), includes drug administration	\$ 420.00
Duodenal intubation and aspiration, diagnostic, includes image guidance; single specimen (eg, bile study for crystals or afferent loop culture)	\$ 2,310.00
Duodenal intubation and aspiration, diagnostic, includes image guidance; collection of multiple fractional specimens with pancreatic or gallbladder stimulation, single or double lumen tube, includes drug administration	\$ 2,310.00
Esophageal motility (manometric study of the esophagus and/or gastroesophageal junction) study with interpretation and report; with stimulation or perfusion (eg, stimulant, acid or alkali perfusion) (List separately in addition to code for primary procedure)	\$ 1,423.00
Colon motility (manometric) study, minimum 6 hours continuous recording (including provocation tests, eg, meal, intracolonic balloon distension, pharmacologic agents, if performed), with interpretation and report	\$ 714.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with conversion of percutaneous gastrostomy tube to percutaneous jejunostomy tube	\$ 4,408.00
Esophagus, gastroesophageal reflux test; with nasal catheter pH electrode(s) placement, recording, analysis and interpretation	\$ 2,197.00
Esophagus, gastroesophageal reflux test; with mucosal attached telemetry pH electrode placement, recording, analysis and interpretation	\$ 1,374.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with computer-assisted, image-guided navigation (List separately in addition to code for primary procedure[s])	\$ 2,994.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with tracheal/bronchial dilation or closed reduction of fracture	\$ 8,027.00
Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures	\$ 2,898.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with placement of percutaneous jejunostomy tube	\$ 4,408.00
Naso- or oro-gastric tube placement, requiring physician's skill and fluoroscopic guidance (includes fluoroscopy, image documentation and report)	\$ 394.00
Repositioning of a naso- or oro-gastric feeding tube, through the duodenum for enteric nutrition	\$ 714.00
Esophagogastroduodenoscopy, flexible, transoral; with optical endomicroscopy	\$ 8,289.00
Esophagoscopy, flexible, transoral; with optical endomicroscopy	\$ 4,408.00
Biopsy of anorectal wall, anal approach (eg, congenital megacolon)	\$ 7,156.00
Preparation with instillation of fecal microbiota by any method, including assessment of donor specimen	\$ 870.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with placement of bronchial stent(s) (includes tracheal/bronchial dilation as required), initial bronchus	\$ 14,405.00
Esophagogastroduodenoscopy, flexible, transoral; with transmural drainage of pseudocyst (includes placement of transmural drainage catheter[s]/stent[s], when performed, and endoscopic ultrasound, when performed)	\$ 8,289.00
Esophagoscopy, flexible, transoral; with endoscopic mucosal resection	\$ 4,408.00
Esophagoscopy, flexible, transoral; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)	\$ 13,011.00
Esophagoscopy, flexible, transoral; with dilation of esophagus, by balloon or dilator, retrograde (includes fluoroscopic guidance, when performed)	\$ 4,408.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Esophagoscopy, flexible, transoral; with dilation of esophagus with balloon (30 mm diameter or larger) (includes fluoroscopic guidance, when performed)	\$ 4,408.00
Esophagoscopy, flexible, transoral; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)	\$ 8,289.00
Esophagogastroduodenoscopy, flexible, transoral; with dilation of esophagus with balloon (30 mm diameter or larger) (includes fluoroscopic guidance, when performed)	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic ultrasound-guided transmural injection of diagnostic or therapeutic substance(s) (eg, anesthetic, neurolytic agent) or fiducial marker(s) (includes endoscopic ultrasound examination of the esophagus, stomach, and either the duodenum or a surgically altered stomach where the jejunum is examined distal to the anastomosis)	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with endoscopic mucosal resection	\$ 4,408.00
Esophagogastroduodenoscopy, flexible, transoral; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)	\$ 13,011.00
Esophagogastroduodenoscopy, flexible, transoral; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)	\$ 4,408.00
Endoscopic retrograde cholangiopancreatography (ERCP); with placement of endoscopic stent into biliary or pancreatic duct, including pre- and post-dilation and guide wire passage, when performed, including sphincterotomy, when performed, each stent	\$ 13,011.00
Endoscopic retrograde cholangiopancreatography (ERCP); with removal of foreign body(s) or stent(s) from biliary/pancreatic duct(s)	\$ 8,289.00
Endoscopic retrograde cholangiopancreatography (ERCP); with removal and exchange of stent(s), biliary or pancreatic duct, including pre- and post-dilation and guide wire passage, when performed, including sphincterotomy, when performed, each stent exchanged	\$ 13,011.00
Endoscopic retrograde cholangiopancreatography (ERCP); with trans-endoscopic balloon dilation of biliary/pancreatic duct(s) or of ampulla (sphincteroplasty), including sphincterotomy, when performed, each duct	\$ 8,289.00
Endoscopic retrograde cholangiopancreatography (ERCP); with ablation of tumor(s), polyp(s), or other lesion(s), including pre- and post-dilation and guide wire passage, when performed	\$ 8,289.00
Unlisted procedure, small intestine	\$ 2,310.00
Unlisted procedure, pancreas	\$ 1,780.00
Proctosigmoidoscopy, rigid; with biopsy, single or multiple	\$ 2,898.00
Ileoscopy, through stoma; with transendoscopic balloon dilation	\$ 4,408.00
Colonoscopy through stoma; with endoscopic stent placement (including pre- and post-dilation and guide wire passage, when performed)	\$ 13,011.00
Colonoscopy through stoma; with endoscopic mucosal resection	\$ 2,898.00
Colonoscopy through stoma; with directed submucosal injection(s), any substance	\$ 2,898.00
Colonoscopy through stoma; with transendoscopic balloon dilation	\$ 2,898.00
Colonoscopy through stoma; with endoscopic ultrasound examination, limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures	\$ 2,898.00
Colonoscopy through stoma; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures	\$ 2,898.00
Colonoscopy through stoma; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed	\$ 2,205.00
Sigmoidoscopy, flexible; with endoscopic mucosal resection	\$ 2,898.00
Sigmoidoscopy, flexible; with band ligation(s) (eg, hemorrhoids)	\$ 2,898.00
Colonoscopy, flexible; with endoscopic mucosal resection	\$ 2,898.00
Colonoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed	\$ 2,898.00
Colonoscopy, flexible; with band ligation(s) (eg, hemorrhoids)	\$ 2,898.00
Unlisted procedure, colon	\$ 2,205.00
Removal of fecal impaction or foreign body (separate procedure) under anesthesia	\$ 2,898.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 124.00
Colorectal cancer screening; colonoscopy on individual at high risk	\$ 2,205.00
Esophagogastroduodenoscopy, flexible, transoral; with directed submucosal injection(s), any substance	\$ 2,310.00
Sigmoidoscopy, flexible; with directed submucosal injection(s), any substance	\$ 2,205.00
Sigmoidoscopy, flexible; with transendoscopic balloon dilation	\$ 2,898.00
Colonoscopy, flexible; with directed submucosal injection(s), any substance	\$ 2,898.00
Colonoscopy, flexible; with transendoscopic balloon dilation	\$ 2,898.00
Colorectal cancer screening; flexible sigmoidoscopy	\$ 2,205.00
Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk	\$ 2,205.00
Sigmoidoscopy, flexible; with endoscopic ultrasound examination	\$ 2,898.00
Esophagogastroduodenoscopy, flexible, transoral; with biopsy, single or multiple	\$ 4,408.00
Proctosigmoidoscopy, rigid; diagnostic, with or without collection of specimen(s) by brushing or washing (separate procedure)	\$ 2,205.00
Esophageal motility (manometric study of the esophagus and/or gastroesophageal junction) study with interpretation and report	\$ 1,658.00
Anorectal manometry	\$ 1,295.00
#REF!	\$ 95.00
Refilling and maintenance of implantable pump or reservoir for drug delivery, spinal (intrathecal, epidural) or brain (intraventricular), includes electronic analysis of pump, when performed	\$ 922.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 922.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 790.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 330.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 999.00
Insertion of peripherally inserted central venous catheter (PICC), without subcutaneous port or pump; age 5 years or older	\$ 2,299.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 888.00
Guide wire	\$ 138.00
#REF!	\$ 499.00
Diabetes outpatient self-management training services, individual, per 30 minutes	\$ 105.00
Diabetes outpatient self-management training services, group session (2 or more), per 30 minutes	\$ 62.00
Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; physician or other qualified health care professional (office) provided equipment, sensor placement, hook-up, calibration of monitor, patient training, removal of sensor, and printout of recording	\$ 455.00
Preprd Childbirth	\$ 70.00
Refrsh Childbirth	\$ 77.00
Breastfeed Class	\$ 15.00
Parent Basic Skill	\$ 35.00
Sibling Class	\$ 15.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 490.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	\$ 450.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 859.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)	\$ 478.00
F2 (prothrombin, coagulation factor II) (eg, hereditary hypercoagulability) gene analysis, 20210G>A variant	\$ 191.00
F5 (coagulation factor V) (eg, hereditary hypercoagulability) gene analysis, Leiden variant	\$ 191.00
JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant	\$ 464.00
KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)	\$ 673.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 191.00
Unlisted molecular pathology procedure	\$ 1,991.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 610.00
EGFR (epidermal growth factor receptor) (eg, non-small cell lung cancer) gene analysis, common variants (eg, exon 19 LREA deletion, L858R, T790M, G719A, G719S, L861Q)	\$ 1,123.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 761.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative	\$ 673.00
HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)	\$ 215.00
CYP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17)	\$ 992.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 1 (eg, identification of single germline variant [eg, SNP] by techniques such as restriction enzyme digestion or melt curve analysis) ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), K304E variant ACE (angiotensin converting enzyme) (eg, hereditary blood pressure regulation), insertion/deletion variant AGTR1 (angiotensin II receptor, type 1) (eg, essential hypertension), 1166A>C variant BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), Y438N variant CCR5 (chemokine C-C motif receptor 5) (eg, HIV resistance), 32-bp deletion mutation/794 825del32 deletion CLRN1 (clarin 1) (eg, Usher syndrome, type 3), N48K variant DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and capecitabine drug metabolism), IVS14+1G>A variant F2 (coagulation factor 2) (eg, hereditary hypercoagulability), 1199G>A variant F5 (coagulation factor V) (eg, hereditary hypercoagulability), HR2 variant F7 (coagulation factor VII [serum prothrombin conversion accelerator]) (eg, hereditary hypercoagulability), R353Q variant F13B (coagulation factor XIII, B polypeptide) (eg, hereditary hypercoagulability), V34L variant FGB (fibrinogen beta chain) (eg, hereditary ischemic heart disease), -455G>A variant FGFR1 (fibroblast growth factor receptor 1) (eg, Pfeiffer syndrome type 1, craniosynostosis), P252R variant FGFR3 (fibroblast growth factor receptor 3) (eg, Muenke syndrome), P250R variant FKTN (fukutin) (eg, Fukuyama congenital muscular dystrophy), retrotransposon insertion variant GNE (glucosamine [UDP-N-acetyl]-2-epimerase/N-acetylmannosamine kinase) (eg, inclusion body myopathy 2 [IBM2], Nonaka myopathy), M712T variant Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-1a/b (L33P) Human Platelet Antigen 2 genotyping (HPA-2), GP1BA (glycoprotein Ib [platelet], alpha polypeptide [GPIba]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-2a/b (T145M) Human Platelet Antigen 3 genotyping (HPA-3), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-3a/b (I843S) Human Platelet Antigen 4 genotyping (HPA-4), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-4a/b (R143Q) Human Platelet Antigen 5 genotyping (HPA-5), ITGA2 (integrin, alpha 2 [CD49B, alpha 2 subunit of VLA-2 receptor] [GPIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-5a/b (K505E) Human Platelet Antigen 6 genotyping (HPA-6w), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa, antigen CD61] [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-6a/b (R489Q) Human Platelet Antigen 9 genotyping (HPA-9w), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex, antigen CD41] [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-9a/b (V837M) Human Platelet Antigen 15 genotyping (HPA-15), CD109 (CD109 molecule) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-15a/b (S682Y) IL28B (interleukin 28B [interferon, lambda 3]) (eg, drug response), rs12979860 variant IVD (isovaleryl-CoA dehydrogenase) (eg, isovaleric acidemia), A282V variant LCT (lactase-phlorizin hydrolase) (eg, lactose intolerance), 13910 C>T variant NEB (nebulin) (eg, nemaline myopathy 2), exon 55 deletion variant PCDH15 (protocadherin-related 15) (eg, Usher syndrome type 1F), R245X variant SERPINE1 (serpine peptidase inhibitor clade E, member 1, plasminogen activator inhibitor -1, PAI-1) (eg, thrombophilia), 4G variant SHOC2 (soc-2 suppressor of clear homolog) (eg, Noonan-like syndrome with loose anagen hair), S2G variant SLC01B1 (solute carrier organic anion transporter family, member 1B1) (eg, adverse drug reaction), V174A variant SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy), exon 7 deletion SRY (sex determining region Y) (eg, 46,XX testicular disorder of sex development, gonadal dysgenesis), gene analysis TOR1A (torsin family 1, member A [torsin A]) (eg, early-onset primary dystonia [DYT1]), 907_909delGAG (904_906delGAG) variant	\$ 372.00
KIT (v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal stromal tumor [GIST], acute myeloid leukemia, melanoma), gene analysis, targeted sequence analysis (eg, exons 8, 11, 13, 17, 18)	\$ 2,115.00
NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)	\$ 1,007.00
Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes (50 content and 8 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence risk score	\$ 10,925.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 460.00
Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 120.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 58.00
Crystal identification by light microscopy with or without polarizing lens analysis, tissue or any body fluid (except urine)	\$ 183.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)	\$ 35.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy	\$ 96.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy	\$ 76.00
Urinalysis; microscopic only	\$ 56.00
Glucose; quantitative, blood (except reagent strip)	\$ 22.00
Nasal smear for eosinophils	\$ 100.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 83.00
pH; body fluid, not otherwise specified	\$ 46.00
Fern test	\$ 34.00
Urine pregnancy test, by visual color comparison methods	\$ 40.00
Infectious agent antigen detection by immunoassay with direct optical observation; Streptococcus, group A	\$ 69.00
Blood count; hematocrit (Hct)	\$ 52.00
Sodium; serum, plasma or whole blood	\$ 22.00
Potassium; serum, plasma or whole blood	\$ 22.00
Chloride; blood	\$ 22.00
Urea nitrogen; quantitative	\$ 22.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 76.00
Calcium; ionized	\$ 134.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	\$ 15.00
Blood count; hemoglobin (Hgb)	\$ 52.00
Prothrombin time	\$ 100.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 70.00
Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (eg, scabies)	\$ 183.00
Coagulation time; activated	\$ 30.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	\$ 112.00
Platelet, aggregation (in vitro), each agent	\$ 129.00
Fibrinogen; activity	\$ 220.00
Creatinine; blood	\$ 22.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening	\$ 35.00
Blood count; leukocyte (WBC), automated	\$ 96.00
Sedimentation rate, erythrocyte; non-automated	\$ 183.00
Lactate (lactic acid)	\$ 51.00
Carbon dioxide (bicarbonate)	\$ 22.00
Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)	\$ 288.00
Troponin, quantitative	\$ 125.00
Evaluation of cervicovaginal fluid for specific amniotic fluid protein(s) (eg, placental alpha microglobulin-1 [PAMG-1], placental protein 12 [PP12], alpha-fetoprotein), qualitative, each specimen	\$ 308.00
Lactate (lactic acid)	\$ 52.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 77.00
Hemoglobin; glycosylated (A1C)	\$ 150.00
Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use	\$ 107.00
Gases, blood, O2 saturation only, by direct measurement, except pulse oximetry	\$ 42.00
Bilirubin, total, transcutaneous	\$ 25.00
Collection of venous blood by venipuncture	\$ 18.00
Antibody identification, RBC antibodies, each panel for each serum technique	\$ 445.00
Antibody screen, RBC, each serum technique	\$ 153.00
Cryoprecipitate, each unit	\$ 297.00
Antihuman globulin test (Coombs test); direct, each antiserum	\$ 183.00
Fresh frozen plasma (single donor), frozen within 8 hours of collection, each unit	\$ 355.00
Whole blood or red blood cells, leukocytes reduced, frozen, deglycerol, washed, each unit	\$ 314.00
Frozen blood, each unit; thawing	\$ 204.00
Red blood cells, each unit	\$ 632.00
Platelets, each unit	\$ 531.00
Blood (whole), for transfusion, per unit	\$ 178.00
Antihuman globulin test (Coombs test); indirect, each antibody titer	\$ 445.00
Blood typing, serologic; Rh phenotyping, complete	\$ 204.00
Sickling of RBC, reduction	\$ 46.00
Antibody screen, RBC, each serum technique	\$ 183.00
Irradiation of blood product, each unit	\$ 120.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette	\$ 11.00
Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	\$ 178.00
Antibody elution (RBC), each elution	\$ 522.00
Blood bank physician services; investigation of transfusion reaction including suspicion of transmissible disease, interpretation and written report	\$ 178.00
Autologous blood or component, collection processing and storage; predeposited	\$ 204.00
Platelets, pheresis, leukocytes reduced, each unit	\$ 2,433.00
Antibody; cytomegalovirus (CMV)	\$ 165.00
Compatibility test each unit; antiglobulin technique	\$ 116.00
Blood typing, serologic; ABO	\$ 58.00
Blood typing, serologic; Rh (D)	\$ 101.00
Red blood cells, leukocytes reduced, each unit	\$ 802.00
HLA typing; A, B, or C, multiple antigens	\$ 92.00
Pooling of platelets or other blood products	\$ 116.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Unlisted transfusion medicine procedure	\$ 14.00
Plasma, cryoprecipitate reduced, each unit	\$ 355.00
Fresh frozen plasma between 8-24 hours of collection, each unit	\$ 85.00
Blood, split unit	\$ 151.00
Splitting of blood or blood products, each unit	\$ 116.00
Compatibility test each unit; immediate spin technique	\$ 316.00
Platelets, pheresis, each unit	\$ 468.00
Platelets, pheresis, irradiated, each unit	\$ 633.00
Irradiation of blood product, each unit	\$ 114.00
Fresh frozen plasma, thawing, each unit	\$ 204.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 204.00
Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	\$ 204.00
Granulocytes, pheresis, each unit	\$ 3,429.00
Compatibility test each unit; electronic	\$ 116.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 259.00
Cryoprecipitate, each unit	\$ 430.00
Platelets, leukocytes reduced, each unit	\$ 2,621.00
Volume reduction of blood or blood product (eg, red blood cells or platelets), each unit	\$ 116.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 220.00
Albumin; serum, plasma or whole blood	\$ 18.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 184.00
Aldolase	\$ 112.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg) neutralization	\$ 280.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 56.00
Hepatitis B surface antibody (HBsAb)	\$ 93.00
Hepatitis B core antibody (HBcAb); total	\$ 133.00
Ammonia	\$ 237.00
Hepatitis Be antibody (HBeAb)	\$ 133.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis Be antigen (HBeAg)	\$ 133.00
Amylase	\$ 105.00
Bilirubin; direct	\$ 32.00
Bilirubin; total	\$ 18.00
Calcium; total	\$ 22.00
Cholesterol, serum or whole blood, total	\$ 83.00
Creatine kinase (CK), (CPK); total	\$ 105.00
Creatinine; clearance	\$ 153.00
Phenytoin; total	\$ 216.00
Fat or lipids, feces; qualitative	\$ 86.00
Glutamyltransferase, gamma (GGT)	\$ 87.00
Glucose, body fluid, other than blood	\$ 142.00
Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)	\$ 133.00
Iron binding capacity	\$ 81.00
Iron	\$ 100.00
Lactate (lactic acid)	\$ 151.00
Lactate dehydrogenase (LD), (LDH)	\$ 95.00
Lidocaine	\$ 144.00
Lipase	\$ 357.00
Lithium	\$ 109.00
Magnesium	\$ 153.00
Hemoglobin; methemoglobin, quantitative	\$ 79.00
Primidone	\$ 147.00
Osmolality; blood	\$ 204.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Phenobarbital	\$ 216.00
Phosphatase, alkaline	\$ 18.00
Phosphorus inorganic (phosphate)	\$ 18.00
Procainamide; with metabolites (eg, n-acetyl procainamide)	\$ 223.00
Prothrombin time	\$ 101.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 144.00
Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)	\$ 142.00
Protein, total, except by refractometry; serum, plasma or whole blood	\$ 18.00
Quinidine	\$ 144.00
Urinalysis; qualitative or semiquantitative, except immunoassays	\$ 74.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 111.00
Transferase; aspartate amino (AST) (SGOT)	\$ 18.00
Transferase; alanine amino (ALT) (SGPT)	\$ 18.00
Carbamazepine; total	\$ 247.00
Theophylline	\$ 207.00
Triglycerides	\$ 142.00
Urea nitrogen, urine	\$ 81.00
Uric acid; blood	\$ 149.00
Valproic acid (dipropylacetic acid); total	\$ 215.00
Viscosity	\$ 96.00
Tobramycin	\$ 318.00
Gentamicin	\$ 286.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 360.00
Carboxyhemoglobin; quantitative	\$ 96.00
Urine pregnancy test, by visual color comparison methods	\$ 70.00
Digoxin; total	\$ 196.00
Vancomycin	\$ 318.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 161.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 207.00
Lead	\$ 79.00
Caffeine	\$ 161.00
Tocopherol alpha (Vitamin E)	\$ 140.00
Creatine kinase (CK), (CPK); MB fraction only	\$ 130.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 219.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed)	\$ 219.00
Glucose; post glucose dose (includes glucose)	\$ 22.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry	\$ 112.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Albumin; urine, microalbumin, quantitative	\$ 233.00
Vitamin A	\$ 147.00
Cyclosporine	\$ 226.00
Gases, blood, pH only	\$ 74.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 43.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 207.00
Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio	\$ 870.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 209.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 48.00
Uric acid; other source	\$ 83.00
Sodium; urine	\$ 69.00
Potassium; urine	\$ 70.00
Chloride; urine	\$ 76.00
Creatinine; other source	\$ 85.00
Phosphorus inorganic (phosphate); urine	\$ 72.00
Calcium; urine quantitative, timed specimen	\$ 98.00
Sodium; other source	\$ 40.00
Chloride; other source	\$ 38.00
Osmolality; urine	\$ 239.00
Phenytoin; free	\$ 145.00
Lipoprotein, direct measurement; LDL cholesterol	\$ 142.00
Carcinoembryonic antigen (CEA)	\$ 284.00
Cortisol; total	\$ 237.00
Ferritin	\$ 222.00
Folic acid; serum	\$ 153.00
Gonadotropin; follicle stimulating hormone (FSH)	\$ 233.00
Gastrin	\$ 163.00
Growth hormone, human (HGH) (somatotropin)	\$ 165.00
Gammaglobulin (immunoglobulin); IgE	\$ 172.00
Gonadotropin; luteinizing hormone (LH)	\$ 301.00
Prolactin	\$ 284.00
Testosterone; total	\$ 215.00
Thyroid stimulating hormone (TSH)	\$ 296.00
Thyroxine; total	\$ 152.00
Cyanocobalamin (Vitamin B-12)	\$ 196.00
Estradiol	\$ 173.00
Triiodothyronine T3; free	\$ 198.00
Hydroxyprogesterone, 17-d	\$ 229.00
Testosterone; free	\$ 310.00
Beta-2 microglobulin	\$ 147.00
Immunoassay for tumor antigen, quantitative; CA 125	\$ 319.00
Prostate specific antigen (PSA); total	\$ 201.00
Progesterone	\$ 184.00
Thyroglobulin	\$ 196.00
Somatomedin	\$ 237.00
Adrenocorticotrophic hormone (ACTH)	\$ 165.00
Alpha-fetoprotein (AFP); serum	\$ 79.00
Gonadotropin, chorionic (hCG); quantitative	\$ 77.00
Estriol	\$ 222.00
Thyroxine; free	\$ 149.00
Antibody; HIV-1 and HIV-2, single result	\$ 140.00
Amylase	\$ 129.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 163.00
Glucose, body fluid, other than blood	\$ 25.00
Lipase	\$ 128.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 77.00
Unlisted chemistry procedure	\$ 108.00
Protein, total, except by refractometry; urine	\$ 96.00
Spectrophotometry, analyte not elsewhere specified	\$ 20.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 762.00
Chloride; urine	\$ 183.00
Clotting; factor V (AcG or proaccelerin), labile factor	\$ 205.00
Clotting; factor VIII (AHG), 1-stage	\$ 207.00
Factor inhibitor test	\$ 147.00
Clotting; factor X (Stuart-Prower)	\$ 239.00
Clotting; factor XI (PTA)	\$ 239.00
Clotting; factor XII (Hageman)	\$ 239.00
Clotting; factor XIII (fibrin stabilizing), screen solubility	\$ 239.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)	\$ 241.00
Fibrinogen; activity	\$ 221.00
Hemolysin, acid	\$ 114.00
Nasal smear for eosinophils	\$ 62.00
Leukocyte alkaline phosphatase with count	\$ 125.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 179.00
Blood count; platelet, automated	\$ 183.00
Blood count; red blood cell (RBC), automated	\$ 96.00
Blood count; reticulocyte, manual	\$ 183.00
Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative	\$ 342.00
Hemolysins and agglutinins; auto, screen, each	\$ 76.00
Thrombin time; plasma	\$ 110.00
Clotting; factor VII (proconvertin, stable factor)	\$ 207.00
Reptilase test	\$ 105.00
Clotting; factor VIII, VW factor antigen	\$ 256.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 256.00
Clotting inhibitors or anticoagulants; protein C, activity	\$ 219.00
Prothrombin time; substitution, plasma fractions, each	\$ 292.00
Fibrin(ogen) degradation (split) products (FDP) (FSP); paracoagulation	\$ 131.00
Blood count; reticulocyte, automated	\$ 183.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 150.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count	\$ 177.00
Platelet, aggregation (in vitro), each agent	\$ 151.00
Platelet, aggregation (in vitro), each agent	\$ 277.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 144.00
Russell viper venom time (includes venom); diluted	\$ 130.00
Clotting inhibitors or anticoagulants; antithrombin III, activity	\$ 219.00
Heinz bodies; direct	\$ 45.00
Clotting; factor II, prothrombin, specific	\$ 205.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count	\$ 202.00
Blood count; leukocyte (WBC), automated	\$ 183.00
Clotting; factor IX (PTC or Christmas)	\$ 239.00
Volume measurement for timed collection, each	\$ 25.00
Specific gravity (except urine)	\$ 64.00
Sickling of RBC, reduction	\$ 45.00
Gonadotropin, chorionic (hCG); qualitative	\$ 124.00
Heparin neutralization	\$ 80.00
Activated Protein C (APC) resistance assay	\$ 151.00
Clotting inhibitors or anticoagulants; protein S, free	\$ 199.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Blood count; spun microhematocrit	\$ 28.00
Metanephrines	\$ 147.00
Homovanillic acid (HVA)	\$ 151.00
Vanillylmandelic acid (VMA), urine	\$ 151.00
Troponin, quantitative	\$ 313.00
Gases, blood, pH only	\$ 139.00
Antibody; rubella	\$ 133.00
Heparin assay	\$ 117.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 241.00
Homocysteine	\$ 133.00
Semen analysis; sperm presence and motility of sperm, if performed	\$ 147.00
Folic acid; RBC	\$ 133.00
Immunoassay for tumor antigen, quantitative; CA 19-9	\$ 178.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 178.00
Parathormone (parathyroid hormone)	\$ 253.00
Albumin; urine or other source, quantitative, each specimen	\$ 69.00
Complement; antigen, each component	\$ 177.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 171.00
C-reactive protein	\$ 93.00
Transferrin	\$ 151.00
Prealbumin	\$ 196.00
Antistreptolysin O; titer	\$ 102.00
Ceruloplasmin	\$ 126.00
Rheumatoid factor; quantitative	\$ 79.00
Haptoglobin; quantitative	\$ 130.00
Erythropoietin	\$ 130.00
Myoglobin	\$ 130.00
Fibrin degradation products, D-dimer; quantitative	\$ 159.00
Prostate cancer screening; prostate specific antigen test (psa)	\$ 201.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 134.00
Thyroglobulin antibody	\$ 134.00
Insulin; total	\$ 90.00
C-reactive protein; high sensitivity (hsCRP)	\$ 209.00
Chloride; other source	\$ 93.00
Hemoglobin; F (fetal), qualitative	\$ 52.00
Prostate specific antigen (PSA); free	\$ 130.00
Platelet, aggregation (in vitro), each agent	\$ 258.00
Hepatitis A antibody (HAAb)	\$ 86.00
Hepatitis A antibody (HAAb), IgM antibody	\$ 56.00
Hepatitis B core antibody (HBcAb); IgM antibody	\$ 56.00
Gonadotropin, chorionic (hCG); quantitative	\$ 167.00
Natriuretic peptide	\$ 313.00
Antibody; Helicobacter pylori	\$ 186.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 139.00
Calcitonin	\$ 257.00
Coagulation time; activated	\$ 94.00
Platelet, aggregation (in vitro), each agent	\$ 433.00
Fibrinogen; activity	\$ 177.00
Thrombin time; plasma	\$ 114.00
Blood count; blood smear, microscopic examination with manual differential WBC count	\$ 81.00
Blood count; blood smear, microscopic examination without manual differential WBC count	\$ 81.00
Blood count; manual differential WBC count, buffy coat	\$ 81.00
Inhibin A	\$ 416.00
Fetal fibronectin, cervicovaginal secretions, semi-quantitative	\$ 582.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	\$ 31.00
pH; body fluid, not otherwise specified	\$ 45.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Tacrolimus	\$ 311.00
Triiodothyronine T3; total (TT-3)	\$ 111.00
C-peptide	\$ 219.00
Phospholipid neutralization; platelet	\$ 256.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 111.00
Dau Medical Review Officer	\$ 98.00
Hepatitis C antibody	\$ 56.00
Alpha-fetoprotein (AFP); serum	\$ 244.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 62.00
Heterophile antibodies; screening	\$ 98.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 18.00
Syphilis test, non-treponemal antibody; quantitative	\$ 18.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 44.00
Thromboplastin time, partial (PTT); substitution, plasma fractions, each	\$ 25.00
Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 simultaneous	\$ 100.00
Sedimentation rate, erythrocyte; automated	\$ 183.00
Nephelometry, each analyte not elsewhere specified	\$ 367.00
Nephelometry, each analyte not elsewhere specified	\$ 277.00
Clotting inhibitors or anticoagulants; protein S, total	\$ 180.00
Clotting inhibitors or anticoagulants; protein S, free	\$ 419.00
Platelet, aggregation (in vitro), each agent	\$ 209.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 67.00
Sex hormone binding globulin (SHBG)	\$ 77.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 93.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 112.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 42.00
Antibody; Treponema pallidum	\$ 44.00
Fetal lung maturity assessment; lamellar body density	\$ 114.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 133.00
Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations	\$ 100.00
Blood count; reticulocytes, automated, including 1 or more cellular parameters (eg, reticulocyte hemoglobin content [CHR], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement	\$ 62.00
Reticulated platelet assay	\$ 117.00
Pregnancy-associated plasma protein-A (PAPP-A)	\$ 160.00
Phosphorus inorganic (phosphate); urine	\$ 79.00
Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen	\$ 74.00
Procalcitonin (PCT)	\$ 270.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 117.00
Lamotrigine	\$ 117.00
Levetiracetam	\$ 117.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 108.00
Platelet, aggregation (in vitro), each agent	\$ 130.00
Platelet, aggregation (in vitro), each agent	\$ 519.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 105.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 208.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 386.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 440.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 229.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 418.00
Alcohols	\$ 184.00
Troponin, quantitative	\$ 79.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures (eg, immunoassay); capable of being read by direct optical observation only (eg, dipsticks, cups, cards, cartridges) includes sample validation when performed, per date of service	\$ 351.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result	\$ 140.00
Ethylene glycol	\$ 96.00
Hepatitis C antibody	\$ 52.00
Antibody; HIV-1	\$ 271.00
Antibody; HIV-2	\$ 321.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 271.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 1,041.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 589.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 175.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 1,532.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 355.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 192.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 191.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 94.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 63.00
Procalcitonin (PCT)	\$ 125.00
Ketone body(s) (eg, acetone, acetoacetic acid, beta-hydroxybutyrate); quantitative	\$ 58.00
Electrolyte panel This panel must include the following: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)	\$ 88.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 358.00
Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)	\$ 176.00
Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)	\$ 284.00
Hepatic function panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase, alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)	\$ 140.00
Renal function panel This panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)	\$ 212.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 100.00
Cytopathology, slides, cervical or vaginal, definitive hormonal evaluation (eg, maturation index, karyopyknotic index, estrogenic index) (List separately in addition to code[s] for other technical and interpretation services)	\$ 72.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count	\$ 386.00
Cytopathology, concentration technique, smears and interpretation (eg, Saccomanno technique)	\$ 198.00
Cytopathology, fluids, washings or brushings, except cervical or vaginal; smears with interpretation	\$ 198.00
Screening papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision	\$ 127.00
Cytopathology, smears, any other source; preparation, screening and interpretation	\$ 145.00
Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision	\$ 127.00
Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, first evaluation episode, each site	\$ 206.00
Fine needle aspiration; without imaging guidance	\$ 177.00
Cytopathology, evaluation of fine needle aspirate; interpretation and report	\$ 216.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 94.00
Cytopathology, smears, any other source; extended study involving over 5 slides and/or multiple stains	\$ 278.00
Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening	\$ 154.00
Pap test (Pap smear)	\$ 154.00
Level IV - Surgical pathology, gross and microscopic examination Abortion - spontaneous/missed Artery, biopsy Bone marrow, biopsy Bone exostosis Brain/meninges, other than for tumor resection Breast, biopsy, not requiring microscopic evaluation of surgical margins Breast, reduction mammoplasty Bronchus, biopsy Cell block, any source Cervix, biopsy Colon, biopsy Duodenum, biopsy Endocervix, curettings/biopsy Endometrium, curettings/biopsy Esophagus, biopsy Extremity, amputation, traumatic Fallopian tube, biopsy Fallopian tube, ectopic pregnancy Femoral head, fracture Fingers/toes, amputation, non-traumatic Gingiva/oral mucosa, biopsy Heart valve Joint, resection Kidney, biopsy Larynx, biopsy Leiomyoma(s), uterine myomectomy - without uterus Lip, biopsy/wedge resection Lung, transbronchial biopsy Lymph node, biopsy Muscle, biopsy Nasal mucosa, biopsy Nasopharynx/oropharynx, biopsy Nerve, biopsy Odontogenic/dental cyst Omentum, biopsy Ovary with or without tube, non-neoplastic Ovary, biopsy/wedge resection Parathyroid gland Peritoneum, biopsy Pituitary tumor Placenta, other than third trimester Pleura/pericardium - biopsy/tissue Polyp, cervical/endometrial Polyp, colorectal Polyp, stomach/small intestine Prostate, needle biopsy Prostate, TUR Salivary gland, biopsy Sinus, paranasal biopsy Skin, other than cyst/tag/debridement/plastic repair Small intestine, biopsy Soft tissue, other than tumor/mass/lipoma/debridement Spleen Stomach, biopsy Synovium Testis, other than tumor/biopsy/castration Thyroglossal duct/brachial cleft cyst Tongue, biopsy Tonsil, biopsy Trachea, biopsy Ureter, biopsy Urethra, biopsy Urinary bladder, biopsy Uterus, with or without tubes and ovaries, for prolapse Vagina, biopsy Vulva/labia, biopsy	\$ 194.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 192.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 192.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision	\$ 316.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision	\$ 316.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 277.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 277.00
Cytopathology, selective cellular enhancement technique with interpretation (eg, liquid based slide preparation method), except cervical or vaginal	\$ 270.00
Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, each separate additional evaluation episode, same site (List separately in addition to code for primary procedure)	\$ 206.00
Cytopathology, smears, any other source; screening and interpretation	\$ 145.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 32.00
Paternity Testing/Phleb/Photo	\$ 92.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 35.00
Deoxyribonucleic acid (DNA) antibody; native or double stranded	\$ 321.00
Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)	\$ 137.00
Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)	\$ 96.00
Antibody; cytomegalovirus (CMV), IgM	\$ 165.00
Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)	\$ 100.00
Immunofixation electrophoresis; serum	\$ 167.00
Antibody; Toxoplasma	\$ 96.00
Antibody; Toxoplasma, IgM	\$ 120.00
Antibody; varicella-zoster	\$ 416.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 70.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 91.00
Antibody; rubeola	\$ 222.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 64.00
Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)	\$ 100.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 117.00
Cyclic citrullinated peptide (CCP), antibody	\$ 70.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 143.00
T cells; total count	\$ 176.00
Antibody; rubella	\$ 293.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 73.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 211.00
Stem cells (ie, CD34), total count	\$ 176.00
Antibody; mumps	\$ 61.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 93.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 235.00
Antibody; herpes simplex, type 1	\$ 62.00
Antibody; herpes simplex, type 2	\$ 64.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 265.00
Antibody identification; platelet antibodies	\$ 528.00
Protein; electrophoretic fractionation and quantitation, serum	\$ 65.00
Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)	\$ 84.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 64.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 109.00
Antibody; herpes simplex, non-specific type test	\$ 184.00
Antibody; rubeola	\$ 38.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 124.00
B cells, total count	\$ 176.00
Natural killer (NK) cells, total count	\$ 176.00
Beta 2 Glycoprotein I antibody, each	\$ 96.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 183.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 316.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 49.00
Antinuclear antibodies (ANA)	\$ 287.00
Antinuclear antibodies (ANA); titer	\$ 53.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 125.00
T cells; absolute CD4 and CD8 count, including ratio	\$ 219.00
Antibody; Epstein-Barr (EB) virus, early antigen (EA)	\$ 100.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 23.00
Acute hepatitis panel This panel must include the following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B core antibody (HBcAb), IgM antibody (86705) Hepatitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)	\$ 224.00
Sweat collection by iontophoresis	\$ 150.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 450.00
Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates	\$ 552.00
Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)	\$ 161.00
Culture, bacterial; stool, aerobic, with isolation and preliminary examination (eg, KIA, LIA), Salmonella and Shigella species	\$ 194.00
Culture, presumptive, pathogenic organisms, screening only	\$ 105.00
Culture, presumptive, pathogenic organisms, screening only	\$ 112.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 429.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 74.00
Pinworm exam (eg, cellophane tape prep)	\$ 120.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 26.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 84.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 84.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 167.00
Leukocyte assessment, fecal, qualitative or semiquantitative	\$ 79.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 111.00
Culture, presumptive, pathogenic organisms, screening only	\$ 58.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 125.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; giardia	\$ 62.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 80.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Ova and parasites, direct smears, concentration and identification	\$ 110.00
Smear, primary source with interpretation; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites	\$ 60.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	\$ 483.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, direct probe technique	\$ 96.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Clostridium difficile toxin(s)	\$ 259.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood	\$ 55.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail	\$ 165.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 192.00
Unlisted microbiology procedure	\$ 61.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 216.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 220.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 199.00
Infectious agent antigen detection by immunoassay with direct optical observation; respiratory syncytial virus	\$ 151.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 39.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, direct probe technique, per culture or isolate, each organism probed	\$ 219.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 34.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 56.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 76.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 28.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, direct probe technique, per culture or isolate, each organism probed	\$ 251.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 266.00
Unlisted microbiology procedure	\$ 31.00
Detection test for human papillomavirus (hpv)	\$ 295.00
Concentration (any type), for infectious agents	\$ 43.00
Culture, presumptive, pathogenic organisms, screening only	\$ 59.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique	\$ 314.00
Culture, fungi, definitive identification, each organism; yeast	\$ 166.00
Culture, fungi, definitive identification, each organism; mold	\$ 277.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 59.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 57.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	\$ 184.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 168.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 332.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 126.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 44.00
Susceptibility studies, antimicrobial agent; enzyme detection (eg, beta lactamase), per enzyme	\$ 56.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 45.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 382.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 134.00
Macroscopic examination; parasite	\$ 56.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 266.00
Infectious agent antigen detection by immunofluorescent technique, polyvalent for multiple organisms, each polyvalent antiserum	\$ 244.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 105.00
Infectious agent antigen detection by immunofluorescent technique; influenza B virus	\$ 91.00
Infectious agent antigen detection by immunofluorescent technique; influenza A virus	\$ 91.00
Infectious agent antigen detection by immunofluorescent technique; Parainfluenza virus, each type	\$ 108.00
Infectious agent antigen detection by immunofluorescent technique; adenovirus	\$ 155.00
Infectious agent antigen detection by immunofluorescent technique; Parainfluenza virus, each type	\$ 155.00
Infectious agent antigen detection by immunofluorescent technique; respiratory syncytial virus	\$ 91.00
Infectious agent antigen detection by immunofluorescent technique, polyvalent for multiple organisms, each polyvalent antiserum	\$ 253.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 133.00
Culture, presumptive, pathogenic organisms, screening only	\$ 31.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 157.00
Antibody; HIV-1 and HIV-2, single result	\$ 144.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 239.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 168.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 145.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 130.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 117.00
Culture, bacterial; quantitative colony count, urine	\$ 152.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; rotavirus	\$ 72.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; cryptosporidium	\$ 61.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 62.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 86.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 67.00
Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique	\$ 194.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; respiratory syncytial virus	\$ 57.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 124.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 543.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 396.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 216.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 38.00
Culture, presumptive, pathogenic organisms, screening only	\$ 56.00
Concentration (any type), for infectious agents	\$ 31.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 109.00
Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates	\$ 114.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 383.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 702.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 58.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 59.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 59.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 41.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 40.00
Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed	\$ 1,021.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 403.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 578.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 324.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 494.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 805.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 421.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 421.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 64.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 64.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets	\$ 358.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets	\$ 1,024.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 65.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 56.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 466.00
Infectious agent detection by nucleic acid (DNA or RNA); vancomycin resistance (eg, enterococcus species van A, van B), amplified probe technique	\$ 430.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique	\$ 163.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 125.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 445.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 445.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique	\$ 191.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; respiratory syncytial virus	\$ 153.00
Lactoferrin, fecal; qualitative	\$ 125.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 45.00
Culture, fungi, definitive identification, each organism; yeast	\$ 58.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent antigen detection by immunoassay with direct optical observation; respiratory syncytial virus	\$ 160.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, amplified probe technique	\$ 165.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 165.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 223.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 39.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 25.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 61.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 61.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 61.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets	\$ 962.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed	\$ 55.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed	\$ 56.00
Consultation and report on referred material requiring preparation of slides	\$ 957.00
Pathology consultation during surgery; first tissue block, with frozen section(s), single specimen	\$ 219.00
Pathology consultation during surgery; each additional tissue block with frozen section(s) (List separately in addition to code for primary procedure)	\$ 219.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 286.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 397.00
Level V - Surgical pathology, gross and microscopic examination Adrenal, resection Bone - biopsy/curettings Bone fragment(s), pathologic fracture Brain, biopsy Brain/meninges, tumor resection Breast, excision of lesion, requiring microscopic evaluation of surgical margins Breast, mastectomy - partial/simple Cervix, conization Colon, segmental resection, other than for tumor Extremity, amputation, non-traumatic Eye, enucleation Kidney, partial/total nephrectomy Larynx, partial/total resection Liver, biopsy - needle/wedge Liver, partial resection Lung, wedge biopsy Lymph nodes, regional resection Mediastinum, mass Myocardium, biopsy Odontogenic tumor Ovary with or without tube, neoplastic Pancreas, biopsy Placenta, third trimester Prostate, except radical resection Salivary gland Sentinel lymph node Small intestine, resection, other than for tumor Soft tissue mass (except lipoma) - biopsy/simple excision Stomach - subtotal/total resection, other than for tumor Testis, biopsy Thymus, tumor Thyroid, total/lobe Ureter, resection Urinary bladder, TUR Uterus, with or without tubes and ovaries, other than neoplastic/prolapse	\$ 313.00
Level III - Surgical pathology, gross and microscopic examination Abortion, induced Abscess Aneurysm - arterial/ventricular Anus, tag Appendix, other than incidental Artery, atheromatous plaque Bartholin's gland cyst Bone fragment(s), other than pathologic fracture Bursa/synovial cyst Carpal tunnel tissue Cartilage, shavings Cholesteatoma Colon, colostomy stoma Conjunctiva - biopsy/pterygium Cornea Diverticulum - esophagus/small intestine Dupuytren's contracture tissue Femoral head, other than fracture Fissure/fistula Foreskin, other than newborn Gallbladder Ganglion cyst Hematoma Hemorrhoids Hydatid of Morgagni Intervertebral disc Joint, loose body Meniscus Mucocele, salivary Neuroma - Morton's/traumatic Pilonidal cyst/sinus Polyps, inflammatory - nasal/sinusoidal Skin - cyst/tag/debridement Soft tissue, debridement Soft tissue, lipoma Spermatocoele Tendon/tendon sheath Testicular appendage Thrombus or embolus Tonsil and/or adenoids Varicocele Vas deferens, other than sterilization Vein, varicosity	\$ 122.00
Special stain including interpretation and report; Group III, for enzyme constituents	\$ 322.00
Level VI - Surgical pathology, gross and microscopic examination Bone resection Breast, mastectomy - with regional lymph nodes Colon, segmental resection for tumor Colon, total resection Esophagus, partial/total resection Extremity, disarticulation Fetus, with dissection Larynx, partial/total resection - with regional lymph nodes Lung - total/lobe/segment resection Pancreas, total/subtotal resection Prostate, radical resection Small intestine, resection for tumor Soft tissue tumor, extensive resection Stomach - subtotal/total resection for tumor Testis, tumor Tongue/tonsil -resection for tumor Urinary bladder, partial/total resection Uterus, with or without tubes and ovaries, neoplastic Vulva, total/subtotal resection	\$ 942.00
Level II - Surgical pathology, gross and microscopic examination Appendix, incidental Fallopian tube, sterilization Fingers/toes, amputation, traumatic Foreskin, newborn Hernia sac, any location Hydrocele sac Nerve Skin, plastic repair Sympathetic ganglion Testis, castration Vaginal mucosa, incidental Vas deferens, sterilization	\$ 93.00
Special stain including interpretation and report; Group I for microorganisms (eg, acid fast, methenamine silver)	\$ 323.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 169.00
Special stain including interpretation and report; histochemical stain on frozen tissue block (List separately in addition to code for primary procedure)	\$ 138.00
Level I - Surgical pathology, gross examination only	\$ 52.00
Decalcification procedure (List separately in addition to code for surgical pathology examination)	\$ 93.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 372.00
Iron stain, peripheral blood	\$ 76.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 715.00
Pathology consultation during surgery; cytologic examination (eg, touch prep, squash prep), initial site	\$ 124.00
Pathology consultation during surgery; cytologic examination (eg, touch prep, squash prep), each additional site (List separately in addition to code for primary procedure)	\$ 124.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 30.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 23.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; manual	\$ 715.00
In situ hybridization (eg, FISH), per specimen; initial single probe stain procedure	\$ 1,227.00
In situ hybridization (eg, FISH), per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 1,227.00
In situ hybridization (eg, FISH), per specimen; each multiplex probe stain procedure	\$ 1,511.00
Surgical pathology, gross and microscopic examinations, for prostate needle biopsy, any method	\$ 837.00
Immunohistochemistry or immunocytochemistry, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 286.00
Immunohistochemistry or immunocytochemistry, per specimen; each multiplex antibody stain procedure	\$ 483.00
Immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 397.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 243.00
Serum screening for cytotoxic percent reactive antibody (PRA); standard method	\$ 185.00
Unlisted immunology procedure	\$ 499.00
HLA typing; DR/DQ, single antigen	\$ 130.00
Antibody identification; leukocyte antibodies	\$ 222.00
Antibody identification; leukocyte antibodies	\$ 396.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 373.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 125.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 1,864.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 338.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 426.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 588.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 535.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I and Class II HLA antigens	\$ 185.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class I	\$ 375.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class II	\$ 322.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 567.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I	\$ 1,658.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II	\$ 1,498.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 573.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 713.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 713.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 517.00
Aldosterone	\$ 348.00
Gonadotropin, chorionic (hCG); quantitative	\$ 215.00
Pregnancy-associated plasma protein-A (PAPP-A)	\$ 240.00
Amino acids, 6 or more amino acids, quantitative, each specimen	\$ 1,933.00
Antibody; helminth, not elsewhere specified	\$ 294.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 857.00
Phosphatase, alkaline	\$ 105.00
Catecholamines; fractionated	\$ 309.00
Copper	\$ 90.00
Phosphatase, alkaline; heat stable (total not included)	\$ 111.00
Dehydroepiandrosterone (DHEA)	\$ 152.00
Lead	\$ 91.00
Mercury, quantitative	\$ 91.00
HLA Class II typing, low resolution (eg, antigen equivalents); HLA-DRB1/3/4/5 and -DQB1	\$ 937.00
HLA Class I typing, low resolution (eg, antigen equivalents); complete (ie, HLA-A, -B, and -C)	\$ 1,300.00
Serotonin	\$ 466.00
Zinc	\$ 194.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 80.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 184.00
Antibody; mycoplasma	\$ 184.00
Antibody; Treponema pallidum	\$ 51.00
Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon	\$ 104.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 125.00
Antibody; Aspergillus	\$ 130.00
Aminolevulinic acid, delta (ALA); Aminolevulinic acid (protein) level	\$ 73.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 257.00
Complement; antigen, each component	\$ 233.00
Chromium	\$ 145.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 160.00
Amino acids; single, quantitative, each specimen	\$ 344.00
Intrinsic factor antibodies	\$ 130.00
Antibody; Leptospira	\$ 196.00
Porphobilinogen, urine; quantitative	\$ 183.00
Porphyrins, urine; quantitation and fractionation	\$ 260.00
Protoporphyrin, RBC; quantitative	\$ 127.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 140.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 155.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 185.00
Pyruvate kinase	\$ 458.00
Pyruvate	\$ 129.00
Thiamine (Vitamin B-1)	\$ 340.00
Pyridoxal phosphate (Vitamin B-6)	\$ 105.00
Xylose absorption test, blood and/or urine	\$ 172.00
Fatty acids, nonesterified	\$ 108.00
Haloperidol	\$ 160.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 366.00
Aluminum	\$ 87.00
Antibody; Aspergillus	\$ 133.00
Ascorbic acid (Vitamin C), blood	\$ 94.00
Cholinesterase; serum	\$ 130.00
Deoxycortisol, 11-	\$ 224.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 140.00
Organic acids; total, quantitative, each specimen	\$ 1,637.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 184.00
Cyanide	\$ 198.00
Cadmium	\$ 143.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 276.00
Citrate	\$ 381.00
Antibody; Treponema pallidum	\$ 122.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 516.00
Antibody identification; leukocyte antibodies	\$ 1,025.00
Ketosteroids, 17- (17-KS); total	\$ 163.00
Selenium	\$ 287.00
Antibody; tetanus	\$ 109.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 318.00
Thyroxine binding globulin (TBG)	\$ 145.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 277.00
Antibody; Diphtheria	\$ 109.00
Thyroid stimulating immune globulins (TSI)	\$ 331.00
Deoxyribonuclease, antibody	\$ 163.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 323.00
Complement; antigen, each component	\$ 142.00
Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay	\$ 447.00
Glycated protein	\$ 95.00
Cholinesterase; RBC	\$ 163.00
Antibody; varicella-zoster	\$ 417.00
Organic acid, single, quantitative	\$ 897.00
Iron	\$ 202.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 198.00
Ethylene glycol	\$ 190.00
Complement; functional activity, each component	\$ 203.00
Organic acid, single, quantitative	\$ 202.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 684.00
Estrone	\$ 130.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 2,026.00
Estrogens; total	\$ 81.00
Alpha-fetoprotein (AFP); amniotic fluid	\$ 105.00
Sex hormone binding globulin (SHBG)	\$ 70.00
Insulin; free	\$ 256.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 605.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 534.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 220.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 203.00
Mucopolysaccharides, acid, quantitative	\$ 105.00
Creatine kinase (CK), (CPK); isoenzymes	\$ 269.00
Chloramphenicol	\$ 118.00
Cholinesterase; serum	\$ 79.00
Hydroxycorticosteroids, 17- (17-OHCS)	\$ 308.00
Glucose-6-phosphate dehydrogenase (G6PD); quantitative	\$ 187.00
Hemoglobin; plasma	\$ 133.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 505.00
Chemiluminescent assay	\$ 300.00
Hydroxyindolacetic acid, 5-(HIAA)	\$ 309.00
Phosphatase, alkaline; isoenzymes	\$ 105.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 1,287.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 2,030.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,107.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 221.00
Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy	\$ 1,294.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 1,148.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 199.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 186.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 1,138.00
Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	\$ 1,447.00
Chromosome analysis; additional karyotypes, each study	\$ 268.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 180.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 73.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 87.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 134.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 58.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 142.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 216.00
Angiotensin I - converting enzyme (ACE)	\$ 187.00
Beta-2 microglobulin	\$ 433.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 299.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 270.00
Amino acids; single, quantitative, each specimen	\$ 364.00
Antibody; histoplasma	\$ 108.00
Antibody; Blastomyces	\$ 151.00
Antibody; Coccidioides	\$ 174.00
Fat or lipids, feces; quantitative	\$ 572.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 105.00
Carnitine (total and free), quantitative, each specimen	\$ 600.00
Hemoglobin; urine	\$ 130.00
Culture, chlamydia, any source	\$ 171.00
Gabapentin, whole blood, serum, or plasma	\$ 125.00
Phosphatase, acid; prostatic	\$ 116.00
Culture, mycoplasma, any source	\$ 114.00
Antibody; Legionella	\$ 145.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 498.00
Deoxyribonucleic acid (DNA) antibody; single stranded	\$ 552.00
Macroscopic examination; arthropod	\$ 120.00
Vasoactive intestinal peptide (VIP)	\$ 120.00
Triiodothyronine T3; reverse	\$ 73.00
Antibody; Legionella	\$ 320.00
Arsenic	\$ 91.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 147.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 416.00
Antibody; Campylobacter	\$ 921.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 182.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 398.00
Osteocalcin (bone g1a protein)	\$ 388.00
Very long chain fatty acids	\$ 977.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody; helminth, not elsewhere specified	\$ 546.00
Aldosterone	\$ 159.00
Particle agglutination; screen, each antibody	\$ 96.00
Antibody; Giardia lamblia	\$ 308.00
Antibody; Chlamydia, IgM	\$ 604.00
Antibody; Chlamydia	\$ 563.00
Particle agglutination; screen, each antibody	\$ 355.00
Antibody; protozoa, not elsewhere specified	\$ 136.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 398.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 282.00
Antibody; helminth, not elsewhere specified	\$ 695.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 496.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 867.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 364.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 618.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 133.00
Clotting; factor VIII, von Willebrand factor, multimetric analysis	\$ 523.00
T cells; total count	\$ 291.00
Antibody; Haemophilus influenza	\$ 188.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification	\$ 964.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,234.00
Desoxycorticosterone, 11-	\$ 811.00
Immune complex assay	\$ 229.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 1,734.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,379.00
Arsenic	\$ 81.00
Lipoprotein (a)	\$ 266.00
Islet cell antibody	\$ 304.00
Ketone body(s) (eg, acetone, acetoacetic acid, beta-hydroxybutyrate); quantitative	\$ 433.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 551.00
Antibody; helminth, not elsewhere specified	\$ 509.00
Amikacin	\$ 235.00
Amikacin	\$ 172.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 225.00
Antibody; mumps	\$ 184.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 543.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 382.00
Topiramate	\$ 127.00
Luteinizing releasing factor (LRH)	\$ 1,392.00
Immune complex assay	\$ 216.00
Iron	\$ 392.00
Antibody; Rickettsia	\$ 57.00
Antibody; Chlamydia, IgM	\$ 731.00
Antibody; Chlamydia	\$ 501.00
Antibody; Ehrlichia	\$ 304.00
Magnesium	\$ 167.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 208.00
Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)	\$ 1,276.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,234.00
17 Oh Pregnenolone	\$ 781.00
Glucagon	\$ 444.00
Pregnenolone	\$ 679.00
Muramidase	\$ 172.00
Antibody; Chlamydia	\$ 274.00
Antibody; Chlamydia, IgM	\$ 274.00
Antibody; virus, not elsewhere specified	\$ 184.00
Magnesium	\$ 465.00
Phosphorus inorganic (phosphate)	\$ 327.00
Antibody; Coxiella burnetii (Q fever)	\$ 24.00
Antibody; Coxiella burnetii (Q fever)	\$ 25.00
Antibody; Coxiella burnetii (Q fever)	\$ 142.00
Antibody; Blastomyces	\$ 145.00
Particle agglutination; screen, each antibody	\$ 21.00
Myoglobin	\$ 120.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 187.00
Manganese	\$ 301.00
Lactate dehydrogenase (LD), (LDH); isoenzymes, separation and quantitation	\$ 203.00
Triglycerides	\$ 94.00
Electrophoretic technique, not elsewhere specified	\$ 93.00
Apolipoprotein, each	\$ 98.00
Carbamazepine; total	\$ 359.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 695.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 167.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 81.00
Androstenedione	\$ 129.00
Hydroxyprogesterone, 17-d	\$ 91.00
17 Oh Pregnenolone	\$ 211.00
Desoxycorticosterone, 11-	\$ 284.00
Deoxycortisol, 11-	\$ 171.00
Antibody; Coccidioides	\$ 250.00
Antibody; Aspergillus	\$ 276.00
Antibody; Blastomyces	\$ 258.00
Antibody; histoplasma	\$ 258.00
Collagen cross links, any method	\$ 70.00
Alpha-1-antitrypsin; total	\$ 809.00
Immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 198.00
Bone marrow, smear interpretation	\$ 392.00
Vasopressin (antidiuretic hormone, ADH)	\$ 212.00
Unlisted microbiology procedure	\$ 130.00
Vitamin K	\$ 1,057.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 973.00
Oxalate	\$ 194.00
pH; body fluid, not otherwise specified	\$ 58.00
Phosphorus inorganic (phosphate); urine	\$ 62.00
Magnesium	\$ 69.00
Amino acids; single, quantitative, each specimen	\$ 392.00
Particle agglutination; screen, each antibody	\$ 108.00
Immunodiffusion; not elsewhere specified	\$ 142.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 266.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 212.00
Antibody; HTLV-I	\$ 256.00
Antibody; HTLV-II	\$ 324.00
Sulfate, urine	\$ 34.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 206.00
Carbamazepine; free	\$ 343.00
Antibody; Epstein-Barr (EB) virus, early antigen (EA)	\$ 101.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 56.00
Antibody identification; platelet antibodies	\$ 3,601.00
Antibody identification; platelet antibodies	\$ 1,185.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 473.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 151.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 1,313.00
Clotting inhibitors or anticoagulants; protein C, antigen	\$ 152.00
Oxcarbazepine	\$ 240.00
Fibrinogen; antigen	\$ 67.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; rotavirus	\$ 114.00
Antibody; Bordetella	\$ 269.00
Fibrinolytic factors and inhibitors; alpha-2 antiplasmin	\$ 549.00
Sugars (mono-, di-, and oligosaccharides); single quantitative, each specimen	\$ 1,411.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 304.00
Phenylalanine (PKU), blood	\$ 337.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 100.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,219.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 533.00
Antibody identification test for platelet antibodies	\$ 529.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 253.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,477.00
Dehydroepiandrosterone (DHEA)	\$ 405.00
Sirolimus - various dosages	\$ 293.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 569.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 335.00
Neutralization test, viral	\$ 1,617.00
Cold agglutinin; titer	\$ 20.00
Insulin antibodies	\$ 155.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 407.00
Immunoassay for tumor antigen, other antigen, quantitative (eg, CA 50, 72-4, 549), each	\$ 743.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 634.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 1,326.00
Myelin basic protein, cerebrospinal fluid	\$ 243.00
Nephelometry, each analyte not elsewhere specified	\$ 122.00
Albumin; serum, plasma or whole blood	\$ 77.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 135.00
Oligoclonal immune (oligoclonal bands)	\$ 241.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 324.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 56.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 463.00
Triiodothyronine T3; total (TT-3)	\$ 177.00
Carnitine (total and free), quantitative, each specimen	\$ 1,021.00
Dehydroepiandrosterone (DHEA)	\$ 355.00
Hydroxyprogesterone, 17-d	\$ 382.00
Deoxycortisol, 11-	\$ 266.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 922.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 901.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 1,237.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 3,040.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 419.00
Chromosome analysis; additional high resolution study	\$ 346.00
Antibody; Chlamydia	\$ 127.00
Galactose-1-phosphate uridyl transferase; quantitative	\$ 1,236.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 1,168.00
Immunodiffusion; not elsewhere specified	\$ 614.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Helicobacter pylori, stool	\$ 627.00
Antibody; Bartonella	\$ 70.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 866.00
Dibucaine number	\$ 67.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 337.00
Antibody; Chlamydia	\$ 233.00
Antibody; Chlamydia, IgM	\$ 331.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 172.00
Nucleotidase 5'-	\$ 641.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 698.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,533.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 966.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 1,732.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 923.00
Chromosome analysis; analyze 20-25 cells	\$ 921.00
Chromosome analysis; additional karyotypes, each study	\$ 188.00
Chromosome analysis; analyze 20-25 cells	\$ 1,096.00
Tissue culture for neoplastic disorders; solid tumor	\$ 1,297.00
Chromosome analysis; analyze 20-25 cells	\$ 1,089.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 116.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 133.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 128.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 118.00
Chromosome analysis; analyze 20-25 cells	\$ 996.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 695.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,986.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 337.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 423.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,543.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 658.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 2,050.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 589.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,529.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 614.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 167.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions	\$ 2,124.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)	\$ 67.00
Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)	\$ 105.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,015.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,035.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,032.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 290.00
Ethosuximide	\$ 95.00
Elastase, pancreatic (EL-1), fecal, qualitative or semi-quantitative	\$ 1,440.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 611.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 611.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 865.00
Clotting; factor VIII, VW factor antigen	\$ 149.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody	\$ 98.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 457.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 127.00
Carotene	\$ 340.00
Immunoassay for tumor antigen, other antigen, quantitative (eg, CA 50, 72-4, 549), each	\$ 614.00
Antibody; Chlamydia, IgM	\$ 260.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 242.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 305.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 774.00
Proinsulin	\$ 509.00
Protein; Western Blot, blood or other body fluid	\$ 1,220.00
Antibody; Helicobacter pylori	\$ 120.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 1,348.00
Hepatitis B core antibody (HBcAb); total	\$ 125.00
Hepatitis B core antibody (HBcAb); IgM antibody	\$ 127.00
Hepatitis B surface antibody (HBsAb)	\$ 125.00
Hepatitis Be antibody (HBeAb)	\$ 64.00
Hepatitis A antibody (HAAb), IgM antibody	\$ 90.00
Hepatitis C antibody	\$ 125.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 93.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis Be antigen (HBeAg)	\$ 55.00
Consultation and report on referred slides prepared elsewhere	\$ 1,612.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 379.00
Hepatitis C antibody; confirmatory test (eg, immunoblot)	\$ 198.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 125.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 90.00
Detection test for human papillomavirus (hpv)	\$ 225.00
Phospholipid neutralization; platelet	\$ 239.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 167.00
Antibody; parvovirus	\$ 167.00
Antibody; adenovirus	\$ 95.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique	\$ 969.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 144.00
Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)	\$ 222.00
Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody	\$ 73.00
Antibody; Aspergillus	\$ 73.00
Antibody; fungus, not elsewhere specified	\$ 73.00
Antibody; Nocardia	\$ 73.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 774.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 126.00
Dehydroepiandrosterone-sulfate (DHEA-S)	\$ 166.00
Amniotic fluid scan (spectrophotometric)	\$ 51.00
Ova and parasites, direct smears, concentration and identification	\$ 16.00
Smear, primary source with interpretation; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites	\$ 32.00
Osmotic fragility, RBC; incubated	\$ 44.00
Protoporphyrin, RBC; quantitative	\$ 80.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique	\$ 117.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 274.00
Acylcarnitines; qualitative, each specimen	\$ 96.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 752.00
Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	\$ 846.00
Chromosome analysis; additional karyotypes, each study	\$ 162.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Cytogenetics and molecular cytogenetics	\$ 319.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 290.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,173.00
Thiocyanate	\$ 182.00
Renin	\$ 68.00
Aldosterone	\$ 109.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 615.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 821.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 1,254.00
Chromosome analysis, amniotic fluid or chorionic villus, count 15 cells, 1 karyotype, with banding	\$ 1,580.00
Chromosome analysis; additional karyotypes, each study	\$ 227.00
Antibody identification; platelet antibodies	\$ 195.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1	\$ 450.00
Complement; total hemolytic (CH50)	\$ 285.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 428.00
Cortisol; free	\$ 172.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 102.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 110.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,971.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,986.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 897.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 842.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 109.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 3,548.00
Clotting; factor VIII (AHG), 1-stage	\$ 523.00
Clotting; factor VIII, VW factor antigen	\$ 555.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 555.00
Concentration (any type), for infectious agents	\$ 59.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 762.00
Renin	\$ 98.00
Zinc	\$ 72.00
Zonisamide	\$ 543.00
Culture, mycoplasma, any source	\$ 512.00
Bile acids; total	\$ 797.00
Complement; antigen, each component	\$ 996.00
Antibody; Trichinella	\$ 501.00
Electrophoretic technique, not elsewhere specified	\$ 467.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 143.00
Spectrophotometry, analyte not elsewhere specified	\$ 155.00
Hemoglobin; F (fetal), qualitative	\$ 67.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 287.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 269.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 144.00
Phencyclidine (PCP) drug level	\$ 113.00
Unlisted immunology procedure	\$ 62.00
Antibody; virus, not elsewhere specified	\$ 41.00
Antibody; cytomegalovirus (CMV)	\$ 45.00
Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score	\$ 19,208.00
Chlorinated hydrocarbons, screen	\$ 366.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 225.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 166.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 2,560.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 634.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 683.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 375.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 788.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 681.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Chromosome analysis for breakage syndromes; score 100 cells, clastogen stress (eg, diepoxybutane, mitomycin C, ionizing radiation, UV radiation)	\$ 1,002.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 849.00
Chromosome analysis; count 45 cells for mosaicism, 2 karyotypes, with banding	\$ 1,089.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 142.00
Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells	\$ 387.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 280.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 888.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 216.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 709.00
Cytogenetics and molecular cytogenetics	\$ 356.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 116.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 376.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 502.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,669.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 289.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 945.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 222.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 725.00
Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy	\$ 369.00
Tissue culture for neoplastic disorders; solid tumor	\$ 1,280.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 889.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 487.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,556.00
Alpha-fetoprotein (AFP); amniotic fluid	\$ 89.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 744.00
Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	\$ 631.00
Chromosome analysis; additional karyotypes, each study	\$ 127.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 264.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 638.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 353.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,148.00
Cytogenetics and molecular cytogenetics	\$ 504.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 355.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,039.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 256.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 992.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 308.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 986.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,245.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 311.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,087.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 509.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,496.00
Antibody; Chlamydia, IgM	\$ 127.00
Antibody; bacterium, not elsewhere specified	\$ 73.00
Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte	\$ 680.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 213.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,163.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,093.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 238.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 784.00
Homocysteine	\$ 154.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 444.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,294.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 735.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 938.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 239.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 239.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 323.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,015.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 335.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,079.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 109.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 205.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 203.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 722.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 330.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,143.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 409.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,206.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 109.00
Antibody; Chlamydia	\$ 180.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Aspergillus	\$ 465.00
Antibody; Bartonella	\$ 108.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 422.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 627.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 876.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 876.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 239.00
Testosterone; total	\$ 52.00
Testosterone; free	\$ 51.00
Spectrophotometry, analyte not elsewhere specified	\$ 538.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 678.00
Antibody; HIV-2	\$ 151.00
Protein; Western Blot, blood or other body fluid	\$ 1,134.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 76.00
Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed	\$ 735.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 538.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 393.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 2,232.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 572.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Aspergillus	\$ 521.00
Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification	\$ 416.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 727.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification	\$ 494.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 323.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsv with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 41.00
Unlisted molecular pathology procedure	\$ 41.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 41.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	\$ 41.00
Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2) (eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence	\$ 41.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-</p>	<p>\$ 40.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter). full Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 40.00
Leukocyte histamine release test (LHR)	\$ 791.00
Histamine	\$ 209.00
Antibody identification; leukocyte antibodies	\$ 319.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 157.00
Thyroglobulin antibody	\$ 241.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 202.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 76.00
Antibody; bacterium, not elsewhere specified	\$ 73.00
Antibody; bacterium, not elsewhere specified	\$ 91.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 84.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 1,114.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 586.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 592.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 589.00
Complement; functional activity, each component	\$ 702.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 110.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 167.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 90.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 56.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 68.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 105.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 1,041.00
Calculus; infrared spectroscopy	\$ 413.00
Antibody; bacterium, not elsewhere specified	\$ 93.00
Antibody; bacterium, not elsewhere specified	\$ 86.00
Antibody; Rickettsia	\$ 60.00
Antibody; Rickettsia	\$ 76.00
Antibody; Rickettsia	\$ 84.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 601.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 182.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 31.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 213.00
Metanephrines	\$ 551.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 60.00
Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique	\$ 1,038.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 200.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 490.00
Culture, typing; immunofluorescent method, each antiserum	\$ 14.00
Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells	\$ 317.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 139.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 532.00
Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)	\$ 40.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 40.00
Infectious agent detection by nucleic acid (DNA or RNA); Candida species, direct probe technique	\$ 242.00
Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, direct probe technique	\$ 242.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique	\$ 242.00
Antibody identification; leukocyte antibodies	\$ 598.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 270.00
Flow cytometry, interpretation; 9 to 15 markers	\$ 192.00
Islet cell antibody	\$ 110.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 161.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 452.00
Protein; Western Blot, blood or other body fluid	\$ 724.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 512.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 551.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 828.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 742.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; manual	\$ 1,540.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 1,481.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,810.00
Protein; Western Blot, blood or other body fluid	\$ 2,303.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 2,221.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,646.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 753.00
Protein; Western Blot, blood or other body fluid	\$ 1,156.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 1,219.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 2,166.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 379.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 668.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 2,138.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,358.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,566.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,671.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,930.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 2,034.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,336.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 224.00
Antibody identification; platelet antibodies	\$ 1,757.00
Trypsin; duodenal fluid	\$ 114.00
Lipase	\$ 68.00
Spectrophotometry, analyte not elsewhere specified	\$ 110.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 1,150.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique	\$ 41.00
Mycophenolate (mycophenolic acid)	\$ 450.00
Androstenedione	\$ 445.00
Deoxycortisol, 11-	\$ 277.00
Dehydroepiandrosterone (DHEA)	\$ 382.00
Desoxycorticosterone, 11-	\$ 470.00
17 Oh Pregnenolone	\$ 348.00
Hydroxyprogesterone, 17-d	\$ 414.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 648.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,269.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 696.00
Oncology (colon), mRNA, gene expression profiling by real-time RT-PCR of 12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence score	\$ 13,133.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,338.00
Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, ATP)	\$ 712.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 518.00
Protein; Western Blot, blood or other body fluid	\$ 490.00
Phenytoin; free	\$ 95.00
Valproic acid (dipropylacetic acid); free	\$ 225.00
ASPA (aspartoacylase) (eg, Canavan disease) gene analysis, common variants (eg, E285A, Y231X)	\$ 847.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 2,693.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 1,815.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants in BRCA1 (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 12,541.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; uncommon duplication/deletion variants	\$ 3,166.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	\$ 2,186.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	\$ 2,186.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 868.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 504.00
GBA (glucosidase, beta, acid) (eg, Gaucher disease) gene analysis, common variants (eg, N370S, 84GG, L444P, IVS2+1G>A)	\$ 715.00
HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)	\$ 1,228.00
IKBKAP (inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg, 2507+6T>C, R696P)	\$ 1,664.00
IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg, polymerase chain reaction)	\$ 651.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection	\$ 1,797.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,801.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,801.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,401.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,402.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,721.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants	\$ 2,186.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,719.00
SNRPN/UBE3A (small nuclear ribonucleoprotein polypeptide N and ubiquitin protein ligase E3A) (eg, Prader-Willi syndrome and/or Angelman syndrome), methylation analysis	\$ 1,175.00
SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)	\$ 1,530.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-A, -B, or -C), each	\$ 2,144.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each	\$ 593.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 2,152.00
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A 1138G>C 1620C>A 1620C>G) FIP1L1/PDGFRα (del(4q12)) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative and quantitative	\$ 1,322.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis</p>	<p>\$ 2,359.00</p>
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNA1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on</p>	<p>\$ 1,435.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNI10 (potassium inwardly-rectifying</p>	<p>\$ 4,658.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-</p>	<p>\$ 729.00</p>

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na ⁺ /K ⁺ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu ⁺⁺ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter). full Quantitation of therapeutic drug, not elsewhere specified	\$ 7,334.00
Phencyclidine (PCP) drug level	\$ 470.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 156.00
Receptor assay; non-endocrine (specify receptor)	\$ 169.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 235.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; initial single probe stain procedure	\$ 768.00
Natriuretic peptide	\$ 961.00
Hemoglobin; glycosylated (A1C)	\$ 255.00
Antibody identification; platelet antibodies	\$ 31.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 2,888.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 372.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 378.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 600.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,280.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 450.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 165.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 1,150.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 736.00
Protein; Western Blot, blood or other body fluid	\$ 1,057.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 207.00
Nephelometry, each analyte not elsewhere specified	\$ 105.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 477.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 474.00
	\$ 96.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody; Legionella	\$ 38.00
Testosterone; total	\$ 48.00
Clozapine	\$ 42.00
Protein; Western Blot, blood or other body fluid	\$ 110.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 172.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 284.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,691.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative	\$ 485.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 485.00
Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis	\$ 906.00
Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on	\$ 1,372.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilensv with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-Infected agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 1,899.00
HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; duplication/deletion variants	\$ 1,341.00
HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis;	\$ 1,767.00
Unlisted molecular pathology procedure	\$ 335.00
Unlisted molecular pathology procedure	\$ 2,144.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 1,579.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 1,577.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 1,577.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 1,577.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 1,577.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 1,577.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 1,577.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 1,577.00
Unlisted molecular pathology procedure	\$ 2,186.00
Unlisted molecular pathology procedure	\$ 1,841.00
Unlisted molecular pathology procedure	\$ 2,839.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 774.00
Unlisted molecular pathology procedure	\$ 3,135.00
Unlisted molecular pathology procedure	\$ 1,346.00
Unlisted molecular pathology procedure	\$ 2,149.00
Unlisted molecular pathology procedure	\$ 1,067.00
Unlisted molecular pathology procedure	\$ 4,623.00
Unlisted molecular pathology procedure	\$ 3,147.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Unlisted molecular pathology procedure	\$ 3,243.00
Unlisted molecular pathology procedure	\$ 3,237.00
Unlisted molecular pathology procedure	\$ 864.00
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBF3/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del(4q12)) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-1a/b (L33P)	\$ 1,346.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 4,117.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC, 6174delT variants	\$ 2,149.00
	\$ 2,641.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXP1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, familial adenomatous polyposis coli) (eg, familial adenomatous polyposis [FAP], attenuated FAP) gene analysis; known familial variants	\$ 3,147.00
PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; duplication/deletion analysis	\$ 864.00
	\$ 3,243.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on Unlisted molecular pathology procedure	\$ 3,237.00
Unlisted molecular pathology procedure	\$ 3,679.00
Unlisted molecular pathology procedure	\$ 16,353.00
Unlisted molecular pathology procedure	\$ 9,493.00
Chemiluminescent assay	\$ 284.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 58.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 101.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 96.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 160.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 2,464.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 8,068.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 8,068.00
Unlisted molecular pathology procedure	\$ 8,363.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-</p>	<p>\$ 8,363.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFY/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A 1138G>C 1620C>A 1620C>G) FIP1L1/PDGFRB (del(4q12)) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative and quantitative	\$ 8,363.00

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na⁺/K⁺ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu⁺⁺ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter) full</p>	<p>\$ 8,363.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNI10 (potassium inwardly-rectifying</p>	<p>\$ 8,363.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A. 1138G>C. 1620C>A. 1620C>G) FIP1L1/PDGFRα (del(4q12)) (eg, imatinib-sensitive chronic eosinophilic leukemia). qualitative. and quantitative. HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 2,272.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 448.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 296.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 297.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 161.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 162.00
Unlisted molecular pathology procedure	\$ 303.00
Particle agglutination; titer, each antibody	\$ 69.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 522.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 526.00
Phosphatase, alkaline	\$ 433.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 450.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na ⁺ /K ⁺ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu ⁺⁺ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter). full APC (adenomatous polyposis coli) (eg, familial adenomatous polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 5,689.00
APC (adenomatous polyposis coli) (eg, familial adenomatous polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants	\$ 4,352.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 7,821.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	\$ 9,339.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 239.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 93.00
Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio	\$ 135.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 4,318.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities	\$ 4,318.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 896.00
Chemiluminescent assay	\$ 896.00
JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant	\$ 1,298.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBF3/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del(4q12)) (eg, imatinib-sensitive chronic eosinophilic leukemia). qualitative. and quantitative. Biotinidase, each specimen	\$ 6,010.00
Somatomedin	\$ 125.00
Quinidine	\$ 95.00
Procainamide; with metabolites (eg, n-acetyl procainamide)	\$ 59.00
Primidone	\$ 52.00
Lidocaine	\$ 35.00
Folic acid; RBC	\$ 31.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 5,139.00
IGH@ (Immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, B-cell), variable region somatic mutation analysis	\$ 1,664.00
Islet cell antibody	\$ 1,253.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 965.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,158.00
Protein; Western Blot, blood or other body fluid	\$ 1,544.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 1,544.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,028.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 1,233.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTM (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, familial periodic paralysis) Volatiles (eg, acetic anhydride, diethylether)	\$ 729.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 3,856.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 3,852.00
Allergen specific IGE; quantitative or semiquantitative, recombinant or purified component, each	\$ 34.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 357.00
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed	\$ 363.00
Antibody; Coxiella burnetii (Q fever)	\$ 47.00
Antibody; Coxiella burnetii (Q fever)	\$ 124.00
Antibody; Coxiella burnetii (Q fever)	\$ 96.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 5,350.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants	\$ 5,350.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter). full Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 5,350.00
Biotinidase, each specimen	\$ 44.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 24.00
Unlisted molecular pathology procedure	\$ 22.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 651.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 399.00
Growth hormone, human (HGH), antibody	\$ 397.00
Vitamin D; 1, 25 dihydroxy, includes fraction(s), if performed	\$ 90.00
Antibody; Chlamydia	\$ 38.00
Antibody; Chlamydia, IgM	\$ 48.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 767.00
Drug screening Fentanyl	\$ 226.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 877.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,413.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 389.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 393.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 254.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 1,104.00
Islet cell antibody	\$ 1,161.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 488.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 1,043.00
Islet cell antibody	\$ 936.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,192.00
TRG@ (T cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)	\$ 1,743.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 638.00
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence FISH (eg, FISH)	\$ 5,834.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 286.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 933.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 1,532.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, quantification	\$ 1,286.00
Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen	\$ 43.00
Neutralization test, viral	\$ 272.00
Neutralization test, viral	\$ 182.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,845.00
Antibody; influenza virus	\$ 59.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 1,491.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood); physician interpretation and report, when required	\$ 1,491.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,286.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 1,774.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood); physician interpretation and report, when required	\$ 1,774.00
Unlisted molecular pathology procedure	\$ 26.00
Calprotectin, fecal	\$ 598.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 260.00
Unlisted molecular pathology procedure	\$ 2,257.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 2,013.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique	\$ 440.00
Antibody; HIV-1	\$ 122.00
Antibody; HIV-2	\$ 144.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 90.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 111.00
Virus isolation; including identification by non-immunologic method, other than by cytopathic effect (eg, virus specific enzymatic activity)	\$ 70.00
Culture, typing; immunofluorescent method, each antiserum	\$ 18.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 314.00
Carnitine (total and free), quantitative, each specimen	\$ 1,563.00
Acylcarnitines; quantitative, each specimen	\$ 1,713.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 960.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 392.00
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full Erythropoietin	\$ 14,158.00
	\$ 103.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 6,333.00
Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)	\$ 3,801.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 2,534.00
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFB/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A. 1138G>C. 1620C>A. 1620C>G) FIP1L1/PDGFR4 (del(4q12)) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative.	\$ 700.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 314.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed	\$ 1,293.00
Antibody; varicella-zoster	\$ 108.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 504.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed	\$ 666.00
Cortisol; total	\$ 51.00
Cortisol; total	\$ 52.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 461.00
Fat or lipids, feces; qualitative	\$ 120.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 299.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 253.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 433.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; each multiplex probe stain procedure	\$ 3,939.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 768.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each multiplex probe stain procedure	\$ 2,518.00
Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed	\$ 182.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 85.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 59.00
Apolipoprotein, each	\$ 68.00
Lipoprotein (a)	\$ 111.00
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed	\$ 154.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 484.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 304.00
Protoporphyrin, RBC; quantitative	\$ 116.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 896.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 800.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 582.00
Islet cell antibody	\$ 1,308.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 2,445.00
Islet cell antibody	\$ 1,179.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 488.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 806.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 555.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 1,062.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 1,215.00
Islet cell antibody	\$ 1,228.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 509.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 841.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 846.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 3,016.00
Lipoprotein-associated phospholipase A2 (Lp-PLA2)	\$ 276.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 641.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 519.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 520.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed)	\$ 1,008.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,866.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,927.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 2,052.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 2,717.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, amplified probe technique	\$ 1,224.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 1,224.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 1,713.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 2,366.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 2,414.00
Antibody; virus, not elsewhere specified	\$ 3,522.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique	\$ 1,845.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBF3/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del(4q12)) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative. HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 1,148.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 2,591.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,298.00
Creatinine; other source	\$ 20.00
Phenobarbital	\$ 27.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique	\$ 1,534.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 1,535.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 3,886.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 3,887.00
Primidone	\$ 38.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 146.00
Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte	\$ 920.00
Factor inhibitor test	\$ 920.00
Unlisted multianalyte assay with algorithmic analysis	\$ 1,743.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 364.00
Antibody; Helicobacter pylori	\$ 62.00
Antibody; Helicobacter pylori	\$ 67.00
Human epididymis protein 4 (HE4)	\$ 1,161.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 392.00
Urinalysis; qualitative or semiquantitative, except immunoassays	\$ 76.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 24.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 152.00
Riboflavin (Vitamin B-2)	\$ 160.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 224.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 113.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 90.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 94.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 185.00
Creatinine; other source	\$ 40.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Ketosteroids, 17- (17-KS); total	\$ 90.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 144.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 130.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 195.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 110.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities	\$ 4,418.00
Unlisted multianalyte assay with algorithmic analysis	\$ 16,164.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 74.00
Antistreptolysin O; titer	\$ 28.00
Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydroliipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-	\$ 6,214.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na ⁺ /K ⁺ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu ⁺⁺ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter). full HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 6,214.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 346.00
Gastrin	\$ 56.00
Beta-2 microglobulin	\$ 35.00
Calcitonin	\$ 83.00
Metanephrines	\$ 90.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 1,031.00
Somatostatin	\$ 83.00
Catecholamines; fractionated	\$ 79.00
Creatinine; other source	\$ 22.00
Metanephrines	\$ 69.00
Creatinine; other source	\$ 14.00
Catecholamines; fractionated	\$ 68.00
Islet cell antibody	\$ 173.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 87.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-</p>	<p>\$ 3,632.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter). full</p>	<p>\$ 3,632.00</p>
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AH11 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin S]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 3,633.00</p>
<p>Creatinine; other source</p>	<p>\$ 25.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Magnesium	\$ 30.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 341.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,340.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 1,762.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 687.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 703.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 794.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed	\$ 703.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 736.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 703.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 766.00
Phencyclidine (PCP) drug level	\$ 884.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 495.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 365.00
Antibody; Giardia lamblia	\$ 185.00
Morphometric analysis; tumor (eg, DNA ploidy)	\$ 504.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 41.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 52.00
Antibody; fungus, not elsewhere specified	\$ 125.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 323.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 916.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 554.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 2,414.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 504.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence	\$ 2,269.00
SMPD1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, Niemann-Pick disease, Type A) gene analysis, common variants (eg, R496L, L302P, fsP330)	\$ 2,269.00
SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)	\$ 2,273.00
Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying	\$ 2,269.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-</p>	<p>\$ 2,269.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na ⁺ /K ⁺ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu ⁺⁺ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter). full Alpha-1-antitrypsin; total	\$ 2,269.00
Cortisol; free	\$ 52.00
Homovanillic acid (HVA)	\$ 133.00
Vanillylmandelic acid (VMA), urine	\$ 42.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 40.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 203.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 204.00
Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique	\$ 384.00
CALR (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9	\$ 1,192.00
Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis	\$ 533.00
Estradiol	\$ 172.00
Apolipoprotein, each	\$ 73.00
Bilirubin; total	\$ 100.00
Haptoglobin; quantitative	\$ 208.00
Nephelometry, each analyte not elsewhere specified	\$ 366.00
Transferase; alanine amino (ALT) (SGPT)	\$ 65.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result	\$ 2,124.00
Alpha-fetoprotein (AFP); AFP-L3 fraction isoform and total AFP (including ratio)	\$ 203.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 52.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed	\$ 52.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 51.00
Phencyclidine (PCP) drug level	\$ 51.00
Cyclosporine	\$ 97.00
Everolimus	\$ 478.00
Ceruloplasmin	\$ 31.00
Thiamine (Vitamin B-1)	\$ 74.00
Magnesium	\$ 152.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 247.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 276.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 275.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 695.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 694.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,084.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,548.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,549.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 3,346.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 23.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 59.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 58.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants in BRCA1 (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 4,042.00
Unlisted molecular pathology procedure	\$ 4,042.00
Oncology (breast), mRNA, microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk of distant metastasis	\$ 16,774.00
Antibody; Zika virus, IgM	\$ 384.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 554.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 232.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 150.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 151.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 232.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 20.00
Hepatitis C antibody	\$ 27.00
Antibody; HIV-1 and HIV-2, single result	\$ 23.00
Hepatitis B core antibody (HBcAb); total	\$ 23.00
Antibody; HTLV-I	\$ 15.00
Antibody; HTLV-II	\$ 20.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody; protozoa, not elsewhere specified	\$ 23.00
Antibody screen, RBC, each serum technique	\$ 6.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 8.00
Antibody; cytomegalovirus (CMV)	\$ 27.00
Blood typing, serologic; ABO	\$ 7.00
Blood typing, serologic; Rh (D)	\$ 7.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 120.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 59.00
HLA Class I and II typing, high resolution (ie, alleles or allele groups), HLA-A, -B, -C, and -DRB1	\$ 3,996.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,448.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 22.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 29.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 228.00
KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)	\$ 228.00
PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; known familial variant	\$ 227.00
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A 1138G>C 1620C>A 1620C>G) FIP1L1/PDGFRα (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative and quantitative	\$ 227.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)</p>	<p>\$ 227.00</p> <p>\$ 318.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNI10 (potassium inwardly-rectifying</p>	<p>\$ 227.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsv with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa- Unlisted molecular pathology procedure	\$ 227.00
Alpha-fetoprotein (AFP); serum	\$ 48.00
Estriol	\$ 70.00
Gonadotropin, chorionic (hCG); quantitative	\$ 43.00
Inhibin A	\$ 41.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 3,184.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 1,595.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 3,095.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 949.00
Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)	\$ 2,873.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection	\$ 1,818.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type	\$ 2,413.00
Antibody identification; platelet antibodies	\$ 142.00
Antibody identification; platelet antibodies	\$ 141.00
Antibody; Legionella	\$ 45.00
Antibody; Legionella	\$ 39.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 732.00
Infectious agent drug susceptibility analysis	\$ 343.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions	\$ 685.00
Analysis test for HIV-1 virus	\$ 343.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 284.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 285.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,120.00
Antibody; helminth, not elsewhere specified	\$ 265.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	\$ 422.00
Analysis for antibody to La crosse (California) virus (encephalitis causing virus)	\$ 272.00
Analysis for antibody to Eastern equine virus (viral encephalitis)	\$ 272.00
Analysis for antibody to St. Louis virus (viral encephalitis)	\$ 272.00
Analysis for antibody to Western equine virus (viral encephalitis)	\$ 272.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 489.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 510.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis	\$ 8,906.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator exome (eg, parents, siblings) (List separately in addition to code for primary procedure)	\$ 4,454.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,241.00
HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)	\$ 3,169.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 43.00
Blood count; hematocrit (Hct)	\$ 6.00
Blood count; hemoglobin (Hgb)	\$ 6.00
Blood count; red blood cell (RBC), automated	\$ 8.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed	\$ 310.00
Immunoassay for tumor antigen, other antigen, quantitative (eg, CA 50, 72-4, 549), each	\$ 201.00
Antibody; virus, not elsewhere specified	\$ 75.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 41.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 41.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 41.00
Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin S]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephriin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence	\$ 41.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 41.00
PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis	\$ 40.00
Unlisted molecular pathology procedure	\$ 40.00
Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2) (eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence	\$ 40.00
Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AH11 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin S]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence	\$ 43.00
Unlisted molecular pathology procedure	\$ 43.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNBS9 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-</p>	<p>\$ 43.00</p>

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNI10 (potassium inwardly-rectifying</p>	<p>\$ 43.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na⁺/K⁺ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu⁺⁺ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter) full</p>	<p>\$ 43.00</p>

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na ⁺ /K ⁺ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu ⁺⁺ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter) full	\$ 42.00

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolypoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNBS9 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsv with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-</p>	\$ 42.00
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AH11 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin S]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	\$ 42.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTM (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, Andersen-Tawil syndrome) Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 42.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 51.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 56.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 129.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 736.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 403.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 851.00
Macroscopic examination; arthropod	\$ 168.00
Chromosome analysis; analyze 20-25 cells	\$ 923.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 788.00
Factor inhibitor test	\$ 680.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 470.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each	\$ 1,155.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)	\$ 95.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 817.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); additional sequential infusion of a new drug/substance, up to 1 hour (List separately in addition to code for primary procedure)	\$ 269.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); concurrent infusion (List separately in addition to code for primary procedure)	\$ 53.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intravenous push, single or initial substance/drug	\$ 320.00
Collection of venous blood by venipuncture	\$ 29.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); simple or single	\$ 383.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); complicated or multiple	\$ 383.00
Incision and drainage of pilonidal cyst; simple	\$ 383.00
Incision and removal of foreign body, subcutaneous tissues; simple	\$ 355.00
Incision and drainage of hematoma, seroma or fluid collection	\$ 2,973.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 269.00
Debridement, subcutaneous tissue (includes epidermis and dermis, if performed); first 20 sq cm or less	\$ 708.00
Arthrocentesis, aspiration and/or injection, small joint or bursa (eg, fingers, toes); without ultrasound guidance	\$ 474.00
Arthrocentesis, aspiration and/or injection, intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa); without ultrasound guidance	\$ 531.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 474.00
Injection(s); single tendon sheath, or ligament, aponeurosis (eg, plantar 'fascia')	\$ 474.00
Control nasal hemorrhage, anterior, simple (limited cautery and/or packing) any method	\$ 292.00
Control nasal hemorrhage, anterior, complex (extensive cautery and/or packing) any method	\$ 330.00
Intubation, endotracheal, emergency procedure	\$ 599.00
Tube thoracostomy, includes connection to drainage system (eg, water seal), when performed, open (separate procedure)	\$ 1,650.00
Pericardiocentesis; initial	\$ 487.00
Anoscopy; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 149.00
Spinal puncture, lumbar, diagnostic	\$ 555.00
Injection, anesthetic agent; facial nerve	\$ 496.00
Injection, anesthetic agent; other peripheral nerve or branch	\$ 1,674.00
Removal of foreign body, external eye; conjunctival superficial	\$ 284.00
Removal of foreign body, external eye; conjunctival embedded (includes concretions), subconjunctival, or scleral nonperforating	\$ 870.00
Removal of foreign body, external eye; corneal, without slit lamp	\$ 284.00
Removal of foreign body, external eye; corneal, with slit lamp	\$ 330.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; small (less than 5% total body surface area)	\$ 266.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; medium (eg, whole face or whole extremity, or 5% to 10% total body surface area)	\$ 506.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; large (eg, more than 1 extremity, or greater than 10% total body surface area)	\$ 966.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 2.5 cm or less	\$ 365.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 2.6 cm to 7.5 cm	\$ 365.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 7.6 cm to 12.5 cm	\$ 365.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 12.6 cm to 20.0 cm	\$ 365.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 20.1 cm to 30.0 cm	\$ 349.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); over 30.0 cm	\$ 506.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.5 cm or less	\$ 365.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.6 cm to 5.0 cm	\$ 365.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 5.1 cm to 7.5 cm	\$ 365.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 7.6 cm to 12.5 cm	\$ 365.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 2.5 cm or less	\$ 365.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 2.6 cm to 7.5 cm	\$ 365.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 7.6 cm to 12.5 cm	\$ 365.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 12.6 cm to 20.0 cm	\$ 332.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 20.1 cm to 30.0 cm	\$ 1,496.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); over 30.0 cm	\$ 8,270.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 2.5 cm or less	\$ 365.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 2.6 cm to 7.5 cm	\$ 365.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 7.6 cm to 12.5 cm	\$ 365.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 12.6 cm to 20.0 cm	\$ 365.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.5 cm or less	\$ 365.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.6 cm to 5.0 cm	\$ 365.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 5.1 cm to 7.5 cm	\$ 349.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 7.6 cm to 12.5 cm	\$ 767.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 12.6 cm to 20.0 cm	\$ 966.00
Repair, complex, trunk; 2.6 cm to 7.5 cm	\$ 1,496.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Repair, complex, scalp, arms, and/or legs; 1.1 cm to 2.5 cm	\$ 1,496.00
Repair, complex, scalp, arms, and/or legs; 2.6 cm to 7.5 cm	\$ 366.00
Repair, complex, scalp, arms, and/or legs; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 309.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; 1.1 cm to 2.5 cm	\$ 365.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; 2.6 cm to 7.5 cm	\$ 365.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 1,262.00
Repair, complex, eyelids, nose, ears and/or lips; 2.6 cm to 7.5 cm	\$ 1,496.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity.	\$ 365.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity.	\$ 928.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity, and require urgent evaluation by the physician, or other qualified health care professionals but do not pose an immediate significant threat to life or physiologic function.	\$ 1,418.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components within the constraints imposed by the urgency of the patient's clinical condition and/or mental status: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.	\$ 2,065.00
Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes	\$ 2,534.00
Closed treatment of nasal bone fracture without manipulation	\$ 660.00
Closed treatment of nasal bone fracture; without stabilization	\$ 3,428.00
Closed treatment of temporomandibular dislocation; initial or subsequent	\$ 604.00
Closed treatment of sternum fracture	\$ 416.00
Closed treatment of vertebral body fracture(s), without manipulation, requiring and including casting or bracing	\$ 660.00
Closed treatment of shoulder dislocation, with manipulation; requiring anesthesia	\$ 3,602.00
Closed treatment of shoulder dislocation, with fracture of greater humeral tuberosity, with manipulation	\$ 1,426.00
Closed treatment of radial head subluxation in child, nursemaid elbow, with manipulation	\$ 415.00
Closed treatment of interphalangeal joint dislocation, single, with manipulation; requiring anesthesia	\$ 939.00
Closed treatment of fracture of weight bearing articular portion of distal tibia (eg, pilon or tibial plafond), with or without anesthesia; without manipulation	\$ 660.00
Treatment of tarsal bone fracture (except talus and calcaneus); without manipulation, each	\$ 660.00
Closed treatment of shoulder dislocation, with manipulation; without anesthesia	\$ 415.00
Closed treatment of clavicular fracture; without manipulation	\$ 554.00
Closed treatment of clavicular fracture; with manipulation	\$ 2,488.00
Closed treatment of proximal humeral (surgical or anatomical neck) fracture; without manipulation	\$ 841.00
Closed treatment of proximal humeral (surgical or anatomical neck) fracture; with manipulation, with or without skeletal traction	\$ 416.00
Closed treatment of humeral shaft fracture; without manipulation	\$ 815.00
Closed treatment of humeral shaft fracture; with manipulation, with or without skeletal traction	\$ 3,831.00
Treatment of closed elbow dislocation; without anesthesia	\$ 415.00
Treatment of closed elbow dislocation; requiring anesthesia	\$ 3,602.00
Closed treatment of distal radial fracture (eg, Colles or Smith type) or epiphyseal separation, includes closed treatment of fracture of ulnar styloid, when performed; without manipulation	\$ 803.00
Closed treatment of distal radial fracture (eg, Colles or Smith type) or epiphyseal separation, includes closed treatment of fracture of ulnar styloid, when performed; with manipulation	\$ 415.00
Closed treatment of carpal scaphoid (navicular) fracture; without manipulation	\$ 657.00
Closed treatment of carpal scaphoid (navicular) fracture; with manipulation	\$ 4,019.00
Closed treatment of metacarpal fracture, single; without manipulation, each bone	\$ 693.00
Closed treatment of metacarpal fracture, single; with manipulation, each bone	\$ 660.00
Closed treatment of carpometacarpal dislocation, thumb, with manipulation	\$ 415.00
Closed treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb; without manipulation, each	\$ 420.00
Closed treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb; with manipulation, with or without skin or skeletal traction, each	\$ 415.00
Closed treatment of articular fracture, involving metacarpophalangeal or interphalangeal joint; without manipulation, each	\$ 575.00
Closed treatment of articular fracture, involving metacarpophalangeal or interphalangeal joint; with manipulation, each	\$ 1,105.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Closed treatment of distal phalangeal fracture, finger or thumb; without manipulation, each	\$ 460.00
Closed treatment of distal phalangeal fracture, finger or thumb; with manipulation, each	\$ 416.00
Closed treatment of interphalangeal joint dislocation, single, with manipulation; without anesthesia	\$ 415.00
Closed treatment of patellar fracture, without manipulation	\$ 780.00
Closed treatment of tibial fracture, proximal (plateau); without manipulation	\$ 663.00
Closed treatment of tibial fracture, proximal (plateau); with or without manipulation, with skeletal traction	\$ 8,050.00
Closed treatment of tibial shaft fracture (with or without fibular fracture); without manipulation	\$ 965.00
Closed treatment of tibial shaft fracture (with or without fibular fracture); with manipulation, with or without skeletal traction	\$ 4,019.00
Closed treatment of medial malleolus fracture; without manipulation	\$ 820.00
Closed treatment of medial malleolus fracture; with manipulation, with or without skin or skeletal traction	\$ 4,019.00
Closed treatment of proximal fibula or shaft fracture; without manipulation	\$ 660.00
Closed treatment of proximal fibula or shaft fracture; with manipulation	\$ 4,019.00
Closed treatment of distal fibular fracture (lateral malleolus); without manipulation	\$ 798.00
Closed treatment of distal fibular fracture (lateral malleolus); with manipulation	\$ 660.00
Closed treatment of trimalleolar ankle fracture; without manipulation	\$ 660.00
Closed treatment of trimalleolar ankle fracture; with manipulation	\$ 4,019.00
Closed treatment of calcaneal fracture; without manipulation	\$ 782.00
Closed treatment of calcaneal fracture; with manipulation	\$ 660.00
Closed treatment of metatarsal fracture; without manipulation, each	\$ 604.00
Closed treatment of metatarsal fracture; with manipulation, each	\$ 660.00
Closed treatment of fracture great toe, phalanx or phalanges; without manipulation	\$ 372.00
Closed treatment of fracture, phalanx or phalanges, other than great toe; without manipulation, each	\$ 372.00
Closed treatment of fracture, phalanx or phalanges, other than great toe; with manipulation, each	\$ 660.00
Closed treatment of metatarsophalangeal joint dislocation; without anesthesia	\$ 801.00
Closed treatment of interphalangeal joint dislocation; without anesthesia	\$ 416.00
Application of long leg splint (thigh to ankle or toes)	\$ 283.00
Application of short leg splint (calf to foot)	\$ 283.00
Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; single lesion	\$ 380.00
Repair of nail bed	\$ 365.00
Closed treatment of vertebral fracture(s) and/or dislocation(s) requiring casting or bracing, with and including casting and/or bracing by manipulation or traction	\$ 2,065.00
Closed treatment of greater humeral tuberosity fracture; without manipulation	\$ 415.00
Closed treatment of greater humeral tuberosity fracture; with manipulation	\$ 4,019.00
Closed treatment of supracondylar or transcondylar humeral fracture, with or without intercondylar extension; without manipulation	\$ 1,129.00
Closed treatment of radial head or neck fracture; without manipulation	\$ 594.00
Closed treatment of radial head or neck fracture; with manipulation	\$ 4,019.00
Closed treatment of ulnar fracture, proximal end (eg, olecranon or coronoid process[es]); without manipulation	\$ 415.00
Closed treatment of radial shaft fracture; without manipulation	\$ 660.00
Closed treatment of radial shaft fracture; with manipulation	\$ 4,019.00
Closed treatment of ulnar shaft fracture; with manipulation	\$ 660.00
Closed treatment of radial and ulnar shaft fractures; without manipulation	\$ 660.00
Closed treatment of radial and ulnar shaft fractures; with manipulation	\$ 801.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor.	\$ 231.00
Removal impacted cerumen requiring instrumentation, unilateral	\$ 149.00
Change of gastrostomy tube, percutaneous, without imaging or endoscopic guidance	\$ 579.00
Excision of nail and nail matrix, partial or complete (eg, ingrown or deformed nail), for permanent removal	\$ 1,372.00
Initial treatment, first degree burn, when no more than local treatment is required	\$ 181.00
Removal foreign body from external auditory canal; without general anesthesia	\$ 149.00
Avulsion of nail plate, partial or complete, simple; single	\$ 291.00
Hospital observation service, per hour	\$ 397.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 81.00
Abdominal paracentesis (diagnostic or therapeutic); without imaging guidance	\$ 2,310.00
Closure of laceration, vestibule of mouth; 2.5 cm or less	\$ 584.00
Thoracentesis, needle or catheter, aspiration of the pleural space; without imaging guidance	\$ 2,147.00
Thoracentesis, needle or catheter, aspiration of the pleural space; with imaging guidance	\$ 1,107.00
Pleural drainage, percutaneous, with insertion of indwelling catheter; without imaging guidance	\$ 4,408.00
Pleural drainage, percutaneous, with insertion of indwelling catheter; with imaging guidance	\$ 1,107.00
Incision and removal of foreign body, subcutaneous tissues; complicated	\$ 4,083.00
Control nasal hemorrhage, posterior, with posterior nasal packs and/or cautery, any method; initial	\$ 292.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Drainage of finger abscess; simple	\$ 355.00
Mastotomy with exploration or drainage of abscess, deep	\$ 4,083.00
Injection(s); single tendon origin/insertion	\$ 474.00
Closed treatment of ulnar styloid fracture	\$ 660.00
Treatment of spontaneous hipdislocation (developmental, including congenital or pathological), by abduction, splint or traction; without anesthesia, without manipulation	\$ 660.00
Treatment of spontaneous hipdislocation (developmental, including congenital or pathological), by abduction, splint or traction; with manipulation, requiring anesthesia	\$ 4,019.00
Incision and drainage, leg or ankle; deep abscess or hematoma	\$ 7,095.00
Laryngoscopy direct, with or without tracheoscopy; diagnostic, except newborn	\$ 4,192.00
Laryngoscopy, flexible; diagnostic	\$ 354.00
Repair lip, full thickness; vermilion only	\$ 1,461.00
Excision of multiple external papillae or tags, anus	\$ 7,156.00
Replacement of gastrostomy or cecostomy (or other colonic) tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 1,140.00
Incision and drainage of Bartholin's gland abscess	\$ 474.00
Spinal puncture, therapeutic, for drainage of cerebrospinal fluid (by needle or catheter)	\$ 878.00
Blepharotomy, drainage of abscess, eyelid	\$ 887.00
Incision and drainage, perianal abscess, superficial	\$ 2,205.00
Removal impacted cerumen using irrigation/lavage, unilateral	\$ 180.00
Drainage abscess or hematoma, nasal, internal approach	\$ 299.00
Ultrasound, abdominal, real time with image documentation; limited (eg, single organ, quadrant, follow-up)	\$ 890.00
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 1,328.00
Ultrasound, extremity, nonvascular, real-time with image documentation; limited, anatomic specific	\$ 921.00
Ophthalmic ultrasound, diagnostic; B-scan (with or without superimposed non-quantitative A-scan)	\$ 707.00
Ophthalmic ultrasonic foreign body localization	\$ 437.00
Measurement of post-voiding residual urine and/or bladder capacity by ultrasound, non-imaging	\$ 559.00
Ultrasound, pregnant uterus, real time with image documentation, limited (eg, fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid volume), 1 or more fetuses	\$ 805.00
Ultrasound, pregnant uterus, real time with image documentation, transvaginal	\$ 823.00
Ultrasound, chest (includes mediastinum), real time with image documentation	\$ 963.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; limited	\$ 890.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 2,869.00
Ultrasound guidance for vascular access requiring ultrasound evaluation of potential access sites, documentation of selected vessel patency, concurrent realtime ultrasound visualization of vascular needle entry, with permanent recording and reporting (List separately in addition to code for primary procedure)	\$ 1,333.00
Ultrasonic guidance for pericardiocentesis, imaging supervision	\$ 1,579.00
Arthrocentesis, aspiration and/or injection, small joint or bursa (eg, fingers, toes); with ultrasound guidance, with permanent recording and reporting	\$ 763.00
Open treatment of interphalangeal joint dislocation, includes internal fixation, when performed, single	\$ 8,050.00
Closure of laceration, vestibule of mouth; over 2.5 cm or complex	\$ 1,461.00
Incision and drainage of epididymis, testis and/or scrotal space (eg, abscess or hematoma)	\$ 5,429.00
Trauma response team associated with hospital critical care service	\$ 8,172.00
Closed treatment of shoulder dislocation, with surgical or anatomical neck fracture, with manipulation	\$ 576.00
Removal of skin tags, multiple fibrocuteaneous tags, any area; each additional 10 lesions, or part thereof (List separately in addition to code for primary procedure)	\$ 344.00
Repair, complex, eyelids, nose, ears and/or lips; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 936.00
Unlisted procedure, skin, mucous membrane and subcutaneous tissue	\$ 209.00
Incision and drainage of soft tissue abscess, subfascial (ie, involves the soft tissue below the deep fascia)	\$ 2,882.00
Exploration of penetrating wound (separate procedure); abdomen/flank/back	\$ 5,621.00
Unlisted craniofacial and maxillofacial procedure	\$ 309.00
Closed treatment of scapular fracture; with manipulation, with or without skeletal traction (with or without shoulder joint involvement)	\$ 398.00
Closed treatment of post hiparthroplasty dislocation; requiring regional or general anesthesia	\$ 2,501.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient younger than 5 years of age	\$ 114.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 272.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 116.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Trauma Alert: W/O Notification	\$ 8,172.00
Room & Care/Bed - Emergency Dept Psych Semiprivate	\$ 2,760.00
Room & Care/Bed - Emergency Dept Intensive Care	\$ 12,520.00
Room & Care/Bed - Emergency Dept Private Med Justfd	\$ 2,387.00
Room & Care/Bed - Emergency Dept Intermed Special Care	\$ 5,987.00
Room & Care/Bed - Emergency Dept Semiprivate	\$ 2,002.00
Room & Care/Bed - Emergency Dept Isolation	\$ 2,387.00
Room & Care/Bed - Emergency Dept Telemetry	\$ 2,002.00
Insertion of wire or pin with application of skeletal traction, including removal (separate procedure)	\$ 8,050.00
Placement of needle for intraosseous infusion	\$ 870.00
Debridement, bone (includes epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed); first 20 sq cm or less	\$ 2,551.00
Closed treatment of ulnar fracture, proximal end (eg, olecranon or coronoid process[es]); with manipulation	\$ 596.00
Closed treatment of ulnar shaft fracture; without manipulation	\$ 699.00
Closed treatment of carpal bone fracture (excluding carpal scaphoid [navicular]); with manipulation, each bone	\$ 4,019.00
Repair, extensor tendon, finger, primary or secondary; without free graft, each tendon	\$ 8,050.00
Closed treatment of metacarpophalangeal dislocation, single, with manipulation; without anesthesia	\$ 765.00
Percutaneous skeletal fixation of distal phalangeal fracture, finger or thumb, each	\$ 8,050.00
Open treatment of distal phalangeal fracture, finger or thumb, includes internal fixation, when performed, each	\$ 4,550.00
Amputation, finger or thumb, primary or secondary, any joint or phalanx, single, including neurectomies; with direct closure	\$ 8,050.00
Closed treatment of femoral fracture, proximal end, neck; without manipulation	\$ 660.00
Closed treatment of hipdislocation, traumatic; without anesthesia	\$ 746.00
Closed treatment of post hiparthroplasty dislocation; without anesthesia	\$ 2,566.00
Closed treatment of post hiparthroplasty dislocation; requiring regional or general anesthesia	\$ 4,012.00
Removal of foreign body, deep, thigh region or knee area	\$ 7,095.00
Closed treatment of femoral fracture, distal end, medial or lateral condyle, without manipulation	\$ 660.00
Closed treatment of knee dislocation; without anesthesia	\$ 830.00
Closed treatment of patellar dislocation; without anesthesia	\$ 415.00
Closed treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli or medial and posterior malleoli); without manipulation	\$ 398.00
Closed treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli or medial and posterior malleoli); with manipulation	\$ 4,019.00
Closed treatment of fracture of weight bearing articular portion of distal tibia (eg, pilon or tibial plafond), with or without anesthesia; with skeletal traction and/or requiring manipulation	\$ 4,019.00
Closed treatment of ankle dislocation; without anesthesia	\$ 416.00
Removal of foreign body, foot; subcutaneous	\$ 1,009.00
Application of short leg cast (below knee to toes)	\$ 214.00
Venipuncture, younger than age 3 years, necessitating the skill of a physician or other qualified health care professional, not to be used for routine venipuncture; femoral or jugular vein	\$ 175.00
Venipuncture, age 3 years or older, necessitating the skill of a physician or other qualified health care professional (separate procedure), for diagnostic or therapeutic purposes (not to be used for routine venipuncture)	\$ 196.00
Drainage of abscess, cyst, hematoma, vestibule of mouth; simple	\$ 1,780.00
Drainage external ear, abscess or hematoma; simple	\$ 355.00
Critical care, evaluation and management of the critically ill or critically injured patient; each additional 30 minutes (List separately in addition to code for primary service)	\$ 1,271.00
Evacuation of subungual hematoma	\$ 192.00
Removal foreign body, intranasal; office type procedure	\$ 149.00
Transfusion, blood or blood components	\$ 852.00
Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; each separate/additional lesion (List separately in addition to code for primary procedure)	\$ 353.00
Tracheostomy, emergency procedure; transtracheal	\$ 3,428.00
Insertion of temporary indwelling bladder catheter; complicated (eg, altered anatomy, fractured catheter/balloon)	\$ 420.00
Incision and drainage abscess; peritonsillar	\$ 584.00
Control oropharyngeal hemorrhage, primary or secondary (eg, post-tonsillectomy); simple	\$ 584.00
Closed treatment of tarsometatarsal joint dislocation; without anesthesia	\$ 660.00
Closed treatment of lunate dislocation, with manipulation	\$ 4,019.00
Application of short leg cast (below knee to toes); walking or ambulatory type	\$ 730.00
Closed treatment of talotarsal joint dislocation; without anesthesia	\$ 660.00
Closed treatment of acetabulum (hipsocket) fracture(s); without manipulation	\$ 1,408.00
Closed treatment of Monteggia type of fracture dislocation at elbow (fracture proximal end of ulna with dislocation of radial head), with manipulation	\$ 4,019.00
Closed treatment of distal radioulnar dislocation with manipulation	\$ 660.00
Closed treatment of carpometacarpal dislocation, other than thumb, with manipulation, each joint; without anesthesia	\$ 1,067.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Application, cast; elbow to finger (short arm)	\$ 189.00
Closed treatment of scapular fracture; without manipulation	\$ 660.00
Closed treatment of trans-scapohumeral type of fracture dislocation, with manipulation	\$ 660.00
Closed treatment of talus fracture; with manipulation	\$ 4,019.00
Closed treatment of fracture great toe, phalanx or phalanges; with manipulation	\$ 660.00
Application of long leg cast brace	\$ 730.00
Debridement including removal of foreign material at the site of an open fracture and/or an open dislocation (eg, excisional debridement); skin, subcutaneous tissue, muscle fascia, muscle, and bone	\$ 7,095.00
Closed treatment of femoral fracture, proximal end, neck; with manipulation, with or without skeletal traction	\$ 1,256.00
Treatment of superficial wound dehiscence; simple closure	\$ 1,493.00
Incision and drainage of ischioanal and/or perirectal abscess (separate procedure)	\$ 5,500.00
Closed treatment of femoral fracture, distal end, medial or lateral condyle, with manipulation	\$ 4,019.00
Debridement, subcutaneous tissue (includes epidermis and dermis, if performed); each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 990.00
Change of cystostomy tube; simple	\$ 714.00
Chemical cauterization of granulation tissue (ie, proud flesh)	\$ 266.00
Fine needle aspiration; without imaging guidance	\$ 953.00
Repair, complex, eyelids, nose, ears and/or lips; 1.1 cm to 2.5 cm	\$ 1,298.00
Adjacent tissue transfer or rearrangement, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; defect 10 sq cm or less	\$ 4,087.00
Closed treatment of humeral condylar fracture, medial or lateral; with manipulation	\$ 720.00
Tracheobronchoscopy through established tracheostomy incision	\$ 1,461.00
Removal of skin tags, multiple fibrocuteaneous tags, any area; up to and including 15 lesions	\$ 344.00
Wedge excision of skin of nail fold (eg, for ingrown toenail)	\$ 259.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 12.6 cm to 20.0 cm	\$ 506.00
Injection(s); single or multiple trigger point(s), 1 or 2 muscle(s)	\$ 764.00
Aspiration and/or injection of ganglion cyst(s) any location	\$ 474.00
Repair of laceration 2.5 cm or less; floor of mouth and/or anterior two-thirds of tongue	\$ 604.00
Drainage of abscess, cyst, hematoma from dentoalveolar structures	\$ 474.00
Drainage of scrotal wall abscess	\$ 2,949.00
Abdominal paracentesis (diagnostic or therapeutic); with imaging guidance	\$ 1,333.00
Incision of thrombosed hemorrhoid, external	\$ 527.00
Excision of thrombosed hemorrhoid, external	\$ 3,146.00
Removal of intrauterine device (IUD)	\$ 911.00
Injection, anesthetic agent; trigeminal nerve, any division or branch	\$ 763.00
Injection, anesthetic agent; intercostal nerve, single	\$ 1,674.00
Incision and drainage of pilonidal cyst; complicated	\$ 1,780.00
Incision and drainage of vulva or perineal abscess	\$ 716.00
Fetal non-stress test	\$ 503.00
Operating Room Time - 000-030 Min	\$ 2,634.00
Vaginal Delivery Service	\$ 1,542.00
Unlisted procedure, maternity care and delivery	\$ 503.00
Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.25 mL dosage, for intramuscular use	\$ 27.50
Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use	\$ 53.00
Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use	\$ 20.00
Influenza virus vaccine, trivalent (ccIIV3), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use	\$ 40.00
Influenza virus vaccine (IIV), split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use	\$ 48.00
Extended Recovery Per Hr (>180 Min)	\$ 1,132.00
Room & Care/Bed - L&D/3M Semiprivate	\$ 2,182.00
Room & Care/Bed - L&D/3M Private	\$ 2,510.00
Room & Care/Bed - L&D/3M Telemetry	\$ 2,182.00
Room & Care/Bed - L&D/3M Isolation	\$ 2,510.00
Room & Care/Bed - Nursery/3M Nursery	\$ 1,228.00
Room & Care/Bed - L&D/3M Intensive Care	\$ 12,520.00
Room & Care/Bed - L&D/3M Private Med Justfd	\$ 2,510.00
Room & Care/Bed - L&D/3M Intermed Special Care	\$ 12,520.00
Hospital observation service, per hour	\$ 439.00
Surgical overnight recovery, per hour	\$ 439.00
Recovery room time - 000-030 Min	\$ 1,197.00
Recovery room time - 031-045 Min	\$ 1,598.00
Recovery room time - 046-060 Min	\$ 1,598.00
Recovery room time - 061-075 Min	\$ 1,730.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Recovery room time - 076-090 Min	\$ 1,730.00
Recovery room time - 091-105 Min	\$ 2,062.00
Recovery room time - 106-120 Min	\$ 2,062.00
Recovery room time - 121-135 Min	\$ 2,660.00
Recovery room time - 136-150 Min	\$ 2,660.00
Recovery room time - 151-165 Min	\$ 3,043.00
Recovery room time - 166-180 Min	\$ 3,043.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 1,034.00
Duplex scan of extracranial arteries; complete bilateral study	\$ 2,178.00
Duplex scan of extracranial arteries; unilateral or limited study	\$ 1,080.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; limited study	\$ 1,326.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study	\$ 2,178.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; unilateral or limited study	\$ 1,326.00
Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	\$ 1,380.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 823.00
Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries with, transcutaneous oxygen tension measurement at 1-2 levels)	\$ 477.00
Complete bilateral noninvasive physiologic studies of upper or lower extremity arteries, 3 or more levels (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental blood pressure measurements with bidirectional Doppler waveform recording and analysis, at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental volume plethysmography at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental transcutaneous oxygen tension measurements at 3 or more levels), or single level study with provocative functional maneuvers (eg, measurements with postural provocative tests, or measurements with reactive hyperemia)	\$ 477.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study	\$ 1,591.00
Ultrasound, abdominal aorta, real time with image documentation, screening study for abdominal aortic aneurysm (AAA)	\$ 248.00
Ultrasound, extremity, nonvascular, real-time with image documentation; complete	\$ 1,034.00
Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 610.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 5,199.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 6,748.00
Evaluation of cardiovascular function with tilt table evaluation, with continuous ECG monitoring and intermittent blood pressure monitoring, with or without pharmacological intervention	\$ 2,544.00
Transthoracic echocardiography, with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report; including performance of continuous electrocardiographic monitoring, with physician supervision	\$ 2,168.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, for congenital cardiac anomalies; complete	\$ 2,168.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, for congenital cardiac anomalies; follow-up or limited study	\$ 2,168.00
Noninvasive physiologic studies of lower extremity arteries, at rest and following treadmill stress testing, (ie, bidirectional Doppler waveform or volume plethysmography recording and analysis at rest with ankle/brachial indices immediately after and at timed intervals following performance of a standardized protocol on a motorized treadmill plus recording of time of onset of claudication or other symptoms, maximal walking time, and time to recovery) complete bilateral study	\$ 477.00
Duplex scan of upper extremity arteries or arterial bypass grafts; complete bilateral study	\$ 1,380.00
Duplex scan of upper extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 823.00
Duplex scan of hemodialysis access (including arterial inflow, body of access and venous outflow)	\$ 1,380.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; single lead transvenous implantable defibrillator system	\$ 116.00
Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; implantable subcutaneous lead defibrillator system	\$ 116.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Complete bilateral noninvasive physiologic studies of upper or lower extremity arteries, 3 or more levels (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental blood pressure measurements with bidirectional Doppler waveform recording and analysis, at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental volume plethysmography at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental transcutaneous oxygen tension measurements at 3 or more levels), or single level study with provocative functional maneuvers (eg, measurements with postural provocative tests, or measurements with reactive hyperemia)	\$ 420.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 667.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 3,964.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 5,409.00
Electrocardiogram, routine ECG with at least 12 leads; tracing only, without interpretation and report	\$ 180.00
Cardioversion, elective, electrical conversion of arrhythmia; external	\$ 1,589.00
Duplex scan of extracranial arteries; complete bilateral study	\$ 1,606.00
Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries with, transcutaneous oxygen tension measurement at 1-2 levels)	\$ 330.00
Noninvasive physiologic studies of lower extremity arteries, at rest and following treadmill stress testing, (ie, bidirectional Doppler waveform or volume plethysmography recording and analysis at rest with ankle/brachial indices immediately after and at timed intervals following performance of a standardized protocol on a motorized treadmill plus recording of time of onset of claudication or other symptoms, maximal walking time, and time to recovery) complete bilateral study	\$ 420.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study	\$ 747.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study	\$ 747.00
Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	\$ 747.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 747.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; limited study	\$ 372.00
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 372.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; unilateral or limited study	\$ 372.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 372.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 1,600.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 53.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 53.00
Chemotherapy administration, subcutaneous or intramuscular; non-hormonal anti-neoplastic	\$ 59.00
Chemotherapy administration, subcutaneous or intramuscular; hormonal anti-neoplastic	\$ 59.00
Chemotherapy administration; intravenous, push technique, single or initial substance/drug	\$ 197.00
Chemotherapy administration; intravenous, push technique, each additional substance/drug (List separately in addition to code for primary procedure)	\$ 59.00
Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug	\$ 308.00
Chemotherapy administration, intravenous infusion technique; each additional hour (List separately in addition to code for primary procedure)	\$ 59.00
Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump	\$ 308.00
Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure)	\$ 59.00
Rabies vaccine, for intramuscular use	\$ 460.00
Psychiatric diagnostic evaluation	\$ 267.00
Psychiatric diagnostic evaluation with medical services	\$ 267.00
Psychotherapy, 30 minutes with patient	\$ 209.00
Psychotherapy, 45 minutes with patient	\$ 267.00
Family psychotherapy (without the patient present), 50 minutes	\$ 289.00
Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes	\$ 289.00
Group psychotherapy (other than of a multiple-family group)	\$ 153.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 125.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 85.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 173.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 264.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 373.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, eg, MMPI, Rorschach, WAIS), per hour of the psychologist's or physician's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 463.00
Psychotherapy, 60 minutes with patient	\$ 311.00
Bridge On Discharge	\$ 103.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); simple or single	\$ 528.00
Incision and removal of foreign body, subcutaneous tissues; simple	\$ 528.00
Incision and drainage of hematoma, seroma or fluid collection	\$ 4,129.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 380.00
Incision and drainage, complex, postoperative wound infection	\$ 6,530.00
Debridement, subcutaneous tissue (includes epidermis and dermis, if performed); first 20 sq cm or less	\$ 990.00
Debridement, muscle and/or fascia (includes epidermis, dermis, and subcutaneous tissue, if performed); first 20 sq cm or less	\$ 990.00
Debridement, muscle and/or fascia (includes epidermis, dermis, and subcutaneous tissue, if performed); each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 990.00
Debridement, bone (includes epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed); each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 990.00
Debridement of nail(s) by any method(s); 1 to 5	\$ 284.00
Debridement of nail(s) by any method(s); 6 or more	\$ 284.00
Avulsion of nail plate, partial or complete, simple; each additional nail plate (List separately in addition to code for primary procedure)	\$ 313.00
Secondary closure of surgical wound or dehiscence, extensive or complicated	\$ 6,568.00
Surgical preparation or creation of recipient site by excision of open wounds, burn eschar, or scar (including subcutaneous tissues), or incisional release of scar contracture, trunk, arms, legs; first 100 sq cm or 1% of body area of infants and children	\$ 1,949.00
Surgical preparation or creation of recipient site by excision of open wounds, burn eschar, or scar (including subcutaneous tissues), or incisional release of scar contracture, trunk, arms, legs; each additional 100 sq cm, or part thereof, or each additional 1% of body area of infants and children (List separately in addition to code for primary procedure)	\$ 1,949.00
Split-thickness autograft, trunk, arms, legs; first 100 sq cm or less, or 1% of body area of infants and children (except 15050)	\$ 2,022.00
Split-thickness autograft, trunk, arms, legs; each additional 100 sq cm, or each additional 1% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)	\$ 2,022.00
Split-thickness autograft, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits; first 100 sq cm or less, or 1% of body area of infants and children (except 15050)	\$ 2,022.00
Split-thickness autograft, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits; each additional 100 sq cm, or each additional 1% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)	\$ 2,022.00
Application of skin substitute graft to trunk, arms, legs, total wound surface area up to 100 sq cm; first 25 sq cm or less wound surface area	\$ 1,657.00
Application of skin substitute graft to trunk, arms, legs, total wound surface area up to 100 sq cm; each additional 25 sq cm wound surface area, or part thereof (List separately in addition to code for primary procedure)	\$ 1,657.00
Application of skin substitute graft to trunk, arms, legs, total wound surface area greater than or equal to 100 sq cm; first 100 sq cm wound surface area, or 1% of body area of infants and children	\$ 1,657.00
Application of skin substitute graft to trunk, arms, legs, total wound surface area greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area, or part thereof, or each additional 1% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)	\$ 1,657.00
Application of skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area up to 100 sq cm; first 25 sq cm or less wound surface area	\$ 1,657.00
Application of skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area up to 100 sq cm; each additional 25 sq cm wound surface area, or part thereof (List separately in addition to code for primary procedure)	\$ 1,657.00
Application of skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area greater than or equal to 100 sq cm; first 100 sq cm wound surface area, or 1% of body area of infants and children	\$ 2,312.00
Application of skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area, or part thereof, or each additional 1% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)	\$ 2,312.00
Incision and drainage of soft tissue abscess, subfascial (ie, involves the soft tissue below the deep fascia)	\$ 6,937.00
Exploration of penetrating wound (separate procedure); extremity	\$ 1,566.00
Removal of implant; superficial (eg, buried wire, pin or rod) (separate procedure)	\$ 4,933.00
Removal of foreign body, foot; subcutaneous	\$ 1,517.00
Application of rigid total contact leg cast	\$ 841.00
Application of multi-layer compression system; leg (below knee), including ankle and foot	\$ 167.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; first 20 sq cm or less	\$ 273.00
Removal of devitalized tissue from wound(s), non-selective debridement, without anesthesia (eg, wet-to-moist dressings, enzymatic, abrasion, larval therapy), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session	\$ 275.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Negative pressure wound therapy (eg, vacuum assisted drainage collection), utilizing durable medical equipment (DME), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters	\$ 273.00
Biovance, per square centimeter	\$ 389.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; small (less than 5% total body surface area)	\$ 509.00
Epifix or epicord, per square centimeter	\$ 649.00
Application of low cost skin substitute graft to trunk, arms, legs, total wound surface area greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area, or part thereof, or each additional 1% of body area of infants and children, or part thereof (list separately in addition to code for primary procedure)	\$ 1,657.00
Application of low cost skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area greater than or equal to 100 sq cm; first 100 sq cm wound surface area, or 1% of body area of infants and children	\$ 2,312.00
Application of low cost skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area, or part thereof, or each additional 1% of body area of infants and children, or part thereof (list separately in addition to code for primary procedure)	\$ 2,312.00
Puraply or puraply am, per square centimeter	\$ 344.00
Hyperbaric oxygen under pressure, full body chamber, per 30 minute interval	\$ 1,064.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 304.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 364.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 504.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 629.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 805.00
Apligraf, per square centimeter	\$ 149.00
Oasis wound matrix, per square centimeter	\$ 5.00
Dermagraft, per square centimeter	\$ 65.00
Theraskin, per square centimeter	\$ 132.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 22.00
Grafix core AND grafixpl core per square centimeter	\$ 556.00
Grafix prime AND grafixpl prime per square centimeter	\$ 513.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 121.00
Split-thickness autograft, trunk, arms, legs; first 100 sq cm or less, or 1% of body area of infants and children (except 15050)	\$ 1,686.00
Negative pressure wound therapy, (eg, vacuum assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area less than or equal to 50 square centimeters	\$ 825.00
Negative pressure wound therapy, (eg, vacuum assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters	\$ 825.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 305.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 365.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 505.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 628.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 363.00
Ultrasound, transplanted kidney, real time and duplex Doppler with image documentation	\$ 1,517.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 1,035.00
Duplex scan of extracranial arteries; complete bilateral study	\$ 2,179.00
Duplex scan of extracranial arteries; unilateral or limited study	\$ 1,081.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study	\$ 2,179.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 791.00
Duplex scan of arterial inflow and venous outflow of penile vessels; complete study	\$ 373.00
Fine needle aspiration; with imaging guidance	\$ 797.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study	\$ 2,178.00
Ultrasound, extremity, nonvascular, real-time with image documentation; complete	\$ 1,035.00
Injection procedures (eg, thrombin) for percutaneous treatment of extremity pseudoaneurysm	\$ 780.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study	\$ 2,179.00
Ultrasound guided compression repair of arterial pseudoaneurysm or arteriovenous fistulae (includes diagnostic ultrasound evaluation, compression of lesion and imaging)	\$ 1,517.00
Vessel mapping of vessels for hemodialysis access (services for preoperative vessel mapping prior to creation of hemodialysis access using an autogenous hemodialysis conduit, including arterial inflow and venous outflow)	\$ 373.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 2,868.00
Fine needle aspiration; with imaging guidance	\$ 796.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 2,729.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; scanning analysis with report	\$ 110.00
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; recording (includes connection, recording, and disconnection)	\$ 110.00
External electrocardiographic recording for more than 48 hours up to 21 days by continuous rhythm recording and storage; recording (includes connection and initial recording)	\$ 110.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report; including performance of continuous electrocardiographic monitoring, with supervision by a physician or other qualified health care professional	\$ 494.00
Transthoracic echocardiography for congenital cardiac anomalies; complete	\$ 494.00
Transthoracic echocardiography for congenital cardiac anomalies; follow-up or limited study	\$ 494.00
Injection, perflutren lipid microspheres, per ml	\$ 588.00
Transthoracic echocardiography, with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report; including performance of continuous electrocardiographic monitoring, with physician supervision	\$ 722.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, for congenital cardiac anomalies; complete	\$ 722.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, for congenital cardiac anomalies; follow-up or limited study	\$ 722.00
Duplex scan of arterial inflow and venous outflow of penile vessels; complete study	\$ 372.00
Vessel mapping of vessels for hemodialysis access (services for preoperative vessel mapping prior to creation of hemodialysis access using an autogenous hemodialysis conduit, including arterial inflow and venous outflow)	\$ 372.00
Assistive technology assessment (eg, to restore, augment or compensate for existing function, optimize functional tasks and/or maximize environmental accessibility), direct one-on-one contact, with written report, each 15 minutes	\$ 120.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)	\$ 37.00
Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without additional quantitative processing	\$ 1,100.00
Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 536.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 4,682.00
Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; tracing only, without interpretation and report	\$ 767.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); including probe placement, image acquisition, interpretation and report	\$ 1,485.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, complete, with spectral doppler echocardiography, and with color flow doppler echocardiography	\$ 2,168.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, complete, without spectral or color doppler echocardiography	\$ 2,168.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, follow-up or limited study	\$ 1,409.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 2,168.00
Duplex scan of upper extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 1,326.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 1,380.00
Spinal puncture, lumbar, diagnostic	\$ 1,853.00
Injection procedure for retrograde urethrocytography	\$ 153.00
Percutaneous aspiration within the nucleus pulposus, intervertebral disc, or paravertebral tissue for diagnostic purposes	\$ 857.00
Change of percutaneous tube or drainage catheter with contrast monitoring (eg, genitourinary system, abscess), radiological supervision	\$ 670.00
Exchange of previously placed abscess or cyst drainage catheter under radiological guidance (separate procedure)	\$ 308.00
Ablation, 1 or more liver tumor(s), percutaneous, radiofrequency	\$ 10,710.00
Biopsy, soft tissue of leg or ankle area; deep (subfascial or intramuscular)	\$ 2,420.00
Computed tomography, head or brain; without contrast material	\$ 2,177.00
Computed tomography, head or brain; with contrast material(s)	\$ 2,165.00
Computed tomography, head or brain; without contrast material, followed by contrast material(s) and further sections	\$ 2,924.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material	\$ 2,590.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; with contrast material(s)	\$ 3,041.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material, followed by contrast material(s) and further sections	\$ 3,980.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Computed tomography, maxillofacial area; without contrast material	\$ 2,186.00
Computed tomography, maxillofacial area; with contrast material(s)	\$ 2,422.00
Computed tomography, maxillofacial area; without contrast material, followed by contrast material(s) and further sections	\$ 2,693.00
Computed tomography, soft tissue neck; without contrast material	\$ 2,005.00
Computed tomography, soft tissue neck; with contrast material(s)	\$ 2,525.00
Computed tomography, soft tissue neck; without contrast material followed by contrast material(s) and further sections	\$ 2,590.00
Computed tomography, thorax; without contrast material	\$ 2,064.00
Computed tomography, thorax; with contrast material(s)	\$ 2,359.00
Computed tomography, thorax; without contrast material, followed by contrast material(s) and further sections	\$ 3,168.00
Computed tomography, cervical spine; without contrast material	\$ 2,408.00
Computed tomography, cervical spine; with contrast material	\$ 2,541.00
Computed tomography, thoracic spine; without contrast material	\$ 2,407.00
Computed tomography, thoracic spine; with contrast material	\$ 2,549.00
Computed tomography, lumbar spine; without contrast material	\$ 2,266.00
Computed tomography, lumbar spine; with contrast material	\$ 2,532.00
Computed tomography, lumbar spine; without contrast material, followed by contrast material(s) and further sections	\$ 4,365.00
Computed tomography, pelvis; without contrast material	\$ 2,205.00
Computed tomography, pelvis; with contrast material(s)	\$ 2,508.00
Computed tomography, pelvis; without contrast material, followed by contrast material(s) and further sections	\$ 2,841.00
Computed tomography, upper extremity; without contrast material	\$ 2,199.00
Computed tomography, upper extremity; with contrast material(s)	\$ 2,460.00
Computed tomography, upper extremity; without contrast material, followed by contrast material(s) and further sections	\$ 4,499.00
Computed tomography, lower extremity; without contrast material	\$ 1,551.00
Computed tomography, lower extremity; with contrast material(s)	\$ 3,406.00
Computed tomography, lower extremity; without contrast material, followed by contrast material(s) and further sections	\$ 1,096.00
Computed tomography, abdomen; without contrast material	\$ 2,216.00
Computed tomography, abdomen; with contrast material(s)	\$ 2,461.00
Computed tomography, abdomen; without contrast material, followed by contrast material(s) and further sections	\$ 3,314.00
Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision	\$ 2,782.00
Biopsy, muscle, percutaneous needle	\$ 327.00
Biopsy, bone, trocar, or needle; superficial (eg, ilium, sternum, spinous process, ribs)	\$ 1,617.00
Biopsy, bone, trocar, or needle; deep (eg, vertebral body, femur)	\$ 2,889.00
Biopsy, pleura, percutaneous needle	\$ 1,952.00
Biopsy, lung or mediastinum, percutaneous needle	\$ 1,442.00
Biopsy of pancreas, percutaneous needle	\$ 1,058.00
Biopsy, abdominal or retroperitoneal mass, percutaneous needle	\$ 372.00
Renal biopsy; percutaneous, by trocar or needle	\$ 671.00
Aspiration and/or injection of renal cyst or pelvis by needle, percutaneous	\$ 1,011.00
Tube thoracostomy, includes connection to drainage system (eg, water seal), when performed, open (separate procedure)	\$ 1,421.00
Pericardiocentesis; initial	\$ 486.00
Computed tomographic angiography, head, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,403.00
Computed tomographic angiography, neck, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,554.00
Computed tomographic angiography, chest (noncoronary), with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,312.00
Computed tomographic angiography, pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 2,725.00
Computed tomographic angiography, upper extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,804.00
Computed tomographic angiography, lower extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 5,340.00
Computed tomographic angiography, abdomen, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,198.00
Computed tomographic angiography, abdominal aorta and bilateral iliofemoral lower extremity runoff, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 5,875.00
Computed tomography guidance for, and monitoring of, parenchymal tissue ablation	\$ 2,792.00
Biopsy of liver, needle; percutaneous	\$ 1,304.00
Computed tomography, cervical spine; without contrast material, followed by contrast material(s) and further sections	\$ 3,339.00
Computed tomography, thoracic spine; without contrast material, followed by contrast material(s) and further sections	\$ 3,343.00
Ablation therapy for reduction or eradication of 1 or more bone tumors (eg, metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed; radiofrequency	\$ 8,736.00
Cholecystostomy, percutaneous, complete procedure, including imaging guidance, catheter placement, cholecystogram when performed, and radiological supervision	\$ 2,622.00
Ablation, 1 or more liver tumor(s), percutaneous, cryoablation	\$ 9,589.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Unlisted procedure, endocrine system	\$ 12,938.00
Unlisted procedure, urinary system	\$ 3,907.00
Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries	\$ 360.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 4.00
Sodium fluoride f-18, diagnostic, per study dose, up to 30 millicuries	\$ 360.00
Brain imaging, positron emission tomography (PET); metabolic evaluation	\$ 5,524.00
Myocardial imaging, positron emission tomography (PET), metabolic evaluation	\$ 5,524.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; limited area (eg, chest, head/neck)	\$ 5,524.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; skull base to mid-thigh	\$ 5,524.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; whole body	\$ 5,524.00
Aspiration of bladder; with insertion of suprapubic catheter	\$ 3,928.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); simple or single	\$ 1,853.00
Biopsy, soft tissue of neck or thorax	\$ 311.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 798.00
Biopsy or excision of lymph node(s); by needle, superficial (eg, cervical, inguinal, axillary)	\$ 1,541.00
3D rendering with interpretation and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; requiring image postprocessing on an independent workstation	\$ 1,375.00
Ablation, 1 or more renal tumor(s), percutaneous, unilateral, radiofrequency	\$ 10,710.00
Ablation, renal tumor(s), unilateral, percutaneous, cryotherapy	\$ 8,525.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 932.00
Ablation therapy for reduction or eradication of 1 or more pulmonary tumor(s) including pleura or chest wall when involved by tumor extension, percutaneous, radiofrequency, unilateral	\$ 10,710.00
Unlisted procedure, abdomen, peritoneum and omentum	\$ 7,885.00
Bone marrow; biopsy, needle or trocar	\$ 989.00
Thoracentesis, needle or catheter, aspiration of the pleural space; with imaging guidance	\$ 2,214.00
Pleural drainage, percutaneous, with insertion of indwelling catheter; with imaging guidance	\$ 1,105.00
Bone marrow; aspiration only	\$ 293.00
Vascular embolization or occlusion, inclusive of all radiological supervision , intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; venous, other than hemorrhage (eg, congenital or acquired venous malformations, venous and capillary hemangiomas, varices, varicoceles)	\$ 22,288.00
Vascular embolization or occlusion, inclusive of all radiological supervision , intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; arterial, other than hemorrhage or tumor (eg, congenital or acquired arterial malformations, arteriovenous malformations, arteriovenous fistulas, aneurysms, pseudoaneurysms)	\$ 22,288.00
Vascular embolization or occlusion, inclusive of all radiological supervision , intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; for tumors, organ ischemia, or infarction	\$ 22,288.00
Vascular embolization or occlusion, inclusive of all radiological supervision , intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; for arterial or venous hemorrhage or lymphatic extravasation	\$ 22,288.00
Placement of nephrostomy catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision	\$ 3,508.00
Exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision	\$ 5,068.00
Computed tomography, abdomen and pelvis; without contrast material	\$ 2,172.00
Computed tomography, abdomen and pelvis; with contrast material(s)	\$ 2,561.00
Computed tomography, abdomen and pelvis; without contrast material in one or both body regions, followed by contrast material(s) and further sections in one or both body regions	\$ 3,909.00
Computed tomographic angiography, abdomen and pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,330.00
Unlisted procedure, abdomen, musculoskeletal system	\$ 4,529.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous	\$ 397.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); visceral (eg, kidney, liver, spleen, lung/mediastinum), percutaneous	\$ 785.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); peritoneal or retroperitoneal, percutaneous	\$ 661.00
Ablation therapy for reduction or eradication of 1 or more bone tumors (eg, metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed; cryoablation	\$ 8,747.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; thoracic	\$ 16,441.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; lumbar	\$ 6,257.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; each additional thoracic or lumbar vertebral body (List separately in addition to code for primary procedure)	\$ 6,257.00
Gallium ga-68, dotatate, diagnostic, 0.1 millicurie	\$ 283.00
Fluciclovine f-18, diagnostic, 1 millicurie	\$ 1,819.00
Radiologic examination, eye, for detection of foreign body	\$ 142.00
Radiologic examination, mandible; partial, less than 4 views	\$ 415.00
Radiologic examination, mandible; complete, minimum of 4 views	\$ 814.00
Radiologic examination, mastoids; complete, minimum of 3 views per side	\$ 1,007.00
Radiologic examination, internal auditory meati, complete	\$ 224.00
Radiologic examination, facial bones; complete, minimum of 3 views	\$ 716.00
Radiologic examination, nasal bones, complete, minimum of 3 views	\$ 481.00
Radiologic examination; optic foramina	\$ 135.00
Radiologic examination; orbits, complete, minimum of 4 views	\$ 433.00
Radiologic examination, sinuses, paranasal, less than 3 views	\$ 456.00
Radiologic examination, sinuses, paranasal, complete, minimum of 3 views	\$ 716.00
Radiologic examination, sella turcica	\$ 135.00
Radiologic examination, skull; less than 4 views	\$ 504.00
Radiologic examination, skull; complete, minimum of 4 views	\$ 814.00
Radiologic examination, temporomandibular joint, open and closed mouth; bilateral	\$ 814.00
Radiologic examination; neck, soft tissue	\$ 626.00
Radiologic examination, ribs, unilateral; including posteroanterior chest, minimum of 3 views	\$ 814.00
Radiologic examination, ribs, bilateral; including posteroanterior chest, minimum of 4 views	\$ 1,032.00
Radiologic examination; sternum, minimum of 2 views	\$ 465.00
Radiologic examination, spine, single view, specify level	\$ 626.00
Radiologic examination, spine, cervical; 2 or 3 views	\$ 677.00
Radiologic examination, spine, cervical; 6 or more views	\$ 378.00
Radiologic examination, spine; thoracic, 2 views	\$ 528.00
Radiologic examination, spine; thoracolumbar junction, minimum of 2 views	\$ 354.00
Radiologic examination, spine, lumbosacral; 2 or 3 views	\$ 580.00
Radiologic examination, spine, lumbosacral; minimum of 4 views	\$ 853.00
Radiologic examination, pelvis; 1 or 2 views	\$ 443.00
Radiologic examination, pelvis; complete, minimum of 3 views	\$ 224.00
Radiologic examination, sacroiliac joints; 3 or more views	\$ 456.00
Radiologic examination, sacrum and coccyx, minimum of 2 views	\$ 456.00
Radiologic examination; clavicle, complete	\$ 465.00
Radiologic examination; scapula, complete	\$ 465.00
Radiologic examination, shoulder; 1 view	\$ 415.00
Radiologic examination, shoulder; complete, minimum of 2 views	\$ 481.00
Radiologic examination; acromioclavicular joints, bilateral, with or without weighted distraction	\$ 523.00
Radiologic examination; humerus, minimum of 2 views	\$ 481.00
Radiologic examination, elbow; 2 views	\$ 304.00
Radiologic examination, elbow; complete, minimum of 3 views	\$ 456.00
Radiologic examination; forearm, 2 views	\$ 338.00
Radiologic examination; upper extremity, infant, minimum of 2 views	\$ 124.00
Radiologic examination, wrist; 2 views	\$ 304.00
Radiologic examination, wrist; complete, minimum of 3 views	\$ 456.00
Radiologic examination, hand; 2 views	\$ 242.00
Radiologic examination, hand; minimum of 3 views	\$ 338.00
Radiologic examination, finger(s), minimum of 2 views	\$ 247.00
Radiologic examination, knee; 1 or 2 views	\$ 424.00
Radiologic examination, knee; 3 views	\$ 494.00
Radiologic examination, knee; both knees, standing, anteroposterior	\$ 224.00
Radiologic examination; tibia and fibula, 2 views	\$ 476.00
Radiologic examination; lower extremity, infant, minimum of 2 views	\$ 304.00
Radiologic examination, ankle; 2 views	\$ 304.00
Radiologic examination, ankle; complete, minimum of 3 views	\$ 424.00
Radiologic examination, foot; 2 views	\$ 304.00
Radiologic examination, foot; complete, minimum of 3 views	\$ 506.00
Radiologic examination; calcaneus, minimum of 2 views	\$ 304.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Radiologic examination; toe(s), minimum of 2 views	\$ 247.00
Bone age studies	\$ 476.00
Bone length studies (orthoroentgenogram, scanogram)	\$ 677.00
Radiologic examination, osseous survey; limited (eg, for metastases)	\$ 1,222.00
Radiologic examination, osseous survey; complete (axial and appendicular skeleton)	\$ 1,838.00
Radiologic examination, osseous survey, infant	\$ 580.00
Ultrasound, transrectal	\$ 1,429.00
Radiologic examination, spine, cervical; 4 or 5 views	\$ 378.00
Radiologic examination from nose to rectum for foreign body, single view, child	\$ 425.00
Radiologic examination, abdomen; complete acute abdomen series, including supine, erect, and/or decubitus views, single view chest	\$ 974.00
Radiologic examination, spine, lumbosacral; complete, including bending views, minimum of 6 views	\$ 399.00
Radiologic examination, spine, lumbosacral; bending views only, 2 or 3 views	\$ 580.00
Radiologic examination, knee; complete, 4 or more views	\$ 785.00
Radiologic examination, spine; thoracic, 3 views	\$ 528.00
Radiologic examination, spine; thoracic, minimum of 4 views	\$ 224.00
Radiologic examination; sternoclavicular joint or joints, minimum of 3 views	\$ 580.00
Screening mammography, bilateral (2-view study of each breast), including computer-aided detection (CAD) when performed	\$ 816.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral	\$ 830.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; unilateral	\$ 758.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)	\$ 597.00
Echoencephalography, real time with image documentation (gray scale) (for determination of ventricular size, delineation of cerebral contents, and detection of fluid masses or other intracranial abnormalities), including A-mode encephalography as secondary component where indicated	\$ 1,541.00
Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid), real time with image documentation	\$ 590.00
Ultrasound, abdominal, real time with image documentation; complete	\$ 1,415.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; complete	\$ 1,184.00
Ultrasound, spinal canal and contents	\$ 1,233.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 1,295.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 1,156.00
Ultrasound, transvaginal	\$ 1,042.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; complete	\$ 838.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; limited or follow-up (eg, for follicles)	\$ 823.00
Ultrasound, scrotum and contents	\$ 1,127.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 1,034.00
Ultrasound, infant hips, real time with imaging documentation; dynamic (requiring physician or other qualified health care professional manipulation)	\$ 1,233.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 823.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 629.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; single or first gestation	\$ 1,907.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 1,733.00
Ultrasound, pregnant uterus, real time with image documentation, follow-up (eg, re-evaluation of fetal size by measuring standard growth parameters and amniotic fluid volume, re-evaluation of organ system(s) suspected or confirmed to be abnormal on a previous scan), transabdominal approach, per fetus	\$ 1,295.00
Saline infusion sonohysterography (SIS), including color flow Doppler, when performed	\$ 1,571.00
Doppler velocimetry, fetal; umbilical artery	\$ 625.00
Doppler velocimetry, fetal; middle cerebral artery	\$ 625.00
Fetal biophysical profile; without non-stress testing	\$ 1,101.00
Computed tomography, thorax; without contrast material	\$ 249.00
Computed tomography, upper extremity; without contrast material	\$ 1,551.00
Computed tomography, lower extremity; without contrast material, followed by contrast material(s) and further sections	\$ 4,522.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 2.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 10.00
Oral magnetic resonance contrast agent, per 100 ml	\$ 10.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; appendicular skeleton (peripheral) (eg, radius, wrist, heel)	\$ 224.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine), including vertebral fracture assessment	\$ 224.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Radiologic examination, ribs, unilateral; 2 views	\$ 115.00
Radiologic examination, facial bones; less than 3 views	\$ 504.00
Radiologic examination, ribs, bilateral; 3 views	\$ 176.00
Radiologic examination, temporomandibular joint, open and closed mouth; unilateral	\$ 141.00
Joint survey, single view, 2 or more joints (specify)	\$ 224.00
Radiologic examination, hip, unilateral, with pelvis when performed; minimum of 4 views	\$ 234.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 4 or 5 views	\$ 425.00
Radiologic examination, hips, bilateral, with pelvis when performed; minimum of 5 views	\$ 447.00
Radiologic examination, femur; 1 view	\$ 142.00
Radiologic examination, hips, bilateral, with pelvis when performed; 2 views	\$ 234.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); one view	\$ 142.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 2 or 3 views	\$ 234.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); minimum of 6 views	\$ 425.00
Radiologic examination, hip, unilateral, with pelvis when performed; 1 view	\$ 142.00
Radiologic examination, hip, unilateral, with pelvis when performed; 2-3 views	\$ 142.00
Radiologic examination, hips, bilateral, with pelvis when performed; 3-4 views	\$ 234.00
Radiologic examination, femur; minimum 2 views	\$ 456.00
Radiologic examination, chest; single view	\$ 338.00
Radiologic examination, chest; 2 views	\$ 505.00
Radiologic examination, chest; 3 views	\$ 672.00
Radiologic examination, chest; 4 or more views	\$ 803.00
Radiologic examination, abdomen; 1 view	\$ 338.00
Radiologic examination, abdomen; 2 views	\$ 505.00
Radiologic examination, abdomen; 3 or more views	\$ 672.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; complete	\$ 628.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; limited	\$ 229.00
Unlisted ultrasound procedure (eg, diagnostic, interventional)	\$ 448.00
Low dose ct scan (ldct) for lung cancer screening	\$ 249.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 25.00
Computed tomography guidance for placement of radiation therapy fields	\$ 197.00
Therapeutic radiology simulation-aided field setting; simple	\$ 272.00
Therapeutic radiology simulation-aided field setting; intermediate	\$ 686.00
Therapeutic radiology simulation-aided field setting; complex	\$ 722.00
Basic radiation dosimetry calculation, central axis depth dose calculation, TDF, NSD, gap calculation, off axis factor, tissue inhomogeneity factors, calculation of non-ionizing radiation surface and depth dose, as required during course of treatment, only when prescribed by the treating physician	\$ 272.00
Special teletherapy port plan, particles, hemibody, total body	\$ 722.00
Special dosimetry (eg, TLD, microdosimetry) (specify), only when prescribed by the treating physician	\$ 272.00
Treatment devices, design and construction; simple (simple block, simple bolus)	\$ 501.00
Treatment devices, design and construction; intermediate (multiple blocks, stents, bite blocks, special bolus)	\$ 501.00
Treatment devices, design and construction; complex (irregular blocks, special shields, compensators, wedges, molds or casts)	\$ 501.00
Continuing medical physics consultation, including assessment of treatment parameters, quality assurance of dose delivery, and review of patient treatment documentation in support of the radiation oncologist, reported per week of therapy	\$ 272.00
Special medical radiation physics consultation	\$ 272.00
Radiation treatment delivery, >=1 MeV; simple	\$ 245.00
Radiation treatment delivery, >=1 MeV; intermediate	\$ 245.00
Radiation treatment delivery, >=1 MeV; complex	\$ 472.00
Therapeutic radiology port image(s)	\$ 10.00
Infusion or instillation of radioelement solution (includes 3-month follow-up care)	\$ 450.00
Intracavitary radiation source application; simple	\$ 1,088.00
Intracavitary radiation source application; intermediate	\$ 1,088.00
Intracavitary radiation source application; complex	\$ 1,625.00
Supervision, handling, loading of radiation source	\$ 695.00
Special treatment procedure (eg, total body irradiation, hemibody radiation, per oral or endocavitary irradiation)	\$ 974.00
#REF!	\$ 1,677.00
Ultrasonic guidance for interstitial radioelement application	\$ 1,703.00
Venous Access Device	\$ 50.00
3-dimensional radiotherapy plan, including dose-volume histograms	\$ 2,443.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Injection, ondansetron hydrochloride, per 1 mg	\$ 1.00
Brachytherapy source, non-stranded, high dose rate iridium-192, per source	\$ 1,001.00
Chemotherapy administration, subcutaneous or intramuscular; hormonal anti-neoplastic	\$ 176.00
Leuprolide acetate (for depot suspension), 7.5 mg	\$ 1,784.00
Intensity modulated radiotherapy plan, including dose-volume histograms for target and critical structure partial tolerance specifications	\$ 2,443.00
Guidance for localization of target volume for delivery of radiation treatment delivery, includes intrafraction tracking, when performed	\$ 125.00
Catheter, brachytherapy seed administration	\$ 11,710.00
Chemotherapy administration, subcutaneous or intramuscular; non-hormonal anti-neoplastic	\$ 176.00
Low osmolar contrast material, 100-199 mg/ml iodine concentration, per ml	\$ 4.00
Brachytherapy source, non-stranded, iodine-125, per source	\$ 121.00
Brachytherapy source, non-stranded, cesium-131, per source	\$ 202.00
Insertion of uterine tandem and/or vaginal ovoids for clinical brachytherapy	\$ 1,095.00
Insertion of a vaginal radiation afterloading apparatus for clinical brachytherapy	\$ 471.00
#REF!	\$ 1,302.00
#REF!	\$ 75.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 234.00
Multi-leaf collimator (MLC) device(s) for intensity modulated radiation therapy (IMRT), design and construction per IMRT plan	\$ 722.00
#REF!	\$ 422.00
Respiratory motion management simulation (List separately in addition to code for primary procedure)	\$ 1,061.00
Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions	\$ 4,766.00
Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; simple	\$ 1,240.00
Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; complex	\$ 1,240.00
Teletherapy isodose plan; simple (1 or 2 unmodified ports directed to a single area of interest), includes basic dosimetry calculation(s)	\$ 414.00
Teletherapy isodose plan; complex (multiple treatment areas, tangential ports, the use of wedges, blocking, rotational beam, or special beam considerations), includes basic dosimetry calculation(s)	\$ 417.00
Brachytherapy isodose plan; simple (calculation[s] made from 1 to 4 sources, or remote afterloading brachytherapy, 1 channel), includes basic dosimetry calculation(s)	\$ 415.00
Brachytherapy isodose plan; intermediate (calculation[s] made from 5 to 10 sources, or remote afterloading brachytherapy, 2-12 channels), includes basic dosimetry calculation(s)	\$ 1,151.00
Brachytherapy isodose plan; complex (calculation[s] made from over 10 sources, or remote afterloading brachytherapy, over 12 channels), includes basic dosimetry calculation(s)	\$ 768.00
Interstitial radiation source application, complex, includes supervision, handling, loading of radiation source, when performed	\$ 1,625.00
Remote afterloading high dose rate radionuclide interstitial or intracavitary brachytherapy, includes basic dosimetry, when performed; 1 channel	\$ 1,707.00
Remote afterloading high dose rate radionuclide interstitial or intracavitary brachytherapy, includes basic dosimetry, when performed; 2-12 channels	\$ 1,707.00
Remote afterloading high dose rate radionuclide interstitial or intracavitary brachytherapy, includes basic dosimetry, when performed; over 12 channels	\$ 1,621.00
Unlisted procedure, breast	\$ 4,622.00
Unlisted procedure, female genital system (nonobstetrical)	\$ 295.00
Computed tomography guidance for stereotactic localization	\$ 399.00
Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; multi-source Cobalt 60 based	\$ 24,283.00
Remote afterloading high dose rate radionuclide skin surface brachytherapy, includes basic dosimetry, when performed; lesion diameter up to 2.0 cm or 1 channel	\$ 678.00
Remote afterloading high dose rate radionuclide skin surface brachytherapy, includes basic dosimetry, when performed; lesion diameter over 2.0 cm and 2 or more channels, or multiple lesions	\$ 678.00
Brachytherapy source, stranded, cesium-131, per source	\$ 298.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 354.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 496.00
Radiologic examination, mastoids; less than 3 views per side	\$ 700.00
Radiologic examination, internal auditory meati, complete	\$ 334.00
Radiologic examination; optic foramina	\$ 202.00
Radiologic examination, sella turcica	\$ 202.00
Radiologic examination, salivary gland for calculus	\$ 504.00
Sialography, radiological supervision	\$ 639.00
Radiologic examination, spine, single view, specify level	\$ 1,032.00
Radiologic examination, shoulder, arthrography, radiological supervision	\$ 2,782.00
Radiologic examination, elbow, arthrography, radiological supervision	\$ 781.00
Radiologic examination, wrist, arthrography, radiological supervision	\$ 1,571.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Radiologic examination, hand; 2 views	\$ 515.00
Radiologic examination, hand; minimum of 3 views	\$ 515.00
Radiologic examination, hip, arthrography, radiological supervision	\$ 2,206.00
Radiologic examination, knee, arthrography, radiological supervision	\$ 2,968.00
Radiologic examination; lower extremity, infant, minimum of 2 views	\$ 124.00
Radiologic examination, ankle, arthrography, radiological supervision	\$ 1,571.00
Radiologic examination; esophagus	\$ 1,382.00
Swallowing function, with cineradiography/videoradiography	\$ 1,333.00
Radiologic examination, gastrointestinal tract, upper; with or without delayed images, without KUB	\$ 1,439.00
Radiologic examination, gastrointestinal tract, upper; with small intestine, includes multiple serial images	\$ 2,126.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed images, without KUB	\$ 1,439.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with small intestine follow-through	\$ 2,126.00
Radiologic examination, small intestine, includes multiple serial images	\$ 1,059.00
Radiologic examination, colon; contrast (eg, barium) enema, with or without KUB	\$ 1,504.00
Radiologic examination, colon; air contrast with specific high density barium, with or without glucagon	\$ 1,950.00
Cholangiography and/or pancreatography; intraoperative, radiological supervision	\$ 2,494.00
Cholangiography and/or pancreatography; additional set intraoperative, radiological supervision (List separately in addition to code for primary procedure)	\$ 36.00
Combined endoscopic catheterization of the biliary and pancreatic ductal systems, radiological supervision	\$ 155.00
Intraluminal dilation of strictures and/or obstructions (eg, esophagus), radiological supervision	\$ 932.00
Urography (pyelography), intravenous, with or without KUB, with or without tomography	\$ 1,804.00
Urography, retrograde, with or without KUB	\$ 1,169.00
Urography, antegrade (pyelostogram, nephrostogram, loopogram), radiological supervision	\$ 1,233.00
Cystography, minimum of 3 views, radiological supervision	\$ 939.00
Urethrocytography, retrograde, radiological supervision	\$ 1,065.00
Urethrocytography, voiding, radiological supervision	\$ 1,245.00
Hysterosalpingography, radiological supervision	\$ 3,379.00
Perineogram (eg, vaginogram, for sex determination or extent of anomalies)	\$ 639.00
Venography, extremity, unilateral, radiological supervision	\$ 2,071.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 1,156.00
Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device) (List separately in addition to code for primary procedure)	\$ 1,333.00
Bone length studies (orthoroentgenogram, scanogram)	\$ 678.00
Radiologic examination, abscess, fistula or sinus tract study, radiological supervision	\$ 1,115.00
Radiological examination, surgical specimen	\$ 243.00
Radiologic examination from nose to rectum for foreign body, single view, child	\$ 639.00
Radiologic examination, gastrointestinal tract, upper; with or without delayed images, with KUB	\$ 1,424.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed images, with KUB	\$ 1,424.00
Fluoroscopic guidance and localization of needle or catheter tip for spine or paraspinal diagnostic or therapeutic injection procedures (epidural or subarachnoid) (List separately in addition to code for primary procedure)	\$ 1,333.00
Spinal puncture, lumbar, diagnostic	\$ 697.00
Radiologic examination, spine; thoracic, minimum of 4 views	\$ 334.00
Injection procedure for sialography	\$ 1,341.00
Injection procedure for shoulder arthrography or enhanced CT/MRI shoulder arthrography	\$ 836.00
Injection procedure for cystography or voiding urethrocytography	\$ 1,341.00
Injection procedure for retrograde urethrocytography	\$ 1,341.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including mammographic guidance	\$ 248.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including mammographic guidance (List separately in addition to code for primary procedure)	\$ 176.00
Change of percutaneous tube or drainage catheter with contrast monitoring (eg, genitourinary system, abscess), radiological supervision	\$ 120.00
Catheterization and introduction of saline or contrast material for saline infusion sonohysterography (SIS) or hysterosalpingography	\$ 1,341.00
Catheter, drainage	\$ 320.00
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 7.00
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 23.00
Injection of sinus tract; diagnostic (sinogram)	\$ 1,449.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Fluoroscopic guidance for central venous access device placement, replacement (catheter only or complete), or removal (includes fluoroscopic guidance for vascular access and catheter manipulation, any necessary contrast injections through access site or catheter with related venography radiologic supervision, and radiographic documentation of final catheter position) (List separately in addition to code for primary procedure)	\$ 65.00
Insertion of non-tunneled centrally inserted central venous catheter; age 5 years or older	\$ 3,256.00
Insertion of peripherally inserted central venous catheter (PICC), without subcutaneous port or pump; age 5 years or older	\$ 3,256.00
Contrast injection(s) for radiologic evaluation of existing central venous access device, including fluoroscopy, image documentation and report	\$ 223.00
Injection of contrast for knee arthrography	\$ 836.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 836.00
Injection procedure for ureterography or ureteropyelography through ureterostomy or indwelling ureteral catheter	\$ 171.00
Injection procedure for hiparthrography; without anesthesia	\$ 836.00
Injection procedure for hiparthrography; with anesthesia	\$ 283.00
Injection procedure for wrist arthrography	\$ 836.00
Injection procedure for elbow arthrography	\$ 836.00
Dilation and catheterization of salivary duct, with or without injection	\$ 1,042.00
Injection procedure for ankle arthrography	\$ 836.00
Contrast injection(s) for radiological evaluation of existing gastrostomy, duodenostomy, jejunostomy, gastro-jejunostomy, or cecostomy (or other colonic) tube, from a percutaneous approach including image documentation and report	\$ 334.00
Arthrocentesis, aspiration and/or injection, intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa); without ultrasound guidance	\$ 932.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 121.00
Endoscopic catheterization of the biliary ductal system, radiological supervision	\$ 1,263.00
Endoscopic catheterization of the pancreatic ductal system, radiological supervision	\$ 1,905.00
Joint survey, single view, 2 or more joints (specify)	\$ 334.00
Myelography via lumbar injection, including radiological supervision ; cervical	\$ 4,699.00
Myelography via lumbar injection, including radiological supervision ; thoracic	\$ 4,699.00
Myelography via lumbar injection, including radiological supervision ; lumbosacral	\$ 4,699.00
Myelography via lumbar injection, including radiological supervision ; 2 or more regions (eg, lumbar/thoracic, cervical/thoracic, lumbar/cervical, lumbar/thoracic/cervical)	\$ 5,364.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 4 or 5 views	\$ 639.00
Injection procedure for cholangiography, percutaneous, complete diagnostic procedure including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision ; existing access	\$ 1,321.00
Injection procedure for antegrade nephrostogram and/or ureterogram, complete diagnostic procedure including imaging guidance (eg, ultrasound and fluoroscopy) and all associated radiological supervision ; existing access	\$ 1,222.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); minimum of 6 views	\$ 639.00
Radiologic examination, chest; single view	\$ 625.00
Stent, non-coated/non-covered, with delivery system	\$ 3,835.00
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 2.00
Parathyroid planar imaging (including subtraction, when performed)	\$ 1,148.00
Bone marrow imaging; limited area	\$ 3,165.00
Lymphatics and lymph nodes imaging	\$ 1,752.00
Liver imaging (SPECT)	\$ 1,296.00
Liver and spleen imaging; static only	\$ 2,244.00
Liver and spleen imaging; with vascular flow	\$ 1,500.00
Hepatobiliary system imaging, including gallbladder when present	\$ 2,000.00
Salivary gland imaging	\$ 1,465.00
Gastric emptying imaging study (eg, solid, liquid, or both);	\$ 4,007.00
Acute gastrointestinal blood loss imaging	\$ 2,000.00
Intestine imaging (eg, ectopic gastric mucosa, Meckel's localization, volvulus)	\$ 1,318.00
Bone and/or joint imaging; limited area	\$ 1,795.00
Bone and/or joint imaging; multiple areas	\$ 2,676.00
Bone and/or joint imaging; whole body	\$ 3,165.00
Bone and/or joint imaging; 3 phase study	\$ 3,459.00
Bone and/or joint imaging; tomographic (SPECT)	\$ 3,357.00
Non-cardiac vascular flow imaging (ie, angiography, venography)	\$ 733.00
Pulmonary perfusion imaging (eg, particulate)	\$ 1,347.00
Pulmonary ventilation imaging (eg, aerosol or gas)	\$ 1,326.00
Brain imaging, less than 4 static views; with vascular flow	\$ 1,279.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Brain imaging, minimum 4 static views; with vascular flow	\$ 1,028.00
Brain imaging, tomographic (SPECT)	\$ 2,507.00
Cerebrospinal fluid flow, imaging (not including introduction of material); cisternography	\$ 2,675.00
Cerebrospinal fluid flow, imaging (not including introduction of material); shunt evaluation	\$ 2,222.00
Cerebrospinal fluid leakage detection and localization	\$ 2,845.00
Kidney imaging morphology; with vascular flow and function, single study without pharmacological intervention	\$ 2,595.00
Kidney imaging morphology; tomographic (SPECT)	\$ 1,838.00
Kidney imaging morphology; with vascular flow and function, multiple studies, with and without pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)	\$ 4,454.00
Ureteral reflux study (radiopharmaceutical voiding cystogram)	\$ 1,769.00
Testicular imaging with vascular flow	\$ 2,233.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); limited area	\$ 2,409.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); multiple areas	\$ 3,183.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); tomographic (SPECT)	\$ 1,669.00
Radiopharmaceutical localization of inflammatory process; limited area	\$ 2,582.00
Radiopharmaceutical localization of inflammatory process; whole body	\$ 2,903.00
Radiopharmaceutical localization of inflammatory process; tomographic (SPECT)	\$ 2,507.00
Radiopharmaceutical therapy, by oral administration	\$ 411.00
Pulmonary ventilation (eg, aerosol or gas) and perfusion imaging	\$ 2,136.00
Gallium ga-67 citrate, diagnostic, per millicurie	\$ 132.00
Technetium tc-99m exametazime, diagnostic, per study dose, up to 25 millicuries	\$ 2,674.00
Indium in-111 oxyquinoline, diagnostic, per 0.5 millicurie	\$ 3,470.00
Iodine i-131 iobenguane sulfate, diagnostic, per 0.5 millicurie	\$ 4,346.00
Injection, furosemide, up to 20 mg	\$ 19.00
Injection, sincalide, 5 micrograms	\$ 671.00
Technetium tc-99m medronate, diagnostic, per study dose, up to 30 millicuries	\$ 143.00
Technetium tc-99m succimer, diagnostic, per study dose, up to 10 millicuries	\$ 899.00
Technetium tc-99m disofenin, diagnostic, per study dose, up to 15 millicuries	\$ 493.00
Iodine i-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries	\$ 210.00
Indium in-111 pentetate, diagnostic, per 0.5 millicurie	\$ 3,470.00
Technetium tc-99m pertechnetate, diagnostic, per millicurie	\$ 2.00
Technetium tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicurie	\$ 253.00
Iodine i-131 sodium iodide capsule(s), therapeutic, per millicurie	\$ 134.00
Technetium tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries	\$ 138.00
Technetium tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries	\$ 253.00
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 501.00
Technetium tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries	\$ 542.00
Technetium tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries	\$ 109.00
Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries	\$ 780.00
Technetium tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries	\$ 91.00
Technetium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries	\$ 431.00
Indium in-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries	\$ 938.00
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 132.00
Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose	\$ 4,031.00
Indium in-111 labeled autologous white blood cells, diagnostic, per study dose	\$ 3,368.00
Samarium sm-153 lexidronam, therapeutic, per treatment dose, up to 150 millicuries	\$ 25,689.00
Iodine i-123 iobenguane, diagnostic, per study dose, up to 15 millicuries	\$ 9,430.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); whole body, requiring 2 or more days imaging	\$ 2,192.00
Cardiac blood pool imaging, gated equilibrium, SPECT, at rest, wall motion study plus ejection fraction, with or without quantitative processing	\$ 3,004.00
Liver imaging (SPECT); with vascular flow	\$ 1,296.00
Kidney imaging morphology; with vascular flow and function, single study, with pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)	\$ 2,637.00
Injection procedure; radioactive tracer for identification of sentinel node	\$ 527.00
Quantitative differential pulmonary perfusion and ventilation (eg, aerosol or gas), including imaging when performed	\$ 2,189.00
Hepatobiliary system imaging, including gallbladder when present; with pharmacologic intervention, including quantitative measurement(s) when performed	\$ 2,000.00
Quantitative differential pulmonary perfusion, including imaging when performed	\$ 2,136.00
Thyroid uptake, single or multiple quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)	\$ 941.00
Thyroid imaging (including vascular flow, when performed)	\$ 941.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Thyroid imaging (including vascular flow, when performed); with single or multiple uptake(s) quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)	\$ 2,097.00
Parathyroid planar imaging (including subtraction, when performed); with tomographic (SPECT)	\$ 1,606.00
Injection procedure for radiopharmaceutical localization by non-imaging probe study, intravenous (eg, parathyroid adenoma)	\$ 1,028.00
Puncture of shunt tubing or reservoir for aspiration or injection procedure	\$ 1,116.00
Indium in-111 satumomab pentetide, diagnostic, per study dose, up to 6 millicuries	\$ 7,716.00
Venography, extremity, unilateral, radiological supervision	\$ 4,379.00
Venography, extremity, bilateral, radiological supervision	\$ 8,589.00
Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device) (List separately in addition to code for primary procedure)	\$ 1,793.00
Radiologic examination, abscess, fistula or sinus tract study, radiological supervision	\$ 330.00
Repositioning of a naso- or oro-gastric feeding tube, through the duodenum for enteric nutrition	\$ 475.00
Spinal puncture, lumbar, diagnostic	\$ 698.00
Injection procedure for extremity venography (including introduction of needle or intracatheter)	\$ 2,103.00
Percutaneous aspiration within the nucleus pulposus, intervertebral disc, or paravertebral tissue for diagnostic purposes	\$ 1,186.00
Percutaneous transhepatic dilation of biliary duct stricture with or without placement of stent, radiological supervision	\$ 933.00
Radiologic examination, renal cyst study, translumbar, contrast visualization, radiological supervision	\$ 1,329.00
Dilation of nephrostomy, ureters, or urethra, radiological supervision	\$ 1,619.00
Aortography, thoracic, by serialography, radiological supervision	\$ 7,716.00
Aortography, abdominal, by serialography, radiological supervision	\$ 12,461.00
Aortography, abdominal plus bilateral iliofemoral lower extremity, catheter, by serialography, radiological supervision	\$ 6,153.00
Angiography, spinal, selective, radiological supervision	\$ 6,153.00
Angiography, extremity, unilateral, radiological supervision	\$ 6,391.00
Angiography, extremity, bilateral, radiological supervision	\$ 6,404.00
Angiography, visceral, selective or supraseductive (with or without flush aortogram), radiological supervision	\$ 6,150.00
Angiography, adrenal, unilateral, selective, radiological supervision	\$ 6,153.00
Angiography, adrenal, bilateral, selective, radiological supervision	\$ 6,153.00
Angiography, pelvic, selective or supraseductive, radiological supervision	\$ 6,153.00
Angiography, pulmonary, unilateral, selective, radiological supervision	\$ 6,153.00
Angiography, pulmonary, bilateral, selective, radiological supervision	\$ 6,153.00
Angiography, pulmonary, by nonselective catheter or venous injection, radiological supervision	\$ 2,149.00
Angiography, selective, each additional vessel studied after basic examination, radiological supervision (List separately in addition to code for primary procedure)	\$ 2,726.00
Shuntogram for investigation of previously placed indwelling nonvascular shunt (eg, LeVeen shunt, ventriculoperitoneal shunt, indwelling infusion pump), radiological supervision	\$ 248.00
Venography, caval, inferior, with serialography, radiological supervision	\$ 6,153.00
Venography, caval, superior, with serialography, radiological supervision	\$ 11,721.00
Venography, renal, unilateral, selective, radiological supervision	\$ 5,194.00
Venography, renal, bilateral, selective, radiological supervision	\$ 5,194.00
Venography, adrenal, unilateral, selective, radiological supervision	\$ 6,153.00
Venography, adrenal, bilateral, selective, radiological supervision	\$ 6,153.00
Venography, venous sinus (eg, petrosal and inferior sagittal) or jugular, catheter, radiological supervision	\$ 5,194.00
Percutaneous transhepatic portography with hemodynamic evaluation, radiological supervision	\$ 5,850.00
Percutaneous transhepatic portography without hemodynamic evaluation, radiological supervision	\$ 1,887.00
Hepatic venography, wedged or free, with hemodynamic evaluation, radiological supervision	\$ 6,153.00
Hepatic venography, wedged or free, without hemodynamic evaluation, radiological supervision	\$ 6,153.00
Venous sampling through catheter, with or without angiography (eg, for parathyroid hormone, renin), radiological supervision	\$ 7,149.00
Transcatheter therapy, embolization, any method, radiological supervision	\$ 3,008.00
Angiography through existing catheter for follow-up study for transcatheter therapy, embolization or infusion, other than for thrombolysis	\$ 4,640.00
Change of percutaneous tube or drainage catheter with contrast monitoring (eg, genitourinary system, abscess), radiological supervision	\$ 671.00
Radiological guidance (ie, fluoroscopy, ultrasound, or computed tomography), for percutaneous drainage (eg, abscess, specimen collection), with placement of catheter, radiological supervision	\$ 1,975.00
Transcatheter biopsy, radiological supervision	\$ 1,326.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 301.00
Biliary endoscopy, percutaneous via T-tube or other tract; with dilation of biliary duct stricture(s) with stent	\$ 10,384.00
Exchange of previously placed abscess or cyst drainage catheter under radiological guidance (separate procedure)	\$ 3,244.00
Ultrasound, chest (includes mediastinum), real time with image documentation	\$ 1,029.00
Ultrasound, abdominal, real time with image documentation; limited (eg, single organ, quadrant, follow-up)	\$ 1,029.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,540.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,029.00
Biopsy thyroid, percutaneous core needle	\$ 1,442.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Biliary endoscopy, percutaneous via T-tube or other tract; with dilation of biliary duct stricture(s) without stent	\$ 4,706.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); visceral (eg, kidney, liver, spleen, lung/mediastinum), percutaneous	\$ 2,721.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); peritoneal or retroperitoneal, percutaneous	\$ 3,190.00
Biopsy, muscle, percutaneous needle	\$ 1,239.00
Biopsy, bone, trocar, or needle; deep (eg, vertebral body, femur)	\$ 2,890.00
Biopsy of pancreas, percutaneous needle	\$ 1,059.00
Biopsy, abdominal or retroperitoneal mass, percutaneous needle	\$ 2,721.00
Renal biopsy; percutaneous, by trocar or needle	\$ 889.00
Aspiration and/or injection of renal cyst or pelvis by needle, percutaneous	\$ 671.00
Aspiration and/or injection, thyroid cyst	\$ 1,186.00
Tube thoracostomy, includes connection to drainage system (eg, water seal), when performed, open (separate procedure)	\$ 1,107.00
Biopsy of liver, needle; percutaneous	\$ 1,994.00
Ablation therapy for reduction or eradication of 1 or more bone tumors (eg, metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed; radiofrequency	\$ 9,084.00
Cholecystostomy, percutaneous, complete procedure, including imaging guidance, catheter placement, cholecystogram when performed, and radiological supervision	\$ 4,028.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 7.00
Repositioning of previously placed central venous catheter under fluoroscopic guidance	\$ 1,505.00
Injection of air or contrast into peritoneal cavity (separate procedure)	\$ 2,202.00
Peritoneogram (eg, after injection of air or contrast), radiological supervision	\$ 989.00
Introduction of catheter, aorta	\$ 2,790.00
Selective catheter placement, arterial system; each first order thoracic or brachiocephalic branch, within a vascular family	\$ 994.00
Selective catheter placement, arterial system; initial second order thoracic or brachiocephalic branch, within a vascular family	\$ 1,159.00
Selective catheter placement, arterial system; initial third order or more selective thoracic or brachiocephalic branch, within a vascular family	\$ 1,326.00
Selective catheter placement, arterial system; additional second order, third order, and beyond, thoracic or brachiocephalic branch, within a vascular family (List in addition to code for initial second or third order vessel as appropriate)	\$ 1,326.00
Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 994.00
Selective catheter placement, arterial system; initial second order abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 1,159.00
Selective catheter placement, arterial system; initial third order or more selective abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 1,326.00
Selective catheter placement, arterial system; additional second order, third order, and beyond, abdominal, pelvic, or lower extremity artery branch, within a vascular family (List in addition to code for initial second or third order vessel as appropriate)	\$ 1,326.00
Mechanical removal of pericatheter obstructive material (eg, fibrin sheath) from central venous device via separate venous access, radiologic supervision	\$ 1,657.00
Mechanical removal of intraluminal (intracatheter) obstructive material from central venous device through device lumen, radiologic supervision	\$ 1,536.00
Mechanical removal of pericatheter obstructive material (eg, fibrin sheath) from central venous device via separate venous access	\$ 3,522.00
Mechanical removal of intraluminal (intracatheter) obstructive material from central venous device through device lumen	\$ 1,760.00
Insertion of transvenous intrahepatic portosystemic shunt(s) (TIPS) (includes venous access, hepatic and portal vein catheterization, portography with hemodynamic evaluation, intrahepatic tract formation/dilatation, stent placement and all associated imaging guidance and documentation)	\$ 8,093.00
Revision of transvenous intrahepatic portosystemic shunt(s) (TIPS) (includes venous access, hepatic and portal vein catheterization, portography with hemodynamic evaluation, intrahepatic tract recanalization/dilatation, stent placement and all associated imaging guidance and documentation)	\$ 19,179.00
Injection of sinus tract; diagnostic (sinogram)	\$ 518.00
Contrast injection for assessment of abscess or cyst via previously placed drainage catheter or tube (separate procedure)	\$ 296.00
Insertion of cannula for hemodialysis, other purpose (separate procedure); arteriovenous, external (Scribner type)	\$ 5,194.00
Fluoroscopic guidance for central venous access device placement, replacement (catheter only or complete), or removal (includes fluoroscopic guidance for vascular access and catheter manipulation, any necessary contrast injections through access site or catheter with related venography radiologic supervision, and radiographic documentation of final catheter position) (List separately in addition to code for primary procedure)	\$ 1,333.00
Insertion of tunneled centrally inserted central venous catheter, without subcutaneous port or pump; age 5 years or older	\$ 5,180.00
Insertion of tunneled centrally inserted central venous access device, with subcutaneous port; age 5 years or older	\$ 3,512.00
Insertion of tunneled centrally inserted central venous access device, requiring 2 catheters via 2 separate venous access sites; without subcutaneous port or pump (eg, Tesio type catheter)	\$ 5,194.00
Insertion of peripherally inserted central venous access device, with subcutaneous port; age 5 years or older	\$ 5,194.00
Repair of tunneled or non-tunneled central venous access catheter, without subcutaneous port or pump, central or peripheral insertion site	\$ 1,254.00
Repair of central venous access device, with subcutaneous port or pump, central or peripheral insertion site	\$ 1,505.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Replacement, catheter only, of central venous access device, with subcutaneous port or pump, central or peripheral insertion site	\$ 5,194.00
Replacement, complete, of a non-tunneled centrally inserted central venous catheter, without subcutaneous port or pump, through same venous access	\$ 2,299.00
Replacement, complete, of a tunneled centrally inserted central venous catheter, without subcutaneous port or pump, through same venous access	\$ 5,180.00
Replacement, complete, of a tunneled centrally inserted central venous access device, with subcutaneous port, through same venous access	\$ 5,194.00
Replacement, complete, of a peripherally inserted central venous catheter (PICC), without subcutaneous port or pump, through same venous access	\$ 2,299.00
Replacement, complete, of a peripherally inserted central venous access device, with subcutaneous port, through same venous access	\$ 5,194.00
Removal of tunneled central venous catheter, without subcutaneous port or pump	\$ 902.00
Removal of tunneled central venous access device, with subcutaneous port or pump, central or peripheral insertion	\$ 2,299.00
Injection procedure for visualization of ileal conduit and/or ureteropyelography, exclusive of radiologic service	\$ 1,403.00
Biopsy, soft tissue of neck or thorax	\$ 2,520.00
Selective catheter placement, venous system; first order branch (eg, renal vein, jugular vein)	\$ 994.00
Introduction of needle or intracatheter, carotid or vertebral artery	\$ 1,015.00
Introduction of guide into renal pelvis and/or ureter with dilation to establish nephrostomy tract, percutaneous	\$ 3,909.00
Introduction of needle or intracatheter; extremity artery	\$ 1,954.00
Introduction of catheter, superior or inferior vena cava	\$ 2,361.00
Venography, orbital, radiological supervision	\$ 10,469.00
Incision and drainage, deep abscess or hematoma, soft tissues of neck or thorax	\$ 4,728.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 457.00
Insertion of indwelling tunneled pleural catheter with cuff	\$ 6,209.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, laser; first vein treated	\$ 5,194.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, laser; subsequent vein(s) treated in a single extremity, each through separate access sites (List separately in addition to code for primary procedure)	\$ 2,928.00
Angiography, internal mammary, radiological supervision	\$ 2,149.00
Selective catheter placement, venous system; second order, or more selective, branch (eg, left adrenal vein, petrosal sinus)	\$ 1,159.00
Selective catheter placement, left or right pulmonary artery	\$ 1,159.00
Biopsy or excision of lymph node(s); by needle, superficial (eg, cervical, inguinal, axillary)	\$ 964.00
Contrast injection(s) for radiologic evaluation of existing central venous access device, including fluoroscopy, image documentation and report	\$ 209.00
Thrombectomy, direct or with catheter; vena cava, iliac, femoropopliteal vein, by leg incision	\$ 5,194.00
Secondary percutaneous transluminal thrombectomy (eg, nonprimary mechanical, snare basket, suction technique), noncoronary, non-intracranial, arterial or arterial bypass graft, including fluoroscopic guidance and intraprocedural pharmacological thrombolytic injections, provided in conjunction with another percutaneous intervention other than primary mechanical thrombectomy (List separately in addition to code for primary procedure)	\$ 9,063.00
Percutaneous transluminal mechanical thrombectomy, vein(s), including intraprocedural pharmacological thrombolytic injections and fluoroscopic guidance	\$ 8,380.00
Percutaneous transluminal mechanical thrombectomy, vein(s), including intraprocedural pharmacological thrombolytic injections and fluoroscopic guidance, repeat treatment on subsequent day during course of thrombolytic therapy	\$ 5,194.00
Removal (via snare/capture) and replacement of internally dwelling ureteral stent via percutaneous approach, including radiological supervision	\$ 5,319.00
Removal and replacement of externally accessible nephroureteral catheter (eg, external/internal stent) requiring fluoroscopic guidance, including radiological supervision	\$ 3,101.00
Removal of nephrostomy tube, requiring fluoroscopic guidance (eg, with concurrent indwelling ureteral stent)	\$ 1,279.00
Percutaneous portal vein catheterization by any method	\$ 17,018.00
Selective catheter placement, segmental or subsegmental pulmonary artery	\$ 994.00
Injection of sclerosing solution; multiple veins, same leg	\$ 644.00
Injection of sclerosing solution; single vein	\$ 644.00
Biopsy of salivary gland; needle	\$ 1,186.00
Transcatheter biopsy	\$ 3,313.00
Conversion of gastrostomy tube to gastro-jejunostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 2,405.00
Replacement of duodenostomy or jejunostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 1,140.00
Replacement of gastro-jejunostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 1,140.00
Mechanical removal of obstructive material from gastrostomy, duodenostomy, jejunostomy, gastro-jejunostomy, or cecostomy (or other colonic) tube, any method, under fluoroscopic guidance including contrast injection(s), if performed, image documentation and report	\$ 1,140.00
Contrast injection(s) for radiological evaluation of existing gastrostomy, duodenostomy, jejunostomy, gastro-jejunostomy, or cecostomy (or other colonic) tube, from a percutaneous approach including image documentation and report	\$ 415.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Unlisted procedure, biliary tract	\$ 6,009.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, radiofrequency; first vein treated	\$ 5,194.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, radiofrequency; subsequent vein(s) treated in a single extremity, each through separate access sites (List separately in addition to code for primary procedure)	\$ 2,622.00
Unlisted procedure, vascular injection	\$ 4,466.00
Bone marrow; biopsy, needle or trocar	\$ 2,721.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 832.00
Venous catheterization for selective organ blood sampling	\$ 1,657.00
Removal of indwelling tunneled pleural catheter with cuff	\$ 2,299.00
Change of ureterostomy tube or externally accessible ureteral stent via ileal conduit	\$ 2,983.00
Removal of tunneled intraperitoneal catheter	\$ 4,601.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision ; brachiocephalic trunk and branches, each vessel	\$ 10,733.00
Selective catheter placement (first-order), main renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture and catheter placement(s), fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision , including pressure gradient measurements when performed, and flush aortogram when performed; unilateral	\$ 6,153.00
Selective catheter placement (first-order), main renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture and catheter placement(s), fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision , including pressure gradient measurements when performed, and flush aortogram when performed; bilateral	\$ 6,153.00
Superselective catheter placement (one or more second order or higher renal artery branches) renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture, catheterization, fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision , including pressure gradient measurements when performed, and flush aortogram when performed; unilateral	\$ 6,153.00
Superselective catheter placement (one or more second order or higher renal artery branches) renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture, catheterization, fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision , including pressure gradient measurements when performed, and flush aortogram when performed; bilateral	\$ 6,153.00
Insertion of intravascular vena cava filter, endovascular approach including vascular access, vessel selection, and radiological supervision , intraprocedural roadmapping, and imaging guidance (ultrasound and fluoroscopy), when performed	\$ 5,915.00
Repositioning of intravascular vena cava filter, endovascular approach including vascular access, vessel selection, and radiological supervision , intraprocedural roadmapping, and imaging guidance (ultrasound and fluoroscopy), when performed	\$ 5,873.00
Retrieval (removal) of intravascular vena cava filter, endovascular approach including vascular access, vessel selection, and radiological supervision , intraprocedural roadmapping, and imaging guidance (ultrasound and fluoroscopy), when performed	\$ 5,873.00
Insertion of tunneled intraperitoneal catheter (eg, dialysis, intraperitoneal chemotherapy instillation, management of ascites), complete procedure, including imaging guidance, catheter placement, contrast injection when performed, and radiological supervision , percutaneous	\$ 6,209.00
Instillation, via chest tube/catheter, agent for pleurodesis (eg, talc for recurrent or persistent pneumothorax)	\$ 1,107.00
Instillation(s), via chest tube/catheter, agent for fibrinolysis (eg, fibrinolytic agent for break up of multiloculated effusion); initial day	\$ 1,578.00
Instillation(s), via chest tube/catheter, agent for fibrinolysis (eg, fibrinolytic agent for break up of multiloculated effusion); subsequent day	\$ 1,578.00
Cannulation, thoracic duct	\$ 4,037.00
Injection procedure (eg, contrast media) for evaluation of previously placed peritoneal-venous shunt	\$ 636.00
Abdominal paracentesis (diagnostic or therapeutic); without imaging guidance	\$ 1,539.00
Change of cystostomy tube; simple	\$ 475.00
Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal angioplasty	\$ 7,538.00
Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	\$ 22,933.00
Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	\$ 5,904.00
Thoracentesis, needle or catheter, aspiration of the pleural space; without imaging guidance	\$ 1,505.00
Pleural drainage, percutaneous, with insertion of indwelling catheter; without imaging guidance	\$ 2,936.00
Non-selective catheter placement, thoracic aorta, with angiography of the extracranial carotid, vertebral, and/or intracranial vessels, unilateral or bilateral, and all associated radiological supervision , includes angiography of the cervicocerebral arch, when performed	\$ 12,216.00
Selective catheter placement, internal carotid artery, unilateral, with angiography of the ipsilateral intracranial carotid circulation and all associated radiological supervision , includes angiography of the extracranial carotid and cervicocerebral arch, when performed	\$ 9,567.00
Selective catheter placement, subclavian or innominate artery, unilateral, with angiography of the ipsilateral vertebral circulation and all associated radiological supervision , includes angiography of the cervicocerebral arch, when performed	\$ 5,850.00
Selective catheter placement, external carotid artery, unilateral, with angiography of the ipsilateral external carotid circulation and all associated radiological supervision (List separately in addition to code for primary procedure)	\$ 216.00
Selective catheter placement, each intracranial branch of the internal carotid or vertebral arteries, unilateral, with angiography of the selected vessel circulation and all associated radiological supervision (eg, middle cerebral artery, posterior inferior cerebellar artery) (List separately in addition to code for primary procedure)	\$ 442.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Transcatheter retrieval, percutaneous, of intravascular foreign body (eg, fractured venous or arterial catheter), includes radiological supervision , and imaging guidance (ultrasound or fluoroscopy), when performed	\$ 2,871.00
Transcatheter therapy, arterial infusion for thrombolysis other than coronary or intracranial, any method, including radiological supervision , initial treatment day	\$ 2,071.00
Transcatheter therapy, venous infusion for thrombolysis, any method, including radiological supervision , initial treatment day	\$ 2,071.00
Transcatheter therapy, arterial or venous infusion for thrombolysis other than coronary, any method, including radiological supervision , continued treatment on subsequent day during course of thrombolytic therapy, including follow-up catheter contrast injection, position change, or exchange, when performed	\$ 4,623.00
Aspiration of bladder; by trocar or intracatheter	\$ 1,902.00
Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal angioplasty (List separately in addition to code for primary procedure)	\$ 7,538.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal angioplasty	\$ 7,538.00
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal angioplasty	\$ 7,538.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	\$ 21,458.00
Insertion of tunneled intraperitoneal catheter, with subcutaneous port (ie, totally implantable)	\$ 6,651.00
Bone marrow; aspiration only	\$ 294.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); peritoneal or retroperitoneal, percutaneous	\$ 2,447.00
Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s) for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and including all angioplasty within the same vessel, when performed; initial artery	\$ 22,987.00
Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s)for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	\$ 11,118.00
Transcatheter placement of an intravascular stent(s), open or percutaneous, including radiological supervision and including angioplasty within the same vessel, when performed; initial vein	\$ 22,987.00
Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal angioplasty (List separately in addition to code for primary procedure)	\$ 7,538.00
Placement of occlusive device into either a venous or arterial access site, post surgical or interventional procedure (e.g., angioseal plug, vascular plug)	\$ 1,236.00
Transcatheter permanent occlusion or embolization (eg, for tumor destruction, to achieve hemostasis, to occlude a vascular malformation), percutaneous, any method; non-central nervous system, head or neck (extracranial, brachiocephalic branch)	\$ 18,763.00
Injection procedure for cholangiography, percutaneous, complete diagnostic procedure including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision ; existing access	\$ 820.00
Injection procedure for cholangiography, percutaneous, complete diagnostic procedure including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision ; new access (eg, percutaneous transhepatic cholangiogram)	\$ 5,070.00
Removal of calculi/debris from biliary duct(s) and/or gallbladder, percutaneous, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision (List separately in addition to code for primary procedure)	\$ 524.00
Placement of biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision ; external	\$ 5,070.00
Placement of biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision ; internal-external	\$ 5,070.00
Placement of nephroureteral catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision , new access	\$ 3,508.00
Convert nephrostomy catheter to nephroureteral catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision , via pre-existing nephrostomy tract	\$ 1,222.00
Exchange nephrostomy catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision	\$ 1,222.00
Placement of ureteral stent, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision ; pre-existing nephrostomy tract	\$ 5,224.00
Placement of ureteral stent, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision ; new access, without separate nephrostomy catheter	\$ 5,344.00
Placement of ureteral stent, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision ; new access, with separate nephrostomy catheter	\$ 5,224.00
Balloon dilation, ureteral stricture, including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision (List separately in addition to code for primary procedure)	\$ 3,909.00
Conversion of external biliary drainage catheter to internal-external biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision	\$ 5,070.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision	\$ 5,070.00
Removal of biliary drainage catheter, percutaneous, requiring fluoroscopic guidance (eg, with concurrent indwelling biliary stents), including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision	\$ 1,125.00
Placement of stent(s) into a bile duct, percutaneous, including diagnostic cholangiography, imaging guidance (eg, fluoroscopy and/or ultrasound), balloon dilation, catheter exchange(s) and catheter removal(s) when performed, and all associated radiological supervision ; existing access	\$ 9,590.00
Placement of stent(s) into a bile duct, percutaneous, including diagnostic cholangiography, imaging guidance (eg, fluoroscopy and/or ultrasound), balloon dilation, catheter exchange(s) and catheter removal(s) when performed, and all associated radiological supervision ; new access, without placement of separate biliary drainage catheter	\$ 9,590.00
Placement of stent(s) into a bile duct, percutaneous, including diagnostic cholangiography, imaging guidance (eg, fluoroscopy and/or ultrasound), balloon dilation, catheter exchange(s) and catheter removal(s) when performed, and all associated radiological supervision ; new access, with placement of separate biliary drainage catheter (eg, external or internal-external)	\$ 9,590.00
Placement of access through the biliary tree and into small bowel to assist with an endoscopic biliary procedure (eg, rendezvous procedure), percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision , new access	\$ 6,301.00
Balloon dilation of biliary duct(s) or of ampulla (sphincteroplasty), percutaneous, including imaging guidance (eg, fluoroscopy), and all associated radiological supervision , each duct (List separately in addition to code for primary procedure)	\$ 4,365.00
Injection procedure for antegrade nephrostogram and/or ureterogram, complete diagnostic procedure including imaging guidance (eg, ultrasound and fluoroscopy) and all associated radiological supervision ; new access	\$ 1,222.00
Sclerotherapy of a fluid collection (eg, lymphocele, cyst, or seroma), percutaneous, including contrast injection(s), sclerosant injection(s), diagnostic study, imaging guidance (eg, ultrasound, fluoroscopy) and radiological supervision when performed	\$ 1,186.00
Injection, anesthetic agent; sphenopalatine ganglion	\$ 522.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and image documentation and report	\$ 1,777.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and image documentation and report; with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision necessary to perform the angioplasty	\$ 7,537.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and image documentation and report; with transcatheter placement of intravascular stent(s), peripheral dialysis segment, including all imaging and radiological supervision necessary to perform the stenting, and all angioplasty within the peripheral dialysis segment	\$ 21,458.00
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision , diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s)	\$ 9,739.00
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision , diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s); with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision necessary to perform the angioplasty	\$ 21,458.00
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision , diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s); with transcatheter placement of intravascular stent(s), peripheral dialysis segment, including all imaging and radiological supervision necessary to perform the stenting, and all angioplasty within the peripheral dialysis circuit	\$ 32,523.00
Transluminal balloon angioplasty, central dialysis segment, performed through dialysis circuit, including all imaging and radiological supervision required to perform the angioplasty (List separately in addition to code for primary procedure)	\$ 7,537.00
Transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging radiological supervision required to perform the stenting, and all angioplasty in the central dialysis segment (List separately in addition to code for primary procedure)	\$ 436.00
Dialysis circuit permanent vascular embolization or occlusion (including main circuit or any accessory veins), endovascular, including all imaging and radiological supervision necessary to complete the intervention (List separately in addition to code for primary procedure)	\$ 413.00
Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), open or percutaneous, including all imaging and radiological supervision necessary to perform the angioplasty within the same artery; initial artery	\$ 7,537.00
Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), open or percutaneous, including all imaging and radiological supervision necessary to perform the angioplasty within the same artery; each additional artery (List separately in addition to code for primary procedure)	\$ 7,537.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Transluminal balloon angioplasty (except dialysis circuit), open or percutaneous, including all imaging and radiological supervision necessary to perform the angioplasty within the same vein; initial vein	\$ 7,537.00
Transluminal balloon angioplasty (except dialysis circuit), open or percutaneous, including all imaging and radiological supervision necessary to perform the angioplasty within the same vein; each additional vein (List separately in addition to code for primary procedure)	\$ 349.00
Injection procedure for splenoportography	\$ 406.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision ; iliac artery, each vessel	\$ 32,404.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 242.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 241.00
Ablation therapy for reduction or eradication of 1 or more pulmonary tumor(s) including pleura or chest wall when involved by tumor extension, percutaneous, including imaging guidance when performed, unilateral; cryoablation	\$ 9,590.00
Diagnostic bone marrow; biopsy(ies) and aspiration(s)	\$ 9,590.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); with ultrasound guidance, with permanent recording and reporting	\$ 474.00
Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$ 1,407.00
Injection of sinus tract; therapeutic (separate procedure)	\$ 1,504.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; cervicothoracic	\$ 5,364.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; lumbosacral	\$ 5,364.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; each additional cervicothoracic or lumbosacral vertebral body (List separately in addition to code for primary procedure)	\$ 4,474.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; thoracic	\$ 16,443.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; lumbar	\$ 16,443.00
Stent, coated/covered, with delivery system	\$ 12,381.00
Stent, coated/covered, with delivery system	\$ 13,179.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 7,625.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 7,875.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 8,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 16,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 16,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 17,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 17,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 17,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 17,875.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 18,125.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 18,375.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 18,625.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 18,875.00
Catheter, thrombectomy/embolectomy	\$ 7,625.00
Catheter, thrombectomy/embolectomy	\$ 7,875.00
Catheter, thrombectomy/embolectomy	\$ 8,125.00
Catheter, thrombectomy/embolectomy	\$ 8,375.00
Catheter, thrombectomy/embolectomy	\$ 8,625.00
Catheter, thrombectomy/embolectomy	\$ 15,375.00
Catheter, thrombectomy/embolectomy	\$ 15,625.00
Catheter, thrombectomy/embolectomy	\$ 15,875.00
Catheter, thrombectomy/embolectomy	\$ 16,125.00
Catheter, thrombectomy/embolectomy	\$ 16,375.00
Catheter, thrombectomy/embolectomy	\$ 16,625.00
Catheter, thrombectomy/embolectomy	\$ 16,875.00
Catheter, thrombectomy/embolectomy	\$ 17,125.00
Catheter, thrombectomy/embolectomy	\$ 17,375.00
Catheter, thrombectomy/embolectomy	\$ 17,625.00
Catheter, thrombectomy/embolectomy	\$ 17,875.00
Catheter, thrombectomy/embolectomy	\$ 18,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, thrombectomy/embolectomy	\$ 18,375.00
Catheter, thrombectomy/embolectomy	\$ 18,625.00
Catheter, thrombectomy/embolectomy	\$ 18,875.00
Catheter, thrombectomy/embolectomy	\$ 19,125.00
Catheter, thrombectomy/embolectomy	\$ 19,375.00
Catheter, occlusion	\$ 2,625.00
Catheter, occlusion	\$ 2,875.00
Catheter, occlusion	\$ 3,125.00
Catheter, occlusion	\$ 3,375.00
Catheter, occlusion	\$ 3,625.00
Catheter, occlusion	\$ 3,875.00
Catheter, occlusion	\$ 4,125.00
Catheter, occlusion	\$ 4,375.00
Catheter, occlusion	\$ 4,625.00
Catheter, occlusion	\$ 4,875.00
Catheter, occlusion	\$ 5,125.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 200.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 450.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 750.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 1,050.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 1,350.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 1,375.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 1,625.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 1,875.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 2,125.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 2,375.00
Probe/needle, cryoablation	\$ 2,625.00
Probe/needle, cryoablation	\$ 2,875.00
Catheter, balloon dilatation, non-vascular	\$ 5,125.00
Catheter, balloon dilatation, non-vascular	\$ 5,375.00
Catheter, balloon dilatation, non-vascular	\$ 5,625.00
Catheter, balloon dilatation, non-vascular	\$ 5,875.00
Catheter, balloon dilatation, non-vascular	\$ 6,125.00
Catheter, balloon dilatation, non-vascular	\$ 6,375.00
Catheter, balloon dilatation, non-vascular	\$ 6,625.00
Catheter, balloon dilatation, non-vascular	\$ 6,875.00
Catheter, balloon dilatation, non-vascular	\$ 7,125.00
Catheter, balloon dilatation, non-vascular	\$ 7,375.00
Catheter, balloon dilatation, non-vascular	\$ 7,625.00
Catheter, balloon dilatation, non-vascular	\$ 7,875.00
Catheter, balloon dilatation, non-vascular	\$ 8,125.00
Catheter, balloon dilatation, non-vascular	\$ 8,375.00
Catheter, balloon dilatation, non-vascular	\$ 8,625.00
Prosthetic implant, not otherwise specified	\$ 36,625.00
Prosthetic implant, not otherwise specified	\$ 39,875.00
Lung biopsy plug with delivery system	\$ 1,125.00
Lung biopsy plug with delivery system	\$ 1,575.00
Lung biopsy plug with delivery system	\$ 2,025.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including magnetic resonance guidance	\$ 381.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including magnetic resonance guidance (List separately in addition to code for primary procedure)	\$ 176.00
Placement of breast localization device(s) (eg clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including magnetic resonance guidance	\$ 1,600.00
Placement of breast localization device(s) (eg clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including magnetic resonance guidance (List separately in addition to code for primary procedure)	\$ 224.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 2,736.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s), followed by contrast material(s) and further sequences	\$ 5,393.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; with contrast material(s)	\$ 4,131.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s)	\$ 3,740.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Magnetic resonance angiography, head; without contrast material(s)	\$ 2,541.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material	\$ 3,101.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); with contrast material(s)	\$ 2,658.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material, followed by contrast material(s) and further sequences	\$ 4,246.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s)	\$ 4,368.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); with contrast material(s)	\$ 4,885.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s), followed by contrast material(s) and further sequences	\$ 6,440.00
Magnetic resonance angiography without contrast, chest (excluding myocardium)	\$ 4,542.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; without contrast material	\$ 3,024.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; with contrast material(s)	\$ 3,818.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; without contrast material	\$ 3,053.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; with contrast material(s)	\$ 3,340.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; without contrast material	\$ 3,792.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; with contrast material(s)	\$ 4,683.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; cervical	\$ 5,459.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; thoracic	\$ 5,459.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; lumbar	\$ 5,459.00
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s)	\$ 3,437.00
Magnetic resonance (eg, proton) imaging, pelvis; with contrast material(s)	\$ 4,911.00
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s), followed by contrast material(s) and further sequences	\$ 4,911.00
Magnetic resonance angiography without contrast, pelvis	\$ 2,096.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s)	\$ 2,876.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s)	\$ 3,053.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; with contrast material(s)	\$ 3,058.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s), followed by contrast material(s) and further sequences	\$ 4,037.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s), followed by contrast material(s) and further sequences	\$ 4,037.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; with contrast material(s)	\$ 3,058.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s)	\$ 2,928.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material	\$ 2,983.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s), followed by contrast material(s) and further sequences	\$ 4,221.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; with contrast material(s)	\$ 3,576.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; with contrast material(s)	\$ 3,182.00
Magnetic resonance angiography without contrast, lower extremity	\$ 4,542.00
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s), followed by with contrast material(s) and further sequences	\$ 5,403.00
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s)	\$ 2,928.00
Magnetic resonance (eg, proton) imaging, abdomen; with contrast material(s)	\$ 3,915.00
Magnetic resonance angiography without contrast, abdomen	\$ 2,059.00
Magnetic resonance imaging without contrast, breast; unilateral	\$ 910.00
Magnetic resonance imaging with contrast, breast; unilateral	\$ 4,955.00
Magnetic resonance imaging without contrast followed by with contrast, breast; unilateral	\$ 4,955.00
Magnetic resonance imaging without contrast, breast; bilateral	\$ 910.00
Magnetic resonance imaging with contrast, breast; bilateral	\$ 5,403.00
Magnetic resonance imaging without contrast followed by with contrast, breast; bilateral	\$ 1,511.00
Magnetic resonance angiography, neck; without contrast material(s)	\$ 3,031.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material(s), followed by contrast material(s) and further sequences	\$ 4,133.00
Magnetic resonance spectroscopy	\$ 2,070.00
Magnetic resonance angiography with contrast, chest (excluding myocardium)	\$ 4,955.00
Magnetic resonance angiography without contrast followed by with contrast, chest (excluding myocardium)	\$ 5,227.00
Magnetic resonance angiography with contrast, lower extremity	\$ 4,955.00
Magnetic resonance angiography without contrast followed by with contrast, lower extremity	\$ 3,998.00
Magnetic resonance angiography with contrast, abdomen	\$ 5,227.00
Magnetic resonance angiography without contrast followed by with contrast, abdomen	\$ 2,144.00
Magnetic resonance angiography, head; with contrast material(s)	\$ 2,524.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Magnetic resonance angiography, head; without contrast material(s), followed by contrast material(s) and further sequences	\$ 3,998.00
Magnetic resonance angiography, neck; with contrast material(s)	\$ 3,199.00
Magnetic resonance angiography, neck; without contrast material(s), followed by contrast material(s) and further sequences	\$ 4,783.00
Magnetic resonance angiography with contrast, pelvis	\$ 4,911.00
Magnetic resonance angiography without contrast followed by with contrast, pelvis	\$ 5,227.00
Computer-aided detection, including computer algorithm analysis of MRI image data for lesion detection/characterization, pharmacokinetic analysis, with further physician review for interpretation, breast MRI (List separately in addition to code for primary procedure)	\$ 185.00
Magnetic resonance guidance for needle placement (eg, for biopsy, needle aspiration, injection, or placement of localization device) radiological supervision	\$ 381.00
Cardiac magnetic resonance imaging for morphology and function without contrast material	\$ 4,469.00
Cardiac magnetic resonance imaging for morphology and function without contrast material; with stress imaging	\$ 979.00
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences	\$ 6,446.00
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences; with stress imaging	\$ 2,458.00
Cardiac magnetic resonance imaging for velocity flow mapping (List separately in addition to code for primary procedure)	\$ 1,809.00
Magnetic resonance angiography without contrast, upper extremity	\$ 910.00
Magnetic resonance angiography with contrast, upper extremity	\$ 4,954.00
Magnetic resonance angiography without contrast followed by with contrast, upper extremity	\$ 1,511.00
Magnetic resonance angiography without contrast, spinal canal and contents	\$ 910.00
Magnetic resonance angiography with contrast, spinal canal and contents	\$ 1,511.00
Magnetic resonance angiography without contrast followed by with contrast, spinal canal and contents	\$ 1,511.00
Injection, gadolinium-based magnetic resonance contrast agent, not otherwise specified (nos), per ml	\$ 17.00
Tissue marker, implantable, any type, each	\$ 433.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 848.00
#REF!	\$ 1,520.00
Injection, gadoxetate disodium, 1 ml	\$ 60.00
Injection, gadobutrol, 0.1 ml	\$ 1.00
3D rendering with interpretation and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; requiring image postprocessing on an independent workstation	\$ 317.00
Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging when performed; single or first gestation	\$ 910.00
Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging when performed; each additional gestation (List separately in addition to code for primary procedure)	\$ 305.00
Injection, gadobenate dimeglumine (multihance), per ml	\$ 17.00
Radiological examination, surgical specimen	\$ 244.00
Biopsy, prostate; needle or punch, single or multiple, any approach	\$ 2,082.00
Puncture aspiration of cyst of breast; each additional cyst (List separately in addition to code for primary procedure)	\$ 542.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including ultrasound guidance	\$ 1,769.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 164.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including ultrasound guidance	\$ 249.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 84.00
Exchange of previously placed abscess or cyst drainage catheter under radiological guidance (separate procedure)	\$ 2,997.00
Ultrasound, chest (includes mediastinum), real time with image documentation	\$ 964.00
Ultrasound, abdominal, real time with image documentation; complete	\$ 1,416.00
Ultrasound, abdominal, real time with image documentation; limited (eg, single organ, quadrant, follow-up)	\$ 891.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; limited	\$ 891.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 1,296.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; complete	\$ 839.00
Ultrasound, scrotum and contents	\$ 1,128.00
Ultrasonic guidance for amniocentesis, imaging supervision	\$ 1,454.00
Ultrasonic guidance, intraoperative	\$ 1,517.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 1,380.00
Amniocentesis; diagnostic	\$ 701.00
Puncture aspiration of cyst of breast	\$ 764.00
Fine needle aspiration; with imaging guidance	\$ 708.00
Ultrasound guidance for, and monitoring of, parenchymal tissue ablation	\$ 1,297.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 630.00
Ultrasound, pregnant uterus, real time with image documentation, follow-up (eg, re-evaluation of fetal size by measuring standard growth parameters and amniotic fluid volume, re-evaluation of organ system(s) suspected or confirmed to be abnormal on a previous scan), transabdominal approach, per fetus	\$ 1,296.00
Saline infusion sonohysterography (SIS), including color flow Doppler, when performed	\$ 1,926.00
Catheterization and introduction of saline or contrast material for saline infusion sonohysterography (SIS) or hysterosalpingography	\$ 1,342.00
Doppler velocimetry, fetal; umbilical artery	\$ 626.00
Doppler velocimetry, fetal; middle cerebral artery	\$ 626.00
Fetal biophysical profile; without non-stress testing	\$ 1,102.00
Renal biopsy; percutaneous, by trocar or needle	\$ 2,272.00
Biopsy of liver, needle; percutaneous	\$ 2,272.00
Biopsy of salivary gland; needle	\$ 2,321.00
Placement of soft tissue localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous, including imaging guidance; first lesion	\$ 1,780.00
Placement of soft tissue localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous, including imaging guidance; each additional lesion (List separately in addition to code for primary procedure)	\$ 154.00
Arthrocentesis, aspiration and/or injection, intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa); with ultrasound guidance, with permanent recording and reporting	\$ 1,116.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; complete	\$ 629.00
Duplex scan of hemodialysis access (including arterial inflow, body of access and venous outflow)	\$ 1,277.00
Injection procedure for retrograde urethrocytography	\$ 154.00
Radiological guidance (ie, fluoroscopy, ultrasound, or computed tomography), for percutaneous drainage (eg, abscess, specimen collection), with placement of catheter, radiological supervision	\$ 1,235.00
Biopsy thyroid, percutaneous core needle	\$ 780.00
Computed tomography, head or brain; without contrast material	\$ 2,178.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material, followed by contrast material(s) and further sections	\$ 3,981.00
Computed tomography, maxillofacial area; without contrast material, followed by contrast material(s) and further sections	\$ 2,694.00
Computed tomography, soft tissue neck; without contrast material	\$ 2,006.00
Computed tomography, thorax; with contrast material(s)	\$ 2,360.00
Computed tomography, cervical spine; without contrast material	\$ 2,409.00
Computed tomography, thoracic spine; without contrast material	\$ 2,408.00
Computed tomography, lumbar spine; without contrast material	\$ 2,267.00
Computed tomography, lumbar spine; with contrast material	\$ 4,087.00
Computed tomography, lumbar spine; without contrast material, followed by contrast material(s) and further sections	\$ 4,367.00
Computed tomography, pelvis; with contrast material(s)	\$ 2,509.00
Computed tomography, pelvis; without contrast material, followed by contrast material(s) and further sections	\$ 2,842.00
Computed tomography, upper extremity; without contrast material	\$ 2,200.00
Computed tomography, upper extremity; with contrast material(s)	\$ 2,461.00
Computed tomography, lower extremity; without contrast material	\$ 1,552.00
Computed tomography, abdomen; without contrast material	\$ 2,217.00
Computed tomography, abdomen; with contrast material(s)	\$ 2,462.00
Computed tomography, abdomen; without contrast material, followed by contrast material(s) and further sections	\$ 3,315.00
Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision	\$ 4,349.00
Computed tomography, limited or localized follow-up study	\$ 959.00
Renal biopsy; percutaneous, by trocar or needle	\$ 673.00
Aspiration and/or injection of renal cyst or pelvis by needle, percutaneous	\$ 1,012.00
Computed tomographic angiography, neck, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,555.00
Computed tomographic angiography, chest (noncoronary), with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,313.00
Computed tomographic angiography, pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 2,726.00
Computed tomographic angiography, lower extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 5,341.00
Computed tomographic angiography, abdomen, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,199.00
Computed tomography guidance for, and monitoring of, parenchymal tissue ablation	\$ 2,793.00
Computed tomography, cervical spine; without contrast material, followed by contrast material(s) and further sections	\$ 3,340.00
Computed tomography, thoracic spine; without contrast material, followed by contrast material(s) and further sections	\$ 3,344.00
Computed tomographic (CT) colonography, screening, including image postprocessing	\$ 2,165.00
Computed tomographic (CT) colonography, diagnostic, including image postprocessing; without contrast material	\$ 5,576.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Cholecystostomy, percutaneous, complete procedure, including imaging guidance, catheter placement, cholecystogram when performed, and radiological supervision	\$ 2,623.00
Ablation, 1 or more liver tumor(s), percutaneous, cryoablation	\$ 9,590.00
Unlisted procedure, endocrine system	\$ 12,940.00
Unlisted procedure, spine	\$ 4,321.00
Unlisted procedure, hemic or lymphatic system	\$ 699.00
#REF!	\$ 65.00
Surgical trays	\$ 88.00
#REF!	\$ 209.00
Probe/needle, cryoablation	\$ 5,121.00
#REF!	\$ 81.00
Catheter, drainage	\$ 367.00
Oral magnetic resonance contrast agent, per 100 ml	\$ 12.00
#REF!	\$ 656.00
Introduction of catheter, aorta	\$ 4,482.00
Biopsy, soft tissue of neck or thorax	\$ 312.00
Incision and drainage, deep abscess or hematoma, soft tissues of neck or thorax	\$ 4,729.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 458.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 933.00
Introduction of needle or intracatheter, aortic, translumbar	\$ 667.00
Biopsy of salivary gland; needle	\$ 389.00
Insertion of gastrostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 2,451.00
Percutaneous aspiration, spinal cord cyst or syrinx	\$ 1,375.00
Unlisted procedure, abdomen, peritoneum and omentum	\$ 7,886.00
Unlisted procedure, biliary tract	\$ 6,532.00
Percutaneous sacral augmentation (sacroplasty), unilateral injection(s), including the use of a balloon or mechanical device, when used, 1 or more needles, includes imaging guidance and bone biopsy, when performed	\$ 11,488.00
Percutaneous sacral augmentation (sacroplasty), bilateral injections, including the use of a balloon or mechanical device, when used, 2 or more needles, includes imaging guidance and bone biopsy, when performed	\$ 11,488.00
Insertion of tunneled intraperitoneal catheter (eg, dialysis, intraperitoneal chemotherapy instillation, management of ascites), complete procedure, including imaging guidance, catheter placement, contrast injection when performed, and radiological supervision , percutaneous	\$ 980.00
Unlisted procedure, small intestine	\$ 5,004.00
Endoluminal biopsy(ies) of biliary tree, percutaneous, any method(s) (eg, brush, forceps, and/or needle), including imaging guidance (eg, fluoroscopy), and all associated radiological supervision , single or multiple (List separately in addition to code for primary procedure)	\$ 373.00
Computed tomography, abdomen and pelvis; without contrast material	\$ 2,174.00
Computed tomography, abdomen and pelvis; without contrast material in one or both body regions, followed by contrast material(s) and further sections in one or both body regions	\$ 3,910.00
Computed tomographic (CT) colonography, diagnostic, including image postprocessing; with contrast material(s) including non-contrast images, if performed	\$ 6,298.00
Unlisted procedure, lungs and pleura	\$ 1,505.00
Unlisted procedure, nervous system	\$ 508.00
Injection procedure for sacroiliac joint, anesthetic/steroid, with image guidance (fluoroscopy or CT) including arthrography when performed	\$ 671.00
Reconstruction, computed tomographic angiography of aorta for surgical planning for vascular surgery	\$ 1,191.00
Unlisted procedure, abdomen, musculoskeletal system	\$ 4,531.00
Ablation therapy for reduction or eradication of 1 or more bone tumors (eg, metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed; cryoablation	\$ 8,748.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; each additional cervicothoracic or lumbosacral vertebral body (List separately in addition to code for primary procedure)	\$ 487.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; thoracic	\$ 11,488.00
Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$ 1,444.00
Radiologic examination, spine; thoracic, 2 views	\$ 499.00
Radiologic examination, shoulder; 1 view	\$ 481.00
Radiologic examination, shoulder; complete, minimum of 2 views	\$ 135.00
Radiologic examination, elbow; complete, minimum of 3 views	\$ 449.00
Screening digital breast tomosynthesis, bilateral (List separately in addition to code for primary procedure)	\$ 48.00
Diagnostic digital breast tomosynthesis, unilateral or bilateral (list separately in addition to g0204 or g0206)	\$ 48.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 2,930.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s)	\$ 3,164.00
Magnetic resonance angiography, head; without contrast material(s)	\$ 3,915.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; without contrast material	\$ 3,053.00
Magnetic resonance angiography without contrast, pelvis	\$ 3,164.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material	\$ 3,114.00
Magnetic resonance angiography without contrast, lower extremity	\$ 3,998.00
Magnetic resonance (eg, proton) imaging, abdomen; with contrast material(s)	\$ 5,403.00
Magnetic resonance angiography without contrast, abdomen	\$ 3,164.00
Magnetic resonance imaging without contrast, breast; unilateral	\$ 4,542.00
Magnetic resonance imaging without contrast, breast; bilateral	\$ 4,542.00
Magnetic resonance imaging with contrast, breast; bilateral	\$ 4,955.00
Magnetic resonance imaging without contrast followed by with contrast, breast; bilateral	\$ 4,955.00
Magnetic resonance angiography with contrast, lower extremity	\$ 3,182.00
Magnetic resonance angiography without contrast followed by with contrast, lower extremity	\$ 5,227.00
Magnetic resonance angiography with contrast, abdomen	\$ 3,300.00
Magnetic resonance angiography without contrast followed by with contrast, abdomen	\$ 4,955.00
Computer-aided detection, including computer algorithm analysis of MRI image data for lesion detection/characterization, pharmacokinetic analysis, with further physician review for interpretation, breast MRI (List separately in addition to code for primary procedure)	\$ 69.00
Cardiac magnetic resonance imaging for morphology and function without contrast material; with stress imaging	\$ 6,747.00
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences; with stress imaging	\$ 3,854.00
Cardiac magnetic resonance imaging for velocity flow mapping (List separately in addition to code for primary procedure)	\$ 690.00
Magnetic resonance angiography without contrast, upper extremity	\$ 4,542.00
Magnetic resonance angiography without contrast followed by with contrast, upper extremity	\$ 5,227.00
Magnetic resonance angiography without contrast, spinal canal and contents	\$ 4,541.00
Magnetic resonance angiography with contrast, spinal canal and contents	\$ 4,954.00
Magnetic resonance angiography without contrast followed by with contrast, spinal canal and contents	\$ 5,227.00
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 1,591.00
Ultrasound, infant hips, real time with imaging documentation; limited, static (not requiring physician or other qualified health care professional manipulation)	\$ 1,034.00
Radiologic examination, sacroiliac joints; less than 3 views	\$ 224.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); minimum of 6 views	\$ 568.00
Radiologic examination, chest; single view	\$ 603.00
Radiologic examination; acromioclavicular joints, bilateral, with or without weighted distraction	\$ 580.00
Radiologic examination, spine, lumbosacral; bending views only, 2 or 3 views	\$ 626.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); with contrast material(s)	\$ 4,246.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; with contrast material(s)	\$ 3,576.00
Magnetic resonance imaging without contrast followed by with contrast, breast; bilateral	\$ 5,403.00
Magnetic resonance angiography, lower extremity, with or without contrast material(s)	\$ 5,227.00
Magnetic resonance angiography with contrast, abdomen	\$ 4,911.00
Magnetic resonance angiography, head; with contrast material(s)	\$ 3,915.00
Magnetic resonance angiography with contrast, pelvis	\$ 4,955.00
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences; with stress imaging	\$ 1,809.00
Magnetic resonance angiography with contrast, upper extremity	\$ 4,955.00
Magnetic resonance angiography without contrast, spinal canal and contents	\$ 3,379.00
Magnetic resonance angiography with contrast, spinal canal and contents	\$ 4,307.00
Ultrasound, abdominal, real time with image documentation; complete	\$ 2,244.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 1,271.00
Complete bilateral noninvasive physiologic studies of upper or lower extremity arteries, 3 or more levels (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental blood pressure measurements with bidirectional Doppler waveform recording and analysis, at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental volume plethysmography at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental transcutaneous oxygen tension measurements at 3 or more levels), or single level study with provocative functional maneuvers (eg, measurements with postural provocative tests, or measurements with reactive hyperemia)	\$ 289.00
Injection, gadolinium-based magnetic resonance contrast agent, not otherwise specified (nos), per ml	\$ 21.00
Radiologic examination; orbits, complete, minimum of 4 views	\$ 716.00
Radiologic examination, spine, cervical; 2 or 3 views	\$ 626.00
Radiologic examination, sacrum and coccyx, minimum of 2 views	\$ 459.00
Radiologic examination, finger(s), minimum of 2 views	\$ 330.00
Bone length studies (orthoroentgenogram, scanogram)	\$ 210.00
Ultrasound, abdominal aorta, real time with image documentation, screening study for abdominal aortic aneurysm (AAA)	\$ 373.00
Radiologic examination, hip, unilateral, with pelvis when performed; 1 view	\$ 774.00
Radiologic examination, mandible; partial, less than 4 views	\$ 411.00
Radiologic examination, sinuses, paranasal, less than 3 views	\$ 449.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Radiologic examination, sella turcica	\$ 145.00
Radiologic examination, spine, cervical; 2 or 3 views	\$ 684.00
Radiologic examination, sacroiliac joints; 3 or more views	\$ 449.00
Radiologic examination, sacrum and coccyx, minimum of 2 views	\$ 449.00
Radiologic examination, shoulder; 1 view	\$ 444.00
Radiologic examination, elbow; 2 views	\$ 328.00
Radiologic examination, wrist; 2 views	\$ 328.00
Radiologic examination, wrist; complete, minimum of 3 views	\$ 449.00
Radiologic examination, hand; 2 views	\$ 259.00
Radiologic examination, knee; 1 or 2 views	\$ 459.00
Radiologic examination, ankle; 2 views	\$ 328.00
Radiologic examination, foot; 2 views	\$ 328.00
Radiologic examination, osseous survey; limited (eg, for metastases)	\$ 1,216.00
Radiologic examination, femur; minimum 2 views	\$ 449.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including stereotactic guidance	\$ 1,769.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including stereotactic guidance (List separately in addition to code for primary procedure)	\$ 174.00
Screening digital breast tomosynthesis, bilateral (List separately in addition to code for primary procedure)	\$ 75.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 1,333.00
Radiologic examination, finger(s), minimum of 2 views	\$ 304.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral	\$ 758.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; limited	\$ 1,326.00
Ultrasound, infant hips, real time with imaging documentation; limited, static (not requiring physician or other qualified health care professional manipulation)	\$ 213.00
Unlisted procedure, vascular surgery	\$ 1,218.00
Radiologic examination, mandible; partial, less than 4 views	\$ 416.00
Radiologic examination, mandible; complete, minimum of 4 views	\$ 815.00
Radiologic examination, mastoids; complete, minimum of 3 views per side	\$ 1,009.00
Radiologic examination, nasal bones, complete, minimum of 3 views	\$ 482.00
Radiologic examination, sinuses, paranasal, less than 3 views	\$ 457.00
Radiologic examination, skull; less than 4 views	\$ 505.00
Radiologic examination, skull; complete, minimum of 4 views	\$ 815.00
Radiologic examination, temporomandibular joint, open and closed mouth; bilateral	\$ 748.00
Radiologic examination; neck, soft tissue	\$ 627.00
Radiologic examination, ribs, unilateral; including posteroanterior chest, minimum of 3 views	\$ 815.00
Radiologic examination, ribs, bilateral; including posteroanterior chest, minimum of 4 views	\$ 1,033.00
Radiologic examination, spine, single view, specify level	\$ 627.00
Radiologic examination, spine; thoracic, 2 views	\$ 529.00
Radiologic examination, spine, lumbosacral; 2 or 3 views	\$ 581.00
Radiologic examination, shoulder; 1 view	\$ 416.00
Radiologic examination; humerus, minimum of 2 views	\$ 482.00
Radiologic examination; forearm, 2 views	\$ 339.00
Radiologic examination; upper extremity, infant, minimum of 2 views	\$ 125.00
Radiologic examination, wrist; complete, minimum of 3 views	\$ 457.00
Radiologic examination, hand; minimum of 3 views	\$ 339.00
Radiologic examination, knee; both knees, standing, anteroposterior	\$ 225.00
Radiologic examination, foot; complete, minimum of 3 views	\$ 507.00
Radiologic examination; toe(s), minimum of 2 views	\$ 248.00
Radiologic examination, osseous survey, infant	\$ 581.00
Radiologic examination, spine, lumbosacral; bending views only, 2 or 3 views	\$ 581.00
Mammary ductogram or galactogram, single duct, radiological supervision	\$ 1,015.00
Radiologic examination, spine; thoracic, 3 views	\$ 529.00
Radiologic examination; sternoclavicular joint or joints, minimum of 3 views	\$ 581.00
Injection procedure only for mammary ductogram or galactogram	\$ 257.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including stereotactic guidance (List separately in addition to code for primary procedure)	\$ 847.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including ultrasound guidance	\$ 1,770.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 821.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including mammographic guidance	\$ 249.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including mammographic guidance (List separately in addition to code for primary procedure)	\$ 177.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including ultrasound guidance	\$ 2,148.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 709.00
Mammary ductogram or galactogram, multiple ducts, radiological supervision and interpretation	\$ 1,015.00
Ultrasound, spinal canal and contents	\$ 1,164.00
Computed tomography, thoracic spine; without contrast material	\$ 2,549.00
Computed tomography, lumbar spine; with contrast material	\$ 2,533.00
Computed tomography, lower extremity; without contrast material, followed by contrast material(s) and further sections	\$ 4,499.00
Probe/needle, cryoablation	\$ 3,814.00
Radiologic examination, facial bones; less than 3 views	\$ 505.00
Radiologic examination, ribs, bilateral; 3 views	\$ 177.00
Tissue marker, implantable, any type, each	\$ 213.00
Tissue marker, implantable, any type, each	\$ 479.00
Tissue marker, implantable, any type, each	\$ 799.00
Heliox Tank	\$ 523.00
Unreturned Sleep Equipment	OPEN
Anesthesia Disbursement - Over 690 Min	OPEN
Or Misc Under \$100 Cost	OPEN
Or Misc \$100-200 Cost	OPEN
Or Misc \$200-500 Cost	OPEN
Or Misc \$500-1K Cost	OPEN
Or Misc \$1-2K Cost	OPEN
Or Misc \$2-4K Cost	OPEN
Or Misc \$4-10K Cost	OPEN
Or Misc \$10K & Up Cost	OPEN
Hemostat Bone Putty Lvl023	\$ 5,625.00
Tissuemend 5X6	\$ 975.00
Valve Heart Lvl025	\$ 6,125.00
Valve Heart Lvl026	\$ 6,375.00
Valve Heart Lvl027	\$ 6,625.00
Valve Heart Lvl028	\$ 6,875.00
Valve Heart Lvl029	\$ 7,125.00
Valve Heart Lvl030	\$ 7,375.00
Valve Heart Lvl031	\$ 7,625.00
Valve Heart Lvl032	\$ 7,875.00
Valve Heart Lvl033	\$ 8,125.00
Valve Heart Lvl034	\$ 8,375.00
Valve Heart Lvl035	\$ 8,625.00
Valve Heart Lvl036	\$ 8,875.00
Valve Heart Lvl037	\$ 9,125.00
Valve Heart Lvl038	\$ 9,375.00
Valve Heart Lvl039	\$ 9,625.00
Valve Heart Lvl040	\$ 9,875.00
Valve Heart Lvl041	\$ 10,125.00
Valve Heart Lvl042	\$ 10,375.00
Valve Heart Lvl043	\$ 10,625.00
Valve Heart Lvl044	\$ 10,875.00
Valve Heart Lvl045	\$ 11,125.00
Valve Heart Lvl046	\$ 11,375.00
Valve Heart Lvl047	\$ 11,625.00
Valve Heart Lvl052	\$ 12,875.00
Valve Heart Lvl053	\$ 13,125.00
Valve Heart Lvl054	\$ 13,375.00
Valve Heart Lvl055	\$ 13,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Valve Heart Lvl056	\$ 13,875.00
Valve Heart Lvl057	\$ 14,125.00
Valve Heart Lvl058	\$ 14,375.00
Valve Heart Lvl060	\$ 14,875.00
Valve Heart Lvl061	\$ 15,125.00
Valve Heart Lvl062	\$ 15,375.00
Valve Heart Lvl063	\$ 15,625.00
Valve Heart Lvl064	\$ 15,875.00
Valve Heart Lvl065	\$ 16,125.00
Valve Heart Lvl066	\$ 16,375.00
Valve Heart Lvl067	\$ 16,625.00
Valve Heart Lvl068	\$ 16,875.00
Valve Heart Lvl071	\$ 17,625.00
Valve Heart Lvl072	\$ 17,875.00
Valve Heart Lvl073	\$ 18,125.00
Valve Heart Lvl074	\$ 18,375.00
Valve Heart Lvl075	\$ 18,625.00
Valve Heart Lvl076	\$ 18,875.00
Valve Heart Lvl077	\$ 19,125.00
Valve Heart Lvl078	\$ 19,375.00
Valve Heart Lvl079	\$ 19,625.00
Valve Heart Lvl080	\$ 19,875.00
Valve Heart Lvl081	\$ 20,125.00
Valve Heart Lvl082	\$ 20,375.00
Valve Heart Lvl083	\$ 20,625.00
Valve Heart Lvl084	\$ 20,875.00
Valve Heart Lvl085	\$ 21,125.00
Duramatrix Imp Lvl003	\$ 750.00
Duramatrix Imp Lvl006	\$ 1,375.00
Duramatrix Imp Lvl010	\$ 2,375.00
Shunt Corotid Lvl001	\$ 200.00
Shunt Corotid Lvl002	\$ 450.00
Shunt Corotid Lvl003	\$ 750.00
Shunt Corotid Lvl004	\$ 1,050.00
Shunt Corotid Lvl005	\$ 1,350.00
Shunt Corotid Lvl006	\$ 1,375.00
Shunt Corotid Lvl007	\$ 1,625.00
Shunt Corotid Lvl008	\$ 1,875.00
Shunt Corotid Lvl009	\$ 2,125.00
Shunt Corotid Lvl010	\$ 2,375.00
Shunt Corotid Lvl011	\$ 2,625.00
Shunt Corotid Lvl012	\$ 2,875.00
Shunt Corotid Lvl013	\$ 3,125.00
Shunt Corotid Lvl014	\$ 3,375.00
Shunt Corotid Lvl015	\$ 3,625.00
Shunt Pressure Lvl041	\$ 10,125.00
Shunt Pressure Lvl046	\$ 11,375.00
Shunt Pressure Lvl047	\$ 11,625.00
Shunt Pressure Lvl048	\$ 11,875.00
Shunt Pressure Lvl049	\$ 12,125.00
Shunt Pressure Lvl050	\$ 12,375.00
Shunt Pressure Lvl051	\$ 12,625.00
Shunt Pressure Lvl052	\$ 12,875.00
Shunt Pressure Lvl053	\$ 13,125.00
Shunt Pressure Lvl054	\$ 13,375.00
Ring Heart Lvl015	\$ 3,625.00
Ring Heart Lvl016	\$ 3,875.00
Ring Heart Lvl017	\$ 4,125.00
Ring Heart Lvl018	\$ 4,375.00
Ring Heart Lvl019	\$ 4,625.00
Ring Heart Lvl020	\$ 4,875.00
Ring Heart Lvl021	\$ 5,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Ring Heart Lvl022	\$ 5,375.00
Ring Heart Lvl023	\$ 5,625.00
Ring Heart Lvl024	\$ 5,875.00
Ring Heart Lvl025	\$ 6,125.00
Ring Heart Lvl026	\$ 6,375.00
Ring Heart Lvl027	\$ 6,625.00
Ring Heart Lvl028	\$ 6,875.00
Ring Heart Lvl029	\$ 7,125.00
Ring Heart Lvl030	\$ 7,375.00
Ring Heart Lvl031	\$ 7,625.00
Ring Heart Lvl032	\$ 7,875.00
Ring Heart Lvl033	\$ 8,125.00
Ring Heart Lvl034	\$ 8,375.00
Ring Heart Lvl035	\$ 8,625.00
Shunt Pressure Lvl042	\$ 10,375.00
Shunt Pressure Lvl043	\$ 10,625.00
Shunt Pressure Lvl044	\$ 10,875.00
Shunt Pressure Lvl045	\$ 11,125.00
Allograft 1Cc Lvl006	\$ 1,375.00
Shunt Pressure Lvl055	\$ 13,625.00
Shunt Pressure Lvl056	\$ 13,875.00
Shunt Pressure Lvl057	\$ 14,125.00
Shunt Pressure Lvl058	\$ 14,375.00
Shunt Pressure Lvl059	\$ 14,625.00
Shunt Pressure Lvl060	\$ 14,875.00
Staple Closure Lvl001	\$ 200.00
Staple Closure Lvl002	\$ 450.00
Staple Closure Lvl003	\$ 750.00
Staple Closure Lvl004	\$ 1,050.00
Staple Closure Lvl005	\$ 1,350.00
Staple Closure Lvl006	\$ 1,375.00
Staple Closure Lvl007	\$ 1,625.00
Staple Closure Lvl008	\$ 1,875.00
Staple Closure Lvl009	\$ 2,125.00
Staple Closure Lvl010	\$ 2,375.00
Embolization Coil Lvl008	\$ 1,875.00
Shunt Pressure Lvl040	\$ 9,875.00
Valve Heart Lvl048	\$ 11,875.00
Valve Heart Lvl049	\$ 12,125.00
Valve Heart Lvl050	\$ 12,375.00
Valve Heart Lvl051	\$ 12,625.00
Valve Heart Lvl059	\$ 14,625.00
Valve Heart Lvl069	\$ 17,125.00
Valve Heart Lvl070	\$ 17,375.00
Valve Heart Lvl086	\$ 21,375.00
Valve Heart Lvl087	\$ 21,625.00
Valve Heart Lvl088	\$ 21,875.00
Valve Heart Lvl089	\$ 22,125.00
Valve Heart Lvl090	\$ 22,375.00
Valve Heart Lvl015	\$ 3,625.00
Valve Heart Lvl016	\$ 3,875.00
Valve Heart Lvl017	\$ 4,125.00
Valve Heart Lvl018	\$ 4,375.00
Valve Heart Lvl019	\$ 4,625.00
Valve Heart Lvl020	\$ 4,875.00
Valve Heart Lvl021	\$ 5,125.00
Valve Heart Lvl022	\$ 5,375.00
Valve Heart Lvl023	\$ 5,625.00
Valve Heart Lvl024	\$ 5,875.00
Valve Heart Lvl091	\$ 22,625.00
Valve Heart Lvl092	\$ 22,875.00
Valve Heart Lvl093	\$ 23,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Valve Heart Lvl094	\$ 23,375.00
Valve Heart Lvl095	\$ 23,625.00
Valve Heart Lvl096	\$ 23,875.00
Valve Heart Lvl097	\$ 24,125.00
Valve Heart Lvl098	\$ 24,375.00
Valve Heart Lvl099	\$ 24,625.00
Valve Heart Lvl100	\$ 24,875.00
Valve Heart Lvl101	\$ 25,125.00
Valve Heart Lvl102	\$ 25,375.00
Valve Heart Lvl103	\$ 25,625.00
Valve Heart Lvl104	\$ 25,875.00
Valve Heart Lvl105	\$ 26,125.00
Valve Heart Lvl106	\$ 26,375.00
Valve Heart Lvl107	\$ 26,625.00
Valve Heart Lvl108	\$ 26,875.00
Valve Heart Lvl109	\$ 27,125.00
Valve Heart Lvl110	\$ 27,375.00
Valve Heart Lvl111	\$ 27,625.00
Valve Heart Lvl112	\$ 27,875.00
Valve Heart Lvl113	\$ 28,125.00
Valve Heart Lvl114	\$ 28,375.00
Valve Heart Lvl115	\$ 28,625.00
Valve Heart Lvl116	\$ 28,875.00
Valve Heart Lvl117	\$ 29,125.00
Valve Heart Lvl118	\$ 29,375.00
Valve Heart Lvl119	\$ 29,625.00
Valve Heart Lvl120	\$ 29,875.00
Valve Heart Lvl121	\$ 30,125.00
Valve Heart Lvl122	\$ 30,375.00
Valve Heart Lvl123	\$ 30,625.00
Valve Heart Lvl124	\$ 30,875.00
Valve Heart Lvl125	\$ 31,125.00
Valve Heart Lvl126	\$ 31,375.00
Valve Heart Lvl127	\$ 31,625.00
Valve Heart Lvl128	\$ 31,875.00
Valve Heart Lvl129	\$ 32,125.00
Valve Heart Lvl130	\$ 32,375.00
Valve Heart Lvl131	\$ 32,625.00
Valve Heart Lvl132	\$ 32,875.00
Valve Heart Lvl133	\$ 33,125.00
Valve Heart Lvl134	\$ 33,375.00
Valve Heart Lvl135	\$ 33,625.00
Valve Heart Lvl136	\$ 33,875.00
Valve Heart Lvl137	\$ 34,125.00
Valve Heart Lvl138	\$ 34,375.00
Valve Heart Lvl139	\$ 34,625.00
Valve Heart Lvl140	\$ 34,875.00
Valve Heart Lvl141	\$ 35,125.00
Valve Heart Lvl142	\$ 35,375.00
Valve Heart Lvl143	\$ 35,625.00
Valve Heart Lvl144	\$ 35,875.00
Valve Heart Lvl145	\$ 36,125.00
Valve Heart Lvl146	\$ 36,375.00
Valve Heart Lvl147	\$ 36,625.00
Valve Heart Lvl148	\$ 36,875.00
Valve Heart Lvl149	\$ 37,125.00
Valve Heart Lvl150	\$ 37,375.00
Valve Heart Lvl151	\$ 37,625.00
Valve Heart Lvl152	\$ 37,875.00
Valve Heart Lvl153	\$ 38,125.00
Valve Heart Lvl154	\$ 38,375.00
Valve Heart Lvl155	\$ 38,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Valve Heart Lvl156	\$ 38,875.00
Valve Heart Lvl157	\$ 39,125.00
Valve Heart Lvl158	\$ 39,375.00
Valve Heart Lvl159	\$ 39,625.00
Valve Heart Lvl160	\$ 39,875.00
Valve Heart Lvl161	\$ 40,125.00
Valve Heart Lvl162	\$ 40,375.00
Valve Heart Lvl163	\$ 40,625.00
Valve Heart Lvl164	\$ 40,875.00
Valve Heart Lvl165	\$ 41,125.00
Valve Heart Lvl166	\$ 41,375.00
Valve Heart Lvl167	\$ 41,625.00
Valve Heart Lvl168	\$ 41,875.00
Valve Heart Lvl169	\$ 42,125.00
Valve Heart Lvl170	\$ 42,375.00
Valve Heart Lvl171	\$ 42,625.00
Valve Heart Lvl172	\$ 42,875.00
Valve Heart Lvl173	\$ 43,125.00
Valve Heart Lvl174	\$ 43,375.00
Valve Heart Lvl175	\$ 43,625.00
Valve Heart Lvl176	\$ 43,875.00
Valve Heart Lvl177	\$ 44,125.00
Valve Heart Lvl178	\$ 44,375.00
Valve Heart Lvl179	\$ 44,625.00
Valve Heart Lvl180	\$ 44,875.00
Valve Heart Lvl181	\$ 45,125.00
Valve Heart Lvl182	\$ 45,375.00
Valve Heart Lvl183	\$ 45,625.00
Valve Heart Lvl184	\$ 45,875.00
Valve Heart Lvl185	\$ 46,125.00
Valve Heart Lvl186	\$ 46,375.00
Valve Heart Lvl187	\$ 46,625.00
Valve Heart Lvl188	\$ 46,875.00
Valve Heart Lvl189	\$ 47,125.00
Valve Heart Lvl190	\$ 47,375.00
Valve Heart Lvl191	\$ 47,625.00
Valve Heart Lvl192	\$ 47,875.00
Valve Heart Lvl193	\$ 48,125.00
Valve Heart Lvl194	\$ 48,375.00
Valve Heart Lvl195	\$ 48,625.00
Valve Heart Lvl196	\$ 48,875.00
Valve Heart Lvl197	\$ 49,125.00
Valve Heart Lvl198	\$ 49,375.00
Valve Heart Lvl199	\$ 49,625.00
Valve Heart Lvl200	\$ 49,875.00
Valve Heart Lvl201	\$ 50,125.00
Valve Heart Lvl202	\$ 50,375.00
Valve Heart Lvl203	\$ 50,625.00
Valve Heart Lvl204	\$ 50,875.00
Valve Heart Lvl205	\$ 51,125.00
Valve Heart Lvl206	\$ 51,375.00
Valve Heart Lvl207	\$ 51,625.00
Valve Heart Lvl208	\$ 51,875.00
Valve Heart Lvl209	\$ 52,125.00
Valve Heart Lvl210	\$ 52,375.00
Valve Heart Lvl211	\$ 52,625.00
Valve Heart Lvl212	\$ 52,875.00
Valve Heart Lvl213	\$ 53,125.00
Valve Heart Lvl214	\$ 53,375.00
Valve Heart Lvl215	\$ 53,625.00
Valve Heart Lvl216	\$ 53,875.00
Valve Heart Lvl217	\$ 54,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Valve Heart Lvl218	\$ 54,375.00
Valve Heart Lvl219	\$ 54,625.00
Valve Heart Lvl220	\$ 54,875.00
Valve Heart Lvl221	\$ 55,125.00
Valve Heart Lvl222	\$ 55,375.00
Valve Heart Lvl223	\$ 55,625.00
Valve Heart Lvl224	\$ 55,875.00
Valve Heart Lvl225	\$ 56,125.00
Valve Heart Lvl226	\$ 56,375.00
Valve Heart Lvl227	\$ 56,625.00
Valve Heart Lvl228	\$ 56,875.00
Valve Heart Lvl229	\$ 57,125.00
Valve Heart Lvl230	\$ 57,375.00
Valve Heart Lvl231	\$ 57,625.00
Valve Heart Lvl232	\$ 57,875.00
Valve Heart Lvl233	\$ 58,125.00
Valve Heart Lvl234	\$ 58,375.00
Valve Heart Lvl235	\$ 58,625.00
Valve Heart Lvl236	\$ 58,875.00
Valve Heart Lvl237	\$ 59,125.00
Valve Heart Lvl238	\$ 59,375.00
Valve Heart Lvl239	\$ 59,625.00
Valve Heart Lvl240	\$ 59,875.00
Valve Heart Lvl241	\$ 60,125.00
Valve Heart Lvl242	\$ 60,375.00
Valve Heart Lvl243	\$ 60,625.00
Valve Heart Lvl244	\$ 60,875.00
Valve Heart Lvl245	\$ 61,125.00
Valve Heart Lvl246	\$ 61,375.00
Valve Heart Lvl247	\$ 61,625.00
Valve Heart Lvl248	\$ 61,875.00
Valve Heart Lvl249	\$ 62,125.00
Valve Heart Lvl250	\$ 62,375.00
Valve Heart Lvl251	\$ 62,625.00
Valve Heart Lvl252	\$ 62,875.00
Valve Heart Lvl253	\$ 63,125.00
Valve Heart Lvl254	\$ 63,375.00
Valve Heart Lvl255	\$ 63,625.00
Valve Heart Lvl256	\$ 63,875.00
Valve Heart Lvl257	\$ 64,125.00
Valve Heart Lvl258	\$ 64,375.00
Valve Heart Lvl259	\$ 64,625.00
Valve Heart Lvl260	\$ 64,875.00
Valve Heart Lvl261	\$ 65,125.00
Valve Heart Lvl262	\$ 65,375.00
Valve Heart Lvl263	\$ 65,625.00
Valve Heart Lvl264	\$ 65,875.00
Valve Heart Lvl265	\$ 66,125.00
Valve Heart Lvl266	\$ 66,375.00
Valve Heart Lvl267	\$ 66,625.00
Valve Heart Lvl268	\$ 66,875.00
Valve Heart Lvl269	\$ 67,125.00
Valve Heart Lvl270	\$ 67,375.00
Valve Heart Lvl271	\$ 67,625.00
Valve Heart Lvl272	\$ 67,875.00
Valve Heart Lvl273	\$ 68,125.00
Valve Heart Lvl274	\$ 68,375.00
Valve Heart Lvl275	\$ 68,625.00
Valve Heart Lvl276	\$ 68,875.00
Valve Heart Lvl277	\$ 69,125.00
Valve Heart Lvl278	\$ 69,375.00
Valve Heart Lvl279	\$ 69,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Valve Heart Lvl280	\$ 69,875.00
Valve Heart Lvl281	\$ 70,125.00
Valve Heart Lvl282	\$ 70,375.00
Valve Heart Lvl283	\$ 70,625.00
Valve Heart Lvl284	\$ 70,875.00
Valve Heart Lvl285	\$ 71,125.00
Valve Heart Lvl286	\$ 71,375.00
Valve Heart Lvl287	\$ 71,625.00
Valve Heart Lvl288	\$ 71,875.00
Valve Heart Lvl289	\$ 72,125.00
Valve Heart Lvl290	\$ 72,375.00
Valve Heart Lvl291	\$ 72,625.00
Valve Heart Lvl292	\$ 72,875.00
Valve Heart Lvl293	\$ 73,125.00
Valve Heart Lvl294	\$ 73,375.00
Valve Heart Lvl295	\$ 73,625.00
Valve Heart Lvl296	\$ 73,875.00
Valve Heart Lvl297	\$ 74,125.00
Valve Heart Lvl298	\$ 74,375.00
Valve Heart Lvl299	\$ 74,625.00
Valve Heart Lvl300	\$ 74,875.00
Valve Heart Lvl301	\$ 75,125.00
Valve Heart Lvl302	\$ 75,375.00
Valve Heart Lvl303	\$ 75,625.00
Valve Heart Lvl304	\$ 75,875.00
Valve Heart Lvl305	\$ 76,125.00
Valve Heart Lvl306	\$ 76,375.00
Valve Heart Lvl307	\$ 76,625.00
Valve Heart Lvl308	\$ 76,875.00
Valve Heart Lvl309	\$ 77,125.00
Valve Heart Lvl310	\$ 77,375.00
Valve Heart Lvl311	\$ 77,625.00
Valve Heart Lvl312	\$ 77,875.00
Valve Heart Lvl313	\$ 78,125.00
Valve Heart Lvl314	\$ 78,375.00
Valve Heart Lvl315	\$ 78,625.00
Valve Heart Lvl316	\$ 78,875.00
Valve Heart Lvl317	\$ 79,125.00
Valve Heart Lvl318	\$ 79,375.00
Valve Heart Lvl319	\$ 79,625.00
Valve Heart Lvl320	\$ 79,875.00
Valve Heart Lvl321	\$ 80,125.00
Valve Heart Lvl322	\$ 80,375.00
Valve Heart Lvl323	\$ 80,625.00
Valve Heart Lvl324	\$ 80,875.00
Valve Heart Lvl325	\$ 81,125.00
Valve Heart Lvl326	\$ 81,375.00
Valve Heart Lvl327	\$ 81,625.00
Valve Heart Lvl328	\$ 81,875.00
Valve Heart Lvl329	\$ 82,125.00
Valve Heart Lvl330	\$ 82,375.00
Valve Heart Lvl331	\$ 82,625.00
Valve Heart Lvl332	\$ 82,875.00
Valve Heart Lvl333	\$ 83,125.00
Valve Heart Lvl334	\$ 83,375.00
Valve Heart Lvl335	\$ 83,625.00
Valve Heart Lvl336	\$ 83,875.00
Valve Heart Lvl337	\$ 84,125.00
Valve Heart Lvl338	\$ 84,375.00
Valve Heart Lvl339	\$ 84,625.00
Valve Heart Lvl340	\$ 84,875.00
Valve Heart Lvl341	\$ 85,125.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Valve Heart Lvl342	\$ 85,375.00
Valve Heart Lvl343	\$ 85,625.00
Valve Heart Lvl344	\$ 85,875.00
Valve Heart Lvl345	\$ 86,125.00
Valve Heart Lvl346	\$ 86,375.00
Valve Heart Lvl347	\$ 86,625.00
Valve Heart Lvl348	\$ 86,875.00
Valve Heart Lvl349	\$ 87,125.00
Valve Heart Lvl350	\$ 87,375.00
Cath Imp (Diagnostic) Lvl001	\$ 200.00
Cath Imp (Diagnostic) Lvl002	\$ 450.00
Cath Imp (Diagnostic) Lvl003	\$ 750.00
Cath Imp (Diagnostic) Lvl004	\$ 1,050.00
Cath Imp (Diagnostic) Lvl005	\$ 1,350.00
Cath Imp (Diagnostic) Lvl006	\$ 1,375.00
Cath Imp (Diagnostic) Lvl007	\$ 1,625.00
Cath Imp (Diagnostic) Lvl008	\$ 1,875.00
Cath Imp (Diagnostic) Lvl009	\$ 2,125.00
Cath Imp (Diagnostic) Lvl010	\$ 2,375.00
Sealant Tisseel 4MI	\$ 851.00
Sealant Floseal	\$ 288.00
Sealant Tisseel	\$ 566.00
Basket Retrieval/Stone Lvl001	\$ 200.00
Basket Retrieval/Stone Lvl002	\$ 450.00
Basket Retrieval/Stone Lvl003	\$ 750.00
Basket Retrieval/Stone Lvl004	\$ 1,050.00
Basket Retrieval/Stone Lvl005	\$ 1,350.00
Basket Retrieval/Stone Lvl006	\$ 1,375.00
Basket Retrieval/Stone Lvl007	\$ 1,625.00
Basket Retrieval/Stone Lvl008	\$ 1,875.00
Basket Retrieval/Stone Lvl009	\$ 2,125.00
Basket Retrieval/Stone Lvl010	\$ 2,375.00
Hemostat Bone Putty Lvl001	\$ 200.00
Hemostat Bone Putty Lvl002	\$ 450.00
Hemostat Bone Putty Lvl003	\$ 750.00
Hemostat Bone Putty Lvl004	\$ 1,050.00
Hemostat Bone Putty Lvl005	\$ 1,350.00
Hemostat Bone Putty Lvl006	\$ 1,375.00
Hemostat Bone Putty Lvl007	\$ 1,625.00
Hemostat Bone Putty Lvl008	\$ 1,875.00
Hemostat Bone Putty Lvl009	\$ 2,125.00
Hemostat Bone Putty Lvl010	\$ 2,375.00
Hemostat Bone Putty Lvl011	\$ 2,625.00
Hemostat Bone Putty Lvl012	\$ 2,875.00
Hemostat Bone Putty Lvl013	\$ 3,125.00
Hemostat Bone Putty Lvl014	\$ 3,375.00
Hemostat Bone Putty Lvl015	\$ 3,625.00
Hemostat Bone Putty Lvl016	\$ 3,875.00
Hemostat Bone Putty Lvl017	\$ 4,125.00
Hemostat Bone Putty Lvl018	\$ 4,375.00
Hemostat Bone Putty Lvl019	\$ 4,625.00
Hemostat Bone Putty Lvl020	\$ 4,875.00
Hemostat Bone Putty Lvl021	\$ 5,125.00
Hemostat Bone Putty Lvl022	\$ 5,375.00
Hemostat Bone Putty Lvl024	\$ 5,875.00
Hemostat Bone Putty Lvl025	\$ 6,125.00
Hemostat Bone Putty Lvl026	\$ 6,375.00
Hemostat Bone Putty Lvl027	\$ 6,625.00
Hemostat Bone Putty Lvl028	\$ 6,875.00
Hemostat Bone Putty Lvl029	\$ 7,125.00
Hemostat Bone Putty Lvl030	\$ 7,375.00
Staple Closure Lvl011	\$ 2,625.00

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Staple Closure Lvl012	\$ 2,875.00
Staple Closure Lvl013	\$ 3,125.00
Staple Closure Lvl014	\$ 3,375.00
Staple Closure Lvl015	\$ 3,625.00
Embolization Coil Lvl011	\$ 2,625.00
Watchman Lft Atrl Apndge Devce	\$ 83,178.00
Watchman Access System	\$ 5,359.00
Impella Cp Heart Pump Set	\$ 89,320.00
Impella 2.5 Infusion Pump Set	\$ 81,098.00
Catheter Frontrunner	\$ 799.00
Catheter Outback	\$ 4,393.00
Cath Imp (Nos) Lvl001	\$ 200.00
Cath Imp (Nos) Lvl002	\$ 450.00
Cath Imp (Nos) Lvl003	\$ 750.00
Cath Imp (Nos) Lvl004	\$ 1,050.00
Cath Imp (Nos) Lvl005	\$ 1,350.00
Cath Blade Septostomy Lvl017	\$ 4,125.00
Cath Blade Septostomy Lvl018	\$ 4,375.00
Cath Blade Septostomy Lvl019	\$ 4,625.00
Embolization Coil Lvl001	\$ 200.00
Embolization Coil Lvl002	\$ 450.00
Embolization Coil Lvl003	\$ 750.00
Embolization Coil Lvl004	\$ 1,050.00
Embolization Coil Lvl005	\$ 1,350.00
Embolization Coil Lvl006	\$ 1,375.00
Embolization Coil Lvl007	\$ 1,625.00
Embolization Coil Lvl009	\$ 2,125.00
Embolization Coil Lvl010	\$ 2,375.00
Dilator Vessel Lvl001	\$ 200.00
Dilator Vessel Lvl002	\$ 450.00
Dilator Vessel Lvl003	\$ 750.00
Cath Imp (Nos) Lvl006	\$ 1,375.00
Cath Imp (Nos) Lvl007	\$ 1,625.00
Cath Imp (Nos) Lvl008	\$ 1,875.00
Cath Imp (Nos) Lvl009	\$ 2,125.00
Cath Imp (Nos) Lvl010	\$ 2,375.00
Watchman Lft Atrl Apndge Devce	\$ 79,963.00
Wire Stylet Lvl001	\$ 200.00
Wire Stylet Lvl002	\$ 450.00
Wire Stylet Lvl003	\$ 750.00
Lead Extender Lvl001	\$ 200.00
Lead Extender Lvl002	\$ 450.00
Lead Extender Lvl003	\$ 750.00
Lead Extender Lvl004	\$ 1,050.00
Lead Extender Lvl005	\$ 1,350.00
Hydrochlorothiazide Tab	OPEN
Cocaine 4% Ex Soln	OPEN
Clorazepate Dip Tab	OPEN
Ephedrine Inj	OPEN
Alcohol Dehyd 99% Amp 1Ml Inj	OPEN
Acetic Acid Irrig 0.25%	OPEN
Cysteine Hcl 50Mg	OPEN
Lidocaine 20Mg/Ml Inj	OPEN
Dornase Alpha Inh Soln	OPEN
Sodium Chloride 2.5 Meq/Ml Inj	OPEN
Sodium Bicarbonate 4% Inj	OPEN
Sodium Acetate Inj	OPEN
Divalproex Sod Depakote 250Mg	OPEN
Divalproex Tab	OPEN
Sodium Phosphate Inj	OPEN
Potassium Phos Inj	OPEN
Potassium Ace Inj	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Alproazolam Tab	OPEN
Zinc Sulfate 1Mg/ML IvsoIn	OPEN
Amino Acid Hbc 7%	OPEN
Tromethamine Iv Soln	OPEN
Lidocaine/Epi 1.5% Inj	OPEN
Valpoic Acid Posyrp	OPEN
Sodium Bicarb 4.2% Inj	OPEN
Dextrose 50% Inj	OPEN
Nitroglycerin 5Mg/ML Inj	OPEN
Thiopental Inj	OPEN
Nitroprusside 25Mg/ML IvsoIn	OPEN
Triamcinolone Acet 0.1% Lotion	OPEN
Chlordiazepoxide 5Mg Cap	OPEN
Chlordiazepoxide 10Mg Cap	OPEN
Chlordiazepoxide 25Mg Cap	OPEN
Carbamazepine Chew Tab	OPEN
Ammonium Cl 5Meq/ML IvsoIn	OPEN
Multivitamin Chew Tab	OPEN
Paregoric Po Liquid	OPEN
Bethanechol Tab	OPEN
Pramipexole Tab	OPEN
D-Xylose Powd	OPEN
Dermoplast Spray	OPEN
Propranolol Tab	OPEN
Conj Estrogen 0.3Mg Tab	OPEN
Conj Estrogen 0.625 Mg Tab	OPEN
Conj Estrogen 0.9Mg Tab	OPEN
Conj Estrogen Vag Cr	OPEN
Conj Estrogen 1.25Mg Tab	OPEN
Methadone 10Mg/ML Poconc	OPEN
Dapsone Tab	OPEN
Propranolol 10Mg Ud Tab	OPEN
Primidone Tab	OPEN
Disopyramide 100Mg Cr Cap	OPEN
Vivonex Rtf Poliq	OPEN
Benzocaine-Antipyrine Otsoln	OPEN
Propranolol La 180Mg Cap	OPEN
Propranolol La 120Mg Cap	OPEN
Disopyramide 150Mg Cr Cap	OPEN
Cefadroxil 500Mg Cap	OPEN
Pentamidine Per 300Mg Inj	OPEN
Ultracal Hn Rtf Poliq	OPEN
Dicloxacillin 250Mg Cap	OPEN
Choice Dm Rtf Poliq	OPEN
Nafcillin Per 2Gm Inj	OPEN
Metformin Tab	OPEN
Pre Pen 0.25 ML Amp	OPEN
Doxylamine 25Mg Tab	OPEN
Lactulose 10 Gm Pwd Pkt	OPEN
Lactulose 20 Gm Pwd Pkt	OPEN
Labetalol Tab	OPEN
Furazolidone 3.3Mg/ML Posusp	OPEN
Amoxicillin 250Mg Cap	OPEN
Lomustine Oral Per 10Mg	OPEN
Mitotane 500Mg Tab	OPEN
Sodium Bicarb 8.4% Inj	OPEN
Calcium Chloride 10% Inj	OPEN
Bleph 10 Opoint	OPEN
Augmentin Tab	OPEN
Sodium Bicarb 8.4% Inj Syr	OPEN
Selenium Inj	OPEN
Ammonium Lactate Ex Lotn	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Gentian Violet Exsoln	OPEN
Sufentanil 50Mcg/ML IvSoln	OPEN
Metaproterenol Po Syrp	OPEN
Balanced Salt Op Soln	OPEN
Atropine 1% Opsoln	OPEN
Carbachol 1.5% Opsoln	OPEN
Pilocarpine 1% Opsoln	OPEN
Pilocarpine 2% Opsoln	OPEN
Pilocarpine 4% Opsoln	OPEN
Pilocarpine 6% Opsoln	OPEN
Homatropine 2% Opsoln	OPEN
Homatropine 5% Opsoln	OPEN
Neomycin-Ppolymix-Dex Opsoln	OPEN
Tropicamide Op Soln	OPEN
Zafirlukast Tab	OPEN
Tobradex Op Susp	OPEN
Tetracaine 0.5% Opsoln	OPEN
Fluorescein 2% Op Soln	OPEN
Eye Stream Op Soln	OPEN
Proparacaine 0.5% Op Soln	OPEN
Fluorescein 10% Inj	OPEN
Scopolamine 0.25% Op Soln	OPEN
Polyvinyl Alcohol 1.4% Op Soln	OPEN
Cyclopeentolate 1% Op Soln	OPEN
Carbachol 3% Op Soln	OPEN
Natamycin 5% Op Susp	OPEN
Viokase Powder	OPEN
Cyclopentolate 2% Op Soln	OPEN
Naphazoline-Phen Op Soln	OPEN
Neomycin-Polymix-Dex Op Oint	OPEN
Tobramycin 0.3% Op Soln	OPEN
Pilocarpine 1% Op Soln	OPEN
Protain XI Poliq	OPEN
Levocarnitine Po Soln	OPEN
Cefadroxil Posusp	OPEN
Betaxolol 0.25% Op Susp	OPEN
Acetazolamide Tab	OPEN
Folic Acid Tab	OPEN
Aminocaproic Acid Inj	OPEN
Folic Acid 5Mg/ML Inj	OPEN
Trihexyphenidyl Tab	OPEN
Acetazolamide 500Mg Cap	OPEN
Golytely Posoln	OPEN
Triamcinolone 0.1% Cr	OPEN
Ethambutol Tab	OPEN
Nystatin Po Susp	OPEN
Aminocaproic Acid Po Syrp	OPEN
Pyrazinamide Tab	OPEN
Minocycline 100Mg Cap	OPEN
Methazolamide Tab	OPEN
Loxapine 10Mg Cap	OPEN
Loxapine 25Mg Cap	OPEN
Amoxapine Tab	OPEN
Demeclocycline Tab	OPEN
Loxapine 5Mg Cap	OPEN
Triamcinolone 0.025% Oint	OPEN
Lithium Sr Tab	OPEN
Aminocaproic Acid Tab	OPEN
Triamcinolone 0.025% Cr	OPEN
Triamcinolone Ace 0.025% 80Gm	OPEN
Hydralazine Tab	OPEN
Labetalol Inj	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Dibucaine 1% Pr Oint	OPEN
Sodium Phosphate 3Mm/MI Inj	OPEN
Apraclonidine 1% Op Soln	OPEN
Amiloride Tab	OPEN
Clorazepate Tab	OPEN
Scopolamine 1.5Mg Patch	OPEN
Augmentin 125Mg/5MI Posusp	OPEN
Augmentin Po Susp	OPEN
Methyphenidate Tab	OPEN
Carbamazepine Po Susp	OPEN
Carbamazepine Tab	OPEN
Baclofen Tab	OPEN
Metoprolol Tab	OPEN
Metoprolol Tartrate Tab	OPEN
Imipramine Tab	OPEN
Metoprolol Inj	OPEN
Caffeine-Sodium Benzoate Inj	OPEN
Terbutaline Tab	OPEN
Carbamazepine 100Mg Xr Tab	OPEN
Isoproterenol 0.2Mg/MI Inj	OPEN
Isoproterenol 0.5% Inj	OPEN
Mephobarbital Tab	OPEN
Bupivacaine 0.75% Inj	OPEN
Norepinephrine 1Mg/MI Ivsoln	OPEN
Procaine 1% Inj	OPEN
Tetracaine 2% Ex Soln	OPEN
Clonidine Tts Patch 0.1Mg	OPEN
Clonidine Tts Patch 0.2 Mg	OPEN
Clonidine Tts Patch 0.3Mg	OPEN
Carbamazepine 200Mg Xr Tab	OPEN
Carbamazepine 400Mg Xr Tab	OPEN
Methylphenidate 10Mg Tab Ud	OPEN
Bupivacaine It Inj	OPEN
Bupiv 0.75 / Epi 1:200 Inj	OPEN
Cyclopentolate-Phenyl Op Soln	OPEN
Lidocaine 1% Inj	OPEN
Mineral Oil Sterile	OPEN
Sufentanil 50Mcg/MI Inj	OPEN
Apraclonidine 0.5% Op Soln	OPEN
Nafcillin Per 2 Gm Inj	OPEN
Lidocaine-Prilocaine Cr	OPEN
Sucralfate Po Susp	OPEN
Isosorbide Mono Er Tab	OPEN
Surgical Hemostat	OPEN
Novasource 2.0 Poliq	OPEN
Isocal Poliq	OPEN
Beneprotein Po Powd	OPEN
Glycopyrrolate Inj	OPEN
Niacin Er 500Mg Tab	OPEN
Niacin Er 750Mg Tab	OPEN
Nitrofurantoin Tab	OPEN
Phenol 1.4%	OPEN
Nitrofurantoin Po Susp	OPEN
Dantrolene 25Mg Cap	OPEN
Calcium Acetate 667 Mg Tab	OPEN
Ipratropium 0.02% Inh Soln	OPEN
Cefixime Tab	OPEN
Divalproex 125Mg Sp Cap	OPEN
Beractant Inj	OPEN
Hydrocortisone 1% Cr	OPEN
Flumazenil 0.1Mg/MI Ivsoln	OPEN
Flumazenil 0.1Mg/MI Inj	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Carvedilol Tab	OPEN
Furosemide Po Soln	OPEN
Pentoxifylline Tab	OPEN
Furosemide Tab	OPEN
Sotalol Tab	OPEN
Cefdinir Po Susp	OPEN
Levetiracetam Po Soln	OPEN
Zonisamide 25Mg Cap	OPEN
Levalbuterol Inh Soln	OPEN
Mycophenolate 500Mg Inj	OPEN
Cyanocobalamin Tab	OPEN
Lidocaine 2% Inj	OPEN
Dinoprostone Vag Ins	OPEN
Folic Acid-Vit B6-Vit B12 Tab	OPEN
Sterile Water Inj	OPEN
Sodium Chloride 23.4% Inj	OPEN
Metolazone Po Susp	OPEN
Oxybutynin XI Tab	OPEN
Oxybutynin 15Mg XI Tab	OPEN
Escitalopram Po Soln	OPEN
Ketoconazole Tab	OPEN
Isosorbide Dinitrate Tab	OPEN
Isosorbide 5Mg SI Tab	OPEN
Isosorbide 2.5Mg SI Tab	OPEN
Bactroban 2% Oint	OPEN
Warfarin Tab	OPEN
Hycodan Po Syrp	OPEN
Benzonatate Caps	OPEN
Clindamycin Per 300Mg Inj	OPEN
Clindamycin 75Mg/5ML Posusp	OPEN
Fluoxymesterone Tab	OPEN
Medroxyprogesterone Tab	OPEN
Bacitracin Inj	OPEN
Alprazolam Tab	OPEN
Hydrocortisone Tab	OPEN
Simvastatin 5Mg Tab	OPEN
Simvastatin Tab	OPEN
Cortisone Ace Tab	OPEN
Carboprost 250Mg Mcg/ML Inj	OPEN
Dinoprostone 20Mg Vag Supp	OPEN
Minoxidil Tab	OPEN
Cefprozil Tab	OPEN
Glyburide Tab	OPEN
Ibuprofen Posusp	OPEN
Ibuprofen Tab	OPEN
Glimepiride Tab	OPEN
Belladonna/Opium Supp	OPEN
Meperidine Tab	OPEN
Phenobarbital Tab	OPEN
Meprobamate Tab	OPEN
Promethazine Per 12.5Mg Oral	OPEN
Promethazine Suppos	OPEN
Risperidone Odt Tab	OPEN
Gelclair Mt Gel	OPEN
Indocyanine Green Inj	OPEN
Lorazepam Tab	OPEN
Amiodarone Tab	OPEN
Diclofenac Tab	OPEN
Tolterodine 2Mg Er Cap	OPEN
Tolterodine 4Mg Er Cap	OPEN
Betamethasone Dip 0.05% Cr	OPEN
Clotrimazole 1% Cr	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Clotrimazole 1% Exsoln	OPEN
Fentanyl 800Mcg Lollipop	OPEN
Betamethasone 0.1% Cr	OPEN
Betamethasone 0.1% Oint	OPEN
Vitamin A&D Oint	OPEN
Oxymetazoline 0.05% Na Soln	OPEN
Griseofulvin 500Mg Tab	OPEN
Gentamicin 0.3% Opoint	OPEN
Gentamicin 0.3% Opsoln	OPEN
Entacapone Tab	OPEN
Clarithromycin Posusp	OPEN
Bismuth Subsalicylate Posusp	OPEN
Albuterol Inh	OPEN
Perphenazine Tab	OPEN
Chlorpheniramine Posoln	OPEN
Betamethasone 0.5% Exlotn	OPEN
Vitamin D 8000 U/MI Po Drops	OPEN
Vitamin D 50,000 Unit Cap	OPEN
Phenylephrine 10% Opsoln	OPEN
Diazoxide 50 Mg/MI Posusp	OPEN
Sarapin Inj	OPEN
Tenofovir 300Mg Tab	OPEN
Fosinopril 40Mg Tab	OPEN
Remifentanyl Inj	OPEN
Insulin Syringe 1MI	OPEN
Hydroxychloroquine Tab	OPEN
Chloroquine Tab	OPEN
Ferrous Sulfate Tab	OPEN
Albuterol 0.5% Inh	OPEN
Phenylephrine 1% Nasoln	OPEN
Cefuroxime Axetil Tab	OPEN
Itraconazole 100Mg Cap	OPEN
Ziprasidone Tab	OPEN
Ziprasidone 80Mg Cap	OPEN
Cisatracurium 10Mg/MI lvsoln	OPEN
Lidocaine 5% Ex Patch	OPEN
Ergotamine-Caffeine Tab	OPEN
Nortriptyline 75Mg Cap	OPEN
Butalbital-Aspirin-Caff Tab	OPEN
Cisatracurium Inj	OPEN
Thioridazine Tab	OPEN
Methylergonovine Tab	OPEN
Bupropion XI 300Mg Tab	OPEN
Bromocriptine Tab	OPEN
Fentanyl Cit 600Mcg Lollipop	OPEN
Flecainide Tab	OPEN
Bumetanide Tab	OPEN
Bumetanide Inj	OPEN
Dextrose 25% Inj	OPEN
Lidocaine 2% Ex Gel	OPEN
Trace Elements Inj	OPEN
Olanzapine Inj Per 10Mg	OPEN
Metronidazole Tab	OPEN
Hydrocortisone Posusp	OPEN
Hctz/Valsartan Tab	OPEN
Paroxetine Tab	OPEN
Amlodipine/Benazepril 10/20Cap	OPEN
Pravastatin Tab	OPEN
Omega-3 Fatty Acid Cap	OPEN
Duloxetine 20Mg Cap	OPEN
Duloxetine 30Mg Cap	OPEN
Duloxetine 60Mg Cap	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Sertraline Po Conc	OPEN
Memantine Tab	OPEN
Oxcarbazepine Posusp	OPEN
Quetiapine Tab	OPEN
Lubricant Jelly	OPEN
Tretinoin 10Mg Cap	OPEN
Mesalamine Cap	OPEN
Valganciclovir Posoln	OPEN
Petrolatum Oint	OPEN
Patanol 0.1% Opsoln	OPEN
Travoprost 0.004% Opsoln	OPEN
Hydroxyzine Pamoate 25Mg Cap	OPEN
Nitazoxanide Poliq	OPEN
Ranitidine Ef Tab	OPEN
Serevent Disk Inhaler	OPEN
Hydroxyzine Pamoate 50Mg Cap	OPEN
Amino Acids 15% lvsoln	OPEN
Linezolid Posoln	OPEN
Acetaminophen Posoln	OPEN
Acetaminophen W/Cod Posoln	OPEN
Acetaminophen 320Mg/10MI El Ud	OPEN
Propranolol Posoln	OPEN
Potassium Chlor 10% Poliq	OPEN
Milk Magnesia Posusp	OPEN
D5Nss With Kcl lvsoln	OPEN
Acid Citrate Dex Sod Cit Soln	OPEN
Ferrous So4 Posoln	OPEN
Ascorbic Acid Tab	OPEN
Papaverine 150Mg Cap	OPEN
Pseudoephedrine Tab	OPEN
Acetaminophen Supp	OPEN
Docusate Sod 4 Mg/MI Posyrp	OPEN
Mineral Oil Oral	OPEN
Chlorpheniramine Tab	OPEN
Neomycin Sulfate Tab	OPEN
Ipecac Syrup	OPEN
Methadone 1Mg/MI Posoln	OPEN
Morphine So4 2 Mg/MI Posoln	OPEN
Diphenhydramine Po Per 50 Mg	OPEN
Aspirin Supp 600Mg	OPEN
Docusate Sod 50Mg Cap	OPEN
Acetaminophen Supp 120Mg	OPEN
Acetaminophen Supp 650Mg	OPEN
Aspirin Supp 300Mg	OPEN
Acetaminophen Supp 325Mg	OPEN
Lovastatin Tab	OPEN
Valacyclovir Tab	OPEN
Sodium Chloride 3% Inj	OPEN
Verapamil Posusp	OPEN
Dexamethasone 0.1% Opsoln	OPEN
Methyldopa Tab	OPEN
Mirtazapine 15Mg Soltab	OPEN
Ethacrynate Sodium Inj	OPEN
Dexamethasone Tab	OPEN
Enalapriltab	OPEN
Cyproheptadine 2Mg/5MI Posyrp	OPEN
Chlorothiazide Posusp	OPEN
Chlorothiazide Tab	OPEN
Carbidopa-Levodopa Tab	OPEN
Cyclobenzaprine Tab	OPEN
Timoptic 0.25% Opsoln	OPEN
Timoptic 0.5% Opsoln	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Labetalol Posusp	OPEN
Enalaprilat 1.25Mg/MI Inj	OPEN
Probenecid Tab	OPEN
Enalapril Tab	OPEN
Phytonadione Tab	OPEN
Benzotropine Mesylat Tab	OPEN
Benzotropine Tab	OPEN
Acetic Acid 5% Ex Soln	OPEN
Lisinopril Tab	OPEN
Indomethacin 1Mg/MI Inj	OPEN
Lisinopriltab	OPEN
Quinidine Sulfate Tab	OPEN
Potassium Chloride Cap	OPEN
Etomidate 2Mg/MI Inj	OPEN
Belladonna Alk/Phenobarb Tab	OPEN
Zinc Sulfate Inj	OPEN
Methocarbamol Tab	OPEN
Donnatal Poelix	OPEN
Fexofenadine Tab	OPEN
Guaifenesin Syrup	OPEN
Sodium Thiosulfate 25% Inj	OPEN
Guaifenesin-Dm Posyrp	OPEN
Rivastigmine 1.5Mg Cap	OPEN
Guaifenesin Dm 10MI Ud	OPEN
Vitamin B Complex W/C Tab	OPEN
Glycopyrrolate 0.2 Mg/MI Inj	OPEN
Glycopyrrolate 0.02 Mg/MI Inj	OPEN
Doxapram 20Mg/MI lvsoln	OPEN
Guaifenesin-Cod Posyrp	OPEN
Metoclopramide 1Mg/MI Syrp	OPEN
Metoclopramide Tab	OPEN
Rivastigmine 3Mg Cap	OPEN
Clomipramine 25Mg Cap	OPEN
Multiple Vitamin Tab/Cap	OPEN
Sulfasalazine Tab	OPEN
Flunisolide Inh	OPEN
Clomipramine 50Mg Cap	OPEN
Hydrocortisone Enema	OPEN
Levetiracetam Tab	OPEN
House Antacid	OPEN
Aripiprazole Posoln 1Mg/MI	OPEN
Guiafenesin/Hydrocodone Syrup	OPEN
Hydroxyzine Tab	OPEN
Hydroxyzine Posyrp	OPEN
Hydroxyzinetab	OPEN
Chlorporpamide Tab	OPEN
Chlorpropamide Tab	OPEN
Thiothixene Cap	OPEN
Doxepin 25Mg Cap	OPEN
Doxepin 50Mg Cap	OPEN
Doxepin 100Mg Cap	OPEN
Prazosin 1Mg Cap	OPEN
Prazosin 2Mg Cap	OPEN
Prazosin 5Mg Cap	OPEN
Polysporin Expwd	OPEN
Doxycycline 50Mg Cap	OPEN
Nifedipine Cap	OPEN
Doxepin Cap	OPEN
Donepezil Odt 5Mg Tab	OPEN
Pancuronium 1Mg/MI lvsoln	OPEN
Zonisamide 100Mg Cap	OPEN
Vecuronium 1Mg/MI Inj	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Sertraline Tab	OPEN
Donepezil Odt 10Mg Tab	OPEN
Dicyclomine Cap	OPEN
Dicyclomine Tab	OPEN
Lactulose Posyrp	OPEN
Lactulose Syrup	OPEN
Cetylpyridinium Mouthwash	OPEN
Menthol Lozenge	OPEN
Clomiphene Tab	OPEN
Desipramine Tab	OPEN
Mct Po Oil	OPEN
Bisoprolol-Hctz Tab	OPEN
Nicotine Gum 2Mg	OPEN
Potassium Chloride Popwd	OPEN
Acetylcysteine 10% Inhsoln	OPEN
Acetylcysteine 20% Inhsoln	OPEN
Felodipine Tab	OPEN
Ferrous Sulfate Posoln	OPEN
Haloperidol Tab	OPEN
Haloperidol 2Mg/MI Poconc	OPEN
Acetaminophen Tab	OPEN
Acetaminophen 160Mg/5MI Elix	OPEN
Acetaminophen W/Cod Tab	OPEN
Ciprofloxacin Posusp	OPEN
Pimozide Tab	OPEN
Glycopyrrolate Tab	OPEN
Glipizide XI 2.5Mg Tab	OPEN
Clozapine Tab	OPEN
Buspirone Tab	OPEN
Ganciclovir 250Mg Cap	OPEN
Vitamin E 50Iu/MI Drops	OPEN
Product 3232A Po Powd	OPEN
Multivitamin Inj	OPEN
Chlorthalidone Tab	OPEN
Sevelamer Tab	OPEN
Midrin Cap	OPEN
Cephalexin Cap	OPEN
Sodium Morrhuate 5% Inj	OPEN
Vancomycin 125Mg Cap	OPEN
Vancomycin 250Mg Cap	OPEN
Cephalexin 125Mg/5MI Posusp	OPEN
Cephalexin 250Mg/5MI Posusp	OPEN
Fenofibrate Tab	OPEN
Trimethoprim Posoln	OPEN
Vancomycin Posoln	OPEN
Loperamide Poliq	OPEN
Megestrol Acet Posusp	OPEN
Methohexital Inj	OPEN
Benzoin Tincture	OPEN
Aromatic Elixir	OPEN
Colchicine 0.6Mg Tab	OPEN
Emetrol Posoln	OPEN
Alendronate 10Mg Tab	OPEN
Methimazole Tab	OPEN
Sodium Chloride Tab	OPEN
Sulfadiazine Tab	OPEN
Fentanyl 12.5Mcg Patch	OPEN
Ephedrine 25Mg Cap	OPEN
Misoprostol Tab	OPEN
Ipratropium/Albuterol Inh	OPEN
Phenytoin Tab	OPEN
Phenytoin 25Mg/MI Posusp	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Vasopressiin Inj	OPEN
Lorazepam Posoln	OPEN
Nicotinic Acid Tab	OPEN
Phenobarb Tab	OPEN
Ethosuximide 250Mg Cap	OPEN
Cilostazole 100Mg Tab	OPEN
Cilostazole 50Mg Tab	OPEN
Simple Syrup	OPEN
Ted Stocking Thigh Length Sm	OPEN
Ted Stocking Thigh Length Med	OPEN
Ted Stocking Thigh Length Lrg	OPEN
Ted Stocking Thigh Length Xl	OPEN
Ted Stocking Knee Length Sm	OPEN
Ted Stocking Knee Length Med	OPEN
Ted Stocking Knee Length Lrg	OPEN
Ted Stocking Knee Length Xl	OPEN
Lithium Citrate Posyrrp	OPEN
Nitroglycerin 0.3Mg Tab	OPEN
Nitroglycerin 0.6Mg Tab	OPEN
Nitroglycerin Sl Tab	OPEN
Procainamide Cap	OPEN
Anusol Supp	OPEN
Hydrocortisone Supp	OPEN
Methenamine Tab	OPEN
Nefazodone Tab	OPEN
Abilify Tab	OPEN
Phenazopyridine Tab	OPEN
Mvi Liquid	OPEN
Thrombin Exsoln	OPEN
Indapamide Tab	OPEN
Metronidazole 1% Gel	OPEN
Metronidazole 0.75% Vaggel	OPEN
Dermabase Cr	OPEN
Diphenhydramine 2.5Mg/MI Elix	OPEN
Ethosuximide Posoln	OPEN
Gentamycin 12Mg/MI Opsoln	OPEN
Witch Hazel/Glycerin Pad	OPEN
Gemfibrozil Tab	OPEN
Renal Vitamin Cap	OPEN
Clindamycin Ivsoln	OPEN
Dorzolamide 2% Opsoln	OPEN
Imiquimod 5% Cr	OPEN
Loratadine Odt Tab	OPEN
Hydrocortisone 2.5% Rectal Cr	OPEN
Thrombin 20Ku (Topical)	OPEN
Phenytoin Cap	OPEN
Metyrosine 250Mg Cap	OPEN
Itraconazole 10Mg/MI Posoln	OPEN
Multivitamin Posoln	OPEN
Naratriptan Tab	OPEN
Pramoxine-Zinc Oxide Oint	OPEN
Flucytosine 250Mg Cap	OPEN
Budesonide Inhsoln	OPEN
Nitroglycerin Patch 0.1Mg/Hr	OPEN
Nitroglycerin Patch 0.2Mg/Hr	OPEN
Nitroglycerin Patch 0.3Mg/Hr	OPEN
Nitroglycerin Patch 0.4Mg/Hr	OPEN
Nitroglycerin Patch 0.6Mg/Hr	OPEN
Flucytosine 500Mg Cap	OPEN
Neostigmine Tab	OPEN
Diazepam Tab	OPEN
Diazepam 5Mg Tab	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Trimethoprim Tab	OPEN
Sulfamethox-Tmp Tab	OPEN
Levophanol Tab	OPEN
Mexiletine 150Mg Cap	OPEN
Mexiletine 200Mg Cap	OPEN
Isosource 1.5Cal Poliq	OPEN
Diazepam 1Mg/MI Posoln	OPEN
Carisoprodol Tab	OPEN
Dexmedetomidine Inj	OPEN
Prosource Po Pack	OPEN
Novasource Renal Poliq	OPEN
Rosuvastatin Tab	OPEN
Source Cf Tab	OPEN
Ciprofloxacin 0.3% Opsoln	OPEN
Saline Nasal Spray	OPEN
Albuterol/Ipratropium Inhsoln	OPEN
Sodium Chloride 2% Opsoln	OPEN
Sodium Chloride 5% Opsoln	OPEN
Surgicel (Nu-Knit) 3" X 4"	OPEN
Mercaptopurine Tab	OPEN
Neosporin Opsoln	OPEN
Esomeprazole 40Mg Inj	OPEN
Aquaphor Oint	OPEN
Bacitracin/Neos/Polymyx Oint	OPEN
Neosporin Ophth Oint	OPEN
Bacitra/Neos/Polymyx Gu Irr	OPEN
Sumatriptan Tab	OPEN
Subdue Poliq	OPEN
Digoxin Tab	OPEN
Chlorambucil Tab	OPEN
Fibrin Sealant Ex Kit	OPEN
Tisseel Vh Exsoln	OPEN
Levofloxacin 750Mg Tab	OPEN
Levofloxacin 25Mg/MI Posoln	OPEN
Lopinavir-Ritonavir Tab	OPEN
Emtricitabine-Tenofovir Tab	OPEN
Sodium Hyaluronate Iosoln	OPEN
Bacit-Poly-Neo Hc 1 % Oint	OPEN
Bacit-Polymx-Hc-Neo Opoint	OPEN
Neomycin-Polymyxin-Hc Otsoln	OPEN
Atorvastatin Tab	OPEN
Pyrimethamine Tab	OPEN
Mupirocin 2% Oint	OPEN
Sildenafil Tab	OPEN
Multiple Vitamins W/Minrls Tab	OPEN
Terazosin 1Mg Cap	OPEN
Zidovudine Posyrup	OPEN
Allopurinol Tab	OPEN
Ammonia Inh	OPEN
Mesna 400Mg Tab	OPEN
Sucralfate 1Gm/10MI Posusp	OPEN
Atovaquone Posusp	OPEN
Scopolamine 0.4Mg/MI Inj	OPEN
Bacitracin-Polymyxin B Opoint	OPEN
Thioguanine Tab	OPEN
Polymixin B Inj	OPEN
Neomycin-Polymyxin-Hc Otsusp	OPEN
Trifluridine 1% Opsoln	OPEN
Pseudoephedrine Posyrrp	OPEN
Digoxin 0.05Mg/MI Posoln	OPEN
Bacitracin/Polymixin B Oint	OPEN
Amyl Nitrate Inh	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Albuterol Tab	OPEN
Triamcinolone Inh	OPEN
Mesalamine Supp 1000Mg	OPEN
Oxcarbazine Oral 150Mg Cap	OPEN
Cefdinir 300Mg Cap	OPEN
Isradipine 1Mg Perml Posusp	OPEN
Collodion Flexible	OPEN
Sorbitol 70% Soln	OPEN
Oxyquinolone Sulfate Vaggel	OPEN
Pentafluoro/Tetrafluoro Spr	OPEN
Candida Albicans Idsoln	OPEN
Vitamin A 50000U/MI Inj	OPEN
Famotidine Per 20Mg Inj	OPEN
Permethrin 1% Exliq	OPEN
Famotidine 40Mg/5MI Posusp	OPEN
Albuterol Hfa Inh	OPEN
Ciprofloxacin Hc Otsusp	OPEN
Levalbuterol Inh	OPEN
Dorzolamide/Timolol Opsoln	OPEN
Potassium Chlor 10Meq Tab/Cap	OPEN
Metformin Er 500Mg Tab	OPEN
Ibandronate 150Mg Tab	OPEN
Lansoprazole Solutab	OPEN
Lansoprazole 30Mg Solu Tab	OPEN
Metformin 750Mg Er Tab	OPEN
Ferric Subsulfate Exsoln	OPEN
Flecainide 20Mg/MI Posusp	OPEN
Levothyroxine Tab	OPEN
Remifentanyl 5Mg Inj	OPEN
Lanthanum Carb Tab	OPEN
Saf-Gel Ex Gel	OPEN
Peptamen Af Poliq	OPEN
Ursodiol (Actigall) 300Mg Cap	OPEN
Rifampin Inj	OPEN
Propafenone Tab	OPEN
Olmesartan Tab	OPEN
Cefprozil 250Mg/5 MI Posusp	OPEN
Cefprozil 125Mg/5 MI Posusp	OPEN
Nifedipine Er 30Mg	OPEN
Nifedipine Er 60Mg	OPEN
Nifedipine Er 90Mg	OPEN
Lotrel 2.5/10 Cap	OPEN
Lotrel 5/10 Cap	OPEN
Fluvoxamine Tab	OPEN
Nicardipine 2.5Mg/MI Inj	OPEN
Calcitonin Nasal Spr	OPEN
Olanzapine 2.5Mg Tab	OPEN
Metoprolol XI Tab	OPEN
Ramipril Tab	OPEN
Benazepril Tab	OPEN
Rocuronium Inj	OPEN
Calcium Gluconate Gel	OPEN
Nutren 2.0 Poliq	OPEN
Nutren 1.0 Poliq	OPEN
Fluconazole 10Mg/MI Posusp	OPEN
Nicardipine 20Mg Cap	OPEN
Nicardipine 30Mg Cap	OPEN
Famciclovir 500Mg Tab	OPEN
Hydrocortisone 1% Oint	OPEN
Linezolid 600Mg Tab	OPEN
Glytrol Poliq	OPEN
Succimer 100Mg Cap	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Probalance Poliq	OPEN
Nutren 1.5 Poliq	OPEN
Mono Asparte/Glutamte Inj	OPEN
Replete Poliq	OPEN
Quinine Sulfate 324Mg Cap	OPEN
Nutren Renal Poliq	OPEN
Sodium Chloride 0.9% Inj	OPEN
Epinephrine 2.25% Inhsoln	OPEN
Levothyroxine Inj	OPEN
Bacitracin Oint	OPEN
Selegiline 6Mg/24Hr Patch	OPEN
Ziprasidone 40Mg Cap	OPEN
Bupropion Sr 100Mg Tab	OPEN
Acetylcholine Opsoln	OPEN
Captopril 1Mg/MI Posoln	OPEN
Aspirin Chew Tab	OPEN
Talc Powd	OPEN
Desmopressin Tab	OPEN
Lanthanum Carb Chew Tab	OPEN
Lithium Carbonate Tab	OPEN
Chromic Chloride 4Mcg/MI Inj	OPEN
Ethyl Chloride Topspray	OPEN
Amino Acid 4% Ivsoln	OPEN
Fluorescein 1Mg Ophth Strip	OPEN
Fluoxetine Posoln	OPEN
Fosinopril Tab	OPEN
Irbesartan Tab	OPEN
Glucose Blood Test Strips	OPEN
Bupropion Tab	OPEN
Theophylline 300Mg Cap	OPEN
Quinapriltab	OPEN
Sitagliptin 100Mg Tab	OPEN
Quinapril Tab	OPEN
Sitagliptin 50Mg Tab	OPEN
Flutamide 125Mg Cap	OPEN
Theophylline Er Tab	OPEN
Trimethobenzamide 300Mg Cap	OPEN
Crucial Posusp	OPEN
Verapamil Inj	OPEN
Dexmethylphenidate Tab	OPEN
Hyoscyamine 0.125Mg/MI Posoln	OPEN
Triamcinolone 0.1% Oint	OPEN
Vitamin A 10000U Cap	OPEN
Sodium Chloride 3% Inh	OPEN
Famotidine Tab	OPEN
Silver Sulfadiazine Cr	OPEN
Carbamide Peroxide 6.5% Otsoln	OPEN
Oxybutynin Posyrp	OPEN
Polymyx B/Tmp Opsoln	OPEN
Fentanyl Citrate 200Mcg	OPEN
Advair Diskus 500/50 Oral Inh	OPEN
Methylphenidate 54Mg Er Tab	OPEN
Buffered Lidocaine	OPEN
Dexmethylphenidate 2.5Mg Tab	OPEN
Sodium Chloride 7% Inh	OPEN
Mesalamine 1200Mg Dr Tab	OPEN
Budesonide Flex 180Mcg Inh	OPEN
Anagrelide 0.5Mg Cap	OPEN
Source Cf Cap	OPEN
Bicitra Posoln	OPEN
Metaxalone Tab	OPEN
Midodrine Tab	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Sodium Chloride 5% Opoint	OPEN
Adhesive Liquid Exsoln	OPEN
Aripiprazole Odt Tab	OPEN
Multivitamin & Minerals Posoln	OPEN
Carvedilol Posusp	OPEN
Dantrolene Inj	OPEN
Aripiprazole Odt Tab	OPEN
Olsalazine 250Mg Cap	OPEN
Physostigmine 1Mg/MI Inj	OPEN
Methsuximide 300Mg Cap	OPEN
Atazanavir 150Mg Cap	OPEN
Ranolazine 500Mg Tab	OPEN
Methylphenidate Er Tab	OPEN
Xphe-Xytr Analog Powd	OPEN
Efavirenz 600Mg Tab	OPEN
Bunnels Exsoln	OPEN
Clopidogrel Tab	OPEN
Cottonseed Oil Exoil	OPEN
Chlorhexidine Gluconate Patch	OPEN
Gentamicin 0.1% Cr	OPEN
Aripiprazole Tab	OPEN
Sevoflurane Per MI Inh	OPEN
Povidone-Iodine Oint	OPEN
Trilisate 100Mg/MI Posusp	OPEN
Desflurane Per MI Inh	OPEN
Isoflurane Per MI Inh	OPEN
Mesalamine 4Gm/60MI Enema	OPEN
Chlorhexidine 0.12% Posoln	OPEN
Oxycodone 15Mg Cr Tab	OPEN
Rifaximin 200 Mg Tab	OPEN
Osmolite 1Cal Posusp	OPEN
Erythromycin Stearate Tab	OPEN
Asorbic Acid Posyrp	OPEN
Alcohol Dehyd 98% Ivsoln	OPEN
Ciprofloxacin 0.3% Opoint	OPEN
Valproic Acid 250Mg Cap	OPEN
Sodium Bicarb 50Meq Inj	OPEN
Potassium Phosphate Inj	OPEN
Naphazoline 0.1% Opsoln	OPEN
Hypromellose 2.5% Opsoln	OPEN
Tolterodine 2Mg Tab	OPEN
Triamcinolone/ Eucerin Cr	OPEN
Prochlorperazine Supp	OPEN
Pioglitazone Tab	OPEN
Liothyronine Cytomel Tab	OPEN
Topiramate Posusp	OPEN
Liothyronine Tab	OPEN
Dextroamphetamine Tab	OPEN
Dextroamphetamine 10Mg Ercap	OPEN
Dextroamphetamine 15Mg Er Cap	OPEN
Phenoxybenzamine 10Mg Cap	OPEN
Citalopram Posoln	OPEN
Ferrous Sulfate Po Elix	OPEN
Fluphenazine 5Mg/MI Poconc	OPEN
Diltiazem 5Mg/MI Ivsoln	OPEN
Budesonide Ec Tab	OPEN
Isosource 1.5Cal Posusp	OPEN
Nitroglycerin Oint	OPEN
Dextroamphetamine 5Mg Cr Tab	OPEN
Trifluoperazine Tab	OPEN
Trifluoperazine Tab	OPEN
Cimetidine Tab	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Cimetidine Posoln	OPEN
Cimetidine Inj	OPEN
Calcium Vitamin D 500Mg-200Iu	OPEN
Hydroxurea Posusp	OPEN
Ketamine 10Mg/MI Inj	OPEN
Betadine Irr Soln	OPEN
Na Chond/Na Hyaluron 40-30Mg	OPEN
Amphe Salt Combo 12.5Mg Cap	OPEN
Pg Infrn Alfa 2B 50Mcg/0.5MI	OPEN
Diph/Dexameth/Met 25/4/10 Supp	OPEN
Naproxen Tab	OPEN
Surgicel 2X14 Hemastat	OPEN
Tetracaine 2% Inj	OPEN
Clopidrogel 5Mg/MI Posusp	OPEN
Bisoprolol 10Mg Tab	OPEN
Bisoprolol 5Mg Tab	OPEN
Tranylcypromine Tab	OPEN
Nifedipine 2% Rectal Oint	OPEN
Erythromycin Opoint	OPEN
Morphine 30Mg Ir Tab	OPEN
Hydromor 30Mg/Baclofen 1600Mg	OPEN
Creon 12000 Unit Cap	OPEN
Phenyl-Free 2Hp Powd	OPEN
Rosuvastatin 5Mg Tab	OPEN
Dipyridamole Posusp	OPEN
Ddavn 1.5Mg/MI Na Spray	OPEN
Cocaine/Epi Na Spray	OPEN
Aspirin W/Maalox Tab	OPEN
Aspirin 81Mg Ec Tab	OPEN
Infusion Set W/80Micron Filter	OPEN
Estradiol Patch .1Mg	OPEN
Estradiol Patch .05Mg	OPEN
Budesonide Soln Inh	OPEN
Spironolactone Tab	OPEN
Temazepam 7.5Mg Cap	OPEN
Calcium Phosphate Posusp	OPEN
Exenatide 10Mcg Pen Inj	OPEN
Aliskeren Tab	OPEN
Collagenase Oint	OPEN
Bupivacaine -Epi 0.75% Inj	OPEN
Calmoseptine Oint	OPEN
Indomethacin 50Mg Supp	OPEN
Oxazepam 15Mg Cap	OPEN
Propranolol 60Mg La Cap	OPEN
Surgiflo Hemastatc Matr Syrng	OPEN
Nicardipine 20Mg/200MI Ivsoln	OPEN
Trolamine Salicylate 10% Cr	OPEN
Etodolac 300Mg Cap	OPEN
Coal Tar Extract 2.5% Exsoln	OPEN
Floseal Hemostatic Matrix Kit	OPEN
Polyethylene Glycol Popwd	OPEN
Lidocaine 1.5% Inj	OPEN
Lido/Epi 0.5%-1:200000 Inj	OPEN
Lidocaine-Epi 1%-1:100000 Inj	OPEN
Lidocaine 0.5% Inj	OPEN
Lidocaine-Epi 2%-1:100000 Inj	OPEN
Lidocaine 4% Exsoln	OPEN
Lidocaine Jelly 2% Gel	OPEN
Lidocaine Viscous 2% Posoln	OPEN
Lidocaine 5% Oint	OPEN
Lidocaine 4% Inj	OPEN
Lidocaine/Dextrose 5%-7.5% Inj	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Esmolol 250Mgml IvsoIn	OPEN
Esmolol 10Mg IvsoIn	OPEN
Lacosamide Tab	OPEN
Calcium Carb (Tums) 750Mg Sf	OPEN
Magnesium L-Aspart Po Packet	OPEN
Thyroid 30Mg Tab	OPEN
Thyroid 60Mg Tab	OPEN
Advair Diskus 250/50 Oral Inh	OPEN
Selegiline Tab	OPEN
Dutasterdie 0.5Mg Cap	OPEN
Cyclosporine 0.5% Opsoln	OPEN
Cyclosporine 1% Opsoln	OPEN
Sulfacetamide 10%(Togo Opsoln	OPEN
Try-Cas-Peru Balsam Oint	OPEN
Cephalexin 250Mg (8) Togo Ed	OPEN
Amoxic 250Mg/5MI 150MI Togo Ed	OPEN
Bactrim Ds 4 Tabs Togo Ed	OPEN
Percocet 325/5Mg 6Tab Togo Ed	OPEN
Alteplase Opsoln	OPEN
Chlorhexidine 4% Liq	OPEN
Faa 250MI Poliq	OPEN
Niacin Tab	OPEN
Progesterone 100Mg Cap	OPEN
Hydrocort 2.5% Cr/Petrolatum	OPEN
Mometasone 50Mcg Inh	OPEN
Nan Popowd	OPEN
Nimodipine 30Mg Cap	OPEN
Ciprofloxacin Tab	OPEN
Domeboro Otsoln	OPEN
Alum Sulfate-Ca Acetate Packet	OPEN
Protein 80% Popowd	OPEN
Amylase/Lip/Pro 6000 Unit Cap	OPEN
Pyridoxine Tab	OPEN
Isoniazid Tab	OPEN
Ranitidine Tab	OPEN
Iansoprazole 15Mg Cap	OPEN
Oseltamivir 30Mg Cap	OPEN
Oseltamivir 45Mg Cap	OPEN
Sodium Thiosulfate 10% Inj	OPEN
Levonorgestrel Tab	OPEN
Dronedarone 400Mg Tab	OPEN
Prasugrel10Mg Tab	OPEN
Acetone Exsoln	OPEN
Amphetamine-Dextroamphet Tab	OPEN
Venlafaxine Tab	OPEN
Valsartan 80Mg Cap	OPEN
Nitroglycerin 2% Oint	OPEN
Leflunomide 10Mg Tab	OPEN
Leflunomide 20Mg Tab	OPEN
Rsv Imm Glob 50Mg/MI IvsoIn	OPEN
Tobramycin Beads 6.4Mm	OPEN
Fluorometholone 0.1% Opoint	OPEN
Olanzapine Tab	OPEN
Sof-Set For Subq Infusion Pump	OPEN
Tamsulosin 0.4Mg Cap	OPEN
Edrophonium 10Mg/MI Inj	OPEN
Interlink Secndry Infusion Set	OPEN
Interlink Primary Infusion Set	OPEN
Zolpidem Tab	OPEN
Gabapentin 300Mg Cap	OPEN
Vigabatrin Tab	OPEN
Sumatriptan 20 Mg/Act Nasoln	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Doxazosin Tab	OPEN
Sumatriptan 5 Mg/Act Nasoln	OPEN
Lamivudine-Zidovudine Tab	OPEN
Stavudine 20Mg Cap	OPEN
Zinc Sulfate 220Mg Cap	OPEN
To Go Tylenol/Codeine 6 Tab	OPEN
Acamprosate 300 Mg Ec Tab	OPEN
Clobetasol 0.5% Cr	OPEN
Glutamine 10Gm Powder Packs	OPEN
Paxil 10Mg Tab	OPEN
Theophylline Posoln	OPEN
Sod Chloride 0.9%Flush Inj	OPEN
Temazepam 15Mg Cap	OPEN
Temazepam 30Mg Cap	OPEN
Chimeric Monoclonal Antib Inj	OPEN
Rifaximin 550 Mg Tab	OPEN
Ted Stocking Knee Length Xxl	OPEN
Zanamivir Per 10Mg Inh	OPEN
Amantidine Posyryp	OPEN
Amantadine Cap	OPEN
Osetamivir Tab	OPEN
Osetamivir Posusp	OPEN
Aluminum Hydroxide Posusp	OPEN
Psyllium 58.6% Popwd	OPEN
Carbamazepime 100Mg Er Cap	OPEN
Thrombin (Recomb) Spray Appl	OPEN
Tamoxifen Tab	OPEN
Ted Stocking Knee Length 3XI	OPEN
Etodolac XI 400Mg Tab	OPEN
Etodolac XI 600Mg Tab	OPEN
Prenatal Rx Vitamin Tab	OPEN
Simethicone Posusp	OPEN
Benzocaine 20% Mtpste	OPEN
Indinavir 400Mg Cap	OPEN
Pancrelipase 4200U Cap	OPEN
Pancrelipase 10500U Cap	OPEN
Pancrelipase 16800U Cap	OPEN
Fluconazole 200Mg Tab	OPEN
Fluconazole 100Mg Tab	OPEN
Fluconazole Tab	OPEN
Isradipine 2.5Mg Cap	OPEN
Isradipine 5Mg Cap	OPEN
Brimonidine 0.2% Opsoln	OPEN
Simethicone Tab	OPEN
Triamcinolone Acet Spray	OPEN
Triamcinolone Acet 0.1% Paste	OPEN
Aztreonam Per 500Mg Inj	OPEN
Triamcinolone Ace .1% Oint	OPEN
Triamcinolone Ace .1% Cr	OPEN
Co-Enzyme Q10 30Mg Cap	OPEN
Fludrocortisone Tab	OPEN
Fluphenazine Tab	OPEN
Penicillin Vk Tab	OPEN
Vitamin E 400 Iu Cap	OPEN
Nabumetone 5Tab	OPEN
Vitamin E 100Iu Cap	OPEN
Nyst-Triamcin Cr	OPEN
Nyst-Triamcin Oint	OPEN
Nystatin Cr	OPEN
Nystatin Oint	OPEN
Lamotrigine Tab	OPEN
Procainamide 250Mg Cap	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Chloral Hydrate Posyrp	OPEN
Penicillin Vk 250Mg.5MI Posusp	OPEN
Penicillin Vk 250Mg/5MI Posusp	OPEN
Erythromycin 200Mg/5MI S 100MI	OPEN
Ofloxacin 0.3% Opsoln	OPEN
Omeprazole Posusp	OPEN
Pancrelipase 21000U Cap	OPEN
Phentermine 30Mg Cap	OPEN
Tetracycline 250Mg Cap	OPEN
Amprenavir 15Mg Posoln	OPEN
Anastrozole Oral 1Mg	OPEN
Saquinavir Tab	OPEN
Papain-Urea Oint	OPEN
Nadolol Tab	OPEN
Nystatin Posusp	OPEN
Chlorpromazine Tab	OPEN
Chlorpromazine 50Mg Tab	OPEN
Phenaphthazine Paper	OPEN
Glycerin Adult Supp	OPEN
Glycerin Peds Supp	OPEN
Captopril Tab	OPEN
Amoxicillin 125Mg/5MI Posusp	OPEN
Amoxicillin 250Mg/5MI Posusp	OPEN
Amoxil 250Mg/5MI Posusp	OPEN
Dipyridamole 25Mg Tab	OPEN
Lamivudine Posoln	OPEN
Talc Sterile	OPEN
Dofetilide 250Mcg Cap	OPEN
Dofetilide 500Mcg Cap	OPEN
Advair 100/50 Inh	OPEN
Captopril Ab	OPEN
Topiramate Tab	OPEN
Metoprolol Succinate XI Tab	OPEN
Nystatin Topical Powd	OPEN
Mineral Oil Heavy	OPEN
0.45% Normal Saline Ivsoln	OPEN
Coal Tar Extract 20% Exsoln	OPEN
Clonidine Posusp	OPEN
Ropinirole Tab	OPEN
Glycerin Exsoln	OPEN
Tetracycline Posusp	OPEN
Amitriptyline Tab	OPEN
0.9% Normal Saline Irrsoln	OPEN
Diltiazem Tab	OPEN
Verapamil 240Mg Cr Tab	OPEN
Clonidine Tab	OPEN
Torse mide Tab	OPEN
Thiamine Tab	OPEN
Trazodone Tab	OPEN
Peg-Intrfron Alfa 2B 10Mcg Inj	OPEN
Atenolol Tab	OPEN
Oxybutynin Chl Tab	OPEN
Phenytoin 100Mg Cap	OPEN
Aspirin Tab	OPEN
Calcitriol Per 0.25Mcg Oral	OPEN
Benzotropine Mesyl Tab	OPEN
Docusate Sodium 100Mg Cap	OPEN
Sucalfate Tab	OPEN
Calcitriol Posoln	OPEN
Clinimix/D5W 5/15 1MI Ivsoln	OPEN
Timolol Xe 0.5% Opthsoln	OPEN
Omeprazole 10Mg Cap	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Acarbose Tab	OPEN
Raloxifene Tab	OPEN
Clinimix/D5W 4.25/10 IvsoIn	OPEN
Levofloxacin Tab	OPEN
Atenololtab	OPEN
Clinimix/D5W 4.25/5 IvsoIn	OPEN
Tobramycin Inhsoln	OPEN
Melatonin Tab	OPEN
Dabigatran 75Mg Cap	OPEN
Dabigatran 150Mg Cap	OPEN
Sod Hyaluron/Chondro Inj	OPEN
Voriconazole 1% Opsoln	OPEN
Efavir-Emtr-Tenof Tab	OPEN
Raltegravir Tab	OPEN
Darunavir Tab	OPEN
Med Edu Lvl 1 < 14Min	OPEN
Med Edu Lvl 2 15-29 Min	OPEN
Med Edu Lvl 3 > 30 Min	OPEN
Dextrose 40% Po Gel	OPEN
Potassium Phosphate Cmpd Inj	OPEN
Sodium Phosphate Cmpd Inj	OPEN
D5W 0.45%Nss + 20Kcl IvsoIn	OPEN
Gatifloxacin 0.5% Opsoln	OPEN
Roflumilast Tab	OPEN
Dextrose 20% IvsoIn	OPEN
Tramexamic Acid Inj	OPEN
Oxycodone 5Mg (6) Togo Ed	OPEN
Cinacalcet Tab	OPEN
Sodium Tetradecyl 1% Inj	OPEN
Sodium Tetradecyl 3% Inj	OPEN
Vit D 3 Cholecalciferol Tab	OPEN
Pancrelipase Cap	OPEN
Impact Peptide 1.5 Poliq	OPEN
Hydrocort/Ketocon Cr	OPEN
Ulipristal Tab	OPEN
Amphet-Dextroamphet Xr Cap	OPEN
Ticagrelor Tab	OPEN
Dakins 0.5% Full Str Exsoln	OPEN
Ondansetron Per 4 Mg Oral	OPEN
Ondansetron Togo Per 4Mg	OPEN
Pre Cataract Cocktail Opsoln	OPEN
Sod Fluoride 1.1Mg/MI Posoln	OPEN
Promethazine 12.5Mg Supp	OPEN
Peptamen Bariatric Poliq	OPEN
Sotalol 5Mg/MI Posusp	OPEN
Rivaroxaban Tab	OPEN
Cardioplegia Induction IvsoIn	OPEN
Cardioplegia Mainten IvsoIn	OPEN
Cardioplegia Reperfus IvsoIn	OPEN
Naltrexone Tab	OPEN
Clobazam Tab	OPEN
Trypan Blue 0.15% Opsoln	OPEN
Cocaine 4% Opsoln	OPEN
Albuterol Con Per 1Mg Inh Soln	OPEN
Glipizide Tab	OPEN
Diphenhydramine Tab	OPEN
Cocaine 10% Opsoln	OPEN
Radial Graft Mixture	OPEN
Eye Multivitamin Tab	OPEN
Coenzyme Q10 Cap	OPEN
Tolvaptan Tab	OPEN
Ivacaftor Tab	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Testosterone Patch	OPEN
Surgiflo Applicator	OPEN
Gentamicin 15Mg/MI Opsoln	OPEN
Rifaximin Posusp	OPEN
Caffeine Tab	OPEN
Tramadol Er Tab	OPEN
Magnesium Gluconate Posoln	OPEN
Zinc Gluconate Tab	OPEN
Ciprodex Ot Soln	OPEN
Omni-Stat Nose Bleed Pad	OPEN
Omni-Stat Granules	OPEN
Puracyn Wound/Skin Exsoln	OPEN
Aclidinium Bromide Inh	OPEN
Apixaban Tab	OPEN
Hydrocodone/Apap Poliq	OPEN
Nimodipine Posoln	OPEN
Oral Mucosal Rinse Posoln	OPEN
Phenol 5% In Peanut Oil Soln	OPEN
Sinus Rinse Adult Hypertonic	OPEN
Sinus Rinse Pediatric	OPEN
Albendazole Tab	OPEN
Posaconazole Tab	OPEN
Memantine Er Cap	OPEN
Umeclidinium-Vilanterol Inh	OPEN
Fluticasone -Vilanterol Inh	OPEN
Memantine Posoln	OPEN
Poractant Intratracheal Susp	OPEN
Guanfacine Tab	OPEN
Betamethasone Dip Aug Cr	OPEN
Betamethasone Dip Aug Oint	OPEN
Betamethasone Dip Aug Gel	OPEN
Halobetasol Prop Cr	OPEN
Halobetasol Prop Oint	OPEN
Surgicel 0.5X2 Hemostat	OPEN
Vancomycin 50 Mg/MI Posoln	OPEN
Arista Hemostarch Hemostat	OPEN
Rivastigmine Patch	OPEN
Quikclot Combat Gauze	OPEN
Surgicel Snow Hemostat	OPEN
Rufinamide Tab	OPEN
Clobazam 2.5 Mg/MI Posusp	OPEN
Posaconazole 17.96 Mg/MI Inj	OPEN
Ethanol 24% Posoln	OPEN
Augmentin 120Mg/MI Posusp	OPEN
Valsartan/Hctz 80/12.5Mg Tab	OPEN
Loperamide 2Mg Cap	OPEN
Mineral Oil 50 % Posusp	OPEN
Tiagabine Tab	OPEN
Naloxegol Tab	OPEN
Venelex Oint	OPEN
Copper Gluconate 2 Mg Cap	OPEN
Ivabradine Tab	OPEN
Edoxaban Tab	OPEN
Sacubitril-Valsartan Tab	OPEN
Fluticasone Furoate 100Mcg Inh	OPEN
Fluticasone Furoate 200Mcg Inh	OPEN
Iloprost Inh	OPEN
Impact Ar Poliq	OPEN
Povidone Iodine Nasal	OPEN
Calcium Acetate Posoln	OPEN
Copper Chloride Inj	OPEN
Ziprasidone Compound Posoln	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Ambrisentan Tab	OPEN
Theophylline 100 Mg Er Cap	OPEN
Theophylline 200 Mg Er Cap	OPEN
Lidocaine 4% Ex Patch	OPEN
Paliperidone Er Tab	OPEN
Eplerenone Tab	OPEN
Fidaxomicin Tab	OPEN
Phenol 89% Ex Swab	OPEN
Sugammadex Inj	OPEN
Praziquantel Tab	OPEN
Zinc Oxide 12.8 % Oint	OPEN
Amphotericin 0.15% Opsoln	OPEN
Castellanti Paint Exsoln	OPEN
Cefazolin 5% Opsoln	OPEN
Dakins 0.25% 1/2 Str Exsoln	OPEN
Dakins 0.125% 1/4 Str Exsoln	OPEN
Eucerin/Hydrocortisone Cr	OPEN
Erythromycin Posusp	OPEN
Gentamicin 14Mg/MI Opsoln	OPEN
Gi Cocktail Posusp	OPEN
Lactulose Retention Enema	OPEN
Nacl 1 Meq/MI Posoln	OPEN
Neomycin Retention Enema 1%	OPEN
Non-Formulary Medication	OPEN
Pilocarpine 1/4% Opsoln	OPEN
Pilocarpine 1/8% Opsoln	OPEN
Leech	OPEN
Tobramycin 14Mg/MI Opsoln	OPEN
Folic Acid 1Mg/MI Posoln	OPEN
Selenium Tab	OPEN
Procainamide 50Mg/MI Posusp	OPEN
Hydrocort/Clotrim Cr	OPEN
Metronidazole Posusp	OPEN
Glycopyrrolate Posoln	OPEN
Dextrose-Nacl 5-0.45 % Ivsoln	OPEN
Imatinib 100 Mg	OPEN
Benadryl/Maalox/Lido Posusp	OPEN
Nonformulary Iv Prep	OPEN
Eucerin/Hydrocort Cr	OPEN
Lidocaine 1% Buff Inj	OPEN
Lurasidone Tab	OPEN
Selexipag Tab	OPEN
Vanilla Tpn 5%Dextrose Ivsoln	OPEN
Vanilla Tpn 10%Dextrose Ivsoln	OPEN
Canagliflozin Tab	OPEN
Empagliflozin Tab	OPEN
Liraglutide Inj	OPEN
Linacotide 72Mcg Cap	OPEN
Hyoscyamine Poliq	OPEN
Lidocaine 3.5% Op Gel	OPEN
Linagliptin Tab	OPEN
Minocycline 50Mg Cap	OPEN
Moxifloxacin Intravitreal Soln	OPEN
Bisacodyl 5Mg Tab	OPEN
Bisacodyl Supp	OPEN
Carbidopa/Levodop 50/200 Crtab	OPEN
Vein Solution	OPEN
Neomycin Tab	OPEN
Verapamil Tab	OPEN
Fosfomycin Powder Po	OPEN
Oxycodone Conc Posoln	OPEN
Fexofenadine-Pseud Tab	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Montelukast Chewtab	OPEN
Morphine Sulfate I.R. Tab	OPEN
Montelukast Tab	OPEN
Nortriptyline 25Mg Cap	OPEN
Deliver 2.0 Poliq	OPEN
Dihydroergot Mesyl Nasoln	OPEN
Brinzolamide 1% Ophth Susp	OPEN
Carbamazepine 200Mg Er Cap	OPEN
Carbamazepine 300Mg Er Cap	OPEN
Tolterodine Tab	OPEN
Repaglinide Tab	OPEN
Repaglinide Ab	OPEN
Mupirocin 2% Cr	OPEN
Eleview 10 MI Inj	OPEN
Peptamen 1.5 Liquid	OPEN
Ofloxacin 0.3% Otsoln	OPEN
Metronidazole 1% Cr	OPEN
Indomethacin 25Mg Cap	OPEN
Trazadone Tab	OPEN
Isosorbide Mono Er 30Mg Tab	OPEN
Atropine/Diphenox Tab	OPEN
Midazolam 2Mg/MI Psosyrup	OPEN
Lorazepam 0Tab	OPEN
Azithromycin Tab	OPEN
Tisseel Applicator Device	OPEN
Pantoprazole Po Packet	OPEN
Umeclidinium Inh	OPEN
Midostaurin Cap	OPEN
Letrozole Tab	OPEN
Nortriptyline Posoln	OPEN
Morphine Sulf 15Mg Er Tab	OPEN
Meperidine 10Mg/MI Posoln	OPEN
Methadone Tab	OPEN
Dronabinol Cap	OPEN
Morphine Poliq Per 20Mg	OPEN
Atropine Sulf 1% Opoint	OPEN
Levcovorin Ca 5Mg Tab	OPEN
Morphine Sulfate Supp	OPEN
Leucovorin Tab	OPEN
Morphine Sulf 60Mg Er Tab	OPEN
Morphine So4 30Mg Sr Tab Ud	OPEN
Ms Contin 100Mg Cr Tab	OPEN
Nicotine 21Mg Patch	OPEN
Nicotine 14Mg Patch	OPEN
Nicotine 7Mg Patch	OPEN
Nevirapine Tab	OPEN
Nelfinavir Tab	OPEN
Ritonavir 80Mg/MI Posoln	OPEN
Budesonide Inh	OPEN
Cyclosporine Opsoln 0.05%	OPEN
Carmustine Wafer	OPEN
Fentanyl 50Mcg Patch	OPEN
Fentanyl 100Mcg Patch	OPEN
Fentanyl 25Mcg Patch	OPEN
Fentanyl 75Mcg Patch	OPEN
Clonazepam Tab	OPEN
Sulfamethoxazole-Tmp Po Susp	OPEN
Fluorouracil 5% Cr	OPEN
Sulfisoxazole 100Mg/MI Posusp	OPEN
Sulfamethoxazole-Tmp Inj	OPEN
Glycopyrrolate/Formoterol Inh	OPEN
Sulfisoxazole Tab	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Tiotropium Brom 2.5Mcg Act Inh	OPEN
Pyridostigmine Tab	OPEN
Estramustine 140Mg Cap	OPEN
Megestrol Acetate Tab	OPEN
Sulfamethoxazole-Tmp Ds Tab	OPEN
Talc Pl Susr	OPEN
Sennosides Posypr	OPEN
Venlafaxine Xr 150Mg Cap	OPEN
Venlafaxine Xr 37.5Mg Cap	OPEN
Sennosides-Docusate Tab	OPEN
Venlafaxine Xr 75Mg Cap	OPEN
Isavuconazonium 186 Mg Cap	OPEN
Letermovir Tab	OPEN
Letermovir 20 Mg/MI Inj	OPEN
Buprenorphine Film Tab	OPEN
Hydrocortisone 2.5% Cr	OPEN
Defibrotide 80 Mg/MI Inj	OPEN
Mycophenolate Ec Tab	OPEN
Estradiol Tab	OPEN
Granulotion Ex Packets	OPEN
Ascorbic Acid 500Mg/MI Inj	OPEN
Cyanide Antidote Iv Kit	OPEN
Liothyronine 10Mcg/MI VI	OPEN
Modified Dakins 1/8 Str 1500MI	OPEN
Phenobarbital Poelix	OPEN
Calcium Carbonate Posusp	OPEN
Testape 1 Box	OPEN
Anakinra 100Mg Inj	OPEN
Zinc Oxide Oint	OPEN
Cocaine Powd	OPEN
Spacer For Inhalation	OPEN
Ketotifen 0 .025% Opsoln	OPEN
Potassium Chloride 10% Poliq	OPEN
Potassium Iodine Posoln	OPEN
Sodium Chloride 0.9% 3MI Nebs	OPEN
Escitalopram Tab	OPEN
Adeks Pediatric Drops	OPEN
Diclofenac 0.1% Opsoln	OPEN
Pantoprazole 20Mg Tab	OPEN
Phenylephrine 2.5% Opsoln	OPEN
Phenylephrine 1/4% Nasoln	OPEN
Danazol 100Mg Cap	OPEN
Sulfamylon 60Gm Cr	OPEN
Diltiazem Cd 180Mg Cap	OPEN
Divalproex Er Tab	OPEN
Phenylephrine 1/2% Nasoln	OPEN
Diltiazem Sr Tab	OPEN
Diltiazem 120Mg Sr Cap	OPEN
Carbamide Peroxide 10% Mtsoln	OPEN
Diltiazem Cd 300Mg Cap	OPEN
Mesalamine 400Mg Tab	OPEN
Diltiazem Cd 120Mg Cap	OPEN
Metaproterenol Tab	OPEN
Dipyridamole 50Mg Tab	OPEN
Dipyridamole 75Mg Tab	OPEN
Fluocinonide 0.05% Gel	OPEN
Finasteride 5Mg Tab	OPEN
Felbamate Posusp	OPEN
Felbamate Tab	OPEN
Ferrous Fum-Vit C Tab	OPEN
Cromolyn Sod Inh	OPEN
Vancomycin 50 Mg/MI Opsoln	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Docusate Sodium Posoln	OPEN
Tri-Vitamin Posoln	OPEN
Poly-Vi-Sol Posoln	OPEN
Cholestyramine 4Gm Packet	OPEN
Poly-Vi-Sol Chewtab	OPEN
Verapamil Sr Tab	OPEN
Hydromorphone Tab	OPEN
Verapamil Hcl Tab	OPEN
Verapamil 2.5Mg/MI Inj	OPEN
Clarithromycin 500Mg Tab	OPEN
Risperidone 1Mg/MI Oral Soln	OPEN
Albuterol 2Mg/5MI Syrup	OPEN
Albuterol Sr Tab	OPEN
Beclomethasone Na Susp	OPEN
Acetaminophen 100Mg/MI Posoln	OPEN
Riboflavin 100Mg Tab	OPEN
Medroxyprogesterone 2.5Mg Tab	OPEN
Mannitol 20% Iv Soln	OPEN
Oxycodone Ir 5Mg Cap/Tab	OPEN
Gabapentin Posoln	OPEN
Percocet Tab	OPEN
Oxycodone-Apap Po Soln	OPEN
Ezetimibe Tab	OPEN
Pyridoxine Vit B-6 Tab	OPEN
Calamine Lotn	OPEN
Valganciclovir Tab	OPEN
Sebulex Shampoo	OPEN
Sebutone Shampoo	OPEN
Atracurium 10Mg/MI Iv Soln	OPEN
Valsartan Tab	OPEN
Amlodipine Tab	OPEN
Antivenin Latrodect Mact Inj	OPEN
Diffunisal Tab	OPEN
Diphenoxylate-Atropine Posoln	OPEN
Fluvastatin 20Mg Cap	OPEN
Potassium & Sodium Po4 Packet	OPEN
Potassium Phosphate Tab	OPEN
Amprenavir 50Mg Cap	OPEN
Tretinoin 0.25% Gel	OPEN
Tretinoin 0.05% Cr	OPEN
Sodium Polysulf Posusp	OPEN
Bupivacaine-Epi Inj	OPEN
Loteprednol 0.5% Opsoln	OPEN
Bicalutamide Tab	OPEN
Citalopram Tab	OPEN
Losartan-Hctz Tab	OPEN
Propantheline Tab	OPEN
Dimehydrinate Tab	OPEN
Disopyramide Cap	OPEN
Metronidazole Inj	OPEN
Metolazone Tab	OPEN
Galantamine Tab	OPEN
Spironolactone-Hctz Tab	OPEN
Indigotindisulfonate Inj	OPEN
Methadone 40Mg Sol Tab	OPEN
Charcoal Activated Poliq	OPEN
Charcoal Liquid	OPEN
Benefiber Po Pack	OPEN
Esmolol 10Mg/MI Iv Soln	OPEN
Oxycodone Posoln	OPEN
Dinoprostone Cervical Gel	OPEN
Miconazole 2% Cr	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Miconazole Nitrate 2 % Va Crea	OPEN
Sulfasalazine 500Mg En-Tb	OPEN
Sulfasalazine Posusp	OPEN
Montelukast Chew Tab	OPEN
Aspirin 325Mg Ec Tab	OPEN
Ipratropium Hfa Inh	OPEN
Glipizide 5Mg Er Tab	OPEN
Glipizide10Mg Er Tab	OPEN
Etioronate Tab	OPEN
Sodium Chloride (Salt)	OPEN
Alendronate 5Mg Tab	OPEN
Benzocaine 20 % Ex Aero	OPEN
Boost Plus Po Liquid	OPEN
Magnacal Renal Poliq	OPEN
Glucose Polymer Po Powd	OPEN
Boost High Protein Poliq	OPEN
Surgicel 1X2 Fibrillar	OPEN
Rosiglitazone Tab	OPEN
Risperidone Tab	OPEN
Stavudine 40Mg Cap	OPEN
Loratadine Posyrp	OPEN
Petrolatum Gel	OPEN
Bacitracin Opoint	OPEN
Bacitracin Zinc Oint	OPEN
Alendronate 70Mg Tab	OPEN
Alendronate 35Mg Tab	OPEN
Colesevelam 625Mg Tab	OPEN
Celecoxib 200Mg Cap	OPEN
Amylase-Lipase-Protease Cap	OPEN
Etodolac 500Mg Er Tab	OPEN
Lindane 1% Exlotn	OPEN
Lindane 1% Shampoo	OPEN
Camphor-Menthol Lotn	OPEN
Propylene Glycol Exsoln	OPEN
Selenium Sulfide 2.5 % Lotn	OPEN
Acyclovir 200Mg Cap	OPEN
Desmopressin Acetate Tab	OPEN
Lansoprazole 30Mg Cap	OPEN
Pediazole Posusp	OPEN
Loratidine Tab	OPEN
Loratadine-Pseudoephed Er Tab	OPEN
Eucerin Cr	OPEN
Triamteren/Hctz Tab	OPEN
Pilocarpine 4% Op Gel	OPEN
Pred Mild 0.12% Opsoln	OPEN
Pred Forte 1% Opsoln	OPEN
Carboxymethylcellu 1% Opsoln	OPEN
Tears 0.5% Opoint	OPEN
Fluorometholone 0.1 % Opsusp	OPEN
Sulfacetamide Sod 10% Opsoln	OPEN
Polyvin Alco-Povidone Opsoln	OPEN
Flurbiprofen 0.03% Opsoln	OPEN
Dipivefrin 0.1% Opsoln	OPEN
Betagan 0.5% Opsoln	OPEN
Trace Minerals Inj	OPEN
Iv Fat 10% Inj	OPEN
Iv Fat (Intralipid) 20%	OPEN
Clarithromycin Tab	OPEN
Tuberculin Ppd Id Soln	OPEN
Conj Estrogens 0.45Mg Tab	OPEN
Conj Estrogen/Medroxyprog Tab	OPEN
Clinitest Tab	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Occult Blood Vi Strp	OPEN
Albumin (Urine) Test Vi Strp	OPEN
Acetone (Urine) Test Vi Tabs	OPEN
Glucose Poliqd	OPEN
Benzoyl Peroxide 5 % Lotn	OPEN
Benzoyl Peroxide 10 % Lotn	OPEN
Zinc Oxide 40 % Oint	OPEN
Ribavirin Inh	OPEN
Fleet Enema Ped	OPEN
Fleet Enema Adult	OPEN
Phosphate Posoln	OPEN
Mineral Oil Enema	OPEN
Bisacodyl Enema	OPEN
Blistex Lip Ointment	OPEN
Pedialyte Posoln	OPEN
Dextrose 10% Ivsol	OPEN
Dextrose 10% Ivsoln	OPEN
Miglitol Tab	OPEN
Efavirenz 200Mg Cap	OPEN
Abacavir 300Mg Tab	OPEN
Paroxetine Posusp	OPEN
Celecoxib 100Mg Cap	OPEN
Oxazepam 10Mg Cap	OPEN
Ganciclovir 500Mg Cap	OPEN
Olanzapine Tab	OPEN
Losartan Tab	OPEN
Desmopressin Ace 0.01% Nasoln	OPEN
Desmopressin 0.01% Nasoln	OPEN
Dextrose-Nacl 5-0.2 % Ivsoln	OPEN
D51/4 Nss Ivsoln	OPEN
Cocoa Butter Lotn	OPEN
Eucerin Lotn	OPEN
Silver Nitrate Appl	OPEN
Citrate Of Magnesia Posoln	OPEN
Clobetasol 0.05% Exsoln	OPEN
Testosterone Tts 5Mg Patch	OPEN
Fentanyl 200Mcg Lollipop	OPEN
Plasma-Lyte 148 Ivsoln	OPEN
Spirolactone/Hctz Posusp	OPEN
Ora-Plus Poliq	OPEN
Neosweet Posoln	OPEN
Silver Protein Mild Powd	OPEN
Aluminum Chloride Crys	OPEN
Alum Ammonium Powd	OPEN
Bismuth Subnitrate Powd	OPEN
Cherry Posyrrp	OPEN
Citric Acid Powd	OPEN
Iodoform Powd	OPEN
Lactose Powd	OPEN
Sodium Citrate Crys	OPEN
Progesterone Micronized Powd	OPEN
Resorcinol Crys	OPEN
Amino Acid 10% Ivsoln	OPEN
Dextrose 70 % Ivsoln	OPEN
D5/ 1/2 Nss + 40Meq Kcl Ivsoln	OPEN
Fat Emulsion 20 % Iv	OPEN
Lithium Carb 450Mg Cr Tab	OPEN
Neomycin Sulfate Powd	OPEN
Phenol Liquid	OPEN
Polysorbate 80 Poliq	OPEN
Urea Powd	OPEN
Allopurinol Posusp	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Bethanecol Posusp	OPEN
Caffeine Citrate 20Mg/MIposoln	OPEN
Flucytosine Posoln	OPEN
Hydralazine 1Mg/MI Posoln	OPEN
Isoniazid Posyrp	OPEN
Ketoconazole Posusp	OPEN
Prazosin 50Mcg/MI Posoln	OPEN
Ranitidine 15Mg/MI Posoln	OPEN
Rifampin Posusp	OPEN
Spirolactone Posusp	OPEN
Zinc Sulfate Posoln	OPEN
Sterile Water For Irsoln	OPEN
Sterile Water For Ivsoln	OPEN
Sodium Chloride 0.9 % Irsoln	OPEN
Bismuth Subgallate Powd	OPEN
Cholestyr 20% /Aquaphor Oint	OPEN
Nitroglycerin Ivsoln	OPEN
Trazodone 10Mg/MI Posusp	OPEN
Polyethylene Gly Po Powd	OPEN
Stavudine 1Mg/MI Posoln	OPEN
Nevirapine 10Mg/MI Posoln	OPEN
Pancrelipase Po Cap	OPEN
Megestrol Tab	OPEN
Topiramate 15Mg Spcap	OPEN
Aspirin-Dipyridamole Cap	OPEN
Sodium Bicarbonate Tab	OPEN
Oxychlorosene Sodium Powd	OPEN
Budesonide Nasusp Inh	OPEN
Ciprofloxacin 10% Posusp	OPEN
Amoxicillin 500Mg Cap	OPEN
Calcium Carbonate Tab	OPEN
Modafinil Tab	OPEN
Tobramycin Opsoln	OPEN
Haloperido Tab	OPEN
Nitroglycerin 0.8Mg/Hr Patch	OPEN
Rifampin 300Mg Cap	OPEN
Clindamycin 150Mg Cap	OPEN
Sennosides Tab	OPEN
Omeprazole 20Mg Cap	OPEN
Pseudoephedrine 30Mg Tab	OPEN
Diltiazem Cd 240Mg Cap	OPEN
Pantoprazole Tab	OPEN
Kydroxyurea 500Mg Cap	OPEN
Morphine Sr 20Mg Cap	OPEN
Morphine Sr 50Mg Cap	OPEN
Morphine Sr 100Mg Cap	OPEN
Morphine 0.15% Ex Gel	OPEN
Oxycodone Tab	OPEN
Clobetasol 0.05% Oint	OPEN
Hydrocortisone 1% Lotn	OPEN
Clobetasol 0.05 % Ex Gel	OPEN
Lopinavir-Ritonavir Cap	OPEN
Herpecin L Lip Balm	OPEN
Sodium Citrate 4% Inj	OPEN
Olanzapine 5Mg Disptab	OPEN
Mirtazapine 30Mg Soltab	OPEN
Lactobacillus Cap	OPEN
Actonel 5Mg Tab	OPEN
Oxcarbazepine Tab	OPEN
Potassium Bicarb Eff Tab	OPEN
Histamine Phosphate Inj	OPEN
Calfactant In Susp	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Ticlopidine Tab	OPEN
Bimatoprost 0.03% Opsoln	OPEN
Butalbital-Apap-Caf Tab	OPEN
Glutamine Posusp	OPEN
Vitamin A 8000 Unit Cap	OPEN
Modafanil Tab	OPEN
Naproxen Posusp	OPEN
Fluoxetine 10Mg Cap	OPEN
Nitroglycerin Spray	OPEN
Olanzapine 10Mg Disptab	OPEN
D51/2 Nss + Kcl 30 Meq Ivsoln	OPEN
D51/2 Nss + Kcl 10 Meq Ivsoln	OPEN
Dacriose Opsoln	OPEN
Dextrose 50% Ivsoln	OPEN
Container, Evacuated	OPEN
Hydrogen Peroxide Exsoln	OPEN
Oxazepam 30Mg Cap	OPEN
Lidocaine 10Mg/MI Inj	OPEN
Magnesium Chloride Tab	OPEN
Prednisolone Acet 1 % Opsusp	OPEN
Gelatin Pwd	OPEN
Gelatin Adsorbable	OPEN
Dextrose Chew Tab	OPEN
Hydrocodone/Apap Tab	OPEN
Methylphenidate Hcl Er Tab	OPEN
Divalproex 125Mg Ec Tab	OPEN
Carbachol 0.01 % Io Inj	OPEN
Silver Sulfadiazine 1% Cr	OPEN
Lactase Tab	OPEN
Buprenorphine-Nalox SI Tab	OPEN
Acetic Acid/Hc Otsoln	OPEN
Alcohol Isopropyl Exsoln	OPEN
Buprenorph-Nalox 8-2Mg Tab	OPEN
Sodium Chloride 0.9% Irr Soln	OPEN
Alum/Mag Hydrox/ Simeth Susp	OPEN
Phenylephrine 2.5 % Opsoln	OPEN
Let Gel	OPEN
Hetastarch-Nacl Ivsoln	OPEN
Dofetilide 125Mg Cap	OPEN
Alimentum Po Powd	OPEN
Nortriptyline 10Mg Cap	OPEN
Risidronate 35Mg Tab	OPEN
Permethrin 5% Cr	OPEN
Terazosin Tab	OPEN
Vecuronium 20Mg Inj VI	OPEN
Voriconazole Tab	OPEN
Resource Optisource Po Liq	OPEN
Etodolac 200Mg Cap	OPEN
Tacrolimus 0.03% Oint	OPEN
Tacrolimus 0.1% Oint	OPEN
Acyclovir Tab	OPEN
Mesalamine	OPEN
Acyclovir Posusp	OPEN
Pfd 2 Po Powd	OPEN
Nutramigen Lipil Po Powd	OPEN
Prosobee Lipil Po Conc	OPEN
Os 2 Po Powd	OPEN
Peptamen Po Liq	OPEN
Nutrihep Po Liq	OPEN
Peptamen Junior Poliq	OPEN
Good Start Supreme/Fe Po Powd	OPEN
Vivonex Plus Poliq	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Vivonex Pediatric Poliq	OPEN
Fat Emulsion 50% Poemul	OPEN
Fluoxetine 20Mg Cap	OPEN
Acebutolol 200Mg Cap	OPEN
Adhesive Exliq	OPEN
Amino Acids Hbc IvsoIn	OPEN
Amlodipine/Benazepril 5-20 Cap	OPEN
Balanced Salt Opsoln	OPEN
Belladonna Alk-Opium Supp	OPEN
Benzoin Ex Tincture	OPEN
Clotrimazole-Betameth Cr	OPEN
Polycitra Posoln	OPEN
Codeine Sulfate Tab	OPEN
Tobramycin-Dexa Opoint	OPEN
D5W/Electolyte IvsoIn	OPEN
Ferrous Gluconate Tab	OPEN
Insulin Syringe Needle Various	OPEN
Lansinoh Oint	OPEN
Oxycodone Cr 10Mg Tab	OPEN
Oxycodone Cr 20Mg Tab	OPEN
Oxycodone Cr 40Mg Tab	OPEN
Oxycodone Cr 80Mg Tab	OPEN
Naproxen Sodium Tab	OPEN
Pyridostigmine Inj	OPEN
Tobramycin 0.3 % Opoint	OPEN
Triamcinolone Acet 0.1 % Cr	OPEN
Triamterene Cap	OPEN
Vitamin D Tab	OPEN
Unna Boot Dressing	OPEN
Doxycycline Cap	OPEN
Quinidine Gluconate Cr Tab	OPEN
Ursodiol Posusp	OPEN
Phenytoin Posusp	OPEN
Pindolol Tab	OPEN
Diphenoxylate-Atropine Poliq	OPEN
Tolmetin Tab	OPEN
Propylthiouracil Tab	OPEN
Reserpine Tab	OPEN
Cyproheptadine Tab	OPEN
Clotrimazole Troches	OPEN
Isosorbide Tab	OPEN
Maprotiline Tab	OPEN
Sodium Citrate Posoln	OPEN
Colchicine Tab	OPEN
Clonazepam Odt Tab	OPEN
Isosorbide Dinitrate Cr Tab	OPEN
Adapalene 0.1% Ex Gel	OPEN
Donepezil Tab	OPEN
Vit D2 Ergocalciferol Cap	OPEN
Oxybutynin Tab	OPEN
Penicillamine Tab	OPEN
Procarbazine 50Mg Cap	OPEN
Clonazepam 100Mcg/ MI Posusp	OPEN
Pyridostigmine Cr Tab	OPEN
Sodium Bicarb Tab	OPEN
Reserpine Tab	OPEN
Enfamil Premature Lipil Poliq	OPEN
Zidovudine 100Mg Cap	OPEN
Lorazepam 0.25Mg Udp	OPEN
Danazol 200Mg Cap	OPEN
Rifampin 150Mg Cap	OPEN
Sildenafil Posusp	OPEN

Geisinger Holy Spirit Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Timolol Xe 0.5% Op Gel	OPEN
Mesalamine 250Mg Cap	OPEN
Pilocarpine 5Mg Tab	OPEN
Triamterene Hctz Tab	OPEN
Fluticasone Prop Nasusp	OPEN
Carbidopa/Levodop 25/100 Crtab	OPEN
Gabapentin 400Mg Cap	OPEN
Enalapril Posoln	OPEN
Oxygen Charge(8 Hours)	OPEN
Gabapentin 100Mg Cap	OPEN
Stavudine 30Mg Cap	OPEN
Cefotetan Per 500 Mg Inj	OPEN
Azithromycin 100Mg/5MI Posusp	OPEN
Azithromycin 200Mg/5MI Posusp	OPEN
Pyridoxine Posusp	OPEN
Tramadol Tab	OPEN
Timolol Xe 0.25% Opsoln	OPEN
Lamivudine Tab	OPEN
Flutter Mucus Clearance Device	OPEN
Testosterone 2.5Mg Patch	OPEN
Lodoxamide 0.1% Opsoln	OPEN
Pyrazinamide Posusp	OPEN
Terbinafine 1%Cr	OPEN
Metronidazole 0.75 % Cr	OPEN
Rifabutin 150Mg Cap	OPEN
Saquinavir 200Mg Cap	OPEN
Hyoscyamine Tab	OPEN
Cromolyn Sodium 4 % Opsoln	OPEN
Cetirizine Tab	OPEN
Baclofen Posusp	OPEN
Triamcinolone Acet Na Inh	OPEN
Fexofenadine 60Mg Cap	OPEN
Glyburide Micronized Tab	OPEN
Terbinafine Tab	OPEN
Latanoprost 0.005% Opsoln	OPEN
Hyoscyamine .375Mg Er Cap	OPEN
Fluconazole 40Mg/MI Posusp	OPEN
Amoxicillin-Pot Clavul Tab	OPEN
Loratadine-Pseudoephed Tab	OPEN
Mirtazapine Tab	OPEN
Ritonavir 100Mg Cap	OPEN
Bupropion XI 150Mg Tab	OPEN
Acetaminophen Chew Tab	OPEN
Fluticasone Oral Inh 44Mcg	OPEN
Fluticasone Oral Inh 110Mcg	OPEN
Fluticasone Oral Inh 220Mcg	OPEN
Amphetamine Salt Combo Tab	OPEN
Mupirocin Calcium 2 % Naoint	OPEN
Tizanidine Tab	OPEN
Iv Solution	\$ 39.00
Adult Dressing	\$ 95.00
Vascular Positioning Kit	\$ 499.00
Misc Blood Bank	OPEN
Misc Referred Test	OPEN
Zero Bill	OPEN
Gold Marker Kits	\$ 1,677.00
Fiducial Marker Kit	\$ 1,302.00
Mammosite Wound Care Kit	\$ 75.00
Single Gold Marker Kit	\$ 422.00
Embolization Coil Lvl012	\$ 2,875.00
Embolization Coil Lvl013	\$ 3,125.00
Embolization Coil Lvl014	\$ 3,375.00

Geisinger Holy Spirit Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Embolization Coil Lvl015	\$ 3,625.00
Embolization Coil Lvl016	\$ 3,875.00
Embolization Coil Lvl017	\$ 4,125.00
Embolization Coil Lvl018	\$ 4,375.00
Embolization Coil Lvl019	\$ 4,625.00
Embolization Coil Lvl020	\$ 4,875.00
Embolization Coil Lvl021	\$ 5,125.00
Embolization Coil Lvl022	\$ 5,375.00
Embolization Coil Lvl023	\$ 5,625.00
Embolization Coil Lvl024	\$ 5,875.00
Embolization Coil Lvl025	\$ 6,125.00
Embolization Coil Lvl026	\$ 6,375.00
Embolization Coil Lvl027	\$ 6,625.00
Embolization Coil Lvl028	\$ 6,875.00
Embolization Coil Lvl029	\$ 7,125.00
Embolization Coil Lvl030	\$ 7,375.00
Embolization Coil Lvl031	\$ 7,625.00
Embolization Coil Lvl032	\$ 7,875.00
Embolization Coil Lvl033	\$ 8,125.00
Embolization Coil Lvl034	\$ 8,375.00
Embolization Coil Lvl035	\$ 8,625.00
Embolization Coil Lvl036	\$ 8,875.00
Embolization Coil Lvl037	\$ 9,125.00
Embolization Coil Lvl038	\$ 9,375.00
Embollic Liquid/Glue Lvl027	\$ 6,625.00
Handpiece Mri Access Petite	\$ 1,520.00
Needle Chiba	\$ 65.00
Needle Biopsy Temno	\$ 209.00
Tray Arthrogram	\$ 81.00
Set Biopsy Bone Bonpoty	\$ 656.00