

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
17 Oh Pregnenolone	\$ 57.00
17 Oh Pregnenolone	\$ 240.00
3D rendering and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; requiring image postprocessing on an independent workstation	\$ 132.00
3D rendering and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; requiring image postprocessing on an independent workstation	\$ 76.00
5% dextrose/water (500 ml = 1 unit)	\$ 11.00
Activated Protein C (APC) resistance assay	\$ 179.00
Acute gastrointestinal blood loss imaging	\$ 871.00
Acute hepatitis panel This panel must include the following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B core antibody (HBcAb), IgM antibody (86705) Hepatitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)	\$ 134.00
Acute venous thrombosis imaging, peptide	\$ 611.00
Acylcarnitines; quantitative, each specimen	\$ 1,286.00
Administration of hepatitis b vaccine	\$ 77.00
Administration of influenza virus vaccine	\$ 12.00
Administration of pneumococcal vaccine	\$ 12.00
Adrenocorticotrophic hormone (ACTH)	\$ 486.00
Agglutinins, febrile (eg, Brucella, Francisella, Murine typhus, Q fever, Rocky Mountain spotted fever, scrub typhus), each antigen	\$ 224.00
Albumin; serum, plasma or whole blood	\$ 12.00
Albumin; serum, plasma or whole blood	\$ 41.00
Albumin; serum, plasma or whole blood	\$ 25.00
Albumin; serum, plasma or whole blood	\$ 30.00
Albumin; urine or other source, quantitative, each specimen	\$ 16.00
Albumin; urine or other source, quantitative, each specimen	\$ 23.00
Albumin; urine or other source, quantitative, each specimen	\$ 35.00
Albumin; urine or other source, quantitative, each specimen	\$ 31.00
Albumin; urine, microalbumin, quantitative	\$ 98.00
Albumin; urine, microalbumin, quantitative	\$ 87.00
Albumin; urine, microalbumin, quantitative	\$ 81.00
Albumin; urine, microalbumin, quantitative	\$ 14.00
Alcohol (ethanol), breath	\$ 61.00
Alcohol and/or other drug testing: collection and handling only, specimens other than blood	\$ 70.00
Alcohol biomarkers; 1 or 2	\$ 387.00
Alcohols	\$ 258.00
Alcohols	\$ 228.00
Alcohols	\$ 200.00
Aldolase	\$ 94.00
Aldosterone	\$ 198.00
Aldosterone	\$ 102.00
Aldosterone	\$ 343.00
Aldosterone	\$ 177.00
Alkaloids, not otherwise specified	\$ 519.00
Alkaloids, not otherwise specified	\$ 338.00
Allergen specific IgE; qualitative, multiallergen screen (eg, disk, sponge, card)	\$ 82.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 103.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 28.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 16.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 18.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 35.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 13.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 30.00
Allergen specific IGE; quantitative or semiquantitative, each allergen	\$ 75.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 132.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 61.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 19.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 66.00
Alpha-1-antitrypsin; phenotype	\$ 197.00
Alpha-1-antitrypsin; total	\$ 88.00
Alpha-1-antitrypsin; total	\$ 113.00
Alpha-fetoprotein (AFP); AFP-L3 fraction isoform and total AFP (including ratio)	\$ 250.00
Alpha-fetoprotein (AFP); amniotic fluid	\$ 78.00
Alpha-fetoprotein (AFP); amniotic fluid	\$ 42.00
Alpha-fetoprotein (AFP); serum	\$ 183.00
Alpha-fetoprotein (AFP); serum	\$ 57.00
Alpha-fetoprotein (AFP); serum	\$ 184.00
Aluminum	\$ 100.00
Amikacin	\$ 129.00
Amikacin	\$ 133.00
Amino acids, 6 or more amino acids, quantitative, each specimen	\$ 310.00
Amino acids; single, qualitative, each specimen	\$ 155.00
Amino acids; single, quantitative, each specimen	\$ 46.00
Amino acids; single, quantitative, each specimen	\$ 115.00
Aminolevulinic acid, delta (ALA); Aminolevulinic acid (protein) level	\$ 115.00
Ammonia	\$ 43.00
Ammonia	\$ 64.00
Amniotic fluid scan (spectrophotometric)	\$ 38.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Amphetamines; 1 or 2	\$ 457.00
Amphetamines; 5 or more	\$ 649.00
Amphetamines; 5 or more	\$ 240.00
Amylase	\$ 16.00
Amylase	\$ 82.00
Amylase	\$ 193.00
Amylase	\$ 87.00
Anabolic steroids; 1 or 2	\$ 152.00
Analgesics, non-opioid; 1 or 2	\$ 200.00
Analysis for antibody to Eastern equine virus (viral encephalitis)	\$ 33.00
Analysis for antibody to Eastern equine virus (viral encephalitis)	\$ 40.00
Analysis for antibody to La crosse (California) virus (encephalitis causing virus)	\$ 33.00
Analysis for antibody to La crosse (California) virus (encephalitis causing virus)	\$ 40.00
Analysis for antibody to St. Louis virus (viral encephalitis)	\$ 33.00
Analysis for antibody to St. Louis virus (viral encephalitis)	\$ 40.00
Analysis for antibody to Western equine virus (viral encephalitis)	\$ 33.00
Analysis for antibody to Western equine virus (viral encephalitis)	\$ 40.00
Analysis test for HIV-1 virus	\$ 321.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 36.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,794.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 493.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 21.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 319.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 321.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 224.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 95.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 145.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 691.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 574.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 724.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 630.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 752.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 721.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 957.60
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,852.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,648.20
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 656.82
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 225.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 136.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 55.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 258.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 46.00
Androstenedione	\$ 73.00
Androstenedione	\$ 282.00
Anesthesia disbursement by time: 000-030 MIN	\$ 439.00
Anesthesia disbursement by time: 031-090 MIN	\$ 1,043.00
Anesthesia disbursement by time: 091-150 MIN	\$ 1,566.00
Anesthesia disbursement by time: 151-210 MIN	\$ 2,087.00
Anesthesia disbursement by time: 211-270 MIN	\$ 2,609.00
Anesthesia disbursement by time: 271-330 MIN	\$ 3,131.00
Anesthesia disbursement by time: 331-390 MIN	\$ 3,653.00
Anesthesia disbursement by time: 391-450 MIN	\$ 4,175.00
Anesthesia disbursement by time: 451-510 MIN	\$ 4,696.00
Anesthesia disbursement by time: 511-570 MIN	\$ 5,219.00
Anesthesia disbursement by time: 571-630 MIN	\$ 5,742.00
Anesthesia disbursement by time: 631-690 MIN	\$ 6,263.00
Angiotensin I - converting enzyme (ACE)	\$ 122.00
Angiotensin I - converting enzyme (ACE)	\$ 130.00
Ankle foot orthosis, posterior solid ankle, plastic, custom fabricated	\$ 2,553.00
Antibody elution (RBC), each elution	\$ 101.00
Antibody elution (RBC), each elution	\$ 160.00
Antibody identification test for platelet antibodies	\$ 228.00
Antibody identification, RBC antibodies, each panel for each serum technique	\$ 154.00
Antibody identification, RBC antibodies, each panel for each serum technique	\$ 235.00
Antibody identification; leukocyte antibodies	\$ 449.00
Antibody identification; leukocyte antibodies	\$ 38.00
Antibody identification; leukocyte antibodies	\$ 216.00
Antibody identification; leukocyte antibodies	\$ 314.00
Antibody identification; leukocyte antibodies	\$ 153.00
Antibody identification; leukocyte antibodies	\$ 142.00
Antibody identification; leukocyte antibodies	\$ 60.00
Antibody identification; platelet antibodies	\$ 890.00
Antibody identification; platelet antibodies	\$ 2,705.00
Antibody identification; platelet antibodies	\$ 1,320.00
Antibody identification; platelet antibodies	\$ 46.00
Antibody identification; platelet antibodies	\$ 594.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody identification; platelet antibodies	\$ 413.00
Antibody identification; platelet antibodies	\$ 138.00
Antibody identification; platelet antibodies	\$ 59.00
Antibody identification; platelet antibodies	\$ 167.00
Antibody screen, RBC, each serum technique	\$ 87.00
Antibody screen, RBC, each serum technique	\$ 20.00
Antibody screen, RBC, each serum technique	\$ 83.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class I	\$ 201.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class II	\$ 173.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 2,391.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 654.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 2,031.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 935.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 658.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 1,569.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 827.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I	\$ 935.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I	\$ 892.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II	\$ 827.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II	\$ 805.00
Antibody; adenovirus	\$ 71.00
Antibody; Aspergillus	\$ 62.00
Antibody; Aspergillus	\$ 114.00
Antibody; Aspergillus	\$ 55.00
Antibody; Aspergillus	\$ 38.00
Antibody; bacterium, not elsewhere specified	\$ 46.00
Antibody; bacterium, not elsewhere specified	\$ 32.00
Antibody; bacterium, not elsewhere specified	\$ 107.00
Antibody; bacterium, not elsewhere specified	\$ 396.00
Antibody; bacterium, not elsewhere specified	\$ 33.00
Antibody; bacterium, not elsewhere specified	\$ 238.00
Antibody; Bartonella	\$ 81.00
Antibody; Bartonella	\$ 86.00
Antibody; Blastomyces	\$ 32.00
Antibody; Blastomyces	\$ 121.00
Antibody; Bordetella	\$ 47.00
Antibody; Bordetella	\$ 241.00
Antibody; Bordetella	\$ 95.00
Antibody; Borrelia (relapsing fever)	\$ 181.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 250.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 42.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 147.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 159.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 242.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 195.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 960.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 39.00
Antibody; Brucella	\$ 49.00
Antibody; Campylobacter	\$ 692.00
Antibody; Candida	\$ 122.00
Antibody; Candida	\$ 43.00
Antibody; Candida	\$ 85.00
Antibody; Chlamydia	\$ 135.00
Antibody; Chlamydia	\$ 29.00
Antibody; Chlamydia	\$ 45.00
Antibody; Chlamydia	\$ 240.00
Antibody; Chlamydia	\$ 120.00
Antibody; Chlamydia, IgM	\$ 195.00
Antibody; Chlamydia, IgM	\$ 32.00
Antibody; Chlamydia, IgM	\$ 63.00
Antibody; Chlamydia, IgM	\$ 253.00
Antibody; Coccidioides	\$ 29.00
Antibody; Coccidioides	\$ 109.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody; Coxiella burnetii (Q fever)	\$ 115.00
Antibody; Coxiella burnetii (Q fever)	\$ 77.00
Antibody; Coxiella burnetii (Q fever)	\$ 89.00
Antibody; Coxiella burnetii (Q fever)	\$ 72.00
Antibody; Coxiella burnetii (Q fever)	\$ 93.00
Antibody; cytomegalovirus (CMV)	\$ 36.00
Antibody; cytomegalovirus (CMV)	\$ 103.00
Antibody; cytomegalovirus (CMV), IgM	\$ 146.00
Antibody; Diphtheria	\$ 275.00
Antibody; Diphtheria	\$ 50.00
Antibody; Ehrlichia	\$ 77.00
Antibody; Ehrlichia	\$ 372.00
Antibody; Ehrlichia	\$ 41.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 32.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 67.00
Antibody; Epstein-Barr (EB) virus, early antigen (EA)	\$ 122.00
Antibody; Epstein-Barr (EB) virus, early antigen (EA)	\$ 163.00
Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)	\$ 99.00
Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)	\$ 189.00
Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)	\$ 188.00
Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)	\$ 107.00
Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)	\$ 185.00
Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)	\$ 199.00
Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)	\$ 225.00
Antibody; Francisella Tularensis	\$ 74.00
Antibody; fungus, not elsewhere specified	\$ 219.00
Antibody; fungus, not elsewhere specified	\$ 31.00
Antibody; fungus, not elsewhere specified	\$ 43.00
Antibody; fungus, not elsewhere specified	\$ 147.00
Antibody; Giardia lamblia	\$ 196.00
Antibody; Haemophilus influenza	\$ 206.00
Antibody; Helicobacter pylori	\$ 167.00
Antibody; Helicobacter pylori	\$ 193.00
Antibody; Helicobacter pylori	\$ 155.00
Antibody; Helicobacter pylori	\$ 179.00
Antibody; helminth, not elsewhere specified	\$ 381.00
Antibody; helminth, not elsewhere specified	\$ 221.00
Antibody; helminth, not elsewhere specified	\$ 198.00
Antibody; helminth, not elsewhere specified	\$ 163.00
Antibody; helminth, not elsewhere specified	\$ 171.00
Antibody; hepatitis, delta agent	\$ 180.00
Antibody; herpes simplex, non-specific type test	\$ 122.00
Antibody; herpes simplex, type 1	\$ 33.00
Antibody; herpes simplex, type 1	\$ 45.00
Antibody; herpes simplex, type 2	\$ 48.00
Antibody; herpes simplex, type 2	\$ 66.00
Antibody; histoplasma	\$ 31.00
Antibody; histoplasma	\$ 57.00
Antibody; HIV-1	\$ 91.00
Antibody; HIV-1	\$ 33.00
Antibody; HIV-1 and HIV-2, single result	\$ 34.00
Antibody; HIV-1 and HIV-2, single result	\$ 105.00
Antibody; HIV-1 and HIV-2, single result	\$ 306.00
Antibody; HIV-1 and HIV-2, single result	\$ 99.00
Antibody; HIV-2	\$ 211.00
Antibody; HIV-2	\$ 49.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 223.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 55.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 322.00
Antibody; HTLV-I	\$ 21.00
Antibody; HTLV-I	\$ 133.00
Antibody; HTLV-II	\$ 35.00
Antibody; influenza virus	\$ 34.00
Antibody; influenza virus	\$ 92.00
Antibody; JC (John Cunningham) virus	\$ 70.00
Antibody; Legionella	\$ 118.00
Antibody; Legionella	\$ 184.00
Antibody; Leptospira	\$ 176.00
Antibody; mumps	\$ 126.00
Antibody; mumps	\$ 80.00
Antibody; mumps	\$ 91.00
Antibody; mycoplasma	\$ 122.00
Antibody; mycoplasma	\$ 84.00
Antibody; parvovirus	\$ 153.00
Antibody; parvovirus	\$ 176.00
Antibody; protozoa, not elsewhere specified	\$ 31.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody; protozoa, not elsewhere specified	\$ 103.00
Antibody; protozoa, not elsewhere specified	\$ 130.00
Antibody; protozoa, not elsewhere specified	\$ 300.00
Antibody; protozoa, not elsewhere specified	\$ 213.00
Antibody; protozoa, not elsewhere specified	\$ 201.00
Antibody; respiratory syncytial virus	\$ 92.00
Antibody; respiratory syncytial virus	\$ 136.00
Antibody; Rickettsia	\$ 94.00
Antibody; rubella	\$ 99.00
Antibody; rubella	\$ 95.00
Antibody; rubella	\$ 166.00
Antibody; rubeola	\$ 133.00
Antibody; rubeola	\$ 154.00
Antibody; tetanus	\$ 212.00
Antibody; tetanus	\$ 50.00
Antibody; Toxoplasma	\$ 89.00
Antibody; Toxoplasma	\$ 115.00
Antibody; Toxoplasma, IgM	\$ 77.00
Antibody; Treponema pallidum	\$ 33.00
Antibody; Treponema pallidum	\$ 47.00
Antibody; Treponema pallidum	\$ 95.00
Antibody; Trichinella	\$ 377.00
Antibody; varicella-zoster	\$ 81.00
Antibody; varicella-zoster	\$ 98.00
Antibody; varicella-zoster	\$ 78.00
Antibody; varicella-zoster	\$ 99.00
Antibody; virus, not elsewhere specified	\$ 83.00
Antibody; virus, not elsewhere specified	\$ 123.00
Antibody; virus, not elsewhere specified	\$ 99.00
Antibody; virus, not elsewhere specified	\$ 2,646.00
Antibody; virus, not elsewhere specified	\$ 32.00
Antibody; virus, not elsewhere specified	\$ 193.00
Antibody; West Nile virus	\$ 99.00
Antibody; West Nile virus, IgM	\$ 117.00
Antibody; Zika virus, IgM	\$ 288.00
Antidepressants, not otherwise specified	\$ 166.00
Antidepressants, not otherwise specified	\$ 210.00
Antidepressants, serotonergic class; 1 or 2	\$ 159.00
Antidepressants, serotonergic class; 1 or 2	\$ 67.00
Antidepressants, serotonergic class; 1 or 2	\$ 497.00
Antidepressants, tricyclic and other cyclicals; 1 or 2	\$ 200.00
Antidepressants, tricyclic and other cyclicals; 3-5	\$ 200.00
Antiepileptics, not otherwise specified; 1-3	\$ 430.00
Antihuman globulin test (Coombs test); direct, each antiserum	\$ 81.00
Antihuman globulin test (Coombs test); direct, each antiserum	\$ 126.00
Antihuman globulin test (Coombs test); indirect, each antibody titer	\$ 232.00
Antihuman globulin test (Coombs test); indirect, qualitative, each reagent red cell	\$ 32.00
Antinuclear antibodies (ANA)	\$ 48.00
Antinuclear antibodies (ANA); titer	\$ 82.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 81.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 40.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 156.00
Antipsychotics, not otherwise specified; 1-3	\$ 175.00
Antipsychotics, not otherwise specified; 1-3	\$ 163.00
Antipsychotics, not otherwise specified; 1-3	\$ 677.00
Antipsychotics, not otherwise specified; 1-3	\$ 127.00
Antipsychotics, not otherwise specified; 1-3	\$ 200.00
Antistreptolysin O; titer	\$ 62.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants	\$ 404.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 1,576.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 54.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; known familial variants	\$ 648.00
Apolipoprotein, each	\$ 74.00
Apolipoprotein, each	\$ 43.00
Apolipoprotein, each	\$ 72.00
Apolipoprotein, each	\$ 248.00
Apolipoprotein, each	\$ 185.00
Apolipoprotein, each	\$ 56.00
Application of a modality to 1 or more areas; contrast baths, each 15 minutes	\$ 54.00
Application of a modality to 1 or more areas; diathermy (eg, microwave)	\$ 162.00
Application of a modality to 1 or more areas; diathermy (eg, microwave)	\$ 142.00
Application of a modality to 1 or more areas; electrical stimulation (manual), each 15 minutes	\$ 80.00
Application of a modality to 1 or more areas; electrical stimulation (manual), each 15 minutes	\$ 70.00
Application of a modality to 1 or more areas; electrical stimulation (unattended)	\$ 80.00
Application of a modality to 1 or more areas; electrical stimulation (unattended)	\$ 70.00
Application of a modality to 1 or more areas; infrared	\$ 50.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Application of a modality to 1 or more areas; iontophoresis, each 15 minutes	\$ 85.00
Application of a modality to 1 or more areas; iontophoresis, each 15 minutes	\$ 74.00
Application of a modality to 1 or more areas; paraffin bath	\$ 73.00
Application of a modality to 1 or more areas; traction, mechanical	\$ 92.00
Application of a modality to 1 or more areas; ultrasound, each 15 minutes	\$ 70.00
Application of a modality to 1 or more areas; ultrasound, each 15 minutes	\$ 68.00
Application of a modality to 1 or more areas; ultraviolet	\$ 51.00
Application of a modality to 1 or more areas; vasopneumatic devices	\$ 75.00
Application of a modality to 1 or more areas; whirlpool	\$ 61.00
Application of a modality to 1 or more areas; whirlpool	\$ 78.00
Application of a modality to 1 or more areas; whirlpool	\$ 68.00
Application of multi-layer compression system; leg (below knee), including ankle and foot	\$ 239.00
Application of rigid total contact leg cast	\$ 527.00
Application of surface (transcutaneous) neurostimulator	\$ 95.00
Application of surface (transcutaneous) neurostimulator	\$ 102.00
Arsenic	\$ 93.00
Arsenic	\$ 47.00
Arsenic	\$ 187.00
Arsenic	\$ 122.00
Arterial puncture, withdrawal of blood for diagnosis	\$ 21.00
Arterial puncture, withdrawal of blood for diagnosis	\$ 112.00
Arthrocentesis, aspiration and/or injection, intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa); without ultrasound guidance	\$ 550.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 520.00
Arthrocentesis, aspiration and/or injection, small joint or bursa (eg, fingers, toes); without ultrasound guidance	\$ 550.00
Ascorbic acid (Vitamin C), blood	\$ 113.00
ASPA (aspartoacylase) (eg, Canavan disease) gene analysis, common variants (eg, E285A, Y231X)	\$ 636.00
Aspiration and/or injection of renal cyst or pelvis by needle, percutaneous	\$ 2,100.00
Aspiration and/or injection, thyroid cyst	\$ 982.00
Assessment of aphasia (includes assessment of expressive and receptive speech and language function, language comprehension, speech production ability, reading, spelling, writing, eg, by Boston Diagnostic Aphasia Examination) with interpretation and report, per hour	\$ 258.00
Atomic absorption spectroscopy, each analyte	\$ 117.00
Attention functional limitation, current status at therapy episode outset and at reporting intervals	\$ 0.01
Attention functional limitation, discharge status at discharge from therapy or to end reporting	\$ 0.01
Attention functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
B cells, total count	\$ 146.00
Barbiturates	\$ 199.00
Barbiturates	\$ 993.00
Barbiturates	\$ 203.00
Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435)	\$ 28.00
Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)	
Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)	\$ 142.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 289.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 409.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative	\$ 247.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative	\$ 361.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; other breakpoint, qualitative or quantitative	\$ 247.00
Behavioral and qualitative analysis of voice and resonance	\$ 265.00
Benzodiazepines; 1-12	\$ 200.00
Benzodiazepines; 1-12	\$ 58.00
Benzodiazepines; 1-12	\$ 814.00
Benzodiazepines; 1-12	\$ 228.00
Benzodiazepines; 1-12	\$ 273.00
Benzodiazepines; 1-12	\$ 240.00
Benzodiazepines; 1-12	\$ 219.00
Benzodiazepines; 13 or more	\$ 1,261.00
Benzodiazepines; 13 or more	\$ 879.00
Beta 2 Glycoprotein I antibody, each	\$ 125.00
Beta 2 Glycoprotein I antibody, each	\$ 81.00
Beta-2 microglobulin	\$ 195.00
Beta-2 microglobulin	\$ 98.00
Bile acids; total	\$ 106.00
Bilirubin, total, transcutaneous	\$ 135.00
Bilirubin; direct	\$ 49.00
Bilirubin; feces, qualitative	\$ 24.00
Bilirubin; total	\$ 49.00
Bilirubin; total	\$ 82.00
Bilirubin; total	\$ 58.00
Biofeedback training by any modality	\$ 251.00
Biopsy of liver, needle; percutaneous	\$ 1,996.00
Biopsy of pancreas, percutaneous needle	\$ 2,100.00
Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; each separate/additional lesion (List separately in addition to code for primary procedure)	\$ 199.00
Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; single lesion	\$ 347.00
Biopsy or excision of lymph node(s); by needle, superficial (eg, cervical, inguinal, axillary)	\$ 1,619.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Biopsy thyroid, percutaneous core needle	\$ 982.00
Biopsy, abdominal or retroperitoneal mass, percutaneous needle	\$ 2,100.00
Biopsy, bone, trocar, or needle; deep (eg, vertebral body, femur)	\$ 3,482.00
Biopsy, bone, trocar, or needle; superficial (eg, ilium, sternum, spinous process, ribs)	\$ 1,811.00
Biopsy, lung or mediastinum, percutaneous needle	\$ 2,100.00
Biopsy, muscle, percutaneous needle	\$ 1,619.00
Biopsy, pleura, percutaneous needle	\$ 2,100.00
Biotinidase, each specimen	\$ 221.00
Biotinidase, each specimen	\$ 42.00
Bleeding time	\$ 43.00
Blood (whole), for transfusion, per unit	\$ 997.00
Blood bank physician services; investigation of transfusion reaction including suspicion of transmissible disease.	\$ 355.00
Blood count; automated differential WBC count	\$ 59.00
Blood count; blood smear, microscopic examination with manual differential WBC count	\$ 9.00
Blood count; blood smear, microscopic examination with manual differential WBC count	\$ 24.00
Blood count; blood smear, microscopic examination with manual differential WBC count	\$ 23.00
Blood count; blood smear, microscopic examination without manual differential WBC count	\$ 9.00
Blood count; blood smear, microscopic examination without manual differential WBC count	\$ 24.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 16.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 59.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count	\$ 68.00
Blood count; hematocrit (Hct)	\$ 33.00
Blood count; hematocrit (Hct)	\$ 6.00
Blood count; hematocrit (Hct)	\$ 18.00
Blood count; hemoglobin (Hgb)	\$ 23.00
Blood count; hemoglobin (Hgb)	\$ 6.00
Blood count; hemoglobin (Hgb)	\$ 18.00
Blood count; leukocyte (WBC), automated	\$ 68.00
Blood count; leukocyte (WBC), automated	\$ 25.00
Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each	\$ 20.00
Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each	\$ 61.00
Blood count; manual cell count (erythrocyte, leukocyte, or platelet) each	\$ 52.00
Blood count; manual differential WBC count, buffy coat	\$ 10.00
Blood count; platelet, automated	\$ 52.00
Blood count; red blood cell (RBC), automated	\$ 36.00
Blood count; red blood cell (RBC), automated	\$ 8.00
Blood count; reticulocyte, manual	\$ 50.00
Blood count; reticulocyte, manual	\$ 377.00
Blood count; reticulocytes, automated, including 1 or more cellular parameters (eg, reticulocyte hemoglobin content [CHR], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement	\$ 50.00
Blood count; spun microhematocrit	\$ 21.00
Blood typing, serologic; ABO	\$ 39.00
Blood typing, serologic; ABO	\$ 65.00
Blood typing, serologic; ABO	\$ 7.00
Blood typing, serologic; ABO	\$ 32.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 118.00
Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	\$ 54.00
Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	\$ 131.00
Blood typing, serologic; Rh (D)	\$ 28.00
Blood typing, serologic; Rh (D)	\$ 52.00
Blood typing, serologic; Rh (D)	\$ 7.00
Blood typing, serologic; Rh phenotyping, complete	\$ 102.00
Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations	\$ 71.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening	\$ 38.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)	\$ 26.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)	\$ 117.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	\$ 24.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	\$ 11.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	\$ 38.00
Bone age studies	\$ 112.00
Bone and/or joint imaging; 3 phase study	\$ 1,729.00
Bone and/or joint imaging; limited area	\$ 873.00
Bone and/or joint imaging; multiple areas	\$ 969.00
Bone and/or joint imaging; tomographic (SPECT)	\$ 2,066.00
Bone and/or joint imaging; whole body	\$ 1,186.00
Bone length studies (orthoroentgenogram, scanogram)	\$ 319.00
Bone marrow, smear interpretation	\$ 489.00
Bone marrow, smear interpretation	\$ 250.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 1,364.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 1,839.00
Brain imaging, minimum 4 static views	\$ 543.00
Brain imaging, minimum 4 static views; with vascular flow	\$ 766.00
Brain imaging, tomographic (SPECT)	\$ 1,693.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Brain imaging, vascular flow only	\$ 815.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 54.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	\$ 2,735.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 538InsC, 6174delT variants	\$ 1,983.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants in BRCA1 (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 10,033.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants in BRCA1 (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 3,036.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; uncommon duplication/deletion variants	\$ 2,377.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	\$ 54.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	\$ 2,735.00
Bronchodilation responsiveness, spirometry as in 94010, pre- and post-bronchodilator administration	\$ 906.00
Buprenorphine	\$ 266.00
Buprenorphine	\$ 751.00
Buprenorphine	\$ 442.00
Buprenorphine	\$ 200.00
Cadmium	\$ 207.00
Cadmium	\$ 79.00
Caffeine	\$ 113.00
Calcitonin	\$ 270.00
Calcium; ionized	\$ 81.00
Calcium; ionized	\$ 127.00
Calcium; total	\$ 43.00
Calcium; total	\$ 62.00
Calcium; urine quantitative, timed specimen	\$ 15.00
Calcium; urine quantitative, timed specimen	\$ 62.00
Calcium; urine quantitative, timed specimen	\$ 28.00
Calculus; infrared spectroscopy	\$ 186.00
Calprotectin, fecal	\$ 309.00
CALR (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9	\$ 895.00
Canalith repositioning procedure(s) (eg, Epley maneuver, Semont maneuver), per day	\$ 166.00
Cannabinoids, natural	\$ 200.00
Cannabinoids, natural	\$ 337.00
Cannabinoids, natural	\$ 920.00
Cannabinoids, natural	\$ 273.00
Carbamazepine; free	\$ 89.00
Carbamazepine; free	\$ 156.00
Carbamazepine; total	\$ 43.00
Carbamazepine; total	\$ 270.00
Carbon dioxide (bicarbonate)	\$ 189.00
Carbon dioxide (bicarbonate)	\$ 39.00
Carboxyhemoglobin; quantitative	\$ 92.00
Carcinoembryonic antigen (CEA)	\$ 134.00
Cardiac blood pool imaging, gated equilibrium; multiple studies, wall motion study plus ejection fraction, at rest and stress (exercise and/or pharmacologic), with or without additional quantification	\$ 1,895.00
Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without additional quantitative processing	\$ 884.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 125.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 170.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 179.00
Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; tracing only, without interpretation and report	\$ 880.00
Carnitine (total and free), quantitative, each specimen	\$ 337.00
Carnitine (total and free), quantitative, each specimen	\$ 1,174.00
Carnitine (total and free), quantitative, each specimen	\$ 450.00
Carotene	\$ 84.00
Carrying, moving & handling objects functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 0.01
Carrying, moving & handling objects functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Carrying, moving and handling objects, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Catecholamines; fractionated	\$ 63.00
Catecholamines; fractionated	\$ 159.00
Catecholamines; fractionated	\$ 318.00
Cathepsin-D	\$ 216.00
Catheter, balloon dilatation, non-vascular	\$ 671.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 2,520.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,533.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 2,875.00
Catheter, thrombectomy/embolectomy	\$ 156.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 32.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 65.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 49.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count	\$ 86.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 1,332.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 1,119.00
Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, ATP)	\$ 681.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Cerebral perfusion analysis using computed tomography with contrast administration, including post-processing of parametric maps with determination of cerebral blood flow, cerebral blood volume, and mean transit time	\$ 1,182.00
Cerebrospinal fluid flow, imaging (not including introduction of material); cisternography	\$ 1,187.00
Cerebrospinal fluid flow, imaging (not including introduction of material); tomographic (SPECT)	\$ 1,699.00
Ceruloplasmin	\$ 93.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)	\$ 1,124.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)	\$ 289.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence	\$ 1,008.00
Changing & maintaining body position functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 0.01
Changing & maintaining body position functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Changing & maintaining body position functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Chemical cauterization of granulation tissue (ie, proud flesh)	\$ 347.00
Chemiluminescent assay	\$ 35.00
Chemiluminescent assay	\$ 192.00
Chemiluminescent assay	\$ 147.00
Chemiluminescent assay	\$ 277.00
Chemiluminescent assay	\$ 57.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type	\$ 1,812.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection	\$ 1,350.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection	\$ 1,365.00
Chloramphenicol	\$ 88.00
Chloride; blood	\$ 11.00
Chloride; blood	\$ 18.00
Chloride; blood	\$ 43.00
Chloride; other source	\$ 70.00
Chloride; other source	\$ 49.00
Chloride; other source	\$ 57.00
Chloride; urine	\$ 47.00
Chloride; urine	\$ 49.00
Chloride; urine	\$ 21.00
Chlorinated hydrocarbons, screen	\$ 275.00
Cholangiography and/or pancreatography; intraoperative, radiological supervision	\$ 202.00
Cholesterol, serum or whole blood, total	\$ 51.00
Cholinesterase; RBC	\$ 106.00
Cholinesterase; serum	\$ 20.00
Cholinesterase; serum	\$ 61.00
Chromium	\$ 108.00
Chromium	\$ 197.00
Chromosome analysis for breakage syndromes; score 100 cells, clastogen stress (eg, diepoxybutane, mitomycin C, ionizing radiation, UV radiation)	\$ 432.00
Chromosome analysis, amniotic fluid or chorionic villus, count 15 cells, 1 karyotype, with banding	\$ 448.00
Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	\$ 415.00
Chromosome analysis; additional high resolution study	\$ 268.00
Chromosome analysis; additional high resolution study	\$ 86.00
Chromosome analysis; additional karyotypes, each study	\$ 68.00
Chromosome analysis; analyze 20-25 cells	\$ 311.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 628.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 965.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 540.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 311.00
Chromosome analysis; count 45 cells for mosaicism, 2 karyotypes, with banding	\$ 375.00
Citrate	\$ 69.00
Citrate	\$ 309.00
Citrate	\$ 145.00
Clinical pathology consultation; comprehensive, for a complex diagnostic problem, with review of patient's history and medical records	\$ 449.00
Closure devices - including sutures, staples and staplers	\$ 42.00
Closure devices - including sutures, staples and staplers	\$ 35.00
Closure devices - including sutures, staples and staplers	\$ 13.00
Closure devices - including sutures, staples and staplers	\$ 31.00
Closure devices - including sutures, staples and staplers	\$ 236.00
Closure devices - including sutures, staples and staplers	\$ 1,814.00
Closure devices - including sutures, staples and staplers	\$ 1,420.00
Closure devices - including sutures, staples and staplers	\$ 1,469.00
Closure devices - including sutures, staples and staplers	\$ 1,578.00
Closure devices - including sutures, staples and staplers	\$ 1,172.00
Closure devices - including sutures, staples and staplers	\$ 8.00
Closure devices - including sutures, staples and staplers	\$ 12.00
Closure devices - including sutures, staples and staplers	\$ 811.00
Closure devices - including sutures, staples and staplers	\$ 11.00
Closure devices - including sutures, staples and staplers	\$ 29.00
Closure devices - including sutures, staples and staplers	\$ 48.00
Closure devices - including sutures, staples and staplers	\$ 73.00
Closure devices - including sutures, staples and staplers	\$ 38.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Closure devices - including sutures, staples and staplers	\$ 272.00
Closure devices - including sutures, staples and staplers	\$ 30.00
Closure devices - including sutures, staples and staplers	\$ 7.00
Closure devices - including sutures, staples and staplers	\$ 14.00
Closure devices - including sutures, staples and staplers	\$ 28.00
Closure devices - including sutures, staples and staplers	\$ 23.00
Closure devices - including sutures, staples and staplers	\$ 62.00
Closure devices - including sutures, staples and staplers	\$ 10.00
Closure devices - including sutures, staples and staplers	\$ 9.00
Closure devices - including sutures, staples and staplers	\$ 255.00
Closure devices - including sutures, staples and staplers	\$ 58.00
Closure devices - including sutures, staples and staplers	\$ 151.00
Closure devices - including sutures, staples and staplers	\$ 116.00
Closure devices - including sutures, staples and staplers	\$ 873.00
Closure devices - including sutures, staples and staplers	\$ 616.00
Closure devices - including sutures, staples and staplers	\$ 24.00
Clotting inhibitors or anticoagulants; antithrombin III, activity	\$ 50.00
Clotting inhibitors or anticoagulants; antithrombin III, antigen assay	\$ 46.00
Clotting inhibitors or anticoagulants; protein C, activity	\$ 109.00
Clotting inhibitors or anticoagulants; protein C, activity	\$ 501.00
Clotting inhibitors or anticoagulants; protein C, antigen	\$ 173.00
Clotting inhibitors or anticoagulants; protein S, free	\$ 409.00
Clotting inhibitors or anticoagulants; protein S, free	\$ 138.00
Clotting inhibitors or anticoagulants; protein S, total	\$ 138.00
Clotting; factor II, prothrombin, specific	\$ 243.00
Clotting; factor IX (PTC or Christmas)	\$ 260.00
Clotting; factor V (AcG or proaccelerin), labile factor	\$ 243.00
Clotting; factor VII (proconvertin, stable factor)	\$ 454.00
Clotting; factor VIII (AHG), 1-stage	\$ 45.00
Clotting; factor VIII (AHG), 1-stage	\$ 292.00
Clotting; factor VIII, von Willebrand factor, multimetric analysis	\$ 57.00
Clotting; factor VIII, von Willebrand factor, multimetric analysis	\$ 153.00
Clotting; factor VIII, VW factor antigen	\$ 57.00
Clotting; factor VIII, VW factor antigen	\$ 204.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 204.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 57.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 176.00
Clotting; factor X (Stuart-Prower)	\$ 300.00
Clotting; factor XI (PTA)	\$ 152.00
Clotting; factor XII (Hageman)	\$ 152.00
Clotting; factor XIII (fibrin stabilizing), screen solubility	\$ 152.00
Clozapine	\$ 122.00
Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte	\$ 691.00
Coagulation time; activated	\$ 59.00
Coagulation time; activated	\$ 96.00
Coagulation time; activated	\$ 11.00
Cocaine	\$ 215.00
Cocaine	\$ 879.00
Cocaine	\$ 273.00
Cold agglutinin; titer	\$ 87.00
Collagen cross links, any method	\$ 480.00
Collagen cross links, any method	\$ 47.00
Collagen cross links, any method	\$ 315.00
Collagen cross links, any method	\$ 260.00
Collagen cross links, any method	\$ 141.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 13.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 30.00
Collection of venous blood by venipuncture	\$ 14.00
Collection of venous blood by venipuncture	\$ 35.00
Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 simultaneous	\$ 71.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 72.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 161.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 65.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 146.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 400.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 49.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 227.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 180.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 163.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 459.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 177.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 345.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 882.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 228.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 295.00
Community/work reintegration training (eg, shopping, transportation, money management, avocational activities and/or work environment/modification analysis, work task analysis, use of assistive technology device/adaptive equipment), direct one-on-one contact, each 15 minutes	\$ 112.00
Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)	\$ 2,157.00
Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)	\$ 536.00
Compatibility test each unit; antiglobulin technique	\$ 111.00
Compatibility test each unit; electronic	\$ 171.00
Compatibility test each unit; immediate spin technique	\$ 261.00
Compatibility test each unit; immediate spin technique	\$ 116.00
Compatibility test each unit; incubation technique	\$ 111.00
Complement fixation tests, each antigen	\$ 82.00
Complement; antigen, each component	\$ 106.00
Complement; antigen, each component	\$ 61.00
Complement; antigen, each component	\$ 242.00
Complement; antigen, each component	\$ 251.00
Complement; antigen, each component	\$ 126.00
Complement; antigen, each component	\$ 134.00
Complement; antigen, each component	\$ 121.00
Complement; antigen, each component	\$ 52.00
Complement; functional activity, each component	\$ 143.00
Complement; functional activity, each component	\$ 527.00
Complement; total hemolytic (CH50)	\$ 211.00
Complete bilateral noninvasive physiologic studies of upper or lower extremity arteries, 3 or more levels (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental blood pressure measurements with bidirectional Doppler waveform recording and analysis, at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental volume plethysmography at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental transcutaneous oxygen tension measurements at 3 or more levels), or single level study with provocative functional maneuvers (eg, measurements with postural provocative tests, or measurements with reactive hyperemia)	\$ 298.00
Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)	\$ 89.00
Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)	\$ 180.00
Computed tomographic angiography, abdomen and pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 935.00
Computed tomographic angiography, abdomen, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 1,763.00
Computed tomographic angiography, abdominal aorta and bilateral iliofemoral lower extremity runoff, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 2,314.00
Computed tomographic angiography, chest (noncoronary), with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 1,811.00
Computed tomographic angiography, head, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 1,918.00
Computed tomographic angiography, lower extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 1,694.00
Computed tomographic angiography, neck, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 1,585.00
Computed tomographic angiography, pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 1,763.00
Computed tomographic angiography, upper extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 1,694.00
Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision	\$ 610.00
Computed tomography, abdomen and pelvis; with contrast material(s)	\$ 3,279.00
Computed tomography, abdomen and pelvis; without contrast material	\$ 2,524.00
Computed tomography, abdomen and pelvis; without contrast material in one or both body regions, followed by contrast material(s) and further sections in one or both body regions	\$ 3,279.00
Computed tomography, abdomen; with contrast material(s)	\$ 1,627.00
Computed tomography, abdomen; without contrast material	\$ 1,306.00
Computed tomography, abdomen; without contrast material, followed by contrast material(s) and further sections	\$ 1,971.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Computed tomography, cervical spine; with contrast material	\$ 1,403.00
Computed tomography, cervical spine; without contrast material	\$ 1,336.00
Computed tomography, cervical spine; without contrast material, followed by contrast material(s) and further sections	\$ 1,621.00
Computed tomography, head or brain; with contrast material(s)	\$ 1,182.00
Computed tomography, head or brain; without contrast material	\$ 1,061.00
Computed tomography, head or brain; without contrast material, followed by contrast material(s) and further sections	\$ 1,550.00
Computed tomography, limited or localized follow-up study	\$ 524.00
Computed tomography, lower extremity; with contrast material(s)	\$ 1,102.00
Computed tomography, lower extremity; with contrast material(s)	\$ 1,160.00
Computed tomography, lower extremity; without contrast material	\$ 944.00
Computed tomography, lower extremity; without contrast material, followed by contrast material(s) and further sections	\$ 1,446.00
Computed tomography, lower extremity; without contrast material, followed by contrast material(s) and further sections	\$ 1,258.00
Computed tomography, lumbar spine; with contrast material	\$ 995.00
Computed tomography, lumbar spine; without contrast material	\$ 915.00
Computed tomography, lumbar spine; without contrast material, followed by contrast material(s) and further sections	\$ 1,318.00
Computed tomography, maxillofacial area; with contrast material(s)	\$ 1,366.00
Computed tomography, maxillofacial area; without contrast material	\$ 1,335.00
Computed tomography, maxillofacial area; without contrast material, followed by contrast material(s) and further sections	\$ 1,704.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; with contrast material(s)	\$ 1,233.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material	\$ 1,366.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material, followed by contrast material(s) and further sections	\$ 1,618.00
Computed tomography, pelvis; with contrast material(s)	\$ 1,310.00
Computed tomography, pelvis; without contrast material	\$ 1,221.00
Computed tomography, pelvis; without contrast material, followed by contrast material(s) and further sections	\$ 1,611.00
Computed tomography, soft tissue neck; with contrast material(s)	\$ 1,365.00
Computed tomography, soft tissue neck; without contrast material	\$ 960.00
Computed tomography, soft tissue neck; without contrast material followed by contrast material(s) and further sections	\$ 1,617.00
Computed tomography, thoracic spine; with contrast material	\$ 1,107.00
Computed tomography, thoracic spine; without contrast material	\$ 1,269.00
Computed tomography, thoracic spine; without contrast material, followed by contrast material(s) and further sections	\$ 1,517.00
Computed tomography, thorax; with contrast material(s)	\$ 1,418.00
Computed tomography, thorax; without contrast material	\$ 1,092.00
Computed tomography, thorax; without contrast material, followed by contrast material(s) and further sections	\$ 1,872.00
Computed tomography, upper extremity; with contrast material(s)	\$ 1,226.00
Computed tomography, upper extremity; without contrast material	\$ 1,001.00
Computed tomography, upper extremity; without contrast material, followed by contrast material(s) and further sections	\$ 1,397.00
Computed tomography, upper extremity; without contrast material, followed by contrast material(s) and further sections	\$ 1,606.00
Concentration (any type), for infectious agents	\$ 34.00
Concentration (any type), for infectious agents	\$ 17.00
Concentration (any type), for infectious agents	\$ 46.00
Consultation and report on referred material requiring preparation of slides	\$ 875.00
Consultation and report on referred slides prepared elsewhere	\$ 1,524.00
Consultation and report on referred slides prepared elsewhere	\$ 82.00
Consultation, comprehensive, with review of records and specimens, with report on referred material	\$ 16.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; each additional hour (List separately in addition to code for primary procedure)	\$ 39.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; first hour	\$ 145.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 45.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 97.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 646.00
Copper	\$ 31.00
Copper	\$ 93.00
Copper	\$ 82.00
Copper	\$ 43.00
Cortisol; free	\$ 136.00
Cortisol; free	\$ 260.00
Cortisol; free	\$ 95.00
Cortisol; total	\$ 108.00
Cortisol; total	\$ 80.00
Cortisol; total	\$ 41.00
Cortisol; total	\$ 133.00
C-peptide	\$ 188.00
C-reactive protein	\$ 77.00
C-reactive protein; high sensitivity (hsCRP)	\$ 375.00
Creatine	\$ 47.00
Creatine	\$ 64.00
Creatine kinase (CK), (CPK); isoenzymes	\$ 84.00
Creatine kinase (CK), (CPK); isoenzymes	\$ 171.00
Creatine kinase (CK), (CPK); MB fraction only	\$ 70.00
Creatine kinase (CK), (CPK); total	\$ 80.00
Creatinine; blood	\$ 18.00
Creatinine; blood	\$ 43.00
Creatinine; clearance	\$ 122.00
Creatinine; other source	\$ 13.00
Creatinine; other source	\$ 21.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Creatinine; other source	\$ 53.00
Creatinine; other source	\$ 18.00
Creatinine; other source	\$ 49.00
Creatinine; other source	\$ 19.00
Critical care, evaluation and management of the critically ill or critically injured patient; each additional 30 minutes (List separately in addition to code for primary service)	\$ 953.00
Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes	\$ 2,049.00
Cryofibrinogen	\$ 133.00
Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)	\$ 37.00
Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)	\$ 49.00
Cryoprecipitate, each unit	\$ 184.00
Crystal identification by light microscopy with or without polarizing lens analysis, tissue or any body fluid (except urine)	\$ 270.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 81.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 34.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 20.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 47.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 19.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 57.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 47.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 149.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 165.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 21.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 42.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 170.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 147.00
Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates	\$ 24.00
Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates	\$ 179.00
Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)	\$ 212.00
Culture, bacterial; quantitative colony count, urine	\$ 134.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 83.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 171.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 206.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 237.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 269.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 39.00
Culture, bacterial; quantitative, anaerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 39.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 24.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 74.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 35.00
Culture, bacterial; stool, aerobic, with isolation and preliminary examination (eg, KIA, LIA), Salmonella and Shigella species	\$ 24.00
Culture, bacterial; stool, aerobic, with isolation and preliminary examination (eg, KIA, LIA), Salmonella and Shigella species	\$ 216.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 87.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 61.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 59.00
Culture, chlamydia, any source	\$ 49.00
Culture, chlamydia, any source	\$ 193.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood	\$ 33.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	\$ 137.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	\$ 21.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	\$ 98.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail	\$ 123.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail	\$ 19.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail	\$ 170.00
Culture, fungi, definitive identification, each organism; yeast	\$ 486.00
Culture, fungi, definitive identification, each organism; yeast	\$ 43.00
Culture, fungi, definitive identification, each organism; yeast	\$ 124.00
Culture, fungi, definitive identification, each organism; yeast	\$ 38.00
Culture, mycoplasma, any source	\$ 84.00
Culture, mycoplasma, any source	\$ 99.00
Culture, presumptive, pathogenic organisms, screening only	\$ 45.00
Culture, presumptive, pathogenic organisms, screening only	\$ 72.00
Culture, presumptive, pathogenic organisms, screening only	\$ 78.00
Culture, presumptive, pathogenic organisms, screening only	\$ 17.00
Culture, presumptive, pathogenic organisms, screening only	\$ 134.00
Culture, presumptive, pathogenic organisms, screening only	\$ 43.00
Culture, presumptive, pathogenic organisms, screening only	\$ 75.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 110.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 27.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 128.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed	\$ 88.00
Culture, typing; immunofluorescent method, each antiserum	\$ 14.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 99.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 44.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 13.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 24.00
Cyanide	\$ 147.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Cyanocobalamin (Vitamin B-12)	\$ 158.00
Cyclic citrullinated peptide (CCP), antibody	\$ 279.00
Cyclosporine	\$ 180.00
Cyclosporine	\$ 73.00
Cystography, minimum of 3 views, radiological supervision	\$ 285.00
Cytogenetics and molecular cytogenetics	\$ 142.00
Cytogenetics and molecular cytogenetics	\$ 811.00
Cytogenetics and molecular cytogenetics	\$ 422.00
Cytogenetics and molecular cytogenetics	\$ 92.00
Cytogenetics and molecular cytogenetics	\$ 120.00
Cytogenetics and molecular cytogenetics	\$ 130.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities	\$ 3,318.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities	\$ 1,892.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 3,860.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 4,530.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 1,818.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 180.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 277.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 73.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision	\$ 296.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision	\$ 316.00
Cytopathology, concentration technique, smears (eg, Saccomanno technique)	\$ 185.00
Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, each separate additional evaluation episode, same site (List separately in addition to code for primary procedure)	\$ 193.00
Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, first evaluation episode, each site	\$ 193.00
Cytopathology, evaluation of fine needle aspirate; interpretation and report	\$ 202.00
Cytopathology, fluids, washings or brushings, except cervical or vaginal; smears	\$ 185.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; manual	\$ 3,282.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; using computer-assisted technology	\$ 3,282.00
Cytopathology, selective cellular enhancement technique (eg, liquid based slide preparation method), except cervical or vaginal	\$ 103.00
Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision	\$ 119.00
Cytopathology, slides, cervical or vaginal, definitive hormonal evaluation (eg, maturation index, karyopyknotic index, estrogenic index) (List separately in addition to code[s] for other technical services)	\$ 67.00
Cytopathology, smears, any other source; extended study involving over 5 slides and/or multiple stains	\$ 261.00
Cytopathology, smears, any other source; preparation, screening	\$ 136.00
Cytopathology, smears, any other source; screening	\$ 136.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; first 20 sq cm or less	\$ 256.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 464.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; first 20 sq cm or less	\$ 270.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 405.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; first 20 sq cm or less	\$ 347.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 347.00
Debridement, bone (includes epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed); first 20 sq cm or less	\$ 1,835.00
Debridement, bone (includes epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed); first 20 sq cm or less	\$ 347.00
Debridement, muscle and/or fascia (includes epidermis, dermis, and subcutaneous tissue, if performed); first 20 sq cm or less	\$ 629.00
Debridement, subcutaneous tissue (includes epidermis and dermis, if performed); first 20 sq cm or less	\$ 629.00
Decalcification procedure (List separately in addition to code for surgical pathology examination)	\$ 280.00
Dehydroepiandrosterone (DHEA)	\$ 314.00
Dehydroepiandrosterone (DHEA)	\$ 63.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Dehydroepiandrosterone-sulfate (DHEA-S)	\$ 240.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 41.00
Deoxycortisol, 11-	\$ 73.00
Deoxycortisol, 11-	\$ 159.00
Deoxyribonuclease, antibody	\$ 91.00
Deoxyribonucleic acid (DNA) antibody; native or double stranded	\$ 70.00
Deoxyribonucleic acid (DNA) antibody; native or double stranded	\$ 170.00
Deoxyribonucleic acid (DNA) antibody; single stranded	\$ 150.00
Desoxycorticosterone, 11-	\$ 114.00
Desoxycorticosterone, 11-	\$ 77.00
Detection test for human papillomavirus (hpv)	\$ 169.00
Detection test for human papillomavirus (hpv)	\$ 117.00
Development of cognitive skills to improve attention, memory, problem solving (includes compensatory training), direct (one-on-one) patient contact, each 15 minutes	\$ 71.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral	\$ 318.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; unilateral	\$ 308.00
Dibucaine number	\$ 31.00
Dibucaine number	\$ 62.00
Diffusing capacity (eg, carbon monoxide, membrane) (List separately in addition to code for primary procedure)	\$ 317.00
Diffusing capacity (eg, carbon monoxide, membrane) (List separately in addition to code for primary procedure)	\$ 571.00
Digoxin; total	\$ 115.00
Doppler echocardiography, pulsed wave and/or continuous wave with spectral display (List separately in addition to codes for echocardiographic imaging); follow-up or limited study (List separately in addition to codes for echocardiographic imaging)	\$ 484.00
Dot Physical Er	\$ 78.00
Drug screening Fentanyl	\$ 173.00
Drug screening Fentanyl	\$ 283.00
Drug screening Fentanyl	\$ 164.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug classes, including metabolite(s) if performed	\$ 200.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures (eg, immunoassay); capable of being read by direct optical observation only (eg, dipsticks, cups, cards, cartridges) includes sample validation when performed, per date of service	\$ 200.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 24.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 269.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 199.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 281.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 58.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 14.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 32.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 290.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 651.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 528.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 43.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 115.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 143.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 139.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 442.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 612.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 509.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 712.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 632.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 346.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 107.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 1-3	\$ 957.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 7 or more	\$ 1,617.00
Drug(s) or substance(s), definitive, qualitative or quantitative, not otherwise specified; 7 or more	\$ 832.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; appendicular skeleton (peripheral) (eg, radius, wrist, heel)	\$ 119.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)	\$ 572.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine), including vertebral fracture assessment	\$ 109.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study	\$ 518.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; unilateral or limited study	\$ 253.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study	\$ 518.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; limited study	\$ 543.00
Duplex scan of extracranial arteries; complete bilateral study	\$ 701.00
Duplex scan of extracranial arteries; unilateral or limited study	\$ 615.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 828.00
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 446.00
Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	\$ 478.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 320.00
Duplex scan of upper extremity arteries or arterial bypass grafts; complete bilateral study	\$ 478.00
Duplex scan of upper extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 306.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, with spectral Doppler echocardiography, and with color flow Doppler echocardiography	\$ 1,669.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, and report	\$ 3,037.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, and report; including performance of continuous electrocardiographic monitoring, with supervision by a physician or other qualified health care professional	\$ 3,037.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, follow-up or limited study	\$ 421.00
EGFR (epidermal growth factor receptor) (eg, non-small cell lung cancer) gene analysis, common variants (eg, exon 19 LREA deletion, L858R, T790M, G719A, G719S, L861Q)	\$ 1,839.00
Elastase, pancreatic (EL-1), fecal, qualitative or semi-quantitative	\$ 683.00
Electrocardiogram, routine ECG with at least 12 leads; tracing only, without interpretation and report	\$ 187.00
Electroencephalogram (EEG) extended monitoring; 41-60 minutes	\$ 498.00
Electroencephalogram (EEG) extended monitoring; greater than 1 hour	\$ 603.00
Electroencephalogram (EEG); including recording awake and asleep	\$ 493.00
Electroencephalogram (EEG); including recording awake and drowsy	\$ 509.00
Electrolyte panel This panel must include the following: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)	\$ 121.00
Electron microscopy, diagnostic	\$ 1,662.00
Electrophoretic technique, not elsewhere specified	\$ 351.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components within the constraints imposed by the urgency of the patient's clinical condition and/or mental status: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.	\$ 850.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity, and require urgent evaluation by the physician, or other qualified health care professionals but do not pose an immediate significant threat to life or physiologic function.	\$ 634.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor.	\$ 172.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor.	\$ 119.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity.	\$ 213.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity.	\$ 317.00
Emergency Dept: W Complex Laceration	\$ 535.00
Emergency Dept: W Major Procedure	\$ 543.00
Emergency Dept: W Minor Laceration	\$ 223.00
Emergency Dept: W Minor Splint	\$ 182.00
Emergency Dept: W Procedure	\$ 346.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 878.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 45.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 620.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 688.00
Erythropoietin	\$ 155.00
Esophageal motility	\$ 815.00
Estradiol	\$ 70.00
Estradiol	\$ 211.00
Estradiol	\$ 193.00
Estriol	\$ 60.00
Estriol	\$ 155.00
Estrogens; total	\$ 153.00
Estrone	\$ 89.00
Etco2 Line	\$ 43.00
Ethosuximide	\$ 127.00
Ethylene glycol	\$ 216.00
Evaluation for prescription for speech-generating augmentative and alternative communication device, face-to-face with the patient; each additional 30 minutes (List separately in addition to code for primary procedure)	\$ 147.00
Evaluation of cervicovaginal fluid for specific amniotic fluid protein(s) (eg, placental alpha microglobulin-1 [PAMG-1], placental protein 12 [PP12], alpha-fetoprotein), qualitative, each specimen	\$ 256.00
Evaluation of oral and pharyngeal swallowing function	\$ 504.00
Evaluation of speech fluency (eg, stuttering, cluttering)	\$ 310.00
Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria)	\$ 253.00
Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (eg, receptive and expressive language)	\$ 524.00
Everolimus	\$ 247.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis	\$ 7,125.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis	\$ 9,656.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator exome (eg, parents, siblings) (List separately in addition to code for primary procedure)	\$ 24,240.00
EXPIRED: Molecular diagnostics; reverse transcription	\$ 223.00
EXPIRED: Molecular diagnostics; reverse transcription	\$ 122.00
EXPIRED: Molecular diagnostics; reverse transcription	\$ 75.00
EXPIRED: Molecular diagnostics; reverse transcription	\$ 77.00
EXPIRED: Molecular diagnostics; reverse transcription	\$ 60.00
EXPIRED: Opiate Opiates (s), eg, drug and metabolites morphine , each meperidine) procedure	\$ 210.00
EXPIRED: Platelet; automated count	\$ 46.00
EXPIRED: Acellular xenograft implant; first 100 sq cm or less, or 1% of body area of infants and children	\$ 1,610.00
EXPIRED: Array-based evaluation of multiple molecular probes; 51 through 250 probes	\$ 315.00
EXPIRED: Debridement; skin, full thickness	\$ 347.00
EXPIRED: Debridement; skin, partial thickness	\$ 347.00
EXPIRED: Dihydromorphinone	\$ 158.00
EXPIRED: Drainage of pelvic abscess, transvaginal or transrectal approach, percutaneous (eg, ovarian, pericolic)	\$ 4,333.00
EXPIRED: Drainage of perirenal or renal abscess; percutaneous	\$ 2,962.00
EXPIRED: Drainage of peritoneal abscess or localized peritonitis, exclusive of appendiceal abscess; percutaneous	\$ 2,962.00
EXPIRED: Drainage of retroperitoneal abscess; percutaneous	\$ 2,962.00
EXPIRED: Drainage of subdiaphragmatic or subphrenic abscess; percutaneous	\$ 2,962.00
EXPIRED: Drug confirmation, each procedure	\$ 119.00
EXPIRED: Drug screen, qualitative; single drug class method (eg, immunoassay, enzyme assay), each drug class	\$ 67.00
EXPIRED: External drainage, pseudocyst of pancreas; percutaneous	\$ 2,962.00
EXPIRED: Flow cytometry; each cell surface, cytoplasmic or nuclear marker	\$ 106.00
EXPIRED: Flow cytometry; each cell surface, cytoplasmic or nuclear marker	\$ 397.00
EXPIRED: Flow cytometry; each cell surface, cytoplasmic or nuclear marker	\$ 266.00
EXPIRED: Hepatotomy; for percutaneous drainage of abscess or cyst, 1 or 2 stages	\$ 2,812.00
EXPIRED: Immunofluorescent study, each antibody; indirect method	\$ 562.00
EXPIRED: Incision and drainage of appendiceal abscess; percutaneous	\$ 2,962.00
EXPIRED: Injection procedure for cholangiography through an existing catheter (eg, percutaneous transhepatic or T-tube)	\$ 386.00
EXPIRED: Injection procedure for pyelography (as nephrostogram, pyelostogram, antegrade pyeloureterograms) through nephrostomy or pyelostomy tube, or indwelling ureteral catheter	\$ 247.00
EXPIRED: Insertion pacemaker, fluoroscopy and radiography, radiological supervision and interpretation	\$ 750.00
EXPIRED: Lumbar-sacral-orthosis (LSO), flexible, (lumbo-sacral support)	\$ 711.00
EXPIRED: Mammographic guidance for needle placement, breast (eg, for wire localization or for injection), each lesion, radiological supervision and interpretation	\$ 404.00
EXPIRED: Molecular diagnostics; amplification, signal, each nucleic acid sequence	\$ 103.00
EXPIRED: Molecular diagnostics; amplification, target, each nucleic acid sequence	\$ 265.00
EXPIRED: Molecular diagnostics; amplification, target, each nucleic acid sequence	\$ 396.00
EXPIRED: Molecular diagnostics; amplification, target, each nucleic acid sequence	\$ 67.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
EXPIRED: Molecular diagnostics; amplification, target, each nucleic acid sequence	\$ 616.00
EXPIRED: Molecular diagnostics; amplification, target, each nucleic acid sequence	\$ 90.00
EXPIRED: Molecular diagnostics; amplification, target, each nucleic acid sequence	\$ 84.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, each additional nucleic acid sequence beyond 2 (List separately in addition to code for primary procedure)	\$ 42.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, each additional nucleic acid sequence beyond 2 (List separately in addition to code for primary procedure)	\$ 107.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, each additional nucleic acid sequence beyond 2 (List separately in addition to code for primary procedure)	\$ 216.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, each additional nucleic acid sequence beyond 2 (List separately in addition to code for primary procedure)	\$ 196.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, each additional nucleic acid sequence beyond 2 (List separately in addition to code for primary procedure)	\$ 84.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, each additional nucleic acid sequence beyond 2 (List separately in addition to code for primary procedure)	\$ 80.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 200.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 134.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 303.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 152.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 430.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 388.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 163.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 717.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 187.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 136.00
EXPIRED: Molecular diagnostics; amplification, target, multiplex, first 2 nucleic acid sequences	\$ 517.00
EXPIRED: Molecular diagnostics; enzymatic digestion , each enzyme treatment	\$ 63.00
EXPIRED: Molecular diagnostics; enzymatic digestion , each enzyme treatment	\$ 24.00
EXPIRED: Molecular diagnostics; enzymatic digestion , each enzyme treatment	\$ 23.00
EXPIRED: Molecular diagnostics; enzymatic digestion , each enzyme treatment	\$ 73.00
EXPIRED: Molecular diagnostics; enzymatic digestion , each enzyme treatment	\$ 20.00
EXPIRED: Molecular diagnostics; enzymatic digestion , each enzyme treatment	\$ 62.00
EXPIRED: Molecular diagnostics; enzymatic digestion , each enzyme treatment	\$ 87.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 65.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 25.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 24.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 33.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 39.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 28.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 23.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 20.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 22.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 49.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 21.00
EXPIRED: Molecular diagnostics; interpretation and report	\$ 87.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 65.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 25.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 24.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 224.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 23.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 61.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 20.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 238.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 22.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 49.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 21.00
EXPIRED: Molecular diagnostics; isolation or extraction of highly purified nucleic acid, each nucleic acid type (ie, DNA or RNA)	\$ 33.00
EXPIRED: Molecular diagnostics; molecular isolation or extraction , each nucleic acid type (ie, DNA or RNA)	\$ 13.00
EXPIRED: Molecular diagnostics; molecular isolation or extraction , each nucleic acid type (ie, DNA or RNA)	\$ 80.00
EXPIRED: Molecular diagnostics; molecular isolation or extraction , each nucleic acid type (ie, DNA or RNA)	\$ 35.00
EXPIRED: Molecular diagnostics; molecular isolation or extraction , each nucleic acid type (ie, DNA or RNA)	\$ 87.00
EXPIRED: Molecular diagnostics; mutation identification by sequencing, single segment, each segment	\$ 265.00
EXPIRED: Molecular diagnostics; mutation identification by sequencing, single segment, each segment	\$ 516.00
EXPIRED: Molecular diagnostics; mutation identification by sequencing, single segment, each segment	\$ 134.00
EXPIRED: Molecular diagnostics; mutation scanning, by physical properties (eg, single strand conformational polymorphisms [SSCP], heteroduplex, denaturing gradient gel electrophoresis [DGGE], RNA'ase A), single segment, each	\$ 82.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 25.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 24.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 147.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 22.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 102.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 35.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 49.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 21.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 87.00
EXPIRED: Molecular diagnostics; nucleic acid probe, each	\$ 20.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
EXPIRED: Molecular diagnostics; separation and identification by high resolution technique (eg, capillary electrophoresis),) each nucleic acid preparation	\$ 120.00
EXPIRED: Molecular diagnostics; separation and identification by high resolution technique (eg, capillary electrophoresis),) each nucleic acid preparation	\$ 127.00
EXPIRED: Molecular diagnostics; separation and identification by high resolution technique (eg, capillary electrophoresis),) each nucleic acid preparation	\$ 75.00
EXPIRED: Molecular diagnostics; separation and identification by high resolution technique (eg, capillary electrophoresis),) each nucleic acid preparation	\$ 196.00
EXPIRED: Molecular diagnostics; separation and identification by high resolution technique (eg, capillary electrophoresis),) each nucleic acid preparation	\$ 80.00
EXPIRED: Molecular diagnostics; separation and identification by high resolution technique (eg, capillary electrophoresis),) each nucleic acid preparation	\$ 264.00
EXPIRED: Molecular diagnostics; separation by gel electrophoresis (eg, agarose, polyacrylamide),) each nucleic acid preparation	\$ 63.00
EXPIRED: Molecular diagnostics; separation by gel electrophoresis (eg, agarose, polyacrylamide),) each nucleic acid preparation	\$ 13.00
EXPIRED: Molecular diagnostics; separation by gel electrophoresis (eg, agarose, polyacrylamide),) each nucleic acid preparation	\$ 80.00
EXPIRED: Molecular diagnostics; separation by gel electrophoresis (eg, agarose, polyacrylamide),) each nucleic acid preparation	\$ 35.00
EXPIRED: Molecular diagnostics; separation by gel electrophoresis (eg, agarose, polyacrylamide),) each nucleic acid preparation	\$ 25.00
EXPIRED: Molecular diagnostics; separation by gel electrophoresis (eg, agarose, polyacrylamide),) each nucleic acid preparation	\$ 23.00
EXPIRED: Mutation identification by enzymatic ligation or primer extension, single segment, each segment (eg, oligonucleotide ligation assay [OLA], single base chain extension [SBCE], or allele-specific primer extension [ASPE])	\$ 80.00
EXPIRED: Peritoneocentesis, abdominal paracentesis, or peritoneal lavage (diagnostic or therapeutic); initial	\$ 1,112.00
EXPIRED: Peritoneocentesis, abdominal paracentesis, or peritoneal lavage (diagnostic or therapeutic); subsequent	\$ 1,112.00
EXPIRED: Pneumonostomy; with percutaneous drainage of abscess or cyst	\$ 1,172.00
EXPIRED: Preoperative placement of needle localization wire, breast	\$ 318.00
EXPIRED: Preoperative placement of needle localization wire, breast; each additional lesion (List separately in addition to code for primary procedure)	\$ 169.00
EXPIRED: Pulmonary ventilation imaging, aerosol; multiple projections (eg, anterior, posterior, lateral views)	\$ 410.00
EXPIRED: Radiologic examination, hip, during operative procedure	\$ 302.00
EXPIRED: Thoracic-lumbar-sacral-orthosis (TLSO), anterior-posterior-lateral-rotary control, hyperextension (Jewett, Lennox, Baker, Cash types)	\$ 1,853.00
EXPIRED: Thoracic-lumbar-sacral-orthosis (TLSO), flexible (dorso-lumbar surgical support)	\$ 916.00
EXPIRED: Tissue cultured allogeneic skin substitute; each additional 25 sq cm , or part thereof (List separately in addition to code for primary procedure)	\$ 143.00
EXPIRED: Tissue cultured allogeneic skin substitute; each additional 25 sq cm , or part thereof (List separately in addition to code for primary procedure)	\$ 904.00
EXPIRED: Tissue cultured allogeneic skin substitute; first 25 sq cm or less	\$ 933.00
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; recording (includes connection, recording, and disconnection)	\$ 279.00
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; scanning analysis with report	\$ 753.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 130.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 158.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 71.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 255.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 62.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 125.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 228.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 287.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 45.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 114.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 146.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 98.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 35.00
F2 (prothrombin, coagulation factor II) (eg, hereditary hypercoagulability) gene analysis, 20210G>A variant	\$ 118.00
F5 (coagulation factor V) (eg, hereditary hypercoagulability) gene analysis, Leiden variant	\$ 147.00
Factor inhibitor test	\$ 691.00
Factor inhibitor test	\$ 110.00
Fat or lipids, feces; qualitative	\$ 35.00
Fat or lipids, feces; quantitative	\$ 250.00
Fatty acids, nonesterified	\$ 147.00
Fern test	\$ 44.00
Ferritin	\$ 146.00
Fetal fibronectin, cervicovaginal secretions, semi-quantitative	\$ 1,186.00
Fetal lung maturity assessment; lamellar body density	\$ 86.00
Fibrin degradation products, D-dimer; qualitative or semiquantitative	\$ 116.00
Fibrin degradation products, D-dimer; quantitative	\$ 144.00
Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative	\$ 98.00
Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative	\$ 153.00
Fibrin(ogen) degradation (split) products (FDP) (FSP); paracoagulation	\$ 163.00
Fibrinogen; activity	\$ 21.00
Fibrinogen; activity	\$ 102.00
Fibrinogen; antigen	\$ 92.00
Fibrinolytic factors and inhibitors; alpha-2 antiplasmin	\$ 411.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 281.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 279.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 462.00
Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay	\$ 155.00
Fine needle aspiration; with imaging guidance	\$ 1,130.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 490.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 136.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 187.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 424.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 237.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 71.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 54.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 109.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 330.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 1,202.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 245.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 288.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 404.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 54.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 178.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 330.00
Flow cytometry, interpretation; 16 or more markers	\$ 306.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 335.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 289.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 187.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 48.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 114.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 69.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 64.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 141.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 211.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,153.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 284.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,647.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,265.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,565.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,592.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 30.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 80.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 258.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 156.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 62.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 136.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 85.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 47.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 106.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 798.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 78.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 2,513.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 30.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 43.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 241.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 249.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 109.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 87.00
Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries	\$ 584.00
Fluorodeoxyglucose f-18 fdg, diagnostic, per study dose, up to 45 millicuries	\$ 2,135.88
Fluoroscopic guidance for central venous access device placement, replacement (catheter only or complete), or removal (includes fluoroscopic guidance for vascular access and catheter manipulation, any necessary contrast injections through access site or catheter with related venography radiologic supervision, and radiographic documentation of final catheter position) (List separately in addition to code for primary procedure)	\$ 228.00
Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device) (List separately in addition to code for primary procedure)	\$ 198.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 768.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 327.00
Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 798.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 378.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 91.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 115.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 364.00
Folic acid; RBC	\$ 145.00
Folic acid; serum	\$ 185.00
Fresh frozen plasma (single donor), frozen within 8 hours of collection, each unit	\$ 180.00
Fresh frozen plasma, thawing, each unit	\$ 19.00
Gabapentin, whole blood, serum, or plasma	\$ 136.00
Galactose-1-phosphate uridyl transferase; quantitative	\$ 928.00
Gallium ga-67 citrate, diagnostic, per millicurie	\$ 144.00
Gallium ga-67 citrate, diagnostic, per millicurie	\$ 156.92
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 23.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 98.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 116.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 55.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 75.00
Gammaglobulin (immunoglobulin); IgE	\$ 163.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 20.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 444.00
Gas dilution or washout for determination of lung volumes and, when performed, distribution of ventilation and closing volumes	\$ 256.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 94.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 84.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 53.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry	\$ 84.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry	\$ 211.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry	\$ 200.00
Gases, blood, pH only	\$ 48.00
Gastric Band Adjustment	\$ 233.00
Gastric emptying imaging study (eg, solid, liquid, or both);	\$ 866.00
Gastric emptying imaging study (eg, solid, liquid, or both); with small bowel transit	\$ 866.00
Gastrin	\$ 148.00
Gastroesophageal reflux study	\$ 815.00
GBA (glucosidase, beta, acid) (eg, Gaucher disease) gene analysis, common variants (eg, N370S, 84GG, L444P, IVS2+1G>A)	\$ 537.00
General Anesth Tc 1St Hr	\$ 877.00
General Anesth Tc Ea Add 15 Mn	\$ 221.00
General health panel This panel must include the following: Comprehensive metabolic panel (80053) Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Thvroid stimulating hormone (TSH) (84443)	\$ 262.00
General Physical Er	\$ 78.00
Gentamicin	\$ 150.00
Gentamicin	\$ 120.00
Glucagon	\$ 263.00
Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use	\$ 30.00
Glucose, body fluid, other than blood	\$ 35.00
Glucose; blood, reagent strip	\$ 18.00
Glucose; post glucose dose (includes glucose)	\$ 43.00
Glucose; post glucose dose (includes glucose)	\$ 84.00
Glucose; quantitative, blood (except reagent strip)	\$ 43.00
Glucose; quantitative, blood (except reagent strip)	\$ 39.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 141.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 86.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 74.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 106.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 43.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 39.00
Glucose-6-phosphate dehydrogenase (G6PD); quantitative	\$ 88.00
Glutamyltransferase, gamma (GGT)	\$ 68.00
Glutamyltransferase, gamma (GGT)	\$ 117.00
Glutamyltransferase, gamma (GGT)	\$ 85.00
Glutathione	\$ 114.00
Glycated protein	\$ 52.00
Gonadotropin, chorionic (hCG); qualitative	\$ 77.00
Gonadotropin, chorionic (hCG); quantitative	\$ 38.00
Gonadotropin, chorionic (hCG); quantitative	\$ 134.00
Gonadotropin, chorionic (hCG); quantitative	\$ 147.00
Gonadotropin; follicle stimulating hormone (FSH)	\$ 197.00
Gonadotropin; luteinizing hormone (LH)	\$ 160.00
Growth hormone, human (HGH) (somatotropin)	\$ 163.00
Growth hormone, human (HGH), antibody	\$ 298.00
Guide wire	\$ 41.00
Guide wire	\$ 40.00
Haloperidol	\$ 173.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 68.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 62.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 34.00
Haptoglobin; quantitative	\$ 99.00
Haptoglobin; quantitative	\$ 202.00
Haptoglobin; quantitative	\$ 148.00
HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; duplication/deletion variants	\$ 1,327.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 128.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 165.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 238.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 172.00
Heinz bodies; direct	\$ 34.00
Helicobacter pylori; breath test analysis for urease activity, non-radioactive isotope (eg, C-13)	\$ 410.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 45.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 59.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 75.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 39.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)	\$ 76.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette	\$ 43.00
Hemoglobin; F (fetal), qualitative	\$ 38.00
Hemoglobin; F (fetal), qualitative	\$ 50.00
Hemoglobin; glycosylated (A1C)	\$ 81.00
Hemoglobin; glycosylated (A1C)	\$ 103.00
Hemoglobin; methemoglobin, quantitative	\$ 28.00
Hemoglobin; plasma	\$ 36.00
Hemoglobin; urine	\$ 98.00
Hemoglobin-oxygen affinity (pO2 for 50% hemoglobin saturation with oxygen)	\$ 107.00
Hemolysins and agglutinins; incubated	\$ 55.00
Hemosiderin, qualitative	\$ 81.00
Heparin assay	\$ 324.00
Hepatic function panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase, alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)	\$ 204.00
Hepatitis A antibody (HAAb)	\$ 39.00
Hepatitis A antibody (HAAb), IgM antibody	\$ 104.00
Hepatitis B core antibody (HBcAb); IgM antibody	\$ 60.00
Hepatitis B core antibody (HBcAb); total	\$ 30.00
Hepatitis B core antibody (HBcAb); total	\$ 122.00
Hepatitis B core antibody (HBcAb); total	\$ 102.00
Hepatitis B core antibody (HBcAb); total	\$ 116.00
Hepatitis B surface antibody (HBsAb)	\$ 27.00
Hepatitis B surface antibody (HBsAb)	\$ 33.00
Hepatitis B surface antibody (HBsAb)	\$ 86.00
Hepatitis B surface antibody (HBsAb)	\$ 43.00
Hepatitis B surface antibody (HBsAb)	\$ 39.00
Hepatitis B surface antibody (HBsAb)	\$ 38.00
Hepatitis Be antibody (HBeAb)	\$ 41.00
Hepatitis Be antibody (HBeAb)	\$ 60.00
Hepatitis C antibody	\$ 36.00
Hepatitis C antibody	\$ 104.00
Hepatitis C antibody	\$ 172.00
Hepatitis C antibody	\$ 49.00
Hepatitis C antibody; confirmatory test (eg, immunoblot)	\$ 286.00
Hepatitis C antibody; confirmatory test (eg, immunoblot)	\$ 396.00
Hepatobiliary system imaging, including gallbladder when present	\$ 779.00
Hepatobiliary system imaging, including gallbladder when present; with pharmacologic intervention, including quantitative measurement(s) when performed	\$ 1,964.00
Heroin metabolite	\$ 273.00
Heroin metabolite	\$ 78.00
Heterophile antibodies; screening	\$ 81.00
Heterophile antibodies; screening	\$ 49.00
HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)	\$ 364.00
High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	\$ 4.12
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 4.03
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 3.55
Histamine	\$ 357.00
Histamine	\$ 74.00
Histamine	\$ 372.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 1,003.00
HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)	\$ 836.00
HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)	\$ 1,210.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each	\$ 867.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each	\$ 468.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-A, -B, or -C), each	\$ 1,611.00
HLA Class I typing, low resolution (eg, antigen equivalents); complete (ie, HLA-A, -B, and -C)	\$ 785.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 524.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 336.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 545.00

Geisinger Jersey Shore Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 278.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 2,483.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 861.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,616.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,613.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 308.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 406.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 446.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 337.00
HLA Class II typing, low resolution (eg, antigen equivalents); HLA-DRB1/3/4/5 and -DQB1	\$ 704.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 986.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 305.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 333.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 1,113.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 230.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 396.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 654.00
HLA typing; DR/DQ, multiple antigens	\$ 541.00
HLA typing; DR/DQ, multiple antigens	\$ 657.00
HLA typing; DR/DQ, multiple antigens	\$ 274.00
HLA typing; DR/DQ, single antigen	\$ 541.00
Hmatrix, per square centimeter	\$ 104.00
Homocysteine	\$ 277.00
Homovanillic acid (HVA)	\$ 48.00
Homovanillic acid (HVA)	\$ 177.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 196.00
Human epididymis protein 4 (HE4)	\$ 300.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 179.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 406.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 1,197.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 221.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 1,085.00
Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa]), antigen CD61 [GPIIIa] (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura). gene analysis, common variant, HPA-1a/b (L33P)	\$ 1,010.00
Hydroxycorticosteroids, 17- (17-OHCS)	\$ 113.00
Hydroxyindolacetic acid, 5-(HIAA)	\$ 32.00
Hydroxyindolacetic acid, 5-(HIAA)	\$ 106.00
Hydroxyprogesterone, 17-d	\$ 68.00
Hydroxyprogesterone, 17-d	\$ 285.00
Hydroxyprogesterone, 17-d	\$ 248.00
Hydroxyproline; free	\$ 223.00
Hydroxyproline; total	\$ 288.00
IGH@ (Immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, B-cell), variable region somatic mutation analysis	\$ 1,250.00
IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg, polymerase chain reaction)	\$ 494.00
Immune complex assay	\$ 161.00
Immune complex assay	\$ 127.00
Immune complex assay	\$ 128.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)	\$ 254.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)	\$ 99.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	\$ 99.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 1,094.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 164.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 114.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 29.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 148.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 103.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 246.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 88.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 89.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 155.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 116.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 107.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 280.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 966.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,270.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 400.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,109.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,626.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 643.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,527.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Immunohistochemistry or immunocytochemistry, per specimen; each multiplex antibody stain procedure	\$ 453.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 49.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 118.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 236.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 396.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 548.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 477.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 390.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 408.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 368.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 378.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 437.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 382.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 589.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 530.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 499.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 607.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 549.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 571.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 522.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 139.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 462.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 1,573.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 268.00
In situ hybridization (eg, FISH), per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 1,227.00
In situ hybridization (eg, FISH), per specimen; each multiplex probe stain procedure	\$ 1,511.00
In situ hybridization (eg, FISH), per specimen; initial single probe stain procedure	\$ 1,227.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); complicated or multiple	\$ 328.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); simple or single	\$ 328.00
Incision and drainage of hematoma, seroma or fluid collection	\$ 2,822.00
Incision and drainage of hematoma, seroma or fluid collection	\$ 2,823.00
Incision and drainage, complex, postoperative wound infection	\$ 4,336.00
Indium in-111 labeled autologous white blood cells, diagnostic, per study dose	\$ 7,512.83
Indium in-111 oxyquinoline, diagnostic, per 0.5 millicurie	\$ 2,243.00
Indium in-111 pentetate, diagnostic, per 0.5 millicurie	\$ 751.00
Indium in-111 pentetate, diagnostic, per 0.5 millicurie	\$ 2,571.63
Indium in-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries	\$ 4,230.00
Indium in-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries	\$ 14,306.56
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Aspergillus	\$ 391.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Aspergillus	\$ 248.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Clostridium difficile toxin(s)	\$ 125.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Clostridium difficile toxin(s)	\$ 61.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; cryptosporidium	\$ 30.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; cryptosporidium	\$ 109.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Entamoeba histolytica group	\$ 110.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; giardia	\$ 30.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; giardia	\$ 154.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Helicobacter pylori, stool	\$ 251.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 26.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 35.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg) neutralization	\$ 210.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 52.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis Be antigen (HBeAg)	\$ 122.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis Be antigen (HBeAg)	\$ 57.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis, delta agent	\$ 238.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1	\$ 176.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result	\$ 87.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Influenza, A or B, each	\$ 48.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; rotavirus	\$ 170.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 774.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 41.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 86.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 61.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 285.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 65.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 144.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 32.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 107.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 67.00
Infectious agent antigen detection by immunoassay with direct optical observation; respiratory syncytial virus	\$ 117.00
Infectious agent antigen detection by immunoassay with direct optical observation; Streptococcus, group A	\$ 53.00
Infectious agent antigen detection by immunoassay with direct optical observation; Streptococcus, group A	\$ 52.00
Infectious agent antigen detection by immunofluorescent technique; Bordetella pertussis/parapertussis	\$ 65.00
Infectious agent antigen detection by immunofluorescent technique; Cytomegalovirus, direct fluorescent antibody (DFA)	\$ 154.00
Infectious agent antigen detection by immunofluorescent technique; Herpes simplex virus type 1	\$ 43.00
Infectious agent antigen detection by immunofluorescent technique; Herpes Simplex virus type 2	\$ 43.00
Infectious agent antigen detection by immunofluorescent technique; Legionella pneumophila	\$ 86.00
Infectious agent antigen detection by immunofluorescent technique; respiratory syncytial virus	\$ 193.00
Infectious agent antigen detection by immunofluorescent technique; Varicella zoster virus	\$ 82.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 1,286.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 2,041.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 175.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 617.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 438.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 500.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique	\$ 134.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 575.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 429.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 714.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,777.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 927.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,007.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 462.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 269.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 375.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 742.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 544.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 477.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 338.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 188.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; direct probe technique, each organism	\$ 147.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; direct probe technique, each organism	\$ 196.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 740.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 716.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 546.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 429.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 513.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 470.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 509.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 1,150.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 782.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 292.00
Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique	\$ 544.00
Infectious agent detection by nucleic acid (DNA or RNA); Candida species, direct probe technique	\$ 72.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 96.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 98.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 83.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 180.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 300.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 102.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique	\$ 30.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique	\$ 68.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, quantification	\$ 39.00
Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique	\$ 246.00
Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique	\$ 153.00
Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification	\$ 312.00
Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification	\$ 771.00
Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification	\$ 560.00
Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed	\$ 552.00
Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed	\$ 223.00
Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, direct probe technique	\$ 72.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique	\$ 227.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification	\$ 749.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification	\$ 227.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed	\$ 471.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, amplified probe technique, includes reverse transcription when performed	\$ 197.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, direct probe technique	\$ 109.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 239.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 1,321.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 291.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 184.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification	\$ 281.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification	\$ 271.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification	\$ 370.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, amplified probe technique	\$ 424.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, quantification	\$ 966.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed	\$ 253.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed	\$ 650.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	\$ 317.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	\$ 970.00
Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), low-risk types (eg, 6, 11, 42, 43, 44)	\$ 117.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique, includes reverse transcription when performed	\$ 125.00
Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), low-risk types (eg, 6, 11, 42, 43, 44)	\$ 135.00
Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed	\$ 919.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, amplified probe technique	\$ 1,386.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique	\$ 97.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique	\$ 919.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 635.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 39.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, direct probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 70.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 126.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 55.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 180.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 102.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 61.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets	\$ 397.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets	\$ 369.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 6-11 targets	\$ 2,465.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets	\$ 1,039.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets	\$ 1,591.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, amplified probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 350.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique	\$ 143.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique	\$ 88.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique	\$ 122.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique	\$ 72.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique	\$ 322.00
Infectious agent detection by nucleic acid (DNA or RNA); vancomycin resistance (eg, enterococcus species van A, van B), amplified probe technique	\$ 288.00
Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique	\$ 938.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent drug susceptibility analysis	\$ 325.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 883.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 1,473.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 1,007.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions	\$ 642.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions	\$ 1,253.00
Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; each additional drug tested (List separately in addition to code for primary procedure)	\$ 214.00
Infectious agent phenotype analysis by nucleic acid (DNA or RNA) with drug resistance tissue culture analysis, HIV 1; first through 10 drugs tested	\$ 2,109.00
Infusion, albumin (human), 25%, 50 ml	\$ 253.00
Infusion, normal saline solution, 250 cc	\$ 11.00
Inhibin A	\$ 82.00
Inhibin A	\$ 87.00
Initial observation care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission to "observation status" are of moderate severity. Typically, 50 minutes are spent at the bedside and on the patient's hospital floor or unit.	\$ 651.00
Initial observation care, per day, for the evaluation and management of a patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the problem(s) requiring admission to "observation status" are of moderate severity. Typically, 50 minutes are spent at the bedside and on the patient's hospital floor or unit.	\$ 8.00
Injection of contrast for knee arthrography	\$ 400.00
Injection of sinus tract; diagnostic (sinogram)	\$ 341.00
Injection procedure for cholangiography, percutaneous, complete diagnostic procedure including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision ; existing access	\$ 263.00
Injection procedure for cystography or voiding urethrocytography	\$ 195.00
Injection procedure for elbow arthrography	\$ 400.00
Injection procedure for hiparthrography; without anesthesia	\$ 400.00
Injection procedure for retrograde urethrocytography	\$ 195.00
Injection procedure for shoulder arthrography or enhanced CT/MRI shoulder arthrography	\$ 379.00
Injection procedure for sialography	\$ 400.00
Injection procedure for ureterography or ureteropyelography through ureterostomy or indwelling ureteral catheter	\$ 236.00
Injection procedure; radioactive tracer for identification of sentinel node	\$ 335.00
Injection, atropine sulfate, 0.01 mg	\$ 16.00
Injection, gadobenate dimeglumine (multihance), per ml	\$ 15.00
Injection, gadobutrol, 0.1 ml	\$ 8.65
Injection, gadolinium-based magnetic resonance contrast agent, not otherwise specified (nos), per ml	\$ 19.00
Injection, gadolinium-based magnetic resonance contrast agent, not otherwise specified (nos), per ml	\$ 28.59
Injection, gadoxetate disodium, 1 ml	\$ 120.82
Injection, perflutren lipid microspheres, per ml	\$ 279.00
Injection, regadenoson, 0.1 mg	\$ 591.00
Injection, rho d immune globulin, human, full dose, 300 micrograms (1500 i.u.)	\$ 277.00
Injection, sincalide, 5 micrograms	\$ 288.00
Insulin antibodies	\$ 342.00
Insulin; free	\$ 172.00
Insulin; total	\$ 113.00
Intestine imaging (eg, ectopic gastric mucosa, Meckel's localization, volvulus)	\$ 904.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); additional sequential infusion of a new drug/substance, up to 1 hour (List separately in addition to code for primary procedure)	\$ 340.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); concurrent infusion (List separately in addition to code for primary procedure)	\$ 340.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 112.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 340.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 72.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 215.00
Intrinsic factor antibodies	\$ 142.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 268.00
Introduction of needle or intracatheter, vein	\$ 520.00
INVALID CODE	\$ 619.00
INVALID CODE	\$ 3,663.00
INVALID CODE	\$ 1,519.00
INVALID CODE	\$ 83.00
INVALID CPT CODE - MAY BE 78299 (Unlisted gastrointestinal procedure, diagnostic nuclear medicine)	\$ 1,149.00
Iodine i-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries	\$ 100.00
Iodine i-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries	\$ 191.91
Iodine i-123 sodium iodide, diagnostic, per millicurie	\$ 1,298.24
Iodine i-131 sodium iodide capsule(s), diagnostic, per millicurie	\$ 103.86
Iron	\$ 294.00
Iron	\$ 632.00
Iron	\$ 179.00
Iron	\$ 59.00
Iron binding capacity	\$ 61.00
Irradiation of blood product, each unit	\$ 127.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Islet cell antibody	\$ 92.00
Islet cell antibody	\$ 872.00
Islet cell antibody	\$ 941.00
Islet cell antibody	\$ 702.00
Islet cell antibody	\$ 49.00
Islet cell antibody	\$ 176.00
JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant	\$ 754.00
JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant	\$ 974.00
Joint survey, single view, 2 or more joints (specify)	\$ 221.00
Ketone body(s) (eg, acetone, acetoacetic acid, beta-hydroxybutyrate); qualitative	\$ 35.00
Ketone body(s) (eg, acetone, acetoacetic acid, beta-hydroxybutyrate); quantitative	\$ 155.00
Ketosteroids, 17- (17-KS); total	\$ 32.00
Ketosteroids, 17- (17-KS); total	\$ 180.00
Kidney imaging morphology; tomographic (SPECT)	\$ 1,618.00
Kidney imaging morphology; with vascular flow and function, multiple studies, with and without pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)	\$ 1,012.00
Kidney imaging morphology; with vascular flow and function, single study without pharmacological intervention	\$ 903.00
Kidney imaging morphology; with vascular flow and function, single study, with pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)	\$ 860.00
KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)	\$ 1,839.00
Lactate (lactic acid)	\$ 116.00
Lactate (lactic acid)	\$ 93.00
Lactate (lactic acid)	\$ 27.00
Lactate dehydrogenase (LD), (LDH)	\$ 15.00
Lactate dehydrogenase (LD), (LDH)	\$ 65.00
Lactate dehydrogenase (LD), (LDH); isoenzymes, separation and quantitation	\$ 32.00
Lactate dehydrogenase (LD), (LDH); isoenzymes, separation and quantitation	\$ 128.00
Lactoferrin, fecal; qualitative	\$ 314.00
Lamotrigine	\$ 117.00
Lead	\$ 61.00
Lead	\$ 59.00
Lead	\$ 30.00
Lead	\$ 180.00
Lead	\$ 42.00
Lead	\$ 116.00
Leukocyte alkaline phosphatase with count	\$ 95.00
Leukocyte assessment, fecal, qualitative or semiquantitative	\$ 41.00
Leukocyte histamine release test (LHR)	\$ 56.00
Leukocyte histamine release test (LHR)	\$ 31.00
Level I - Surgical pathology, gross examination only	\$ 87.00
Level II - Surgical pathology, gross and microscopic examination Appendix, incidental Fallopian tube, sterilization Fingers/toes, amputation, traumatic Foreskin, newborn Hernia sac, any location Hydrocele sac Nerve Skin, plastic repair Sympathetic ganglion Testis, castration Vaginal mucosa, incidental Vas deferens, sterilization	\$ 195.00
Level III - Surgical pathology, gross and microscopic examination Abortion, induced Abscess Aneurysm - arterial/ventricular Anus, tag Appendix, other than incidental Artery, atheromatous plaque Bartholin's gland cyst Bone fragment(s), other than pathologic fracture Bursa/synovial cyst Carpal tunnel tissue Cartilage, shavings Cholesteatoma Colon, colostomy stoma Conjunctiva - biopsy/pterygium Cornea Diverticulum - esophagus/small intestine Dupuytren's contracture tissue Femoral head, other than fracture Fissure/fistula Foreskin, other than newborn Gallbladder Ganglion cyst Hematoma Hemorrhoids Hydatid of Morgagni Intervertebral disc Joint, loose body Meniscus Mucocele, salivary Neuroma - Morton's/traumatic Pilonidal cyst/sinus Polyps, inflammatory - nasal/sinusoidal Skin - cyst/tag/debridement Soft tissue, debridement Soft tissue, lipoma Spermatocele Tendon/tendon sheath Testicular appendage Thrombus or embolus Tonsil and/or adenoids Varicocele Vas deferens, other than sterilization Vein, varicosity	\$ 159.00
Level IV - Surgical pathology, gross and microscopic examination Abortion - spontaneous/missed Artery, biopsy Bone marrow, biopsy Bone exostosis Brain/meninges, other than for tumor resection Breast, biopsy, not requiring microscopic evaluation of surgical margins Breast, reduction mammoplasty Bronchus, biopsy Cell block, any source Cervix, biopsy Colon, biopsy Duodenum, biopsy Endocervix, curettings/biopsy Endometrium, curettings/biopsy Esophagus, biopsy Extremity, amputation, traumatic Fallopian tube, biopsy Fallopian tube, ectopic pregnancy Femoral head, fracture Fingers/toes, amputation, non-traumatic Gingiva/oral mucosa, biopsy Heart valve Joint, resection Kidney, biopsy Larynx, biopsy Leiomyoma(s), uterine myomectomy - without uterus Lip, biopsy/wedge resection Lung, transbronchial biopsy Lymph node, biopsy Muscle, biopsy Nasal mucosa, biopsy Nasopharynx/oropharynx, biopsy Nerve, biopsy Odontogenic/dental cyst Omentum, biopsy Ovary with or without tube, non-neoplastic Ovary, biopsy/wedge resection Parathyroid gland Peritoneum, biopsy Pituitary tumor Placenta, other than third trimester Pleura/pericardium - biopsy/tissue Polyp, cervical/endometrial Polyp, colorectal Polyp, stomach/small intestine Prostate, needle biopsy Prostate, TUR Salivary gland, biopsy Sinus, paranasal biopsy Skin, other than cyst/tag/debridement/plastic repair Small intestine, biopsy Soft tissue, other than tumor/mass/lipoma/debridement Spleen Stomach, biopsy Synovium Testis, other than tumor/biopsy/castration Thyroglossal duct/brachial cleft cyst Tongue, biopsy Tonsil, biopsy Trachea, biopsy Ureter, biopsy Urethra, biopsy Urinary bladder, biopsy Uterus, with or without tubes and ovaries, for prolapse Vagina, biopsy Vulva/labia, biopsy	\$ 182.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Level IV - Surgical pathology, gross and microscopic examination Abortion - spontaneous/missed Artery, biopsy Bone marrow, biopsy Bone exostosis Brain/meninges, other than for tumor resection Breast, biopsy, not requiring microscopic evaluation of surgical margins Breast, reduction mammoplasty Bronchus, biopsy Cell block, any source Cervix, biopsy Colon, biopsy Duodenum, biopsy Endocervix, curettings/biopsy Endometrium, curettings/biopsy Esophagus, biopsy Extremity, amputation, traumatic Fallopian tube, biopsy Fallopian tube, ectopic pregnancy Femoral head, fracture Fingers/toes, amputation, non-traumatic Gingiva/oral mucosa, biopsy Heart valve Joint, resection Kidney, biopsy Larynx, biopsy Leiomyoma(s), uterine myomectomy - without uterus Lip, biopsy/wedge resection Lung, transbronchial biopsy Lymph node, biopsy Muscle, biopsy Nasal mucosa, biopsy Nasopharynx/oropharynx, biopsy Nerve, biopsy Odontogenic/dental cyst Omentum, biopsy Ovary with or without tube, non-neoplastic Ovary, biopsy/wedge resection Parathyroid gland Peritoneum, biopsy Pituitary tumor Placenta, other than third trimester Pleura/pericardium - biopsy/tissue Polyp, cervical/endometrial Polyp, colorectal Polyp, stomach/small intestine Prostate, needle biopsy Prostate, TUR Salivary gland, biopsy Sinus, paranasal biopsy Skin, other than cyst/tag/debridement/plastic repair Small intestine, biopsy Soft tissue, other than tumor/mass/lipoma/debridement Spleen Stomach, biopsy Synovium Testis, other than tumor/biopsy/castration Thyroglossal duct/brachial cleft cyst Tongue, biopsy Tonsil, biopsy Trachea, biopsy Ureter, biopsy Urethra, biopsy Urinary bladder, biopsy Uterus, with or without tubes and ovaries, for prolapse Vagina, biopsy Vulva/labia, biopsy	\$ 230.00
Level V - Surgical pathology, gross and microscopic examination Adrenal, resection Bone - biopsy/curettings Bone fragment(s), pathologic fracture Brain, biopsy Brain/meninges, tumor resection Breast, excision of lesion, requiring microscopic evaluation of surgical margins Breast, mastectomy - partial/simple Cervix, conization Colon, segmental resection, other than for tumor Extremity, amputation, non-traumatic Eye, enucleation Kidney, partial/total nephrectomy Larynx, partial/total resection Liver, biopsy - needle/wedge Liver, partial resection Lung, wedge biopsy Lymph nodes, regional resection Mediastinum, mass Myocardium, biopsy Odontogenic tumor Ovary with or without tube, neoplastic Pancreas, biopsy Placenta, third trimester Prostate, except radical resection Salivary gland Sentinel lymph node Small intestine, resection, other than for tumor Soft tissue mass (except lipoma) - biopsy/simple excision Stomach - subtotal/total resection, other than for tumor Testis, biopsy Thymus, tumor Thyroid, total/lobe Ureter, resection Urinary bladder, TUR Uterus, with or without tubes and ovaries, other than neoplastic/prolapse	\$ 346.00
Level VI - Surgical pathology, gross and microscopic examination Bone resection Breast, mastectomy - with regional lymph nodes Colon, segmental resection for tumor Colon, total resection Esophagus, partial/total resection Extremity, disarticulation Fetus, with dissection Larynx, partial/total resection - with regional lymph nodes Lung - total/lobe/segment resection Pancreas, total/subtotal resection Prostate, radical resection Small intestine, resection for tumor Soft tissue tumor, extensive resection Stomach - subtotal/total resection for tumor Testis, tumor Tongue/tonsil -resection for tumor Urinary bladder, partial/total resection Uterus, with or without tubes and ovaries neoplastic Vulva total/subtotal resection	\$ 310.00
Levetiracetam	\$ 136.00
Lidocaine	\$ 113.00
Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries with, transcutaneous oxygen tension measurement at 1-2 levels)	\$ 315.00
Lipase	\$ 17.00
Lipase	\$ 81.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 33.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 180.00
Lipoprotein (a)	\$ 32.00
Lipoprotein (a)	\$ 116.00
Lipoprotein, blood; high resolution fractionation and quantitation of lipoproteins including lipoprotein subclasses when performed (eg, electrophoresis, ultracentrifugation)	\$ 104.00
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed	\$ 79.00
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed	\$ 114.00
Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)	\$ 72.00
Lipoprotein, direct measurement; LDL cholesterol	\$ 114.00
Lipoprotein-associated phospholipase A2 (Lp-PLA2)	\$ 121.00
Lithium	\$ 21.00
Liver and spleen imaging; static only	\$ 531.00
Liver and spleen imaging; with vascular flow	\$ 713.00
Liver and spleen imaging; with vascular flow	\$ 815.00
Liver imaging (SPECT)	\$ 1,863.00
Liver imaging (SPECT); with vascular flow	\$ 1,303.00
Liver imaging; static only	\$ 473.00
Local Anes Tc Each Add 15 Min	\$ 142.00
Local Anesthesia Tc 1St Hr	\$ 561.00
Local Spinal Anes Tc Ea 15 Min	\$ 177.00
Local Spinal Iv Anes Tc 1St Hr	\$ 700.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 8.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 12.37
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 8.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 4.21
Luteinizing releasing factor (LRH)	\$ 1,046.00
Lymphatics and lymph nodes imaging	\$ 711.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 122.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 681.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 383.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 915.00
Mac /Spinal/Nerve Anes 1St Hr	\$ 700.00
Mac Anesth Tc 1St Hr	\$ 561.00
Mac Anesth Tc Ea Add 15 Min	\$ 142.00
Mac/Spinal/Nerve Anes Add 15Mn	\$ 177.00
Macroscopic examination; arthropod	\$ 35.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Macroscopic examination; parasite	\$ 33.00
Magnesium	\$ 59.00
Magnesium	\$ 17.00
Magnesium	\$ 64.00
Magnesium	\$ 60.00
Magnesium	\$ 32.00
Magnesium	\$ 24.00
Magnetic resonance (eg, proton) imaging, abdomen; with contrast material(s)	\$ 2,417.00
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s)	\$ 1,981.00
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s), followed by with contrast material(s) and further sequences	\$ 2,950.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; with contrast material(s)	\$ 2,166.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; with contrast material(s)	\$ 2,279.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material	\$ 2,259.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material(s), followed by contrast material(s) and further sequences	\$ 2,339.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; with contrast material(s)	\$ 2,275.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s)	\$ 2,251.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s), followed by contrast material(s) and further sequences	\$ 2,822.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); with contrast material(s)	\$ 2,252.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material	\$ 1,666.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material, followed by contrast material(s) and further sequences	\$ 2,855.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); with contrast material(s)	\$ 1,862.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s)	\$ 1,606.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s), followed by contrast material(s) and further sequences	\$ 1,911.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; with contrast material(s)	\$ 2,279.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s)	\$ 2,259.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s), followed by contrast material(s) and further sequences	\$ 2,339.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; with contrast material(s)	\$ 2,963.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s)	\$ 2,556.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s), followed by contrast material(s) and further sequences	\$ 3,039.00
Magnetic resonance (eg, proton) imaging, pelvis; with contrast material(s)	\$ 2,528.00
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s)	\$ 2,069.00
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s), followed by contrast material(s) and further sequences	\$ 3,140.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; with contrast material(s)	\$ 2,252.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; without contrast material	\$ 1,944.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; with contrast material(s)	\$ 2,636.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; without contrast material	\$ 2,461.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; with contrast material(s)	\$ 2,395.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; without contrast material	\$ 2,461.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; cervical	\$ 2,799.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; lumbar	\$ 3,160.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; thoracic	\$ 2,806.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 2,449.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; with contrast material(s)	\$ 1,898.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s)	\$ 1,553.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s), followed by contrast material(s) and further sequences	\$ 2,361.00
Magnetic resonance angiography, abdomen, with or without contrast material(s)	\$ 2,019.00
Magnetic resonance angiography, chest (excluding myocardium), with or without contrast material(s)	\$ 259.00
Magnetic resonance angiography, head; with contrast material(s)	\$ 1,641.00
Magnetic resonance angiography, head; without contrast material(s)	\$ 1,890.00
Magnetic resonance angiography, head; without contrast material(s), followed by contrast material(s) and further sequences	\$ 1,641.00
Magnetic resonance angiography, lower extremity, with or without contrast material(s)	\$ 449.00
Magnetic resonance angiography, neck; with contrast material(s)	\$ 1,641.00
Magnetic resonance angiography, neck; without contrast material(s)	\$ 1,558.00
Magnetic resonance angiography, neck; without contrast material(s)	\$ 237.00
Magnetic resonance angiography, neck; without contrast material(s), followed by contrast material(s) and further sequences	\$ 1,884.00
Magnetic resonance angiography, pelvis, with or without contrast material(s)	\$ 392.00
Magnetic resonance angiography, upper extremity, with or without contrast material(s)	\$ 392.00
Mammary ductogram or galactogram, multiple ducts, radiological supervision and interpretation	\$ 404.00
Mammary ductogram or galactogram, single duct, radiological supervision	\$ 404.00
Manganese	\$ 225.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 175.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 58.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 175.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 77.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 70.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Manual application of stress performed by physician or other qualified health care professional for joint radiography, including contralateral joint if indicated	\$ 294.00
Manual therapy techniques (eg, mobilization/ manipulation, manual lymphatic drainage, manual traction), 1 or more regions, each 15 minutes	\$ 166.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 90.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 178.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 77.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 351.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 372.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 155.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 716.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 404.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 49.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 158.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 772.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 72.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 277.00
Measurement of post-voiding residual urine and/or bladder capacity by ultrasound, non-imaging	\$ 132.00
Medical nutrition therapy, reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition, or treatment regimen (including additional hours needed for renal disease), group (2 or more individuals), each 30 minutes	\$ 36.00
Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes	\$ 36.00
Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 55.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 55.00
Medical nutrition therapy; reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition or treatment regimen (including additional hours needed for renal disease), individual, face to face with the patient, each 15 minutes	\$ 55.00
Memory functional limitation, current status at therapy episode outset and at reporting intervals	\$ 0.01
Memory functional limitation, discharge status at discharge from therapy or to end reporting	\$ 0.01
Memory functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Mercury, quantitative	\$ 81.00
Mercury, quantitative	\$ 139.00
Mercury, quantitative	\$ 41.00
Mercury, quantitative	\$ 69.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,812.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 458.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 427.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,287.00
Metanephrines	\$ 42.00
Metanephrines	\$ 140.00
Metanephrines	\$ 144.00
Methadone	\$ 959.00
Methadone	\$ 273.00
Methylenedioxyamphetamines (MDA, MDEA, MDMA)	\$ 650.00
Methylenedioxyamphetamines (MDA, MDEA, MDMA)	\$ 456.00
Methylenedioxyamphetamines (MDA, MDEA, MDMA)	\$ 239.00
Methylphenidate	\$ 1,917.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 36.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 86.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 144.00
Minor Surgery	\$ 215.00
Abg;Gases Blood/Any Combo	\$ 136.00
Acetaminophin Screen	\$ 43.00
Alpha 2 Macroglobulin	\$ 82.00
Antibody Id;Rbc,Ea Panel	\$ 38.00
Antibody Screen,Rbc,Each	\$ 62.00
Antihuman Globulin,Coombs	\$ 49.00
Bacterial Id & Sensit	\$ 37.00
Bcl-2	\$ 142.00
Blood Typing;Rh (D)	\$ 33.00
Cbc W/ Rdw & Auto Diff	\$ 13.00
Cd10 (Calla)	\$ 170.00
Cholinesterase Profile	\$ 159.00
Coll Blood-Legal Alcohol	\$ 63.00
Compatibility;Antiglobuli	\$ 88.00
Cyclin D1 (Bcl-1)	\$ 170.00

Geisinger Jersey Shore Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug Abuse Screen W Methe	\$ 37.00
Drug Screen Wd Employee	\$ 63.00
Fecal Wbc Smear	\$ 33.00
Health Profile #5	\$ 25.00
Infect Waste-Lrg Box	\$ 82.00
Infect Waste-Red Bags-Avg	\$ 39.00
Infect Waste-Red Bags-Avg	\$ 30.00
Infect Waste-Sharps-Avg 5	\$ 24.00
Infect Waste-Sharps-Avg 5	\$ 22.00
Ip Stain Cd-43	\$ 64.00
Ip Stain L-26 B-Cell	\$ 118.00
Ip Stain T3	\$ 118.00
Legionella Dfa	\$ 111.00
Liver Panel	\$ 11.00
Mplw515 Mpls505 Mut (Mp Lvl 3)	\$ 1,772.00
Std Probe	\$ 115.00
Travel Allow;Actual Miles	\$ 32.00
Tsh 3Rd Generation	\$ 47.00
Urine Microscopic	\$ 8.00
Wd Admn Prof Leb/Lan	\$ 47.00
Set Spike Duo-Vent	\$ 7.00
Sol Glycine 3000	\$ 81.00
O2 Sampling Line Pt. Etc	\$ 51.00
Abd Pads	\$ 7.00
Advanced Backflush 25G	\$ 141.00
Airway Nasopharyngeal 30Fr	\$ 9.00
Airway Nasopharyngeal 32 Fr	\$ 9.00
Airway Oral 70Mm Child	\$ 12.00
Ambu Bag Ped Dispos	\$ 174.00
Ankle Night Splint	\$ 74.00
Ankle Support Rice	\$ 181.00
Ankle Wrap E-Z	\$ 127.00
Aqua Flow	\$ 13.00
Arm Cradle	\$ 65.00
Armboard Lg	\$ 28.00
Armboard Med	\$ 23.00
Arterial Cath Kit	\$ 65.00
Arthroscopy Pack Iii	\$ 61.00
Arthro.Strght 12 & 30 Tip	\$ 951.00
Autoskin Extractor	\$ 26.00
Autovac System Lf	\$ 757.00
Auxiliary Channel Adaptor	\$ 11.00
Bag Ambu Infant	\$ 44.00
Bag Bongart 10	\$ 127.00
Bag Iv Via-Flex	\$ 16.00
Bair Paw Gown Stnd	\$ 51.00
Bair Paw Gown Xlg	\$ 64.00
Band Adlt Flexisensor	\$ 14.00
Bandage Ace 3"	\$ 6.00
Bandage Ace 6"	\$ 7.00
Bandage Elastomull 3"	\$ 5.00
Bandage Esmark Lf 4"	\$ 24.00
Bandage Stretch (Kling)	\$ 20.00
Beir Hugger Fld Warm Set	\$ 88.00
Belt Rib Men/Women	\$ 115.00
Belt Traction Pelvic	\$ 140.00
Berkeley Sftouch Collection Sy	\$ 33.00
Bis Sensor	\$ 58.00
Bite Block Omni Endo	\$ 9.00
Blade Beaver	\$ 118.00
Blade Beaver Mini	\$ 47.00
Blade Belfore	\$ 95.00
Blade Dematone	\$ 64.00
Blade Endo Carpal Tun Hk	\$ 382.00
Blade Endo Carpaltunnel	\$ 381.00
Blade Laryngo Video	\$ 32.00
Blade Mac Dispos All	\$ 20.00
Blade Micro Saw 9.5 X 25.5	\$ 28.00
Blade Miller Dispos All	\$ 20.00
Blade Narrow Long 29.5X7 Ecker	\$ 67.00
Blade Saw Disp 14X25 5Mm	\$ 116.00
Blade Saw Disp 4.5X25 5Mm	\$ 95.00
Blade Saw Disp 6.5X25 5Mm	\$ 107.00
Blade Xlg Wide 34.5 X 12-Ecker	\$ 67.00
Blades Glidescp 1	\$ 67.00
Blades Glidescp 2	\$ 67.00

Geisinger Jersey Shore Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Blades Glidescp 3	\$ 67.00
Blades Saw Saggital All	\$ 115.00
Blanket Bear Hugger #315	\$ 116.00
Blanket Duo-Therm	\$ 158.00
Blanket Hypo-Thermia	\$ 221.00
Blanket Space Thermo	\$ 67.00
Blood Bag Cbc	\$ 16.00
Blood Cbc Adaptor	\$ 16.00
Blood Filter Rc 100	\$ 134.00
Blood Filter Rc 50	\$ 84.00
Boot Bunny Combination	\$ 156.00
Boot Cast	\$ 204.00
Bottle Vacutainer	\$ 25.00
Bovie Suction	\$ 55.00
Brace Aircast Left Standard	\$ 58.00
Brush Bipolar	\$ 104.00
Brush Cytology Bronco	\$ 571.00
Brush Cytology Regular	\$ 95.00
Brush Micro Speciman	\$ 119.00
Bur Drill Wire Pass 1.5-Ecker	\$ 86.00
Burr Drill Uht Swanson 3.0 Eck	\$ 109.00
Burr Drill Wire Pass Med Ecker	\$ 72.00
Burr Tips 3Mm Rd Solid-Ecker	\$ 41.00
Cannula 25G 0.8Mm S T	\$ 50.00
Cannula 6Mm	\$ 13.00
Cannula Adult Co2 Er	\$ 5.00
Cannula Ped Co2 Er	\$ 6.00
Cannula, Iv Blunt	\$ 7.00
Canopy Disposable	\$ 136.00
Cap Dual End Luer Lok	\$ 8.00
Cap Luer Lock	\$ 11.00
Cap Luer Non-Vent Unv.	\$ 12.00
Capnog Nasel Set Ped	\$ 46.00
Capnography Nasal Set	\$ 35.00
Caps K-Wire	\$ 26.00
Cardiac Stress Iv Charge	\$ 23.00
Cardiac Stress Nitro Set	\$ 12.00
Cardiac Stress Solution/Tubing	\$ 14.00
Cartridge Fluid Slr Gas	\$ 473.00
Cast Boot	\$ 117.00
Cast Cylinder	\$ 188.00
Cast Delta Lite Plus 3" Pink	\$ 9.00
Cast Delta Lite Plus 4" Pink	\$ 11.00
Cast Fiberglas Entire Arm	\$ 140.00
Cast Fiberglas Entire Leg	\$ 185.00
Cast Fiberglass Lower Leg	\$ 106.00
Cast Forearm	\$ 171.00
Cast Forearm Fiberglass	\$ 85.00
Cast Hand	\$ 130.00
Cast Long Arm	\$ 217.00
Cast Sandal Rocker Bottom Lg	\$ 24.00
Cast Sandal Rocker Bottom Med	\$ 24.00
Cast Sandal Rocker Bottom MI	\$ 24.00
Cast Sandal Rocker Bottom Xlg	\$ 37.00
Cast Shoe	\$ 140.00
Casting Delta Lite	\$ 52.00
Cath 3Way 30Cc 22-24-26	\$ 130.00
Cath Airway Transtrac 5.0	\$ 208.00
Cath Airway Transtrac 7.5	\$ 181.00
Cath Aspiration Endo	\$ 107.00
Cath Central Venous 500	\$ 74.00
Cath Connector Ext	\$ 18.00
Cath Coude Tip 18 Fr 5Cc	\$ 31.00
Cath Cut Down 16G	\$ 25.00
Cath Cvp	\$ 37.00
Cath Ele Silicone 5Fr.	\$ 297.00
Cath Epidural Racz Brevi-XI	\$ 207.00
Cath Epidural Racz Versakath	\$ 212.00
Cath Epistaxis Ballon	\$ 204.00
Cath Fogarty	\$ 608.00
Cath Foley 12Fr 5Cc Silicone	\$ 12.00
Cath Foley 14Fr 30Cc Teflon	\$ 13.00
Cath Foley 14Fr 5Cc Coude 2Way	\$ 46.00
Cath Foley 14Fr 5Cc Silicone	\$ 13.00
Cath Foley 16Fr 5Cc Coude 2Way	\$ 33.00
Cath Foley 16Fr 5Cc Silicone	\$ 12.00

Geisinger Jersey Shore Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Cath Foley 18 Fr 5Cc Silicone	\$ 12.00
Cath Foley 18Fr 3Way 30Cc	\$ 25.00
Cath Foley 20Fr 30Cc Silicone	\$ 12.00
Cath Foley 24Fr 30Cc 3Way Tefl	\$ 25.00
Cath Foley 3Cc 8Fr	\$ 51.00
Cath Foley 75Cc 22-24	\$ 118.00
Cath Internal Pressure	\$ 55.00
Cath Introducer	\$ 175.00
Cath Intra 14-16-18-20-22	\$ 23.00
Cath Intro. Sheath Guid.6	\$ 61.00
Cath Introducer Pac Tray	\$ 207.00
Cath Malecot	\$ 90.00
Cath Peritoneal 11Fr 11"	\$ 239.00
Cath Pleurevac	\$ 463.00
Cath Pulmonary Artery Exp	\$ 698.00
Cath Red Rubber #30	\$ 50.00
Cath Red Rubber 10 Fr	\$ 5.00
Cath Red Rubber 12 Fr	\$ 5.00
Cath Red Rubber 8 Fr	\$ 5.00
Cath Simms Close Vent Sys	\$ 118.00
Cath Simplastic	\$ 48.00
Cath Sub Clavian Jugular	\$ 139.00
Cath Suction 10-14-16-18	\$ 40.00
Cath Suction 16Fr Whistle Tip	\$ 4.00
Cath Texas Large	\$ 9.00
Cath Thermodilution 8Fr	\$ 1,039.00
Cath Thoracic 24 Fr	\$ 25.00
Cath Thoracic	\$ 67.00
Cath Thoracic 36	\$ 91.00
Cath Trip Lumen20Cm	\$ 192.00
Cath Trip Lumen30Fr	\$ 196.00
Cath Trocar	\$ 107.00
Cath Twin 2 Lumen	\$ 46.00
Cath Umbelical 16 Gauge	\$ 16.00
Cath Umbelical 3.5Fr	\$ 95.00
Cath Umbelical 5Fr.	\$ 64.00
Cath, Coude 14 22	\$ 43.00
Cath, Groshong Single	\$ 973.00
Catheter Epidural 20 Ga	\$ 21.00
Cautery Biopolar 25G	\$ 204.00
Cement Skin	\$ 70.00
Cervical Collar Univ. Stk	\$ 39.00
Circuit Anesthesia	\$ 64.00
Circuit Breathing Anes Flex2	\$ 24.00
Circuit Breathing Anes.	\$ 75.00
Clip Endo Ml	\$ 250.00
Closures System	\$ 260.00
Co2 Cannister	\$ 28.00
Coban 3" Unsterile Lf	\$ 7.00
Coban Roll	\$ 24.00
Colostomy Irrigation	\$ 74.00
Colostomy Z Stoma	\$ 74.00
Combine Roll	\$ 100.00
Conformer Lg W/Holes	\$ 158.00
Conformer Med W/Holes	\$ 158.00
Connector 5 In 1	\$ 13.00
Connector Simms Irrigatin	\$ 12.00
Connector Strgh Plas.1/4"	\$ 14.00
Connector Universal Y	\$ 22.00
Constellation Auto Gas Fill Ki	\$ 163.00
Constellation Frag Pack	\$ 140.00
Constellation Pkpkak 25G	\$ 1,529.00
Convertor Seal-Up	\$ 49.00
Convertor Surgiport 3.5	\$ 65.00
Convertor Surgiport 5 5	\$ 65.00
Convertors 4.5Mm	\$ 65.00
Cord Bipolar Codman Dis	\$ 33.00
Corneal Crough Protector Adult	\$ 24.00
Cotton Roll	\$ 73.00
Cotton Roll Non-Sterile RI	\$ 18.00
Cryocuff	\$ 302.00
Cryogel Package	\$ 43.00
Cuffed Endo Trach Nasal 6.0	\$ 19.00
Cutter Arthro. Dispos	\$ 276.00
Cutting Bur	\$ 130.00
Darco Shoes All	\$ 74.00

Geisinger Jersey Shore Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Dental Burr	\$ 102.00
Derma Carrier	\$ 25.00
Derma Carriers li 1.5-1	\$ 62.00
Dermabond	\$ 142.00
Dermatome Blade	\$ 86.00
Dilators Ureteral Dispos	\$ 1,055.00
Dissector Expix Laparoscopic	\$ 144.00
Double Swivel Connector	\$ 40.00
Draco Shoe Mens Large	\$ 35.00
Draco Shoe Mens Medium	\$ 35.00
Draco Shoe Mens Small	\$ 35.00
Draco Shoe Mens X-Large	\$ 35.00
Draco Shoe Womens Med 6-8	\$ 35.00
Draco Shoe Womens Sm Size 4-6	\$ 30.00
Drain Incision Sil-Tec (Ecker)	\$ 52.00
Drain Jackpratt Round Silico.7	\$ 35.00
Drain Jackson Pratt 10M	\$ 45.00
Drain Penrose 12" Silico	\$ 9.00
Drain Penrose All	\$ 23.00
Drain Silicone Flat Jp	\$ 118.00
Drain Sump Abdominal	\$ 266.00
Drain Wound Shirley	\$ 24.00
Dressing Adaptic 1/2" Bottle	\$ 4.00
Dressing Adaptic 3X3 3X8	\$ 49.00
Dressing Adaptic 3X8	\$ 5.00
Dressing Allevyn Plus 2X3	\$ 11.00
Dressing Allevyn Plus 4X4	\$ 16.00
Dressing Coban 4X6	\$ 49.00
Dressing Curity Wet	\$ 25.00
Dressing Cutjnova Hydro	\$ 20.00
Dressing Island 4X10	\$ 80.00
Dressing N-Terface	\$ 19.00
Dressing Optifoam Ag Post Op	\$ 408.00
Dressing Sacrum 7.2 X 7.2	\$ 17.00
Dressing Scarlet Red	\$ 13.00
Dressing Sepra Film	\$ 592.00
Dressing Sorbaview	\$ 16.00
Dressing Surgical 2" X 3"	\$ 113.00
Dressing Surgicell 2X3	\$ 114.00
Dressing Surgicell 2X3	\$ 113.00
Dressing Vac Granifoam Sm	\$ 140.00
Dressing Vac Med Black	\$ 120.00
Dressing Wound Pad 2X6	\$ 40.00
Dressing Xeroform 1X8 5X9	\$ 23.00
Dressing Xeroform 5X9	\$ 5.00
Dressingaquace4X4	\$ 181.00
Drill Bit 2.0Mm	\$ 292.00
Drill Bit J Latch 1.0	\$ 196.00
Drill Bit J Latch 1.1 Mm	\$ 217.00
Drill Bit J Latch 1.5 Mm	\$ 217.00
Drill Bit Mqc 1.1 Mm	\$ 217.00
Drills Twist 136 X 6	\$ 383.00
Duo-Derm Border 6X6	\$ 55.00
Duovisc Lg 0.50MI Viscoat	\$ 221.00
Duovisc Small .35 MI	\$ 210.00
Elastoplast	\$ 167.00
Elastoplast - All	\$ 40.00
Electrode Anes	\$ 51.00
Electrode Blade 6# Ultra	\$ 20.00
Electrode Coag Ball	\$ 519.00
Electrode Lap 33Cm	\$ 57.00
Electrodes Post-Op	\$ 130.00
Electrodes Tens	\$ 142.00
Electrodes-Pt 1 Pair	\$ 37.00
Endo Hernia Refille	\$ 346.00
Endo Hernia Ballon Gsi	\$ 1,709.00
Endo Poly Gia 75	\$ 1,072.00
Endo Pouch	\$ 312.00
Endoclip, All	\$ 508.00
Endoilluminator 25G	\$ 546.00
Endoloop O Pds	\$ 49.00
Endopath 5Mm Bladeless	\$ 127.00
Endostitch	\$ 843.00
Enenseal G2 Tissue	\$ 1,154.00
Esoph Dil Balloon 10-11	\$ 616.00
Esophageal Overtube	\$ 488.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Esophageal Stethoscope	\$ 61.00
Esophdil Balloon 12-12.5	\$ 616.00
Esophdil Balloon 15-16.5	\$ 616.00
Esophdil Balloon 8-9-10	\$ 616.00
Et Tube 5.0 Mm	\$ 8.00
Et Tube 5.5 Mm	\$ 8.00
Et Tube 7.0 Mm	\$ 8.00
Et Tube 7.5 Mm	\$ 8.00
Et Tube 8.0 Mm	\$ 8.00
Et Tube Uncuffed 2.0 Murphy	\$ 6.00
Etco2 Gas Sampling Line 10Ft	\$ 5.00
Evac Bottles 1000	\$ 16.00
Evac Plastic Bag	\$ 22.00
Extractor, Foreign Body Rhino	\$ 103.00
Eye Pack Tuller	\$ 319.00
Feeding Bag And Tubing	\$ 37.00
Feeding Set 1000ML Bag	\$ 10.00
Feeding Tube 10 Fr	\$ 22.00
Feeding Tube 8 Fr	\$ 39.00
Fiber Slt Bare	\$ 1,166.00
Filter Bacteria Co2	\$ 47.00
Filter Bacteriostatic	\$ 13.00
Filter Bld Trans 40Um	\$ 21.00
Filter Epidural	\$ 8.00
Finger Protector Med Padded 3"	\$ 6.00
Finger Protector Sm Padded 1.5	\$ 6.00
Flange Wafer	\$ 16.00
Fluff Sterile 10 Pk	\$ 22.00
Fluffs	\$ 23.00
Fluid Warming Set	\$ 39.00
Forcep Grieshaber Rev Dspilm	\$ 288.00
Forcep Grieshaber Rev/Max	\$ 381.00
Forcep Hot Biopsy	\$ 280.00
Forcep Ilm 23G	\$ 287.50
Forcep Positrip Non-Ret	\$ 359.00
Fracture Walker Integ All	\$ 166.00
Gauze Vasel.1X8,3X9,.5X72	\$ 14.00
Gelport	\$ 1,710.00
Gia Endo 30V 3.5Mm	\$ 1,834.00
Gia Endo 30V 3.5Mm Refill	\$ 990.00
Gia Endoscopic 60 Refills	\$ 297.00
Glidescope Blade	\$ 44.00
Granulex	\$ 116.00
Grasper Dispos	\$ 363.00
Grasper Expix Inline	\$ 144.00
Guidewire 1.25Mm	\$ 40.00
Harmonic Curved Shears Ds	\$ 1,205.00
Hemaclip 13Mm Large	\$ 526.00
Hemaclips	\$ 133.00
Hemovac Bld W/Evacuator/Adapto	\$ 26.00
Hemovac Large	\$ 167.00
Hemovac Soft	\$ 158.00
Hemovac W/O Needle	\$ 118.00
Hme Filter	\$ 19.00
Hystovac	\$ 162.00
Ileostomy Gntl Tch 2 3/4"	\$ 37.00
Ileostomy Gntle Tch 1.75	\$ 37.00
Immob. Shoulder Cutaway	\$ 62.00
Immobilizer Knee 20"	\$ 58.00
Immobilizer Knee 23"	\$ 186.00
Immobilizer Knee-Universal	\$ 293.00
Immobilizer Shoulder	\$ 67.00
Implant Baerveldt Glaucoma	\$ 1,748.00
Injection Site	\$ 12.00
Intrduc.Sheath Percat 6Fr	\$ 45.00
Introducer 1.6 For Taut	\$ 42.00
Introducer Lead 10.5 Fr.	\$ 271.00
Introducers 18Xtw 2.5"	\$ 14.00
Introducers 18Xtw 3.7"	\$ 12.00
Introducers 18Xtw 5.7"	\$ 12.00
Irrigator Inter Pulse W/Spray	\$ 96.00
Irrigator Inter Pulse W/Spray	\$ 59.00
Irrigator Ostomy C	\$ 173.00
Jet Vac Hip Kit	\$ 173.00
K Pad Dispos 14X20	\$ 95.00
K Pad Dispos 18X24	\$ 106.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Kerlex Sterile	\$ 10.00
Kerlix Sterile	\$ 6.00
Kit Endo Hernia	\$ 3,585.00
Kit Endo Pre-Peritoneal	\$ 4,021.00
Kit Fecal Managemebt	\$ 273.00
Kit Gast Lavage Tumevac	\$ 82.00
Kit Gastrostomy Bower Ped	\$ 1,675.00
Kit Irrig. Visc Flow Cold	\$ 81.00
Kit Ostomy Care	\$ 82.00
Kit Patient Attachment EtcO2	\$ 16.00
Kit Perfluoron Procedure	\$ 1,208.00
Kit Peritoneal Lavage	\$ 95.00
Kit Transpac Iv Bifurcated Cvp	\$ 49.00
Kit Urine Transport C&S	\$ 14.00
Kit, Arterial Cath 20G	\$ 65.00
Kitner Dissection Peanuts	\$ 11.00
Knife Collings 24F Ylw	\$ 75.00
Lancets Chem Strips	\$ 16.00
Lap Chole Kit Applies 5001020	\$ 626.00
Lens 20D Single Use	\$ 38.00
Lens 28D Single Use	\$ 38.00
Lens Grieshaber Mac	\$ 88.00
Lens Morgan Eye Irrigatin	\$ 127.00
Ligaclip Lrge Clip Appli	\$ 486.00
Ligating Device 30Mm Dispos	\$ 167.00
Liner Bunny Boot	\$ 109.00
Lma	\$ 265.00
Lma Fastrack Size 3 Dispos	\$ 237.00
Lma Fastrack Size 4 Dispos	\$ 237.00
Lma Fastrack 3 4 Or 5	\$ 273.00
Lma Plus Pack 2.0	\$ 37.00
Lma Plus Pack 2.5	\$ 37.00
Lma Unique 1.0	\$ 23.00
Lma Unique 1.5	\$ 23.00
Lma'S #4	\$ 36.00
Loop Retsetoscope Dipso	\$ 519.00
Manometer Cvp	\$ 104.00
Mask Anes Adult	\$ 11.00
Mask Anes Child	\$ 10.00
Mask Anesthesia Face Lg Adult	\$ 8.00
Mask Cpr	\$ 94.00
Mask Trach	\$ 16.00
Mast Trousers	\$ 25.00
Mediport Access Kit	\$ 81.00
Membrane Blue 0.15%	\$ 1,345.00
Mesh Mosaic 5.12" X 5.12"	\$ 837.00
Mesh Mosaic C-Qur 9X14.5 Cm	\$ 303.00
Mesh Mosaic C-Qur 9X9Cm	\$ 602.00
Mesj C-Qur 15X20.3 Cm	\$ 1,330.00
Minimod 1.5 Condylar Plate	\$ 689.00
Minimod 1.5 Ext H Plate Left	\$ 566.00
Minimod 1.5 Ext H Plate Right	\$ 566.00
Minimod 1.5 Locking ScREW 18Mm	\$ 136.00
Minimod 1.5 Plate 12 Hole	\$ 541.00
Minimod 1.5 Plate 4 Hole	\$ 320.00
Minimod 1.5 Plate 6 Hole	\$ 541.00
Minimod 1.5 Plate 6 Hole	\$ 320.00
Minimod 1.5 T Plate 3H 8H Shft	\$ 320.00
Minimod 1.5 T Plate4H 8H Shft	\$ 320.00
Minimod 1.5 Y Plaate 3H 8H Shf	\$ 566.00
Minimod Drill Bit 1.5 Mini	\$ 87.00
Minimod Drill Bit 75Mm	\$ 122.00
Monitor Kit W/Bifurcated	\$ 130.00
Monitor Kit W/Transducer	\$ 109.00
Monitor Kit W/Trisurcated	\$ 174.00
Mouthpiece Endo Biteblock	\$ 7.00
Nail Drill	\$ 24.00
Nasal Ballon	\$ 104.00
Nasal Cannula Divided	\$ 15.00
Nasal Packing (Pope)	\$ 61.00
Nasal Splint	\$ 22.00
Needle 25G Tano Stiff Diamond	\$ 308.00
Needle Butterfly 25G	\$ 14.00
Needle Electrodes	\$ 7.00
Needle Endo 4Mm 25G	\$ 64.00
Needle Ez Io Adult	\$ 94.00

Geisinger Jersey Shore Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Needle Ez Io Intra Long 45M	\$ 349.00
Needle Ez Io Peds	\$ 94.00
Needle For Racz Epi 16Tw 3.5	\$ 50.00
Needle For Racz Epi 18Twm 3.5"	\$ 50.00
Needle Insfl 120Mm 13G Vrrs Lf	\$ 40.00
Needle Insulated 22 Ga	\$ 33.00
Needle Intra-Osseous Disp	\$ 109.00
Needle Micro Colorado	\$ 169.00
Needle Nerve Blk 20Gx8 B-Coude	\$ 42.00
Needle Nerve Blk 22Gx6 B-Coude	\$ 33.00
Needle Nerve Blk 22X4.5 B-Coud	\$ 33.00
Needle Pencan 22G X3.5	\$ 19.00
Needle Pencan 25G X 5	\$ 20.00
Needle Protected Iv	\$ 11.00
Needle Spinal 27Ce X 3.5"	\$ 15.00
Needle Stimulator Insulat	\$ 43.00
Needle Tuohy Epidural 18G	\$ 13.00
Needle Tuohy Epidural 18G X5"	\$ 24.00
Needle Tuohy Epidural 20G X 2	\$ 19.00
Needle Tuohy Epidural 20G X3.5	\$ 13.00
Needle/Ball Electrode	\$ 14.00
Needle-Coude Bella-D 22Rw 4.5"	\$ 20.00
Needles Quick Cath	\$ 11.00
Nitrous Oxide Per 15 Min	\$ 45.00
Nitrous Oxide Per 15 Min	\$ 48.00
O2 Flow Modulator Set 5.0	\$ 452.00
O2 Flow Modulator Set 7.5	\$ 390.00
Obesity Belt	\$ 357.00
Ob-Nitrous Oxide	\$ 266.00
Ophthalmic Burr 1/2Mm	\$ 25.00
Origin Hernia Balloon	\$ 1,139.00
Ortho Wedge Shoe Large	\$ 57.00
Ortho Wedge Shoe Medium	\$ 57.00
Ortho Wedge Shoe Sz Small	\$ 57.00
Ortho Wedge Shoe Sz Z-Sm	\$ 57.00
Ortho Wedge Shoe X-Large	\$ 50.00
Ostomy Bag Dispos	\$ 39.00
Ostomy Kit Loop	\$ 231.00
Ostomy Wound Manager Medium	\$ 11.00
Ostomy Wound Manager Medium	\$ 46.00
Oxisensor Ii D-25L Adlt	\$ 60.00
Oxisensor Ii Pediatric	\$ 51.00
Oxisensor Infant	\$ 67.00
Oxygen Per 15 Min	\$ 9.00
Oxygen Per Hour	\$ 16.00
Pa Line Connection	\$ 104.00
Pack Heavy Drainage	\$ 14.00
Pack Vitrectomy 22G	\$ 1,529.00
Packing Adaptic	\$ 48.00
Packing Rhino Rocket Med	\$ 81.00
Pads Defibrilator	\$ 60.00
Pads Nerve Ulnar /Set	\$ 39.00
Pca Tubing	\$ 26.00
Pencil Hand Trol	\$ 67.00
Pillow Abduction Large	\$ 154.00
Pillow Abduction Medium	\$ 171.00
Pillow Abduction Small	\$ 120.00
Pillow Pads Abduction Sm.	\$ 88.00
Pink Pad Xl	\$ 213.00
Plaster Roll	\$ 20.00
Plastic Cir Bell	\$ 24.00
Platee T 3 H	\$ 559.00
Platelet Filter Pl 100	\$ 270.00
Plugs 19 & 20 G	\$ 52.00
Pneumothorix Emergency Set 8.5	\$ 306.00
Poly Trap H332	\$ 10.00
Polyp Roth Net Dispos	\$ 310.00
Post Op Shoe Wood Sole Mens Lg	\$ 22.00
Post Op Shoe Wood Sole Mens M	\$ 22.00
Post Op Shoe Wood Sole W Lg	\$ 22.00
Post Op Shoe Wood Sole W Med	\$ 22.00
Post Op Shoe Wood Sole W Sm	\$ 22.00
Pouch 4"	\$ 9.00
Pouch Drainbl Active Life	\$ 14.00
Pouch Sur-Fit 1 3/4" Uro	\$ 12.00
Probe Laser 23G	\$ 2,700.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Probe Light 25G Chan/Flex/Curv	\$ 450.00
Probe Light 25G Chan/Flex/Tip	\$ 425.00
Probe Light 25G Chandeeler	\$ 245.00
Pump Vac	\$ 300.00
Purstring Size 65	\$ 442.00
Qr Powder	\$ 21.00
Quick Clip Fix	\$ 615.00
Quick Combo Pads	\$ 72.00
Radial Artery Cath	\$ 44.00
Radial Artery Cath Set	\$ 47.00
Rape Kit	\$ 20.00
Rapid Rhino All	\$ 115.00
Rapid Rhino Epistaxis Devise	\$ 95.00
Recon. Device Mini Bag	\$ 16.00
Remover Schunknecht F/B	\$ 16.00
Repair Kit Groshong All	\$ 511.00
Reservior Jp Suction	\$ 116.00
Retract Got Malle Disp Sm	\$ 95.00
Retractor Fish	\$ 126.00
Retractor Lon Star	\$ 135.00
Retractors Malleable	\$ 106.00
Rf Lumbar Introducer 17Gx100Mm	\$ 214.00
Rf Lumbar Introducer 17Gx150Mm	\$ 214.00
Rf Lumbar Probe 17Gx100Mm	\$ 1,040.00
Rf Lumbar Probe 17Gx150Mm	\$ 1,040.00
Rf Lumbarcool Probe Kt 17Gx100	\$ 1,950.00
Rf Lumbarcool Probe Kt 17Gx150	\$ 1,950.00
Rf Univ Introducer 17Gx X 75Mm	\$ 214.00
Rf Univ Introducer 17Gx X100Mm	\$ 214.00
Rf Univ Probe 17Gx X 100Mm	\$ 1,040.00
Rf Univ Probe 17Gx X 75Mm	\$ 1,040.00
Rf Univ Probe Kit 17Gx100Mm X4	\$ 1,950.00
Rf Univ Probe Kit 17Gx75Mm X4M	\$ 1,950.00
Rhino Rapid 4.5Cm	\$ 88.00
Rhino Rapid 5.5Cm	\$ 88.00
Rotulator Poly 55 170Mm	\$ 1,558.00
Rotulator Poly 55 200Mm	\$ 1,631.00
Saf T Pouch	\$ 104.00
Safe Clens 6 Oz	\$ 24.00
Scapel 10-11-15	\$ 35.00
Scissors Epix Laparoscopic	\$ 110.00
Scraper Grieshaber 25+ C	\$ 796.00
Scrotal Support Large	\$ 17.00
Scrotal Support Wide Band	\$ 78.00
Scrotal Support X-Large	\$ 25.00
SerOMacath Suction Reservior	\$ 49.00
Seromacath Wound Drain Sys	\$ 104.00
Set Adm Y Adaptor Bio Ent	\$ 47.00
Set Administration	\$ 48.00
Set Contiflo 60 Drop	\$ 12.00
Set Emulsion Pump (Fat)	\$ 68.00
Set Extension Stress Test	\$ 13.00
Set Feeding 1000Ml	\$ 11.00
Set Infus Butter 19-21-23	\$ 23.00
Set Intuba Crawfrd Lacinl	\$ 199.00
Set Iv Micromore Y	\$ 23.00
Set Secondary	\$ 13.00
Set Soluset	\$ 28.00
Set Soluset	\$ 23.00
Set Soluset 10Dr. 2C7595	\$ 28.00
Set Urostomy	\$ 222.00
Shield Eye Metal	\$ 22.00
Shield Eye Supaco Opti-Ga	\$ 26.00
Shoe Post-Op Wooden	\$ 25.00
Shoe Wedge, All Sizes	\$ 55.00
Shoulder Immobilizer Small	\$ 12.00
Sigmoidscope	\$ 40.00
Silicone Sleeve 0.75X3.5X125	\$ 47.00
Silicone Sleeve 1.25 X 4.0X125	\$ 47.00
Silicone Sleeve 1.5X2.4X30	\$ 29.00
Sleeve Comp Knee One Size	\$ 70.00
Sleeve Comp Thigh Lg.Repr	\$ 170.00
Sleeve Comp Thigh Md.Repr	\$ 136.00
Sleeve Comp Thigh Sm.Repr	\$ 132.00
Sleeve Comp. Knee Regular	\$ 155.00
Sleeve Comp. Thigh Large	\$ 280.00

Geisinger Jersey Shore Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Sleeve Comp. Thigh Small	\$ 223.00
Sleeve Comp.Thigh Medium	\$ 231.00
Sleeve Opht 4.5 Style 41	\$ 38.00
Sleeve Orpht Style 72	\$ 31.00
Sling & Swathe	\$ 132.00
Sling Arm Elevator Unv.	\$ 74.00
Sling Arm Xlg Spec	\$ 18.00
Sling Ultra 15 All	\$ 346.00
Snare Lg230 Cm Sd-24Ou-25	\$ 30.00
Snare, Rotatable	\$ 528.00
Sol Irrig Nss 1000Cc Pour Btle	\$ 7.00
Sol Irrigati Bg H2O 1000C	\$ 43.00
Sol Irrigation H2O 1500Cc	\$ 64.00
Specimen Bag	\$ 152.00
Sphere Eye 16 Mm	\$ 135.00
Sphere Eye 18 Mm	\$ 135.00
Splint Aircast Ankle	\$ 154.00
Splint Arm	\$ 74.00
Splint Buddy	\$ 23.00
Splint Clavicle Large	\$ 23.00
Splint Clavicle Medium	\$ 23.00
Splint Clavicle Xlarge	\$ 23.00
Splint Clavicle Xsmall	\$ 33.00
Splint Fiberglass 1' 2"	\$ 14.00
Splint Fiberglass 1' 3"	\$ 20.00
Splint Fiberglass 1' 4"	\$ 23.00
Splint Fiberglass 1' 5"	\$ 26.00
Splint Fiberglass 1' 6"	\$ 28.00
Splint Leg Plaster	\$ 88.00
Splint Spica Universal	\$ 23.00
Splint Traction	\$ 297.00
Splint Traction Zimmer	\$ 173.00
Splint Wellcare Pass Nigt	\$ 186.00
Splint Wrist Forearm Med Right	\$ 20.00
Splint Zip Quick	\$ 70.00
Splint, Elbow Hinge	\$ 619.00
Splnt, Thmb Spica R Medlg	\$ 146.00
Splnt, Thmb Spice L Medlg	\$ 146.00
Sponge 4X4 Sterile Radiopradio	\$ 5.00
Sponges 18X18 10/Pk	\$ 43.00
Sponges 2X2	\$ 23.00
Sponges 2X2'S Box	\$ 23.00
Sponges 3X3	\$ 52.00
Sponges 4X4	\$ 13.00
Sponges 4X4 X-Ray	\$ 13.00
Sponges Cottonoid All Ea	\$ 48.00
Sponges Covell Tonsil Pk	\$ 64.00
Sponges Stick	\$ 13.00
Sponges Tonsil (10)	\$ 43.00
Sponges Tonsil (2)	\$ 13.00
Sponges Toppers Ste 3X4Bx	\$ 23.00
Stim Bovie Neuro Pulse Loc	\$ 95.00
Stockinette Sterile 6"X60"	\$ 11.00
Stone Grasper 3 Prong	\$ 1,138.00
Stop Cock 3W Ext.C	\$ 22.00
Stopcock 4W Ext Set	\$ 9.00
Stopcock 4-Way & Ext Tub	\$ 14.00
Strap A/C Dislocation	\$ 297.00
Strap Clavical	\$ 107.00
Straps Montgomery	\$ 37.00
Styilet Intubating Satin Tub 6F	\$ 9.00
Styilet Intubation 10Fr 4.0-6.0	\$ 9.00
Styilet Satin Slip	\$ 12.00
Suct.Cannister Liner 1300	\$ 26.00
Suction Catheter Kit 14 Fr	\$ 5.00
Suction Drain Flat Jp	\$ 118.00
Suction Polyp Trap	\$ 45.00
Suction Poole	\$ 40.00
Support Knee Elastic	\$ 104.00
Support Lumbosacral	\$ 268.00
Supporter	\$ 140.00
Surgiclip Premium 11	\$ 795.00
Surgigrip 10.5Mm	\$ 177.00
Surgigrip 11.5Mm	\$ 77.00
Surgigrip 11Mm	\$ 74.00
Surgigrip Sleeve 10Mm Long	\$ 74.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Surgigrip Sleeve 5Mm	\$ 74.00
Surgigrips 12Mm	\$ 77.00
Surgineedle 120 Mm	\$ 108.00
Surgipad Abd	\$ 16.00
Syr Posiflush 10 MI W/O Cannul	\$ 40.00
Syr Posiflush 10MI Saline .9%	\$ 7.00
Syr Posiflush 3MI Saline 0.9%	\$ 8.00
Syringe Adato Sil-0L 5000	\$ 1,048.00
Syringe Inflation	\$ 108.00
System Fier Slt #329	\$ 1,348.00
Sz 2 Airway Kit Green Peds	\$ 125.00
Sz 2.5 Airway Kit Orange Peds	\$ 125.00
Sz 3 Airway Kit Yellow Adult	\$ 125.00
Sz 4 Airway Kit Red Adult	\$ 125.00
Sz 5 Airway Kit Purple Adult	\$ 125.00
Ta Endoscopic 60 Refills	\$ 332.00
Theraband Hand Exerc	\$ 47.00
Theraband-1 Yard	\$ 14.00
Theraputty	\$ 25.00
Thoracentesis Evac Cont.	\$ 60.00
Thoracentesis Kit Arrow	\$ 210.00
Thoracentesis Set Tubing	\$ 73.00
Thoracentesis Tray	\$ 175.00
Thoracic Catheter 28 Fr	\$ 5.00
Thoracic Catheter 32 Fr	\$ 19.00
Thorovac	\$ 374.00
Thorodrain Cannister	\$ 119.00
Tip Sapphire	\$ 3,275.00
Tls Drainage System	\$ 213.00
Tourniquet Cuff Disp 18" Dpsb	\$ 23.00
Tourniquet Cuff Disp 24" Dbsb	\$ 63.00
Trach Tube	\$ 173.00
Trach, Quick 2.0Mm	\$ 582.00
Trach, Quick 4.0Mm	\$ 582.00
Traction Bood Medium	\$ 24.00
Traction Boot Small	\$ 24.00
Transpac Art Line	\$ 31.00
Transpac Cvp	\$ 58.00
Tray Bladder Care	\$ 140.00
Tray Bone Marrow	\$ 116.00
Tray Chest Tube	\$ 187.00
Tray Cut Down	\$ 100.00
Tray Epidural Arrow	\$ 109.00
Tray Epidural Block	\$ 51.00
Tray Gastric	\$ 43.00
Tray I & D	\$ 52.00
Tray Lumbar Puncture	\$ 119.00
Tray Paracentesis	\$ 52.00
Tray Pericardialcintises	\$ 292.00
Tray Picc 4.5Fr	\$ 645.00
Tray Picc 5.5Fr	\$ 645.00
Tray Pudental Block	\$ 37.00
Tray Spinal Pencan	\$ 49.00
Tray Trach Cleaning	\$ 16.00
Tray, Pneumothorax	\$ 310.00
Trocar 11.5	\$ 412.00
Trocar 12Mm	\$ 716.00
Trocar 15Mm	\$ 484.00
Trocar Dilating Tip 5Mm	\$ 135.00
Trocar Entry System 25G	\$ 145.00
Trocar Kii Fios 12X100 Adv.Fix	\$ 88.00
Trocar Kii Fios 5X100 Adv.Fix	\$ 59.00
Trocar Kii Sleeve Adv.Fix	\$ 31.00
Trocar Kii Sleeve Z-Thre Stand	\$ 31.00
Trocar Kii Z Bladeless 12X100	\$ 88.00
Trocar Kii Z Bladeless 5X100 E	\$ 59.00
Trocar Kii Z Blunt Tip 12X100	\$ 59.00
Trocar Sleeve 5Mm	\$ 73.00
Trocar Surgiport 10Mm	\$ 714.00
Trocar Surgiport 11Mm	\$ 590.00
Trocar Valved Entry System	\$ 197.00
Trocar, Endo All	\$ 330.00
Tube Argyle 32-36-28 Fr	\$ 55.00
Tube Blakmore\Linton	\$ 1,149.00
Tube Cantor	\$ 181.00
Tube Deknatel 28-36Fr.	\$ 55.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Tube Dobbhoff Feeding All	\$ 126.00
Tube Endo Laser	\$ 437.00
Tube Endo X-Soft All	\$ 22.00
Tube Gastric Lavage	\$ 40.00
Tube Infant Feeding	\$ 16.00
Tube Lavage	\$ 20.00
Tube Miller Abbott Dispo	\$ 463.00
Tube Rubber T	\$ 64.00
Tube Salem Sump Reflux	\$ 54.00
Tube Sigmoid	\$ 28.00
Tube Silicon T	\$ 102.00
Tube Tracheostomy 10Mm	\$ 128.00
Tube Tracheostomy 6Mm	\$ 128.00
Tube Tracheostomy 7Mm	\$ 128.00
Tube Tracheostomy 8Mm	\$ 135.00
Tube Tracheostomy 9Mm	\$ 135.00
Tube, Gastro Mic 18Fr	\$ 346.00
Tube, Gastros 20Fr 30MI	\$ 238.00
Tube, Lavage 32Fr Tumevac	\$ 35.00
Tubing Anchor	\$ 16.00
Tubing Blood	\$ 46.00
Tubing Blood 1C80295	\$ 46.00
Tubing Corrugated 5 Ft	\$ 16.00
Tubing Hemovac Soft	\$ 68.00
Tubing Insufflation Cpu Luer	\$ 35.00
Tubing O2 Extension 8 Ft	\$ 62.00
Tubing Penrose	\$ 25.00
Tubing Trumpet Valve	\$ 600.00
Tutoplast Pericardium 1.5 Cm	\$ 713.00
Urevac	\$ 188.00
Vac Cannister	\$ 142.00
Vac Dress Silver Lg	\$ 277.00
Vac Foam Lrge Black	\$ 195.00
Vac Foam Med Silver	\$ 251.00
Vac Foam Sml White	\$ 178.00
Valve Heimlich	\$ 74.00
Vaseline Guaze 3X9	\$ 7.00
Vcare Cup Lg	\$ 193.00
Vcare Cup Med	\$ 193.00
Vcare Cup Sm	\$ 193.00
Vein Stripper	\$ 156.00
Vein Stripper Dispos	\$ 130.00
Veniloop Cntr W/Cn Tubing	\$ 13.00
Veniloop Cntr W/Reseal	\$ 13.00
Vessel Loop Blue	\$ 9.00
Vessel Paws	\$ 104.00
Viscous Fluid Control Pk	\$ 142.00
V-Lance 20G Mvr	\$ 46.00
V-Lance Mnr 25G	\$ 98.00
Wafer Durahevs 1 3/4" Uro	\$ 19.00
Wafer Sur-Fit 2 3/4" Colo	\$ 13.00
Walker Pneumatic 3 Loop Large	\$ 223.00
Walker Pneumatic 3 Loop Med	\$ 223.00
Walker Pneumatic 3 Loop Sm	\$ 223.00
Walker Pneumatic 3 Loop Xlarge	\$ 223.00
Walker Shoe Med/Lg	\$ 224.00
Walker Shoe X-Lg	\$ 224.00
Walker Shoes Sm/Med	\$ 224.00
Walking Heel	\$ 48.00
Washer 7.0	\$ 33.00
Webril 6"	\$ 13.00
Weckcelspears	\$ 11.00
Wire Guide Zebra	\$ 340.00
Wound Manager Medium	\$ 317.00
Band Florio Cpc	\$ 151.00
Basil Nugrip 10S	\$ 8,835.00
Basil Nugrip 20M	\$ 8,835.00
Basil Nugrip 30L	\$ 8,835.00
Basil Nugrip 30M	\$ 8,835.00
Basil Nugrip 40L	\$ 8,835.00
Cutter Endo Linr Reload	\$ 541.00
Cutter Endopath Linear 35Mm	\$ 745.00
Cutter Reload Linear 55Mm Blue	\$ 142.00
Cutters Linr Tlc55	\$ 792.00
Drill Bit 1.0X8Mm J-Latch End	\$ 430.50
Endopath Cutter Reload Reg 35M	\$ 266.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Falope Ring App Kit Dispo	\$ 904.00
Filter, Vena Cava Kit	\$ 6,208.00
Iud Cu7	\$ 77.00
Iud Dalkon S	\$ 64.00
Iud Lippes	\$ 64.00
Knowles Pine All	\$ 355.00
Patch Gore-Tex 10 X 15 Cm	\$ 1,357.00
Patch Micro Mesh	\$ 2,539.00
Rush Pin 1/4"	\$ 657.00
Shunt Leveen Prit Venous	\$ 1,909.00
Sorbafix Absorbable Fixation	\$ 1,623.00
Sut Plain Or 1Pk	\$ 14.00
Sut Polysorb/Vicryl Or 1Pk	\$ 15.00
Tubes Myingotomy Pope 8Mm	\$ 140.00
Tubes Myingotomy Shep.14Mm	\$ 62.00
Tubes Myingotomy Paparel	\$ 88.00
Tubes Pe White Teflon	\$ 102.00
Webb Bolts 9"	\$ 136.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 409.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 1,364.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
Mobility: walking & moving around functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 0.01
Mobility: walking & moving around functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Mobility: walking & moving around functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 80.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 55.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 128.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 195.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 53.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 192.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 422.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 639.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 103.00
Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells	\$ 87.00
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolulysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)	

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)</p>	<p>\$ 2,355.00</p>
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)</p>	<p>\$ 993.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)</p>	<p>\$ 4,515.00</p>
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)</p>	<p>\$ 2,855.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)</p>	<p>\$ 277.00</p>
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)</p>	<p>\$ 604.00</p>

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)	\$ 1,512.00
Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), commons variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolusian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)	\$ 753.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T3151 variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidolulysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G)</p>	<p>\$ 1,334.00</p>
<p>Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis</p>	<p>\$ 400.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAD [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn,</p>	<p>\$ 2,432.00</p>
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAD [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn,</p>	<p>\$ 1,077.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNBN1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAD [Scianna blood group]), RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn,</p>	<p>\$ 1,030.00</p>
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFB2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTBD9 (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP11B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10</p>	<p>\$ 2,363.00</p>

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXP1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10</p>	<p>\$ 3,092.00</p>
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXP1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10</p>	<p>\$ 3,498.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXP1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10</p>	<p>\$ 555.00</p>
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXP1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10</p>	<p>\$ 57.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKRP (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXP1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10</p>	<p>\$ 56.00</p>
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (Ftsj RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile</p>	<p>\$ 1,427.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydroliipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile</p>	<p>\$ 609.00</p>
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydroliipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile</p>	<p>\$ 54.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydroliipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile</p>	<p>\$ 55.00</p>
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydroliipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile</p>	<p>\$ 57.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRNB2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolypoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTSJ1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile</p>	<p>\$ 56.00</p>
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolypoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolypoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolypoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing</p>	<p>\$ 5,509.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing</p>	<p>\$ 4,382.00</p>
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing</p>	<p>\$ 11,325.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing</p>	<p>\$ 571.00</p>
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing</p>	<p>\$ 54.00</p>

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing</p>	<p>\$ 55.00</p>
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seipcongenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seipcongenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing</p>	<p>\$ 57.00</p>

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin S]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 1,709.00</p>
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin S]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 54.00</p>

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 57.00</p>
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 56.00</p>
<p>Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2) (eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence</p>	<p>\$ 54.00</p>

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2) (eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence	\$ 55.00
Mononuclear cell antigen, quantitative (eg, flow cytometry), not otherwise specified, each antigen	\$ 92.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each multiplex probe stain procedure	\$ 3,151.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 798.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; each multiplex probe stain procedure	\$ 3,939.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; initial single probe stain procedure	\$ 961.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; manual	\$ 748.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure: using computer-assisted technology	\$ 788.00
Morphometric analysis; tumor (eg, DNA ploidy)	\$ 631.00
Morphometric analysis; tumor (eg, DNA ploidy)	\$ 390.00
Most recent hemoglobin A1c (HbA1c) level 7.0-9.0% (DM)	\$ 0.01
Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)	\$ 0.01
Motion fluoroscopic evaluation of swallowing function by cine or video recording	\$ 509.00
Motor speech functional limitation, current status at therapy episode outset and at reporting intervals	\$ 0.01
Motor speech functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Motor speech functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 431.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 771.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 481.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 1,297.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants	\$ 2,735.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 170.00
Mucin, synovial fluid (Ropes test)	\$ 35.00
Mucopolysaccharides, acid, quantitative	\$ 78.00
Multiple sleep latency or maintenance of wakefulness testing, recording, analysis of physiological measurements of sleep during multiple trials to assess sleepiness	\$ 2,503.00
Muramidase	\$ 129.00
Muramidase	\$ 147.00
Muscle testing, manual (separate procedure) with report; extremity (excluding hand) or trunk	\$ 118.00
Muscle testing, manual (separate procedure) with report; hand, with or without comparison with normal side	\$ 393.00
Mycophenolate (mycophenolic acid)	\$ 251.00
Myelin basic protein, cerebrospinal fluid	\$ 43.00
Myelin basic protein, cerebrospinal fluid	\$ 187.00
Myocardial imaging, infarct avid, planar; qualitative or quantitative	\$ 933.00
Myocardial imaging, infarct avid, planar; tomographic SPECT with or without quantification	\$ 976.00
Myocardial imaging, infarct avid, planar; with ejection fraction by first pass technique	\$ 940.00
Myocardial perfusion imaging, planar (including qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 2,953.00
Myocardial perfusion imaging, planar (including qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 2,568.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 4,518.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 1,981.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Myoglobin	\$ 172.00
Myoglobin	\$ 128.00
Nasal smear for eosinophils	\$ 35.00
Natriuretic peptide	\$ 204.00
Natriuretic peptide	\$ 191.00
Natriuretic peptide	\$ 332.00
Natural killer (NK) cells, total count	\$ 146.00
Natural killer (NK) cells, total count	\$ 136.00
Nephelometry, each analyte not elsewhere specified	\$ 34.00
Nephelometry, each analyte not elsewhere specified	\$ 305.00
Nephelometry, each analyte not elsewhere specified	\$ 62.00
Nephelometry, each analyte not elsewhere specified	\$ 60.00
Nephelometry, each analyte not elsewhere specified	\$ 216.00
Nephelometry, each analyte not elsewhere specified	\$ 163.00
Neutralization test, viral	\$ 1,214.00
Neutralization test, viral	\$ 42.00
Neutralization test, viral	\$ 49.00
Neutralization test, viral	\$ 88.00
Nickel	\$ 175.00
Non-cardiac vascular flow imaging (ie, angiography, venography)	\$ 548.00
Noninvasive physiologic studies of lower extremity arteries, at rest and following treadmill stress testing, (ie, bidirectional Doppler waveform or volume plethysmography recording and analysis at rest with ankle/brachial indices immediately after and at timed intervals following performance of a standardized protocol on a motorized treadmill plus recording of time of onset of claudication or other symptoms, maximal walking time, and time to recovery) complete bilateral study	\$ 315.00
Nucleotidase 5'-	\$ 122.00
Oasis wound matrix, per square centimeter	\$ 26.00
Oasis wound matrix, per square centimeter	\$ 49.00
Oasis wound matrix, per square centimeter	\$ 291.00
Obstetric panel This panel must include the following: Blood count, complete (CBC), automated and automated differential WBC count (85025 or 85027 and 85004) OR Blood count, complete (CBC), automated (85027) and appropriate manual differential WBC count (85007 or 85009) Hepatitis B surface antigen (HBsAg) (87340) Antibody, rubella (86762) Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART) (86592) Antibody screen, RBC, each serum technique (86850) Blood typing ABO (86900) AND Blood typing Rh (D) (86901)	\$ 529.00
Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 5 or more performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of high analytic complexity, which includes an analysis of the patient profile, analysis of data from comprehensive assessment(s), and consideration of multiple treatment options. Patient presents with comorbidities that affect occupational performance. Significant modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 60 minutes are spent face-to-face with the patient and/or family.	\$ 319.00
Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes an expanded review of medical and/or therapy records and additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 3-5 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of moderate analytic complexity, which includes an analysis of the occupational profile, analysis of data from detailed assessment(s), and consideration of several treatment options. Patient may present with comorbidities that affect occupational performance. Minimal to moderate modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 319.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.	\$ 558.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.	\$ 379.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 379.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 298.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 298.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A detailed history; A detailed examination; Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 233.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 10 minutes are spent face-to-face with the patient and/or family.	\$ 196.00
Office or other outpatient visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 20 minutes are spent face-to-face with the patient and/or family.	\$ 233.00
Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services.	\$ 196.00
Office or other outpatient visit for the evaluation and management of an established patient, that may not require the presence of a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal. Typically, 5 minutes are spent performing or supervising these services.	\$ 558.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.	\$ 558.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A comprehensive history; A comprehensive examination; Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.	\$ 379.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.	\$ 379.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.	\$ 233.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A detailed history; A detailed examination; Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate to high severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.	\$ 298.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 10 minutes are spent face-to-face with the patient and/or family.	\$ 233.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor. Typically, 10 minutes are spent face-to-face with the patient and/or family.	\$ 196.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 15 minutes are spent face-to-face with the patient and/or family.	\$ 298.00
Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity. Typically, 15 minutes are spent face-to-face with the patient and/or family.	\$ 233.00
Oligoclonal immune (oligoclonal bands)	\$ 55.00
Oligoclonal immune (oligoclonal bands)	\$ 188.00
Oligoclonal immune (oligoclonal bands)	\$ 21.00
Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes (50 content and 8 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence risk score	\$ 8,307.00
Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score	\$ 15,366.00
Oncology (breast), mRNA, microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk of distant metastasis	\$ 13,419.00
Oncology (colon), mRNA, gene expression profiling by real-time RT-PCR of 12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence score	\$ 10,506.00

Geisinger Jersey Shore Hospital

Published: January 1, 2019

DESCRIPTION	CHARGE
Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result	\$ 1,595.00
Operating Room by time: 000-015MIN	\$ 607.00
Operating Room by time: 000-015MIN	\$ 7,727.00
Operating Room by time: 016-030 MIN	\$ 1,215.00
Operating Room by time: 031-045 MIN	\$ 1,525.00
Operating Room by time: 046-060 MIN	\$ 1,835.00
Operating Room by time: 061-075 MIN	\$ 2,146.00
Operating Room by time: 075-090 MIN	\$ 2,456.00
Operating Room by time: 091-105 MIN	\$ 2,766.00
Operating Room by time: 1006-1020 MIN	\$ 21,683.00
Operating Room by time: 1021-1035 MIN	\$ 21,994.00
Operating Room by time: 1036-1050 MIN	\$ 22,304.00
Operating Room by time: 1051-1065 MIN	\$ 22,614.00
Operating Room by time: 106-120 MIN	\$ 3,076.00
Operating Room by time: 1066-1080 MIN	\$ 22,924.00
Operating Room by time: 1081-1095 MIN	\$ 23,234.00
Operating Room by time: 1096-1110 MIN	\$ 23,544.00
Operating Room by time: 1111-1125 MIN	\$ 23,854.00
Operating Room by time: 1126-1140 MIN	\$ 24,164.00
Operating Room by time: 1141-1155 MIN	\$ 24,474.00
Operating Room by time: 1156-1170 MIN	\$ 24,784.00
Operating Room by time: 1171-1185 MIN	\$ 25,094.00
Operating Room by time: 1186-1200 MIN	\$ 25,404.00
Operating Room by time: 1201-1215 MIN	\$ 25,715.00
Operating Room by time: 121-135 MIN	\$ 3,386.00
Operating Room by time: 1216-1230 MIN	\$ 26,025.00
Operating Room by time: 1231-1245 MIN	\$ 26,335.00
Operating Room by time: 1246-1260 MIN	\$ 26,645.00
Operating Room by time: 1261-1275 MIN	\$ 26,955.00
Operating Room by time: 1276-1290 MIN	\$ 27,265.00
Operating Room by time: 1291-1305 MIN	\$ 27,575.00
Operating Room by time: 1306-1320 MIN	\$ 27,885.00
Operating Room by time: 1321-1335 MIN	\$ 28,196.00
Operating Room by time: 1336-1350 MIN	\$ 28,506.00
Operating Room by time: 1351-1365 MIN	\$ 28,816.00
Operating Room by time: 136-150 MIN	\$ 3,696.00
Operating Room by time: 1366-1380 MIN	\$ 29,126.00
Operating Room by time: 1381-1395 MIN	\$ 29,436.00
Operating Room by time: 1396-1410 MIN	\$ 29,746.00
Operating Room by time: 1411-1425 MIN	\$ 30,056.00
Operating Room by time: 1426-1440 MIN	\$ 30,366.00
Operating Room by time: 151-165 MIN	\$ 4,006.00
Operating Room by time: 166-180 MIN	\$ 4,316.00
Operating Room by time: 181-195 MIN	\$ 4,626.00
Operating Room by time: 196-210 MIN	\$ 4,936.00
Operating Room by time: 211-225 MIN	\$ 5,246.00
Operating Room by time: 226-240 MIN	\$ 5,556.00
Operating Room by time: 241-255 MIN	\$ 5,866.00
Operating Room by time: 256-270 MIN	\$ 6,177.00
Operating Room by time: 271-285 MIN	\$ 6,487.00
Operating Room by time: 286-330 MIN	\$ 6,797.00
Operating Room by time: 316-330 MIN	\$ 7,417.00
Operating Room by time: 331-345 MIN	\$ 7,107.00
Operating Room by time: 346-360 MIN	\$ 8,037.00
Operating Room by time: 361-375 MIN	\$ 8,348.00
Operating Room by time: 376-390 MIN	\$ 8,658.00
Operating Room by time: 391-405 MIN	\$ 8,968.00
Operating Room by time: 406-420 MIN	\$ 9,278.00
Operating Room by time: 421-435 MIN	\$ 9,588.00
Operating Room by time: 436-450 MIN	\$ 9,898.00
Operating Room by time: 451-465 MIN	\$ 10,208.00
Operating Room by time: 466-480 MIN	\$ 10,518.00
Operating Room by time: 481-495 MIN	\$ 10,829.00
Operating Room by time: 496-510 MIN	\$ 11,139.00
Operating Room by time: 511-525 MIN	\$ 11,449.00
Operating Room by time: 526-540 MIN	\$ 11,759.00
Operating Room by time: 541-555 MIN	\$ 12,070.00
Operating Room by time: 556-570 MIN	\$ 12,380.00
Operating Room by time: 571-585 MIN	\$ 12,690.00
Operating Room by time: 586-600 MIN	\$ 13,000.00
Operating Room by time: 601-615 MIN	\$ 13,311.00
Operating Room by time: 616-630 MIN	\$ 13,621.00
Operating Room by time: 631-645 MIN	\$ 13,931.00
Operating Room by time: 646-660 MIN	\$ 14,241.00
Operating Room by time: 661-675 MIN	\$ 14,551.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Operating Room by time: 676-690 MIN	\$ 14,861.00
Operating Room by time: 691-705 MIN	\$ 15,171.00
Operating Room by time: 706-720 MIN	\$ 15,481.00
Operating Room by time: 721-735 MIN	\$ 15,791.00
Operating Room by time: 736-750 MIN	\$ 16,101.00
Operating Room by time: 751-765 MN	\$ 16,411.00
Operating Room by time: 766-780 MIN	\$ 16,721.00
Operating Room by time: 781-795 MIN	\$ 17,033.00
Operating Room by time: 796-810 MIN	\$ 17,343.00
Operating Room by time: 811-825 MIN	\$ 17,653.00
Operating Room by time: 826-840 MIN	\$ 17,963.00
Operating Room by time: 841-855 MIN	\$ 18,273.00
Operating Room by time: 856-870 MIN	\$ 18,583.00
Operating Room by time: 871-885 MIN	\$ 18,893.00
Operating Room by time: 886-900 MIN	\$ 19,203.00
Operating Room by time: 901-915 MIN	\$ 19,513.00
Operating Room by time: 916-930MIN	\$ 19,823.00
Operating Room by time: 931-945 MIN	\$ 20,133.00
Operating Room by time: 946-960 MIN	\$ 20,443.00
Operating Room by time: 961-975 MIN	\$ 20,753.00
Operating Room by time: 976-990 MIN	\$ 21,063.00
Operating Room by time: 991-1005 MIN	\$ 21,373.00
Operating room time: OR 15 Min	\$ 946.00
Opiates, 1 or more	\$ 472.00
Opiates, 1 or more	\$ 200.00
Opiates, 1 or more	\$ 800.00
Opiates, 1 or more	\$ 618.00
Opiates, 1 or more	\$ 273.00
Opiates, 1 or more	\$ 117.00
Opioids and opiate analogs; 1 or 2	\$ 751.00
Oral magnetic resonance contrast agent, per 100 ml	\$ 13.07
Organic acid, single, quantitative	\$ 674.00
Organic acid, single, quantitative	\$ 43.00
Organic acid, single, quantitative	\$ 75.00
Organic acids; total, quantitative, each specimen	\$ 579.00
Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(s), lower extremity(s) and/or trunk, each 15 minutes	\$ 121.00
Orthotic(s)/prosthetic(s) management and/or training, upper extremity(ies), lower extremity(ies), and/or trunk, subsequent orthotic(s)/prosthetic(s) encounter, each 15 minutes	\$ 77.00
Osmolality; blood	\$ 48.00
Osmolality; urine	\$ 50.00
Osmolality; urine	\$ 32.00
Osmotic fragility, RBC; incubated	\$ 33.00
Osteocalcin (bone g1a protein)	\$ 199.00
Other physical or occupational therapy primary functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 0.01
Other physical or occupational therapy primary functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Other physical or occupational therapy primary functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Other physical or occupational therapy subsequent functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 0.01
Other physical or occupational therapy subsequent functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Other physical or occupational therapy subsequent functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Other speech language pathology functional limitation, current status at therapy episode outset and at reporting intervals	\$ 0.01
Other speech language pathology functional limitation, discharge status at discharge from therapy or to end reporting	\$ 0.01
Other speech language pathology functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Ova and parasites, direct smears, concentration and identification	\$ 22.00
Ova and parasites, direct smears, concentration and identification	\$ 106.00
Oxalate	\$ 32.00
Oxalate	\$ 152.00
Oxalate	\$ 59.00
Oxcarbazepine	\$ 134.00
Oxycodone	\$ 200.00
Oxycodone	\$ 208.00
Oxycodone	\$ 801.00
Oxycodone	\$ 618.00
Oxycodone	\$ 273.00
Oxycodone	\$ 78.00
Pacu 30 Minutes	\$ 484.00
Pacu Additional X15 Min	\$ 62.00
Pap test (Pap smear)	\$ 144.00
Parathormone (parathyroid hormone)	\$ 264.00
Parathormone (parathyroid hormone)	\$ 305.00
Parathyroid planar imaging (including subtraction, when performed)	\$ 954.00
Particle agglutination; screen, each antibody	\$ 65.00
Particle agglutination; screen, each antibody	\$ 81.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Particle agglutination; screen, each antibody	\$ 72.00
Particle agglutination; screen, each antibody	\$ 25.00
Particle agglutination; screen, each antibody	\$ 147.00
Pathology consultation during surgery	\$ 145.00
Pathology consultation during surgery; cytologic examination (eg, touch prep, squash prep), each additional site (List separately in addition to code for primary procedure)	\$ 116.00
Pathology consultation during surgery; cytologic examination (eg, touch prep, squash prep), initial site	\$ 123.00
Pathology consultation during surgery; each additional tissue block with frozen section(s) (List separately in addition to code for primary procedure)	\$ 152.00
Pathology consultation during surgery; first tissue block, with frozen section(s), single specimen	\$ 215.00
pH; body fluid, not otherwise specified	\$ 33.00
pH; body fluid, not otherwise specified	\$ 9.00
pH; body fluid, not otherwise specified	\$ 49.00
pH; body fluid, not otherwise specified	\$ 18.00
Phencyclidine (PCP) drug level	\$ 1,106.00
Phencyclidine (PCP) drug level	\$ 162.00
Phenobarbital	\$ 35.00
Phenobarbital	\$ 31.00
Phenylalanine (PKU), blood	\$ 252.00
Phenytoin; free	\$ 182.00
Phenytoin; total	\$ 41.00
Phlebotomy, therapeutic (separate procedure)	\$ 70.00
Phlebotomy, therapeutic (separate procedure)	\$ 258.00
Phosphatase, acid; prostatic	\$ 73.00
Phosphatase, acid; total	\$ 65.00
Phosphatase, alkaline	\$ 13.00
Phosphatase, alkaline	\$ 68.00
Phosphatase, alkaline	\$ 193.00
Phosphatase, alkaline; heat stable (total not included)	\$ 18.00
Phosphatase, alkaline; heat stable (total not included)	\$ 86.00
Phosphatase, alkaline; isoenzymes	\$ 37.00
Phosphatase, alkaline; isoenzymes	\$ 146.00
Phospholipid neutralization; platelet	\$ 179.00
Phospholipid neutralization; platelet	\$ 192.00
Phospholipid neutralization; platelet	\$ 158.00
Phosphorus inorganic (phosphate)	\$ 12.00
Phosphorus inorganic (phosphate)	\$ 72.00
Phosphorus inorganic (phosphate); urine	\$ 13.00
Phosphorus inorganic (phosphate); urine	\$ 18.00
Phosphorus inorganic (phosphate); urine	\$ 62.00
Phosphorus inorganic (phosphate); urine	\$ 64.00
Phosphorus inorganic (phosphate); urine	\$ 23.00
Physical performance test or measurement (eg, musculoskeletal, functional capacity), with written report, each 15 minutes	\$ 116.00
Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with unstable and unpredictable characteristics; and Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family	\$ 319.00
Physical therapy evaluation: low complexity, requiring these components: A history with no personal factors and/or comorbidities that impact the plan of care; An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with stable and/or uncomplicated characteristics; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family	\$ 319.00
Physical therapy evaluation: moderate complexity, requiring these components: A history of present problem with 1-2 personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures in addressing a total of 3 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; An evolving clinical presentation with changing characteristics; and Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family	\$ 319.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; with continuous ECG monitoring (per session)	\$ 154.00
Pinworm exam (eg, cellophane tape prep)	\$ 46.00
Platelet, aggregation (in vitro), each agent	\$ 113.00
Platelet, aggregation (in vitro), each agent	\$ 54.00
Platelet, aggregation (in vitro), each agent	\$ 194.00
Platelet, aggregation (in vitro), each agent	\$ 308.00
Platelet, aggregation (in vitro), each agent	\$ 390.00
Platelet, aggregation (in vitro), each agent	\$ 157.00
Platelet, aggregation (in vitro), each agent	\$ 209.00
Platelets, each unit	\$ 242.00
Platelets, hla-matched leukocytes reduced, apheresis/pheresis, each unit	\$ 2,267.00
Platelets, pheresis, each unit	\$ 2,039.00
Platelets, pheresis, leukocytes reduced, each unit	\$ 4,755.00
PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; duplication/deletion analysis	\$ 2,436.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 411.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 1,428.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, attended by a technologist	\$ 2,877.00
Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, with initiation of continuous positive airway pressure therapy or bilevel ventilation, attended by a technologist	\$ 2,877.00
Porphobilinogen, urine; qualitative	\$ 52.00
Porphobilinogen, urine; quantitative	\$ 55.00
Porphobilinogen, urine; quantitative	\$ 106.00
Porphyryns, urine; qualitative	\$ 91.00
Porphyryns, urine; qualitative	\$ 115.00
Porphyryns, urine; quantitation and fractionation	\$ 63.00
Porphyryns, urine; quantitation and fractionation	\$ 133.00
Port, indwelling (implantable)	\$ 2,891.00
Port, indwelling (implantable)	\$ 2,643.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; limited area (eg, chest, head/neck)	\$ 3,096.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; skull base to mid-thigh	\$ 3,096.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; whole body	\$ 3,096.00
Potassium; serum, plasma or whole blood	\$ 18.00
Potassium; serum, plasma or whole blood	\$ 43.00
Potassium; urine	\$ 11.00
Potassium; urine	\$ 49.00
Potassium; urine	\$ 43.00
Potassium; urine	\$ 23.00
Prealbumin	\$ 141.00
Pregnancy-associated plasma protein-A (PAPP-A)	\$ 38.00
Pregnancy-associated plasma protein-A (PAPP-A)	\$ 52.00
Pregnenolone	\$ 263.00
Pre-operative preparation time: 000-030 MIN	\$ 118.00
Pre-operative preparation time: 031-060 MIN	\$ 236.00
Pre-operative preparation time: 061-090 MIN	\$ 354.00
Pre-operative preparation time: 091-120 MIN	\$ 472.00
Pre-operative preparation time: 121-150 MIN	\$ 591.00
Pre-operative preparation time: 151-180 MIN	\$ 707.00
Pre-operative preparation time: 181-210 MIN	\$ 825.00
Pre-operative preparation time: 211-240 MIN	\$ 944.00
Pre-operative preparation time: 241-270 MIN	\$ 1,063.00
Pre-operative preparation time: 271-300 MIN	\$ 1,179.00
Pre-operative preparation time: 301-330 MIN	\$ 1,297.00
Pre-operative preparation time: 331-360 MIN	\$ 1,417.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 90.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 95.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 71.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 161.00
Pretreatment of RBCs for use in RBC antibody detection, identification, and/or compatibility testing; incubation with chemical agents or drugs, each	\$ 202.00
Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	\$ 86.00
Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	\$ 117.00
Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	\$ 165.00
Pretreatment of serum for use in RBC antibody identification; by dilution	\$ 107.00
Pretreatment of serum for use in RBC antibody identification; incubation with inhibitors, each	\$ 162.00
Primatrix, per square centimeter	\$ 2,027.00
Primatrix, per square centimeter	\$ 8,100.00
Primidone	\$ 142.00
Primidone	\$ 41.00
Procainamide	\$ 121.00
Procainamide; with metabolites (eg, n-acetyl procainamide)	\$ 143.00
Procalcitonin (PCT)	\$ 250.00
Progesterone	\$ 52.00
Progesterone	\$ 187.00
Progesterone	\$ 188.00
Proinsulin	\$ 136.00
Proinsulin	\$ 331.00
Prolactin	\$ 260.00
Prostaglandin, each	\$ 493.00
Prostate cancer screening; prostate specific antigen test (psa)	\$ 170.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Prostate specific antigen (PSA); free	\$ 147.00
Prostate specific antigen (PSA); total	\$ 170.00
Prosthetic training, upper and/or lower extremity(s), each 15 minutes	\$ 108.00
Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)	\$ 9.00
Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)	\$ 38.00
Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)	\$ 59.00
Protein, total, except by refractometry; serum, plasma or whole blood	\$ 43.00
Protein, total, except by refractometry; urine	\$ 29.00
Protein, total, except by refractometry; urine	\$ 55.00
Protein, total, except by refractometry; urine	\$ 48.00
Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)	\$ 44.00
Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)	\$ 133.00
Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)	\$ 120.00
Protein; electrophoretic fractionation and quantitation, serum	\$ 75.00
Protein; electrophoretic fractionation and quantitation, serum	\$ 80.00
Protein; Western Blot, blood or other body fluid	\$ 368.00
Protein; Western Blot, blood or other body fluid	\$ 155.00
Protein; Western Blot, blood or other body fluid	\$ 42.00
Protein; Western Blot, blood or other body fluid	\$ 111.00
Protein; Western Blot, blood or other body fluid	\$ 154.00
Protein; Western Blot, blood or other body fluid	\$ 277.00
Protein; Western Blot, blood or other body fluid	\$ 307.00
Protein; Western Blot, blood or other body fluid	\$ 734.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 83.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 828.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 367.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 1,541.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 1,813.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 59.00
Protein; Western Blot, blood or other body fluid, immunological probe for band identification, each	\$ 395.00
Prothrombin time	\$ 93.00
Prothrombin time	\$ 57.00
Prothrombin time	\$ 48.00
Prothrombin time; substitution, plasma fractions, each	\$ 35.00
Protoporphyrin, RBC; quantitative	\$ 87.00
Protoporphyrin, RBC; quantitative	\$ 60.00
Protoporphyrin, RBC; quantitative	\$ 95.00
PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis	\$ 55.00
Pulmonary perfusion imaging (eg, particulate)	\$ 965.00
Pulmonary stress testing (eg, 6-minute walk test), including measurement of heart rate, oximetry, and oxygen titration, when performed	\$ 58.00
Pulmonary ventilation (eg, aerosol or gas) and perfusion imaging	\$ 850.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 328.00
Puncture aspiration of cyst of breast	\$ 982.00
Pyridoxal phosphate (Vitamin B-6)	\$ 230.00
Pyruvate	\$ 44.00
Pyruvate	\$ 138.00
Pyruvate kinase	\$ 344.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 175.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 204.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 127.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 61.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 120.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 109.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 128.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 140.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 253.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 225.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 264.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 224.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 387.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 353.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 294.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 590.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 516.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 38.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 585.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 216.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 202.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 184.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 122.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 143.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 173.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 107.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 119.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 147.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 322.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Quinidine	\$ 153.00
Radiologic examination from nose to rectum for foreign body, single view, child	\$ 165.00
Radiologic examination, abdomen; 1 view	\$ 159.00
Radiologic examination, abdomen; 2 views	\$ 207.00
Radiologic examination, abdomen; 3 or more views	\$ 251.00
Radiologic examination, abdomen; complete acute abdomen series, including supine, erect, and/or decubitus views, single view chest	\$ 338.00
Radiologic examination, abscess, fistula or sinus tract study, radiological supervision	\$ 341.00
Radiologic examination, ankle; 2 views	\$ 155.00
Radiologic examination, ankle; complete, minimum of 3 views	\$ 223.00
Radiologic examination, chest; 2 views	\$ 248.00
Radiologic examination, chest; 3 views	\$ 278.00
Radiologic examination, chest; 4 or more views	\$ 328.00
Radiologic examination, chest; single view	\$ 144.00
Radiologic examination, colon; air contrast with specific high density barium, with or without glucagon	\$ 675.00
Radiologic examination, colon; contrast (eg, barium) enema, with or without KUB	\$ 404.00
Radiologic examination, elbow, arthrography, radiological supervision	\$ 474.00
Radiologic examination, elbow; 2 views	\$ 158.00
Radiologic examination, elbow; complete, minimum of 3 views	\$ 223.00
Radiologic examination, eye, for detection of foreign body	\$ 173.00
Radiologic examination, facial bones; complete, minimum of 3 views	\$ 219.00
Radiologic examination, facial bones; less than 3 views	\$ 172.00
Radiologic examination, femur; 1 view	\$ 159.00
Radiologic examination, femur; minimum 2 views	\$ 256.00
Radiologic examination, finger(s), minimum of 2 views	\$ 145.00
Radiologic examination, foot; 2 views	\$ 155.00
Radiologic examination, foot; complete, minimum of 3 views	\$ 223.00
Radiologic examination, gastrointestinal tract, upper; with or without delayed images, with KUB	\$ 462.00
Radiologic examination, gastrointestinal tract, upper; with or without delayed images, without KUB	\$ 383.00
Radiologic examination, gastrointestinal tract, upper; with small intestine, includes multiple serial images	\$ 572.00
Radiologic examination, hand; 2 views	\$ 155.00
Radiologic examination, hand; minimum of 3 views	\$ 223.00
Radiologic examination, hip, arthrography, radiological supervision	\$ 449.00
Radiologic examination, hip, arthrography, radiological supervision	\$ 474.00
Radiologic examination, hip, unilateral, with pelvis when performed; 1 view	\$ 52.00
Radiologic examination, hip, unilateral, with pelvis when performed; 2-3 views	\$ 212.00
Radiologic examination, hip, unilateral, with pelvis when performed; minimum of 4 views	\$ 263.00
Radiologic examination, hips, bilateral, with pelvis when performed; 2 views	\$ 292.00
Radiologic examination, hips, bilateral, with pelvis when performed; 3-4 views	\$ 396.00
Radiologic examination, hips, bilateral, with pelvis when performed; minimum of 5 views	\$ 500.00
Radiologic examination, knee, arthrography, radiological supervision	\$ 474.00
Radiologic examination, knee; 1 or 2 views	\$ 150.00
Radiologic examination, knee; 3 views	\$ 175.00
Radiologic examination, knee; both knees, standing, anteroposterior	\$ 151.00
Radiologic examination, knee; complete, 4 or more views	\$ 223.00
Radiologic examination, mandible; complete, minimum of 4 views	\$ 264.00
Radiologic examination, mastoids; complete, minimum of 3 views per side	\$ 240.00
Radiologic examination, nasal bones, complete, minimum of 3 views	\$ 228.00
Radiologic examination, osseous survey; complete (axial and appendicular skeleton)	\$ 431.00
Radiologic examination, osseous survey; limited (eg, for metastases)	\$ 486.00
Radiologic examination, pelvis; 1 or 2 views	\$ 174.00
Radiologic examination, pelvis; complete, minimum of 3 views	\$ 223.00
Radiologic examination, ribs, bilateral; 3 views	\$ 211.00
Radiologic examination, ribs, bilateral; including posteroanterior chest, minimum of 4 views	\$ 383.00
Radiologic examination, ribs, unilateral; 2 views	\$ 196.00
Radiologic examination, ribs, unilateral; including posteroanterior chest, minimum of 3 views	\$ 197.00
Radiologic examination, sacroiliac joints; 3 or more views	\$ 264.00
Radiologic examination, sacrum and coccyx, minimum of 2 views	\$ 223.00
Radiologic examination, salivary gland for calculus	\$ 139.00
Radiologic examination, shoulder, arthrography, radiological supervision	\$ 449.00
Radiologic examination, shoulder; 1 view	\$ 70.00
Radiologic examination, shoulder; 1 view	\$ 74.00
Radiologic examination, shoulder; complete, minimum of 2 views	\$ 179.00
Radiologic examination, sinuses, paranasal, complete, minimum of 3 views	\$ 230.00
Radiologic examination, skull; complete, minimum of 4 views	\$ 230.00
Radiologic examination, skull; less than 4 views	\$ 173.00
Radiologic examination, small intestine, includes multiple serial images	\$ 323.00
Radiologic examination, spine, cervical; 2 or 3 views	\$ 166.00
Radiologic examination, spine, cervical; 4 or 5 views	\$ 264.00
Radiologic examination, spine, cervical; 6 or more views	\$ 288.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 2 or 3 views	\$ 617.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 4 or 5 views	\$ 680.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); minimum of 6 views	\$ 748.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); one view	\$ 349.00
Radiologic examination, spine, lumbosacral; 2 or 3 views	\$ 198.00
Radiologic examination, spine, lumbosacral; bending views only, 2 or 3 views	\$ 318.00
Radiologic examination, spine, lumbosacral; complete, including bending views, minimum of 6 views	\$ 390.00
Radiologic examination, spine, lumbosacral; minimum of 4 views	\$ 324.00
Radiologic examination, spine, single view, specify level	\$ 115.00
Radiologic examination, spine; thoracic, 2 views	\$ 207.00
Radiologic examination, spine; thoracic, 3 views	\$ 57.00
Radiologic examination, spine; thoracolumbar junction, minimum of 2 views	\$ 159.00
Radiologic examination, temporomandibular joint, open and closed mouth; bilateral	\$ 230.00
Radiologic examination, wrist; 2 views	\$ 152.00
Radiologic examination, wrist; complete, minimum of 3 views	\$ 217.00
Radiologic examination; acromioclavicular joints, bilateral, with or without weighted distraction	\$ 212.00
Radiologic examination; calcaneus, minimum of 2 views	\$ 223.00
Radiologic examination; clavicle, complete	\$ 223.00
Radiologic examination; esophagus	\$ 264.00
Radiologic examination; forearm, 2 views	\$ 223.00
Radiologic examination; humerus, minimum of 2 views	\$ 190.00
Radiologic examination; lower extremity, infant, minimum of 2 views	\$ 155.00
Radiologic examination; neck, soft tissue	\$ 198.00
Radiologic examination; optic foramina	\$ 180.00
Radiologic examination; orbits, complete, minimum of 4 views	\$ 230.00
Radiologic examination; scapula, complete	\$ 246.00
Radiologic examination; sternoclavicular joint or joints, minimum of 3 views	\$ 202.00
Radiologic examination; sternum, minimum of 2 views	\$ 217.00
Radiologic examination; tibia and fibula, 2 views	\$ 187.00
Radiologic examination; tibia and fibula, 2 views	\$ 188.00
Radiologic examination; toe(s), minimum of 2 views	\$ 145.00
Radiologic examination; upper extremity, infant, minimum of 2 views	\$ 155.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed images, with KUB	\$ 572.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed images, without KUB	\$ 524.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with small intestine follow-through	\$ 675.00
Radiological examination, surgical specimen	\$ 250.00
Radiopharmaceutical dacryocystography	\$ 815.00
Radiopharmaceutical localization of inflammatory process; limited area	\$ 408.00
Radiopharmaceutical localization of inflammatory process; tomographic (SPECT)	\$ 1,692.00
Radiopharmaceutical localization of inflammatory process; whole body	\$ 1,552.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); limited area	\$ 555.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); multiple areas	\$ 1,195.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); tomographic (SPECT)	\$ 976.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); whole body, requiring 2 or more days imaging	\$ 684.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); whole body, single day imaging	\$ 976.00
Radiopharmaceutical, diagnostic, not otherwise classified	\$ 2,131.00
Radiopharmaceutical, diagnostic, not otherwise classified	\$ 341.00
Range of motion measurements and report (separate procedure); each extremity (excluding hand) or each trunk section (spine)	\$ 106.00
Range of motion measurements and report (separate procedure); each extremity (excluding hand) or each trunk section (spine)	\$ 112.00
Range of motion measurements and report (separate procedure); hand, with or without comparison with normal side	\$ 88.00
Range of motion measurements and report (separate procedure); hand, with or without comparison with normal side	\$ 102.00
Receptor assay; endocrine, other than estrogen or progesterone (specify hormone)	\$ 681.00
Receptor assay; estrogen	\$ 372.00
Receptor assay; non-endocrine (specify receptor)	\$ 413.00
Recovery room time: 000-030 MIN	\$ 276.00
Recovery room time: 031-060 MIN	\$ 550.00
Recovery room time: 061-090 MIN	\$ 825.00
Recovery room time: 091-120 MIN	\$ 1,101.00
Recovery room time: 121-150 MIN	\$ 1,377.00
Recovery room time: 151-180 MIN	\$ 1,494.00
Recovery room time: 181-210 MIN	\$ 1,612.00
Recovery room time: 211-240 MIN	\$ 1,730.00
Recovery room time: 241-270 MIN	\$ 1,849.00
Recovery room time: 271-300 MIN	\$ 1,966.00
Recovery room time: 301-330 MIN	\$ 2,083.00
Recovery room time: 331-360 MIN	\$ 2,203.00
Recovery room time: 361-390 MIN	\$ 2,321.00
Recovery room time: 391-420 MIN	\$ 2,437.00
Recovery room time: 421-450 MIN	\$ 2,556.00
Recovery room time: 451-480 MIN	\$ 2,675.00
Recovery room time: 481-540 MIN	\$ 2,793.00
Recovery room time: 541-600 MIN	\$ 2,909.00
Recovery room time: 601-660 MIN	\$ 3,028.00
Recovery room time: 661-720 MIN	\$ 3,146.00
Red Blood Cells, Ea Unit	\$ 371.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Red blood cells, each unit	\$ 696.00
Red blood cells, leukocytes reduced, each unit	\$ 696.00
Red blood cells, leukocytes reduced, irradiated, each unit	\$ 792.00
Re-evaluation of physical therapy established plan of care, requiring these components: An examination including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome Typically. 20 minutes are spent face-to-face with the patient and/or family.	\$ 125.00
Re-evaluation of physical therapy established plan of care, requiring these components: An examination including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome Typically. 20 minutes are spent face-to-face with the patient and/or family.	\$ 127.00
Removal of devitalized tissue from wound(s), non-selective debridement, without anesthesia (eg, wet-to-moist dressings, enzymatic, abrasion, larval therapy), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session	\$ 202.00
Removal of devitalized tissue from wound(s), non-selective debridement, without anesthesia (eg, wet-to-moist dressings, enzymatic, abrasion, larval therapy), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session	\$ 175.00
Removal of tunneled central venous catheter, without subcutaneous port or pump	\$ 367.00
Renal function panel This panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)	\$ 158.00
Renin	\$ 215.00
Renin	\$ 95.00
Reptilase test	\$ 78.00
Reticulated platelet assay	\$ 47.00
Rheumatoid factor; qualitative	\$ 68.00
Rheumatoid factor; quantitative	\$ 23.00
Rheumatoid factor; quantitative	\$ 103.00
Riboflavin (Vitamin B-2)	\$ 293.00
Room & Care/Bed: ASU 23 Hr Stay Bed Charge	\$ 758.00
Room & Care/Bed: ASU Room Level I	\$ 412.00
Room & Care/Bed: ASU Room Level II	\$ 554.00
Room & Care/Bed: ASU Room Level III	\$ 617.00
Room & Care/Bed: ASU Room Level IV	\$ 758.00
Room & Care/Bed: Critical Care	\$ 1,554.00
Room & Care/Bed: Private Room	\$ 637.00
Room & Care/Bed: Progressive Care	\$ 1,079.00
Room & Care/Bed: Semi Private	\$ 745.00
Room & Care/Bed: Swing Bed	\$ 526.00
Russell viper venom time (includes venom); diluted	\$ 72.00
Salivary gland imaging	\$ 815.00
Scheering Test W/ Exam	\$ 42.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, requiring interpretation by physician	\$ 180.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 180.00
Screening mammography, bilateral (2-view study of each breast), including computer-aided detection (CAD) when performed	\$ 351.00
Screening papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision	\$ 119.00
Screening papanicolaou smear, cervical or vaginal, up to three smears, requiring interpretation by physician	\$ 119.00
Sedimentation rate, erythrocyte; automated	\$ 72.00
Sedimentation rate, erythrocyte; non-automated	\$ 72.00
Selenium	\$ 254.00
Self care functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 0.01
Self care functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Self care functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Self-care/home management training (eg, activities of daily living (ADL) and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices/adaptive equipment) direct one-on-one contact, each 15 minutes	\$ 106.00
Semen analysis; sperm presence and motility of sperm, if performed	\$ 77.00
Sensory integrative techniques to enhance sensory processing and promote adaptive responses to environmental demands, direct (one-on-one) patient contact, each 15 minutes	\$ 112.00
Sensory integrative techniques to enhance sensory processing and promote adaptive responses to environmental demands, direct (one-on-one) patient contact, each 15 minutes	\$ 81.00
Serotonin	\$ 361.00
SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)	\$ 1,149.00
SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)	\$ 109.00
Sex hormone binding globulin (SHBG)	\$ 62.00
Sex hormone binding globulin (SHBG)	\$ 98.00
Short Proced Cre Per 15Mn	\$ 92.00
Sialic acid	\$ 145.00
Sialography, radiological supervision	\$ 236.00
Sickling of RBC, reduction	\$ 52.00
Sickling of RBC, reduction	\$ 39.00
Sirolimus - various dosages	\$ 136.00
Skeletal muscle relaxants; 1 or 2	\$ 220.00
Skin test; tuberculosis, intradermal	\$ 43.00
Skin test; tuberculosis, intradermal	\$ 55.00
Smear, primary source; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites	\$ 45.00
Smear, primary source; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 93.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Smear, primary source; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 173.00
Smear, primary source; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 115.00
Smear, primary source; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 65.00
Smear, primary source; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 70.00
Smear, primary source; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 11.00
Smear, primary source; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 35.00
Smear, primary source; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 37.00
Smear, primary source; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 19.00
Smear, primary source; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 31.00
Smear, primary source; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 15.00
Smear, primary source; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 61.00
Smear, primary source; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 47.00
Smear, primary source; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 52.00
Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes	\$ 65.00
Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes	\$ 51.00
SMPD1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, Niemann-Pick disease, Type A) gene analysis, common variants (eg, R496L, L302P, fsP330)	\$ 95.00
SNRPN/UBE3A (small nuclear ribonucleoprotein polypeptide N and ubiquitin protein ligase E3A) (eg, Prader-Willi syndrome and/or Angelman syndrome), methylation analysis	\$ 882.00
Sodium fluoride f-18, diagnostic, per study dose, up to 30 millicuries	\$ 1,094.80
Sodium; other source	\$ 57.00
Sodium; serum, plasma or whole blood	\$ 18.00
Sodium; serum, plasma or whole blood	\$ 41.00
Sodium; urine	\$ 12.00
Sodium; urine	\$ 41.00
Sodium; urine	\$ 37.00
Sodium; urine	\$ 25.00
Somatomedin	\$ 260.00
Somatostatin	\$ 401.00
Special stain including report; Group I for microorganisms (eg, acid fast, methenamine silver)	\$ 104.00
Special stain including report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 94.00
Special stain including report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 174.00
Special stain including report; Group III, for enzyme constituents	\$ 302.00
Special stain including report; histochemical stain on frozen tissue block (List separately in addition to code for primary procedure)	\$ 129.00
Specific gravity (except urine)	\$ 32.00
Spectrophotometry, analyte not elsewhere specified	\$ 116.00
Spectrophotometry, analyte not elsewhere specified	\$ 17.00
Spectrophotometry, analyte not elsewhere specified	\$ 14.00
Spectrophotometry, analyte not elsewhere specified	\$ 224.00
Spectrophotometry, analyte not elsewhere specified	\$ 91.00
Spectrophotometry, analyte not elsewhere specified	\$ 109.00
Spectrophotometry, analyte not elsewhere specified	\$ 80.00
Sperm antibodies	\$ 579.00
Spinal orthosis, anterior-posterior-lateral control, with interface material, custom fitted (dewall posture protector only)	\$ 6,524.00
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 193.00
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 169.00
Spleen imaging only, with or without vascular flow	\$ 793.00
Spoken language comprehension functional limitation, current status at therapy episode outset and at reporting intervals	\$ 0.01
Spoken language comprehension functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Spoken language comprehension functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Spoken language expression functional limitation, current status at therapy episode outset and at reporting intervals	\$ 0.01
Spoken language expression functional limitation, discharge status at discharge from therapy or to end reporting	\$ 0.01
Spoken language expression functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Standardized cognitive performance testing (eg, Ross Information Processing Assessment) per hour of a qualified health care professional's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 289.00
Stem cells (ie, CD34), total count	\$ 986.00
Strapping; ankle and/or foot	\$ 162.00
Strapping; knee	\$ 162.00
Strapping; Unna boot	\$ 208.00
Strapping; Unna boot	\$ 239.00
Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen	\$ 91.00
Sugars (mono-, di-, and oligosaccharides); single quantitative, each specimen	\$ 1,059.00
Sulfate, urine	\$ 259.00
Sulfate, urine	\$ 24.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 180.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 12.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 15.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 20.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 22.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 43.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 60.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 35.00
Susceptibility studies, antimicrobial agent; enzyme detection (eg, beta lactamase), per enzyme	\$ 42.00
Susceptibility studies, antimicrobial agent; enzyme detection (eg, beta lactamase), per enzyme	\$ 39.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 398.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 93.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 167.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 61.00
Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 176.00
Swallowing function, with cineradiography/videoradiography	\$ 304.00
Swallowing functional limitation, current status at therapy episode outset and at reporting intervals	\$ 0.01
Swallowing functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 0.01
Swallowing functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Sweat collection by iontophoresis	\$ 275.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 24.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 11.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 14.00
Syphilis test, non-treponemal antibody; quantitative	\$ 15.00
T cells; absolute CD4 and CD8 count, including ratio	\$ 181.00
T cells; absolute CD4 count	\$ 240.00
T cells; total count	\$ 94.00
T cells; total count	\$ 146.00
T cells; total count	\$ 106.00
Tacrolimus	\$ 352.00
Tapentadol	\$ 1,302.00
Technetium Tc-99m apcitide, diagnostic, per study dose, up to 20 millicuries	\$ 1,618.00
Technetium tc-99m disofenin, diagnostic, per study dose, up to 15 millicuries	\$ 210.00
Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose	\$ 2,148.00
Technetium tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose	\$ 7,512.83
Technetium Tc-99m exametazime, diagnostic, per study dose, up to 25 millicuries	\$ 2,148.00
Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries	\$ 3,557.00
Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 341.00
Technetium tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 628.80
Technetium tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries	\$ 47.00
Technetium tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries	\$ 287.87
Technetium tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries	\$ 250.00
Technetium tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries	\$ 705.57
Technetium tc-99m medronate, diagnostic, per study dose, up to 30 millicuries	\$ 60.00
Technetium tc-99m medronate, diagnostic, per study dose, up to 30 millicuries	\$ 379.31
Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries	\$ 904.00
Technetium tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries	\$ 1,705.77
Technetium tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries	\$ 48.00
Technetium tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries	\$ 138.86
Technetium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries	\$ 118.00
Technetium tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries	\$ 286.37
Technetium tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries	\$ 167.00
Technetium tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries	\$ 267.55
Technetium tc-99m pertechnetate, diagnostic, per millicurie	\$ 8.00
Technetium tc-99m pertechnetate, diagnostic, per millicurie	\$ 13.55
Technetium tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries	\$ 167.00
Technetium tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries	\$ 347.70
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 296.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 233.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 431.24
Technetium tc-99m succimer, diagnostic, per study dose, up to 10 millicuries	\$ 1,479.99
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 112.00
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 772.17
Technetium tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 1,075.85
Technetium tc-99m tetrofosmin, diagnostic, per study dose	\$ 358.00
Technetium tc-99m tetrofosmin, diagnostic, per study dose	\$ 1,303.88
Testicular imaging with vascular flow	\$ 544.00
Testosterone; free	\$ 423.00
Testosterone; total	\$ 64.00
Testosterone; total	\$ 202.00
Testosterone; total	\$ 126.00
Thallium tl-201 thallos chloride, diagnostic, per millicurie	\$ 85.00
Thallium tl-201 thallos chloride, diagnostic, per millicurie	\$ 228.04
Theophylline	\$ 130.00
Therapeutic activities, direct (one-on-one) patient contact (use of dynamic activities to improve functional performance), each 15 minutes	\$ 104.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing and sequencing tasks), direct (one-on-one) patient contact	\$ 102.00
Therapeutic procedure(s), group (2 or more individuals)	\$ 98.00
Therapeutic procedure(s), group (2 or more individuals)	\$ 86.00
Therapeutic procedure, 1 or more areas, each 15 minutes; aquatic therapy with therapeutic exercises	\$ 114.00
Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)	\$ 98.00
Therapeutic procedure, 1 or more areas, each 15 minutes; massage, including effleurage, petrissage and/or tapotement (stroking, compression, percussion)	\$ 77.00
Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities	\$ 99.00
Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities	\$ 104.00
Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility	\$ 120.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of a new substance/drug (List separately in addition to code for primary procedure)	\$ 197.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of the same substance/drug provided in a facility (List separately in addition to code for primary procedure)	\$ 197.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intravenous push, single or initial substance/drug	\$ 197.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 60.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 657.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 50.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 49.00
Thiamine (Vitamin B-1)	\$ 55.00
Thiamine (Vitamin B-1)	\$ 249.00
Thiocyanate	\$ 136.00
Thrombin time; plasma	\$ 22.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 76.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 83.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 15.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 72.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 75.00
Thromboplastin time, partial (PTT); substitution, plasma fractions, each	\$ 16.00
Thromboplastin time, partial (PTT); substitution, plasma fractions, each	\$ 35.00
Thyroglobulin	\$ 55.00
Thyroglobulin	\$ 188.00
Thyroglobulin antibody	\$ 91.00
Thyroglobulin antibody	\$ 55.00
Thyroglobulin antibody	\$ 40.00
Thyroglobulin antibody	\$ 75.00
Thyroglobulin antibody	\$ 87.00
Thyroid carcinoma metastases imaging; whole body	\$ 976.00
Thyroid carcinoma metastases uptake (List separately in addition to code for primary procedure)	\$ 154.00
Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)	\$ 48.00
Thyroid imaging (including vascular flow, when performed); with single or multiple uptake(s) quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)	\$ 740.00
Thyroid stimulating hormone (TSH)	\$ 42.00
Thyroid stimulating hormone (TSH)	\$ 143.00
Thyroid stimulating immune globulins (TSI)	\$ 462.00
Thyroid stimulating immune globulins (TSI)	\$ 248.00
Thyroid uptake, single or multiple quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)	\$ 146.00
Thyroxine binding globulin (TBG)	\$ 228.00
Thyroxine; free	\$ 192.00
Thyroxine; free	\$ 109.00
Thyroxine; free	\$ 40.00
Thyroxine; total	\$ 57.00
Thyroxine; total	\$ 38.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,481.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,491.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 315.00
Tissue culture for neoplastic disorders; solid tumor	\$ 960.00
Tissue culture for neoplastic disorders; solid tumor	\$ 368.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 367.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 582.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 902.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 632.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 291.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 496.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 855.00
Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy	\$ 276.00
Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy	\$ 351.00
Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (eg, scabies)	\$ 52.00
Tobramycin	\$ 154.00
Tobramycin	\$ 112.00
Tocopherol alpha (Vitamin E)	\$ 199.00
Topiramate	\$ 215.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Toxin or antitoxin assay, tissue culture (eg, Clostridium difficile toxin)	\$ 263.00
Tramadol	\$ 736.00
Tramadol	\$ 47.00
Tramadol	\$ 374.00
Transferase; alanine amino (ALT) (SGPT)	\$ 68.00
Transferase; alanine amino (ALT) (SGPT)	\$ 87.00
Transferase; alanine amino (ALT) (SGPT)	\$ 71.00
Transferase; aspartate amino (AST) (SGOT)	\$ 68.00
Transferrin	\$ 115.00
Transfusion, blood or blood components	\$ 551.00
Transfusion, blood or blood components	\$ 644.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, complete, with spectral doppler echocardiography, and with color flow doppler echocardiography	\$ 1,879.00
Transthoracic echocardiography, with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, and report; including performance of continuous electrocardiographic monitoring, with physician supervision	\$ 2,160.00
Treatment of speech, language, voice, communication, and/or auditory processing disorder; group, 2 or more individuals	\$ 270.00
Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual	\$ 270.00
Treatment of swallowing dysfunction and/or oral function for feeding	\$ 270.00
TRG@ (T cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)	\$ 1,310.00
Triglycerides	\$ 20.00
Triglycerides	\$ 50.00
Triiodothyronine T3; free	\$ 42.00
Triiodothyronine T3; free	\$ 248.00
Triiodothyronine T3; reverse	\$ 426.00
Triiodothyronine T3; total (TT-3)	\$ 35.00
Triiodothyronine T3; total (TT-3)	\$ 133.00
Triiodothyronine T3; total (TT-3)	\$ 179.00
Troponin, quantitative	\$ 59.00
Troponin, quantitative	\$ 78.00
Trypsin; duodenal fluid	\$ 18.00
Trypsin; feces, qualitative	\$ 363.00
Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon	\$ 445.00
Ultrasonic guidance for amniocentesis, imaging supervision and interpretation	\$ 567.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision	\$ 525.00
Ultrasound, abdominal, real time with image documentation; complete	\$ 528.00
Ultrasound, abdominal, real time with image documentation; limited (eg, single organ, quadrant, follow-up)	\$ 422.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; complete	\$ 315.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; limited	\$ 173.00
Ultrasound, chest (includes mediastinum), real time with image documentation	\$ 459.00
Ultrasound, extremity, nonvascular, real-time with image documentation; complete	\$ 411.00
Ultrasound, extremity, nonvascular, real-time with image documentation; limited, anatomic specific	\$ 411.00
Ultrasound, infant hips, real time with imaging documentation; dynamic (requiring physician or other qualified health care professional manipulation)	\$ 358.00
Ultrasound, infant hips, real time with imaging documentation; limited, static (not requiring physician or other qualified health care professional manipulation)	\$ 358.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; complete	\$ 390.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; limited or follow-up (eg, for follicles)	\$ 256.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 381.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; single or first gestation	\$ 580.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 254.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 422.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 236.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 223.00
Ultrasound, pregnant uterus, real time with image documentation, first trimester fetal nuchal translucency measurement, transabdominal or transvaginal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 238.00
Ultrasound, pregnant uterus, real time with image documentation, first trimester fetal nuchal translucency measurement, transabdominal or transvaginal approach; single or first gestation	\$ 372.00
Ultrasound, pregnant uterus, real time with image documentation, follow-up (eg, re-evaluation of fetal size by measuring standard growth parameters and amniotic fluid volume, re-evaluation of organ system(s) suspected or confirmed to be abnormal on a previous scan), transabdominal approach, per fetus	\$ 236.00
Ultrasound, pregnant uterus, real time with image documentation, limited (eg, fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid volume), 1 or more fetuses	\$ 334.00
Ultrasound, pregnant uterus, real time with image documentation, transvaginal	\$ 270.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; complete	\$ 308.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; limited	\$ 279.00
Ultrasound, scrotum and contents	\$ 372.00
Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid), real time with image documentation	\$ 372.00
Ultrasound, spinal canal and contents	\$ 359.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Ultrasound, transvaginal	\$ 509.00
Unclassified biologics: Bilirubin Total-Exp	\$ 11,168.00
Unclassified drugs or biologicals: Prenatal Hemoglobinopathy Eval	\$ 394.00
Unclassified drugs: Alkaline Phosphatase-Exp	\$ 12.00
Unclassified drugs: Alt-Exp	\$ 24.00
Unclassified drugs: Blood Gas Arterial	\$ 24.00
Unclassified drugs: Blood Gas Capillary	\$ 14.00
Unclassified drugs: Blood Gas Venous	\$ 12.00
Unclassified drugs: Cbc With Manual Diff	\$ 14.00
Unclassified drugs: Cbc With Smear Review	\$ 22.00
Unclassified drugs: Creatinine-Exp	\$ 22.00
Unclassified drugs: Exposure Cbc With Buffy Diff	\$ 22.00
Unclassified drugs: Exposure Cbc With Manual Diff	\$ 26.00
Unlisted chemistry procedure: Eb Virus Antibody Panel(X3)	\$ 158.00
Unlisted chemistry procedure: Electrolytes 24 Hour Urine	\$ 377.00
Unlisted chemistry procedure: Susceptibility Studies Group 1	\$ 119.00
Unlisted chemistry procedure: Susceptibility Studies Group 2	\$ 113.00
Unlisted chemistry procedure: Susceptibility Studies Group 3	\$ 128.00
Unlisted immunology procedure: Etest Yeast 2	\$ 468.00
Unlisted immunology procedure: Susceptibility Studies Group 4	\$ 1,036.00
Unlisted immunology procedure: Susceptibility Studies Group 5	\$ 718.00
Unlisted immunology procedure: Susceptibility Studies Group 6	\$ 77.00
Unlisted microbiology procedure: Etest Yeast 3	\$ 161.00
Unlisted microbiology procedure: Etest Yeast 4	\$ 38.00
Unlisted molecular pathology procedure: Aggregation Platelet (Exp X4)	\$ 10,468.00
Unlisted molecular pathology procedure: Culture Prosthetic Joint	\$ 54.00
Unlisted molecular pathology procedure: First Trimester Screen Panel	\$ 1,511.00
Unlisted molecular pathology procedure: Gastric Occult Panel	\$ 397.00
Unlisted molecular pathology procedure: Hepatitis Panel (Outreach)	\$ 2,683.00
Unlisted molecular pathology procedure: Hsv And Vzv Pcr Panel	\$ 54.00
Unlisted molecular pathology procedure: Immunoglobulin Quant (X3)	\$ 397.00
Unlisted molecular pathology procedure: Lipid Panel W/Reflex Dirct Ldl	\$ 2,825.00
Unlisted molecular pathology procedure: Lupus Anticoag Prof/Interp	\$ 2,303.00
Unlisted molecular pathology procedure: Lupus Anticoagulant Profile	\$ 3,552.00
Unlisted molecular pathology procedure: Microalbumin/Creatin Ur Ratio	\$ 2,735.00
Unlisted molecular pathology procedure: Mmr Igg Immunity Panel	\$ 2,735.00
Unlisted molecular pathology procedure: Mtb Rif Pcr Bill Only	\$ 2,735.00
Unlisted molecular pathology procedure: Nocardia Smear And Culture	\$ 5,059.00
Unlisted molecular pathology procedure: North East Regional Rast	\$ 5,059.00
Unlisted molecular pathology procedure: Nut Allergen Panel	\$ 5,059.00
Unlisted molecular pathology procedure: Op/Benzo Compliance Consult	\$ 5,059.00
Unlisted molecular pathology procedure: Op/Benzo Compliance Test	\$ 5,059.00
Unlisted molecular pathology procedure: Paraprotein Serum (X5)	\$ 31.00
Unlisted molecular pathology procedure: Paraprotein Urine (X2)	\$ 54.00
Unlisted molecular pathology procedure: Pediatric Allergy Panel	\$ 25.00
Unlisted molecular pathology procedure: Probe Group B Strep Panel	\$ 21,803.00
Unlisted molecular pathology procedure: Protein/Creatinine Urine Ratio	\$ 54.00
Unlisted molecular pathology procedure: Rast Profile (X20)	\$ 55.00
Unlisted molecular pathology procedure: Seafood Allergen Panel	\$ 57.00
Unlisted molecular pathology procedure: Shigella Typing Panel	\$ 57.00
Unlisted molecular pathology procedure: Sodium Frac Excret Panel	\$ 1,333.00
Unlisted procedure, hemic or lymphatic system	\$ 456.00
Unlisted therapeutic procedure (specify)	\$ 68.00
Urea breath test, C-14 (isotopic); analysis	\$ 294.00
Urea nitrogen, urine	\$ 63.00
Urea nitrogen, urine	\$ 59.00
Urea nitrogen; quantitative	\$ 43.00
Urea nitrogen; quantitative	\$ 18.00
Ureteral reflux study (radiopharmaceutical voiding cystogram)	\$ 815.00
Urethrocytography, retrograde, radiological supervision	\$ 285.00
Urethrocytography, voiding, radiological supervision	\$ 400.00
Uric acid; blood	\$ 62.00
Uric acid; other source	\$ 12.00
Uric acid; other source	\$ 52.00
Uric acid; other source	\$ 43.00
Uric acid; other source	\$ 55.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	\$ 81.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	\$ 74.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	\$ 10.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 53.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 41.00

Geisinger Jersey Shore Hospital
Published: January 1, 2019

DESCRIPTION	CHARGE
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy	\$ 72.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy	\$ 15.00
Urinalysis, by dipstick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy	\$ 13.00
Urinalysis; microscopic only	\$ 33.00
Urinalysis; qualitative or semiquantitative, except immunoassays	\$ 65.00
Urinalysis; qualitative or semiquantitative, except immunoassays	\$ 50.00
Urinary bladder residual study (List separately in addition to code for primary procedure)	\$ 815.00
Urine pregnancy test, by visual color comparison methods	\$ 62.00
Urography (pyelography), intravenous, with or without KUB, with or without tomography	\$ 202.00
Urography, antegrade (pyelostogram, nephrostogram, loopogram), radiological supervision	\$ 341.00
Valproic acid (dipropylacetic acid); free	\$ 87.00
Valproic acid (dipropylacetic acid); total	\$ 41.00
Vancomycin	\$ 215.00
Vancomycin	\$ 122.00
Vanillylmandelic acid (VMA), urine	\$ 39.00
Vanillylmandelic acid (VMA), urine	\$ 237.00
Vanillylmandelic acid (VMA), urine	\$ 53.00
Vasoactive intestinal peptide (VIP)	\$ 520.00
Vasopressin (antidiuretic hormone, ADH)	\$ 480.00
Venous thrombosis imaging, venogram; bilateral	\$ 508.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital ip/observation, each subsequent day	\$ 251.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital ip/observation, initial day	\$ 343.00
Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA)	\$ 283.00
Very long chain fatty acids	\$ 734.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 236.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 283.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 81.00
Virus isolation; including identification by non-immunologic method, other than by cytopathic effect (eg, virus specific enzymatic activity)	\$ 184.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 551.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 136.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 184.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 78.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 78.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 62.00
Viscosity	\$ 133.00
Viscosity	\$ 114.00
Vital capacity, total (separate procedure)	\$ 119.00
Vitamin A	\$ 133.00
Vitamin D; 1, 25 dihydroxy, includes fraction(s), if performed	\$ 597.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 120.00
Vitamin K	\$ 248.00
Voice functional limitation, current status at therapy episode outset and at reporting intervals	\$ 0.01
Voice functional limitation, discharge status at discharge from therapy or to end reporting	\$ 0.01
Voice functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 0.01
Volatiles (eg, acetic anhydride, diethylether)	\$ 299.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 228.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 133.00
Volume measurement for timed collection, each	\$ 14.00
Wheelchair management (eg, assessment, fitting, training), each 15 minutes	\$ 88.00
Wheelchair management (eg, assessment, fitting, training), each 15 minutes	\$ 77.00
Xylose absorption test, blood and/or urine	\$ 129.00
Zinc	\$ 150.00
Zinc	\$ 39.00
Zonisamide	\$ 160.00