

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
17-hydroxypregnenolone	\$ 1,041.00
17-hydroxypregnenolone	\$ 280.00
17-hydroxypregnenolone	\$ 463.00
3D rendering with interpretation and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; not requiring image postprocessing on an independent workstation	\$ 646.00
3D rendering with interpretation and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality with image postprocessing under concurrent supervision; requiring image postprocessing on an independent workstation	\$ 1,965.00
3-dimensional radiotherapy plan, including dose-volume histograms	\$ 10,941.00
Abdominal paracentesis (diagnostic or therapeutic); with imaging guidance	\$ 2,392.00
Abdominal paracentesis (diagnostic or therapeutic); without imaging guidance	\$ 2,392.00
Ablation therapy for reduction or eradication of 1 or more bone tumors (eg, metastasis) including adjacent soft tissue when involved by tumor extension, percutaneous, including imaging guidance when performed; cryoablation	\$ 1,650.00
Ablation therapy for reduction or eradication of 1 or more pulmonary tumor(s) including pleura or chest wall when involved by tumor extension, percutaneous, including imaging guidance when performed, unilateral; cryoablation	\$ 2,753.00
Ablation therapy for reduction or eradication of 1 or more pulmonary tumor(s) including pleura or chest wall when involved by tumor extension, percutaneous, radiofrequency, unilateral	\$ 5,798.00
Ablation, 1 or more liver tumor(s), percutaneous, cryoablation	\$ 5,053.00
Ablation, 1 or more liver tumor(s), percutaneous, radiofrequency	\$ 3,855.00
Ablation, 1 or more renal tumor(s), percutaneous, unilateral, radiofrequency	\$ 8,012.00
Ablation, renal tumor(s), unilateral, percutaneous, cryotherapy	\$ 7,240.00
Ablation, soft tissue of inferior turbinates, unilateral or bilateral, any method (eg, electrocautery, radiofrequency ablation, or tissue volume reduction); superficial	\$ 2,322.00
Acne surgery (eg, marsupialization, opening or removal of multiple milia, comedones, cysts, pustules)	\$ 775.00
Acoustic immittance testing, includes tympanometry (impedance testing), acoustic reflex threshold testing, and acoustic reflex decay testing	\$ 317.00
Acoustic reflex testing, threshold	\$ 216.00
Actinotherapy (ultraviolet light)	\$ 197.00
Activated Protein C (APC) resistance assay	\$ 201.00
Acute gastrointestinal blood loss imaging	\$ 4,276.00
Acute hepatitis panel This panel must include the following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B core antibody (HBcAb), IgM antibody (86705) Hepatitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)	\$ 672.00
Acylcarnitines; qualitative, each specimen	\$ 128.00
Acylcarnitines; quantitative, each specimen	\$ 2,282.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 2,059.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 1,577.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 6,714.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 6,163.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 5,321.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 12,484.00
Adapter/extension, pacing lead or neurostimulator lead (implantable)	\$ 20,179.00
Addition to cervical-thoracic-lumbar-sacral orthosis (ctlso) or scoliosis orthosis, axilla sling	\$ 144.00
Addition to ctlso or scoliosis orthosis, kyphosis pad	\$ 144.00
Addition to ctlso or scoliosis orthosis, kyphosis pad, floating	\$ 359.00
Addition to ctlso or scoliosis orthosis, lumbar bolster pad	\$ 359.00
Addition to ctlso or scoliosis orthosis, lumbar or lumbar rib pad	\$ 144.00
Addition to ctlso or scoliosis orthosis, sternal pad	\$ 286.00
Addition to ctlso or scoliosis orthosis, thoracic pad	\$ 251.00
Addition to knee joint, disc or dial lock for adjustable knee flexion, each joint	\$ 1,363.00
Addition to knee joint, drop lock, each	\$ 108.00
Addition to knee joint, lift loop for drop lock ring	\$ 430.00
Addition to knee joint, ratchet lock for active and progressive knee extension, each joint	\$ 1,077.00
Addition to knee lock with integrated release mechanism (bail, cable, or equal), any material, each joint	\$ 1,077.00
Addition to lower extremity fracture orthosis, adjustable motion knee joint, lerman type	\$ 1,148.00
Addition to lower extremity fracture orthosis, drop lock knee joint	\$ 718.00
Addition to lower extremity fracture orthosis, hip joint, pelvic band, thigh flange, and pelvic belt	\$ 2,511.00
Addition to lower extremity fracture orthosis, limited motion knee joint	\$ 539.00
Addition to lower extremity fracture orthosis, plastic shoe insert with ankle joints	\$ 503.00
Addition to lower extremity fracture orthosis, waist belt	\$ 897.00
Addition to lower extremity orthosis, drop lock retainer, each	\$ 159.00
Addition to lower extremity orthosis, extension, per extension, per bar (for lineal adjustment for growth)	\$ 108.00
Addition to lower extremity orthosis, femoral length sock, fracture or equal, each	\$ 215.00
Addition to lower extremity orthosis, knee control, condylar pad	\$ 180.00
Addition to lower extremity orthosis, knee control, full kneecap	\$ 265.00
Addition to lower extremity orthosis, knee control, knee cap, medial or lateral pull, for use with custom fabricated orthosis only	\$ 286.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Addition to lower extremity orthosis, non-corrosive finish, per bar	\$ 215.00
Addition to lower extremity orthosis, rocker bottom for total contact ankle foot orthosis, for custom fabricated orthosis only	\$ 466.00
Addition to lower extremity orthosis, soft interface for molded plastic, above knee section	\$ 180.00
Addition to lower extremity orthosis, soft interface for molded plastic, below knee section	\$ 180.00
Addition to lower extremity orthosis, tibial length sock, fracture or equal, each	\$ 122.00
Addition to lower extremity, abduction bar (bilateral hip involvement), jointed, adjustable	\$ 1,005.00
Addition to lower extremity, abduction bar-straight	\$ 566.00
Addition to lower extremity, dorsiflexion and plantar flexion assist/resist, each joint	\$ 610.00
Addition to lower extremity, dorsiflexion assist (plantar flexion resist), each joint	\$ 503.00
Addition to lower extremity, extended steel shank	\$ 286.00
Addition to lower extremity, foot plate, molded to patient model, stirrup attachment	\$ 1,616.00
Addition to lower extremity, lacer molded to patient model, for custom fabricated orthosis only	\$ 1,616.00
Addition to lower extremity, limited ankle motion, each joint	\$ 430.00
Addition to lower extremity, long tongue stirrup	\$ 251.00
Addition to lower extremity, molded inner boot	\$ 3,443.00
Addition to lower extremity, non-molded lacer, for custom fabricated orthosis only	\$ 1,257.00
Addition to lower extremity, offset knee joint, each joint	\$ 1,291.00
Addition to lower extremity, offset knee joint, heavy duty, each joint	\$ 1,291.00
Addition to lower extremity, pelvic control, band and belt, bilateral	\$ 1,973.00
Addition to lower extremity, pelvic control, band and belt, unilateral	\$ 1,435.00
Addition to lower extremity, pelvic control, hip joint, adjustable flexion, each	\$ 1,005.00
Addition to lower extremity, pelvic control, hip joint, adjustable flexion, extension, abduction control, each	\$ 1,005.00
Addition to lower extremity, pelvic control, hip joint, clevis or thrust bearing, lock, each	\$ 861.00
Addition to lower extremity, pelvic control, hip joint, clevis type, or thrust bearing, free, each	\$ 1,257.00
Addition to lower extremity, pelvic control, hip joint, heavy duty, each	\$ 1,257.00
Addition to lower extremity, pelvic control, metal frame, reciprocating hip joint and cables	\$ 5,381.00
Addition to lower extremity, pelvic control, plastic, molded to patient model, reciprocating hip joint and cables	\$ 5,740.00
Addition to lower extremity, pre-tibial shell, molded to patient model	\$ 932.00
Addition to lower extremity, prosthetic type, (bk) socket, molded to patient model, (used for 'ptb' 'afo' orthoses)	\$ 2,691.00
Addition to lower extremity, split flat caliper stirrups and plate attachment	\$ 897.00
Addition to lower extremity, straight knee joint, heavy duty, each joint	\$ 1,291.00
Addition to lower extremity, thigh-weight bearing, lacer, non-molded	\$ 824.00
Addition to lower extremity, thoracic control, lateral support uprights	\$ 286.00
Addition to lower extremity, thoracic control, paraspinal uprights	\$ 180.00
Addition to lower extremity, thoracic control, thoracic band	\$ 539.00
Addition to lower extremity, torsion control, ankle joint and half solid stirrup	\$ 1,257.00
Addition to lower extremity, torsion control, straight knee joint, each joint	\$ 1,176.00
Addition to lower extremity, varus/valgus correction ('t') strap, padded/lined or malleolus pad	\$ 286.00
Addition to lower extremity, varus/valgus correction ('t') strap, padded/lined or malleolus pad	\$ 398.00
Addition to lower extremity, varus/valgus correction, plastic modification, padded/lined	\$ 322.00
Addition to tlo, (low profile), abdominal pad	\$ 144.00
Addition to tlo, (low profile), lateral thoracic extension	\$ 539.00
Addition to tlo, (low profile), lateral trochanteric pad	\$ 108.00
Addition to tlo, (low profile), lumbar derotation pad	\$ 144.00
Addition to tlo, (low profile), milwaukee type superstructure	\$ 1,795.00
Addition to tlo, (low profile), rib gusset (elastic), each	\$ 36.00
Addition to upper extremity orthosis, sock, fracture or equal, each	\$ 129.00
Addition to upper extremity orthosis, sock, fracture or equal, each	\$ 111.00
Additional linear or focal intracardiac catheter ablation of the left or right atrium for treatment of atrial fibrillation remaining after completion of pulmonary vein isolation (List separately in addition to code for primary procedure)	\$ 17,725.00
Adhesion barrier	\$ 935.00
Adhesion barrier	\$ 1,377.00
Adhesion barrier	\$ 1,075.00
Adhesion barrier	\$ 1,825.00
Adhesion barrier	\$ 2,100.00
Adhesion barrier	\$ 4,385.00
Adhesion barrier	\$ 3,510.00
Adhesion barrier	\$ 2,188.00
Adhesion barrier	\$ 1,829.00
Adhesion barrier	\$ 2,446.00
Adhesion barrier	\$ 7,806.00
Adhesion barrier	\$ 5,716.00
Adjacent tissue transfer or rearrangement, any area; defect 30.1 sq cm to 60.0 sq cm	\$ 5,741.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Adjacent tissue transfer or rearrangement, any area; each additional 30.0 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 5,741.00
Adjacent tissue transfer or rearrangement, eyelids, nose, ears and/or lips; defect 10 sq cm or less	\$ 4,571.00
Adjacent tissue transfer or rearrangement, eyelids, nose, ears and/or lips; defect 10.1 sq cm to 30.0 sq cm	\$ 4,987.00
Adjacent tissue transfer or rearrangement, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; defect 10 sq cm or less	\$ 4,571.00
Adjacent tissue transfer or rearrangement, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; defect 10.1 sq cm to 30.0 sq cm	\$ 4,987.00
Adjacent tissue transfer or rearrangement, scalp, arms and/or legs; defect 10 sq cm or less	\$ 4,571.00
Adjacent tissue transfer or rearrangement, scalp, arms and/or legs; defect 10.1 sq cm to 30.0 sq cm	\$ 4,987.00
Adjacent tissue transfer or rearrangement, trunk; defect 10 sq cm or less	\$ 4,966.00
Adjacent tissue transfer or rearrangement, trunk; defect 10.1 sq cm to 30.0 sq cm	\$ 4,987.00
Adm/Discharge 016-030 Min	\$ 150.00
Administration of hepatitis b vaccine	\$ 35.00
Administration of influenza virus vaccine	\$ 35.00
Administration of influenza virus vaccine	\$ 37.00
Administration of pneumococcal vaccine	\$ 35.00
Administration of pneumococcal vaccine	\$ 37.00
Adrenocorticotrophic hormone (ACTH)	\$ 219.00
Adult Oximetric Catheter	\$ 473.00
Advanced life support, level 2 (als 2)	\$ 1,371.00
Aerosol inhalation of pentamidine for pneumocystis carinii pneumonia treatment or prophylaxis	\$ 670.00
Afo, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment	\$ 2,562.00
Afo, rigid anterior tibial section, total carbon fiber or equal material, prefabricated, includes fitting and adjustment	\$ 6,730.00
Airway resistance by impulse oscillometry	\$ 764.00
Albumin; serum, plasma or whole blood	\$ 35.00
Albumin; serum, plasma or whole blood	\$ 53.00
Albumin; serum, plasma or whole blood	\$ 42.00
Albumin; urine or other source, quantitative, each specimen	\$ 41.00
Albumin; urine or other source, quantitative, each specimen	\$ 25.00
Albumin; urine or other source, quantitative, each specimen	\$ 42.00
Albumin; urine, microalbumin, quantitative	\$ 144.00
Aldolase	\$ 149.00
Aldosterone	\$ 352.00
Aldosterone	\$ 211.00
Aldosterone	\$ 221.00
Aldosterone	\$ 165.00
Alginate or other fiber gelling dressing, wound cover, sterile, pad size 16 sq. in. or less, each dressing	\$ 66.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 102.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 95.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 116.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 177.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 76.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 188.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 287.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 277.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 300.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 220.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 145.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 221.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 74.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 90.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 139.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 241.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 41.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 218.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 127.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 698.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 30.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 28.00
Allergen specific IgE; quantitative or semiquantitative, each allergen	\$ 39.00
Allergen specific IgE; quantitative or semiquantitative, recombinant or purified component, each	\$ 44.00
Allergen specific IgE; quantitative or semiquantitative, recombinant or purified component, each	\$ 43.00
Allergen specific IgG quantitative or semiquantitative, each allergen	\$ 118.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Allergy testing, any combination of percutaneous (scratch, puncture, prick) and intracutaneous (intra dermal), sequential and incremental, with drugs or biologicals, immediate type reaction, including test interpretation and report, specify number of tests	\$ 185.00
Alloderm, per square centimeter	\$ 272.00
Alloderm, per square centimeter	\$ 1,544.00
Alloderm, per square centimeter	\$ 285.00
Alpha-1-antitrypsin; total	\$ 199.00
Alpha-1-antitrypsin; total	\$ 1,077.00
Alpha-1-antitrypsin; total	\$ 52.00
Alpha-fetoprotein (AFP); AFP-L3 fraction isoform and total AFP (including ratio)	\$ 270.00
Alpha-fetoprotein (AFP); amniotic fluid	\$ 139.00
Alpha-fetoprotein (AFP); amniotic fluid	\$ 117.00
Alpha-fetoprotein (AFP); serum	\$ 105.00
Alpha-fetoprotein (AFP); serum	\$ 325.00
Alpha-fetoprotein (AFP); serum	\$ 64.00
Aluminum	\$ 270.00
Alveoloplasty, each quadrant (specify)	\$ 3,165.00
Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; patient-provided equipment, sensor placement, hook-up, calibration of monitor, patient training, and printout of recording	\$ 375.00
Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; patient-provided equipment, sensor placement, hook-up, calibration of monitor, patient training, and printout of recording	\$ 355.00
Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; physician or other qualified health care professional (office) provided equipment, sensor placement, hook-up, calibration of monitor, patient training, removal of sensor, and printout of recording	\$ 455.00
Ambulatory continuous glucose monitoring of interstitial tissue fluid via a subcutaneous sensor for a minimum of 72 hours; physician or other qualified health care professional (office) provided equipment, sensor placement, hook-up, calibration of monitor, patient training, removal of sensor, and printout of recording	\$ 780.00
Amikacin	\$ 78.00
Amikacin	\$ 229.00
Amino acids, 6 or more amino acids, quantitative, each specimen	\$ 2,577.00
Amino acids; single, quantitative, each specimen	\$ 458.00
Amino acids; single, quantitative, each specimen	\$ 484.00
Amino acids; single, quantitative, each specimen	\$ 521.00
Aminolevulinic acid hcl for topical administration, 20%, single unit dosage form (354 mg)	\$ 2,784.00
Aminolevulinic acid, delta (ALA)	\$ 95.00
Ammonia	\$ 186.00
Ammonia	\$ 40.00
Amniocentesis; diagnostic	\$ 1,181.00
Amniocentesis; therapeutic amniotic fluid reduction (includes ultrasound guidance)	\$ 3,146.00
Amniotic fluid scan (spectrophotometric)	\$ 67.00
Amputation, finger or thumb, primary or secondary, any joint or phalanx, single, including neurectomies; with direct closure	\$ 4,278.00
Amputation, toe; interphalangeal joint	\$ 8,618.00
Amputation, toe; metatarsophalangeal joint	\$ 4,357.00
Amylase	\$ 171.00
Amylase	\$ 154.00
Amylase	\$ 146.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 364.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 30.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 413.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 199.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 8,635.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 80.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 871.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 971.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,542.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 955.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,970.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 7,997.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 9,457.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 17,935.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 10,457.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,559.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 293.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 498.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 25,118.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 43,079.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 10,664.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 22,063.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 46,535.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 13,513.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 5,903.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 15,273.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 4,632.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,540.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 12,766.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 15,106.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 12,080.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 14,049.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 12,036.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 4,480.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 7,204.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 10,497.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 23,621.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 12,955.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 7,878.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 23,784.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 40,681.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 5,052.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 6,441.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 34,116.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 15,332.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 2,988.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 1,726.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,199.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 16,448.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 3,628.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 9,372.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 2,736.00
Anchor/screw for opposing bone-to-bone or soft tissue-to-bone (implantable)	\$ 24,039.00
Androstenedione	\$ 357.00
Androstenedione	\$ 547.00
Androstenedione	\$ 177.00
Androstenedione	\$ 592.00
Anesthesia Disbursement: 000-030 Min	\$ 6,617.00
Anesthesia Disbursement: 031-090 Min	\$ 6,851.00
Anesthesia Disbursement: 091-150 Min	\$ 7,262.00
Anesthesia Disbursement: 151-210 Min	\$ 7,521.00
Anesthesia Disbursement: 211-270 Min	\$ 7,673.00
Anesthesia Disbursement: 271-330 Min	\$ 8,906.00
Anesthesia Disbursement: 331-390 Min	\$ 10,961.00
Anesthesia Disbursement: 391-450 Min	\$ 11,646.00
Anesthesia Disbursement: 451-510 Min	\$ 12,332.00
Anesthesia Disbursement: 511-570 Min	\$ 13,016.00
Anesthesia Disbursement: 571-630 Min	\$ 13,700.00
Anesthesia Disbursement: 631-690 Min	\$ 17,254.00
Anesthesia Education: 00-60 Min	\$ 1,354.00
Anesthesia Education: 61-90 Min	\$ 1,881.00
Anesthesia Education: 91-150 Min	\$ 2,935.00
Anesthesia for access to central venous circulation	\$ 1,354.00
Anesthesia for access to central venous circulation	\$ 3,343.00
Anesthesia for all closed procedures involving hip joint	\$ 1,354.00
Anesthesia for all closed procedures involving upper two-thirds of femur	\$ 1,354.00
Anesthesia for all closed procedures involving upper two-thirds of femur	\$ 2,532.00
Anesthesia for all closed procedures on humeral head and neck, sternoclavicular joint, acromioclavicular joint, and shoulder joint	\$ 1,354.00
Anesthesia for all closed procedures on humerus and elbow	\$ 1,354.00
Anesthesia for all closed procedures on lower one-third of femur	\$ 2,532.00
Anesthesia for all open procedures on lower one-third of femur	\$ 1,354.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Anesthesia for all procedures on esophagus, thyroid, larynx, trachea and lymphatic system of neck; not otherwise specified, age 1 year or older	\$ 2,532.00
Anesthesia for all procedures on the integumentary system, muscles and nerves of head, neck, and posterior trunk, not otherwise specified	\$ 3,385.00
Anesthesia for cardiac catheterization including coronary angiography and ventriculography (not to include Swan-Ganz catheter)	\$ 2,939.00
Anesthesia for closed chest procedures; (including bronchoscopy) not otherwise specified	\$ 2,910.00
Anesthesia for closed chest procedures; pneumocentesis	\$ 1,881.00
Anesthesia for extraperitoneal procedures in lower abdomen, including urinary tract; not otherwise specified	\$ 2,532.00
Anesthesia for forearm, wrist, or hand cast application, removal, or repair	\$ 1,354.00
Anesthesia for intraoral procedures, including biopsy; not otherwise specified	\$ 2,532.00
Anesthesia for intraperitoneal procedures in upper abdomen including laparoscopy; not otherwise specified	\$ 2,532.00
Anesthesia for lower leg cast application, removal, or repair	\$ 1,354.00
Anesthesia for lower leg cast application, removal, or repair	\$ 2,915.00
Anesthesia for non-invasive imaging or radiation therapy	\$ 2,935.00
Anesthesia for non-invasive imaging or radiation therapy	\$ 3,240.00
Anesthesia for open procedures involving upper two-thirds of femur; not otherwise specified	\$ 2,532.00
Anesthesia for procedures in lumbar region; diagnostic or therapeutic lumbar puncture	\$ 1,419.00
Anesthesia for procedures in lumbar region; not otherwise specified	\$ 3,273.00
Anesthesia for procedures on external, middle, and inner ear including biopsy; not otherwise specified	\$ 2,532.00
Anesthesia for procedures on facial bones or skull; not otherwise specified	\$ 1,354.00
Anesthesia for procedures on upper anterior abdominal wall; percutaneous liver biopsy	\$ 2,532.00
Anesthesia for transurethral procedures (including urethrocytoscopy); not otherwise specified	\$ 2,571.00
Anesthesia for vaginal procedures (including biopsy of labia, vagina, cervix or endometrium); not otherwise specified	\$ 3,059.00
Anesthesia for; anorectal procedure	\$ 1,354.00
Anesthesia for; anorectal procedure	\$ 3,059.00
Anesthesia/Conscious Sedation: 000-030 Min	\$ 6,617.00
Anesthesia/Conscious Sedation: 031-060 Min	\$ 6,798.00
Anesthesia/Conscious Sedation: 061-090 Min	\$ 6,979.00
Anesthesia/Conscious Sedation: 091-120 Min	\$ 7,160.00
Anesthesia/Conscious Sedation: 121-150 Min	\$ 7,341.00
Anesthesia/Conscious Sedation: 151-180 Min	\$ 7,522.00
Angiography through existing catheter for follow-up study for transcatheter therapy, embolization or infusion, other than for thrombolysis	\$ 2,879.00
Angiography, adrenal, bilateral, selective, radiological supervision and interpretation	\$ 5,467.00
Angiography, adrenal, unilateral, selective, radiological supervision and interpretation	\$ 4,059.00
Angiography, extremity, bilateral, radiological supervision and interpretation	\$ 9,621.00
Angiography, extremity, unilateral, radiological supervision and interpretation	\$ 7,337.00
Angiography, internal mammary, radiological supervision and interpretation	\$ 1,467.00
Angiography, pelvic, selective or supraseductive, radiological supervision and interpretation	\$ 6,357.00
Angiography, pulmonary, bilateral, selective, radiological supervision and interpretation	\$ 2,854.00
Angiography, pulmonary, by nonselective catheter or venous injection, radiological supervision and interpretation	\$ 1,173.00
Angiography, pulmonary, unilateral, selective, radiological supervision and interpretation	\$ 2,074.00
Angiography, selective, each additional vessel studied after basic examination, radiological supervision and interpretation (List separately in addition to code for primary procedure)	\$ 4,509.00
Angiography, selective, each additional vessel studied after basic examination, radiological supervision and interpretation (List separately in addition to code for primary procedure)	\$ 5,755.00
Angiography, spinal, selective, radiological supervision and interpretation	\$ 9,716.00
Angiography, spinal, selective, radiological supervision and interpretation	\$ 10,961.00
Angiography, visceral, selective or supraseductive (with or without flush aortogram), radiological supervision and interpretation	\$ 12,383.00
Angiotensin I - converting enzyme (ACE)	\$ 217.00
Angiotensin I - converting enzyme (ACE)	\$ 143.00
Ankle control orthosis, stirrup style, rigid, includes any type interface (e.g., pneumatic, gel), prefabricated, off-the-shelf	\$ 596.00
Ankle control orthosis, stirrup style, rigid, includes any type interface (e.g., pneumatic, gel), prefabricated, off-the-shelf	\$ 276.00
Ankle control orthosis, stirrup style, rigid, includes any type interface (e.g., pneumatic, gel), prefabricated, off-the-shelf	\$ 611.00
Ankle foot orthosis, double upright free plantar dorsiflexion, solid stirrup, calf band/cuff (double bar 'bk' orthosis), custom fabricated	\$ 1,795.00
Ankle foot orthosis, fracture orthosis, tibial fracture cast orthosis, custom fabricated	\$ 2,152.00
Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, rigid, prefabricated, includes fitting and adjustment	\$ 1,435.00
Ankle foot orthosis, fracture orthosis, tibial fracture orthosis, soft, prefabricated, includes fitting and adjustment	\$ 718.00
Ankle foot orthosis, multiligamentous ankle support, prefabricated, off-the-shelf	\$ 420.00
Ankle foot orthosis, multiligamentous ankle support, prefabricated, off-the-shelf	\$ 186.00
Ankle foot orthosis, plastic or other material with ankle joint, prefabricated, includes fitting and adjustment	\$ 1,041.00
Ankle foot orthosis, plastic or other material, custom fabricated	\$ 1,148.00
Ankle foot orthosis, plastic or other material, prefabricated, includes fitting and adjustment	\$ 251.00
Ankle foot orthosis, plastic or other material, prefabricated, includes fitting and adjustment	\$ 1,408.00
Ankle foot orthosis, plastic or other material, prefabricated, includes fitting and adjustment	\$ 351.00
Ankle foot orthosis, plastic or other material, prefabricated, includes fitting and adjustment	\$ 296.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Ankle foot orthosis, plastic with ankle joint, custom fabricated	\$ 1,973.00
Ankle foot orthosis, plastic, rigid anterior tibial section (floor reaction), custom fabricated	\$ 1,795.00
Ankle foot orthosis, posterior solid ankle, plastic, custom fabricated	\$ 1,257.00
Ankle foot orthosis, posterior solid ankle, plastic, custom fabricated	\$ 4,273.00
Ankle foot orthosis, posterior, single bar, clasp attachment to shoe counter, prefabricated, includes fitting and adjustment	\$ 824.00
Ankle foot orthosis, single upright free plantar dorsiflexion, solid stirrup, calf band/cuff (single bar 'bk' orthosis), custom fabricated	\$ 1,795.00
Ankle foot orthosis, single upright with static or adjustable stop (phelps or perlstein type), custom fabricated	\$ 2,526.00
Ankle foot orthosis, single upright with static or adjustable stop (phelps or perlstein type), custom fabricated	\$ 143.00
Ankle foot orthosis, spiral, (institute of rehabilitative medicine type), plastic or other material, prefabricated, includes fitting and adjustment	\$ 2,817.00
Ankle foot orthosis, spring wire, dorsiflexion assist calf band, custom fabricated	\$ 861.00
Ankle foot orthosis, walking boot type, varus/valgus correction, rocker bottom, anterior tibial shell, soft interface, custom arch support, plastic or other material, includes straps and closures, custom fabricated	\$ 3,887.00
Ankle orthosis, ankle gauntlet or similar, with or without joints, custom fabricated	\$ 2,224.00
Ankle orthosis, ankle gauntlet or similar, with or without joints, prefabricated, off-the-shelf	\$ 186.00
Ankle orthosis, ankle gauntlet or similar, with or without joints, prefabricated, off-the-shelf	\$ 144.00
Ankle orthosis, ankle gauntlet or similar, with or without joints, prefabricated, off-the-shelf	\$ 103.00
Ankle orthosis, supramalleolar with straps, with or without interface/pads, custom fabricated	\$ 1,077.00
Anoscopy; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 481.00
Anoscopy; with biopsy, single or multiple	\$ 1,830.00
Anoscopy; with dilation (eg, balloon, guide wire, bougie)	\$ 1,830.00
Anoscopy; with removal of foreign body	\$ 481.00
Antepartum care only; 4-6 visits	\$ 1,092.00
Antepartum care only; 7 or more visits	\$ 1,758.00
Anterior chamber intraocular lens	\$ 1,072.00
Anterior segment imaging with interpretation and report; with specular microscopy and endothelial cell analysis	\$ 573.00
Antibody elution (RBC), each elution	\$ 108.00
Antibody identification, RBC antibodies, each panel for each serum technique	\$ 251.00
Antibody identification; leukocyte antibodies	\$ 3,604.00
Antibody identification; leukocyte antibodies	\$ 2,784.00
Antibody identification; leukocyte antibodies	\$ 3,043.00
Antibody identification; leukocyte antibodies	\$ 1,366.00
Antibody identification; leukocyte antibodies	\$ 209.00
Antibody identification; leukocyte antibodies	\$ 796.00
Antibody identification; platelet antibodies	\$ 417.00
Antibody identification; platelet antibodies	\$ 4,802.00
Antibody identification; platelet antibodies	\$ 1,580.00
Antibody identification; platelet antibodies	\$ 259.00
Antibody identification; platelet antibodies	\$ 2,342.00
Antibody identification; platelet antibodies	\$ 3,849.00
Antibody identification; platelet antibodies	\$ 189.00
Antibody identification; platelet antibodies	\$ 188.00
Antibody identification; platelet associated immunoglobulin assay	\$ 422.00
Antibody screen, RBC, each serum technique	\$ 146.00
Antibody screen, RBC, each serum technique	\$ 104.00
Antibody screen, RBC, each serum technique	\$ 6.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class I	\$ 845.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); antibody identification by qualitative panel using complete HLA phenotypes, HLA Class II	\$ 719.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 3,604.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 1,660.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 10,099.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class I	\$ 4,245.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 2,784.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 1,468.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); high definition qualitative panel for identification of antibody specificities (eg, individual antigen per bead methodology), HLA Class II	\$ 10,099.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, flow cytometry); qualitative assessment of the presence or absence of antibody(ies) to HLA Class I and Class II HLA antigens	\$ 2,935.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I	\$ 830.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class I	\$ 1,660.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II	\$ 733.00
Antibody to human leukocyte antigens (HLA), solid phase assays (eg, microspheres or beads, ELISA, Flow cytometry); semi-quantitative panel (eg, titer), HLA Class II	\$ 1,468.00
Antibody; adenovirus	\$ 126.00
Antibody; Aspergillus	\$ 173.00
Antibody; Aspergillus	\$ 172.00
Antibody; Aspergillus	\$ 176.00
Antibody; Aspergillus	\$ 369.00
Antibody; Aspergillus	\$ 121.00
Antibody; bacterium, not elsewhere specified	\$ 98.00
Antibody; bacterium, not elsewhere specified	\$ 120.00
Antibody; bacterium, not elsewhere specified	\$ 111.00
Antibody; bacterium, not elsewhere specified	\$ 124.00
Antibody; bacterium, not elsewhere specified	\$ 114.00
Antibody; Bartonella	\$ 93.00
Antibody; Bartonella	\$ 143.00
Antibody; Blastomyces	\$ 200.00
Antibody; Blastomyces	\$ 192.00
Antibody; Blastomyces	\$ 343.00
Antibody; Bordetella	\$ 264.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 240.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 194.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 798.00
Antibody; Borrelia burgdorferi (Lyme disease)	\$ 76.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 436.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 1,704.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 61.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 62.00
Antibody; Borrelia burgdorferi (Lyme disease) confirmatory test (eg, Western Blot or immunoblot)	\$ 379.00
Antibody; Campylobacter	\$ 1,227.00
Antibody; Chlamydia	\$ 748.00
Antibody; Chlamydia	\$ 667.00
Antibody; Chlamydia	\$ 365.00
Antibody; Chlamydia	\$ 168.00
Antibody; Chlamydia	\$ 309.00
Antibody; Chlamydia	\$ 239.00
Antibody; Chlamydia	\$ 48.00
Antibody; Chlamydia, IgM	\$ 806.00
Antibody; Chlamydia, IgM	\$ 974.00
Antibody; Chlamydia, IgM	\$ 365.00
Antibody; Chlamydia, IgM	\$ 440.00
Antibody; Chlamydia, IgM	\$ 347.00
Antibody; Chlamydia, IgM	\$ 168.00
Antibody; Chlamydia, IgM	\$ 63.00
Antibody; Coccidioides	\$ 232.00
Antibody; Coccidioides	\$ 331.00
Antibody; Coxiella burnetii (Q fever)	\$ 30.00
Antibody; Coxiella burnetii (Q fever)	\$ 32.00
Antibody; Coxiella burnetii (Q fever)	\$ 188.00
Antibody; Coxiella burnetii (Q fever)	\$ 62.00
Antibody; Coxiella burnetii (Q fever)	\$ 165.00
Antibody; Coxiella burnetii (Q fever)	\$ 127.00
Antibody; cytomegalovirus (CMV)	\$ 131.00
Antibody; cytomegalovirus (CMV)	\$ 174.00
Antibody; cytomegalovirus (CMV)	\$ 57.00
Antibody; cytomegalovirus (CMV)	\$ 35.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody; cytomegalovirus (CMV), IgM	\$ 174.00
Antibody; Diphtheria	\$ 236.00
Antibody; Ehrlichia	\$ 404.00
Antibody; encephalitis, California (La Crosse)	\$ 363.00
Antibody; encephalitis, Eastern equine	\$ 363.00
Antibody; encephalitis, St. Louis	\$ 363.00
Antibody; encephalitis, Western equine	\$ 363.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 52.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 139.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 200.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 188.00
Antibody; enterovirus (eg, coxsackie, echo, polio)	\$ 49.00
Antibody; Epstein-Barr (EB) virus, early antigen (EA)	\$ 125.00
Antibody; Epstein-Barr (EB) virus, early antigen (EA)	\$ 162.00
Antibody; Epstein-Barr (EB) virus, nuclear antigen (EBNA)	\$ 176.00
Antibody; Epstein-Barr (EB) virus, viral capsid (VCA)	\$ 190.00
Antibody; fungus, not elsewhere specified	\$ 100.00
Antibody; fungus, not elsewhere specified	\$ 95.00
Antibody; fungus, not elsewhere specified	\$ 243.00
Antibody; Giardia lamblia	\$ 386.00
Antibody; Giardia lamblia	\$ 258.00
Antibody; Giardia lamblia	\$ 244.00
Antibody; Haemophilus influenza	\$ 251.00
Antibody; Helicobacter pylori	\$ 248.00
Antibody; Helicobacter pylori	\$ 167.00
Antibody; Helicobacter pylori	\$ 83.00
Antibody; Helicobacter pylori	\$ 89.00
Antibody; helminth, not elsewhere specified	\$ 392.00
Antibody; helminth, not elsewhere specified	\$ 726.00
Antibody; helminth, not elsewhere specified	\$ 925.00
Antibody; helminth, not elsewhere specified	\$ 677.00
Antibody; helminth, not elsewhere specified	\$ 352.00
Antibody; herpes simplex, non-specific type test	\$ 155.00
Antibody; herpes simplex, type 1	\$ 149.00
Antibody; herpes simplex, type 2	\$ 149.00
Antibody; herpes simplex, type 2	\$ 67.00
Antibody; histoplasma	\$ 143.00
Antibody; histoplasma	\$ 343.00
Antibody; HIV-1	\$ 360.00
Antibody; HIV-1	\$ 162.00
Antibody; HIV-1 and HIV-2, single result	\$ 186.00
Antibody; HIV-1 and HIV-2, single result	\$ 543.00
Antibody; HIV-1 and HIV-2, single result	\$ 89.00
Antibody; HIV-1 and HIV-2, single result	\$ 30.00
Antibody; HIV-2	\$ 428.00
Antibody; HIV-2	\$ 201.00
Antibody; HIV-2	\$ 190.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 504.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 126.00
Antibody; HTLV or HIV antibody, confirmatory test (eg, Western Blot)	\$ 569.00
Antibody; HTLV-I	\$ 341.00
Antibody; HTLV-I	\$ 21.00
Antibody; HTLV-II	\$ 431.00
Antibody; HTLV-II	\$ 25.00
Antibody; influenza virus	\$ 78.00
Antibody; Legionella	\$ 192.00
Antibody; Legionella	\$ 39.00
Antibody; Legionella	\$ 38.00
Antibody; Legionella	\$ 60.00
Antibody; Legionella	\$ 52.00
Antibody; Leptospira	\$ 260.00
Antibody; mumps	\$ 223.00
Antibody; mumps	\$ 753.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Antibody; mycoplasma	\$ 80.00
Antibody; mycoplasma	\$ 97.00
Antibody; Nocardia	\$ 95.00
Antibody; parvovirus	\$ 64.00
Antibody; parvovirus	\$ 63.00
Antibody; protozoa, not elsewhere specified	\$ 408.00
Antibody; protozoa, not elsewhere specified	\$ 30.00
Antibody; Rickettsia	\$ 73.00
Antibody; Rickettsia	\$ 79.00
Antibody; Rickettsia	\$ 100.00
Antibody; Rickettsia	\$ 111.00
Antibody; rubella	\$ 176.00
Antibody; rubeola	\$ 236.00
Antibody; tetanus	\$ 266.00
Antibody; Toxoplasma	\$ 130.00
Antibody; Toxoplasma, IgM	\$ 167.00
Antibody; Treponema pallidum	\$ 58.00
Antibody; Treponema pallidum	\$ 67.00
Antibody; Treponema pallidum	\$ 162.00
Antibody; Trichinella	\$ 668.00
Antibody; varicella-zoster	\$ 174.00
Antibody; varicella-zoster	\$ 236.00
Antibody; varicella-zoster	\$ 143.00
Antibody; virus, not elsewhere specified	\$ 776.00
Antibody; virus, not elsewhere specified	\$ 53.00
Antibody; virus, not elsewhere specified	\$ 4,697.00
Antibody; virus, not elsewhere specified	\$ 100.00
Antibody; Zika virus, IgM	\$ 512.00
Anticoagulant management for a patient taking warfarin, must include review and interpretation of a new home, office, or lab international normalized ratio (INR) test result, patient instructions, dosage adjustment (as needed), and scheduling of additional test(s), when performed	\$ 164.00
Antihuman globulin test (Coombs test); direct, each antiserum	\$ 223.00
Antihuman globulin test (Coombs test); indirect, each antibody titer	\$ 105.00
Antinuclear antibodies (ANA)	\$ 171.00
Antinuclear antibodies (ANA); titer	\$ 171.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 128.00
Anti-phosphatidylserine (phospholipid) antibody	\$ 129.00
Antistreptolysin O; titer	\$ 135.00
Antistreptolysin O; titer	\$ 38.00
Aortography, abdominal plus bilateral iliofemoral lower extremity, catheter, by serialography, radiological supervision and interpretation	\$ 7,672.00
Aortography, abdominal, by serialography, radiological supervision and interpretation	\$ 4,314.00
Aortography, thoracic, by serialography, radiological supervision and interpretation	\$ 5,793.00
Aortography, thoracic, by serialography, radiological supervision and interpretation	\$ 7,038.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants	\$ 5,802.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; duplication/deletion variants	\$ 7,132.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 54.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 5,802.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; full gene sequence	\$ 7,132.00
APC (adenomatous polyposis coli) (eg, familial adenomatosis polyposis [FAP], attenuated FAP) gene analysis; known familial variants	\$ 1,151.00
Apligraf, per square centimeter	\$ 304.00
Apligraf, per square centimeter	\$ 294.00
Apolipoprotein, each	\$ 130.00
Apolipoprotein, each	\$ 90.00
Apolipoprotein, each	\$ 426.00
Application of a modality to 1 or more areas; contrast baths, each 15 minutes	\$ 316.00
Application of a modality to 1 or more areas; electrical stimulation (manual), each 15 minutes	\$ 309.00
Application of a modality to 1 or more areas; electrical stimulation (unattended)	\$ 153.00
Application of a modality to 1 or more areas; hot or cold packs	\$ 182.00
Application of a modality to 1 or more areas; iontophoresis, each 15 minutes	\$ 272.00
Application of a modality to 1 or more areas; paraffin bath	\$ 212.00
Application of a modality to 1 or more areas; traction, mechanical	\$ 165.00
Application of a modality to 1 or more areas; ultrasound, each 15 minutes	\$ 215.00
Application of a modality to 1 or more areas; vasopneumatic devices	\$ 246.00
Application of a modality to 1 or more areas; whirlpool	\$ 371.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Application of clubfoot cast with molding or manipulation, long or short leg	\$ 797.00
Application of cranial tongs, caliper, or stereotactic frame, including removal (separate procedure)	\$ 1,708.00
Application of cylinder cast (thigh to ankle)	\$ 788.00
Application of finger splint; dynamic	\$ 239.00
Application of finger splint; static	\$ 477.00
Application of hip spica cast; 1 leg	\$ 797.00
Application of long arm splint (shoulder to hand)	\$ 651.00
Application of long leg cast (thigh to toes)	\$ 450.00
Application of long leg cast (thigh to toes); walker or ambulatory type	\$ 668.00
Application of long leg cast brace	\$ 1,438.00
Application of long leg splint (thigh to ankle or toes)	\$ 686.00
Application of low cost skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area, or part thereof, or each additional 1% of body area of infants and children, or part thereof (list separately in addition to code for primary procedure)	\$ 2,323.00
Application of low cost skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area greater than or equal to 100 sq cm; first 100 sq cm wound surface area, or 1% of body area of infants and children	\$ 2,323.00
Application of low cost skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area up to 100 sq cm; each additional 25 sq cm wound surface area, or part thereof (list separately in addition to code for primary procedure)	\$ 1,665.00
Application of low cost skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area up to 100 sq cm; first 25 sq cm or less wound surface area	\$ 1,665.00
Application of low cost skin substitute graft to trunk, arms, legs, total wound surface area greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area, or part thereof, or each additional 1% of body area of infants and children, or part thereof (list separately in addition to code for primary procedure)	\$ 1,665.00
Application of low cost skin substitute graft to trunk, arms, legs, total wound surface area greater than or equal to 100 sq cm; first 100 sq cm wound surface area, or 1% of body area of infants and children	\$ 1,665.00
Application of low cost skin substitute graft to trunk, arms, legs, total wound surface area up to 100 sq cm; each additional 25 sq cm wound surface area, or part thereof (list separately in addition to code for primary procedure)	\$ 1,665.00
Application of low cost skin substitute graft to trunk, arms, legs, total wound surface area up to 100 sq cm; first 25 sq cm or less wound surface area	\$ 1,665.00
Application of multi-layer compression system; leg (below knee), including ankle and foot	\$ 380.00
Application of multi-layer compression system; upper arm, forearm, hand, and fingers	\$ 380.00
Application of on-body injector (includes cannula insertion) for timed subcutaneous injection	\$ 338.00
Application of patellar tendon bearing (PTB) cast	\$ 1,089.00
Application of rigid total contact leg cast	\$ 681.00
Application of short arm splint (forearm to hand); dynamic	\$ 552.00
Application of short arm splint (forearm to hand); static	\$ 581.00
Application of short leg cast (below knee to toes)	\$ 739.00
Application of short leg cast (below knee to toes); walking or ambulatory type	\$ 681.00
Application of short leg splint (calf to foot)	\$ 616.00
Application of skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area, or part thereof, or each additional 1% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)	\$ 2,323.00
Application of skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area greater than or equal to 100 sq cm; first 100 sq cm wound surface area, or 1% of body area of infants and children	\$ 2,323.00
Application of skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area up to 100 sq cm; each additional 25 sq cm wound surface area, or part thereof (List separately in addition to code for primary procedure)	\$ 1,665.00
Application of skin substitute graft to face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits, total wound surface area up to 100 sq cm; first 25 sq cm or less wound surface area	\$ 1,665.00
Application of skin substitute graft to trunk, arms, legs, total wound surface area greater than or equal to 100 sq cm; each additional 100 sq cm wound surface area, or part thereof, or each additional 1% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)	\$ 1,665.00
Application of skin substitute graft to trunk, arms, legs, total wound surface area greater than or equal to 100 sq cm; first 100 sq cm wound surface area, or 1% of body area of infants and children	\$ 1,665.00
Application of skin substitute graft to trunk, arms, legs, total wound surface area up to 100 sq cm; each additional 25 sq cm wound surface area, or part thereof (List separately in addition to code for primary procedure)	\$ 1,665.00
Application of skin substitute graft to trunk, arms, legs, total wound surface area up to 100 sq cm; first 25 sq cm or less wound surface area	\$ 1,665.00
Application, cast; elbow to finger (short arm)	\$ 548.00
Application, cast; finger (eg, contracture)	\$ 408.00
Application, cast; hand and lower forearm (gauntlet)	\$ 513.00
Application, cast; shoulder to hand (long arm)	\$ 822.00
Arsenic	\$ 293.00
Arsenic	\$ 309.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Arsenic	\$ 229.00
Arsenic	\$ 131.00
Arterial catheterization or cannulation for sampling, monitoring or transfusion (separate procedure); percutaneous	\$ 735.00
Arterial puncture, withdrawal of blood for diagnosis	\$ 127.00
Arthrocentesis, aspiration and/or injection, intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa); with ultrasound guidance, with permanent recording and reporting	\$ 2,470.00
Arthrocentesis, aspiration and/or injection, intermediate joint or bursa (eg, temporomandibular, acromioclavicular, wrist, elbow or ankle, olecranon bursa); without ultrasound guidance	\$ 717.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); with ultrasound guidance, with permanent recording and reporting	\$ 2,757.00
Arthrocentesis, aspiration and/or injection, major joint or bursa (eg, shoulder, hip, knee, subacromial bursa); without ultrasound guidance	\$ 1,006.00
Arthrocentesis, aspiration and/or injection, small joint or bursa (eg, fingers, toes); with ultrasound guidance, with permanent recording and reporting	\$ 2,432.00
Arthrocentesis, aspiration and/or injection, small joint or bursa (eg, fingers, toes); without ultrasound guidance	\$ 681.00
Arthroflex, per square centimeter	\$ 575.00
Arthroscopy, elbow, diagnostic, with or without synovial biopsy (separate procedure)	\$ 5,467.00
Arthroscopy, hip, diagnostic with or without synovial biopsy (separate procedure)	\$ 5,467.00
Arthroscopy, knee, diagnostic, with or without synovial biopsy (separate procedure)	\$ 4,801.00
Arthroscopy, metacarpophalangeal joint, diagnostic, includes synovial biopsy	\$ 4,801.00
Arthroscopy, shoulder, diagnostic, with or without synovial biopsy (separate procedure)	\$ 4,801.00
Arthroscopy, temporomandibular joint, diagnostic, with or without synovial biopsy (separate procedure)	\$ 4,801.00
Arthroscopy, wrist, diagnostic, with or without synovial biopsy (separate procedure)	\$ 4,789.00
Artificial insemination; intra-uterine	\$ 491.00
Ascorbic acid (Vitamin C), blood	\$ 125.00
ASPA (aspartoacylase) (eg, Canavan disease) gene analysis, common variants (eg, E285A, Y231X)	\$ 1,128.00
Aspiration and injection for treatment of bone cyst	\$ 1,408.00
Aspiration and/or injection of ganglion cyst(s) any location	\$ 412.00
Aspiration and/or injection of renal cyst or pelvis by needle, percutaneous	\$ 4,560.00
Aspiration and/or injection, thyroid cyst	\$ 1,413.00
Aspiration of bladder; by needle	\$ 459.00
Aspiration of bladder; by trocar or intracatheter	\$ 1,937.00
Aspiration of bladder; with insertion of suprapubic catheter	\$ 1,666.00
Aspiration of bladder; with insertion of suprapubic catheter	\$ 1,564.00
Aspiration or release of vitreous, subretinal or choroidal fluid, pars plana approach (posterior sclerotomy)	\$ 4,393.00
Assessment of aphasia (includes assessment of expressive and receptive speech and language function, language comprehension, speech production ability, reading, spelling, writing, eg, by Boston Diagnostic Aphasia Examination) with interpretation and report, per hour	\$ 1,699.00
Assessment of tinnitus (includes pitch, loudness matching, and masking)	\$ 493.00
Athletic training evaluation, high complexity, requiring these components: A medical history and physical activity profile, with 3 or more comorbidities that affect physical activity; A comprehensive examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures, physical activity, and/or participation deficiencies; Clinical presentation with unstable and unpredictable characteristics; and Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 366.00
Athletic training evaluation, low complexity, requiring these components: A history and physical activity profile with no comorbidities that affect physical activity; An examination of affected body area and other symptomatic or related systems addressing 1-2 elements from any of the following: body structures, physical activity, and/or participation deficiencies; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 15 minutes are spent face-to-face with the patient and/or family.	\$ 252.00
Athletic training evaluation, moderate complexity, requiring these components: A medical history and physical activity profile with 1-2 comorbidities that affect physical activity; An examination of affected body area and other symptomatic or related systems addressing a total of 3 or more elements from any of the following: body structures, physical activity, and/or participation deficiencies; and Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 310.00
Atrial septectomy or septostomy; transvenous method, balloon (eg, Rashkind type) (includes cardiac catheterization)	\$ 3,066.00
Attention functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Attention functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Attention functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Auditory evoked potentials for evoked response audiometry and/or testing of the central nervous system; comprehensive	\$ 2,030.00
Auditory evoked potentials for evoked response audiometry and/or testing of the central nervous system; comprehensive	\$ 1,965.00
Auditory rehabilitation; postlingual hearing loss	\$ 459.00
Autologous blood or component, collection processing and storage; predeposited	\$ 235.00
Avulsion of nail plate, partial or complete, simple; each additional nail plate (List separately in addition to code for primary procedure)	\$ 507.00
Avulsion of nail plate, partial or complete, simple; single	\$ 488.00
B cells, total count	\$ 176.00
Balloon angioplasty, intracranial (eg, atherosclerotic stenosis), percutaneous	\$ 18,584.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Balloon angioplasty, intracranial (eg, atherosclerotic stenosis), percutaneous	\$ 18,912.00
Balloon dilatation of intracranial vasospasm, percutaneous; each additional vessel in different vascular family (List separately in addition to code for primary procedure)	\$ 8,256.00
Balloon dilatation of intracranial vasospasm, percutaneous; each additional vessel in different vascular family (List separately in addition to code for primary procedure)	\$ 8,455.00
Balloon dilatation of intracranial vasospasm, percutaneous; each additional vessel in same vascular family (List separately in addition to code for primary procedure)	\$ 8,256.00
Balloon dilatation of intracranial vasospasm, percutaneous; each additional vessel in same vascular family (List separately in addition to code for primary procedure)	\$ 8,455.00
Balloon dilatation of intracranial vasospasm, percutaneous; initial vessel	\$ 12,385.00
Balloon dilatation of intracranial vasospasm, percutaneous; initial vessel	\$ 12,583.00
Balloon dilation of biliary duct(s) or of ampulla (sphincteroplasty), percutaneous, including imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation, each duct (List separately in addition to code for primary procedure)	\$ 4,386.00
Balloon dilation, ureteral stricture, including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation (List separately in addition to code for primary procedure)	\$ 4,386.00
Basic metabolic panel (Calcium, ionized) This panel must include the following: Calcium, ionized (82330) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea Nitrogen (BUN) (84520)	\$ 375.00
Basic metabolic panel (Calcium, total) This panel must include the following: Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)	\$ 265.00
Basic radiation dosimetry calculation, central axis depth dose calculation, TDF, NSD, gap calculation, off axis factor, tissue inhomogeneity factors, calculation of non-ionizing radiation surface and depth dose, as required during course of treatment, only when prescribed by the treating physician	\$ 1,147.00
Battery clips for use with electric or electric/pneumatic ventricular assist device, replacement only	\$ 9,242.00
Battery, lithium-ion, for use with electric or electric/pneumatic ventricular assist device, replacement only	\$ 5,249.00
Battery/power pack charger for use with electric or electric/pneumatic ventricular assist device, replacement only	\$ 60,614.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 3,855.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 3,590.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; major breakpoint, qualitative or quantitative	\$ 646.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative	\$ 3,155.00
BCR/ABL1 (t(9;22)) (eg, chronic myelogenous leukemia) translocation analysis; minor breakpoint, qualitative or quantitative	\$ 646.00
Behavioral and qualitative analysis of voice and resonance	\$ 718.00
Belt, strap, sleeve, garment, or covering, any type	\$ 99.00
Belt/vest/bag for use to carry external peripheral components of any type ventricular assist device, replacement only	\$ 2,900.00
Belt/vest/bag for use to carry external peripheral components of any type ventricular assist device, replacement only	\$ 2,732.00
Beta 2 Glycoprotein I antibody, each	\$ 269.00
Beta-2 microglobulin	\$ 195.00
Beta-2 microglobulin	\$ 346.00
Beta-2 microglobulin	\$ 61.00
Bile acids; total	\$ 1,062.00
Biliary endoscopy, percutaneous via T-tube or other tract; with dilation of biliary duct stricture(s) with stent	\$ 5,349.00
Biliary endoscopy, percutaneous via T-tube or other tract; with dilation of biliary duct stricture(s) without stent	\$ 5,349.00
Bilirubin, total, transcutaneous	\$ 237.00
Bilirubin, total, transcutaneous	\$ 240.00
Bilirubin; direct	\$ 32.00
Bilirubin; total	\$ 32.00
Bilirubin; total	\$ 149.00
Binocular microscopy (separate diagnostic procedure)	\$ 263.00
Biofeedback training by any modality	\$ 210.00
Bioimpedance spectroscopy (BIS), extracellular fluid analysis for lymphedema assessment(s)	\$ 870.00
Biopsy external ear	\$ 1,584.00
Biopsy of anorectal wall, anal approach (eg, congenital megacolon)	\$ 5,329.00
Biopsy of breast; open, incisional	\$ 2,817.00
Biopsy of breast; percutaneous, needle core, not using imaging guidance (separate procedure)	\$ 3,066.00
Biopsy of cervix, single or multiple, or local excision of lesion, with or without fulguration (separate procedure)	\$ 5,195.00
Biopsy of conjunctiva	\$ 3,798.00
Biopsy of floor of mouth	\$ 1,801.00
Biopsy of lacrimal gland	\$ 7,243.00
Biopsy of lip	\$ 1,937.00
Biopsy of liver, needle; percutaneous	\$ 3,706.00
Biopsy of nail unit (eg, plate, bed, matrix, hyponychium, proximal and lateral nail folds) (separate procedure)	\$ 2,131.00
Biopsy of nerve	\$ 2,804.00
Biopsy of palate, uvula	\$ 653.00
Biopsy of pancreas, percutaneous needle	\$ 3,942.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Biopsy of penis; (separate procedure)	\$ 3,607.00
Biopsy of salivary gland; needle	\$ 1,036.00
Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; each separate/additional lesion (List separately in addition to code for primary procedure)	\$ 572.00
Biopsy of skin, subcutaneous tissue and/or mucous membrane (including simple closure), unless otherwise listed; single lesion	\$ 1,145.00
Biopsy of tongue; anterior two-thirds	\$ 2,065.00
Biopsy of tongue; posterior one-third	\$ 1,646.00
Biopsy of urethra	\$ 274.00
Biopsy of vaginal mucosa; extensive, requiring suture (including cysts)	\$ 3,101.00
Biopsy of vaginal mucosa; simple (separate procedure)	\$ 932.00
Biopsy of vulva or perineum (separate procedure); 1 lesion	\$ 1,260.00
Biopsy of vulva or perineum (separate procedure); each separate additional lesion (List separately in addition to code for primary procedure)	\$ 599.00
Biopsy or excision of lymph node(s); by needle, superficial (eg, cervical, inguinal, axillary)	\$ 4,435.00
Biopsy or excision of lymph node(s); open, superficial	\$ 966.00
Biopsy thyroid, percutaneous core needle	\$ 1,272.00
Biopsy, abdominal or retroperitoneal mass, percutaneous needle	\$ 3,942.00
Biopsy, bone, open; deep (eg, humeral shaft, ischium, femoral shaft)	\$ 2,719.00
Biopsy, bone, open; superficial (eg, sternum, spinous process, rib, patella, olecranon process, calcaneus, tarsal, metatarsal, carpal, metacarpal, phalanx)	\$ 2,719.00
Biopsy, bone, trocar, or needle; deep (eg, vertebral body, femur)	\$ 4,749.00
Biopsy, bone, trocar, or needle; superficial (eg, ilium, sternum, spinous process, ribs)	\$ 2,932.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including magnetic resonance guidance (List separately in addition to code for primary procedure)	\$ 8,663.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including stereotactic guidance (List separately in addition to code for primary procedure)	\$ 8,934.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 7,187.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including magnetic resonance guidance	\$ 8,663.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including stereotactic guidance	\$ 8,934.00
Biopsy, breast, with placement of breast localization device(s) (eg, clip, metallic pellet), when performed, and imaging of the biopsy specimen, when performed, percutaneous; first lesion, including ultrasound guidance	\$ 7,187.00
Biopsy, intranasal	\$ 2,049.00
Biopsy, lung or mediastinum, percutaneous needle	\$ 3,942.00
Biopsy, muscle, percutaneous needle	\$ 3,302.00
Biopsy, muscle; deep	\$ 5,396.00
Biopsy, pleura, percutaneous needle	\$ 3,942.00
Biopsy, prostate; needle or punch, single or multiple, any approach	\$ 4,108.00
Biopsy, prostate; needle or punch, single or multiple, any approach	\$ 3,857.00
Biopsy, soft tissue of back or flank; deep	\$ 2,817.00
Biopsy, soft tissue of back or flank; superficial	\$ 1,032.00
Biopsy, soft tissue of forearm and/or wrist; deep (subfascial or intramuscular)	\$ 5,347.00
Biopsy, soft tissue of leg or ankle area; deep (subfascial or intramuscular)	\$ 2,981.00
Biopsy, soft tissue of leg or ankle area; superficial	\$ 1,187.00
Biopsy, soft tissue of neck or thorax	\$ 4,032.00
Biopsy, soft tissue of shoulder area; deep	\$ 2,817.00
Biopsy, soft tissue of thigh or knee area; superficial	\$ 6,014.00
Biopsy, soft tissue of upper arm or elbow area; deep (subfascial or intramuscular)	\$ 2,817.00
Biopsy, vestibule of mouth	\$ 1,652.00
Biopsy; oropharynx	\$ 4,032.00
Biotinidase, each specimen	\$ 606.00
Biotinidase, each specimen	\$ 58.00
Bladder instillation of anticarcinogenic agent (including retention time)	\$ 1,462.00
Bladder instillation of anticarcinogenic agent (including retention time)	\$ 1,373.00
Bladder irrigation, simple, lavage and/or instillation	\$ 548.00
Bladder irrigation, simple, lavage and/or instillation	\$ 515.00
Blepharoplasty, lower eyelid	\$ 4,484.00
Blepharoplasty, lower eyelid; with extensive herniated fat pad	\$ 5,310.00
Blepharoplasty, upper eyelid	\$ 6,778.00
Blepharoplasty, upper eyelid; with excessive skin weighting down lid	\$ 4,007.00
Blepharotomy, drainage of abscess, eyelid	\$ 1,555.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Blink Eye Drops	\$ 7.00
Blood (whole), for transfusion, per unit	\$ 5,280.00
Blood bank physician services; investigation of transfusion reaction including suspicion of transmissible disease, interpretation and written report	\$ 379.00
Blood count; blood smear, microscopic examination with manual differential WBC count	\$ 46.00
Blood count; blood smear, microscopic examination without manual differential WBC count	\$ 46.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)	\$ 120.00
Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count	\$ 143.00
Blood count; hematocrit (Hct)	\$ 58.00
Blood count; hematocrit (Hct)	\$ 8.00
Blood count; hemoglobin (Hgb)	\$ 58.00
Blood count; hemoglobin (Hgb)	\$ 8.00
Blood count; leukocyte (WBC), automated	\$ 240.00
Blood count; leukocyte (WBC), automated	\$ 89.00
Blood count; manual differential WBC count, buffy coat	\$ 46.00
Blood count; platelet, automated	\$ 72.00
Blood count; red blood cell (RBC), automated	\$ 64.00
Blood count; red blood cell (RBC), automated	\$ 10.00
Blood count; reticulocyte, automated	\$ 83.00
Blood count; reticulocyte, manual	\$ 235.00
Blood count; reticulocyte, manual	\$ 668.00
Blood count; reticulocytes, automated, including 1 or more cellular parameters (eg, reticulocyte hemoglobin content [CHR], immature reticulocyte fraction [IRF], reticulocyte volume [MRV], RNA content), direct measurement	\$ 83.00
Blood count; spun microhematocrit	\$ 37.00
Blood typing, serologic; ABO	\$ 57.00
Blood typing, serologic; ABO	\$ 7.00
Blood typing, serologic; antigen testing of donor blood using reagent serum, each antigen test	\$ 105.00
Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	\$ 232.00
Blood typing, serologic; RBC antigens, other than ABO or Rh (D), each	\$ 105.00
Blood typing, serologic; Rh (D)	\$ 57.00
Blood typing, serologic; Rh (D)	\$ 7.00
Blood typing, serologic; Rh phenotyping, complete	\$ 232.00
Blood, occult, by fecal hemoglobin determination by immunoassay, qualitative, feces, 1-3 simultaneous determinations	\$ 116.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening	\$ 43.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; feces, consecutive collected specimens with single determination, for colorectal neoplasm screening (ie, patient was provided 3 cards or single triple card for consecutive collection)	\$ 43.00
Blood, occult, by peroxidase activity (eg, guaiac), qualitative; other sources	\$ 42.00
Blood, split unit	\$ 1,017.00
Blood, split unit	\$ 676.00
Blood, split unit	\$ 512.00
Blood, split unit	\$ 247.00
Blood, split unit	\$ 125.00
Blood, split unit	\$ 1,584.00
Blood, split unit	\$ 463.00
Blood, split unit	\$ 2,679.00
Blood, split unit	\$ 811.00
Blood, split unit	\$ 191.00
Blood, split unit	\$ 154.00
Blood, split unit	\$ 1,362.00
Blood, split unit	\$ 910.00
Blood, split unit	\$ 687.00
Blood, split unit	\$ 331.00
Blood, split unit	\$ 168.00
Blood, split unit	\$ 424.00
Blood, split unit	\$ 274.00
Blood, split unit	\$ 3,427.00
Blood, split unit	\$ 1,880.00
Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogeneic	\$ 9,874.00
Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogeneic	\$ 9,125.00
Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogeneic	\$ 7,985.00
Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous	\$ 10,036.00
Bone age studies	\$ 930.00
Bone and/or joint imaging; 3 phase study	\$ 3,348.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Bone and/or joint imaging; limited area	\$ 1,922.00
Bone and/or joint imaging; multiple areas	\$ 2,474.00
Bone and/or joint imaging; tomographic (SPECT)	\$ 3,822.00
Bone and/or joint imaging; whole body	\$ 3,059.00
Bone length studies (orthoroentgenogram, scanogram)	\$ 918.00
Bone marrow imaging; limited area	\$ 1,592.00
Bone marrow, smear interpretation	\$ 521.00
Bone marrow; aspiration only	\$ 1,814.00
Bone marrow; biopsy, needle or trocar	\$ 1,913.00
Brachytherapy isodose plan; complex (calculation[s] made from over 10 sources, or remote afterloading brachytherapy, over 12 channels), includes basic dosimetry calculation(s)	\$ 5,208.00
Brachytherapy isodose plan; intermediate (calculation[s] made from 5 to 10 sources, or remote afterloading brachytherapy, 2-12 channels), includes basic dosimetry calculation(s)	\$ 2,699.00
Brachytherapy isodose plan; simple (calculation[s] made from 1 to 4 sources, or remote afterloading brachytherapy, 1 channel), includes basic dosimetry calculation(s)	\$ 4,288.00
Brachytherapy needle	\$ 204.00
Brachytherapy needle	\$ 296.00
Brachytherapy source, non-stranded, cesium-131, per source	\$ 556.00
Brachytherapy source, non-stranded, high dose rate iridium-192, per source	\$ 1,726.00
Brachytherapy source, non-stranded, iodine-125, per source	\$ 237.00
Brachytherapy source, non-stranded, palladium-103, per source	\$ 506.00
Brachytherapy source, non-stranded, yttrium-90, per source	\$ 166,359.39
Brachytherapy source, stranded, cesium-131, per source	\$ 764.00
Brachytherapy source, stranded, iodine-125, per source	\$ 184.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 3,265.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 2,420.00
BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, colon cancer, melanoma), gene analysis, V600 variant(s)	\$ 311.00
Brain imaging, less than 4 static views; with vascular flow	\$ 1,285.00
Brain imaging, minimum 4 static views; with vascular flow	\$ 1,193.00
Brain imaging, positron emission tomography (PET); metabolic evaluation	\$ 14,848.00
Brain imaging, positron emission tomography (PET); perfusion evaluation	\$ 14,848.00
Brain imaging, tomographic (SPECT)	\$ 4,387.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 54.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 9,790.00
BRCA1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	\$ 2,913.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; 185delAG, 5385insC, 6174delT variants	\$ 3,519.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants in BRCA1 (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 16,721.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and common duplication/deletion variants in BRCA1 (ie, exon 13 del 3.835kb, exon 13 dup 6kb, exon 14-20 del 26kb, exon 22 del 510bp, exon 8-9 del 7.1kb)	\$ 5,388.00
BRCA1, BRCA2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; uncommon duplication/deletion variants	\$ 4,219.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	\$ 54.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	\$ 11,691.00
BRCA2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	\$ 2,913.00
Breath hydrogen or methane test (eg, for detection of lactase deficiency, fructose intolerance, bacterial overgrowth, or oro-cecal gastrointestinal transit)	\$ 1,114.00
Breathing circuits	\$ 111.00
Breathing circuits	\$ 110.00
Breathing circuits	\$ 220.00
Breathing circuits	\$ 1,065.00
Bronchodilation responsiveness, spirometry as in 94010, pre- and post-bronchodilator administration	\$ 1,668.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; diagnostic, with cell washing, when performed (separate procedure)	\$ 3,876.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with bronchial alveolar lavage	\$ 4,193.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with bronchial or endobronchial biopsy(s), single or multiple sites	\$ 6,913.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with brushing or protected brushings	\$ 5,908.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with destruction of tumor or relief of stenosis by any method other than excision (eg, laser therapy, cryotherapy)	\$ 8,804.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with endobronchial ultrasound (EBUS) guided transtracheal and/or transbronchial sampling (eg, aspiration[s]/biopsy[ies]), 3 or more mediastinal and/or hilar lymph node stations or structures	\$ 3,537.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with endobronchial ultrasound (EBUS) guided transtracheal and/or transbronchial sampling (eg, aspiration[s]/biopsy[ies]), one or two mediastinal and/or hilar lymph node stations or structures	\$ 3,537.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with placement of catheter(s) for intracavitary radioelement application	\$ 3,754.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with removal of foreign body	\$ 6,196.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with therapeutic aspiration of tracheobronchial tree, initial	\$ 5,494.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with therapeutic aspiration of tracheobronchial tree, subsequent, same hospital stay	\$ 5,494.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transbronchial lung biopsy(s), each additional lobe (List separately in addition to code for primary procedure)	\$ 2,496.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transbronchial lung biopsy(s), single lobe	\$ 3,906.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transbronchial needle aspiration biopsy(s), each additional lobe (List separately in addition to code for primary procedure)	\$ 2,496.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transbronchial needle aspiration biopsy(s), trachea, main stem and/or lobar bronchus(i)	\$ 6,952.00
Bronchoscopy, rigid or flexible, including fluoroscopic guidance, when performed; with transendoscopic endobronchial ultrasound (EBUS) during bronchoscopic diagnostic or therapeutic intervention(s) for peripheral lesion(s) (List separately in addition to code for primary procedure[s])	\$ 3,537.00
Bronchospasm provocation evaluation, multiple spirometric determinations as in 94010, with administered agents (eg, antigen[s], cold air, methacholine)	\$ 9,046.00
Bundle of His recording	\$ 414.00
Cadmium	\$ 258.00
Caffeine	\$ 213.00
Calcitonin	\$ 342.00
Calcitonin	\$ 110.00
Calcium; total	\$ 32.00
Calcium; urine quantitative, timed specimen	\$ 108.00
Calcium; urine quantitative, timed specimen	\$ 95.00
Calcium; urine quantitative, timed specimen	\$ 89.00
Calculus; infrared spectroscopy	\$ 243.00
Caloric vestibular test with recording, bilateral; bithermal (ie, one warm and one cool irrigation in each ear for a total of four irrigations)	\$ 463.00
Caloric vestibular test with recording, bilateral; monothermal (ie, one irrigation in each ear for a total of two irrigations)	\$ 463.00
Calprotectin, fecal	\$ 796.00
CALR (calreticulin) (eg, myeloproliferative disorders), gene analysis, common variants in exon 9	\$ 1,588.00
Canalith repositioning procedure(s) (eg, Epley maneuver, Semont maneuver), per day	\$ 189.00
Cannulation, thoracic duct	\$ 1,415.00
Canthoplasty (reconstruction of canthus)	\$ 5,183.00
Canthotomy (separate procedure)	\$ 1,947.00
Carbamazepine; free	\$ 457.00
Carbamazepine; total	\$ 213.00
Carbamazepine; total	\$ 479.00
Carbon dioxide (bicarbonate)	\$ 32.00
Carbon dioxide, expired gas determination by infrared analyzer	\$ 376.00
Carboxyhemoglobin; quantitative	\$ 149.00
Carcinoembryonic antigen (CEA)	\$ 232.00
Cardiac blood pool imaging (planar), first pass technique; single study, at rest or with stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without quantification	\$ 2,837.00
Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without additional quantitative processing	\$ 3,218.00
Cardiac Cath Recovery Per Hr	\$ 1,214.00
Cardiac magnetic resonance imaging for morphology and function without contrast material	\$ 5,713.00
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences	\$ 7,976.00
Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences; with stress imaging	\$ 7,976.00
Cardiac magnetic resonance imaging for morphology and function without contrast material; with stress imaging	\$ 7,976.00
Cardiac magnetic resonance imaging for velocity flow mapping (List separately in addition to code for primary procedure)	\$ 392.00
Cardioassist-method of circulatory assist; internal	\$ 11,450.00
Cardiolipin (phospholipid) antibody, each Ig class	\$ 353.00
Cardiopulmonary exercise testing, including measurements of minute ventilation, CO2 production, O2 uptake, and electrocardiographic recordings	\$ 1,830.00
Cardiopulmonary resuscitation (eg, in cardiac arrest)	\$ 2,467.00
Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; tracing only, without interpretation and report	\$ 2,303.00
Cardioversion, elective, electrical conversion of arrhythmia; external	\$ 2,228.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 143,795.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Cardioverter-defibrillator, dual chamber (implantable)	\$ 100,514.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 105,864.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 112,543.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 85,879.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 88,508.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 99,139.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 96,299.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 80,824.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 96,608.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 108,322.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 83,621.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 88,613.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 68,164.00
Cardioverter-defibrillator, dual chamber (implantable)	\$ 116,553.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 193,552.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 142,290.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 131,879.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 134,803.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 139,231.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 120,310.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 123,140.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 130,127.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 126,408.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 129,248.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 140,301.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 132,335.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 130,580.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 138,191.00
Cardioverter-defibrillator, other than single or dual chamber (implantable)	\$ 167,061.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 288,327.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 99,447.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 123,317.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 79,398.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 93,333.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 107,002.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 95,113.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 82,377.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 79,536.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 59,257.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 91,338.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 97,194.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 157,854.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 64,767.00
Cardioverter-defibrillator, single chamber (implantable)	\$ 94,869.00
Carnitine (total and free), quantitative, each specimen	\$ 799.00
Carnitine (total and free), quantitative, each specimen	\$ 1,359.00
Carnitine (total and free), quantitative, each specimen	\$ 2,084.00
Carotene	\$ 116.00
Carrying, moving & handling objects functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Carrying, moving & handling objects functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Carrying, moving and handling objects, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Cast supplies, hip spica (one or both legs), adult (11 years +), fiberglass	\$ 499.00
Cast supplies, hip spica (one or both legs), adult (11 years +), plaster	\$ 193.00
Cast supplies, long arm cast, adult (11 years +), fiberglass	\$ 261.00
Cast supplies, long arm cast, adult (11 years +), plaster	\$ 82.00
Cast supplies, long arm cast, pediatric (0-10 years), fiberglass	\$ 184.00
Cast supplies, long arm cast, pediatric (0-10 years), plaster	\$ 72.00
Cast supplies, long arm splint, adult (11 years +), fiberglass	\$ 225.00
Cast supplies, long arm splint, adult (11 years +), plaster	\$ 82.00
Cast supplies, long arm splint, pediatric (0-10 years), fiberglass	\$ 184.00
Cast supplies, long arm splint, pediatric (0-10 years), plaster	\$ 72.00
Cast supplies, long leg cast, adult (11 years +), fiberglass	\$ 767.00
Cast supplies, long leg cast, adult (11 years +), plaster	\$ 405.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Cast supplies, long leg cast, pediatric (0-10 years), fiberglass	\$ 553.00
Cast supplies, long leg cast, pediatric (0-10 years), plaster	\$ 215.00
Cast supplies, long leg cylinder cast, adult (11 years +), fiberglass	\$ 694.00
Cast supplies, long leg cylinder cast, adult (11 years +), plaster	\$ 126.00
Cast supplies, long leg cylinder cast, pediatric (0-10 years), fiberglass	\$ 694.00
Cast supplies, long leg splint, adult (11 years +), fiberglass	\$ 537.00
Cast supplies, long leg splint, adult (11 years +), plaster	\$ 391.00
Cast supplies, long leg splint, pediatric (0-10 years), fiberglass	\$ 885.00
Cast supplies, long leg splint, pediatric (0-10 years), plaster	\$ 412.00
Cast supplies, short arm cast, adult (11 years +), fiberglass	\$ 219.00
Cast supplies, short arm cast, adult (11 years +), plaster	\$ 72.00
Cast supplies, short arm cast, pediatric (0-10 years), fiberglass	\$ 182.00
Cast supplies, short arm cast, pediatric (0-10 years), plaster	\$ 66.00
Cast supplies, short arm splint, adult (11 years +), fiberglass	\$ 219.00
Cast supplies, short arm splint, adult (11 years +), plaster	\$ 72.00
Cast supplies, short arm splint, pediatric (0-10 years), fiberglass	\$ 279.00
Cast supplies, short arm splint, pediatric (0-10 years), plaster	\$ 137.00
Cast supplies, short leg cast, adult (11 years +), fiberglass	\$ 630.00
Cast supplies, short leg cast, adult (11 years +), fiberglass	\$ 1,625.00
Cast supplies, short leg cast, adult (11 years +), plaster	\$ 170.00
Cast supplies, short leg cast, adult (11 years +), plaster	\$ 355.00
Cast supplies, short leg cast, pediatric (0-10 years), fiberglass	\$ 501.00
Cast supplies, short leg cast, pediatric (0-10 years), plaster	\$ 353.00
Cast supplies, short leg splint, adult (11 years +), fiberglass	\$ 501.00
Cast supplies, short leg splint, adult (11 years +), plaster	\$ 342.00
Cast supplies, short leg splint, pediatric (0-10 years), fiberglass	\$ 911.00
Cast supplies, short leg splint, pediatric (0-10 years), plaster	\$ 651.00
Catecholamines; fractionated	\$ 278.00
Catecholamines; fractionated	\$ 337.00
Catecholamines; fractionated	\$ 104.00
Catecholamines; fractionated	\$ 87.00
Catheter aspiration (separate procedure); nasotracheal	\$ 681.00
Catheter aspiration (separate procedure); tracheobronchial with fiberscope, bedside	\$ 1,242.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation	\$ 12,688.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) including intraprocedural injection(s) for bypass graft angiography	\$ 14,522.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) including intraprocedural injection(s) for bypass graft angiography and right heart catheterization	\$ 23,943.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed	\$ 23,104.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) with bypass graft angiography	\$ 24,939.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with right and left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed	\$ 28,087.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with right and left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) with bypass graft angiography	\$ 31,786.00
Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation; with right heart catheterization	\$ 22,109.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 7,534.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 7,581.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 5,516.00
Catheter, ablation, non-cardiac, endovascular (implantable)	\$ 5,340.00
Catheter, balloon dilatation, non-vascular	\$ 2,854.00
Catheter, balloon dilatation, non-vascular	\$ 1,687.00
Catheter, balloon dilatation, non-vascular	\$ 1,291.00
Catheter, balloon dilatation, non-vascular	\$ 2,580.00
Catheter, balloon dilatation, non-vascular	\$ 4,831.00
Catheter, balloon dilatation, non-vascular	\$ 3,095.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, balloon dilatation, non-vascular	\$ 3,041.00
Catheter, balloon dilatation, non-vascular	\$ 184.00
Catheter, balloon dilatation, non-vascular	\$ 2,403.00
Catheter, balloon dilatation, non-vascular	\$ 1,285.00
Catheter, balloon dilatation, non-vascular	\$ 6,220.00
Catheter, balloon dilatation, non-vascular	\$ 12,187.00
Catheter, balloon dilatation, non-vascular	\$ 1,623.00
Catheter, balloon dilatation, non-vascular	\$ 855.00
Catheter, balloon dilatation, non-vascular	\$ 1,590.00
Catheter, balloon dilatation, non-vascular	\$ 14,969.00
Catheter, balloon dilatation, non-vascular	\$ 3,752.00
Catheter, balloon dilatation, non-vascular	\$ 5,599.00
Catheter, balloon dilatation, non-vascular	\$ 2,264.00
Catheter, balloon dilatation, non-vascular	\$ 2,226.00
Catheter, balloon dilatation, non-vascular	\$ 2,270.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 1,633.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 630.00
Catheter, balloon tissue dissector, non-vascular (insertable)	\$ 1,914.00
Catheter, drainage	\$ 1,324.00
Catheter, drainage	\$ 1,407.00
Catheter, drainage	\$ 298.00
Catheter, drainage	\$ 857.00
Catheter, drainage	\$ 1,246.00
Catheter, drainage	\$ 1,758.00
Catheter, drainage	\$ 330.00
Catheter, drainage	\$ 196.00
Catheter, drainage	\$ 63.00
Catheter, drainage	\$ 117.00
Catheter, drainage	\$ 42.00
Catheter, drainage	\$ 2,326.00
Catheter, drainage	\$ 162.00
Catheter, drainage	\$ 169.00
Catheter, drainage	\$ 112.00
Catheter, drainage	\$ 194.00
Catheter, drainage	\$ 702.00
Catheter, drainage	\$ 1,188.00
Catheter, drainage	\$ 1,782.00
Catheter, drainage	\$ 2,830.00
Catheter, drainage	\$ 471.00
Catheter, drainage	\$ 2,263.00
Catheter, drainage	\$ 122.00
Catheter, drainage	\$ 737.00
Catheter, drainage	\$ 714.00
Catheter, drainage	\$ 364.00
Catheter, drainage	\$ 180.00
Catheter, drainage	\$ 4,287.00
Catheter, drainage	\$ 175.00
Catheter, drainage	\$ 124.00
Catheter, drainage	\$ 1,018.00
Catheter, drainage	\$ 824.00
Catheter, drainage	\$ 82.00
Catheter, drainage	\$ 121.00
Catheter, drainage	\$ 119.00
Catheter, drainage	\$ 807.00
Catheter, drainage	\$ 4,687.00
Catheter, drainage	\$ 414.00
Catheter, drainage	\$ 402.00
Catheter, drainage	\$ 842.00
Catheter, drainage	\$ 626.00
Catheter, drainage	\$ 146.00
Catheter, drainage	\$ 792.00
Catheter, drainage	\$ 657.00
Catheter, drainage	\$ 150.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, drainage	\$ 4,873.00
Catheter, drainage	\$ 564.00
Catheter, drainage	\$ 875.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (19 or fewer electrodes)	\$ 2,513.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (19 or fewer electrodes)	\$ 2,782.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (19 or fewer electrodes)	\$ 5,076.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (19 or fewer electrodes)	\$ 14,995.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (19 or fewer electrodes)	\$ 5,358.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (19 or fewer electrodes)	\$ 5,331.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (19 or fewer electrodes)	\$ 1,437.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (20 or more electrodes)	\$ 8,017.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (20 or more electrodes)	\$ 9,287.00
Catheter, electrophysiology, diagnostic, other than 3d mapping (20 or more electrodes)	\$ 11,807.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 10,295.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 13,031.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 7,406.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 2,560.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 7,835.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 4,779.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 43,632.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 267.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 10,492.00
Catheter, electrophysiology, diagnostic/ablation, 3d or vector mapping	\$ 7,191.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 3,905.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 14,264.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 11,453.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, cool-tip	\$ 19,928.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, other than cool-tip	\$ 15,813.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, other than cool-tip	\$ 41,689.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, other than cool-tip	\$ 18,240.00
Catheter, electrophysiology, diagnostic/ablation, other than 3d or vector mapping, other than cool-tip	\$ 10,858.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 8,259.00
Catheter, extravascular tissue ablation, any modality (insertable)	\$ 11,830.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,290.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,365.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 354.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 964.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,949.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,260.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,447.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,035.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,222.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 5,842.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 7,537.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 9,472.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 9,104.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 10,345.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 16,095.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,032.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 334.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 426.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 132.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 905.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,842.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,273.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,312.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,133.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,300.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 8,410.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 5,668.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,420.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 656.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,495.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, guiding (may include infusion/perfusion capability)	\$ 450.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 126.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,403.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,082.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,561.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 134.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 7,030.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,129.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 449.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 129.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,851.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 9,847.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 8,630.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 6,862.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 7,367.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 290.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,881.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 3,103.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 4,708.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 2,625.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 5,879.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 439.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 6,619.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 6,927.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 7,546.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 8,235.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 1,613.00
Catheter, guiding (may include infusion/perfusion capability)	\$ 884.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,323.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,879.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,209.00
Catheter, hemodialysis/peritoneal, long-term	\$ 17,277.00
Catheter, hemodialysis/peritoneal, long-term	\$ 7,745.00
Catheter, hemodialysis/peritoneal, long-term	\$ 3,832.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,808.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,637.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,694.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,062.00
Catheter, hemodialysis/peritoneal, long-term	\$ 1,862.00
Catheter, hemodialysis/peritoneal, long-term	\$ 2,913.00
Catheter, hemodialysis/peritoneal, long-term	\$ 4,003.00
Catheter, hemodialysis/peritoneal, long-term	\$ 5,070.00
Catheter, hemodialysis/peritoneal, short-term	\$ 2,339.00
Catheter, hemodialysis/peritoneal, short-term	\$ 279.00
Catheter, hemodialysis/peritoneal, short-term	\$ 298.00
Catheter, hemodialysis/peritoneal, short-term	\$ 316.00
Catheter, hemodialysis/peritoneal, short-term	\$ 723.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 64.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 171.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 100.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 187.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 927.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 396.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 519.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,364.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 534.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 944.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,447.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 246.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 443.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 743.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 728.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 577.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,592.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 295.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 482.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,049.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,345.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,595.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,716.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,919.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 133.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 112.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 99.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 219.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 225.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 298.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 548.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 666.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 512.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 787.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 851.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,110.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 817.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 977.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,027.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,047.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,181.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,268.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 110.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 433.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 329.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 223.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 333.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 313.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 3,174.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 91.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 764.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 945.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 593.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,235.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 3,182.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 4,042.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 901.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,525.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 1,625.00
Catheter, infusion, inserted peripherally, centrally or midline (other than hemodialysis)	\$ 17,713.00
Catheter, intracardiac echocardiography	\$ 15,436.00
Catheter, intracardiac echocardiography	\$ 10,369.00
Catheter, intracardiac echocardiography	\$ 18,026.00
Catheter, intraspinal	\$ 34,294.00
Catheter, intraspinal	\$ 6,993.00
Catheter, intraspinal	\$ 1,315.00
Catheter, intraspinal	\$ 584.00
Catheter, intraspinal	\$ 2,739.00
Catheter, intraspinal	\$ 4,786.00
Catheter, intraspinal	\$ 3,161.00
Catheter, intravascular ultrasound	\$ 3,229.00
Catheter, intravascular ultrasound	\$ 5,072.00
Catheter, intravascular ultrasound	\$ 5,908.00
Catheter, occlusion	\$ 13,059.00
Catheter, occlusion	\$ 10,989.00
Catheter, occlusion	\$ 8,235.00
Catheter, occlusion	\$ 10,427.00
Catheter, occlusion	\$ 12,372.00
Catheter, occlusion	\$ 5,727.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, occlusion	\$ 4,379.00
Catheter, occlusion	\$ 5,050.00
Catheter, occlusion	\$ 496.00
Catheter, occlusion	\$ 2,578.00
Catheter, occlusion	\$ 11,601.00
Catheter, suprapubic/cystoscopic	\$ 420.00
Catheter, suprapubic/cystoscopic	\$ 367.00
Catheter, suprapubic/cystoscopic	\$ 448.00
Catheter, thrombectomy/embolectomy	\$ 361.00
Catheter, thrombectomy/embolectomy	\$ 251.00
Catheter, thrombectomy/embolectomy	\$ 698.00
Catheter, thrombectomy/embolectomy	\$ 11,694.00
Catheter, thrombectomy/embolectomy	\$ 10,799.00
Catheter, thrombectomy/embolectomy	\$ 13,813.00
Catheter, thrombectomy/embolectomy	\$ 5,061.00
Catheter, thrombectomy/embolectomy	\$ 16,095.00
Catheter, thrombectomy/embolectomy	\$ 59,995.00
Catheter, thrombectomy/embolectomy	\$ 14,966.00
Catheter, thrombectomy/embolectomy	\$ 4,133.00
Catheter, thrombectomy/embolectomy	\$ 594.00
Catheter, thrombectomy/embolectomy	\$ 1,188.00
Catheter, thrombectomy/embolectomy	\$ 1,782.00
Catheter, thrombectomy/embolectomy	\$ 2,970.00
Catheter, thrombectomy/embolectomy	\$ 3,564.00
Catheter, thrombectomy/embolectomy	\$ 4,158.00
Catheter, thrombectomy/embolectomy	\$ 4,752.00
Catheter, thrombectomy/embolectomy	\$ 5,346.00
Catheter, thrombectomy/embolectomy	\$ 2,376.00
Catheter, thrombectomy/embolectomy	\$ 5,940.00
Catheter, thrombectomy/embolectomy	\$ 6,534.00
Catheter, thrombectomy/embolectomy	\$ 7,128.00
Catheter, thrombectomy/embolectomy	\$ 7,722.00
Catheter, thrombectomy/embolectomy	\$ 8,316.00
Catheter, thrombectomy/embolectomy	\$ 8,910.00
Catheter, thrombectomy/embolectomy	\$ 10,692.00
Catheter, thrombectomy/embolectomy	\$ 11,286.00
Catheter, thrombectomy/embolectomy	\$ 11,880.00
Catheter, thrombectomy/embolectomy	\$ 12,474.00
Catheter, thrombectomy/embolectomy	\$ 13,068.00
Catheter, thrombectomy/embolectomy	\$ 13,662.00
Catheter, thrombectomy/embolectomy	\$ 14,256.00
Catheter, thrombectomy/embolectomy	\$ 14,850.00
Catheter, thrombectomy/embolectomy	\$ 15,444.00
Catheter, thrombectomy/embolectomy	\$ 9,504.00
Catheter, thrombectomy/embolectomy	\$ 10,098.00
Catheter, thrombectomy/embolectomy	\$ 16,038.00
Catheter, thrombectomy/embolectomy	\$ 16,632.00
Catheter, thrombectomy/embolectomy	\$ 17,226.00
Catheter, thrombectomy/embolectomy	\$ 17,820.00
Catheter, thrombectomy/embolectomy	\$ 167.00
Catheter, thrombectomy/embolectomy	\$ 965.00
Catheter, thrombectomy/embolectomy	\$ 2,420.00
Catheter, thrombectomy/embolectomy	\$ 694.00
Catheter, thrombectomy/embolectomy	\$ 144.00
Catheter, thrombectomy/embolectomy	\$ 868.00
Catheter, thrombectomy/embolectomy	\$ 1,539.00
Catheter, thrombectomy/embolectomy	\$ 5,525.00
Catheter, thrombectomy/embolectomy	\$ 12,982.00
Catheter, thrombectomy/embolectomy	\$ 7,911.00
Catheter, thrombectomy/embolectomy	\$ 12,250.00
Catheter, thrombectomy/embolectomy	\$ 527.00
Catheter, thrombectomy/embolectomy	\$ 12,670.00
Catheter, thrombectomy/embolectomy	\$ 23,999.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 842.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 1,125.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,874.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 972.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 3,224.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,606.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 9,540.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,969.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,043.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 1,517.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 1,809.00
Catheter, transluminal angioplasty, non-laser (may include guidance, infusion/perfusion capability)	\$ 2,228.00
Catheter, transluminal atherectomy, directional	\$ 23,893.00
Catheter, transluminal atherectomy, directional	\$ 23,614.00
Catheter, transluminal atherectomy, rotational	\$ 20,785.00
Catheter, transluminal atherectomy, rotational	\$ 7,083.00
Catheter, ureteral	\$ 1,246.00
Catheter, ureteral	\$ 1,119.00
Catheter, ureteral	\$ 1,128.00
Catheter, ureteral	\$ 154.00
Catheter, ureteral	\$ 130.00
Catheter, ureteral	\$ 233.00
Catheter, ureteral	\$ 86.00
Catheter, ureteral	\$ 92.00
Catheter, ureteral	\$ 1,021.00
Catheter, ureteral	\$ 4,670.00
Catheter, ureteral	\$ 1,517.00
Catheter, ureteral	\$ 1,158.00
Catheterization and introduction of saline or contrast material for saline infusion sonohysterography (SIS) or hysterosalpingography	\$ 828.00
Catheterization for collection of specimen, single patient, all places of service	\$ 392.00
Cautery of cervix; cryocautery, initial or repeat	\$ 1,163.00
Cautery of cervix; electro or thermal	\$ 196.00
Cautery of cervix; laser ablation	\$ 4,426.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 101.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood	\$ 57.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count	\$ 841.00
Cell count, miscellaneous body fluids (eg, cerebrospinal fluid, joint fluid), except blood; with differential count	\$ 386.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 4,016.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 1,987.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood)	\$ 2,364.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood); physician interpretation and report, when required	\$ 1,987.00
Cell enumeration using immunologic selection and identification in fluid specimen (eg, circulating tumor cells in blood); physician interpretation and report, when required	\$ 2,364.00
Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, ATP)	\$ 949.00
Central motor evoked potential study (transcranial motor stimulation); in upper and lower limbs	\$ 1,839.00
Central motor evoked potential study (transcranial motor stimulation); lower limbs	\$ 806.00
Central motor evoked potential study (transcranial motor stimulation); upper limbs	\$ 775.00
Cerebrospinal fluid flow, imaging (not including introduction of material); cisternography	\$ 1,501.00
Cerebrospinal fluid flow, imaging (not including introduction of material); shunt evaluation	\$ 3,003.00
Cerebrospinal fluid leakage detection and localization	\$ 1,557.00
Ceruloplasmin	\$ 167.00
Ceruloplasmin	\$ 41.00
Cervical or vaginal cancer screening; pelvic and clinical breast examination	\$ 127.00
Cervical thoracic lumbar sacral orthosis, immobilizer, infant size, prefabricated, includes fitting and adjustment	\$ 1,077.00
Cervical, collar, semi-rigid thermoplastic foam, two-piece, prefabricated, off-the-shelf	\$ 243.00
Cervical, collar, semi-rigid thermoplastic foam, two-piece, prefabricated, off-the-shelf	\$ 859.00
Cervical, collar, semi-rigid thermoplastic foam, two-piece, prefabricated, off-the-shelf	\$ 1,010.00
Cervical, collar, semi-rigid, thermoplastic foam, two piece with thoracic extension, prefabricated, off-the-shelf	\$ 2,057.00
Cervical, collar, semi-rigid, thermoplastic foam, two piece with thoracic extension, prefabricated, off-the-shelf	\$ 1,985.00
Cervical, flexible, non-adjustable, prefabricated, off-the-shelf (foam collar)	\$ 31.00
Cervical, flexible, non-adjustable, prefabricated, off-the-shelf (foam collar)	\$ 203.00
Cervical, multiple post collar, occipital/mandibular supports, adjustable	\$ 897.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars (somi, guilford, taylor types)	\$ 1,092.00
Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars, and thoracic extension	\$ 1,148.00
Cervical, multiple post collar, occipital/mandibular supports, adjustable cervical bars, and thoracic extension	\$ 3,732.00
Cervical, semi-rigid, adjustable (plastic collar)	\$ 317.00
Cervical, semi-rigid, adjustable molded chin cup (plastic collar with mandibular/occipital piece)	\$ 251.00
Cervical, semi-rigid, wire frame occipital/mandibular support, prefabricated, off-the-shelf	\$ 610.00
Cervical, semi-rigid, wire frame occipital/mandibular support, prefabricated, off-the-shelf	\$ 858.00
Cervical-thoracic-lumbar-sacral orthosis (ctlso) (milwaukee), inclusive of furnishing initial orthosis, including model	\$ 5,381.00
Cervical-thoracic-lumbar-sacral-orthoses (ctlso), anterior-posterior-lateral control, molded to patient model, (minerva type)	\$ 14,000.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; common variants (eg, ACMG/ACOG guidelines)	\$ 635.00
CFTR (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence	\$ 3,025.00
Change of cystostomy tube; complicated	\$ 822.00
Change of cystostomy tube; complicated	\$ 772.00
Change of cystostomy tube; simple	\$ 681.00
Change of cystostomy tube; simple	\$ 639.00
Change of gastrostomy tube, percutaneous, without imaging or endoscopic guidance	\$ 1,364.00
Change of gastrostomy tube, percutaneous, without imaging or endoscopic guidance	\$ 1,281.00
Change of percutaneous tube or drainage catheter with contrast monitoring (eg, genitourinary system, abscess), radiological supervision and interpretation	\$ 1,970.00
Change of ureterostomy tube or externally accessible ureteral stent via ileal conduit	\$ 1,727.00
Changing & maintaining body position functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Changing & maintaining body position functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Changing & maintaining body position functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Chemical cauterization of granulation tissue (ie, proud flesh)	\$ 607.00
Chemical peel, facial; epidermal	\$ 1,080.00
Chemiluminescent assay	\$ 398.00
Chemiluminescent assay	\$ 376.00
Chemiluminescent assay	\$ 1,193.00
Chemodeneration of eccrine glands; both axillae	\$ 648.00
Chemodeneration of eccrine glands; other area(s) (eg, scalp, face, neck), per day	\$ 739.00
Chemodeneration of extraocular muscle	\$ 4,937.00
Chemodeneration of muscle(s); larynx, unilateral, percutaneous (eg, for spasmodic dysphonia), includes guidance by needle electromyography, when performed	\$ 4,937.00
Chemodeneration of muscle(s); muscle(s) innervated by facial nerve, unilateral (eg, for blepharospasm, hemifacial spasm)	\$ 2,115.00
Chemodeneration of muscle(s); muscle(s) innervated by facial, trigeminal, cervical spinal and accessory nerves, bilateral (eg, for chronic migraine)	\$ 1,051.00
Chemodeneration of muscle(s); neck muscle(s), excluding muscles of the larynx, unilateral (eg, for cervical dystonia, spasmodic torticollis)	\$ 4,937.00
Chemodeneration of one extremity; 1-4 muscle(s)	\$ 4,937.00
Chemodeneration of one extremity; 5 or more muscles	\$ 4,937.00
Chemodeneration of one extremity; each additional extremity, 1-4 muscle(s) (List separately in addition to code for primary procedure)	\$ 1,234.00
Chemodeneration of one extremity; each additional extremity, 5 or more muscles (List separately in addition to code for primary procedure)	\$ 1,234.00
Chemodeneration of parotid and submandibular salivary glands, bilateral	\$ 2,115.00
Chemodeneration of trunk muscle(s); 1-5 muscle(s)	\$ 4,937.00
Chemodeneration of trunk muscle(s); 6 or more muscles	\$ 4,937.00
Chemodeneration of trunk muscle(s); 6 or more muscles	\$ 6,172.00
Chemotherapy administration into the peritoneal cavity via indwelling port or catheter	\$ 2,477.00
Chemotherapy administration, into CNS (eg, intrathecal), requiring and including spinal puncture	\$ 1,127.00
Chemotherapy administration, intra-arterial; push technique	\$ 985.00
Chemotherapy administration, intravenous infusion technique; each additional hour (List separately in addition to code for primary procedure)	\$ 1,117.00
Chemotherapy administration, intravenous infusion technique; each additional sequential infusion (different substance/drug), up to 1 hour (List separately in addition to code for primary procedure)	\$ 1,182.00
Chemotherapy administration, intravenous infusion technique; initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump	\$ 1,166.00
Chemotherapy administration, intravenous infusion technique; up to 1 hour, single or initial substance/drug	\$ 1,355.00
Chemotherapy administration, subcutaneous or intramuscular; hormonal anti-neoplastic	\$ 596.00
Chemotherapy administration, subcutaneous or intramuscular; hormonal anti-neoplastic	\$ 560.00
Chemotherapy administration, subcutaneous or intramuscular; non-hormonal anti-neoplastic	\$ 596.00
Chemotherapy administration, subcutaneous or intramuscular; non-hormonal anti-neoplastic	\$ 591.00
Chemotherapy administration; intralesional, more than 7 lesions	\$ 3,078.00
Chemotherapy administration; intralesional, up to and including 7 lesions	\$ 3,062.00
Chemotherapy administration; intravenous, push technique, each additional substance/drug (List separately in addition to code for primary procedure)	\$ 723.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Chemotherapy administration; intravenous, push technique, single or initial substance/drug	\$ 775.00
Chemotherapy injection, subarachnoid or intraventricular via subcutaneous reservoir, single or multiple agents	\$ 588.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection	\$ 2,396.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; without cell selection	\$ 2,423.00
Chinstrap used with positive airway pressure device	\$ 26.00
Chloramphenicol	\$ 156.00
Chloride; blood	\$ 32.00
Chloride; other source	\$ 48.00
Chloride; other source	\$ 124.00
Chloride; urine	\$ 32.00
Chloride; urine	\$ 78.00
Chlorinated hydrocarbons, screen	\$ 487.00
Cholangiography and/or pancreatography; additional set intraoperative, radiological supervision and interpretation (List separately in addition to code for primary procedure)	\$ 456.00
Cholangiography and/or pancreatography; intraoperative, radiological supervision and interpretation	\$ 801.00
Cholecystostomy, percutaneous, complete procedure, including imaging guidance, catheter placement, cholecystogram when performed, and radiological supervision and interpretation	\$ 3,006.00
Cholera vaccine, live, adult dosage, 1 dose schedule, for oral use	\$ 2,567.70
Cholesterol, serum or whole blood, total	\$ 32.00
Cholesterol, serum or whole blood, total	\$ 74.00
Cholinesterase inhibitor challenge test for myasthenia gravis	\$ 523.00
Cholinesterase; RBC	\$ 217.00
Cholinesterase; serum	\$ 172.00
Cholinesterase; serum	\$ 105.00
Chorionic villus sampling, any method	\$ 2,532.00
Chromium	\$ 192.00
Chromosome analysis for breakage syndromes; score 100 cells, clastogen stress (eg, diepoxybutane, mitomycin C, ionizing radiation, UV radiation)	\$ 1,334.00
Chromosome analysis, amniotic fluid or chorionic villus, count 15 cells, 1 karyotype, with banding	\$ 2,106.00
Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	\$ 1,929.00
Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	\$ 1,127.00
Chromosome analysis, in situ for amniotic fluid cells, count cells from 6-12 colonies, 1 karyotype, with banding	\$ 841.00
Chromosome analysis; additional high resolution study	\$ 461.00
Chromosome analysis; additional karyotypes, each study	\$ 356.00
Chromosome analysis; additional karyotypes, each study	\$ 251.00
Chromosome analysis; additional karyotypes, each study	\$ 216.00
Chromosome analysis; additional karyotypes, each study	\$ 303.00
Chromosome analysis; additional karyotypes, each study	\$ 168.00
Chromosome analysis; analyze 20-25 cells	\$ 1,227.00
Chromosome analysis; analyze 20-25 cells	\$ 1,461.00
Chromosome analysis; analyze 20-25 cells	\$ 1,451.00
Chromosome analysis; analyze 20-25 cells	\$ 1,326.00
Chromosome analysis; analyze 20-25 cells	\$ 1,157.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 2,856.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 1,530.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 557.00
Chromosome analysis; count 15-20 cells, 2 karyotypes, with banding	\$ 979.00
Chromosome analysis; count 45 cells for mosaicism, 2 karyotypes, with banding	\$ 1,451.00
Ciliary body destruction; diathermy	\$ 740.00
Circadian respiratory pattern recording (pediatric pneumogram), 12-24 hour continuous recording, infant	\$ 1,260.00
Circumcision, using clamp or other device with regional dorsal penile or ring block	\$ 4,173.00
Circumcision, using clamp or other device with regional dorsal penile or ring block	\$ 3,918.00
Citrate	\$ 200.00
Citrate	\$ 188.00
Citrate	\$ 166.00
Clinical Trial: Closer Vss	\$ 1.00
Clinical Trial: Corevalve Aortic Rplc	\$ 129,995.00
Clinical Trial: Tigerpaw System li	\$ 1.00
Closed treatment of acetabulum (hip socket) fracture(s); without manipulation	\$ 1,406.00
Closed treatment of acromioclavicular dislocation; without manipulation	\$ 1,242.00
Closed treatment of ankle dislocation; requiring anesthesia, with or without percutaneous skeletal fixation	\$ 1,750.00
Closed treatment of ankle dislocation; without anesthesia	\$ 2,113.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Closed treatment of articular fracture, involving metacarpophalangeal or interphalangeal joint; with manipulation, each	\$ 1,196.00
Closed treatment of articular fracture, involving metacarpophalangeal or interphalangeal joint; without manipulation, each	\$ 1,004.00
Closed treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli or medial and posterior malleoli); with manipulation	\$ 2,673.00
Closed treatment of bimalleolar ankle fracture (eg, lateral and medial malleoli, or lateral and posterior malleoli or medial and posterior malleoli); without manipulation	\$ 2,057.00
Closed treatment of calcaneal fracture; with manipulation	\$ 1,302.00
Closed treatment of calcaneal fracture; without manipulation	\$ 1,037.00
Closed treatment of carpal bone fracture (excluding carpal scaphoid [navicular]); with manipulation, each bone	\$ 2,000.00
Closed treatment of carpal bone fracture (excluding carpal scaphoid [navicular]); without manipulation, each bone	\$ 1,730.00
Closed treatment of carpal scaphoid (navicular) fracture; with manipulation	\$ 2,414.00
Closed treatment of carpal scaphoid (navicular) fracture; without manipulation	\$ 2,090.00
Closed treatment of carpometacarpal dislocation, other than thumb, with manipulation, each joint; without anesthesia	\$ 1,004.00
Closed treatment of carpometacarpal dislocation, thumb, with manipulation	\$ 1,004.00
Closed treatment of carpometacarpal fracture dislocation, thumb (Bennett fracture), with manipulation	\$ 1,205.00
Closed treatment of clavicular fracture; with manipulation	\$ 1,814.00
Closed treatment of clavicular fracture; without manipulation	\$ 1,553.00
Closed treatment of coccygeal fracture	\$ 2,199.00
Closed treatment of distal extensor tendon insertion, with or without percutaneous pinning (eg, mallet finger)	\$ 1,828.00
Closed treatment of distal femoral epiphyseal separation; without manipulation	\$ 1,859.00
Closed treatment of distal fibular fracture (lateral malleolus); with manipulation	\$ 1,938.00
Closed treatment of distal fibular fracture (lateral malleolus); without manipulation	\$ 1,639.00
Closed treatment of distal phalangeal fracture, finger or thumb; with manipulation, each	\$ 1,371.00
Closed treatment of distal phalangeal fracture, finger or thumb; without manipulation, each	\$ 1,205.00
Closed treatment of distal radial fracture (eg, Colles or Smith type) or epiphyseal separation, includes closed treatment of fracture of ulnar styloid, when performed; with manipulation	\$ 2,604.00
Closed treatment of distal radial fracture (eg, Colles or Smith type) or epiphyseal separation, includes closed treatment of fracture of ulnar styloid, when performed; without manipulation	\$ 2,330.00
Closed treatment of distal radioulnar dislocation with manipulation	\$ 1,451.00
Closed treatment of femoral fracture, distal end, medial or lateral condyle, with manipulation	\$ 2,058.00
Closed treatment of femoral fracture, distal end, medial or lateral condyle, without manipulation	\$ 2,231.00
Closed treatment of femoral fracture, proximal end, head; with manipulation	\$ 4,815.00
Closed treatment of femoral fracture, proximal end, head; without manipulation	\$ 3,836.00
Closed treatment of femoral fracture, proximal end, neck; with manipulation, with or without skeletal traction	\$ 911.00
Closed treatment of femoral fracture, proximal end, neck; without manipulation	\$ 1,469.00
Closed treatment of femoral shaft fracture, with manipulation, with or without skin or skeletal traction	\$ 1,491.00
Closed treatment of femoral shaft fracture, without manipulation	\$ 2,231.00
Closed treatment of fracture great toe, phalanx or phalanges; with manipulation	\$ 1,298.00
Closed treatment of fracture great toe, phalanx or phalanges; without manipulation	\$ 1,037.00
Closed treatment of fracture of weight bearing articular portion of distal tibia (eg, pilon or tibial plafond), with or without anesthesia; with skeletal traction and/or requiring manipulation	\$ 6,461.00
Closed treatment of fracture of weight bearing articular portion of distal tibia (eg, pilon or tibial plafond), with or without anesthesia; without manipulation	\$ 1,469.00
Closed treatment of fracture, phalanx or phalanges, other than great toe; with manipulation, each	\$ 1,298.00
Closed treatment of fracture, phalanx or phalanges, other than great toe; without manipulation, each	\$ 1,037.00
Closed treatment of greater humeral tuberosity fracture; with manipulation	\$ 2,158.00
Closed treatment of greater humeral tuberosity fracture; without manipulation	\$ 1,966.00
Closed treatment of greater trochanteric fracture, without manipulation	\$ 1,406.00
Closed treatment of hip dislocation, traumatic; without anesthesia	\$ 1,481.00
Closed treatment of humeral condylar fracture, medial or lateral; with manipulation	\$ 2,158.00
Closed treatment of humeral condylar fracture, medial or lateral; without manipulation	\$ 1,966.00
Closed treatment of humeral epicondylar fracture, medial or lateral; with manipulation	\$ 2,158.00
Closed treatment of humeral epicondylar fracture, medial or lateral; without manipulation	\$ 1,966.00
Closed treatment of humeral shaft fracture; with manipulation, with or without skeletal traction	\$ 2,902.00
Closed treatment of humeral shaft fracture; without manipulation	\$ 2,363.00
Closed treatment of intercondylar spine(s) and/or tuberosity fracture(s) of knee, with or without manipulation	\$ 2,058.00
Closed treatment of interphalangeal joint dislocation, single, with manipulation; requiring anesthesia	\$ 5,130.00
Closed treatment of interphalangeal joint dislocation, single, with manipulation; without anesthesia	\$ 1,202.00
Closed treatment of interphalangeal joint dislocation; without anesthesia	\$ 1,037.00
Closed treatment of knee dislocation; without anesthesia	\$ 1,859.00
Closed treatment of lunate dislocation, with manipulation	\$ 2,000.00
Closed treatment of mandibular fracture with interdental fixation	\$ 6,409.00
Closed treatment of mandibular or maxillary alveolar ridge fracture (separate procedure)	\$ 5,127.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Closed treatment of medial malleolus fracture; with manipulation, with or without skin or skeletal traction	\$ 1,758.00
Closed treatment of medial malleolus fracture; without manipulation	\$ 1,639.00
Closed treatment of metacarpal fracture, single; with manipulation, each bone	\$ 1,371.00
Closed treatment of metacarpal fracture, single; without manipulation, each bone	\$ 1,205.00
Closed treatment of metacarpophalangeal dislocation, single, with manipulation; without anesthesia	\$ 1,004.00
Closed treatment of metatarsal fracture; with manipulation, each	\$ 1,576.00
Closed treatment of metatarsal fracture; without manipulation, each	\$ 1,256.00
Closed treatment of metatarsophalangeal joint dislocation; without anesthesia	\$ 1,037.00
Closed treatment of Monteggia type of fracture dislocation at elbow (fracture proximal end of ulna with dislocation of radial head), with manipulation	\$ 1,005.00
Closed treatment of nasal bone fracture without manipulation	\$ 1,566.00
Closed treatment of nasal bone fracture; with stabilization	\$ 3,084.00
Closed treatment of nasal bone fracture; without stabilization	\$ 2,379.00
Closed treatment of nasal septal fracture, with or without stabilization	\$ 1,693.00
Closed treatment of patellar dislocation; without anesthesia	\$ 1,859.00
Closed treatment of patellar fracture, without manipulation	\$ 2,231.00
Closed treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb; with manipulation, with or without skin or skeletal traction, each	\$ 1,371.00
Closed treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb; without manipulation, each	\$ 1,205.00
Closed treatment of post hip arthroplasty dislocation; requiring regional or general anesthesia	\$ 2,382.00
Closed treatment of post hip arthroplasty dislocation; without anesthesia	\$ 2,579.00
Closed treatment of posterior malleolus fracture; with manipulation	\$ 4,845.00
Closed treatment of posterior malleolus fracture; without manipulation	\$ 3,755.00
Closed treatment of posterior pelvic ring fracture(s), dislocation(s), diastasis or subluxation of the ilium, sacroiliac joint, and/or sacrum, with or without anterior pelvic ring fracture(s) and/or dislocation(s) of the pubic symphysis and/or superior/inferior rami, unilateral or bilateral; without manipulation	\$ 1,279.00
Closed treatment of proximal fibula or shaft fracture; with manipulation	\$ 2,113.00
Closed treatment of proximal fibula or shaft fracture; without manipulation	\$ 1,772.00
Closed treatment of proximal humeral (surgical or anatomical neck) fracture; with manipulation, with or without skeletal traction	\$ 2,320.00
Closed treatment of proximal humeral (surgical or anatomical neck) fracture; without manipulation	\$ 1,980.00
Closed treatment of radial and ulnar shaft fractures; with manipulation	\$ 2,467.00
Closed treatment of radial and ulnar shaft fractures; without manipulation	\$ 2,011.00
Closed treatment of radial head or neck fracture; with manipulation	\$ 2,296.00
Closed treatment of radial head or neck fracture; without manipulation	\$ 2,100.00
Closed treatment of radial head subluxation in child, nursemaid elbow, with manipulation	\$ 2,349.00
Closed treatment of radial shaft fracture and closed treatment of dislocation of distal radioulnar joint (Galeazzi fracture/dislocation)	\$ 2,142.00
Closed treatment of radial shaft fracture; with manipulation	\$ 2,256.00
Closed treatment of radial shaft fracture; without manipulation	\$ 2,012.00
Closed treatment of scapular fracture; with manipulation, with or without skeletal traction (with or without shoulder joint involvement)	\$ 1,526.00
Closed treatment of scapular fracture; without manipulation	\$ 1,526.00
Closed treatment of shoulder dislocation, with fracture of greater humeral tuberosity, with manipulation	\$ 1,956.00
Closed treatment of shoulder dislocation, with manipulation; requiring anesthesia	\$ 11,724.00
Closed treatment of shoulder dislocation, with manipulation; without anesthesia	\$ 2,087.00
Closed treatment of sternoclavicular dislocation; with manipulation	\$ 1,351.00
Closed treatment of sternum fracture	\$ 779.00
Closed treatment of supracondylar or transcondylar femoral fracture with or without intercondylar extension, without manipulation	\$ 2,231.00
Closed treatment of supracondylar or transcondylar humeral fracture, with or without intercondylar extension; with manipulation, with or without skin or skeletal traction	\$ 2,739.00
Closed treatment of supracondylar or transcondylar humeral fracture, with or without intercondylar extension; without manipulation	\$ 2,354.00
Closed treatment of talotarsal joint dislocation; without anesthesia	\$ 1,037.00
Closed treatment of talus fracture; with manipulation	\$ 1,235.00
Closed treatment of talus fracture; without manipulation	\$ 989.00
Closed treatment of tarsal bone dislocation, other than talotarsal; without anesthesia	\$ 1,037.00
Closed treatment of tarsometatarsal joint dislocation; without anesthesia	\$ 1,037.00
Closed treatment of temporomandibular dislocation; initial or subsequent	\$ 333.00
Closed treatment of tibial fracture, proximal (plateau); with or without manipulation, with skeletal traction	\$ 2,231.00
Closed treatment of tibial fracture, proximal (plateau); without manipulation	\$ 1,859.00
Closed treatment of tibial shaft fracture (with or without fibular fracture); with manipulation, with or without skeletal traction	\$ 1,877.00
Closed treatment of tibial shaft fracture (with or without fibular fracture); without manipulation	\$ 1,639.00
Closed treatment of trans-scaphoperilunar type of fracture dislocation, with manipulation	\$ 1,725.00
Closed treatment of trimalleolar ankle fracture; with manipulation	\$ 1,866.00
Closed treatment of trimalleolar ankle fracture; without manipulation	\$ 1,458.00
Closed treatment of ulnar fracture, proximal end (eg, olecranon or coronoid process[es]); with manipulation	\$ 2,569.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Closed treatment of ulnar fracture, proximal end (eg, olecranon or coronoid process[es]); without manipulation	\$ 2,371.00
Closed treatment of ulnar shaft fracture; with manipulation	\$ 2,330.00
Closed treatment of ulnar shaft fracture; without manipulation	\$ 2,090.00
Closed treatment of ulnar styloid fracture	\$ 1,730.00
Closed treatment of vertebral body fracture(s), without manipulation, requiring and including casting or bracing	\$ 783.00
Closed treatment of vertebral fracture(s) and/or dislocation(s) requiring casting or bracing, with and including casting and/or bracing by manipulation or traction	\$ 843.00
Closure device, vascular (implantable/insertable)	\$ 4,942.00
Closure device, vascular (implantable/insertable)	\$ 3,286.00
Closure device, vascular (implantable/insertable)	\$ 3,093.00
Closure device, vascular (implantable/insertable)	\$ 2,846.00
Closure device, vascular (implantable/insertable)	\$ 1,636.00
Closure device, vascular (implantable/insertable)	\$ 1,472.00
Closure device, vascular (implantable/insertable)	\$ 2,575.00
Closure device, vascular (implantable/insertable)	\$ 2,423.00
Closure device, vascular (implantable/insertable)	\$ 1,152.00
Closure device, vascular (implantable/insertable)	\$ 38,462.00
Closure device, vascular (implantable/insertable)	\$ 1,547.00
Closure device, vascular (implantable/insertable)	\$ 1,622.00
Closure device, vascular (implantable/insertable)	\$ 1,879.00
Closure device, vascular (implantable/insertable)	\$ 2,340.00
Closure device, vascular (implantable/insertable)	\$ 1,439.00
Closure device, vascular (implantable/insertable)	\$ 2,116.00
Closure device, vascular (implantable/insertable)	\$ 1,656.00
Closure of laceration, vestibule of mouth; 2.5 cm or less	\$ 843.00
Closure of laceration, vestibule of mouth; over 2.5 cm or complex	\$ 397.00
Closure of the lacrimal punctum; by plug, each	\$ 785.00
Closure of the lacrimal punctum; by thermocauterization, ligation, or laser surgery	\$ 4,736.00
Clotting inhibitors or anticoagulants; antithrombin III, activity	\$ 291.00
Clotting inhibitors or anticoagulants; protein C, activity	\$ 291.00
Clotting inhibitors or anticoagulants; protein C, antigen	\$ 296.00
Clotting inhibitors or anticoagulants; protein S, free	\$ 264.00
Clotting inhibitors or anticoagulants; protein S, free	\$ 557.00
Clotting inhibitors or anticoagulants; protein S, total	\$ 239.00
Clotting; factor II, prothrombin, specific	\$ 273.00
Clotting; factor IX (PTC or Christmas)	\$ 318.00
Clotting; factor V (AcG or proaccelerin), labile factor	\$ 273.00
Clotting; factor VII (proconvertin, stable factor)	\$ 275.00
Clotting; factor VIII (AHG), 1-stage	\$ 275.00
Clotting; factor VIII (AHG), 1-stage	\$ 740.00
Clotting; factor VIII, von Willebrand factor, multimeric analysis	\$ 561.00
Clotting; factor VIII, von Willebrand factor, multimeric analysis	\$ 740.00
Clotting; factor VIII, VW factor antigen	\$ 341.00
Clotting; factor VIII, VW factor antigen	\$ 1,152.00
Clotting; factor VIII, VW factor antigen	\$ 740.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 341.00
Clotting; factor VIII, VW factor, ristocetin cofactor	\$ 740.00
Clotting; factor X (Stuart-Prower)	\$ 318.00
Clotting; factor XI (PTA)	\$ 318.00
Clotting; factor XII (Hageman)	\$ 318.00
Clotting; factor XIII (fibrin stabilizing), screen solubility	\$ 318.00
Clozapine	\$ 56.00
Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte	\$ 906.00
Coagulation and fibrinolysis, functional activity, not otherwise specified (eg, ADAMTS-13), each analyte	\$ 1,226.00
Coagulation time; activated	\$ 104.00
Coagulation time; activated	\$ 125.00
Coagulation time; activated	\$ 171.00
Cold agglutinin; titer	\$ 130.00
Collagen cross links, any method	\$ 783.00
Collagen cross links, any method	\$ 122.00
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 959.00
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 1,930.00
Collagen matrix nerve wrap (neuromend collagen nerve wrap), per 0.5 centimeter length	\$ 1,048.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Collection of blood specimen from a completely implantable venous access device	\$ 316.00
Collection of blood specimen using established central or peripheral catheter, venous, not otherwise specified	\$ 581.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 32.00
Collection of capillary blood specimen (eg, finger, heel, ear stick)	\$ 38.00
Collection of venous blood by venipuncture	\$ 18.00
Collection of venous blood by venipuncture	\$ 17.00
Colonoscopy through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 4,993.00
Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre-and post-dilation and guide wire passage, when performed)	\$ 1,940.00
Colonoscopy through stoma; with biopsy, single or multiple	\$ 4,993.00
Colonoscopy through stoma; with control of bleeding, any method	\$ 6,130.00
Colonoscopy through stoma; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed	\$ 4,993.00
Colonoscopy through stoma; with endoscopic ultrasound examination, limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures	\$ 4,993.00
Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps	\$ 2,299.00
Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 4,993.00
Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 4,993.00
Colonoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)	\$ 4,993.00
Colonoscopy, flexible; with band ligation(s) (eg, hemorrhoids)	\$ 4,993.00
Colonoscopy, flexible; with biopsy, single or multiple	\$ 4,993.00
Colonoscopy, flexible; with control of bleeding, any method	\$ 4,993.00
Colonoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed	\$ 4,993.00
Colonoscopy, flexible; with directed submucosal injection(s), any substance	\$ 5,334.00
Colonoscopy, flexible; with endoscopic mucosal resection	\$ 4,993.00
Colonoscopy, flexible; with endoscopic stent placement (includes pre- and post-dilation and guide wire passage, when performed)	\$ 4,993.00
Colonoscopy, flexible; with endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures	\$ 4,993.00
Colonoscopy, flexible; with removal of foreign body(s)	\$ 4,993.00
Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps	\$ 7,487.00
Colonoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 4,993.00
Colonoscopy, flexible; with transendoscopic balloon dilation	\$ 5,334.00
Colorectal cancer screening; colonoscopy on individual at high risk	\$ 3,207.00
Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk	\$ 3,207.00
Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 simultaneous	\$ 116.00
Colorectal cancer screening; flexible sigmoidoscopy	\$ 2,189.00
Colpocentesis (separate procedure)	\$ 879.00
Colporrhaphy, suture of injury of vagina (nonobstetrical)	\$ 1,208.00
Colposcopy of the cervix including upper/adjacent vagina	\$ 1,302.00
Colposcopy of the cervix including upper/adjacent vagina; with biopsy(s) of the cervix	\$ 1,409.00
Colposcopy of the cervix including upper/adjacent vagina; with biopsy(s) of the cervix and endocervical curettage	\$ 1,336.00
Colposcopy of the cervix including upper/adjacent vagina; with endocervical curettage	\$ 1,409.00
Colposcopy of the cervix including upper/adjacent vagina; with loop electrode biopsy(s) of the cervix	\$ 5,655.00
Colposcopy of the cervix including upper/adjacent vagina; with loop electrode conization of the cervix	\$ 4,409.00
Colposcopy of the entire vagina, with cervix if present	\$ 1,233.00
Colposcopy of the entire vagina, with cervix if present; with biopsy(s) of vagina/cervix	\$ 1,267.00
Colposcopy of the vulva	\$ 1,409.00
Colposcopy of the vulva; with biopsy(s)	\$ 1,436.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 293.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 824.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 710.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 814.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 318.00
Column chromatography, includes mass spectrometry, if performed (eg, HPLC, LC, LC/MS, LC/MS-MS, GC, GC/MS-MS, GC/MS, HPLC/MS), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 122.00
Combination oral/nasal mask, used with continuous positive airway pressure device, each	\$ 306.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Combined endoscopic catheterization of the biliary and pancreatic ductal systems, radiological supervision and interpretation	\$ 2,174.00
Combined right and left heart catheterization including intraprocedural injection(s) for left ventriculography, imaging supervision and interpretation, when performed	\$ 25,152.00
Community/work reintegration training (eg, shopping, transportation, money management, avocational activities and/or work environment/modification analysis, work task analysis, use of assistive technology device/adaptive equipment), direct one-on-one contact, each 15 minutes	\$ 108.00
Companion Service: Main2 Scu	\$ 470.00
Companion Service: Ms6E	\$ 470.00
Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)	\$ 5,068.00
Comparative analysis using Short Tandem Repeat (STR) markers; patient and comparative specimen (eg, pre-transplant recipient and donor germline testing, post-transplant non-hematopoietic recipient germline [eg, buccal swab or other germline tissue sample] and donor testing, twin zygosity testing, or maternal cell contamination of fetal cells)	\$ 3,829.00
Compatibility test each unit; antiglobulin technique	\$ 244.00
Compatibility test each unit; electronic	\$ 183.00
Compatibility test each unit; immediate spin technique	\$ 229.00
Complement; antigen, each component	\$ 235.00
Complement; antigen, each component	\$ 192.00
Complement; antigen, each component	\$ 188.00
Complement; antigen, each component	\$ 1,326.00
Complement; functional activity, each component	\$ 270.00
Complement; functional activity, each component	\$ 936.00
Complement; total hemolytic (CH50)	\$ 89.00
Complete bilateral noninvasive physiologic studies of upper or lower extremity arteries, 3 or more levels (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental blood pressure measurements with bidirectional Doppler waveform recording and analysis, at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental volume plethysmography at 3 or more levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus segmental transcutaneous oxygen tension measurements at 3 or more levels), or single level study with provocative functional maneuvers (eg, measurements with postural provocative tests, or measurements with reactive hyperemia)	\$ 1,782.00
Complete Contact Solution	\$ 6.00
Complex cystometrogram (ie, calibrated electronic equipment)	\$ 1,668.00
Complex cystometrogram (ie, calibrated electronic equipment)	\$ 1,566.00
Complex cystometrogram (ie, calibrated electronic equipment); with urethral pressure profile studies (ie, urethral closure pressure profile), any technique	\$ 1,577.00
Complex cystometrogram (ie, calibrated electronic equipment); with voiding pressure studies (ie, bladder voiding pressure) and urethral pressure profile studies (ie, urethral closure pressure profile), any technique	\$ 1,577.00
Complex cystometrogram (ie, calibrated electronic equipment); with voiding pressure studies (ie, bladder voiding pressure), any technique	\$ 1,577.00
Complex dynamic pharyngeal and speech evaluation by cine or video recording	\$ 1,263.00
Complex uroflowmetry (eg, calibrated electronic equipment)	\$ 551.00
Complex uroflowmetry (eg, calibrated electronic equipment)	\$ 517.00
Compounded drug, not otherwise classified	\$ 24.00
Compounded drug, not otherwise classified	\$ 53.00
Compounded drug, not otherwise classified	\$ 21.00
Compounded drug, not otherwise classified	\$ 35.00
Compounded drug, not otherwise classified	\$ 1,065.00
Compounded drug, not otherwise classified	\$ 51.00
Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined)	\$ 355.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of an arrhythmia with right atrial pacing and recording, right ventricular pacing and recording (when necessary), and His bundle recording (when necessary) with intracardiac catheter ablation of arrhythmogenic focus; with treatment of supraventricular tachycardia by ablation of fast or slow atrioventricular pathway, accessory atrioventricular connection, cavo-tricuspid isthmus or other single atrial focus or source of atrial re-entry	\$ 66,182.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of an arrhythmia with right atrial pacing and recording, right ventricular pacing and recording (when necessary), and His bundle recording (when necessary) with intracardiac catheter ablation of arrhythmogenic focus; with treatment of ventricular tachycardia or focus of ventricular ectopy including intracardiac electrophysiologic 3D mapping, when performed, and left ventricular pacing and recording, when performed	\$ 65,540.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of arrhythmia; with left atrial pacing and recording from coronary sinus or left atrium (List separately in addition to code for primary procedure)	\$ 17,725.00
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of arrhythmia; with left ventricular pacing and recording (List separately in addition to code for primary procedure)	\$ 5,425.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Comprehensive electrophysiologic evaluation including insertion and repositioning of multiple electrode catheters with induction or attempted induction of arrhythmia; with right atrial pacing and recording, right ventricular pacing and recording, His bundle recording	\$ 35,757.00
Comprehensive electrophysiologic evaluation including transeptal catheterizations, insertion and repositioning of multiple electrode catheters with induction or attempted induction of an arrhythmia including left or right atrial pacing/recording when necessary, right ventricular pacing/recording when necessary, and His bundle recording when necessary with intracardiac catheter ablation of atrial fibrillation by pulmonary vein isolation	\$ 68,880.00
Comprehensive electrophysiologic evaluation with right atrial pacing and recording, right ventricular pacing and recording, His bundle recording, including insertion and repositioning of multiple electrode catheters, without induction or attempted induction of arrhythmia	\$ 25,082.00
Comprehensive metabolic panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline (84075) Potassium (84132) Protein, total (84155) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450) Urea nitrogen (BUN) (84520)	\$ 460.00
Computed tomographic (CT) colonography, diagnostic, including image postprocessing; with contrast material(s) including non-contrast images, if performed	\$ 1,817.00
Computed tomographic (CT) colonography, diagnostic, including image postprocessing; without contrast material	\$ 2,057.00
Computed tomographic (CT) colonography, screening, including image postprocessing	\$ 562.00
Computed tomographic angiography, abdomen and pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 8,529.00
Computed tomographic angiography, abdomen, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,835.00
Computed tomographic angiography, abdominal aorta and bilateral iliofemoral lower extremity runoff, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 5,319.00
Computed tomographic angiography, chest (noncoronary), with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 5,036.00
Computed tomographic angiography, head, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,811.00
Computed tomographic angiography, heart, coronary arteries and bypass grafts (when present), with contrast material, including 3D image postprocessing (including evaluation of cardiac structure and morphology, assessment of cardiac function, and evaluation of venous structures, if performed)	\$ 4,814.00
Computed tomographic angiography, lower extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,560.00
Computed tomographic angiography, neck, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 4,666.00
Computed tomographic angiography, pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 5,277.00
Computed tomographic angiography, upper extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing	\$ 3,718.00
Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision and interpretation	\$ 3,661.00
Computed tomography guidance for placement of radiation therapy fields	\$ 4,447.00
Computed tomography guidance for stereotactic localization	\$ 2,246.00
Computed tomography guidance for, and monitoring of, parenchymal tissue ablation	\$ 2,625.00
Computed tomography, abdomen and pelvis; with contrast material(s)	\$ 7,653.00
Computed tomography, abdomen and pelvis; without contrast material	\$ 6,224.00
Computed tomography, abdomen and pelvis; without contrast material in one or both body regions, followed by contrast material(s) and further sections in one or both body regions	\$ 9,345.00
Computed tomography, abdomen; with contrast material(s)	\$ 4,673.00
Computed tomography, abdomen; without contrast material	\$ 3,840.00
Computed tomography, abdomen; without contrast material, followed by contrast material(s) and further sections	\$ 5,509.00
Computed tomography, cervical spine; with contrast material	\$ 2,468.00
Computed tomography, cervical spine; without contrast material	\$ 2,354.00
Computed tomography, cervical spine; without contrast material, followed by contrast material(s) and further sections	\$ 2,681.00
Computed tomography, head or brain; with contrast material(s)	\$ 3,637.00
Computed tomography, head or brain; without contrast material	\$ 2,874.00
Computed tomography, head or brain; without contrast material, followed by contrast material(s) and further sections	\$ 4,093.00
Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology (including 3D image postprocessing, assessment of cardiac function, and evaluation of venous structures, if performed)	\$ 5,285.00
Computed tomography, heart, with contrast material, for evaluation of cardiac structure and morphology in the setting of congenital heart disease (including 3D image postprocessing, assessment of LV cardiac function, RV structure and function and evaluation of venous structures, if performed)	\$ 5,148.00
Computed tomography, heart, without contrast material, with quantitative evaluation of coronary calcium	\$ 125.00
Computed tomography, limited or localized follow-up study	\$ 151.00
Computed tomography, lower extremity; with contrast material(s)	\$ 4,372.00
Computed tomography, lower extremity; without contrast material	\$ 4,073.00
Computed tomography, lower extremity; without contrast material, followed by contrast material(s) and further sections	\$ 4,478.00
Computed tomography, lumbar spine; with contrast material	\$ 5,070.00
Computed tomography, lumbar spine; without contrast material	\$ 4,905.00
Computed tomography, lumbar spine; without contrast material, followed by contrast material(s) and further sections	\$ 6,230.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Computed tomography, maxillofacial area; with contrast material(s)	\$ 5,405.00
Computed tomography, maxillofacial area; without contrast material	\$ 4,658.00
Computed tomography, maxillofacial area; without contrast material, followed by contrast material(s) and further sections	\$ 5,919.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; with contrast material(s)	\$ 4,274.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material	\$ 3,570.00
Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material, followed by contrast material(s) and further sections	\$ 5,053.00
Computed tomography, pelvis; with contrast material(s)	\$ 5,200.00
Computed tomography, pelvis; without contrast material	\$ 4,704.00
Computed tomography, pelvis; without contrast material, followed by contrast material(s) and further sections	\$ 6,645.00
Computed tomography, soft tissue neck; with contrast material(s)	\$ 5,353.00
Computed tomography, soft tissue neck; without contrast material	\$ 4,845.00
Computed tomography, soft tissue neck; without contrast material followed by contrast material(s) and further sections	\$ 5,824.00
Computed tomography, thoracic spine; with contrast material	\$ 5,047.00
Computed tomography, thoracic spine; without contrast material	\$ 4,549.00
Computed tomography, thoracic spine; without contrast material, followed by contrast material(s) and further sections	\$ 4,576.00
Computed tomography, thorax; with contrast material(s)	\$ 5,777.00
Computed tomography, thorax; without contrast material	\$ 4,471.00
Computed tomography, thorax; without contrast material, followed by contrast material(s) and further sections	\$ 6,276.00
Computed tomography, upper extremity; with contrast material(s)	\$ 4,445.00
Computed tomography, upper extremity; without contrast material	\$ 4,021.00
Computed tomography, upper extremity; without contrast material, followed by contrast material(s) and further sections	\$ 4,665.00
Computer-aided detection, including computer algorithm analysis of MRI image data for lesion detection/characterization, pharmacokinetic analysis, with further physician review for interpretation, breast MRI (List separately in addition to code for primary procedure)	\$ 388.00
Computerized corneal topography, unilateral or bilateral, with interpretation and report	\$ 450.00
Concentration (any type), for infectious agents	\$ 57.00
Concentration (any type), for infectious agents	\$ 21.00
Concentration (any type), for infectious agents	\$ 313.00
Concentration (any type), for infectious agents	\$ 258.00
Conditioning play audiometry	\$ 421.00
Conization of cervix, with or without fulguration, with or without dilation and curettage, with or without repair; cold knife or laser	\$ 9,033.00
Conization of cervix, with or without fulguration, with or without dilation and curettage, with or without repair; loop electrode excision	\$ 8,353.00
Conjunctivoplasty; with conjunctival graft or extensive rearrangement	\$ 10,155.00
Connective tissue, human (includes fascia lata)	\$ 921.00
Connective tissue, human (includes fascia lata)	\$ 2,022.00
Connective tissue, human (includes fascia lata)	\$ 1,515.00
Connective tissue, human (includes fascia lata)	\$ 15,911.00
Connective tissue, human (includes fascia lata)	\$ 11,024.00
Connective tissue, human (includes fascia lata)	\$ 5,326.00
Connective tissue, human (includes fascia lata)	\$ 7,175.00
Connective tissue, human (includes fascia lata)	\$ 18,423.00
Connective tissue, human (includes fascia lata)	\$ 6,598.00
Connective tissue, human (includes fascia lata)	\$ 2,232.00
Connective tissue, human (includes fascia lata)	\$ 10,399.00
Connective tissue, human (includes fascia lata)	\$ 12,518.00
Connective tissue, human (includes fascia lata)	\$ 14,800.00
Connective tissue, human (includes fascia lata)	\$ 2,271.00
Connective tissue, human (includes fascia lata)	\$ 2,502.00
Connective tissue, human (includes fascia lata)	\$ 3,885.00
Connective tissue, human (includes fascia lata)	\$ 11,249.00
Connective tissue, human (includes fascia lata)	\$ 2,002.00
Connective tissue, human (includes fascia lata)	\$ 3,323.00
Connective tissue, human (includes fascia lata)	\$ 1,263.00
Connective tissue, human (includes fascia lata)	\$ 1,382.00
Connective tissue, human (includes fascia lata)	\$ 8,604.00
Connective tissue, human (includes fascia lata)	\$ 17,799.00
Connective tissue, human (includes fascia lata)	\$ 33,174.00
Connective tissue, human (includes fascia lata)	\$ 27,896.00
Connective tissue, human (includes fascia lata)	\$ 8,237.00
Connective tissue, human (includes fascia lata)	\$ 8,503.00
Connective tissue, human (includes fascia lata)	\$ 8,876.00
Connective tissue, human (includes fascia lata)	\$ 16,078.00
Connective tissue, human (includes fascia lata)	\$ 10,751.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Connective tissue, human (includes fascia lata)	\$ 2,228.00
Connective tissue, human (includes fascia lata)	\$ 4,656.00
Connective tissue, human (includes fascia lata)	\$ 7,897.00
Connective tissue, human (includes fascia lata)	\$ 6,362.00
Connective tissue, human (includes fascia lata)	\$ 9,539.00
Connective tissue, human (includes fascia lata)	\$ 17,904.00
Connective tissue, human (includes fascia lata)	\$ 25,269.00
Connective tissue, non-human (includes synthetic)	\$ 7,422.00
Connective tissue, non-human (includes synthetic)	\$ 4,279.00
Connective tissue, non-human (includes synthetic)	\$ 8,025.00
Connective tissue, non-human (includes synthetic)	\$ 9,522.00
Connective tissue, non-human (includes synthetic)	\$ 3,582.00
Construction of intermarginal adhesions, median tarsorrhaphy, or canthorrhaphy	\$ 2,336.00
Construction of intermarginal adhesions, median tarsorrhaphy, or canthorrhaphy; with transposition of tarsal plate	\$ 5,370.00
Consultation and report on referred material requiring preparation of slides	\$ 957.00
Consultation and report on referred slides prepared elsewhere	\$ 2,149.00
Contact layer, sterile, more than 16 sq. in. but less than or equal to 48 sq. in., each dressing	\$ 118.00
Continuing medical physics consultation, including assessment of treatment parameters, quality assurance of dose delivery, and review of patient treatment documentation in support of the radiation oncologist, reported per week of therapy	\$ 1,477.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; each additional hour (List separately in addition to code for primary procedure)	\$ 584.00
Continuous inhalation treatment with aerosol medication for acute airway obstruction; first hour	\$ 629.00
Continuous intraoperative neurophysiology monitoring in the operating room, one on one monitoring requiring personal attendance, each 15 minutes (List separately in addition to code for primary procedure)	\$ 1,908.00
Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby) or for monitoring of more than one case while in the operating room, per hour (List separately in addition to code for primary procedure)	\$ 1,908.00
Continuous intraoperative neurophysiology monitoring, from outside the operating room (remote or nearby), per patient, (attention directed exclusively to one patient) each 15 minutes (list in addition to primary procedure)	\$ 850.00
Continuous negative pressure ventilation (CNP), initiation and management	\$ 807.00
Continuous positive airway pressure (cpap) device	\$ 2,033.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 503.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 709.00
Continuous positive airway pressure ventilation (CPAP), initiation and management	\$ 509.00
Contrast injection for assessment of abscess or cyst via previously placed drainage catheter or tube (separate procedure)	\$ 146.00
Contrast injection(s) for radiologic evaluation of existing central venous access device, including fluoroscopy, image documentation and report	\$ 400.00
Contrast injection(s) for radiological evaluation of existing gastrostomy, duodenostomy, jejunostomy, gastro-jejunostomy, or cecostomy (or other colonic) tube, from a percutaneous approach including image documentation and report	\$ 1,556.00
Control nasal hemorrhage, anterior, complex (extensive cautery and/or packing) any method	\$ 1,425.00
Control nasal hemorrhage, anterior, simple (limited cautery and/or packing) any method	\$ 814.00
Control nasal hemorrhage, posterior, with posterior nasal packs and/or cautery, any method; initial	\$ 4,723.00
Control nasal hemorrhage, posterior, with posterior nasal packs and/or cautery, any method; subsequent	\$ 2,203.00
Control oropharyngeal hemorrhage, primary or secondary (eg, post-tonsillectomy); simple	\$ 918.00
Conversion of external biliary drainage catheter to internal-external biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation	\$ 2,408.00
Conversion of gastrostomy tube to gastro-jejunostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 5,067.00
Convert nephrostomy catheter to nephroureteral catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation, via pre-existing nephrostomy tract	\$ 2,615.00
Copper	\$ 176.00
Copper	\$ 114.00
Correction of everted punctum, cautery	\$ 1,205.00
Correction of lagophthalmos, with implantation of upper eyelid lid load (eg, gold weight)	\$ 2,052.00
Correction of lid retraction	\$ 5,183.00
Correction of trichiasis; epilation by other than forceps (eg, by electrocautery, cryotherapy, laser surgery)	\$ 2,799.00
Correction of trichiasis; epilation, by forceps only	\$ 805.00
Cortisol; free	\$ 229.00
Cortisol; free	\$ 176.00
Cortisol; total	\$ 253.00
Cortisol; total	\$ 200.00
Cortisol; total	\$ 390.00
Cortisol; total	\$ 309.00
Cortisol; total	\$ 331.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Cortisol; total	\$ 67.00
Cortisol; total	\$ 68.00
Cosmetic Facility Fee	\$ 1,158.00
Cosmetic Services	\$ 1,313.00
C-peptide	\$ 291.00
C-reactive protein	\$ 120.00
C-reactive protein; high sensitivity (hsCRP)	\$ 145.00
Creatine kinase (CK), (CPK); isoenzymes	\$ 191.00
Creatine kinase (CK), (CPK); MB fraction only	\$ 194.00
Creatine kinase (CK), (CPK); total	\$ 57.00
Creatinine; blood	\$ 32.00
Creatinine; clearance	\$ 143.00
Creatinine; other source	\$ 37.00
Creatinine; other source	\$ 94.00
Creatinine; other source	\$ 27.00
Creatinine; other source	\$ 376.00
Creatinine; other source	\$ 48.00
Creatinine; other source	\$ 42.00
Creatinine; other source	\$ 38.00
Creatinine; other source	\$ 44.00
Creatinine; other source	\$ 147.00
Creatinine; other source	\$ 58.00
Creatinine; other source	\$ 39.00
Creatinine; other source	\$ 25.00
Creatinine; other source	\$ 52.00
Creatinine; other source	\$ 28.00
Creatinine; other source	\$ 18.00
Creatinine; other source	\$ 31.00
Creation of pericardial window or partial resection for drainage	\$ 1,469.00
Critical care, evaluation and management of the critically ill or critically injured patient; each additional 30 minutes (List separately in addition to code for primary service)	\$ 479.00
Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes	\$ 3,884.00
Critical care, evaluation and management of the critically ill or critically injured patient; first 30-74 minutes	\$ 3,597.00
Crutches underarm, other than wood, adjustable or fixed, pair, with pads, tips and handgrips	\$ 126.00
Cryoglobulin, qualitative or semi-quantitative (eg, cryocrit)	\$ 105.00
Cryoprecipitate, each unit	\$ 519.00
Cryoprecipitate, each unit	\$ 2,011.00
Cryotherapy (CO2 slush, liquid N2) for acne	\$ 691.00
Cryotherapy Charge	\$ 6,712.00
Crystal identification by light microscopy with or without polarizing lens analysis, tissue or any body fluid (except urine)	\$ 102.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 143.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 73.00
Culture, bacterial; aerobic isolate, additional methods required for definitive identification, each isolate	\$ 60.00
Culture, bacterial; anaerobic isolate, additional methods required for definitive identification, each isolate	\$ 101.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 292.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 264.00
Culture, bacterial; any other source except urine, blood or stool, aerobic, with isolation and presumptive identification of isolates	\$ 144.00
Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates	\$ 353.00
Culture, bacterial; any source, except blood, anaerobic with isolation and presumptive identification of isolates	\$ 152.00
Culture, bacterial; blood, aerobic, with isolation and presumptive identification of isolates (includes anaerobic culture, if appropriate)	\$ 213.00
Culture, bacterial; quantitative colony count, urine	\$ 145.00
Culture, bacterial; quantitative, aerobic with isolation and presumptive identification of isolates, any source except urine, blood or stool	\$ 147.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 74.00
Culture, bacterial; stool, aerobic, additional pathogens, isolation and presumptive identification of isolates, each plate	\$ 101.00
Culture, bacterial; stool, aerobic, with isolation and preliminary examination (eg, KIA, LIA), Salmonella and Shigella species	\$ 213.00
Culture, bacterial; with isolation and presumptive identification of each isolate, urine	\$ 154.00
Culture, chlamydia, any source	\$ 226.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood	\$ 260.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; blood	\$ 81.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; other source (except blood)	\$ 243.00
Culture, fungi (mold or yeast) isolation, with presumptive identification of isolates; skin, hair, or nail	\$ 218.00
Culture, fungi, definitive identification, each organism; mold	\$ 370.00
Culture, fungi, definitive identification, each organism; yeast	\$ 220.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Culture, fungi, definitive identification, each organism; yeast	\$ 76.00
Culture, mycoplasma, any source	\$ 149.00
Culture, mycoplasma, any source	\$ 681.00
Culture, mycoplasma, any source	\$ 165.00
Culture, mycoplasma, any source	\$ 124.00
Culture, presumptive, pathogenic organisms, screening only	\$ 139.00
Culture, presumptive, pathogenic organisms, screening only	\$ 149.00
Culture, presumptive, pathogenic organisms, screening only	\$ 78.00
Culture, presumptive, pathogenic organisms, screening only	\$ 74.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 235.00
Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, mycobacteria) any source, with isolation and presumptive identification of isolates	\$ 194.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed	\$ 72.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, amplified probe technique, per culture or isolate, each organism probed	\$ 73.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, direct probe technique, per culture or isolate, each organism probed	\$ 291.00
Culture, typing; identification by nucleic acid (DNA or RNA) probe, direct probe technique, per culture or isolate, each organism probed	\$ 334.00
Culture, typing; immunofluorescent method, each antiserum	\$ 20.00
Culture, typing; immunofluorescent method, each antiserum	\$ 23.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 44.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 74.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 176.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 77.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 53.00
Culture, typing; immunologic method, other than immunofluorescence (eg, agglutination grouping), per antiserum	\$ 52.00
Cushion for use on nasal mask interface, replacement only, each	\$ 57.00
Cyanide	\$ 261.00
Cyanocobalamin (Vitamin B-12)	\$ 201.00
Cyclic citrullinated peptide (CCP), antibody	\$ 639.00
Cyclosporine	\$ 302.00
Cyclosporine	\$ 129.00
CYP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17)	\$ 1,038.00
Cystography, minimum of 3 views, radiological supervision and interpretation	\$ 1,400.00
Cystography, minimum of 3 views, radiological supervision and interpretation	\$ 1,315.00
Cystourethroscopy (separate procedure)	\$ 3,490.00
Cystourethroscopy (separate procedure)	\$ 3,277.00
Cystourethroscopy with irrigation and evacuation of multiple obstructing clots	\$ 2,715.00
Cystourethroscopy with irrigation and evacuation of multiple obstructing clots	\$ 2,549.00
Cystourethroscopy, with biopsy(s)	\$ 5,457.00
Cystourethroscopy, with biopsy(s)	\$ 5,124.00
Cystourethroscopy, with calibration and/or dilation of urethral stricture or stenosis, with or without meatotomy, with or without injection procedure for cystography, male or female	\$ 4,052.00
Cystourethroscopy, with calibration and/or dilation of urethral stricture or stenosis, with or without meatotomy, with or without injection procedure for cystography, male or female	\$ 3,805.00
Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) and/or resection of; MEDIUM bladder tumor(s) (2.0 to 5.0 cm)	\$ 8,714.00
Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) and/or resection of; SMALL bladder tumor(s) (0.5 up to 2.0 cm)	\$ 8,714.00
Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) or treatment of MINOR (less than 0.5 cm) lesion(s) with or without biopsy	\$ 3,475.00
Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) or treatment of MINOR (less than 0.5 cm) lesion(s) with or without biopsy	\$ 3,263.00
Cystourethroscopy, with injection(s) for chemodenervation of the bladder	\$ 1,657.00
Cystourethroscopy, with insertion of indwelling ureteral stent (eg, Gibbons or double-J type)	\$ 8,107.00
Cystourethroscopy, with insertion of indwelling ureteral stent (eg, Gibbons or double-J type)	\$ 7,612.00
Cystourethroscopy, with insertion of transprostatic implant; 4 or more implants	\$ 24,039.00
Cystourethroscopy, with removal of foreign body, calculus, or ureteral stent from urethra or bladder (separate procedure); simple	\$ 5,457.00
Cystourethroscopy, with removal of foreign body, calculus, or ureteral stent from urethra or bladder (separate procedure); simple	\$ 5,124.00
Cystourethroscopy, with ureteral catheterization, with or without irrigation, instillation, or ureteropyelography, exclusive of radiologic service	\$ 5,893.00
Cystourethroscopy, with ureteral catheterization, with or without irrigation, instillation, or ureteropyelography, exclusive of radiologic service	\$ 5,533.00
Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with lithotripsy including insertion of indwelling ureteral stent (eg, Gibbons or double-J type)	\$ 3,490.00
Cytogenetics and molecular cytogenetics, interpretation and report	\$ 424.00
Cytogenetics and molecular cytogenetics, interpretation and report	\$ 474.00
Cytogenetics and molecular cytogenetics, interpretation and report	\$ 673.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities	\$ 5,756.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities	\$ 5,890.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 5,756.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 6,852.00
Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [BAC] or oligo-based comparative genomic hybridization [CGH] microarray analysis)	\$ 8,444.00
Cytopathology smears, cervical or vaginal; screening by automated system with manual rescreening under physician supervision	\$ 154.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 192.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; manual screening under physician supervision	\$ 277.00
Cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation; with screening by automated system and manual rescreening or review, under physician supervision	\$ 316.00
Cytopathology, concentration technique, smears and interpretation (eg, Saccomanno technique)	\$ 198.00
Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, each separate additional evaluation episode, same site (List separately in addition to code for primary procedure)	\$ 206.00
Cytopathology, evaluation of fine needle aspirate; immediate cytohistologic study to determine adequacy for diagnosis, first evaluation episode, each site	\$ 206.00
Cytopathology, evaluation of fine needle aspirate; interpretation and report	\$ 216.00
Cytopathology, fluids, washings or brushings, except cervical or vaginal; smears with interpretation	\$ 198.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; manual	\$ 2,053.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; manual	\$ 3,496.00
Cytopathology, in situ hybridization (eg, FISH), urinary tract specimen with morphometric analysis, 3-5 molecular probes, each specimen; using computer-assisted technology	\$ 3,496.00
Cytopathology, selective cellular enhancement technique with interpretation (eg, liquid based slide preparation method), except cervical or vaginal	\$ 270.00
Cytopathology, slides, cervical or vaginal (the Bethesda System); manual screening under physician supervision	\$ 127.00
Cytopathology, slides, cervical or vaginal, definitive hormonal evaluation (eg, maturation index, karyopyknotic index, estrogenic index) (List separately in addition to code[s] for other technical and interpretation services)	\$ 72.00
Cytopathology, smears, any other source; extended study involving over 5 slides and/or multiple stains	\$ 278.00
Cytopathology, smears, any other source; preparation, screening and interpretation	\$ 145.00
Cytopathology, smears, any other source; screening and interpretation	\$ 145.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 652.00
Debridement (eg, high pressure waterjet with/without suction, sharp selective debridement with scissors, scalpel and forceps), open wound, (eg, fibrin, devitalized epidermis and/or dermis, exudate, debris, biofilm), including topical application(s), wound assessment, use of a whirlpool, when performed and instruction(s) for ongoing care, per session, total wound(s) surface area; first 20 sq cm or less	\$ 679.00
Debridement including removal of foreign material at the site of an open fracture and/or an open dislocation (eg, excisional debridement); skin, subcutaneous tissue, muscle fascia, and muscle	\$ 970.00
Debridement including removal of foreign material at the site of an open fracture and/or an open dislocation (eg, excisional debridement); skin, subcutaneous tissue, muscle fascia, muscle, and bone	\$ 1,437.00
Debridement of extensive eczematous or infected skin; up to 10% of body surface	\$ 470.00
Debridement of nail(s) by any method(s); 1 to 5	\$ 309.00
Debridement of nail(s) by any method(s); 6 or more	\$ 342.00
Debridement of nail(s) by any method(s); 6 or more	\$ 309.00
Debridement of premalignant hyperkeratotic lesion(s) (ie, targeted curettage, abrasion) followed with photodynamic therapy by external application of light to destroy premalignant lesions of the skin and adjacent mucosa with application and illumination/activation of photosensitizing drug(s) provided by a physician or other qualified health care professional, per day	\$ 121.00
Debridement of skin, subcutaneous tissue, muscle and fascia for necrotizing soft tissue infection; external genitalia and perineum	\$ 783.00
Debridement of skin, subcutaneous tissue, muscle and fascia for necrotizing soft tissue infection; external genitalia, perineum and abdominal wall, with or without fascial closure	\$ 925.00
Debridement, bone (includes epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed); first 20 sq cm or less	\$ 2,808.00
Debridement, mastoidectomy cavity, complex (eg, with anesthesia or more than routine cleaning)	\$ 2,317.00
Debridement, mastoidectomy cavity, simple (eg, routine cleaning)	\$ 299.00
Debridement, muscle and/or fascia (includes epidermis, dermis, and subcutaneous tissue, if performed); each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 1,088.00
Debridement, muscle and/or fascia (includes epidermis, dermis, and subcutaneous tissue, if performed); first 20 sq cm or less	\$ 1,088.00
Debridement, subcutaneous tissue (includes epidermis and dermis, if performed); each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 1,015.00
Debridement, subcutaneous tissue (includes epidermis and dermis, if performed); first 20 sq cm or less	\$ 1,015.00
Decalcification procedure (List separately in addition to code for surgical pathology examination)	\$ 93.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 1,042.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 914.00
Declotting by thrombolytic agent of implanted vascular access device or catheter	\$ 913.00
Dehydroepiandrosterone (DHEA)	\$ 188.00
Dehydroepiandrosterone (DHEA)	\$ 310.00
Dehydroepiandrosterone (DHEA)	\$ 538.00
Dehydroepiandrosterone (DHEA)	\$ 471.00
Dehydroepiandrosterone (DHEA)	\$ 510.00
Dehydroepiandrosterone-sulfate (DHEA-S)	\$ 95.00
Delay of flap or sectioning of flap (division and inset); at eyelids, nose, ears, or lips	\$ 6,485.00
Delayed placement of distal or proximal extension prosthesis for endovascular repair of infrarenal abdominal aortic or iliac aneurysm, false aneurysm, dissection, endoleak, or endograft migration, including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, and treatment zone angioplasty/stenting, when performed; each additional vessel treated (List separately in addition to code for primary procedure)	\$ 2,753.00
Delayed placement of distal or proximal extension prosthesis for endovascular repair of infrarenal abdominal aortic or iliac aneurysm, false aneurysm, dissection, endoleak, or endograft migration, including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, and treatment zone angioplasty/stenting, when performed; initial vessel treated	\$ 2,753.00
Delivery of placenta (separate procedure)	\$ 566.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 162.00
Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device	\$ 171.00
Deoxycortisol, 11-	\$ 299.00
Deoxycortisol, 11-	\$ 226.00
Deoxycortisol, 11-	\$ 353.00
Deoxycortisol, 11-	\$ 370.00
Deoxyribonuclease, antibody	\$ 217.00
Deoxyribonucleic acid (DNA) antibody; native or double stranded	\$ 229.00
Deoxyribonucleic acid (DNA) antibody; single stranded	\$ 266.00
Dermabrasion; regional, other than face	\$ 7,584.00
Dermabrasion; segmental, face	\$ 6,139.00
Dermacell, per square centimeter	\$ 784.00
Dermagraft, per square centimeter	\$ 302.00
Desoxycorticosterone, 11-	\$ 1,080.00
Desoxycorticosterone, 11-	\$ 378.00
Desoxycorticosterone, 11-	\$ 627.00
Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), of benign lesions other than skin tags or cutaneous vascular proliferative lesions; 15 or more lesions	\$ 1,184.00
Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), of benign lesions other than skin tags or cutaneous vascular proliferative lesions; up to 14 lesions	\$ 676.00
Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), of benign lesions other than skin tags or cutaneous vascular proliferative lesions; up to 14 lesions	\$ 635.00
Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), premalignant lesions (eg, actinic keratoses), 15 or more lesions	\$ 2,565.00
Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), premalignant lesions (eg, actinic keratoses); first lesion	\$ 892.00
Destruction (eg, laser surgery, electrosurgery, cryosurgery, chemosurgery, surgical curettement), premalignant lesions (eg, actinic keratoses); second through 14 lesions, each (List separately in addition to code for first lesion)	\$ 135.00
Destruction by neurolytic agent, intercostal nerve	\$ 3,190.00
Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); cervical or thoracic, each additional facet joint (List separately in addition to code for primary procedure)	\$ 1,829.00
Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); cervical or thoracic, single facet joint	\$ 5,432.00
Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); lumbar or sacral, each additional facet joint (List separately in addition to code for primary procedure)	\$ 3,231.00
Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or CT); lumbar or sacral, single facet joint	\$ 5,432.00
Destruction by neurolytic agent, trigeminal nerve; supraorbital, infraorbital, mental, or inferior alveolar branch	\$ 3,179.00
Destruction by neurolytic agent, with or without radiologic monitoring; celiac plexus	\$ 10,434.00
Destruction by neurolytic agent; other peripheral nerve or branch	\$ 2,903.00
Destruction by neurolytic agent; plantar common digital nerve	\$ 1,381.00
Destruction of cutaneous vascular proliferative lesions (eg, laser technique); 10.0 to 50.0 sq cm	\$ 907.00
Destruction of cutaneous vascular proliferative lesions (eg, laser technique); less than 10 sq cm	\$ 892.00
Destruction of cutaneous vascular proliferative lesions (eg, laser technique); over 50.0 sq cm	\$ 1,398.00
Destruction of extensive or progressive retinopathy (eg, diabetic retinopathy), cryotherapy, diathermy	\$ 3,710.00
Destruction of internal hemorrhoid(s) by thermal energy (eg, infrared coagulation, cautery, radiofrequency)	\$ 1,145.00
Destruction of lesion of lid margin (up to 1 cm)	\$ 2,313.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Destruction of lesion(s), anus (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; chemical	\$ 548.00
Destruction of lesion(s), anus (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; cryosurgery	\$ 835.00
Destruction of lesion(s), anus (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; electrodesiccation	\$ 702.00
Destruction of lesion(s), anus (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; surgical excision	\$ 2,216.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), extensive (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery)	\$ 3,012.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; chemical	\$ 486.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; chemical	\$ 456.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; cryosurgery	\$ 728.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; electrodesiccation	\$ 3,071.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; electrodesiccation	\$ 2,884.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; laser surgery	\$ 2,817.00
Destruction of lesion(s), penis (eg, condyloma, papilloma, molluscum contagiosum, herpetic vesicle), simple; surgical excision	\$ 2,817.00
Destruction of lesion(s), vulva; extensive (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery)	\$ 4,811.00
Destruction of lesion(s), vulva; simple (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery)	\$ 4,010.00
Destruction of localized lesion of choroid (eg, choroidal neovascularization); photocoagulation (eg, laser), 1 or more sessions	\$ 8,433.00
Destruction of localized lesion of choroid (eg, choroidal neovascularization); photodynamic therapy (includes intravenous infusion)	\$ 8,433.00
Destruction of localized lesion of retina (eg, macular edema, tumors), 1 or more sessions; photocoagulation	\$ 4,587.00
Destruction of vaginal lesion(s); extensive (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery)	\$ 4,097.00
Destruction of vaginal lesion(s); simple (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery)	\$ 4,097.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 0.5 cm or less	\$ 979.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 0.6 to 1.0 cm	\$ 993.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 1.1 to 2.0 cm	\$ 1,007.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 2.1 to 3.0 cm	\$ 1,028.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 3.1 to 4.0 cm	\$ 1,062.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), face, ears, eyelids, nose, lips, mucous membrane; lesion diameter over 4.0 cm	\$ 1,096.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), scalp, neck, hands, feet, genitalia; lesion diameter 0.5 cm or less	\$ 979.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), scalp, neck, hands, feet, genitalia; lesion diameter 0.6 to 1.0 cm	\$ 993.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), scalp, neck, hands, feet, genitalia; lesion diameter 1.1 to 2.0 cm	\$ 1,007.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), scalp, neck, hands, feet, genitalia; lesion diameter 2.1 to 3.0 cm	\$ 1,028.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), scalp, neck, hands, feet, genitalia; lesion diameter 3.1 to 4.0 cm	\$ 1,062.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), scalp, neck, hands, feet, genitalia; lesion diameter over 4.0 cm	\$ 1,096.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), trunk, arms or legs; lesion diameter 0.5 cm or less	\$ 979.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), trunk, arms or legs; lesion diameter 0.6 to 1.0 cm	\$ 993.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), trunk, arms or legs; lesion diameter 1.1 to 2.0 cm	\$ 1,007.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), trunk, arms or legs; lesion diameter 2.1 to 3.0 cm	\$ 1,028.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), trunk, arms or legs; lesion diameter 3.1 to 4.0 cm	\$ 1,062.00
Destruction, malignant lesion (eg, laser surgery, electrocurettage, cryosurgery, chemosurgery, surgical curettage), trunk, arms or legs; lesion diameter over 4.0 cm	\$ 1,096.00
Development of cognitive skills to improve attention, memory, problem solving (includes compensatory training), direct (one-on-one) patient contact, each 15 minutes	\$ 70.00
Developmental screening (eg, developmental milestone survey, speech and language delay screen), with scoring and documentation, per standardized instrument	\$ 1,052.00
Diabetes outpatient self-management training services, group session (2 or more), per 30 minutes	\$ 108.00
Diabetes outpatient self-management training services, group session (2 or more), per 30 minutes	\$ 80.00
Diabetes outpatient self-management training services, group session (2 or more), per 30 minutes	\$ 84.00
Diabetes outpatient self-management training services, individual, per 30 minutes	\$ 239.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Diabetes outpatient self-management training services, individual, per 30 minutes	\$ 176.00
Diabetes outpatient self-management training services, individual, per 30 minutes	\$ 240.00
Diagnostic analysis of cochlear implant, age 7 years or older; subsequent reprogramming	\$ 1,837.00
Diagnostic analysis of cochlear implant, age 7 years or older; with programming	\$ 591.00
Diagnostic bone marrow; biopsy(ies) and aspiration(s)	\$ 2,753.00
Diagnostic bone marrow; biopsy(ies) and aspiration(s)	\$ 606.00
Diagnostic digital breast tomosynthesis, unilateral or bilateral (list separately in addition to g0204 or g0206)	\$ 133.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; bilateral	\$ 824.00
Diagnostic mammography, including computer-aided detection (CAD) when performed; unilateral	\$ 652.00
Dialysis circuit permanent vascular embolization or occlusion (including main circuit or any accessory veins), endovascular, including all imaging and radiological supervision and interpretation necessary to complete the intervention (List separately in addition to code for primary procedure)	\$ 10,941.00
Diaphragm or cervical cap fitting with instructions	\$ 320.00
Dibucaine number	\$ 89.00
Diffusing capacity (eg, carbon monoxide, membrane) (List separately in addition to code for primary procedure)	\$ 1,041.00
Digital analysis of electroencephalogram (EEG) (eg, for epileptic spike analysis)	\$ 800.00
Digital breast tomosynthesis; bilateral	\$ 133.00
Digital breast tomosynthesis; unilateral	\$ 133.00
Digoxin; total	\$ 200.00
Dilation and catheterization of salivary duct, with or without injection	\$ 645.00
Dilation of cervical canal, instrumental (separate procedure)	\$ 5,304.00
Dilation of esophagus, by unguided sound or bougie, single or multiple passes	\$ 2,486.00
Dilation of esophagus, over guide wire	\$ 2,614.00
Dilation of female urethra including suppository and/or instillation; initial	\$ 332.00
Dilation of female urethra including suppository and/or instillation; initial	\$ 312.00
Dilation of female urethra including suppository and/or instillation; subsequent	\$ 609.00
Dilation of female urethra including suppository and/or instillation; subsequent	\$ 572.00
Dilation of lacrimal punctum, with or without irrigation	\$ 1,880.00
Dilation of nephrostomy, ureters, or urethra, radiological supervision and interpretation	\$ 3,123.00
Dilation of urethral stricture by passage of filiform and follower, male; initial	\$ 1,507.00
Dilation of urethral stricture by passage of filiform and follower, male; initial	\$ 1,415.00
Dilation of urethral stricture by passage of filiform and follower, male; subsequent	\$ 615.00
Dilation of urethral stricture by passage of filiform and follower, male; subsequent	\$ 577.00
Dilation of urethral stricture by passage of sound or urethral dilator, male; initial	\$ 617.00
Dilation of urethral stricture by passage of sound or urethral dilator, male; initial	\$ 579.00
Dilation of urethral stricture by passage of sound or urethral dilator, male; subsequent	\$ 617.00
Dilation of urethral stricture by passage of sound or urethral dilator, male; subsequent	\$ 579.00
Dilation of vagina under anesthesia (other than local)	\$ 2,358.00
Dilation salivary duct	\$ 2,267.00
DIPHTH TETANUS TOX ACELL PERTUSSIS VACC <7 YR IM	\$ 328.00
Diphtheria and tetanus toxoids adsorbed (DT) when administered to individuals younger than 7 years, for intramuscular use	\$ 591.00
Direct admission of patient for hospital observation care	\$ 157.00
Discission of secondary membranous cataract (opacified posterior lens capsule and/or anterior hyaloid); laser surgery (eg, YAG laser) (1 or more stages)	\$ 2,168.00
Discography, cervical or thoracic, radiological supervision and interpretation	\$ 7,288.00
Discography, lumbar, radiological supervision and interpretation	\$ 7,288.00
Dispensing fee, bicros	\$ 271.73
Dispensing fee, binaural	\$ 225.00
Dispensing fee, cros	\$ 248.96
Dispensing fee, monaural hearing aid, any type	\$ 150.00
Disposable drug delivery system, flow rate of less than 50 ml per hour	\$ 2,589.00
Disposable drug delivery system, flow rate of less than 50 ml per hour	\$ 2,960.00
Distortion product evoked otoacoustic emissions; comprehensive diagnostic evaluation (quantitative analysis of outer hair cell function by cochlear mapping, minimum of 12 frequencies), with interpretation and report	\$ 481.00
Distortion product evoked otoacoustic emissions; limited evaluation (to confirm the presence or absence of hearing disorder, 3-6 frequencies) or transient evoked otoacoustic emissions, with interpretation and report	\$ 416.00
Doppler echocardiography color flow velocity mapping (List separately in addition to codes for echocardiography)	\$ 939.00
Doppler echocardiography, fetal, pulsed wave and/or continuous wave with spectral display; complete	\$ 284.00
Doppler echocardiography, fetal, pulsed wave and/or continuous wave with spectral display; follow-up or repeat study	\$ 284.00
Doppler echocardiography, pulsed wave and/or continuous wave with spectral display (List separately in addition to codes for echocardiographic imaging); complete	\$ 939.00
Doppler echocardiography, pulsed wave and/or continuous wave with spectral display (List separately in addition to codes for echocardiographic imaging); follow-up or limited study (List separately in addition to codes for echocardiographic imaging)	\$ 764.00
Doppler velocimetry, fetal; middle cerebral artery	\$ 502.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Doppler velocimetry, fetal; umbilical artery	\$ 502.00
Drainage abscess or hematoma, nasal, internal approach	\$ 2,396.00
Drainage external auditory canal, abscess	\$ 1,131.00
Drainage external ear, abscess or hematoma; complicated	\$ 4,341.00
Drainage external ear, abscess or hematoma; simple	\$ 203.00
Drainage of abscess of palate, uvula	\$ 498.00
Drainage of abscess, cyst, hematoma from dentoalveolar structures	\$ 1,471.00
Drainage of abscess, cyst, hematoma, vestibule of mouth; simple	\$ 1,216.00
Drainage of finger abscess; complicated (eg, felon)	\$ 1,643.00
Drainage of finger abscess; simple	\$ 669.00
Drainage of ovarian cyst(s), unilateral or bilateral (separate procedure); vaginal approach	\$ 5,372.00
Drainage of scrotal wall abscess	\$ 1,758.00
Drainage of scrotal wall abscess	\$ 1,651.00
Drainage of Skene's gland abscess or cyst	\$ 3,871.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; large (eg, more than 1 extremity, or greater than 10% total body surface area)	\$ 704.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; medium (eg, whole face or whole extremity, or 5% to 10% total body surface area)	\$ 443.00
Dressings and/or debridement of partial-thickness burns, initial or subsequent; small (less than 5% total body surface area)	\$ 380.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 292.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 147.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 275.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 291.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 217.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 243.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 1-7 drug class(es), including metabolite(s) if performed)	\$ 360.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed	\$ 887.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 8-14 drug class(es), including metabolite(s) if performed	\$ 68.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed	\$ 1,343.00
Drug test(s), definitive, utilizing (1) drug identification methods able to identify individual drugs and distinguish between structural isomers (but not necessarily stereoisomers), including, but not limited to GC/MS (any type, single or tandem) and LC/MS (any type, single or tandem and excluding immunoassays (e.g., IA, EIA, ELISA, EMIT, FPIA) and enzymatic methods (eg, alcohol dehydrogenase)), (2) stable isotope or other universally recognized internal standards in all samples (e.g., to control for matrix effects, interferences and variations in signal strength), and (3) method or drug-specific calibration and matrix-matched quality control material (e.g., to control for instrument variations and mass spectral drift); qualitative or quantitative, all sources, includes specimen validity testing, per day; 15-21 drug class(es), including metabolite(s) if performed	\$ 937.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures (eg, immunoassay); capable of being read by direct optical observation only (eg, dipsticks, cups, cards, cartridges) includes sample validation when performed, per date of service	\$ 467.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 57.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 275.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 83.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 89.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 56.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 154.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 143.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 139.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 277.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 514.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 585.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 304.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 556.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 195.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 1,156.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 176.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 359.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 397.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 336.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 578.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 937.00
Drug test(s), presumptive, any number of drug classes, any number of devices or procedures, by instrument chemistry analyzers (eg, utilizing immunoassay [eg, EIA, ELISA, EMIT, FPIA, IA, KIMS, RIA]), chromatography (eg, GC, HPLC), and mass spectrometry either with or without chromatography, (eg, DART, DESI, GC-MS, GC-MS/MS, LC-MS, LC-MS/MS, LDTD, MALDI, TOF) includes sample validation when performed, per date of service	\$ 975.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; appendicular skeleton (peripheral) (eg, radius, wrist, heel)	\$ 341.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)	\$ 421.00
Dual-energy X-ray absorptiometry (DXA), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine), including vertebral fracture assessment	\$ 735.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study	\$ 2,467.00
Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; unilateral or limited study	\$ 2,123.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study	\$ 2,479.00
Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; limited study	\$ 2,274.00
Duplex scan of arterial inflow and venous outflow of penile vessels; complete study	\$ 1,332.00
Duplex scan of extracranial arteries; complete bilateral study	\$ 1,918.00
Duplex scan of extracranial arteries; unilateral or limited study	\$ 548.00
Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study	\$ 2,467.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Duplex scan of extremity veins including responses to compression and other maneuvers; unilateral or limited study	\$ 2,057.00
Duplex scan of hemodialysis access (including arterial inflow, body of access and venous outflow)	\$ 661.00
Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study	\$ 2,467.00
Duplex scan of lower extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 2,057.00
Duplex scan of upper extremity arteries or arterial bypass grafts; complete bilateral study	\$ 841.00
Duplex scan of upper extremity arteries or arterial bypass grafts; unilateral or limited study	\$ 676.00
Echocardiography, fetal, cardiovascular system, real time with image documentation (2D), with or without M-mode recording	\$ 2,304.00
Echocardiography, fetal, cardiovascular system, real time with image documentation (2D), with or without M-mode recording; follow-up or repeat study	\$ 2,049.00
Echocardiography, transesophageal (TEE) for guidance of a transcatheter intracardiac or great vessel(s) structural intervention(s) (eg,TAVR, transcatheter pulmonary valve replacement, mitral valve repair, paravalvular regurgitation repair, left atrial appendage occlusion/closure, ventricular septal defect closure) (peri-and intra-procedural), real-time image acquisition and documentation, guidance with quantitative measurements, probe manipulation, interpretation, and report, including diagnostic transesophageal echocardiography and, when performed, administration of ultrasound contrast, Doppler, color flow, and 3D	\$ 4,444.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); image acquisition, interpretation and report only	\$ 1,586.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); including probe placement, image acquisition, interpretation and report	\$ 4,444.00
Echocardiography, transesophageal, real-time with image documentation (2D) (with or without M-mode recording); placement of transesophageal probe only	\$ 2,939.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, with spectral Doppler echocardiography, and with color flow Doppler echocardiography	\$ 5,462.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, complete, without spectral or color Doppler echocardiography	\$ 2,793.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 6,571.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report; including performance of continuous electrocardiographic monitoring, with supervision by a physician or other qualified health care professional	\$ 7,097.00
Echocardiography, transthoracic, real-time with image documentation (2D), includes M-mode recording, when performed, follow-up or limited study	\$ 2,082.00
Echoencephalography, real time with image documentation (gray scale) (for determination of ventricular size, delineation of cerebral contents, and detection of fluid masses or other intracranial abnormalities), including A-mode encephalography as secondary component where indicated	\$ 1,262.00
EGFR (epidermal growth factor receptor) (eg, non-small cell lung cancer) gene analysis, common variants (eg, exon 19 LREA deletion, L858R, T790M, G719A, G719S, L861Q)	\$ 3,265.00
Elastase, pancreatic (EL-1), fecal, qualitative or semi-quantitative	\$ 1,919.00
Elbow orthosis (eo), with adjustable position locking joint(s), prefabricated, item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 754.00
Elbow orthosis (eo), with adjustable position locking joint(s), prefabricated, item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 3,432.00
Elbow orthosis (eo), with adjustable position locking joint(s), prefabricated, off-the-shelf	\$ 570.00
Elbow orthosis, double upright with forearm/arm cuffs, adjustable position lock with active control, custom fabricated	\$ 754.00
Elbow orthosis, double upright with forearm/arm cuffs, adjustable position lock with active control, custom fabricated	\$ 1,248.00
Elbow orthosis, double upright with forearm/arm cuffs, free motion, custom fabricated	\$ 2,081.00
Elbow orthosis, elastic with metal joints, prefabricated, off-the-shelf	\$ 395.00
Elbow orthosis, rigid, without joints, includes soft interface material, prefabricated, off-the-shelf	\$ 430.00
Elbow wrist hand orthosis, rigid, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	\$ 1,616.00
Electrical stimulation (unattended), to one or more areas for indication(s) other than wound care, as part of a therapy plan of care	\$ 243.00
Electrical stimulation for guidance in conjunction with chemodenervation (List separately in addition to code for primary procedure)	\$ 364.00
Electrocardiogram, routine ECG with at least 12 leads; tracing only, without interpretation and report	\$ 526.00
Electrocorticogram at surgery (separate procedure)	\$ 2,525.00
Electroencephalogram (EEG) during nonintracranial surgery (eg, carotid surgery)	\$ 3,538.00
Electroencephalogram (EEG) extended monitoring; 41-60 minutes	\$ 4,704.00
Electroencephalogram (EEG) extended monitoring; greater than 1 hour	\$ 4,704.00
Electroencephalogram (EEG); cerebral death evaluation only	\$ 3,053.00
Electroencephalogram (EEG); including recording awake and asleep	\$ 2,103.00
Electroencephalogram (EEG); including recording awake and drowsy	\$ 1,501.00
Electroencephalogram (EEG); recording in coma or sleep only	\$ 3,055.00
Electrolyte panel This panel must include the following: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium (84132) Sodium (84295)	\$ 128.00
Electromyography studies (EMG) of anal or urethral sphincter, other than needle, any technique	\$ 743.00
Electromyography studies (EMG) of anal or urethral sphincter, other than needle, any technique	\$ 698.00
Electron microscopy, diagnostic	\$ 1,771.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude and duration, battery status, electrode selectability and polarity, impedance and patient compliance measurements), complex deep brain neurostimulator pulse generator/transmitter, with initial or subsequent programming; each additional 30 minutes after first hour (List separately in addition to code for primary procedure)	\$ 1,123.00
Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude and duration, battery status, electrode selectability and polarity, impedance and patient compliance measurements), complex deep brain neurostimulator pulse generator/transmitter, with initial or subsequent programming; first hour	\$ 2,248.00
Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex cranial nerve neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming, each additional 30 minutes after first hour (List separately in addition to code for primary procedure)	\$ 130.00
Electronic analysis of implanted neurostimulator pulse generator system (eg, rate, pulse amplitude, pulse duration, configuration of wave form, battery status, electrode selectability, output modulation, cycling, impedance and patient compliance measurements); complex cranial nerve neurostimulator pulse generator/transmitter, with intraoperative or subsequent programming, with or without nerve interface testing, first hour	\$ 194.00
Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with brain, cranial nerve, spinal cord, peripheral nerve, or sacral nerve, neurostimulator pulse generator/transmitter, without programming	\$ 1,067.00
Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with complex spinal cord or peripheral nerve (eg, sacral nerve) neurostimulator pulse generator/transmitter programming by physician or other qualified health care professional	\$ 801.00
Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with complex spinal cord or peripheral nerve (eg, sacral nerve) neurostimulator pulse generator/transmitter programming by physician or other qualified health care professional	\$ 752.00
Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with simple spinal cord or peripheral nerve (eg, sacral nerve) neurostimulator pulse generator/transmitter programming by physician or other qualified health care professional	\$ 1,600.00
Electronic analysis of implanted neurostimulator pulse generator/transmitter (eg, contact group[s], interleaving, amplitude, pulse width, frequency [Hz], on/off cycling, burst, magnet mode, dose lockout, patient selectable parameters, responsive neurostimulation, detection algorithms, closed loop parameters, and passive parameters) by physician or other qualified health care professional; with simple spinal cord or peripheral nerve (eg, sacral nerve) neurostimulator pulse generator/transmitter programming by physician or other qualified health care professional	\$ 1,502.00
Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming	\$ 2,872.00
Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming and refill	\$ 3,783.00
Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); with reprogramming and refill (requiring skill of a physician or other qualified health care professional)	\$ 4,139.00
Electronic analysis of programmable, implanted pump for intrathecal or epidural drug infusion (includes evaluation of reservoir status, alarm status, drug prescription status); without reprogramming or refill	\$ 2,134.00
Electrophoretic technique, not elsewhere specified	\$ 122.00
Electrophoretic technique, not elsewhere specified	\$ 622.00
Electrophysiologic evaluation of single or dual chamber pacing cardioverter-defibrillator leads including defibrillation threshold evaluation (induction of arrhythmia, evaluation of sensing and pacing for arrhythmia termination) at time of initial implantation or replacement; with testing of single or dual chamber pacing cardioverter-defibrillator pulse generator	\$ 1,546.00
Electrophysiologic evaluation of single or dual chamber transvenous pacing cardioverter-defibrillator (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing and pacing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters)	\$ 10,367.00
Electrophysiologic evaluation of subcutaneous implantable defibrillator (includes defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters)	\$ 1,291.00
Electrophysiologic follow-up study with pacing and recording to test effectiveness of therapy, including induction or attempted induction of arrhythmia	\$ 12,203.00
Embolectomy or thrombectomy, with or without catheter; femoropopliteal, aortoiliac artery, by leg incision	\$ 1,829.00
Embolization protective system	\$ 18,029.00
Embolization protective system	\$ 7,453.00
Embolization protective system	\$ 9,793.00
Embolization protective system	\$ 14,298.00
Embolization protective system	\$ 10,759.00
Embolization protective system	\$ 13,608.00
Embolization protective system	\$ 14,289.00
Embolization protective system	\$ 5,888.00
Embolization protective system	\$ 7,738.00
Embolization protective system	\$ 6,315.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Embryo transfer, intrauterine	\$ 993.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components within the constraints imposed by the urgency of the patient's clinical condition and/or mental status: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.	\$ 3,827.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A detailed history; A detailed examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity, and require urgent evaluation by the physician, or other qualified health care professionals but do not pose an immediate significant threat to life or physiologic function.	\$ 2,878.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are self limited or minor.	\$ 619.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity.	\$ 1,092.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low to moderate severity.	\$ 1,037.00
Emergency department visit for the evaluation and management of a patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of moderate severity.	\$ 2,043.00
Emergency power source for use with electric/pneumatic ventricular assist device, replacement only	\$ 7,142.00
Emergency power supply cable for use with electric/pneumatic ventricular assist device, replacement only	\$ 1,638.00
Endocervical curettage (not done as part of a dilation and curettage)	\$ 852.00
Endoluminal biopsy of ureter and/or renal pelvis, non-endoscopic, including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation (List separately in addition to code for primary procedure)	\$ 2,615.00
Endoluminal biopsy(ies) of biliary tree, percutaneous, any method(s) (eg, brush, forceps, and/or needle), including imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation, single or multiple (List separately in addition to code for primary procedure)	\$ 2,471.00
Endoluminal imaging of coronary vessel or graft using intravascular ultrasound (IVUS) or optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report; each additional vessel (List separately in addition to code for primary procedure)	\$ 2,944.00
Endoluminal imaging of coronary vessel or graft using intravascular ultrasound (IVUS) or optical coherence tomography (OCT) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report; initial vessel (List separately in addition to code for primary procedure)	\$ 2,944.00
Endometrial ablation, thermal, without hysteroscopic guidance	\$ 6,839.00
Endometrial sampling (biopsy) performed in conjunction with colposcopy (List separately in addition to code for primary procedure)	\$ 428.00
Endometrial sampling (biopsy) with or without endocervical sampling (biopsy), without cervical dilation, any method (separate procedure)	\$ 315.00
Endomyocardial biopsy	\$ 21,353.00
Endoscopic cannulation of papilla with direct visualization of pancreatic/common bile duct(s) (List separately in addition to code(s) for primary procedure)	\$ 14,188.00
Endoscopic catheterization of the biliary ductal system, radiological supervision and interpretation	\$ 1,842.00
Endoscopic catheterization of the pancreatic ductal system, radiological supervision and interpretation	\$ 1,842.00
Endoscopic evaluation of small intestinal pouch (eg, Kock pouch, ileal reservoir [S or JJ]); diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 3,333.00
Endoscopic evaluation of small intestinal pouch (eg, Kock pouch, ileal reservoir [S or JJ]); with biopsy, single or multiple	\$ 3,737.00
Endoscopic injection of implant material into the submucosal tissues of the urethra and/or bladder neck	\$ 1,724.00
Endoscopic retrograde cholangiopancreatography (ERCP); diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 7,711.00
Endoscopic retrograde cholangiopancreatography (ERCP); with ablation of tumor(s), polyp(s), or other lesion(s), including pre- and post-dilation and guide wire passage, when performed	\$ 7,711.00
Endoscopic retrograde cholangiopancreatography (ERCP); with biopsy, single or multiple	\$ 7,711.00
Endoscopic retrograde cholangiopancreatography (ERCP); with destruction of calculi, any method (eg, mechanical, electrohydraulic, lithotripsy)	\$ 7,711.00
Endoscopic retrograde cholangiopancreatography (ERCP); with placement of endoscopic stent into biliary or pancreatic duct, including pre- and post-dilation and guide wire passage, when performed, including sphincterotomy, when performed, each stent	\$ 7,711.00
Endoscopic retrograde cholangiopancreatography (ERCP); with removal and exchange of stent(s), biliary or pancreatic duct, including pre- and post-dilation and guide wire passage, when performed, including sphincterotomy, when performed, each stent exchanged	\$ 7,711.00
Endoscopic retrograde cholangiopancreatography (ERCP); with removal of calculi/debris from biliary/pancreatic duct(s)	\$ 7,711.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Endoscopic retrograde cholangiopancreatography (ERCP); with removal of foreign body(s) or stent(s) from biliary/pancreatic duct(s)	\$ 7,711.00
Endoscopic retrograde cholangiopancreatography (ERCP); with sphincterotomy/papillotomy	\$ 7,711.00
Endoscopic retrograde cholangiopancreatography (ERCP); with trans-endoscopic balloon dilation of biliary/pancreatic duct(s) or of ampulla (sphincteroplasty), including sphincterotomy, when performed, each duct	\$ 7,711.00
Endovascular intracranial prolonged administration of pharmacologic agent(s) other than for thrombolysis, arterial, including catheter placement, diagnostic angiography, and imaging guidance; each additional vascular territory (List separately in addition to code for primary procedure)	\$ 2,637.00
Endovascular intracranial prolonged administration of pharmacologic agent(s) other than for thrombolysis, arterial, including catheter placement, diagnostic angiography, and imaging guidance; initial vascular territory	\$ 2,637.00
Endovascular intracranial prolonged administration of pharmacologic agent(s) other than for thrombolysis, arterial, including catheter placement, diagnostic angiography, and imaging guidance; initial vascular territory	\$ 5,254.00
Endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption); involving coverage of left subclavian artery origin, initial endoprosthesis plus descending thoracic aortic extension(s), if required, to level of celiac artery origin	\$ 7,427.00
Endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption); involving coverage of left subclavian artery origin, initial endoprosthesis plus descending thoracic aortic extension(s), if required, to level of celiac artery origin, radiological supervision and interpretation	\$ 4,187.00
Endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption); not involving coverage of left subclavian artery origin, initial endoprosthesis plus descending thoracic aortic extension(s), if required, to level of celiac artery origin	\$ 3,886.00
Endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption); not involving coverage of left subclavian artery origin, initial endoprosthesis plus descending thoracic aortic extension(s), if required, to level of celiac artery origin, radiological supervision and interpretation	\$ 4,453.00
Endovascular repair of iliac artery bifurcation (eg, aneurysm, pseudoaneurysm, arteriovenous malformation, trauma) using bifurcated endoprosthesis from the common iliac artery into both the external and internal iliac artery, unilateral	\$ 29,262.00
Endovascular repair of iliac artery by deployment of an ilio-iliac tube endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, and all endograft extension(s) proximally to the aortic bifurcation and distally to the iliac bifurcation, and treatment zone angioplasty/stenting, when performed, unilateral; for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, arteriovenous malformation)	\$ 2,753.00
Endovascular repair of iliac artery by deployment of an ilio-iliac tube endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, and all endograft extension(s) proximally to the aortic bifurcation and distally to the iliac bifurcation, and treatment zone angioplasty/stenting, when performed, unilateral; for rupture including temporary aortic and/or iliac balloon occlusion, when performed (eg, for aneurysm, pseudoaneurysm, dissection, arteriovenous malformation, traumatic disruption)	\$ 2,753.00
Endovascular repair of infrarenal aorta and/or iliac artery(ies) by deployment of an aorto-bi-iliac endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the iliac bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the iliac bifurcation; for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer)	\$ 2,753.00
Endovascular repair of infrarenal aorta and/or iliac artery(ies) by deployment of an aorto-bi-iliac endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the iliac bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the iliac bifurcation; for rupture including temporary aortic and/or iliac balloon occlusion, when performed (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer, traumatic disruption)	\$ 2,753.00
Endovascular repair of infrarenal aorta and/or iliac artery(ies) by deployment of an aorto-uni-iliac endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the iliac bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the iliac bifurcation; for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer)	\$ 2,753.00
Endovascular repair of infrarenal aorta and/or iliac artery(ies) by deployment of an aorto-uni-iliac endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the iliac bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the iliac bifurcation; for rupture including temporary aortic and/or iliac balloon occlusion, when performed (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer, traumatic disruption)	\$ 2,753.00
Endovascular repair of infrarenal aorta by deployment of an aorto-aortic tube endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the aortic bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the aortic bifurcation; for other than rupture (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer)	\$ 2,753.00
Endovascular repair of infrarenal aorta by deployment of an aorto-aortic tube endograft including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, all endograft extension(s) placed in the aorta from the level of the renal arteries to the aortic bifurcation, and all angioplasty/stenting performed from the level of the renal arteries to the aortic bifurcation; for rupture including temporary aortic and/or iliac balloon occlusion, when performed (eg, for aneurysm, pseudoaneurysm, dissection, penetrating ulcer, traumatic disruption)	\$ 2,753.00
Endovascular temporary balloon arterial occlusion, head or neck (extracranial/intracranial) including selective catheterization of vessel to be occluded, positioning and inflation of occlusion balloon, concomitant neurological monitoring, and radiologic supervision and interpretation of all angiography required for balloon occlusion and to exclude vascular injury post occlusion	\$ 10,614.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Endovascular temporary balloon arterial occlusion, head or neck (extracranial/intracranial) including selective catheterization of vessel to be occluded, positioning and inflation of occlusion balloon, concomitant neurological monitoring, and radiologic supervision and interpretation of all angiography required for balloon occlusion and to exclude vascular injury post occlusion	\$ 11,059.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, laser; first vein treated	\$ 3,350.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, laser; subsequent vein(s) treated in a single extremity, each through separate access sites (List separately in addition to code for primary procedure)	\$ 2,913.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, mechanochemical; first vein treated	\$ 2,675.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, mechanochemical; subsequent vein(s) treated in a single extremity, each through separate access sites (List separately in addition to code for primary procedure)	\$ 1,339.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, radiofrequency; first vein treated	\$ 5,961.00
Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, radiofrequency; subsequent vein(s) treated in a single extremity, each through separate access sites (List separately in addition to code for primary procedure)	\$ 3,344.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 1,558.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 931.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 814.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 299.00
Enzyme activity in blood cells, cultured cells, or tissue, not elsewhere specified; nonradioactive substrate, each specimen	\$ 2,349.00
Ep Recovery Per Hr	\$ 1,214.00
Epifix or epicord, per square centimeter	\$ 1,437.00
Erythropoietin	\$ 172.00
Erythropoietin	\$ 122.00
Esophageal function test, gastroesophageal reflux test with nasal catheter intraluminal impedance electrode(s) placement, recording, analysis and interpretation; prolonged (greater than 1 hour, up to 24 hours)	\$ 1,447.00
Esophageal motility (manometric study of the esophagus and/or gastroesophageal junction) study with interpretation and report	\$ 1,768.00
Esophageal recording of atrial electrogram with or without ventricular electrogram(s); with pacing	\$ 2,510.00
Esophagogastroduodenoscopy, flexible, transoral; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 3,562.00
Esophagogastroduodenoscopy, flexible, transoral; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)	\$ 4,607.00
Esophagogastroduodenoscopy, flexible, transoral; with band ligation of esophageal/gastric varices	\$ 7,661.00
Esophagogastroduodenoscopy, flexible, transoral; with biopsy, single or multiple	\$ 3,854.00
Esophagogastroduodenoscopy, flexible, transoral; with control of bleeding, any method	\$ 4,882.00
Esophagogastroduodenoscopy, flexible, transoral; with delivery of thermal energy to the muscle of lower esophageal sphincter and/or gastric cardia, for treatment of gastroesophageal reflux disease	\$ 10,805.00
Esophagogastroduodenoscopy, flexible, transoral; with dilation of esophagus with balloon (30 mm diameter or larger) (includes fluoroscopic guidance, when performed)	\$ 2,311.00
Esophagogastroduodenoscopy, flexible, transoral; with dilation of gastric/duodenal stricture(s) (eg, balloon, bougie)	\$ 3,183.00
Esophagogastroduodenoscopy, flexible, transoral; with directed placement of percutaneous gastrostomy tube	\$ 5,927.00
Esophagogastroduodenoscopy, flexible, transoral; with directed submucosal injection(s), any substance	\$ 3,741.00
Esophagogastroduodenoscopy, flexible, transoral; with endoscopic mucosal resection	\$ 3,741.00
Esophagogastroduodenoscopy, flexible, transoral; with endoscopic ultrasound examination limited to the esophagus, stomach or duodenum, and adjacent structures	\$ 3,833.00
Esophagogastroduodenoscopy, flexible, transoral; with endoscopic ultrasound examination, including the esophagus, stomach, and either the duodenum or a surgically altered stomach where the jejunum is examined distal to the anastomosis	\$ 5,079.00
Esophagogastroduodenoscopy, flexible, transoral; with injection sclerosis of esophageal/gastric varices	\$ 3,183.00
Esophagogastroduodenoscopy, flexible, transoral; with insertion of guide wire followed by passage of dilator(s) through esophagus over guide wire	\$ 1,526.00
Esophagogastroduodenoscopy, flexible, transoral; with insertion of intraluminal tube or catheter	\$ 3,562.00
Esophagogastroduodenoscopy, flexible, transoral; with optical endomicroscopy	\$ 3,183.00
Esophagogastroduodenoscopy, flexible, transoral; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)	\$ 3,741.00
Esophagogastroduodenoscopy, flexible, transoral; with removal of foreign body(s)	\$ 4,010.00
Esophagogastroduodenoscopy, flexible, transoral; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps	\$ 3,562.00
Esophagogastroduodenoscopy, flexible, transoral; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 3,562.00
Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic balloon dilation of esophagus (less than 30 mm diameter)	\$ 3,741.00
Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic ultrasound-guided intramural or transmural fine needle aspiration/biopsy(s) (includes endoscopic ultrasound examination of the esophagus, stomach, and either the duodenum or a surgically altered stomach where the jejunum is examined distal to the anastomosis)	\$ 7,559.00
Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic ultrasound-guided intramural or transmural fine needle aspiration/biopsy(s), (includes endoscopic ultrasound examination limited to the esophagus, stomach or duodenum, and adjacent structures)	\$ 3,833.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Esophagogastroduodenoscopy, flexible, transoral; with transendoscopic ultrasound-guided transmural injection of diagnostic or therapeutic substance(s) (eg, anesthetic, neurolytic agent) or fiducial marker(s) (includes endoscopic ultrasound examination of the esophagus, stomach, and either the duodenum or a surgically altered stomach where the jejunum is examined distal to the anastomosis)	\$ 3,741.00
Esophagogastroduodenoscopy, flexible, transoral; with transmural drainage of pseudocyst (includes placement of transmural drainage catheter[s]/stent[s], when performed, and endoscopic ultrasound, when performed)	\$ 3,562.00
Esophagoscopy, flexible, transoral; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 3,717.00
Esophagoscopy, flexible, transoral; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)	\$ 5,376.00
Esophagoscopy, flexible, transoral; with band ligation of esophageal varices	\$ 8,181.00
Esophagoscopy, flexible, transoral; with biopsy, single or multiple	\$ 3,717.00
Esophagoscopy, flexible, transoral; with control of bleeding, any method	\$ 5,693.00
Esophagoscopy, flexible, transoral; with dilation of esophagus with balloon (30 mm diameter or larger) (includes fluoroscopic guidance, when performed)	\$ 2,311.00
Esophagoscopy, flexible, transoral; with dilation of esophagus, by balloon or dilator, retrograde (includes fluoroscopic guidance, when performed)	\$ 2,311.00
Esophagoscopy, flexible, transoral; with directed submucosal injection(s), any substance	\$ 3,958.00
Esophagoscopy, flexible, transoral; with endoscopic mucosal resection	\$ 3,717.00
Esophagoscopy, flexible, transoral; with endoscopic ultrasound examination	\$ 4,071.00
Esophagoscopy, flexible, transoral; with injection sclerosis of esophageal varices	\$ 3,717.00
Esophagoscopy, flexible, transoral; with insertion of guide wire followed by passage of dilator(s) over guide wire	\$ 3,717.00
Esophagoscopy, flexible, transoral; with optical endomicroscopy	\$ 4,449.00
Esophagoscopy, flexible, transoral; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)	\$ 3,717.00
Esophagoscopy, flexible, transoral; with removal of foreign body(s)	\$ 4,281.00
Esophagoscopy, flexible, transoral; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 3,717.00
Esophagoscopy, flexible, transoral; with transendoscopic balloon dilation (less than 30 mm diameter)	\$ 3,717.00
Esophagoscopy, flexible, transoral; with transendoscopic ultrasound-guided intramural or transmural fine needle aspiration/biopsy(s)	\$ 4,071.00
Esophagus, gastroesophageal reflux test; with mucosal attached telemetry pH electrode placement, recording, analysis and interpretation	\$ 1,447.00
Estradiol	\$ 260.00
Estradiol	\$ 399.00
Estriol	\$ 296.00
Estriol	\$ 94.00
Estrogens; total	\$ 261.00
Estrone	\$ 282.00
Ethosuximide	\$ 126.00
Ethylene glycol	\$ 128.00
Ethylene glycol	\$ 253.00
Etogestrel (contraceptive) implant system, including implant and supplies	\$ 7,340.00
Evacuation of subungual hematoma	\$ 927.00
Evaluation of auditory rehabilitation status; each additional 15 minutes (List separately in addition to code for primary procedure)	\$ 322.00
Evaluation of auditory rehabilitation status; first hour	\$ 1,151.00
Evaluation of cardiovascular function with tilt table evaluation, with continuous ECG monitoring and intermittent blood pressure monitoring, with or without pharmacological intervention	\$ 2,803.00
Evaluation of central auditory function, with report; each additional 15 minutes (List separately in addition to code for primary procedure)	\$ 132.00
Evaluation of central auditory function, with report; initial 60 minutes	\$ 520.00
Evaluation of cervicovaginal fluid for specific amniotic fluid protein(s) (eg, placental alpha microglobulin-1 [PAMG-1], placental protein 12 [PP12], alpha-fetoprotein), qualitative, each specimen	\$ 426.00
Evaluation of oral and pharyngeal swallowing function	\$ 670.00
Evaluation of speech fluency (eg, stuttering, cluttering)	\$ 718.00
Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria)	\$ 718.00
Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria); with evaluation of language comprehension and expression (eg, receptive and expressive language)	\$ 718.00
Event recorder, cardiac (implantable)	\$ 25,752.00
Everolimus	\$ 636.00
Exam Refract Est Pt	\$ 320.00
Exam Refract New Pt	\$ 320.00
Exchange nephrostomy catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation	\$ 3,938.00
Exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation	\$ 2,408.00
Exchange of previously placed abscess or cyst drainage catheter under radiological guidance (separate procedure)	\$ 1,709.00
Excision and repair of eyelid, involving lid margin, tarsus, conjunctiva, canthus, or full thickness, may include preparation for skin graft or pedicle flap with adjacent tissue transfer or rearrangement; over one-fourth of lid margin	\$ 1,947.00
Excision and repair of eyelid, involving lid margin, tarsus, conjunctiva, canthus, or full thickness, may include preparation for skin graft or pedicle flap with adjacent tissue transfer or rearrangement; up to one-fourth of lid margin	\$ 4,976.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Excision branchial cleft cyst or vestige, confined to skin and subcutaneous tissues	\$ 13,047.00
Excision external ear; partial, simple repair	\$ 2,935.00
Excision of Bartholin's gland or cyst	\$ 5,794.00
Excision of benign tumor or cyst of mandible, by enucleation and/or curettage	\$ 2,660.00
Excision of bone (eg, for osteomyelitis or bone abscess); mandible	\$ 12,672.00
Excision of breast lesion identified by preoperative placement of radiological marker, open; each additional lesion separately identified by a preoperative radiological marker (List separately in addition to code for primary procedure)	\$ 8,110.00
Excision of breast lesion identified by preoperative placement of radiological marker, open; single lesion	\$ 8,110.00
Excision of chalazion; multiple, different lids	\$ 364.00
Excision of chalazion; multiple, same lid	\$ 2,313.00
Excision of chalazion; single	\$ 1,185.00
Excision of cyst, fibroadenoma, or other benign or malignant tumor, aberrant breast tissue, duct lesion, nipple or areolar lesion (except 19300), open, male or female, 1 or more lesions	\$ 4,995.00
Excision of frenum, labial or buccal (frenulectomy, frenulectomy, frenectomy)	\$ 1,134.00
Excision of ganglion, wrist (dorsal or volar); primary	\$ 7,403.00
Excision of hyperplastic alveolar mucosa, each quadrant (specify)	\$ 1,092.00
Excision of lesion of eyelid (except chalazion) without closure or with simple direct closure	\$ 2,680.00
Excision of lesion of mucosa and submucosa, vestibule of mouth; with simple repair	\$ 2,062.00
Excision of lesion of mucosa and submucosa, vestibule of mouth; without repair	\$ 3,431.00
Excision of lesion of tendon sheath or joint capsule (eg, cyst, mucous cyst, or ganglion), hand or finger	\$ 2,142.00
Excision of lesion of tongue with closure; anterior two-thirds	\$ 6,407.00
Excision of lesion or tumor (except listed above), dentoalveolar structures; with simple repair	\$ 2,149.00
Excision of lesion or tumor (except listed above), dentoalveolar structures; without repair	\$ 1,768.00
Excision of lesion, conjunctiva; up to 1 cm	\$ 7,343.00
Excision of lesion, tendon, tendon sheath, or capsule (including synovectomy) (eg, cyst or ganglion); toe(s), each	\$ 2,262.00
Excision of lingual frenum (frenectomy)	\$ 8,003.00
Excision of lip; transverse wedge excision with primary closure	\$ 2,106.00
Excision of lip; V-excision with primary direct linear closure	\$ 1,847.00
Excision of multiple external papillae or tags, anus	\$ 3,136.00
Excision of nail and nail matrix, partial or complete (eg, ingrown or deformed nail), for permanent removal	\$ 1,287.00
Excision of pilonidal cyst or sinus; complicated	\$ 10,525.00
Excision of single external papilla or tag, anus	\$ 6,712.00
Excision of skin and subcutaneous tissue for hidradenitis, axillary; with complex repair	\$ 5,440.00
Excision of skin and subcutaneous tissue for hidradenitis, axillary; with simple or intermediate repair	\$ 2,571.00
Excision of skin and subcutaneous tissue for hidradenitis, inguinal; with simple or intermediate repair	\$ 5,920.00
Excision of skin and subcutaneous tissue for hidradenitis, perianal, perineal, or umbilical; with simple or intermediate repair	\$ 5,920.00
Excision of thrombosed hemorrhoid, external	\$ 2,002.00
Excision of vaginal cyst or tumor	\$ 3,906.00
Excision or curettage of bone cyst or benign tumor of clavicle or scapula	\$ 8,890.00
Excision or destruction of lesion of pharynx, any method	\$ 2,076.00
Excision or surgical planing of skin of nose for rhinophyma	\$ 907.00
Excision soft tissue lesion, external auditory canal	\$ 1,977.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.5 cm or less	\$ 1,606.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 0.6 to 1.0 cm	\$ 1,640.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 1.1 to 2.0 cm	\$ 1,690.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 2.1 to 3.0 cm	\$ 2,029.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter 3.1 to 4.0 cm	\$ 2,249.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), scalp, neck, hands, feet, genitalia; excised diameter over 4.0 cm	\$ 2,369.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 0.5 cm or less	\$ 1,690.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 0.6 to 1.0 cm	\$ 1,776.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 1.1 to 2.0 cm	\$ 1,792.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 2.1 to 3.0 cm	\$ 2,029.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter 3.1 to 4.0 cm	\$ 2,215.00
Excision, benign lesion including margins, except skin tag (unless listed elsewhere), trunk, arms or legs; excised diameter over 4.0 cm	\$ 2,337.00
Excision, excessive skin and subcutaneous tissue (includes lipectomy); other area	\$ 2,031.00
Excision, excessive skin and subcutaneous tissue (includes lipectomy); submental fat pad	\$ 2,544.00
Excision, lesion of floor of mouth	\$ 6,407.00
Excision, lesion of palate, uvula; with simple primary closure	\$ 2,568.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Excision, lesion of palate, uvula; without closure	\$ 1,239.00
Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised diameter 0.5 cm or less	\$ 1,912.00
Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised diameter 0.6 to 1.0 cm	\$ 2,199.00
Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised diameter 1.1 to 2.0 cm	\$ 2,199.00
Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised diameter 2.1 to 3.0 cm	\$ 3,046.00
Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised diameter 3.1 to 4.0 cm	\$ 3,046.00
Excision, malignant lesion including margins, face, ears, eyelids, nose, lips; excised diameter over 4.0 cm	\$ 5,920.00
Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised diameter 0.5 cm or less	\$ 1,912.00
Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised diameter 0.6 to 1.0 cm	\$ 1,912.00
Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised diameter 1.1 to 2.0 cm	\$ 1,912.00
Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised diameter 2.1 to 3.0 cm	\$ 3,128.00
Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised diameter 3.1 to 4.0 cm	\$ 3,128.00
Excision, malignant lesion including margins, scalp, neck, hands, feet, genitalia; excised diameter over 4.0 cm	\$ 5,920.00
Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 0.5 cm or less	\$ 1,912.00
Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 0.6 to 1.0 cm	\$ 1,192.00
Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 1.1 to 2.0 cm	\$ 1,274.00
Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 2.1 to 3.0 cm	\$ 3,128.00
Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter 3.1 to 4.0 cm	\$ 3,128.00
Excision, malignant lesion including margins, trunk, arms, or legs; excised diameter over 4.0 cm	\$ 4,906.00
Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 0.5 cm or less	\$ 1,606.00
Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 0.6 to 1.0 cm	\$ 1,640.00
Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 1.1 to 2.0 cm	\$ 1,726.00
Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 2.1 to 3.0 cm	\$ 2,074.00
Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter 3.1 to 4.0 cm	\$ 2,297.00
Excision, other benign lesion including margins, except skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous membrane; excised diameter over 4.0 cm	\$ 2,538.00
Excision, tumor or vascular malformation, soft tissue of hand or finger, subcutaneous; 1.5 cm or greater	\$ 1,336.00
Excision, tumor or vascular malformation, soft tissue of hand or finger, subcutaneous; less than 1.5 cm	\$ 1,096.00
Excision, tumor, soft tissue of abdominal wall, subcutaneous; 3 cm or greater	\$ 1,323.00
Excision, tumor, soft tissue of abdominal wall, subcutaneous; less than 3 cm	\$ 1,242.00
Excision, tumor, soft tissue of abdominal wall, subfascial (eg, intramuscular); 5 cm or greater	\$ 1,323.00
Excision, tumor, soft tissue of abdominal wall, subfascial (eg, intramuscular); less than 5 cm	\$ 1,242.00
Excision, tumor, soft tissue of back or flank, subcutaneous; 3 cm or greater	\$ 5,474.00
Excision, tumor, soft tissue of back or flank, subcutaneous; less than 3 cm	\$ 3,180.00
Excision, tumor, soft tissue of back or flank, subfascial (eg, intramuscular); 5 cm or greater	\$ 4,124.00
Excision, tumor, soft tissue of back or flank, subfascial (eg, intramuscular); less than 5 cm	\$ 3,180.00
Excision, tumor, soft tissue of face and scalp, subfascial (eg, subgaleal, intramuscular); 2 cm or greater	\$ 1,336.00
Excision, tumor, soft tissue of face and scalp, subfascial (eg, subgaleal, intramuscular); less than 2 cm	\$ 1,302.00
Excision, tumor, soft tissue of face or scalp, subcutaneous; 2 cm or greater	\$ 1,267.00
Excision, tumor, soft tissue of face or scalp, subcutaneous; less than 2 cm	\$ 1,233.00
Excision, tumor, soft tissue of foot or toe, subcutaneous; 1.5 cm or greater	\$ 2,057.00
Excision, tumor, soft tissue of foot or toe, subcutaneous; less than 1.5 cm	\$ 1,747.00
Excision, tumor, soft tissue of foot or toe, subfascial (eg, intramuscular); 1.5 cm or greater	\$ 2,057.00
Excision, tumor, soft tissue of foot or toe, subfascial (eg, intramuscular); less than 1.5 cm	\$ 1,747.00
Excision, tumor, soft tissue of forearm and/or wrist area, subcutaneous; 3 cm or greater	\$ 4,624.00
Excision, tumor, soft tissue of forearm and/or wrist area, subcutaneous; less than 3 cm	\$ 6,436.00
Excision, tumor, soft tissue of forearm and/or wrist area, subfascial (eg, intramuscular); 3 cm or greater	\$ 3,425.00
Excision, tumor, soft tissue of forearm and/or wrist area, subfascial (eg, intramuscular); less than 3 cm	\$ 1,610.00
Excision, tumor, soft tissue of leg or ankle area, subcutaneous; 3 cm or greater	\$ 1,371.00
Excision, tumor, soft tissue of leg or ankle area, subcutaneous; less than 3 cm	\$ 1,329.00
Excision, tumor, soft tissue of leg or ankle area, subfascial (eg, intramuscular); 5 cm or greater	\$ 1,643.00
Excision, tumor, soft tissue of leg or ankle area, subfascial (eg, intramuscular); less than 5 cm	\$ 1,438.00
Excision, tumor, soft tissue of neck or anterior thorax, subcutaneous; 3 cm or greater	\$ 1,399.00
Excision, tumor, soft tissue of neck or anterior thorax, subcutaneous; less than 3 cm	\$ 5,183.00
Excision, tumor, soft tissue of neck or anterior thorax, subfascial (eg, intramuscular); 5 cm or greater	\$ 3,610.00
Excision, tumor, soft tissue of neck or anterior thorax, subfascial (eg, intramuscular); less than 5 cm	\$ 1,970.00
Excision, tumor, soft tissue of pelvis and hip area, subcutaneous; 3 cm or greater	\$ 1,096.00
Excision, tumor, soft tissue of pelvis and hip area, subcutaneous; less than 3 cm	\$ 1,028.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Excision, tumor, soft tissue of pelvis and hip area, subfascial (eg, intramuscular); 5 cm or greater	\$ 1,131.00
Excision, tumor, soft tissue of pelvis and hip area, subfascial (eg, intramuscular); less than 5 cm	\$ 1,062.00
Excision, tumor, soft tissue of shoulder area, subcutaneous; 3 cm or greater	\$ 1,536.00
Excision, tumor, soft tissue of shoulder area, subcutaneous; less than 3 cm	\$ 1,371.00
Excision, tumor, soft tissue of shoulder area, subfascial (eg, intramuscular); 5 cm or greater	\$ 1,713.00
Excision, tumor, soft tissue of shoulder area, subfascial (eg, intramuscular); less than 5 cm	\$ 1,609.00
Excision, tumor, soft tissue of thigh or knee area, subcutaneous; 3 cm or greater	\$ 1,507.00
Excision, tumor, soft tissue of thigh or knee area, subcutaneous; less than 3 cm	\$ 1,371.00
Excision, tumor, soft tissue of thigh or knee area, subfascial (eg, intramuscular); 5 cm or greater	\$ 1,782.00
Excision, tumor, soft tissue of thigh or knee area, subfascial (eg, intramuscular); less than 5 cm	\$ 1,643.00
Excision, tumor, soft tissue of upper arm or elbow area, subcutaneous; 3 cm or greater	\$ 4,033.00
Excision, tumor, soft tissue of upper arm or elbow area, subcutaneous; less than 3 cm	\$ 3,787.00
Excision, tumor, soft tissue of upper arm or elbow area, subfascial (eg, intramuscular); 5 cm or greater	\$ 2,057.00
Excision, tumor, soft tissue of upper arm or elbow area, subfascial (eg, intramuscular); less than 5 cm	\$ 1,883.00
Excision, tumor, soft tissue, or vascular malformation, of hand or finger, subfascial (eg, intramuscular); 1.5 cm or greater	\$ 1,336.00
Excision, tumor, soft tissue, or vascular malformation, of hand or finger, subfascial (eg, intramuscular); less than 1.5 cm	\$ 1,096.00
Exercise test for bronchospasm, including pre- and post-spirometry, electrocardiographic recording(s), and pulse oximetry	\$ 596.00
EXPIRED: Application of surface (transcutaneous) neurostimulator	\$ 219.00
EXPIRED: Calcium; ionized	\$ 142.00
EXPIRED: Exploration of penetrating wound (separate procedure); extremity	\$ 1,007.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 868.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 426.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 638.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 852.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,065.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,278.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,490.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,705.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 1,917.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 2,147.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 2,405.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 2,693.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 2,963.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 3,229.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 3,732.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 3,488.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 2,541.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 3,812.00
EXPIRED: Fluoroscopy, physician or other qualified health care professional time more than 1 hour, assisting a nonradiologic physician or other qualified health care professional (eg, nephrostolithotomy, ERCP, bronchoscopy, transbronchial biopsy)	\$ 692.00
EXPIRED: Neuropsychological testing (eg, Halstead-Reitan Neuropsychological Battery, Wechsler Memory Scales and Wisconsin Card Sorting Test), per hour of the psychologist's or physician's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 275.00
EXPIRED: Neuropsychological testing (eg, Halstead-Reitan Neuropsychological Battery, Wechsler Memory Scales and Wisconsin Card Sorting Test), per hour of the psychologist's or physician's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 452.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
EXPIRED: Neuropsychological testing (eg, Halstead-Reitan Neuropsychological Battery, Wechsler Memory Scales and Wisconsin Card Sorting Test), per hour of the psychologist's or physician's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 424.00
EXPIRED: Neuropsychological testing (eg, Halstead-Reitan Neuropsychological Battery, Wechsler Memory Scales and Wisconsin Card Sorting Test), with qualified health care professional interpretation and report, administered by technician, per hour of technician time, face-to-face	\$ 275.00
EXPIRED: Neuropsychological testing (eg, Halstead-Reitan Neuropsychological Battery, Wechsler Memory Scales and Wisconsin Card Sorting Test), with qualified health care professional interpretation and report, administered by technician, per hour of technician time, face-to-face	\$ 452.00
EXPIRED: Neuropsychological testing (eg, Halstead-Reitan Neuropsychological Battery, Wechsler Memory Scales and Wisconsin Card Sorting Test), with qualified health care professional interpretation and report, administered by technician, per hour of technician time, face-to-face	\$ 424.00
EXPIRED: Neuropsychological testing (eg, Wisconsin Card Sorting Test), administered by a computer, with qualified health care professional interpretation and report	\$ 275.00
EXPIRED: Neuropsychological testing (eg, Wisconsin Card Sorting Test), administered by a computer, with qualified health care professional interpretation and report	\$ 656.00
EXPIRED: Neuropsychological testing (eg, Wisconsin Card Sorting Test), administered by a computer, with qualified health care professional interpretation and report	\$ 616.00
EXPIRED: Open femoral artery exposure for delivery of endovascular prosthesis, by groin incision, unilateral	\$ 2,395.00
EXPIRED: Open iliac artery exposure for delivery of endovascular prosthesis or iliac occlusion during endovascular therapy, by abdominal or retroperitoneal incision, unilateral	\$ 2,575.00
EXPIRED: Ova and parasites, direct smears, concentration and identification	\$ 145.00
EXPIRED: Ova and parasites, direct smears, concentration and identification	\$ 16.00
EXPIRED: Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, eg, MMPI and WAIS), with qualified health care professional interpretation and report, administered by technician, per hour of technician time, face-to-face	\$ 1,052.00
EXPIRED: Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, eg, MMPI and WAIS), with qualified health care professional interpretation and report, administered by technician, per hour of technician time, face-to-face	\$ 137.00
EXPIRED: Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, eg, MMPI), administered by a computer, with qualified health care professional interpretation and report	\$ 904.00
EXPIRED: Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, eg, MMPI), administered by a computer, with qualified health care professional interpretation and report	\$ 137.00
EXPIRED: Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, eg, MMPI, Rorschach, WAIS), per hour of the psychologist's or physician's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 1,052.00
EXPIRED: Psychological testing (includes psychodiagnostic assessment of emotionality, intellectual abilities, personality and psychopathology, eg, MMPI, Rorschach, WAIS), per hour of the psychologist's or physician's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 275.00
EXPIRED: Smear, primary source with interpretation; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites	\$ 79.00
EXPIRED: Smear, primary source with interpretation; complex special stain (eg, trichrome, iron hemotoxylin) for ova and parasites	\$ 32.00
EXPIRED: Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 297.00
EXPIRED: Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 139.00
EXPIRED: Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 722.00
EXPIRED: Susceptibility studies, antimicrobial agent; microdilution or agar dilution (minimum inhibitory concentration [MIC] or breakpoint), each multi-antimicrobial, per plate	\$ 166.00
EXPIRED: Thoracotomy; with exploration	\$ 1,547.00
Ext Recovery Per Hour	\$ 470.00
Ext Recovery:Minor Surg/Hr	\$ 470.00
Extended Recovery/Hr	\$ 470.00
External breast prosthesis garment, with mastectomy form, post mastectomy	\$ 461.00
External cephalic version, with or without tocolysis	\$ 1,305.00
External electrocardiographic recording for more than 48 hours up to 21 days by continuous rhythm recording and storage; recording (includes connection and initial recording)	\$ 890.00
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; recording (includes connection, recording, and disconnection)	\$ 890.00
External electrocardiographic recording up to 48 hours by continuous rhythm recording and storage; scanning analysis with report	\$ 1,313.00
External ocular photography with interpretation and report for documentation of medical progress (eg, close-up photography, slit lamp photography, gonioscopy, stereo-photography)	\$ 440.00
External patient and, when performed, auto activated electrocardiographic rhythm derived event recording with symptom-related memory loop with remote download capability up to 30 days, 24-hour attended monitoring; recording (includes connection, recording, and disconnection)	\$ 731.00
External recharging system for battery (external) for use with implantable neurostimulator, replacement only	\$ 18,584.00
External recharging system for battery (internal) for use with implantable neurostimulator, replacement only	\$ 18,584.00
Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; daily management, each day, veno-arterial	\$ 10,815.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; daily management, each day, veno-venous	\$ 10,815.00
Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; initiation, veno-arterial	\$ 10,815.00
Extracorporeal membrane oxygenation (ECMO)/extracorporeal life support (ECLS) provided by physician; initiation, veno-venous	\$ 10,815.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 171.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 166.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 194.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 201.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 509.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 226.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 282.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 274.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 378.00
Extractable nuclear antigen, antibody to, any method (eg, nRNP, SS-A, SS-B, Sm, RNP, Sc170, J01), each antibody	\$ 404.00
F2 (prothrombin, coagulation factor II) (eg, hereditary hypercoagulability) gene analysis, 20210G>A variant	\$ 719.00
F5 (coagulation factor V) (eg, hereditary hypercoagulability) gene analysis, Leiden variant	\$ 709.00
Face mask interface, replacement for full face mask, each	\$ 99.00
Face tent	\$ 67.00
Factor inhibitor test	\$ 195.00
Factor inhibitor test	\$ 1,226.00
Factor inhibitor test	\$ 906.00
Family psychotherapy (conjoint psychotherapy) (with patient present), 50 minutes	\$ 255.00
Family psychotherapy (without the patient present), 50 minutes	\$ 255.00
Fasciotomy, palmar (eg, Dupuytren's contracture); percutaneous	\$ 2,057.00
Fat or lipids, feces; qualitative	\$ 113.00
Fat or lipids, feces; qualitative	\$ 114.00
Fat or lipids, feces; quantitative	\$ 346.00
Fatty acids, nonesterified	\$ 143.00
Fern test	\$ 78.00
Ferritin	\$ 270.00
Fetal biophysical profile; with non-stress testing	\$ 3,120.00
Fetal biophysical profile; without non-stress testing	\$ 1,617.00
Fetal contraction stress test	\$ 755.00
Fetal fibronectin, cervicovaginal secretions, semi-quantitative	\$ 2,105.00
Fetal lung maturity assessment; lamellar body density	\$ 152.00
Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio	\$ 1,159.00
Fetal lung maturity assessment; lecithin sphingomyelin (L/S) ratio	\$ 179.00
Fetal monitoring during labor by consulting physician (ie, non-attending physician) with written report; supervision and interpretation	\$ 635.00
Fetal non-stress test	\$ 1,095.00
Fibrin degradation products, D-dimer; quantitative	\$ 145.00
Fibrin(ogen) degradation (split) products (FDP) (FSP); agglutination slide, semiquantitative	\$ 297.00
Fibrin(ogen) degradation (split) products (FDP) (FSP); paracoagulation	\$ 174.00
Fibrinogen; activity	\$ 235.00
Fibrinogen; activity	\$ 147.00
Fibrinogen; antigen	\$ 89.00
Fibrinolytic factors and inhibitors; alpha-2 antiplasmin	\$ 730.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 1,749.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 1,768.00
Fibrinolytic factors and inhibitors; plasminogen activator	\$ 495.00
Fibrinolytic factors and inhibitors; plasminogen, except antigenic assay	\$ 594.00
Filter, disposable, used with positive airway pressure device	\$ 8.00
Filter, non disposable, used with positive airway pressure device	\$ 22.00
Fine needle aspiration biopsy, without imaging guidance; first lesion	\$ 177.00
Fine needle aspiration biopsy, without imaging guidance; first lesion	\$ 1,338.00
Fine needle aspiration; with imaging guidance	\$ 1,982.00
Finger orthosis, proximal interphalangeal (pip)/distal interphalangeal (dip), non torsion joint/spring, extension/flexion, may include soft interface material, prefabricated, off-the-shelf	\$ 137.00
Finger orthosis, proximal interphalangeal (pip)/distal interphalangeal (dip), without joint/spring, extension/flexion (e.g., static or ring type), may include soft interface material, prefabricated, off-the-shelf	\$ 112.00
Finger orthosis, without joints, may include soft interface, custom fabricated, includes fitting and adjustment	\$ 466.00
Finger splint, static	\$ 185.00
Finger splint, static	\$ 141.00
Fitting and insertion of pessary or other intravaginal support device	\$ 751.00
Fitting and insertion of pessary or other intravaginal support device	\$ 705.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Fitting/orientation/checking of hearing aid	\$ 50.00
Flap; island pedicle requiring identification and dissection of an anatomically named axial vessel	\$ 4,987.00
Flap; neurovascular pedicle	\$ 4,746.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 452.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 253.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 76.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 145.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 318.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 251.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 5,135.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 522.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; each additional marker (List separately in addition to code for first marker)	\$ 200.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 253.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 431.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 258.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 261.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 318.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 256.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 5,141.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 1,281.00
Flow cytometry, cell surface, cytoplasmic, or nuclear marker, technical component only; first marker	\$ 307.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 357.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 318.00
Flow cytometry, interpretation; 2 to 8 markers	\$ 308.00
Flow cytometry, interpretation; 9 to 15 markers	\$ 256.00
Fluciclovine f-18, diagnostic, 1 millicurie	\$ 2,557.00
Fluciclovine f-18, diagnostic, 1 millicurie	\$ 2,557.07
Fluorescein angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral	\$ 1,283.00
Fluorescein angiography and indocyanine-green angiography (includes multiframe imaging) performed at the same patient encounter with interpretation and report, unilateral or bilateral	\$ 1,283.00
Fluorescein angiography with interpretation and report	\$ 2,019.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 213.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 355.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 342.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 662.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 374.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 681.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,104.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,193.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 504.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 889.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 599.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,371.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,923.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,460.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 1,067.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 652.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 679.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 4,021.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 3,821.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 3,902.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 3,063.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 299.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 326.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,778.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,063.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,064.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 2,826.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 651.00
Fluorescent noninfectious agent antibody; screen, each antibody	\$ 678.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 340.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 220.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 337.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 139.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 338.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 118.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 112.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 775.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 740.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 1,417.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 1,618.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 1,127.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 150.00
Fluorescent noninfectious agent antibody; titer, each antibody	\$ 4,460.00
Fluorodeoxyglucose F-18 FDG, diagnostic, per study dose, up to 45 millicuries	\$ 1,783.00
Fluoroscopic guidance and localization of needle or catheter tip for spine or paraspinal diagnostic or therapeutic injection procedures (epidural or subarachnoid) (List separately in addition to code for primary procedure)	\$ 928.00
Fluoroscopic guidance and localization of needle or catheter tip for spine or paraspinal diagnostic or therapeutic injection procedures (epidural or subarachnoid) (List separately in addition to code for primary procedure)	\$ 2,738.00
Fluoroscopic guidance for central venous access device placement, replacement (catheter only or complete), or removal (includes fluoroscopic guidance for vascular access and catheter manipulation, any necessary contrast injections through access site or catheter with related venography radiologic supervision and interpretation, and radiographic documentation of final catheter position) (List separately in addition to code for primary procedure)	\$ 1,896.00
Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device) (List separately in addition to code for primary procedure)	\$ 2,738.00
Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device) (List separately in addition to code for primary procedure)	\$ 6,357.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 692.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 929.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 212.00
Fluoroscopy (separate procedure), up to 1 hour physician or other qualified health care professional time, other than 71023 or 71034 (eg, cardiac fluoroscopy)	\$ 1,271.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 671.00
FMR1 (Fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; characterization of alleles (eg, expanded size and methylation status)	\$ 271.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 1,157.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 1,029.00
FMR1 (fragile X mental retardation 1) (eg, fragile X mental retardation) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	\$ 270.00
Foam dressing, wound cover, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	\$ 83.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., with any size adhesive border, each dressing	\$ 39.00
Foam dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 82.00
Folic acid; RBC	\$ 176.00
Folic acid; RBC	\$ 42.00
Folic acid; serum	\$ 49.00
Follicle puncture for oocyte retrieval, any method	\$ 1,702.00
Foot drop splint, recumbent positioning device, prefabricated, off-the-shelf	\$ 359.00
Foot, abduction rotation bar, without shoes	\$ 244.00
Foot, adjustable shoe-styled positioning device	\$ 1,212.00
Foot, arch support, non-removable attached to shoe, longitudinal, each	\$ 12.00
Foot, arch support, non-removable attached to shoe, longitudinal/metatarsal, each	\$ 15.00
Foot, arch support, non-removable attached to shoe, metatarsal, each	\$ 3.00
Foot, arch support, removable, premolded, longitudinal, each	\$ 185.00
Foot, arch support, removable, premolded, longitudinal/ metatarsal, each	\$ 3.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Foot, arch support, removable, premolded, longitudinal/ metatarsal, each	\$ 108.00
Foot, arch support, removable, premolded, metatarsal, each	\$ 108.00
Foot, arch support, removable, premolded, metatarsal, each	\$ 3.00
Foot, insert, removable, formed to patient foot, each	\$ 108.00
Foot, insert, removable, molded to patient model, longitudinal arch support, each	\$ 322.00
Foot, insert, removable, molded to patient model, longitudinal arch support, each	\$ 359.00
Foot, insert, removable, molded to patient model, longitudinal arch support, each	\$ 924.00
Foot, insert, removable, molded to patient model, longitudinal/ metatarsal support, each	\$ 395.00
Foot, insert, removable, molded to patient model, plastazote or equal, each	\$ 6.00
Foot, insert, removable, molded to patient model, spenco, each	\$ 21.00
Foot, insert, removable, molded to patient model, 'ucb' type, berkeley shell, each	\$ 539.00
Foot, insert/plate, removable, addition to lower extremity orthosis, high strength, lightweight material, all hybrid lamination/prepreg composite, each	\$ 215.00
Foot, molded shoe plastazote (or similar) custom fitted, each	\$ 229.00
Foot, plastic, silicone or equal, heel stabilizer, prefabricated, off-the-shelf, each	\$ 78.00
Foot, plastic, silicone or equal, heel stabilizer, prefabricated, off-the-shelf, each	\$ 181.00
For diabetics only, fitting (including follow-up), custom preparation and supply of off-the-shelf depth-inlay shoe manufactured to accommodate multi-density insert(s), per shoe	\$ 229.00
For diabetics only, fitting (including follow-up), custom preparation and supply of shoe molded from cast(s) of patient's foot (custom molded shoe), per shoe	\$ 1,077.00
For diabetics only, modification (including fitting) of off-the-shelf depth-inlay shoe or custom-molded shoe with roller or rigid rocker bottom, per shoe	\$ 466.00
For diabetics only, multiple density insert, custom molded from model of patient's foot, total contact with patient's foot, including arch, base layer minimum of 3/16 inch material of shore a 35 durometer or higher), includes arch filler and other shaping material, custom fabricated, each	\$ 180.00
For diabetics only, multiple density insert, direct formed, molded to foot after external heat source of 230 degrees fahrenheit or higher, total contact with patient's foot, including arch, base layer minimum of 1/4 inch material of shore a 35 durometer or 3/16 inch material of shore a 40 durometer (or higher), prefabricated, each	\$ 43.00
Forehead flap with preservation of vascular pedicle (eg, axial pattern flap, paramedian forehead flap)	\$ 2,079.00
Formation of direct or tubed pedicle, with or without transfer; eyelids, nose, ears, lips, or intraoral	\$ 11,636.00
Formation of direct or tubed pedicle, with or without transfer; forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands or feet	\$ 7,737.00
Formation of direct or tubed pedicle, with or without transfer; scalp, arms, or legs	\$ 2,827.00
Fractional ablative laser fenestration of burn and traumatic scars for functional improvement; each additional 100 cm2, or each additional 1% of body surface area of infants and children, or part thereof (List separately in addition to code for primary procedure)	\$ 160.00
Fractional ablative laser fenestration of burn and traumatic scars for functional improvement; first 100 cm2 or part thereof, or 1% of body surface area of infants and children	\$ 993.00
Fresh frozen plasma (single donor), frozen within 8 hours of collection, each unit	\$ 789.00
Fresh frozen plasma between 8-24 hours of collection, each unit	\$ 534.00
Fresh frozen plasma, thawing, each unit	\$ 156.00
Fresh frozen plasma, thawing, each unit	\$ 42.00
Frozen blood, each unit; thawing	\$ 156.00
Frozen blood, each unit; thawing	\$ 334.00
Full face mask used with positive airway pressure device, each	\$ 267.00
Full sole and heel wedge, between sole	\$ 574.00
Full thickness graft, free, including direct closure of donor site, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands, and/or feet; 20 sq cm or less	\$ 2,742.00
Full thickness graft, free, including direct closure of donor site, nose, ears, eyelids, and/or lips; 20 sq cm or less	\$ 5,320.00
Full thickness graft, free, including direct closure of donor site, nose, ears, eyelids, and/or lips; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 2,494.00
Full thickness graft, free, including direct closure of donor site, scalp, arms, and/or legs; 20 sq cm or less	\$ 997.00
Full thickness graft, free, including direct closure of donor site, scalp, arms, and/or legs; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 1,130.00
Full thickness graft, free, including direct closure of donor site, trunk; 20 sq cm or less	\$ 1,029.00
Full thickness graft, free, including direct closure of donor site, trunk; each additional 20 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 1,029.00
Functional cortical and subcortical mapping by stimulation and/or recording of electrodes on brain surface, or of depth electrodes, to provoke seizures or identify vital brain structures; each additional hour of attendance by a physician or other qualified health care professional (List separately in addition to code for primary procedure)	\$ 554.00
Functional cortical and subcortical mapping by stimulation and/or recording of electrodes on brain surface, or of depth electrodes, to provoke seizures or identify vital brain structures; initial hour of attendance by a physician or other qualified health care professional	\$ 638.00
Fundus photography with interpretation and report	\$ 725.00
Gabapentin, whole blood, serum, or plasma	\$ 256.00
Galactose-1-phosphate uridylyl transferase; quantitative	\$ 1,647.00
Gallium GA-67 citrate, diagnostic, per millicurie	\$ 130.00
Gallium GA-67 citrate, diagnostic, per millicurie	\$ 130.44

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Gallium ga-68, dotatate, diagnostic, 0.1 millicurie	\$ 398.00
Gallium ga-68, dotatate, diagnostic, 0.1 millicurie	\$ 398.31
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 167.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 94.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 74.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 221.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 502.00
Gammaglobulin (immunoglobulin); IgA, IgD, IgG, IgM, each	\$ 244.00
Gammaglobulin (immunoglobulin); IgE	\$ 229.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 173.00
Gammaglobulin (immunoglobulin); immunoglobulin subclasses (eg, IgG1, 2, 3, or 4), each	\$ 185.00
Gas dilution or washout for determination of lung volumes and, when performed, distribution of ventilation and closing volumes	\$ 764.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation)	\$ 149.00
Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (including calculated O2 saturation); with O2 saturation, by direct measurement, except pulse oximetry	\$ 149.00
Gases, blood, O2 saturation only, by direct measurement, except pulse oximetry	\$ 168.00
Gases, blood, pH only	\$ 97.00
Gastric emptying imaging study (eg, solid, liquid, or both);	\$ 2,665.00
Gastrin	\$ 217.00
Gastrin	\$ 74.00
Gastroesophageal reflux study	\$ 2,226.00
Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), esophagus through ileum, with interpretation and report	\$ 5,893.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 2,559.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 3,310.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 743.00
Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	\$ 1,338.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,462.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 2,252.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 473.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 2,891.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 398.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,572.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 252.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 1,014.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 2,395.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 632.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 2,604.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 380.00
Gastrostomy/jejunostomy tube, standard, any material, any type, each	\$ 2,607.00
GBA (glucosidase, beta, acid) (eg, Gaucher disease) gene analysis, common variants (eg, N370S, 84GG, L444P, IVS2+1G>A)	\$ 954.00
Gel sheet for dermal or epidermal application, (e.g., silicone, hydrogel, other), each	\$ 118.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 116,970.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 157,507.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 75,191.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 146,555.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 64,683.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 155,909.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 17,438.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 41,581.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 65,771.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 135,655.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 73,221.00
Generator, neurostimulator (implantable), non-rechargeable	\$ 83,639.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 147,185.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 19,813.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 107,146.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 146,459.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 143,590.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 127,361.00
Generator, neurostimulator (implantable), with rechargeable battery and charging system	\$ 115,412.00
Gentamicin	\$ 213.00
Glucagon	\$ 591.00
Glucose, blood by glucose monitoring device(s) cleared by the FDA specifically for home use	\$ 53.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Glucose, body fluid, other than blood	\$ 32.00
Glucose; post glucose dose (includes glucose)	\$ 41.00
Glucose; quantitative, blood (except reagent strip)	\$ 41.00
Glucose; tolerance test (GTT), 3 specimens (includes glucose)	\$ 94.00
Glucose; tolerance test, each additional beyond 3 specimens (List separately in addition to code for primary procedure)	\$ 41.00
Glucose-6-phosphate dehydrogenase (G6PD); quantitative	\$ 168.00
Glutamyltransferase, gamma (GGT)	\$ 46.00
Glutamyltransferase, gamma (GGT)	\$ 199.00
Glycated protein	\$ 58.00
Gonadotropin, chorionic (hCG); qualitative	\$ 93.00
Gonadotropin, chorionic (hCG); quantitative	\$ 102.00
Gonadotropin, chorionic (hCG); quantitative	\$ 319.00
Gonadotropin, chorionic (hCG); quantitative	\$ 56.00
Gonadotropin; follicle stimulating hormone (FSH)	\$ 229.00
Gonadotropin; luteinizing hormone (LH)	\$ 243.00
Gonioscopy (separate procedure)	\$ 264.00
Graft, vascular	\$ 1,753.00
Graft, vascular	\$ 24,708.00
Graft, vascular	\$ 6,393.00
Graft, vascular	\$ 7,934.00
Graft, vascular	\$ 18,757.00
Graft, vascular	\$ 5,184.00
Graft, vascular	\$ 6,434.00
Graft, vascular	\$ 20,031.00
Graft, vascular	\$ 3,128.00
Graft, vascular	\$ 1,437.00
Graft, vascular	\$ 45,887.00
Graft, vascular	\$ 476.00
Graft, vascular	\$ 338.00
Graft, vascular	\$ 466.00
Graft, vascular	\$ 23,105.00
Graft, vascular	\$ 7,358.00
Graft, vascular	\$ 83.00
Graft, vascular	\$ 99.00
Graft, vascular	\$ 994.00
Graft, vascular	\$ 1,818.00
Graft, vascular	\$ 743.00
Graft, vascular	\$ 2,428.00
Graft, vascular	\$ 2,927.00
Graft, vascular	\$ 1,463.00
Graft, vascular	\$ 1,409.00
Graft, vascular	\$ 710.00
Graft, vascular	\$ 5,443.00
Graft, vascular	\$ 1,042.00
Graft, vascular	\$ 2,893.00
Graft, vascular	\$ 4,253.00
Graft, vascular	\$ 36,668.00
Graft, vascular	\$ 9,618.00
Graft, vascular	\$ 6,528.00
Graft, vascular	\$ 3,029.00
Graft, vascular	\$ 13,045.00
Graft, vascular	\$ 1,507.00
Graft, vascular	\$ 8,212.00
Graft, vascular	\$ 1,956.00
Graft, vascular	\$ 173.00
Graft, vascular	\$ 712.00
Graft; composite (eg, full thickness of external ear or nasal ala), including primary closure, donor area	\$ 1,029.00
Graft; ear cartilage, autogenous, to nose or ear (includes obtaining graft)	\$ 4,746.00
Granulocytes, pheresis, each unit	\$ 4,868.00
Ground mileage, per statute mile	\$ 16.00
Group psychotherapy (other than of a multiple-family group)	\$ 110.00
Growth hormone, human (HGH) (somatotropin)	\$ 218.00
Growth hormone, human (HGH), antibody	\$ 529.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Guidance for localization of target volume for delivery of radiation treatment delivery, includes intrafraction tracking, when performed	\$ 1,115.00
Guidance for localization of target volume for delivery of radiation treatment delivery, includes intrafraction tracking, when performed	\$ 754.00
Guide wire	\$ 395.00
Guide wire	\$ 4,518.00
Guide wire	\$ 4,049.00
Guide wire	\$ 1,620.00
Guide wire	\$ 245.00
Guide wire	\$ 170.00
Guide wire	\$ 231.00
Guide wire	\$ 507.00
Guide wire	\$ 322.00
Guide wire	\$ 60.00
Guide wire	\$ 1,525.00
Guide wire	\$ 3,754.00
Guide wire	\$ 402.00
Guide wire	\$ 108.00
Guide wire	\$ 1,575.00
Guide wire	\$ 206.00
Guide wire	\$ 2,575.00
Guide wire	\$ 220.00
Guide wire	\$ 251.00
Guide wire	\$ 2,454.00
Guide wire	\$ 1,833.00
Guide wire	\$ 1,231.00
Guide wire	\$ 666.00
Guide wire	\$ 88.00
Guide wire	\$ 355.00
Guide wire	\$ 481.00
Guide wire	\$ 589.00
Guide wire	\$ 282.00
Guide wire	\$ 1,369.00
Guide wire	\$ 361.00
Guide wire	\$ 824.00
Guide wire	\$ 98.00
Guide wire	\$ 107.00
Guide wire	\$ 414.00
Guide wire	\$ 464.00
Guide wire	\$ 914.00
Guide wire	\$ 334.00
Guide wire	\$ 855.00
Guide wire	\$ 210.00
Guide wire	\$ 320.00
Guide wire	\$ 746.00
Guide wire	\$ 521.00
Guide wire	\$ 184.00
Guide wire	\$ 246.00
Guide wire	\$ 704.00
Guide wire	\$ 1,375.00
Guide wire	\$ 846.00
Guide wire	\$ 300.00
Guide wire	\$ 388.00
Guide wire	\$ 1,338.00
Guide wire	\$ 111.00
Guide wire	\$ 1,542.00
Guide wire	\$ 1,932.00
Guide wire	\$ 3,999.00
Guide wire	\$ 4,236.00
Guide wire	\$ 5,212.00
Guide wire	\$ 290.00
Guide wire	\$ 274.00
Guide wire	\$ 1,389.00
Guide wire	\$ 515.00
Guide wire	\$ 365.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Guide wire	\$ 835.00
Guide wire	\$ 608.00
Guide wire	\$ 99.00
Guide wire	\$ 611.00
Guide wire	\$ 4,532.00
Guide wire	\$ 756.00
Guide wire	\$ 493.00
Guide wire	\$ 528.00
Guide wire	\$ 421.00
Guide wire	\$ 470.00
Guide wire	\$ 928.00
Guide wire	\$ 185.00
Guide wire	\$ 338.00
Guide wire	\$ 868.00
Guide wire	\$ 212.00
Guide wire	\$ 324.00
Guide wire	\$ 7,925.00
Guide wire	\$ 2,532.00
Guide wire	\$ 1,976.00
Guide wire	\$ 16,713.00
Guide wire	\$ 472.00
Guide wire	\$ 269.00
Guide wire	\$ 342.00
Guide wire	\$ 7,411.00
Guide wire	\$ 302.00
Guide wire	\$ 809.00
Guide wire	\$ 8,548.00
Guide wire	\$ 1,313.00
Guide wire	\$ 1,896.00
Guide wire	\$ 10,157.00
Guide wire	\$ 5,161.00
Guide wire	\$ 1,487.00
Guide wire	\$ 570.00
Guide wire	\$ 2,525.00
Guide wire	\$ 1,326.00
Guide wire	\$ 1,059.00
Guide wire	\$ 4,261.00
Guide wire	\$ 487.00
Guide wire	\$ 294.00
Guide wire	\$ 1,446.00
Guide wire	\$ 122.00
Guide wire	\$ 72.00
Guide wire	\$ 1,076.00
Guide wire	\$ 335.00
Guide wire	\$ 2,589.00
Guide wire	\$ 239.00
Guide wire	\$ 460.00
Guide wire	\$ 701.00
Guide wire	\$ 134.00
Guide wire	\$ 420.00
Guide wire	\$ 2,806.00
Guide wire	\$ 625.00
Guide wire	\$ 491.00
Guide wire	\$ 3,073.00
Guide wire	\$ 273.00
Guide wire	\$ 219.00
Guide wire	\$ 1,472.00
Guide wire	\$ 1,136.00
Guide wire	\$ 2,566.00
Guide wire	\$ 553.00
Guide wire	\$ 702.00
Guide wire	\$ 4,925.00
Guide wire	\$ 3,368.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Guide wire	\$ 209.00
Guide wire	\$ 1,448.00
Guide wire	\$ 785.00
Haemophilus influenzae type b vaccine (Hib), PRP-T conjugate, 4 dose schedule, for intramuscular use	\$ 249.00
Haemophilus influenzae type b vaccine (Hib), PRP-T conjugate, 4 dose schedule, for intramuscular use	\$ 180.00
Hallus-valgus night dynamic splint, prefabricated, off-the-shelf	\$ 144.00
Hallux implant	\$ 5,117.00
Haloperidol	\$ 200.00
Hand finger orthosis (hfo), flexion glove with elastic finger control, prefabricated, off-the-shelf	\$ 1,481.00
Hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 150.00
Hand finger orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	\$ 1,481.00
Hand finger orthosis, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 124.00
Hand finger orthosis, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 291.00
Hand finger orthosis, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 504.00
Hand finger orthosis, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 206.00
Hand finger orthosis, without joints, may include soft interface, straps, prefabricated, off-the-shelf	\$ 274.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 59.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 37.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 30.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 23.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 67.00
Handling and/or conveyance of specimen for transfer from the patient in other than an office to a laboratory (distance may be indicated)	\$ 73.00
Haptoglobin; quantitative	\$ 172.00
Haptoglobin; quantitative	\$ 344.00
HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia, Hb Bart hydrops fetalis syndrome, HbH disease), gene analysis; duplication/deletion variants	\$ 2,355.00
Headgear used with positive airway pressure device	\$ 57.00
Health and behavior assessment (eg, health-focused clinical interview, behavioral observations, psychophysiological monitoring, health-oriented questionnaires), each 15 minutes face-to-face with the patient; initial assessment	\$ 62.00
Health and behavior assessment (eg, health-focused clinical interview, behavioral observations, psychophysiological monitoring, health-oriented questionnaires), each 15 minutes face-to-face with the patient; re-assessment	\$ 62.00
Health and behavior intervention, each 15 minutes, face-to-face; family (with the patient present)	\$ 62.00
Health and behavior intervention, each 15 minutes, face-to-face; family (without the patient present)	\$ 62.00
Health and behavior intervention, each 15 minutes, face-to-face; group (2 or more patients)	\$ 62.00
Health and behavior intervention, each 15 minutes, face-to-face; individual	\$ 62.00
Hearing aid check; binaural	\$ 888.00
Hearing aid check; monaural	\$ 714.00
Hearing aid examination and selection; binaural	\$ 960.00
Hearing aid examination and selection; monaural	\$ 960.00
Heart Biopsy Recovery Per Hr	\$ 869.00
Heart Lung Machine	\$ 562.00
Healthcare Teaching: >60Min	\$ 331.00
Healthcare Teaching: 01-15Min	\$ 92.00
Healthcare Teaching: 16-30Min	\$ 164.00
Healthcare Teaching: 31-45Min	\$ 226.00
Healthcare Teaching: 46-60Min	\$ 300.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 422.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 292.00
Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimony, mercury); quantitative, each, not elsewhere specified	\$ 453.00
Heel wedge	\$ 78.00
Heel wedge, sach	\$ 215.00
Heel, new leather, standard	\$ 251.00
Heel, new rubber, standard	\$ 251.00
Heel, pad and depression for spur	\$ 108.00
Heel, pad, removable for spur	\$ 108.00
Heel, sach cushion type	\$ 215.00
Heel, thomas extended to ball	\$ 251.00
Heinz bodies; direct	\$ 60.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Helmet, protective, hard, custom fabricated, includes all components and accessories	\$ 3,229.00
Helmet, protective, hard, prefabricated, includes all components and accessories	\$ 1,687.00
Helmet, protective, hard, prefabricated, includes all components and accessories	\$ 1,374.00
Helmet, protective, soft, custom fabricated, includes all components and accessories	\$ 3,229.00
Helmet, protective, soft, prefabricated, includes all components and accessories	\$ 754.00
Helmet, protective, soft, prefabricated, includes all components and accessories	\$ 1,374.00
Hemiphalangectomy or interphalangeal joint excision, toe, proximal end of phalanx, each	\$ 725.00
Hemodialysis-Acute </=5Hrs	\$ 1,834.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 166.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 108.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 448.00
Hemoglobin fractionation and quantitation; chromatography (eg, A2, S, C, and/or F)	\$ 56.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)	\$ 135.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; differential lysis (Kleihauer-Betke)	\$ 89.00
Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; rosette	\$ 76.00
Hemoglobin; F (fetal), qualitative	\$ 68.00
Hemoglobin; F (fetal), qualitative	\$ 89.00
Hemoglobin; glycosylated (A1C)	\$ 144.00
Hemoglobin; glycosylated (A1C)	\$ 42.00
Hemoglobin; methemoglobin, quantitative	\$ 144.00
Hemoglobin; plasma	\$ 176.00
Hemoglobin; urine	\$ 173.00
Hemolysin, acid	\$ 152.00
Hemolysins and agglutinins; auto, screen, each	\$ 101.00
Hemorrhoidectomy, external, 2 or more columns/groups	\$ 2,718.00
Hemorrhoidectomy, internal and external, single column/group	\$ 16,452.00
Hemorrhoidectomy, internal and external, single column/group; with fissurectomy	\$ 3,172.00
Hemorrhoidectomy, internal and external, single column/group; with fistulectomy, including fissurectomy, when performed	\$ 3,172.00
Hemorrhoidectomy, internal, by ligation other than rubber band; 2 or more hemorrhoid columns/groups	\$ 2,027.00
Hemorrhoidectomy, internal, by ligation other than rubber band; single hemorrhoid column/group	\$ 4,010.00
Hemorrhoidectomy, internal, by rubber band ligation(s)	\$ 2,787.00
Heparin assay	\$ 52.00
Heparin neutralization	\$ 107.00
Hepatic function panel This panel must include the following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct (82248) Phosphatase, alkaline (84075) Protein, total (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase, aspartate amino (AST) (SGOT) (84450)	\$ 227.00
Hepatic venography, wedged or free, with hemodynamic evaluation, radiological supervision and interpretation	\$ 4,910.00
Hepatic venography, wedged or free, without hemodynamic evaluation, radiological supervision and interpretation	\$ 4,640.00
Hepatitis A and hepatitis B vaccine (HepA-HepB), adult dosage, for intramuscular use	\$ 1,227.00
Hepatitis A antibody (HAAb)	\$ 173.00
Hepatitis A antibody (HAAb)	\$ 151.00
Hepatitis A antibody (HAAb), IgM antibody	\$ 161.00
Hepatitis A antibody (HAAb), IgM antibody	\$ 139.00
Hepatitis A vaccine (HepA), adult dosage, for intramuscular use	\$ 759.00
Hepatitis B core antibody (HBcAb); IgM antibody	\$ 184.00
Hepatitis B core antibody (HBcAb); IgM antibody	\$ 145.00
Hepatitis B core antibody (HBcAb); total	\$ 176.00
Hepatitis B core antibody (HBcAb); total	\$ 147.00
Hepatitis B core antibody (HBcAb); total	\$ 168.00
Hepatitis B core antibody (HBcAb); total	\$ 30.00
Hepatitis B surface antibody (HBsAb)	\$ 176.00
Hepatitis B surface antibody (HBsAb)	\$ 90.00
Hepatitis B surface antibody (HBsAb)	\$ 128.00
Hepatitis B vaccine (HepB), adult dosage, 3 dose schedule, for intramuscular use	\$ 652.00
Hepatitis B vaccine (HepB), pediatric/adolescent dosage, 3 dose schedule, for intramuscular use	\$ 251.00
Hepatitis Be antibody (HBeAb)	\$ 176.00
Hepatitis Be antibody (HBeAb)	\$ 143.00
Hepatitis Be antibody (HBeAb)	\$ 53.00
Hepatitis C antibody	\$ 184.00
Hepatitis C antibody	\$ 172.00
Hepatitis C antibody	\$ 186.00
Hepatitis C antibody	\$ 35.00
Hepatitis C antibody; confirmatory test (eg, immunoblot)	\$ 566.00
Hepatobiliary system imaging, including gallbladder when present	\$ 3,163.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Hepatobiliary system imaging, including gallbladder when present; with pharmacologic intervention, including quantitative measurement(s) when performed	\$ 3,163.00
Heterophile antibodies; screening	\$ 130.00
HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)	\$ 373.00
HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene analysis, common variants (eg, C282Y, H63D)	\$ 1,636.00
High compression bandage, elastic, knitted/woven, load resistance greater than or equal to 1.35 foot pounds at 50% maximum stretch, width greater than or equal to three inches and less than five inches, per yard	\$ 75.00
High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	\$ 2.27
High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	\$ 2.00
High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml	\$ 22.68
High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml	\$ 23.00
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 2.27
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 35.00
High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	\$ 2.00
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 3.41
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 16.00
High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	\$ 3.00
Hip knee ankle foot orthosis, torsion control, bilateral rotation straps, pelvic band/belt, custom fabricated	\$ 718.00
Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, ball bearing hip joint, pelvic band/ belt, custom fabricated	\$ 2,440.00
Hip knee ankle foot orthosis, torsion control, bilateral torsion cables, hip joint, pelvic band/belt, custom fabricated	\$ 2,440.00
Hip knee ankle foot orthosis, torsion control, unilateral rotation straps, pelvic band/belt, custom fabricated	\$ 574.00
Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, ball bearing hip joint, pelvic band/ belt, custom fabricated	\$ 1,973.00
Hip knee ankle foot orthosis, torsion control, unilateral torsion cable, hip joint, pelvic band/belt, custom fabricated	\$ 1,973.00
Hip orthosis, abduction control of hip joint, postoperative hip abduction type, custom fabricated	\$ 3,768.00
Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment	\$ 1,901.00
Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment	\$ 1,326.00
Hip orthosis, abduction control of hip joint, postoperative hip abduction type, prefabricated, includes fitting and adjustment	\$ 8,294.00
Hip orthosis, abduction control of hip joints, dynamic, pelvic control, adjustable hip motion control, thigh cuffs (rancho hip action type), custom fabricated	\$ 3,946.00
Hip orthosis, abduction control of hip joints, flexible, (pavlik harness), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 322.00
Hip orthosis, abduction control of hip joints, flexible, (pavlik harness), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 439.00
Hip orthosis, abduction control of hip joints, flexible, frejka type with cover, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 180.00
Hip orthosis, abduction control of hip joints, static, adjustable, (ilfed type), prefabricated, includes fitting and adjustment	\$ 1,562.00
Hip orthosis, abduction control of hip joints, static, pelvic band or spreader bar, thigh cuffs, custom fabricated	\$ 1,795.00
Hip orthosis, abduction control of hip joints, static, plastic, prefabricated, includes fitting and adjustment	\$ 1,616.00
Hip orthosis, bilateral thigh cuffs with adjustable abductor spreader bar, adult size, prefabricated, includes fitting and adjustment, any type	\$ 1,420.00
Histamine	\$ 633.00
Histamine	\$ 548.00
HLA Class I and II typing, high resolution (ie, alleles or allele groups), HLA-A, -B, -C, and -DRB1	\$ 5,330.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 7,146.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 3,083.00
HLA Class I and II typing, low resolution (eg, antigen equivalents); HLA-A, -B, -C, -DRB1/3/4/5, and -DQB1	\$ 4,127.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each	\$ 790.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, B*57:01P), each	\$ 1,538.00
HLA Class I typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-A, -B, or -C), each	\$ 2,859.00
HLA Class I typing, low resolution (eg, antigen equivalents); complete (ie, HLA-A, -B, and -C)	\$ 1,732.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 966.00
HLA Class I typing, low resolution (eg, antigen equivalents); one antigen equivalent (eg, B*27), each	\$ 597.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 4,407.00
HLA Class I typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-A, -B, or -C), each	\$ 1,644.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 395.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 216.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one allele or allele group (eg, HLA-DQB1*06:02P), each	\$ 1,529.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 720.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 339.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 950.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 2,867.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 2,862.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 613.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 461.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,930.00
HLA Class II typing, high resolution (ie, alleles or allele groups); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,654.00
HLA Class II typing, low resolution (eg, antigen equivalents); HLA-DRB1/3/4/5 and -DQB1	\$ 1,249.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 1,750.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 393.00
HLA Class II typing, low resolution (eg, antigen equivalents); one antigen equivalent, each	\$ 213.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 920.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 339.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 950.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 3,284.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 461.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,266.00
HLA Class II typing, low resolution (eg, antigen equivalents); one locus (eg, HLA-DRB1, -DRB3/4/5, -DQB1, -DQA1, -DPB1, or -DPA1), each	\$ 1,265.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 1,976.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 235.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 966.00
HLA typing; A, B, or C (eg, A10, B7, B27), single antigen	\$ 253.00
HLA typing; A, B, or C, multiple antigens	\$ 2,878.00
HLA typing; DR/DQ, single antigen	\$ 1,750.00
Holmium Laser	\$ 2,408.00
Holmium Lazer	\$ 2,408.00
Holster for use with electric or electric/pneumatic ventricular assist device, replacement only	\$ 3,319.00
Home sleep test (HST) with type III portable monitor, unattended; minimum of 4 channels: 2 respiratory movement/airflow, 1 ECG/heart rate and 1 oxygen saturation	\$ 704.00
Homocysteine	\$ 260.00
Homocysteine	\$ 487.00
Homovanillic acid (HVA)	\$ 200.00
Homovanillic acid (HVA)	\$ 56.00
Hospital bed, institutional type includes: oscillating, circulating and stryker frame, with mattress	\$ 10,056.00
Hospital observation service, per hour	\$ 470.00
Hospital observation service, per hour	\$ 64.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 114.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 121.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 137.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 157.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 181.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 225.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 129.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 147.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 170.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 211.00
Hospital outpatient clinic visit for assessment and management of a patient	\$ 154.00
Human epididymis protein 4 (HE4)	\$ 1,547.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 701.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 720.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); each additional serum sample or sample dilution (List separately in addition to primary procedure)	\$ 318.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 7,209.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 1,926.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 2,975.00
Human leukocyte antigen (HLA) crossmatch, non-cytotoxic (eg, using flow cytometry); first serum sample or dilution	\$ 2,125.00
Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 52, 58, nonavalent (9vHPV), 3 dose schedule, for intramuscular use	\$ 2,198.00
Human Papillomavirus vaccine, types 6, 11, 16, 18, quadrivalent (4vHPV), 3 dose schedule, for intramuscular use	\$ 1,844.00
Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), gene analysis, common variant, HPA-1a/b (L33P)	\$ 1,793.00
Humidifier, heated, used with positive airway pressure device	\$ 422.00
Hydrocorticosteroids, 17- (17-OHCS)	\$ 411.00
Hydroxyindolacetic acid, 5-(HIAA)	\$ 67.00
Hydroxyindolacetic acid, 5-(HIAA)	\$ 195.00
Hydroxyprogesterone, 17-d	\$ 305.00
Hydroxyprogesterone, 17-d	\$ 334.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Hydroxyprogesterone, 17-d	\$ 566.00
Hydroxyprogesterone, 17-d	\$ 510.00
Hydroxyprogesterone, 17-d	\$ 134.00
Hydroxyprogesterone, 17-d	\$ 551.00
Hysterosalpingography, radiological supervision and interpretation	\$ 1,694.00
Hysteroscopy, diagnostic (separate procedure)	\$ 1,212.00
Hysteroscopy, surgical; with bilateral fallopian tube cannulation to induce occlusion by placement of permanent implants	\$ 4,503.00
Hysteroscopy, surgical; with endometrial ablation (eg, endometrial resection, electrosurgical ablation, thermoablation)	\$ 3,538.00
Hysteroscopy, surgical; with removal of impacted foreign body	\$ 2,530.00
Hysteroscopy, surgical; with sampling (biopsy) of endometrium and/or polypectomy, with or without D & C	\$ 2,530.00
labp Machine - Case	\$ 1,167.00
IEXPIRED: ncision and drainage of soft tissue abscess, subfascial (ie, involves the soft tissue below the deep fascia)	\$ 870.00
IGH@ (Immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, B-cell), variable region somatic mutation analysis	\$ 2,218.00
IGH@ (Immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, B-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg, polymerase chain reaction)	\$ 867.00
IKBKAP (inhibitor of kappa light polypeptide gene enhancer in B-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg, 2507+6T>C, R696P)	\$ 2,218.00
Ileoscopy, through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 2,404.00
Ileoscopy, through stoma; with biopsy, single or multiple	\$ 2,823.00
Ileoscopy, through stoma; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)	\$ 7,371.00
Iliac and/or femoral artery angiography, non-selective, bilateral or ipsilateral to catheter insertion, performed at the same time as cardiac catheterization and/or coronary angiography, includes positioning or placement of the catheter in the distal aorta or ipsilateral femoral or iliac artery, injection of dye, production of permanent images, and radiologic supervision and interpretation (list separately in addition to primary procedure)	\$ 3,676.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst), soft tissue (eg, extremity, abdominal wall, neck), percutaneous	\$ 4,621.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); peritoneal or retroperitoneal, percutaneous	\$ 8,887.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); peritoneal or retroperitoneal, transvaginal or transrectal	\$ 8,269.00
Image-guided fluid collection drainage by catheter (eg, abscess, hematoma, seroma, lymphocele, cyst); visceral (eg, kidney, liver, spleen, lung/mediastinum), percutaneous	\$ 4,621.00
Imaging coil, magnetic resonance (insertable)	\$ 1,175.00
Immune complex assay	\$ 305.00
Immune complex assay	\$ 286.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)	\$ 35.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine (single or combination vaccine/toxoid)	\$ 37.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	\$ 35.00
Immunization administration (includes percutaneous, intradermal, subcutaneous, or intramuscular injections); each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	\$ 37.00
Immunization administration by intranasal or oral route; each additional vaccine (single or combination vaccine/toxoid) (List separately in addition to code for primary procedure)	\$ 35.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 76.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 94.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 270.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 503.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 1,486.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 988.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 1,975.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 1,004.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 229.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 1,286.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 30.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 1,168.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 2,683.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 202.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 190.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; qualitative or semiquantitative, multiple step method	\$ 171.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 1,141.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 107.00
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, by radioimmunoassay (eg, RIA)	\$ 807.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Immunoassay for analyte other than infectious agent antibody or infectious agent antigen; quantitative, not otherwise specified	\$ 1,220.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 176.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 430.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 322.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 131.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 135.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 145.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 100.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 95.00
Immunoassay for infectious agent antibody, quantitative, not otherwise specified	\$ 172.00
Immunoassay for tumor antigen, other antigen, quantitative (eg, CA 50, 72-4, 549), each	\$ 990.00
Immunoassay for tumor antigen, other antigen, quantitative (eg, CA 50, 72-4, 549), each	\$ 816.00
Immunoassay for tumor antigen, other antigen, quantitative (eg, CA 50, 72-4, 549), each	\$ 267.00
Immunoassay for tumor antigen, quantitative; CA 125	\$ 236.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 236.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 131.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 219.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 72.00
Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)	\$ 69.00
Immunoassay for tumor antigen, quantitative; CA 19-9	\$ 236.00
Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody	\$ 130.00
Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody	\$ 100.00
Immunodiffusion; gel diffusion, qualitative (Ouchterlony), each antigen or antibody	\$ 95.00
Immunodiffusion; not elsewhere specified	\$ 188.00
Immunodiffusion; not elsewhere specified	\$ 817.00
Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)	\$ 299.00
Immunofixation electrophoresis; other fluids with concentration (eg, urine, CSF)	\$ 1,700.00
Immunofixation electrophoresis; serum	\$ 297.00
Immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 397.00
Immunofluorescence, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 261.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 261.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 1,166.00
Immunofluorescence, per specimen; initial single antibody stain procedure	\$ 397.00
Immunohistochemistry or immunocytochemistry, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 286.00
Immunohistochemistry or immunocytochemistry, per specimen; each additional single antibody stain procedure (List separately in addition to code for primary procedure)	\$ 371.00
Immunohistochemistry or immunocytochemistry, per specimen; each multiplex antibody stain procedure	\$ 483.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 286.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 372.00
Immunohistochemistry or immunocytochemistry, per specimen; initial single antibody stain procedure	\$ 371.00
Implantable breast prosthesis, silicone or equal	\$ 7,533.00
Implantable neurostimulator electrode, each	\$ 388.00
Implantable neurostimulator pulse generator, single array, non-rechargeable, includes extension	\$ 694.00
Implantable wireless pulmonary artery pressure sensor with delivery catheter, including all system components	\$ 132,742.00
Implantation of patient-activated cardiac event recorder	\$ 1,857.00
Implantation, revision or repositioning of tunneled intrathecal or epidural catheter, for long-term medication administration via an external pump or implantable reservoir/infusion pump; without laminectomy	\$ 5,964.00
In situ hybridization (eg, FISH), per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 1,227.00
In situ hybridization (eg, FISH), per specimen; each multiplex probe stain procedure	\$ 1,511.00
In situ hybridization (eg, FISH), per specimen; initial single probe stain procedure	\$ 1,227.00
Incision and drainage abscess; peritonsillar	\$ 1,887.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); complicated or multiple	\$ 1,037.00
Incision and drainage of abscess (eg, carbuncle, suppurative hidradenitis, cutaneous or subcutaneous abscess, cyst, furuncle, or paronychia); simple or single	\$ 913.00
Incision and drainage of Bartholin's gland abscess	\$ 1,782.00
Incision and drainage of deep supralevator, pelvirectal, or retrorectal abscess	\$ 3,262.00
Incision and drainage of epididymis, testis and/or scrotal space (eg, abscess or hematoma)	\$ 2,739.00
Incision and drainage of epididymis, testis and/or scrotal space (eg, abscess or hematoma)	\$ 2,572.00
Incision and drainage of hematoma, seroma or fluid collection	\$ 1,937.00
Incision and drainage of ischiorectal and/or perirectal abscess (separate procedure)	\$ 6,391.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Incision and drainage of ischioanal or intramural abscess, with fistulectomy or fistulotomy, submuscular, with or without placement of seton	\$ 1,519.00
Incision and drainage of pilonidal cyst; complicated	\$ 2,736.00
Incision and drainage of pilonidal cyst; simple	\$ 1,194.00
Incision and drainage of submucosal abscess, rectum	\$ 2,196.00
Incision and drainage of vaginal hematoma; non-obstetrical (eg, post-trauma, spontaneous bleeding)	\$ 2,179.00
Incision and drainage of vaginal hematoma; Obstetrical/postpartum	\$ 1,390.00
Incision and drainage of vulva or perineal abscess	\$ 2,057.00
Incision and drainage, complex, postoperative wound infection	\$ 3,205.00
Incision and drainage, deep abscess or hematoma, soft tissues of neck or thorax	\$ 8,410.00
Incision and drainage, deep abscess, bursa, or hematoma, thigh or knee region	\$ 4,855.00
Incision and drainage, leg or ankle; deep abscess or hematoma	\$ 1,937.00
Incision and drainage, pelvis or hip joint area; deep abscess or hematoma	\$ 6,679.00
Incision and drainage, perianal abscess, superficial	\$ 1,491.00
Incision and drainage, shoulder area; deep abscess or hematoma	\$ 10,894.00
Incision and drainage, upper arm or elbow area; bursa	\$ 4,844.00
Incision and drainage, upper arm or elbow area; deep abscess or hematoma	\$ 6,765.00
Incision and removal of foreign body, subcutaneous tissues; complicated	\$ 2,694.00
Incision and removal of foreign body, subcutaneous tissues; simple	\$ 1,010.00
Incision for implantation of neurostimulator electrode array; sacral nerve (transforaminal placement)	\$ 1,069.00
Incision of conjunctiva, drainage of cyst	\$ 603.00
Incision of thrombosed hemorrhoid, external	\$ 2,002.00
Incision, drainage of lacrimal sac (dacryocystotomy or dacryocystostomy)	\$ 7,292.00
Incisional biopsy of eyelid skin including lid margin	\$ 2,113.00
Indium IN-111 capromab pendetide, diagnostic, per study dose, up to 10 millicuries	\$ 6,449.00
Indium IN-111 capromab pendetide, diagnostic, per study dose, up to 10 millicuries	\$ 6,449.20
Indium in-111 ibritumomab tiuxetan, diagnostic, per study dose, up to 5 millicuries	\$ 36,091.00
Indium in-111 labeled autologous white blood cells, diagnostic, per study dose	\$ 7,718.00
Indium in-111 labeled autologous white blood cells, diagnostic, per study dose	\$ 7,718.41
Indium IN-111 oxyquinoline, diagnostic, per 0.5 millicurie	\$ 4,967.00
Indium IN-111 pentetate, diagnostic, per 0.5 millicurie	\$ 1,907.00
Indium IN-111 pentetate, diagnostic, per 0.5 millicurie	\$ 1,906.64
Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries	\$ 15,094.00
Indium IN-111 pentetreotide, diagnostic, per study dose, up to 6 millicuries	\$ 15,094.27
Indocyanine-green angiography (includes multiframe imaging) with interpretation and report, unilateral or bilateral	\$ 1,099.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Aspergillus	\$ 619.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Aspergillus	\$ 694.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Clostridium difficile toxin(s)	\$ 167.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; cryptosporidium	\$ 81.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; giardia	\$ 83.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; Helicobacter pylori, stool	\$ 834.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 143.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 126.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg)	\$ 25.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis B surface antigen (HBsAg) neutralization	\$ 372.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis Be antigen (HBeAg)	\$ 176.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis Be antigen (HBeAg)	\$ 143.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; hepatitis Be antigen (HBeAg)	\$ 53.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1	\$ 600.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; HIV-1 antigen(s), with HIV-1 and HIV-2 antibodies, single result	\$ 186.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; respiratory syncytial virus	\$ 203.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; rotavirus	\$ 94.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]) qualitative or semiquantitative, multiple-step method; rotavirus	\$ 153.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 199.00
Infectious agent antigen detection by immunoassay technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent assay [ELISA], immunochemiluminometric assay [IMCA]), qualitative or semiquantitative; multiple-step method, not otherwise specified, each organism	\$ 1,373.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 256.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 74.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 37.00
Infectious agent antigen detection by immunoassay with direct optical observation; not otherwise specified	\$ 116.00
Infectious agent antigen detection by immunoassay with direct optical observation; respiratory syncytial virus	\$ 200.00
Infectious agent antigen detection by immunoassay with direct optical observation; respiratory syncytial virus	\$ 212.00
Infectious agent antigen detection by immunoassay with direct optical observation; Streptococcus, group A	\$ 93.00
Infectious agent antigen detection by immunofluorescent technique, polyvalent for multiple organisms, each polyvalent antiserum	\$ 325.00
Infectious agent antigen detection by immunofluorescent technique, polyvalent for multiple organisms, each polyvalent antiserum	\$ 336.00
Infectious agent antigen detection by immunofluorescent technique; adenovirus	\$ 206.00
Infectious agent antigen detection by immunofluorescent technique; influenza A virus	\$ 120.00
Infectious agent antigen detection by immunofluorescent technique; influenza B virus	\$ 120.00
Infectious agent antigen detection by immunofluorescent technique; Parainfluenza virus, each type	\$ 143.00
Infectious agent antigen detection by immunofluorescent technique; Parainfluenza virus, each type	\$ 206.00
Infectious agent antigen detection by immunofluorescent technique; respiratory syncytial virus	\$ 108.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 1,532.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 980.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 1,408.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 3,623.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 2,283.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 5,180.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 5,181.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; amplified probe(s) technique	\$ 156.00
Infectious agent detection by nucleic acid (DNA or RNA), multiple organisms; direct probe(s) technique	\$ 154.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 165.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,072.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 561.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 86.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 592.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 80.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,645.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 2,044.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 718.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,783.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 3,154.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 1,787.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; amplified probe technique, each organism	\$ 78.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 762.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 910.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 834.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 904.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 969.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 1,387.00
Infectious agent detection by nucleic acid (DNA or RNA), not otherwise specified; quantification, each organism	\$ 2,041.00
Infectious agent detection by nucleic acid (DNA or RNA); Bartonella henselae and Bartonella quintana, amplified probe technique	\$ 1,383.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 1,408.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 1,795.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 1,532.00
Infectious agent detection by nucleic acid (DNA or RNA); Borrelia burgdorferi, amplified probe technique	\$ 980.00
Infectious agent detection by nucleic acid (DNA or RNA); Candida species, direct probe technique	\$ 322.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 86.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 80.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia pneumoniae, amplified probe technique	\$ 1,029.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 174.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 170.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 144.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, amplified probe technique	\$ 146.00
Infectious agent detection by nucleic acid (DNA or RNA); Chlamydia trachomatis, direct probe technique	\$ 53.00
Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique	\$ 436.00
Infectious agent detection by nucleic acid (DNA or RNA); Clostridium difficile, toxin gene(s), amplified probe technique	\$ 237.00
Infectious agent detection by nucleic acid (DNA or RNA); cytomegalovirus, quantification	\$ 554.00
Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed	\$ 1,359.00
Infectious agent detection by nucleic acid (DNA or RNA); enterovirus, amplified probe technique, includes reverse transcription when performed	\$ 979.00
Infectious agent detection by nucleic acid (DNA or RNA); Gardnerella vaginalis, direct probe technique	\$ 322.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, amplified probe technique	\$ 1,290.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis B virus, quantification	\$ 1,285.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 1,407.00
Infectious agent detection by nucleic acid (DNA or RNA); hepatitis C, quantification, includes reverse transcription when performed	\$ 1,321.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 511.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 936.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, amplified probe technique	\$ 561.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes simplex virus, quantification	\$ 657.00
Infectious agent detection by nucleic acid (DNA or RNA); Herpes virus-6, quantification	\$ 1,714.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	\$ 2,083.00
Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification, includes reverse transcription when performed	\$ 563.00
Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)	\$ 295.00
Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68)	\$ 300.00
Infectious agent detection by nucleic acid (DNA or RNA); Human Papillomavirus (HPV), types 16 and 18 only, includes type 45, if performed	\$ 240.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria avium-intracellulare, amplified probe technique	\$ 1,631.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique	\$ 2,460.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria species, amplified probe technique	\$ 2,045.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 592.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 2,312.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 1,631.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycobacteria tuberculosis, amplified probe technique	\$ 2,046.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 86.00
Infectious agent detection by nucleic acid (DNA or RNA); Mycoplasma pneumoniae, amplified probe technique	\$ 80.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 223.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 124.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 144.00
Infectious agent detection by nucleic acid (DNA or RNA); Neisseria gonorrhoeae, amplified probe technique	\$ 97.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets	\$ 1,365.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 12-25 targets	\$ 1,282.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets	\$ 614.00
Infectious agent detection by nucleic acid (DNA or RNA); respiratory virus (eg, adenovirus, influenza virus, coronavirus, metapneumovirus, parainfluenza virus, respiratory syncytial virus, rhinovirus), includes multiplex reverse transcription, when performed, and multiplex amplified probe technique, multiple types or subtypes, 3-5 targets	\$ 661.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, amplified probe technique	\$ 294.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 662.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 620.00
Infectious agent detection by nucleic acid (DNA or RNA); Staphylococcus aureus, methicillin resistant, amplified probe technique	\$ 296.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, amplified probe technique	\$ 254.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group A, direct probe technique	\$ 128.00
Infectious agent detection by nucleic acid (DNA or RNA); Streptococcus, group B, amplified probe technique	\$ 417.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique	\$ 217.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, amplified probe technique	\$ 585.00
Infectious agent detection by nucleic acid (DNA or RNA); Trichomonas vaginalis, direct probe technique	\$ 322.00
Infectious agent detection by nucleic acid (DNA or RNA); vancomycin resistance (eg, enterococcus species van A, van B), amplified probe technique	\$ 571.00
Infectious agent detection by nucleic acid (DNA or RNA); Zika virus, amplified probe technique	\$ 512.00
Infectious agent drug susceptibility phenotype prediction using regularly updated genotypic bioinformatics	\$ 653.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 2,548.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 739.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 3,218.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); Hepatitis C virus	\$ 1,788.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, other region (eg, integrase, fusion)	\$ 653.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions	\$ 2,832.00
Infectious agent genotype analysis by nucleic acid (DNA or RNA); HIV-1, reverse transcriptase and protease regions	\$ 1,304.00
Influenza virus vaccine (IIV), split virus, preservative free, enhanced immunogenicity via increased antigen content, for intramuscular use	\$ 50.00
Influenza virus vaccine, quadrivalent (ccIIV4), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.25 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, quadrivalent (IIV4), split virus, 0.5 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.25 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, quadrivalent (IIV4), split virus, preservative free, 0.5 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, quadrivalent (RIV4), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use	\$ 50.00
Influenza virus vaccine, quadrivalent, live (LAIV4), for intranasal use	\$ 50.00
Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use (fluzone)	\$ 35.00
Influenza virus vaccine, trivalent (ccIIV3), derived from cell cultures, subunit, preservative and antibiotic free, 0.5 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, trivalent (IIV3), split virus, 0.25 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, 0.25 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, trivalent (IIV3), split virus, preservative free, 0.5 mL dosage, for intramuscular use	\$ 35.00
Influenza virus vaccine, trivalent (RIV3), derived from recombinant DNA, hemagglutinin (HA) protein only, preservative and antibiotic free, for intramuscular use	\$ 50.00
Influenza virus vaccine, trivalent, live (LAIV3), for intranasal use	\$ 35.00
Infusion pump, programmable (implantable)	\$ 63,051.00
Infusion pump, programmable (implantable)	\$ 78,569.00
Infusion pump, programmable (implantable)	\$ 85,567.00
Infusion, albumin (human), 5%, 250 ml	\$ 534.00
Infusion, normal saline solution , 1000 cc	\$ 48.00
Infusion, normal saline solution, sterile (500 ml = 1 unit)	\$ 38.00
Ingestion challenge test (sequential and incremental ingestion of test items, eg, food, drug or other substance); each additional 60 minutes of testing (List separately in addition to code for primary procedure)	\$ 193.00
Ingestion challenge test (sequential and incremental ingestion of test items, eg, food, drug or other substance); initial 120 minutes of testing	\$ 1,167.00
Inhibin A	\$ 553.00
Inhibin A	\$ 54.00
Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 18-39 years	\$ 479.00
Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 40-64 years	\$ 479.00
Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; 65 years and older	\$ 479.00
Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; adolescent (age 12 through 17 years)	\$ 479.00
Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, new patient; late childhood (age 5 through 11 years)	\$ 456.00
Initial treatment, first degree burn, when no more than local treatment is required	\$ 416.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 7,396.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 2,673.00
Injectable bulking agent, collagen implant, urinary tract, 2.5 ml syringe, includes shipping and necessary supplies	\$ 2,891.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 4,771.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 2,083.00
Injectable bulking agent, synthetic implant, urinary tract, 1 ml syringe, includes shipping and necessary supplies	\$ 2,420.00
Injection into turbinate(s), therapeutic	\$ 1,017.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Injection of air or contrast into peritoneal cavity (separate procedure)	\$ 315.00
Injection of contrast for knee arthrography	\$ 373.00
Injection of corpora cavernosa with pharmacologic agent(s) (eg, papaverine, phentolamine)	\$ 636.00
Injection of corpora cavernosa with pharmacologic agent(s) (eg, papaverine, phentolamine)	\$ 597.00
Injection of medication or other substance into Tenon's capsule	\$ 1,472.00
Injection of sclerosing solution, hemorrhoids	\$ 849.00
Injection of sclerosing solution; multiple veins, same leg	\$ 612.00
Injection of sclerosing solution; single vein	\$ 612.00
Injection of sinus tract; diagnostic (sinogram)	\$ 373.00
Injection of sinus tract; therapeutic (separate procedure)	\$ 1,350.00
Injection of vitreous substitute, pars plana or limbal approach (fluid-gas exchange), with or without aspiration (separate procedure)	\$ 5,291.00
Injection procedure (eg, contrast media) for evaluation of previously placed peritoneal-venous shunt	\$ 1,308.00
Injection procedure during cardiac catheterization including imaging supervision, interpretation, and report; for pulmonary angiography (List separately in addition to code for primary procedure)	\$ 2,856.00
Injection procedure during cardiac catheterization including imaging supervision, interpretation, and report; for supraaortic aortography (List separately in addition to code for primary procedure)	\$ 2,869.00
Injection procedure for ankle arthrography	\$ 1,305.00
Injection procedure for antegrade nephrostogram and/or ureterogram, complete diagnostic procedure including imaging guidance (eg, ultrasound and fluoroscopy) and all associated radiological supervision and interpretation; existing access	\$ 884.00
Injection procedure for antegrade nephrostogram and/or ureterogram, complete diagnostic procedure including imaging guidance (eg, ultrasound and fluoroscopy) and all associated radiological supervision and interpretation; new access	\$ 884.00
Injection procedure for cholangiography, percutaneous, complete diagnostic procedure including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation; existing access	\$ 1,994.00
Injection procedure for cholangiography, percutaneous, complete diagnostic procedure including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation; new access (eg, percutaneous transhepatic cholangiogram)	\$ 2,610.00
Injection procedure for cystography or voiding urethrocytography	\$ 351.00
Injection procedure for cystography or voiding urethrocytography	\$ 330.00
Injection procedure for discography, each level; lumbar	\$ 6,847.00
Injection procedure for elbow arthrography	\$ 835.00
Injection procedure for extremity venography (including introduction of needle or intracatheter)	\$ 837.00
Injection procedure for hip arthrography; with anesthesia	\$ 657.00
Injection procedure for hip arthrography; without anesthesia	\$ 322.00
Injection procedure for myelography and/or computed tomography, lumbar	\$ 872.00
Injection procedure for Peyronie disease	\$ 2,272.00
Injection procedure for Peyronie disease	\$ 2,133.00
Injection procedure for radiopharmaceutical localization by non-imaging probe study, intravenous (eg, parathyroid adenoma)	\$ 1,407.00
Injection procedure for retrograde urethrocytography	\$ 1,616.00
Injection procedure for retrograde urethrocytography	\$ 1,517.00
Injection procedure for sacroiliac joint, anesthetic/steroid, with image guidance (fluoroscopy or CT) including arthrography when performed	\$ 1,816.00
Injection procedure for sacroiliac joint; provision of anesthetic, steroid and/or other therapeutic agent, with or without arthrography	\$ 1,816.00
Injection procedure for sacroiliac joint; provision of anesthetic, steroid and/or other therapeutic agent, with or without arthrography	\$ 3,350.00
Injection procedure for shoulder arthrography or enhanced CT/MRI shoulder arthrography	\$ 886.00
Injection procedure for sialography	\$ 300.00
Injection procedure for splenoportography	\$ 3,218.00
Injection procedure for ureterography or ureteropyelography through ureterostomy or indwelling ureteral catheter	\$ 1,891.00
Injection procedure for ureterography or ureteropyelography through ureterostomy or indwelling ureteral catheter	\$ 1,776.00
Injection procedure for visualization of ileal conduit and/or ureteropyelography, exclusive of radiologic service	\$ 1,488.00
Injection procedure for visualization of ileal conduit and/or ureteropyelography, exclusive of radiologic service	\$ 1,397.00
Injection procedure for wrist arthrography	\$ 560.00
Injection procedure; lymphangiography	\$ 1,415.00
Injection procedure; radioactive tracer for identification of sentinel node	\$ 1,212.00
Injection procedures (eg, thrombin) for percutaneous treatment of extremity pseudoaneurysm	\$ 1,198.00
Injection(s), anesthetic agent and/or steroid, plantar common digital nerve(s) (eg, Morton's neuroma)	\$ 552.00
Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); cervical or thoracic, each additional level (List separately in addition to code for primary procedure)	\$ 1,902.00
Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); cervical or thoracic, single level	\$ 1,765.00
Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); lumbar or sacral, each additional level (List separately in addition to code for primary procedure)	\$ 1,765.00
Injection(s), anesthetic agent and/or steroid, transforaminal epidural, with imaging guidance (fluoroscopy or CT); lumbar or sacral, single level	\$ 2,084.00
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; second level (List separately in addition to code for primary procedure)	\$ 2,380.00
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; single level	\$ 2,380.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), cervical or thoracic; third and any additional level(s) (List separately in addition to code for primary procedure)	\$ 2,380.00
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; second level (List separately in addition to code for primary procedure)	\$ 3,743.00
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; single level	\$ 3,743.00
Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joint) with image guidance (fluoroscopy or CT), lumbar or sacral; third and any additional level(s) (List separately in addition to code for primary procedure)	\$ 3,743.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)	\$ 4,087.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)	\$ 3,994.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, cervical or thoracic; without imaging guidance	\$ 3,066.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)	\$ 4,087.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)	\$ 3,994.00
Injection(s), including indwelling catheter placement, continuous infusion or intermittent bolus, of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); without imaging guidance	\$ 3,066.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)	\$ 5,039.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; with imaging guidance (ie, fluoroscopy or CT)	\$ 4,706.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, cervical or thoracic; without imaging guidance	\$ 3,779.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)	\$ 4,963.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); with imaging guidance (ie, fluoroscopy or CT)	\$ 4,651.00
Injection(s), of diagnostic or therapeutic substance(s) (eg, anesthetic, antispasmodic, opioid, steroid, other solution), not including neurolytic substances, including needle or catheter placement, interlaminar epidural or subarachnoid, lumbar or sacral (caudal); without imaging guidance	\$ 3,722.00
Injection(s), platelet rich plasma, any site, including image guidance, harvesting and preparation when performed	\$ 311.00
Injection(s); single or multiple trigger point(s), 1 or 2 muscle(s)	\$ 704.00
Injection(s); single or multiple trigger point(s), 3 or more muscles	\$ 816.00
Injection(s); single tendon origin/insertion	\$ 464.00
Injection(s); single tendon sheath, or ligament, aponeurosis (eg, plantar 'fascia')	\$ 752.00
Injection, abobotulinumtoxinA, 5 units	\$ 93.40
Injection, alteplase recombinant, 1 mg	\$ 807.00
Injection, anesthetic agent; axillary nerve	\$ 2,066.00
Injection, anesthetic agent; brachial plexus, continuous infusion by catheter (including catheter placement)	\$ 1,507.00
Injection, anesthetic agent; brachial plexus, single	\$ 1,363.00
Injection, anesthetic agent; celiac plexus, with or without radiologic monitoring	\$ 5,059.00
Injection, anesthetic agent; facial nerve	\$ 1,262.00
Injection, anesthetic agent; femoral nerve, continuous infusion by catheter (including catheter placement)	\$ 1,439.00
Injection, anesthetic agent; femoral nerve, single	\$ 1,439.00
Injection, anesthetic agent; greater occipital nerve	\$ 1,078.00
Injection, anesthetic agent; ilioinguinal, iliohypogastric nerves	\$ 1,394.00
Injection, anesthetic agent; intercostal nerve, single	\$ 2,112.00
Injection, anesthetic agent; intercostal nerves, multiple, regional block	\$ 2,565.00
Injection, anesthetic agent; lumbar or thoracic (paravertebral sympathetic)	\$ 1,949.00
Injection, anesthetic agent; lumbar plexus, posterior approach, continuous infusion by catheter (including catheter placement)	\$ 1,186.00
Injection, anesthetic agent; other peripheral nerve or branch	\$ 3,017.00
Injection, anesthetic agent; phrenic nerve	\$ 824.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Injection, anesthetic agent; pudendal nerve	\$ 1,606.00
Injection, anesthetic agent; sciatic nerve, continuous infusion by catheter (including catheter placement)	\$ 1,439.00
Injection, anesthetic agent; sciatic nerve, single	\$ 1,186.00
Injection, anesthetic agent; stellate ganglion (cervical sympathetic)	\$ 1,618.00
Injection, anesthetic agent; suprascapular nerve	\$ 1,394.00
Injection, anesthetic agent; trigeminal nerve, any division or branch	\$ 1,606.00
Injection, anterior chamber of eye (separate procedure); medication	\$ 1,809.00
Injection, darbepoetin alfa, 1 microgram (non-esrd use)	\$ 87.00
Injection, enzyme (eg, collagenase), palmar fascial cord (ie, Dupuytren's contracture)	\$ 752.00
Injection, epidural, of blood or clot patch	\$ 3,250.00
Injection, epoetin alfa, (for non-esrd use), 1000 units	\$ 279.00
Injection, gadobenate dimeglumine (Multihance), per ml	\$ 16.00
Injection, gadobenate dimeglumine (Multihance), per ml	\$ 15.63
Injection, gadobutrol, 0.1 ml	\$ 3.41
Injection, gadobutrol, 0.1 ml	\$ 3.00
Injection, gadoxetate disodium, 1 ml	\$ 116.83
Injection, gadoxetate disodium, 1 ml	\$ 117.00
Injection, heparin sodium, (heparin lock flush), per 10 units	\$ 0.70
Injection, intralesional; more than 7 lesions	\$ 468.00
Injection, intralesional; up to and including 7 lesions	\$ 413.00
Injection, onabotulinumtoxin, 1 unit	\$ 14.00
Injection, onabotulinumtoxin, 1 unit	\$ 66.00
Injection, onabotulinumtoxin, 1 unit	\$ 62.00
Injection, pegfilgrastim, 6 mg	\$ 64,747.00
Injection, perflutren lipid microspheres, per ml	\$ 642.00
Injection, rimabotulinumtoxinb, 100 units	\$ 132.60
Injection, sargramostim (gm-csf), 50 mcg	\$ 498.00
Injection, sincalide, 5 micrograms	\$ 885.00
Injection, therapeutic (eg, local anesthetic, corticosteroid), carpal tunnel	\$ 704.00
Inpatient Diabetic Education: 008-022 Min	\$ 88.00
Inpatient Diabetic Education: 023-037 Min	\$ 175.00
Inpatient Diabetic Education: 038-052 Min	\$ 264.00
Inpatient Diabetic Education: 053-067 Min	\$ 352.00
Inpatient Diabetic Education: 068-082 Min	\$ 440.00
Inpatient Diabetic Education: 083-097 Min	\$ 528.00
Inpatient Diabetic Education: 098-112 Min	\$ 616.00
Inpatient Diabetic Education: 113-127 Min	\$ 704.00
Inpatient Medical Nutrition: 008-022 Min	\$ 66.00
Inpatient Medical Nutrition: 023-037 Min	\$ 132.00
Inpatient Medical Nutrition: 038-052 Min	\$ 198.00
Inpatient Medical Nutrition: 053-067 Min	\$ 264.00
Inpatient Medical Nutrition: 068-082 Min	\$ 330.00
Inpatient Medical Nutrition: 083-097 Min	\$ 396.00
Inpatient Medical Nutrition: 098-112 Min	\$ 462.00
Inpatient Medical Nutrition: 113-127 Min	\$ 528.00
Insertion and placement of flow directed catheter (eg, Swan-Ganz) for monitoring purposes	\$ 1,846.00
Insertion of 2 transvenous electrodes, permanent pacemaker or implantable defibrillator	\$ 3,091.00
Insertion of a single transvenous electrode, permanent pacemaker or implantable defibrillator	\$ 3,542.00
Insertion of a vaginal radiation afterloading apparatus for clinical brachytherapy	\$ 1,374.00
Insertion of cannula for hemodialysis, other purpose (separate procedure); arteriovenous, external (Scribner type)	\$ 3,258.00
Insertion of cecostomy or other colonic tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 3,545.00
Insertion of cervical dilator (eg, laminaria, prostaglandin) (separate procedure)	\$ 2,057.00
Insertion of duodenostomy or jejunostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 3,545.00
Insertion of gastrostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 3,545.00
Insertion of implantable defibrillator pulse generator only; with existing dual leads	\$ 2,262.00
Insertion of implantable defibrillator pulse generator only; with existing multiple leads	\$ 2,423.00
Insertion of implantable defibrillator pulse generator only; with existing single lead	\$ 1,495.00
Insertion of indwelling tunneled pleural catheter with cuff	\$ 1,759.00
Insertion of intra-aortic balloon assist device, percutaneous	\$ 7,659.00
Insertion of intrauterine device (IUD)	\$ 1,037.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Insertion of intravascular vena cava filter, endovascular approach including vascular access, vessel selection, and radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance (ultrasound and fluoroscopy), when performed	\$ 8,808.00
Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial	\$ 3,349.00
Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); atrial and ventricular	\$ 4,781.00
Insertion of new or replacement of permanent pacemaker with transvenous electrode(s); ventricular	\$ 4,781.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 392.00
Insertion of non-indwelling bladder catheter (eg, straight catheterization for residual urine)	\$ 368.00
Insertion of non-tunneled centrally inserted central venous catheter; age 5 years or older	\$ 3,085.00
Insertion of non-tunneled centrally inserted central venous catheter; younger than 5 years of age	\$ 2,913.00
Insertion of pacemaker pulse generator only; with existing dual leads	\$ 3,349.00
Insertion of pacemaker pulse generator only; with existing multiple leads	\$ 3,401.00
Insertion of pacemaker pulse generator only; with existing single lead	\$ 3,349.00
Insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system) (List separately in addition to code for primary procedure)	\$ 2,153.00
Insertion of pacing electrode, cardiac venous system, for left ventricular pacing, with attachment to previously placed pacemaker or implantable defibrillator pulse generator (including revision of pocket, removal, insertion, and/or replacement of existing generator)	\$ 4,418.00
Insertion of peripherally inserted central venous access device, with subcutaneous port; age 5 years or older	\$ 3,513.00
Insertion of peripherally inserted central venous catheter (PICC), without subcutaneous port or pump, without imaging guidance; age 5 years or older	\$ 2,473.00
Insertion of peripherally inserted central venous catheter (PICC), without subcutaneous port or pump, without imaging guidance; younger than 5 years of age	\$ 3,513.00
Insertion of peritoneal-venous shunt	\$ 8,056.00
Insertion of subcutaneous implantable defibrillator electrode	\$ 11,045.00
Insertion of temporary indwelling bladder catheter; complicated (eg, altered anatomy, fractured catheter/balloon)	\$ 576.00
Insertion of temporary indwelling bladder catheter; complicated (eg, altered anatomy, fractured catheter/balloon)	\$ 541.00
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 502.00
Insertion of temporary indwelling bladder catheter; simple (eg, Foley)	\$ 471.00
Insertion of transvenous intrahepatic portosystemic shunt(s) (TIPS) (includes venous access, hepatic and portal vein catheterization, portography with hemodynamic evaluation, intrahepatic tract formation/dilatation, stent placement and all associated imaging guidance and documentation)	\$ 4,624.00
Insertion of tunneled centrally inserted central venous access device, requiring 2 catheters via 2 separate venous access sites; without subcutaneous port or pump (eg, Tesio type catheter)	\$ 7,827.00
Insertion of tunneled centrally inserted central venous access device, with subcutaneous port; age 5 years or older	\$ 7,827.00
Insertion of tunneled centrally inserted central venous catheter, without subcutaneous port or pump; age 5 years or older	\$ 3,513.00
Insertion of tunneled intraperitoneal catheter (eg, dialysis, intraperitoneal chemotherapy instillation, management of ascites), complete procedure, including imaging guidance, catheter placement, contrast injection when performed, and radiological supervision and interpretation, percutaneous	\$ 4,397.00
Insertion of tunneled intraperitoneal catheter, with subcutaneous port (ie, totally implantable)	\$ 5,185.00
Insertion of uterine tandem and/or vaginal ovoids for clinical brachytherapy	\$ 2,607.00
Insertion of ventricular assist device, percutaneous including radiological supervision and interpretation; arterial access only	\$ 3,513.00
Insertion of wire or pin with application of skeletal traction, including removal (separate procedure)	\$ 3,506.00
Insertion or replacement of peripheral or gastric neurostimulator pulse generator or receiver, direct or inductive coupling	\$ 728.00
Insertion or replacement of permanent implantable defibrillator system, with transvenous lead(s), single or dual chamber	\$ 8,300.00
Insertion or replacement of permanent subcutaneous implantable defibrillator system, with subcutaneous electrode, including defibrillation threshold evaluation, induction of arrhythmia, evaluation of sensing for arrhythmia termination, and programming or reprogramming of sensing or therapeutic parameters, when performed	\$ 14,727.00
Insertion or replacement of temporary transvenous dual chamber pacing electrodes (separate procedure)	\$ 4,883.00
Insertion or replacement of temporary transvenous single chamber cardiac electrode or pacemaker catheter (separate procedure)	\$ 2,681.00
Insertion, nasal septal prosthesis (button)	\$ 6,034.00
Insertion, non-biodegradable drug delivery implant	\$ 331.00
Instillation(s), via chest tube/catheter, agent for fibrinolysis (eg, fibrinolytic agent for break up of multiloculated effusion); initial day	\$ 867.00
Instillation(s), via chest tube/catheter, agent for fibrinolysis (eg, fibrinolytic agent for break up of multiloculated effusion); subsequent day	\$ 867.00
Instillation, via chest tube/catheter, agent for pleurodesis (eg, talc for recurrent or persistent pneumothorax)	\$ 1,489.00
Insulin antibodies	\$ 78.00
Insulin; free	\$ 340.00
Insulin; total	\$ 171.00
Integra bilayer matrix wound dressing (bmwd), per square centimeter	\$ 2,906.00
Integra bilayer matrix wound dressing (bmwd), per square centimeter	\$ 1,234.00
Integra bilayer matrix wound dressing (bmwd), per square centimeter	\$ 3,461.00
Integra bilayer matrix wound dressing (bmwd), per square centimeter	\$ 1,012.00
Integra bilayer matrix wound dressing (bmwd), per square centimeter	\$ 744.00
INTENSE CARD REHAB with or without continuous ECG monitoring with exercise	\$ 450.00
INTENSE CARD REHAB with or without continuous ECG monitoring without exercise	\$ 320.00
Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; complex	\$ 5,873.00
Intensity modulated radiation treatment delivery (IMRT), includes guidance and tracking, when performed; simple	\$ 5,873.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Intensity modulated radiotherapy plan, including dose-volume histograms for target and critical structure partial tolerance specifications	\$ 13,436.00
Interactive complexity (List separately in addition to the code for primary procedure)	\$ 171.00
Intermittent urinary catheter; coude (curved) tip, with or without coating (teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each	\$ 119.00
Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; implantable cardiovascular monitor system, including analysis of 1 or more recorded physiologic cardiovascular data elements from all internal and external sensors	\$ 1,256.00
Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; implantable loop recorder system, including heart rhythm derived data analysis	\$ 1,799.00
Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; implantable subcutaneous lead defibrillator system	\$ 1,291.00
Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; single, dual, or multiple lead pacemaker system	\$ 151.00
Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; single, dual, or multiple lead transvenous implantable defibrillator system, including analysis of heart rhythm derived data elements	\$ 325.00
Interrogation device evaluation (in person) with analysis, review and report by a physician or other qualified health care professional, includes connection, recording and disconnection per patient encounter; wearable defibrillator system	\$ 428.00
Interrogation device evaluation (in person) with analysis, review and report, includes connection, recording and disconnection per patient encounter, leadless pacemaker system	\$ 290.00
Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead pacemaker system or implantable defibrillator system, remote data acquisition(s), receipt of transmissions and technician review, technical support and distribution of results	\$ 251.00
Interrogation device evaluation(s), (remote) up to 30 days; implantable cardiovascular monitor system or implantable loop recorder system, remote data acquisition(s), receipt of transmissions and technician review, technical support and distribution of results	\$ 721.00
Interrogation of ventricular assist device (VAD), in person, with physician or other qualified health care professional analysis of device parameters (eg, drivelines, alarms, power surges), review of device function (eg, flow and volume status, septum status, recovery), with programming, if performed, and report	\$ 459.00
Interstitial radiation source application, complex, includes supervision, handling, loading of radiation source, when performed	\$ 12,322.00
Intestine imaging (eg, ectopic gastric mucosa, Meckel's localization, volvulus)	\$ 2,199.00
Intra-atrial pacing	\$ 5,080.00
Intracardiac catheter ablation of a discrete mechanism of arrhythmia which is distinct from the primary ablated mechanism, including repeat diagnostic maneuvers, to treat a spontaneous or induced arrhythmia (List separately in addition to code for primary procedure)	\$ 12,843.00
Intracardiac catheter ablation of atrioventricular node function, atrioventricular conduction for creation of complete heart block, with or without temporary pacemaker placement	\$ 16,881.00
Intracardiac echocardiography during therapeutic/diagnostic intervention, including imaging supervision and interpretation (List separately in addition to code for primary procedure)	\$ 7,178.00
Intracardiac electrophysiologic 3-dimensional mapping (List separately in addition to code for primary procedure)	\$ 11,610.00
Intracutaneous (intra-dermal) tests with allergenic extracts, delayed type reaction, including reading, specify number of tests	\$ 939.00
Intracutaneous (intra-dermal) tests with allergenic extracts, delayed type reaction, including reading, specify number of tests	\$ 882.00
Intraluminal dilation of strictures and/or obstructions (eg, esophagus), radiological supervision and interpretation	\$ 1,323.00
Intraoral incision and drainage of abscess, cyst, or hematoma of tongue or floor of mouth; lingual	\$ 3,847.00
Intraoral incision and drainage of abscess, cyst, or hematoma of tongue or floor of mouth; submandibular space	\$ 1,558.00
Intrapulmonary surfactant administration by a physician or other qualified health care professional through endotracheal tube	\$ 246.00
Intrauterine copper contraceptive	\$ 4,941.00
Intravascular Doppler velocity and/or pressure derived coronary flow reserve measurement (coronary vessel or graft) during coronary angiography including pharmacologically induced stress; each additional vessel (List separately in addition to code for primary procedure)	\$ 3,963.00
Intravascular Doppler velocity and/or pressure derived coronary flow reserve measurement (coronary vessel or graft) during coronary angiography including pharmacologically induced stress; initial vessel (List separately in addition to code for primary procedure)	\$ 4,049.00
Intravascular ultrasound (noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation; each additional noncoronary vessel (List separately in addition to code for primary procedure)	\$ 3,011.00
Intravascular ultrasound (noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation; initial noncoronary vessel (List separately in addition to code for primary procedure)	\$ 3,011.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); additional sequential infusion of a new drug/substance, up to 1 hour (List separately in addition to code for primary procedure)	\$ 948.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); additional sequential infusion of a new drug/substance, up to 1 hour (List separately in addition to code for primary procedure)	\$ 807.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); concurrent infusion (List separately in addition to code for primary procedure)	\$ 948.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); concurrent infusion (List separately in addition to code for primary procedure)	\$ 807.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 519.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 507.00
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 1,435.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour	\$ 1,226.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 445.00
Intravenous infusion, hydration; each additional hour (List separately in addition to code for primary procedure)	\$ 435.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 1,324.00
Intravenous infusion, hydration; initial, 31 minutes to 1 hour	\$ 1,132.00
Intraventricular and/or intra-atrial mapping of tachycardia site(s) with catheter manipulation to record from multiple sites to identify origin of tachycardia (List separately in addition to code for primary procedure)	\$ 9,407.00
Intraventricular pacing	\$ 7,450.00
Intravitreal injection of a pharmacologic agent (separate procedure)	\$ 1,097.00
Intrinsic factor antibodies	\$ 602.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,645.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,994.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 9,539.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,135.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 1,739.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 4,647.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 4,386.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, other than peel-away	\$ 7,877.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 414.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 302.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 1,764.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 2,477.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 3,014.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 915.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 2,149.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 320.00
Introducer/sheath, guiding, intracardiac electrophysiological, fixed-curve, peel-away	\$ 943.00
Introducer/sheath, guiding, intracardiac electrophysiological, steerable, other than peel-away	\$ 7,364.00
Introducer/sheath, guiding, intracardiac electrophysiological, steerable, other than peel-away	\$ 466.00
Introducer/sheath, guiding, intracardiac electrophysiological, steerable, other than peel-away	\$ 1,302.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,219.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 653.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,093.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,477.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 2,360.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 982.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 2,635.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 720.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 962.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 295.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 512.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,785.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 5,181.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 923.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 59.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,227.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,017.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 595.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 622.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 673.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 978.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,138.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 3,228.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 3,796.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 198.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 194.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 635.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 964.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,089.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 138.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 215.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 248.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 78.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 387.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,007.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 659.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 972.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 251.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,613.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,661.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 499.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 851.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 3,808.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 630.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 824.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 403.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 649.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 423.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 612.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,242.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 1,590.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 170.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 489.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 313.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 553.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 953.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 133.00
Introducer/sheath, other than guiding, other than intracardiac electrophysiological, non-laser	\$ 2,243.00
Introduction of catheter, aorta	\$ 617.00
Introduction of catheter, right heart or main pulmonary artery	\$ 2,707.00
Introduction of catheter, superior or inferior vena cava	\$ 2,754.00
Introduction of guide into renal pelvis and/or ureter with dilation to establish nephrostomy tract, percutaneous	\$ 3,626.00
Introduction of long gastrointestinal tube (eg, Miller-Abbott) (separate procedure)	\$ 756.00
Introduction of long gastrointestinal tube (eg, Miller-Abbott), including multiple fluoroscopies and images, radiological supervision and interpretation	\$ 1,287.00
Introduction of needle or intracatheter, aortic, translumbar	\$ 1,315.00
Introduction of needle or intracatheter, carotid or vertebral artery	\$ 7,899.00
Introduction of needle or intracatheter; extremity artery	\$ 7,665.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and interpretation and image documentation and report	\$ 1,448.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and interpretation and image documentation and report; with transcatheter placement of intravascular stent(s), peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the stenting, and all angioplasty within the peripheral dialysis segment	\$ 11,057.00
Introduction of needle(s) and/or catheter(s), dialysis circuit, with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, radiological supervision and interpretation and image documentation and report; with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty	\$ 5,470.00
Intubation, endotracheal, emergency procedure	\$ 3,497.00
Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries	\$ 16,107.13
Iodine I-123 ioflupane, diagnostic, per study dose, up to 5 millicuries	\$ 16,107.00
Iodine I-123 iobenguane, diagnostic, per study dose, up to 15 millicuries	\$ 25,429.00
Iodine I-123 iobenguane, diagnostic, per study dose, up to 15 millicuries	\$ 25,429.32
Iodine I-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries	\$ 192.00
Iodine I-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries	\$ 191.69
Iodine I-123 sodium iodide, diagnostic, per millicurie	\$ 1,609.00
Iodine I-123 sodium iodide, diagnostic, per millicurie	\$ 1,609.47
Iodine I-131 sodium iodide capsule(s), diagnostic, per millicurie	\$ 209.00
Iodine I-131 sodium iodide capsule(s), diagnostic, per millicurie	\$ 208.70
Iodine I-131 sodium iodide capsule(s), therapeutic, per millicurie	\$ 172.00
Iodine I-131 sodium iodide capsule(s), therapeutic, per millicurie	\$ 145.18
Iodine I-131 sodium iodide capsule(s), therapeutic, per millicurie	\$ 145.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Iodine I-131 sodium iodide, diagnostic, per microcurie (up to 100 microcuries)	\$ 3.00
Iridoplasty by photocoagulation (1 or more sessions) (eg, for improvement of vision, for widening of anterior chamber angle)	\$ 1,798.00
Iridotomy/iridectomy by laser surgery (eg, for glaucoma) (per session)	\$ 2,387.00
Iron	\$ 107.00
Iron	\$ 1,122.00
Iron	\$ 521.00
Iron binding capacity	\$ 145.00
Iron stain, peripheral blood	\$ 76.00
Irradiation of blood product, each unit	\$ 261.00
Irradiation of blood product, each unit	\$ 72.00
Irrigation of implanted venous access device for drug delivery systems	\$ 401.00
Irrigation of implanted venous access device for drug delivery systems	\$ 556.00
Irrigation of implanted venous access device for drug delivery systems	\$ 400.00
Islet cell antibody	\$ 131.00
Islet cell antibody	\$ 145.00
Islet cell antibody	\$ 1,669.00
Islet cell antibody	\$ 1,547.00
Islet cell antibody	\$ 1,247.00
Islet cell antibody	\$ 1,744.00
Islet cell antibody	\$ 1,571.00
Islet cell antibody	\$ 1,637.00
Islet cell antibody	\$ 231.00
JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant	\$ 1,847.00
JAK2 (Janus kinase 2) (eg, myeloproliferative disorder) gene analysis, p.Val617Phe (V617F) variant	\$ 1,728.00
Japanese encephalitis virus vaccine, inactivated, for intramuscular use	\$ 2,826.00
Joint device (implantable)	\$ 1,978.00
Joint device (implantable)	\$ 14,729.00
Joint device (implantable)	\$ 11,991.00
Joint device (implantable)	\$ 12,143.00
Joint device (implantable)	\$ 2,082.00
Joint device (implantable)	\$ 5,140.00
Joint device (implantable)	\$ 36,691.00
Joint device (implantable)	\$ 1,103.00
Joint device (implantable)	\$ 4,315.00
Joint device (implantable)	\$ 17,438.00
Joint device (implantable)	\$ 6,134.00
Joint device (implantable)	\$ 2,116.00
Joint device (implantable)	\$ 11,474.00
Joint device (implantable)	\$ 21,754.00
Joint device (implantable)	\$ 11,693.00
Joint device (implantable)	\$ 6,258.00
Joint device (implantable)	\$ 167.00
Joint device (implantable)	\$ 554.00
Joint device (implantable)	\$ 9,314.00
Joint device (implantable)	\$ 20,312.00
Joint device (implantable)	\$ 11,782.00
Joint device (implantable)	\$ 18,520.00
Joint device (implantable)	\$ 27,612.00
Joint device (implantable)	\$ 31,653.00
Joint device (implantable)	\$ 24,144.00
Joint device (implantable)	\$ 11,783.00
Joint device (implantable)	\$ 310.00
Joint device (implantable)	\$ 277.00
Joint device (implantable)	\$ 9,066.00
Joint device (implantable)	\$ 8,944.00
Joint device (implantable)	\$ 26,533.00
Joint device (implantable)	\$ 3,450.00
Joint device (implantable)	\$ 715.00
Joint device (implantable)	\$ 11,333.00
Joint device (implantable)	\$ 9,830.00
Joint device (implantable)	\$ 6,634.00
Joint device (implantable)	\$ 17,617.00
Joint device (implantable)	\$ 21,023.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 4,046.00
Joint device (implantable)	\$ 6,094.00
Joint device (implantable)	\$ 12,111.00
Joint device (implantable)	\$ 10,153.00
Joint device (implantable)	\$ 8,153.00
Joint device (implantable)	\$ 10,510.00
Joint device (implantable)	\$ 19,075.00
Joint device (implantable)	\$ 15,773.00
Joint device (implantable)	\$ 13,856.00
Joint device (implantable)	\$ 804.00
Joint device (implantable)	\$ 23,956.00
Joint device (implantable)	\$ 10,083.00
Joint device (implantable)	\$ 34,177.00
Joint device (implantable)	\$ 21,825.00
Joint device (implantable)	\$ 32,452.00
Joint device (implantable)	\$ 11,225.00
Joint device (implantable)	\$ 5,888.00
Joint device (implantable)	\$ 15,345.00
Joint device (implantable)	\$ 1,369.00
Joint device (implantable)	\$ 1,455.00
Joint device (implantable)	\$ 1,709.00
Joint device (implantable)	\$ 2,044.00
Joint device (implantable)	\$ 3,563.00
Joint device (implantable)	\$ 15,402.00
Joint device (implantable)	\$ 11,646.00
Joint device (implantable)	\$ 5,946.00
Joint device (implantable)	\$ 10,247.00
Joint device (implantable)	\$ 5,211.00
Joint device (implantable)	\$ 4,764.00
Joint device (implantable)	\$ 824.00
Joint device (implantable)	\$ 14,396.00
Joint device (implantable)	\$ 47,325.00
Joint device (implantable)	\$ 10,294.00
Joint device (implantable)	\$ 9,403.00
Joint device (implantable)	\$ 5,860.00
Joint device (implantable)	\$ 4,945.00
Joint device (implantable)	\$ 3,021.00
Joint device (implantable)	\$ 1,562.00
Joint device (implantable)	\$ 978.00
Joint device (implantable)	\$ 5,526.00
Joint device (implantable)	\$ 220.00
Joint device (implantable)	\$ 974.00
Joint device (implantable)	\$ 42,036.00
Joint device (implantable)	\$ 53,299.00
Joint device (implantable)	\$ 7,784.00
Joint device (implantable)	\$ 4,229.00
Joint device (implantable)	\$ 4,540.00
Joint device (implantable)	\$ 8,853.00
Joint device (implantable)	\$ 15,238.00
Joint device (implantable)	\$ 13,071.00
Joint device (implantable)	\$ 17,202.00
Joint device (implantable)	\$ 5,920.00
Joint device (implantable)	\$ 19,125.00
Joint device (implantable)	\$ 7,117.00
Joint device (implantable)	\$ 26,854.00
Joint device (implantable)	\$ 4,933.00
Joint device (implantable)	\$ 3,800.00
Joint device (implantable)	\$ 9,791.00
Joint device (implantable)	\$ 26,823.00
Joint device (implantable)	\$ 12,967.00
Joint device (implantable)	\$ 31,160.00
Joint device (implantable)	\$ 10,318.00
Joint device (implantable)	\$ 4,401.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 2,438.00
Joint device (implantable)	\$ 394.00
Joint device (implantable)	\$ 8,945.00
Joint device (implantable)	\$ 12,112.00
Joint device (implantable)	\$ 20,478.00
Joint device (implantable)	\$ 7,187.00
Joint device (implantable)	\$ 882.00
Joint device (implantable)	\$ 3,674.00
Joint device (implantable)	\$ 2,209.00
Joint device (implantable)	\$ 6,730.00
Joint device (implantable)	\$ 1,375.00
Joint device (implantable)	\$ 3,589.00
Joint device (implantable)	\$ 5,340.00
Joint device (implantable)	\$ 39,042.00
Joint device (implantable)	\$ 17,391.00
Joint device (implantable)	\$ 36,211.00
Joint device (implantable)	\$ 16,623.00
Joint device (implantable)	\$ 25,794.00
Joint device (implantable)	\$ 35,716.00
Joint device (implantable)	\$ 41,580.00
Joint device (implantable)	\$ 41,778.00
Joint device (implantable)	\$ 13,049.00
Joint device (implantable)	\$ 11,585.00
Joint device (implantable)	\$ 2,896.00
Joint device (implantable)	\$ 1,242.00
Joint device (implantable)	\$ 1,856.00
Joint device (implantable)	\$ 3,323.00
Joint device (implantable)	\$ 6,348.00
Joint device (implantable)	\$ 7,902.00
Joint device (implantable)	\$ 1,100.00
Joint device (implantable)	\$ 6,227.00
Joint device (implantable)	\$ 9,680.00
Joint device (implantable)	\$ 8,999.00
Joint device (implantable)	\$ 8,113.00
Joint device (implantable)	\$ 2,296.00
Joint device (implantable)	\$ 1,783.00
Joint device (implantable)	\$ 5,684.00
Joint device (implantable)	\$ 4,318.00
Joint device (implantable)	\$ 293.00
Joint device (implantable)	\$ 1,921.00
Joint device (implantable)	\$ 3,032.00
Joint device (implantable)	\$ 2,211.00
Joint device (implantable)	\$ 4,672.00
Joint device (implantable)	\$ 2,045.00
Joint device (implantable)	\$ 3,448.00
Joint device (implantable)	\$ 251.00
Joint device (implantable)	\$ 7,118.00
Joint device (implantable)	\$ 2,858.00
Joint device (implantable)	\$ 2,100.00
Joint device (implantable)	\$ 3,113.00
Joint device (implantable)	\$ 1,538.00
Joint device (implantable)	\$ 1,266.00
Joint device (implantable)	\$ 6,400.00
Joint device (implantable)	\$ 1,553.00
Joint device (implantable)	\$ 9,355.00
Joint device (implantable)	\$ 5,142.00
Joint device (implantable)	\$ 3,755.00
Joint device (implantable)	\$ 7,585.00
Joint device (implantable)	\$ 12,306.00
Joint device (implantable)	\$ 5,831.00
Joint device (implantable)	\$ 46,189.00
Joint device (implantable)	\$ 15,286.00
Joint device (implantable)	\$ 15,004.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Joint device (implantable)	\$ 8,760.00
Joint device (implantable)	\$ 6,279.00
Joint device (implantable)	\$ 20,017.00
Joint device (implantable)	\$ 21,393.00
Joint device (implantable)	\$ 10,475.00
Joint device (implantable)	\$ 11,426.00
Joint device (implantable)	\$ 15,559.00
Joint device (implantable)	\$ 31,728.00
Joint device (implantable)	\$ 18,603.00
Joint device (implantable)	\$ 37,146.00
Joint device (implantable)	\$ 34,209.00
Joint device (implantable)	\$ 4,474.00
Joint device (implantable)	\$ 23,568.00
Joint device (implantable)	\$ 26,099.00
Joint device (implantable)	\$ 13,194.00
Joint device (implantable)	\$ 7,318.00
Joint device (implantable)	\$ 16,625.00
Joint device (implantable)	\$ 38,507.00
Joint device (implantable)	\$ 45,565.00
Joint device (implantable)	\$ 49,263.00
Joint device (implantable)	\$ 2,577.00
Joint device (implantable)	\$ 73,677.00
Ketone body(s) (eg, acetone, acetoacetic acid, beta-hydroxybutyrate); quantitative	\$ 578.00
Ketosteroids, 17- (17-KS); total	\$ 217.00
Ketosteroids, 17- (17-KS); total	\$ 119.00
Kidney imaging morphology	\$ 3,432.00
Kidney imaging morphology; tomographic (SPECT)	\$ 3,492.00
Kidney imaging morphology; with vascular flow	\$ 3,440.00
Kidney imaging morphology; with vascular flow and function, single study without pharmacological intervention	\$ 2,743.00
Kidney imaging morphology; with vascular flow and function, single study, with pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)	\$ 2,951.00
KIT (v-kit Hardy-Zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal stromal tumor [GIST], acute myeloid leukemia, melanoma), gene analysis, targeted sequence analysis (eg, exons 8, 11, 13, 17, 18)	\$ 3,219.00
Knee ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type activation, includes ankle joint, any type, custom fabricated	\$ 9,952.00
Knee ankle foot orthosis, double upright, free ankle, solid stirrup, thigh and calf bands/cuffs (double bar 'ak' orthosis), custom fabricated	\$ 4,270.00
Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom fabricated	\$ 3,588.00
Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, custom fabricated	\$ 12,871.00
Knee ankle foot orthosis, fracture orthosis, femoral fracture cast orthosis, thermoplastic type casting material, custom fabricated	\$ 3,300.00
Knee ankle foot orthosis, full plastic, double upright, with or without free motion knee, with or without free motion ankle, custom fabricated	\$ 4,485.00
Knee ankle foot orthosis, full plastic, single upright, with or without free motion knee, with or without free motion ankle, custom fabricated	\$ 3,732.00
Knee ankle foot orthosis, single upright, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), without knee joint, custom fabricated	\$ 2,607.00
Knee ankle foot orthosis, single upright, free knee, free ankle, solid stirrup, thigh and calf bands/cuffs (single bar 'ak' orthosis), custom fabricated	\$ 3,588.00
Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 754.00
Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 5,109.00
Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 656.00
Knee orthosis, adjustable knee joints (unicentric or polycentric), positional orthosis, rigid support, prefabricated, off-the shelf	\$ 4,173.00
Knee orthosis, derotation, medial-lateral, anterior cruciate ligament, custom fabricated	\$ 3,839.00
Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated	\$ 3,839.00
Knee orthosis, double upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 2,869.00
Knee orthosis, elastic with condylar pads and joints, with or without patellar control, prefabricated, includes fitting and adjustment	\$ 907.00
Knee orthosis, elastic with condylar pads and joints, with or without patellar control, prefabricated, includes fitting and adjustment	\$ 322.00
Knee orthosis, elastic with joints, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 415.00
Knee orthosis, immobilizer, canvas longitudinal, prefabricated, off-the-shelf	\$ 504.00
Knee orthosis, immobilizer, canvas longitudinal, prefabricated, off-the-shelf	\$ 478.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Knee orthosis, immobilizer, canvas longitudinal, prefabricated, off-the-shelf	\$ 428.00
Knee orthosis, immobilizer, canvas longitudinal, prefabricated, off-the-shelf	\$ 251.00
Knee orthosis, immobilizer, canvas longitudinal, prefabricated, off-the-shelf	\$ 670.00
Knee orthosis, locking knee joint(s), positional orthosis, prefabricated, includes fitting and adjustment	\$ 754.00
Knee orthosis, rigid, without joint(s), includes soft interface material, prefabricated, off-the-shelf	\$ 925.00
Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, custom fabricated	\$ 3,839.00
Knee orthosis, single upright, thigh and calf, with adjustable flexion and extension joint (unicentric or polycentric), medial-lateral and rotation control, with or without varus/valgus adjustment, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 3,300.00
Knee orthosis, swedish type, prefabricated, off-the-shelf	\$ 932.00
Knee orthosis, without knee joint, rigid, custom fabricated	\$ 2,152.00
KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)	\$ 3,265.00
KRAS (Kirsten rat sarcoma viral oncogene homolog) (eg, carcinoma) gene analysis; variants in exon 2 (eg, codons 12 and 13)	\$ 311.00
Ktp Laser 0-30Min	\$ 576.00
Labyrinthotomy, with perfusion of vestibuloactive drug(s), transcanal	\$ 1,746.00
Lactate (lactic acid)	\$ 53.00
Lactate (lactic acid)	\$ 166.00
Lactate dehydrogenase (LD), (LDH)	\$ 57.00
Lactate dehydrogenase (LD), (LDH)	\$ 97.00
Lactate dehydrogenase (LD), (LDH); isoenzymes, separation and quantitation	\$ 270.00
Lactoferrin, fecal; qualitative	\$ 282.00
Lamotrigine	\$ 155.00
Laryngeal function studies (ie, aerodynamic testing and acoustic testing)	\$ 772.00
Laryngoscopy direct, with or without tracheoscopy; diagnostic, except newborn	\$ 1,017.00
Laryngoscopy, flexible or rigid telescopic, with stroboscopy	\$ 1,017.00
Laryngoscopy, flexible; diagnostic	\$ 1,017.00
Laryngoscopy, indirect; diagnostic (separate procedure)	\$ 1,017.00
Laser Charge	\$ 4,800.00
Laser treatment for inflammatory skin disease (psoriasis); total area less than 250 sq cm	\$ 587.00
Lavage by cannulation; maxillary sinus (antrum puncture or natural ostium)	\$ 1,973.00
Lead	\$ 105.00
Lead	\$ 122.00
Lead	\$ 80.00
Lead	\$ 95.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 55,999.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 36,166.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 27,399.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 25,351.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 34,636.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 42,993.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 38,696.00
Lead, cardioverter-defibrillator, endocardial dual coil (implantable)	\$ 37,886.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 37,886.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 22,494.00
Lead, cardioverter-defibrillator, endocardial single coil (implantable)	\$ 24,928.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 28,080.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 18,524.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 7,579.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 38,852.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 35,877.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 33,687.00
Lead, cardioverter-defibrillator, other than endocardial single or dual coil (implantable)	\$ 2,021.00
Lead, left ventricular coronary venous system	\$ 8,597.00
Lead, left ventricular coronary venous system	\$ 23,069.00
Lead, left ventricular coronary venous system	\$ 18,403.00
Lead, left ventricular coronary venous system	\$ 10,726.00
Lead, left ventricular coronary venous system	\$ 13,927.00
Lead, left ventricular coronary venous system	\$ 23,614.00
Lead, left ventricular coronary venous system	\$ 24,885.00
Lead, left ventricular coronary venous system	\$ 18,992.00
Lead, left ventricular coronary venous system	\$ 22,313.00
Lead, neurostimulator (implantable)	\$ 31,539.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Lead, neurostimulator (implantable)	\$ 13,328.00
Lead, neurostimulator (implantable)	\$ 46,542.00
Lead, neurostimulator (implantable)	\$ 53,136.00
Lead, neurostimulator (implantable)	\$ 173.00
Lead, neurostimulator (implantable)	\$ 9,830.00
Lead, neurostimulator (implantable)	\$ 10,057.00
Lead, neurostimulator (implantable)	\$ 31,675.00
Lead, neurostimulator (implantable)	\$ 36,052.00
Lead, neurostimulator (implantable)	\$ 14,552.00
Lead, neurostimulator (implantable)	\$ 17,435.00
Lead, neurostimulator (implantable)	\$ 11,306.00
Lead, neurostimulator (implantable)	\$ 23,138.00
Lead, neurostimulator (implantable)	\$ 39,042.00
Lead, neurostimulator (implantable)	\$ 26,991.00
Lead, neurostimulator (implantable)	\$ 5,315.00
Lead, neurostimulator test kit (implantable)	\$ 10,996.00
Lead, neurostimulator test kit (implantable)	\$ 2,589.00
Lead, neurostimulator test kit (implantable)	\$ 13,836.00
Lead, neurostimulator test kit (implantable)	\$ 10,853.00
Lead, neurostimulator test kit (implantable)	\$ 595.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 5,323.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 5,233.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 4,517.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 5,947.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 3,919.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 4,941.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 5,023.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 5,853.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 5,052.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 5,581.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 4,274.00
Lead, pacemaker, other than transvenous vdd single pass	\$ 3,361.00
Lead, pacemaker, transvenous vdd single pass	\$ 3,148.00
Lead, pacemaker, transvenous vdd single pass	\$ 3,370.00
Lead, pacemaker, transvenous vdd single pass	\$ 1,683.00
Left heart catheterization by transeptal puncture through intact septum or by transapical puncture (List separately in addition to code for primary procedure)	\$ 10,194.00
Left heart catheterization including intraprocedural injection(s) for left ventriculography, imaging supervision and interpretation, when performed	\$ 18,308.00
Legg perthes orthosis, (scottish rite type), custom fabricated	\$ 2,691.00
Lens, intraocular (new technology)	\$ 2,634.00
Leukocyte alkaline phosphatase with count	\$ 166.00
Leukocyte assessment, fecal, qualitative or semiquantitative	\$ 104.00
Leukocyte histamine release test (LHR)	\$ 278.00
Level I - Surgical pathology, gross examination only	\$ 52.00
Level II - Surgical pathology, gross and microscopic examination Appendix, incidental Fallopian tube, sterilization Fingers/toes, amputation, traumatic Foreskin, newborn Hernia sac, any location Hydrocele sac Nerve Skin, plastic repair Sympathetic ganglion Testis, castration Vaginal mucosa, incidental Vas deferens, sterilization	\$ 93.00
Level III - Surgical pathology, gross and microscopic examination Abortion, induced Abscess Aneurysm - arterial/ventricular Anus, tag Appendix, other than incidental Artery, atheromatous plaque Bartholin's gland cyst Bone fragment(s), other than pathologic fracture Bursa/synovial cyst Carpal tunnel tissue Cartilage, shavings Cholesteatoma Colon, colostomy stoma Conjunctiva - biopsy/pterygium Cornea Diverticulum - esophagus/small intestine Dupuytren's contracture tissue Femoral head, other than fracture Fissure/fistula Foreskin, other than newborn Gallbladder Ganglion cyst Hematoma Hemorrhoids Hydatid of Morgagni Intervertebral disc Joint, loose body Meniscus Mucocele, salivary Neuroma - Morton's/traumatic Pilonidal cyst/sinus Polyps, inflammatory - nasal/sinusoidal Skin - cyst/tag/debridement Soft tissue, debridement Soft tissue, lipoma Spermatocoele Tendon/tendon sheath Testicular appendage Thrombus or embolus Tonsil and/or adenoids Varicocele Vas deferens, other than sterilization Vein, varicosity	\$ 122.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Level IV - Surgical pathology, gross and microscopic examination Abortion - spontaneous/missed Artery, biopsy Bone marrow, biopsy Bone exostosis Brain/meninges, other than for tumor resection Breast, biopsy, not requiring microscopic evaluation of surgical margins Breast, reduction mammoplasty Bronchus, biopsy Cell block, any source Cervix, biopsy Colon, biopsy Duodenum, biopsy Endocervix, curettings/biopsy Endometrium, curettings/biopsy Esophagus, biopsy Extremity, amputation, traumatic Fallopian tube, biopsy Fallopian tube, ectopic pregnancy Femoral head, fracture Fingers/toes, amputation, non-traumatic Gingiva/oral mucosa, biopsy Heart valve Joint, resection Kidney, biopsy Larynx, biopsy Leiomyoma(s), uterine myomectomy - without uterus Lip, biopsy/wedge resection Lung, transbronchial biopsy Lymph node, biopsy Muscle, biopsy Nasal mucosa, biopsy Nasopharynx/oropharynx, biopsy Nerve, biopsy Odontogenic/dental cyst Omentum, biopsy Ovary with or without tube, non-neoplastic Ovary, biopsy/wedge resection Parathyroid gland Peritoneum, biopsy Pituitary tumor Placenta, other than third trimester Pleura/pericardium - biopsy/tissue Polyp, cervical/endometrial Polyp, colorectal Polyp, stomach/small intestine Prostate, needle biopsy Prostate, TUR Salivary gland, biopsy Sinus, paranasal biopsy Skin, other than cyst/tag/debridement/plastic repair Small intestine, biopsy Soft tissue, other than tumor/mass/lipoma/debridement Spleen Stomach, biopsy Synovium Testis, other than tumor/biopsy/castration Thyroglossal duct/brachial cleft cyst Tongue, biopsy Tonsil, biopsy Trachea, biopsy Ureter, biopsy Urethra, biopsy Urinary bladder, biopsy Uterus, with or without tubes and ovaries, for prolapse Vagina, biopsy Vulva/labia, biopsy	\$ 194.00
Level V - Surgical pathology, gross and microscopic examination Adrenal, resection Bone - biopsy/curettings Bone fragment(s), pathologic fracture Brain, biopsy Brain/meninges, tumor resection Breast, excision of lesion, requiring microscopic evaluation of surgical margins Breast, mastectomy - partial/simple Cervix, conization Colon, segmental resection, other than for tumor Extremity, amputation, non-traumatic Eye, enucleation Kidney, partial/total nephrectomy Larynx, partial/total resection Liver, biopsy - needle/wedge Liver, partial resection Lung, wedge biopsy Lymph nodes, regional resection Mediastinum, mass Myocardium, biopsy Odontogenic tumor Ovary with or without tube, neoplastic Pancreas, biopsy Placenta, third trimester Prostate, except radical resection Salivary gland Sentinel lymph node Small intestine, resection, other than for tumor Soft tissue mass (except lipoma) - biopsy/simple excision Stomach - subtotal/total resection, other than for tumor Testis, biopsy Thymus, tumor Thyroid, total/lobe Ureter, resection Urinary bladder, TUR Uterus, with or without tubes and ovaries, other than neoplastic/prolapse	\$ 313.00
Level VI - Surgical pathology, gross and microscopic examination Bone resection Breast, mastectomy - with regional lymph nodes Colon, segmental resection for tumor Colon, total resection Esophagus, partial/total resection Extremity, disarticulation Fetus, with dissection Larynx, partial/total resection - with regional lymph nodes Lung - total/lobe/segment resection Pancreas, total/subtotal resection Prostate, radical resection Small intestine, resection for tumor Soft tissue tumor, extensive resection Stomach - subtotal/total resection for tumor Testis, tumor Tongue/tonsil -resection for tumor Urinary bladder, partial/total resection Uterus, with or without tubes and ovaries, neoplastic Vulva, total/subtotal resection	\$ 942.00
Levetiracetam	\$ 155.00
Levonorgestrel-releasing intrauterine contraceptive system (mirena), 52 mg	\$ 4,941.00
Levonorgestrel-releasing intrauterine contraceptive system (skyla), 13.5 mg	\$ 4,941.00
Levonorgestrel-releasing intrauterine contraceptive system, (kyleena), 19.5 mg	\$ 5,757.00
Lidocaine	\$ 190.00
Lidocaine	\$ 90.00
Lift, elevation, heel and sole, neoprene, per inch	\$ 466.00
Lift, elevation, heel, per inch	\$ 359.00
Lift, elevation, heel, tapered to metatarsals, per inch	\$ 466.00
Lift, elevation, heel, tapered to metatarsals, per inch	\$ 394.00
Lift, elevation, inside shoe, tapered, up to one-half inch	\$ 108.00
Ligation or biopsy, temporal artery	\$ 3,332.00
Ligation, direct, esophageal varices	\$ 2,917.00
Ligation, division, and/or excision of varicose vein cluster(s), 1 leg	\$ 17,193.00
Limited bilateral noninvasive physiologic studies of upper or lower extremity arteries, (eg, for lower extremity: ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus bidirectional, Doppler waveform recording and analysis at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries plus volume plethysmography at 1-2 levels, or ankle/brachial indices at distal posterior tibial and anterior tibial/dorsalis pedis arteries with, transcutaneous oxygen tension measurement at 1-2 levels)	\$ 1,621.00
Lipase	\$ 170.00
Lipase	\$ 146.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 152.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 240.00
Lipid panel This panel must include the following: Cholesterol, serum, total (82465) Lipoprotein, direct measurement, high density cholesterol (HDL cholesterol) (83718) Triglycerides (84478)	\$ 77.00
Lipoprotein (a)	\$ 186.00
Lipoprotein (a)	\$ 57.00
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed	\$ 483.00
Lipoprotein, blood; quantitation of lipoprotein particle number(s) (eg, by nuclear magnetic resonance spectroscopy), includes lipoprotein particle subclass(es), when performed	\$ 204.00
Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)	\$ 85.00
Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)	\$ 127.00
Lipoprotein, direct measurement; LDL cholesterol	\$ 89.00
Lipoprotein-associated phospholipase A2 (Lp-PLA2)	\$ 369.00
Lithium	\$ 86.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Liver and spleen imaging; static only	\$ 2,992.00
Liver and spleen imaging; with vascular flow	\$ 2,926.00
Liver elastography, mechanically induced shear wave (eg, vibration), without imaging, with interpretation and report	\$ 175.00
Liver imaging (SPECT)	\$ 4,414.00
Liver imaging; static only	\$ 2,205.00
Low dose ct scan (ldct) for lung cancer screening	\$ 125.00
Low dose ct scan (ldct) for lung cancer screening	\$ 133.00
Low osmolar contrast material, 100-199 mg/ml iodine concentration, per ml	\$ 16.00
Low osmolar contrast material, 100-199 mg/ml iodine concentration, per ml	\$ 27.22
Low osmolar contrast material, 100-199 mg/ml iodine concentration, per ml	\$ 27.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 20.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 24.95
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 2.00
Low osmolar contrast material, 200-299 mg/ml iodine concentration, per ml	\$ 25.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 2.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 3.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 8.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 9.17
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 24.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 7.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 1.00
Low osmolar contrast material, 300-399 mg/ml iodine concentration, per ml	\$ 11.00
Lso, corset front	\$ 180.00
Lso, full corset	\$ 359.00
Lumbar orthosis, flexible, provides lumbar support, posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abdomen design, shoulder straps, stays, prefabricated, off-the-shelf	\$ 322.00
Lumbar orthosis, flexible, provides lumbar support, posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include pendulous abdomen design, shoulder straps, stays, prefabricated, off-the-shelf	\$ 370.00
Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 682.00
Lumbar orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 3,101.00
Lumbar orthosis, sagittal control, with rigid posterior panel(s), posterior extends from l-1 to below l-5 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 359.00
Lumbar sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panels, lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, custom fabricated	\$ 2,869.00
Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	\$ 359.00
Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, prefabricated, off-the-shelf	\$ 633.00
Lumbar-sacral orthosis, flexible, provides lumbo-sacral support, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include stays, shoulder straps, pendulous abdomen design, custom fabricated	\$ 2,152.00
Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 1,054.00
Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 8,100.00
Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 7,680.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Lumbar-sacral orthosis, sagittal control, with rigid anterior and posterior panels, posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated	\$ 2,333.00
Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 395.00
Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 564.00
Lumbar-sacral orthosis, sagittal control, with rigid posterior panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, produces intracavitary pressure to reduce load on the intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 8,100.00
Lumbar-sacral orthosis, sagittal-coronal control, lumbar flexion, rigid posterior frame/panel(s), lateral articulating design to flex the lumbar spine, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, anterior panel, pendulous abdomen design, prefabricated, includes fitting and adjustment	\$ 1,176.00
Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 1,795.00
Lumbar-sacral orthosis, sagittal-coronal control, rigid shell(s)/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, anterior extends from symphysis pubis to xyphoid, produces intracavitary pressure to reduce load on the intervertebral discs, overall strength is provided by overlapping rigid material and stabilizing closures, includes straps, closures, may include soft interface, pendulous abdomen design, custom fabricated	\$ 2,691.00
Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 2,869.00
Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated	\$ 3,594.00
Lumbar-sacral orthosis, sagittal-coronal control, with rigid anterior and posterior frame/panels, posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, shoulder straps, pendulous abdomen design, custom fabricated	\$ 9,947.00
Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panel(s), produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, custom fabricated	\$ 2,511.00
Lumbar-sacral orthosis, sagittal-coronal control, with rigid posterior frame/panel(s), posterior extends from sacrococcygeal junction to t-9 vertebra, lateral strength provided by rigid lateral frame/panels, produces intracavitary pressure to reduce load on intervertebral discs, includes straps, closures, may include padding, stays, shoulder straps, pendulous abdomen design, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 925.00
Lung biopsy plug with delivery system	\$ 1,994.00
Luteinizing releasing factor (LRH)	\$ 1,857.00
Lymphangiography, pelvic/abdominal, bilateral, radiological supervision and interpretation	\$ 1,415.00
Lymphangiography, pelvic/abdominal, unilateral, radiological supervision and interpretation	\$ 1,415.00
Lymphatics and lymph nodes imaging	\$ 3,378.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 780.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 781.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 789.00
Lymphocyte transformation, mitogen (phytomitogen) or antigen induced blastogenesis	\$ 785.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 3,844.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 6,093.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 1,625.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 3,413.00
Lymphocytotoxicity assay, visual crossmatch; with titration	\$ 845.00
Lysis intranasal synechia	\$ 712.00
Lysis of labial adhesions	\$ 5,894.00
Lysis of labial adhesions	\$ 5,534.00
Lysis or excision of penile post-circumcision adhesions	\$ 3,861.00
Lysis or excision of penile post-circumcision adhesions	\$ 3,625.00
Macroscopic examination; arthropod	\$ 108.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Macroscopic examination; arthropod	\$ 223.00
Macroscopic examination; parasite	\$ 74.00
Magnesium	\$ 105.00
Magnesium	\$ 67.00
Magnesium	\$ 619.00
Magnesium	\$ 59.00
Magnesium	\$ 44.00
Magnesium	\$ 40.00
Magnesium	\$ 98.00
Magnesium Sufate Monitoring: >31 Hrs	\$ 8,507.00
Magnesium Sufate Monitoring: 0-6 Hrs	\$ 1,545.00
Magnesium Sufate Monitoring: 13-18 Hrs	\$ 4,643.00
Magnesium Sufate Monitoring: 19-24 Hrs	\$ 6,187.00
Magnesium Sufate Monitoring: 25-30 Hrs	\$ 7,734.00
Magnesium Sufate Monitoring: 7-12 Hrs	\$ 3,092.00
Magnetic resonance (eg, proton) imaging, abdomen; with contrast material(s)	\$ 7,137.00
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s)	\$ 6,106.00
Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s), followed by with contrast material(s) and further sequences	\$ 8,474.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; with contrast material(s)	\$ 7,427.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material	\$ 6,203.00
Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material(s), followed by contrast material(s) and further sequences	\$ 8,451.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; with contrast material(s)	\$ 7,564.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s)	\$ 6,034.00
Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s), followed by contrast material(s) and further sequences	\$ 8,727.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); with contrast material(s)	\$ 7,977.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material	\$ 6,414.00
Magnetic resonance (eg, proton) imaging, brain (including brain stem); without contrast material, followed by contrast material(s) and further sequences	\$ 9,615.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); with contrast material(s)	\$ 14,726.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s)	\$ 11,981.00
Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s), followed by contrast material(s) and further sequences	\$ 17,762.00
Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging when performed; each additional gestation (List separately in addition to code for primary procedure)	\$ 963.00
Magnetic resonance (eg, proton) imaging, fetal, including placental and maternal pelvic imaging when performed; single or first gestation	\$ 721.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; with contrast material(s)	\$ 7,002.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s)	\$ 5,974.00
Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s), followed by contrast material(s) and further sequences	\$ 8,451.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; with contrast material(s)	\$ 13,227.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s)	\$ 12,793.00
Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s), followed by contrast material(s) and further sequences	\$ 13,313.00
Magnetic resonance (eg, proton) imaging, pelvis; with contrast material(s)	\$ 6,676.00
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s)	\$ 5,777.00
Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s), followed by contrast material(s) and further sequences	\$ 8,486.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; with contrast material(s)	\$ 7,555.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; without contrast material	\$ 6,077.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; with contrast material(s)	\$ 7,690.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; without contrast material	\$ 6,175.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; with contrast material(s)	\$ 6,326.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; without contrast material	\$ 6,269.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; cervical	\$ 8,982.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; lumbar	\$ 9,129.00
Magnetic resonance (eg, proton) imaging, spinal canal and contents, without contrast material, followed by contrast material(s) and further sequences; thoracic	\$ 9,189.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 6,440.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 6,865.00
Magnetic resonance (eg, proton) imaging, temporomandibular joint(s)	\$ 6,236.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; with contrast material(s)	\$ 7,124.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s)	\$ 5,723.00
Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s), followed by contrast material(s) and further sequences	\$ 8,598.00
Magnetic resonance angiography with contrast, abdomen	\$ 2,808.00
Magnetic resonance angiography with contrast, abdomen	\$ 1,366.00
Magnetic resonance angiography with contrast, chest (excluding myocardium)	\$ 2,808.00
Magnetic resonance angiography with contrast, chest (excluding myocardium)	\$ 1,250.00
Magnetic resonance angiography with contrast, lower extremity	\$ 2,808.00
Magnetic resonance angiography with contrast, lower extremity	\$ 1,825.00
Magnetic resonance angiography with contrast, pelvis	\$ 2,739.00
Magnetic resonance angiography with contrast, pelvis	\$ 2,808.00
Magnetic resonance angiography with contrast, pelvis	\$ 737.00
Magnetic resonance angiography with contrast, spinal canal and contents	\$ 2,808.00
Magnetic resonance angiography with contrast, spinal canal and contents	\$ 1,439.00
Magnetic resonance angiography with contrast, upper extremity	\$ 2,808.00
Magnetic resonance angiography with contrast, upper extremity	\$ 9,099.00
Magnetic resonance angiography without contrast followed by with contrast, abdomen	\$ 3,014.00
Magnetic resonance angiography without contrast followed by with contrast, abdomen	\$ 1,643.00
Magnetic resonance angiography without contrast followed by with contrast, chest (excluding myocardium)	\$ 3,014.00
Magnetic resonance angiography without contrast followed by with contrast, chest (excluding myocardium)	\$ 1,505.00
Magnetic resonance angiography without contrast followed by with contrast, lower extremity	\$ 3,014.00
Magnetic resonance angiography without contrast followed by with contrast, lower extremity	\$ 2,199.00
Magnetic resonance angiography without contrast followed by with contrast, pelvis	\$ 3,014.00
Magnetic resonance angiography without contrast followed by with contrast, pelvis	\$ 1,168.00
Magnetic resonance angiography without contrast followed by with contrast, spinal canal and contents	\$ 3,014.00
Magnetic resonance angiography without contrast followed by with contrast, spinal canal and contents	\$ 1,439.00
Magnetic resonance angiography without contrast followed by with contrast, upper extremity	\$ 3,014.00
Magnetic resonance angiography without contrast followed by with contrast, upper extremity	\$ 9,099.00
Magnetic resonance angiography without contrast, abdomen	\$ 2,739.00
Magnetic resonance angiography without contrast, abdomen	\$ 1,130.00
Magnetic resonance angiography without contrast, chest (excluding myocardium)	\$ 2,739.00
Magnetic resonance angiography without contrast, chest (excluding myocardium)	\$ 1,004.00
Magnetic resonance angiography without contrast, lower extremity	\$ 2,739.00
Magnetic resonance angiography without contrast, lower extremity	\$ 1,470.00
Magnetic resonance angiography without contrast, pelvis	\$ 2,808.00
Magnetic resonance angiography without contrast, pelvis	\$ 2,739.00
Magnetic resonance angiography without contrast, pelvis	\$ 675.00
Magnetic resonance angiography without contrast, spinal canal and contents	\$ 2,739.00
Magnetic resonance angiography without contrast, spinal canal and contents	\$ 1,439.00
Magnetic resonance angiography without contrast, upper extremity	\$ 2,739.00
Magnetic resonance angiography without contrast, upper extremity	\$ 9,099.00
Magnetic resonance angiography, head; with contrast material(s)	\$ 2,808.00
Magnetic resonance angiography, head; without contrast material(s)	\$ 2,739.00
Magnetic resonance angiography, head; without contrast material(s), followed by contrast material(s) and further sequences	\$ 3,014.00
Magnetic resonance angiography, neck; with contrast material(s)	\$ 2,808.00
Magnetic resonance angiography, neck; without contrast material(s)	\$ 2,739.00
Magnetic resonance angiography, neck; without contrast material(s), followed by contrast material(s) and further sequences	\$ 3,014.00
Magnetic resonance guidance for needle placement (eg, for biopsy, needle aspiration, injection, or placement of localization device) radiological supervision and interpretation	\$ 3,229.00
Magnetic resonance image guided high intensity focused ultrasound (MRgFUS), stereotactic ablation lesion, intracranial for movement disorder including stereotactic navigation and frame placement when performed	\$ 963.00
Magnetic resonance imaging with contrast, breast; bilateral	\$ 7,969.00
Magnetic resonance imaging with contrast, breast; unilateral	\$ 6,654.00
Magnetic resonance imaging without contrast followed by with contrast, breast; bilateral	\$ 8,890.00
Magnetic resonance imaging without contrast followed by with contrast, breast; unilateral	\$ 7,579.00
Magnetic resonance imaging without contrast, breast; bilateral	\$ 6,654.00
Magnetic resonance imaging without contrast, breast; unilateral	\$ 5,340.00
Magnetic resonance imaging, brain, functional MRI; including test selection and administration of repetitive body part movement and/or visual stimulation, not requiring physician or psychologist administration	\$ 3,870.00
Magnetic resonance imaging, brain, functional MRI; requiring physician or psychologist administration of entire neurofunctional testing	\$ 3,931.00
Magnetic resonance spectroscopy	\$ 473.00
Management of recipient hematopoietic progenitor cell donor search and cell acquisition	\$ 2,447.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Manganese	\$ 399.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 133.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; initial demonstration and/or evaluation	\$ 857.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 198.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 224.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 160.00
Manipulation chest wall, such as cupping, percussing, and vibration to facilitate lung function; subsequent	\$ 380.00
Manipulation, finger joint, under anesthesia, each joint	\$ 764.00
Manipulation, palmar fascial cord (ie, Dupuytren's cord), post enzyme injection (eg, collagenase), single cord	\$ 1,210.00
Manual therapy techniques (eg, mobilization/ manipulation, manual lymphatic drainage, manual traction), 1 or more regions, each 15 minutes	\$ 255.00
Marsupialization of Bartholin's gland cyst	\$ 9,929.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 300.00
Mass spectrometry and tandem mass spectrometry (eg, MS, MS/MS, MALDI, MS-TOF, QTOF), non-drug analyte(s) not elsewhere specified, qualitative or quantitative, each specimen	\$ 58.00
Mastotomy with exploration or drainage of abscess, deep	\$ 5,814.00
Material for vocal cord medialization, synthetic (implantable)	\$ 4,468.00
Material for vocal cord medialization, synthetic (implantable)	\$ 2,047.00
Matristem micromatrix, 1 mg	\$ 20.00
Matristem micromatrix, 1 mg	\$ 23.00
Matristem micromatrix, 1 mg	\$ 24.00
Maximum breathing capacity, maximal voluntary ventilation	\$ 515.00
Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use	\$ 805.00
Measurement of post-voiding residual urine and/or bladder capacity by ultrasound, non-imaging	\$ 561.00
Measurement of post-voiding residual urine and/or bladder capacity by ultrasound, non-imaging	\$ 527.00
Meatotomy, cutting of meatus (separate procedure); except infant	\$ 5,561.00
Meatotomy, cutting of meatus (separate procedure); except infant	\$ 5,222.00
Meatotomy, cutting of meatus (separate procedure); infant	\$ 5,561.00
Meatotomy, cutting of meatus (separate procedure); infant	\$ 5,222.00
Mechanical removal of intraluminal (intracatheter) obstructive material from central venous device through device lumen, radiologic supervision and interpretation	\$ 1,507.00
Mechanical removal of obstructive material from gastrostomy, duodenostomy, jejunostomy, gastro-jejunostomy, or cecostomy (or other colonic) tube, any method, under fluoroscopic guidance including contrast injection(s), if performed, image documentation and report	\$ 4,557.00
Mechanical removal of pericatheter obstructive material (eg, fibrin sheath) from central venous device via separate venous access	\$ 1,382.00
Mechanical removal of pericatheter obstructive material (eg, fibrin sheath) from central venous device via separate venous access, radiologic supervision and interpretation	\$ 1,507.00
Medical genetics and genetic counseling services, each 30 minutes face-to-face with patient/family	\$ 110.00
Medical nutrition therapy, reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition, or treatment regimen (including additional hours needed for renal disease), group (2 or more individuals), each 30 minutes	\$ 44.00
Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes	\$ 44.00
Medical nutrition therapy; group (2 or more individual(s)), each 30 minutes	\$ 47.00
Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 70.00
Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; initial assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 80.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 66.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 80.00
Medical nutrition therapy; re-assessment and intervention, individual, face-to-face with the patient, each 15 minutes	\$ 70.00
Medical nutrition therapy; reassessment and subsequent intervention(s) following second referral in same year for change in diagnosis, medical condition or treatment regimen (including additional hours needed for renal disease), individual, face to face with the patient, each 15 minutes	\$ 66.00
Memory functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Memory functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Memory functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Meningococcal conjugate vaccine, serogroups A, C, Y and W-135, quadrivalent (MCV4 or MenACWY), for intramuscular use	\$ 1,315.00
Meningococcal polysaccharide vaccine, serogroups A, C, Y, W-135, quadrivalent (MPSV4), for subcutaneous use	\$ 1,404.00
Mercury, quantitative	\$ 243.00
Mercury, quantitative	\$ 247.00
Mercury, quantitative	\$ 152.00
Mercury, quantitative	\$ 229.00
Mercury, quantitative	\$ 113.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 5,600.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 1,359.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 14,745.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 6,703.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 3,717.00
Mesh (implantable) (Includes MatriStem® Plastic Surgery Matrix, Wound Care Matrix, MatriStem MicroMatrix®)	\$ 7,605.00
Metanephrines	\$ 195.00
Metanephrines	\$ 639.00
Metanephrines	\$ 119.00
Metanephrines	\$ 92.00
Metatarsal bar wedge, rocker	\$ 466.00
Microprocessor control unit for use with electric ventricular assist device, replacement only	\$ 37,808.00
Microscope 0-14 Min	\$ 1,473.00
Microscope 0-14 Min	\$ 1,438.00
Microscope 15 Min And Over	\$ 4,152.00
Microscope 15 Min And Over	\$ 4,051.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 177.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 386.00
Microsomal antibodies (eg, thyroid or liver-kidney), each	\$ 321.00
Microvolt T-wave alternans for assessment of ventricular arrhythmias	\$ 2,062.00
Dau Medical Review Officer	\$ 130.00
Kidney Transport-Contract Only	\$ 3,080.00
3 Liter Sodium Chloride 0.9%	\$ 143.00
Bss Plus	\$ 313.00
Floseal 10MI	\$ 3,794.00
Floseal 5MI	\$ 1,897.00
Floseal Fusion Sealant Hemo	\$ 1,897.00
Lipiodol Oil Contrast Agent	\$ 2,684.00
Pentam Iv	\$ 1,904.00
Plasma-Lyte Per Liter	\$ 95.00
Sod Chloride 0.9%Flush Inj	\$ 10.00
Sodium Thiosulfate 10%Inj 10MI	\$ 170.00
3.0 Mm Reaming Rod 35171 35176	\$ 229.00
4.9 Mm Titanium Locking Bolts	\$ 363.00
Ablation Probe Afx 1002006 02	\$ 14,341.00
Anchor Lead/Cath	\$ 2,161.00
Anchor Set	\$ 889.00
Aneursym Clips Temp Yasargil	\$ 3,123.00
Annuloplasty Ring	\$ 14,435.00
Annuloplasty Ring Mitral	\$ 8,709.00
Anursym Clips Perm Yasrgl T Bar	\$ 12,056.00
Aortic Pericardial Valve	\$ 24,523.00
Arrow 7F Wedge	\$ 219.00
Balloon Electrode	\$ 580.00
Biopsy Port	\$ 206.00
Blade Arth	\$ 1,041.00
Blades Hall Stock 5053-63	\$ 491.00
Bone Cement Injector	\$ 125.00
Brush Cytology	\$ 720.00
Cable Detachment Coil Inzone	\$ 421.00
Cable Ss	\$ 1,859.00
Cable Ss Op	\$ 2,694.00
Cancellous Chips 30Cc	\$ 2,117.00
Cannulae Wm Harvery	\$ 728.00
Cath Angiography Motarjeme	\$ 121.00
Cath Cerebral/Vertebral Coated	\$ 504.00
Cath Connector	\$ 1,101.00
Cath Duodenal Aspiration 2.5Mm	\$ 5,349.00
Cath Nephro	\$ 944.00
Catheter H3/Hs1	\$ 294.00
Catheter Balloon Temp Pacing	\$ 1,246.00
Catheter Berenstein	\$ 129.00
Catheter Cobra	\$ 133.00
Catheter Conn 3Way 45105	\$ 1,854.00
Catheter Dragonfly Duo	\$ 5,381.00
Catheter Guiding	\$ 122.00
Catheter Hermetic Lumbar	\$ 1,610.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Catheter Ininiti	\$ 5,811.00
Catheter JI4	\$ 297.00
Catheter Kmp	\$ 297.00
Catheter Mik	\$ 127.00
Catheter Repair Kit Bard	\$ 1,314.00
Catheter Sim	\$ 125.00
Catheter Vessel Sizing	\$ 726.00
Catheters Taper Cath(St Or Ang)	\$ 442.00
Cathjud-Add	\$ 197.00
Cement Bone Cartridge Kyphon	\$ 842.00
Cement Bone Delivery System	\$ 2,359.00
Centering Sleeves (Sst)S&N	\$ 801.00
Centrimag Blood Pump	\$ 94,265.00
Clamp Ex Fix Synthes	\$ 4,724.00
Clip Atrium	\$ 8,492.00
Clips Filshi Avm 851	\$ 397.00
Coaxial Dilation Stylift	\$ 441.00
Corevalve Aortic Rplc	\$ 129,995.00
Csf Reservoir	\$ 1,198.00
Cubes (Sst)Iizarov-1Holes&N	\$ 1,048.00
Cubes (Sst)Iizarov-2 Holes&N	\$ 1,207.00
Cuff Nerve Collagen/Neuroflex	\$ 11,433.00
Device Biopsy Achieve	\$ 379.00
Device Retrieval	\$ 2,609.00
Dhspl 281 55 56 64 65 66 74 75	\$ 905.00
Dilator	\$ 49.00
Disp Trach Tube 101018780	\$ 203.00
Disp Trach Tube 41000204	\$ 198.00
Disp Trach Tube 61000205	\$ 203.00
Disp Trach Tube 81000206	\$ 203.00
Dressing Acticoat 4 X 8	\$ 197.00
Durapatch Ethisorb	\$ 7,055.00
Edwards Pericar Heart Valve 25	\$ 57,754.00
Embolc Liquid/Glue	\$ 22,021.00
Embolization Coil	\$ 608.00
Embolization Coil	\$ 969.00
Embolization Coil	\$ 522.00
Embolization Coil	\$ 470.00
Embolization Coil	\$ 458.00
Embolization Coil	\$ 617.00
Embolization Coil	\$ 962.00
Embolization Coil	\$ 715.00
Embolization Coil	\$ 15,554.00
Embolization Coil	\$ 11,957.00
Embolization Coil	\$ 3,555.00
Embolization Coil	\$ 4,122.00
Embolization Coil	\$ 4,548.00
Embolization Coil	\$ 6,821.00
Embolization Coil	\$ 9,092.00
Embolization Coil	\$ 1,321.00
Embolization Coil	\$ 1,801.00
Embolization Coil	\$ 6,489.00
Embolization Coil	\$ 7,413.00
Embolization Coil	\$ 8,755.00
Embolization Coil	\$ 15,955.00
Embolization Coil	\$ 13,240.00
Embolization Coil	\$ 496.00
Embolization Coil	\$ 640.00
Embolization Coil	\$ 11,451.00
Embolization Coil	\$ 15,268.00
Embolization Coil	\$ 17,176.00
Embolization Coil	\$ 16,224.00
Embolization Coil	\$ 14,409.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Embolization Coil	\$ 10,547.00
Embolization Coil	\$ 11,382.00
Embolization Coil	\$ 13,608.00
Embolization Coil	\$ 14,289.00
Embolization Coil	\$ 16,616.00
Embolization Coil	\$ 24,763.00
Embolization Coil	\$ 20,028.00
Embolization Coil	\$ 18,072.00
Embolization Coil	\$ 19,695.00
Embolization Coil	\$ 106,752.00
Embolization Coil	\$ 114,200.00
Embolization Coil Lvl006	\$ 4,548.00
Embolization Coil Lvl012	\$ 11,957.00
Embolization Coil Lvl013	\$ 13,608.00
Embolization Coil Lvl014	\$ 11,451.00
Embolization Coil Lvl015	\$ 11,382.00
Embolization Coil Lvl016	\$ 11,957.00
Embolization Coil Lvl017	\$ 13,609.00
Embolization Coil Lvl018	\$ 8,755.00
Embolization Coil Lvl019	\$ 15,955.00
Embolization Coil Lvl020	\$ 17,176.00
Embolization Coil Lvl021	\$ 16,616.00
Embolization Coil Lvl025	\$ 20,028.00
Embolization Coil Lvl027	\$ 18,072.00
Embolization Coil Lvl143	\$ 114,200.00
Embolization Coil Lvl155	\$ 114,200.00
Endcap B 457010 457011 457012	\$ 379.00
Endo Grasper	\$ 396.00
Endo Vasc Coil Embolectomy	\$ 8,111.00
Endo Vasc Coil Embolectomy	\$ 10,018.00
Falope Ring	\$ 1,400.00
Falope Ring Band	\$ 331.00
Falope Ring Band	\$ 619.00
Filshie Clip, Tubal Ring	\$ 536.00
Foot Rings/U Plates S&N	\$ 8,617.00
Gamma Nail Kit	\$ 4,865.00
Gelfoam	\$ 339.00
Gentamycin Bone Cement	\$ 1,375.00
Hemicap 10.5Mm Fixation Compon	\$ 3,675.00
Hemicap 25Mm Articular Compone	\$ 25,986.00
Hinge Standard Male S&N	\$ 615.00
Hinges-Male(Sst)llizarovs&N	\$ 595.00
Hip Distal Centralizer 16M (C	\$ 180.00
Impella Catheter/Introducer	\$ 186,341.00
Impella Cp Heart Pump Set	\$ 166,021.00
Inj Embolic Agent Lvl020	\$ 10,345.00
Inj Embolic Agent Lvl021	\$ 10,345.00
Inj Embolic Agent Lvl027	\$ 22,021.00
Integral Drainage Set 910-410	\$ 693.00
Introducer Kyphx Osteo	\$ 10,103.00
Introducer Micropuncture Set	\$ 439.00
Introducer Pleurx	\$ 479.00
Kirschner Wires 9	\$ 312.00
Lead Extender	\$ 1,685.00
Lt Atrial Append Clos Device	\$ 129,155.00
Lt Atrial Append Clos Device	\$ 112,606.00
Lvad Hmii Implant Kit	\$ 267,974.00
Malyugin Ring	\$ 964.00
Medtronic Venogram Balloon Cath	\$ 546.00
Micro Puncture Kit	\$ 329.00
Microspheres	\$ 16,680.00
Microspheres Embosphere	\$ 2,206.00
Microspheres Embosphere	\$ 1,390.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Mitral Pericardial Valve	\$ 12,233.00
Mitral Valve-St Jude	\$ 8,665.00
Needle Biopsy	\$ 245.00
Needle Biopsy	\$ 190.00
Needle Biopsy Coaxial	\$ 125.00
Needle Biopsy Temno	\$ 412.00
Needle Chiba	\$ 187.00
Oblique Support Connection S&N	\$ 3,986.00
Omni Clip Guns	\$ 1,545.00
Otsc Clip System Colon	\$ 4,706.00
Otsc Clip System Gastro	\$ 4,093.00
Pat Progr Neurostim Lvl007	\$ 7,681.00
Peg Tube	\$ 807.00
Pericardiocentesis Kit	\$ 702.00
Periguard 4 X 4 Pc-0404Sn	\$ 3,396.00
Peripheral Diagnostic Cath	\$ 98.00
Pins Threaded	\$ 2,222.00
Platform Bilateral	\$ 17,989.00
Plug Dome Hole	\$ 1,005.00
Plug Vascular Amplatz	\$ 4,935.00
Plug Vascular Amplatz	\$ 6,800.00
Polycel Austin Inner Ear Imp	\$ 1,854.00
Pouch Mesh Syncromed 8590-1	\$ 584.00
Probe Radiofrequency	\$ 3,550.00
Probe Tac-S Angled	\$ 3,200.00
Probe Temp Esophageal	\$ 4,716.00
Pump Set	\$ 1,298.00
Regent Aortic Valve St Jude	\$ 45,490.00
Richards Teflon Drain Tube .7M	\$ 251.00
Ring Tricuspid Annuloplasty	\$ 6,776.00
Rings Annuloplasty C-E 4600Se	\$ 8,089.00
Rotablator Advancer	\$ 2,271.00
S&N Ext Fix Half Ring 102102	\$ 502.00
S&N Ext Fix Half Ring 10330	\$ 26.00
S&N Ext Fix Half Ring 110-0600	\$ 255.00
Screw Asnis li All	\$ 816.00
Screw Bone Self Tap All	\$ 908.00
Screw Coupling 338.2	\$ 748.00
Screw Distraction,6051110	\$ 608.00
Set Biopsy Bone Bonpoty	\$ 910.00
Set Pump Angiojet	\$ 1,968.00
Set Screws S&N	\$ 23.00
Shunt Ascites Denver	\$ 13,471.00
Shunt Carotid Bypass lofr	\$ 1,071.00
Shunt Ventricular	\$ 23,842.00
Shunt Ventricular	\$ 17,119.00
Shunt Ventricular	\$ 16,168.00
Shunt Ventricular	\$ 19,738.00
Shunts Intracoronary Medtronic	\$ 592.00
Spine Spacer	\$ 60,671.00
Stent Coat W/Del Sys	\$ 29,416.00
Stent Coat W/Del Sys	\$ 31,473.00
Supra Condylar Plate	\$ 2,685.00
Suture Anchor	\$ 2,483.00
Syn Carbon Fiber Rods	\$ 430.00
Syn Lg Ext Fixator	\$ 1,645.00
Syn Plate 2Mm-2Hole 243.33	\$ 219.00
Syn Sm Ext Fix Spr Loaded Nut	\$ 56.00
Syn Sm Ext Fixator Clamp	\$ 830.00
Syn Washer Cannulated Screws	\$ 785.00
Syringe Glue Trufill	\$ 20,206.00
Tack Patch Hernia 5 Mm	\$ 5,397.00
Tarsys Spacer Graft	\$ 3,242.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Tavr Kit	\$ 268,949.00
Thermochoice 2 Ablation Cath	\$ 6,275.00
Threaded Rod 100Mm-120Mm S&N	\$ 111.00
Titan Cann Femoral Nails	\$ 1,223.00
Titan End Caps	\$ 397.00
Titan Locking Sleeves	\$ 589.00
Titan Ndcap Gr 459012 13 14	\$ 233.00
Titan Solid Humeral Nails	\$ 1,977.00
Tornier Radial Sheath 22Mm	\$ 855.00
Tornier Ulnar Sheath 22Mm	\$ 855.00
Tray Kyphopak	\$ 26,771.00
Tray Kyphopak Add Fx	\$ 22,102.00
Tray Kyphopak Add Fx	\$ 21,724.00
Tray Kyphopak First Fx	\$ 33,172.00
Tray Kyphopak First Fx	\$ 32,604.00
Tube Vent Silicone Cohen	\$ 911.00
Tubing Thoracentesis	\$ 22.00
Valve C-E Porcine Aortic 2700S	\$ 38,777.00
Valve St Jude Aortic 501 Serie	\$ 31,903.00
Valve St Jude Aortic 505 Serie	\$ 31,903.00
Venogram Balloon Catheter	\$ 219.00
Vessel Coupler 1.5-3.5	\$ 1,166.00
Watchman Access System	\$ 6,624.00
Wire Guide	\$ 234.00
Wires Bayonet Pt Ilizarovs&N	\$ 324.00
02 < 2Hrs	\$ 4.00
02 Per Diem	\$ 137.00
1/2 X 3/32 X 8 Ft Tubing	\$ 132.00
1/4 X 1/16 X 8 Ft Tubing	\$ 82.00
12 Fr Cardiac Sump Dlp 12013	\$ 126.00
12Ga.(9Fr) Aortic Pilot Canula	\$ 225.00
13Mm Drill Bit,Sterile 6860443	\$ 3,014.00
20 Fr Single Stage Venous Cann	\$ 173.00
23 Fr Str Tip Arterial Kit	\$ 2,268.00
25 Fr Quickdraw Venous Cannula	\$ 2,429.00
3.0 Mm Guide Rod 355041 355042	\$ 245.00
3.2 Mm 3 Fluted Cal Drill Bit	\$ 879.00
3/8" X 3/32" X 8 Ft Tubing	\$ 58.00
3-0 Supramid	\$ 146.00
600 Ml Transfer Pack	\$ 45.00
9.5Cm Crvd Left Hrt Vent Cath	\$ 155.00
A Line Transducer Kit	\$ 657.00
Ab5000 Vent W/32-42Fr Cannula	\$ 149,710.00
Abc Probe	\$ 272.00
Abiomed Bvs Blood Pump Disp	\$ 86,086.00
Acces Wrench Dpsbl	\$ 504.00
Access Tube	\$ 539.00
Accupass Suture Shuttle	\$ 1,240.00
Accu-Pass, Wire Drill 7210425	\$ 736.00
Adapter Feeding Tube Mic-Key	\$ 688.00
Adapter Goldberg Ureteral	\$ 204.00
Add Rp Padding	\$ 828.00
Adult Oxygenator	\$ 1,842.00
Adult Pump Pack-Cobe	\$ 3,724.00
Airflow Vest Short/Tall	\$ 7,178.00
Alperti Pancreat Flx Stent Kit	\$ 360.00
Alumi-Hand Immobilizer,6008146	\$ 154.00
Ambu Resusitator Bag	\$ 202.00
Ankle Distractor	\$ 382.00
Antenna,6035207	\$ 803.00
Aortic Cannula	\$ 144.00
Aortic Cutter Punch	\$ 10,860.00
Aortic Punch	\$ 324.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Apc 120	\$ 1,134.00
Apc 20	\$ 561.00
Apc 60	\$ 906.00
Apc 60/Split	\$ 452.00
Applicator Swab	\$ 111.00
Applicator Tip	\$ 634.00
Aquaguide Sheath	\$ 738.00
Aquavage Cannister	\$ 1,472.00
Aquavage Harvest Kit	\$ 1,263.00
Arctic Front Retraction Kit	\$ 1,183.00
Arista Absorbable Hemostat	\$ 791.00
Arista Hemostat	\$ 2,060.00
Arm Elevator Sling Med	\$ 219.00
Arm Sling Large	\$ 67.00
Arm Sling Small	\$ 103.00
Armstrong Beveled Vent Tube	\$ 174.00
Arrow Psi Kit - 6 Fr	\$ 309.00
Art Line Set	\$ 143.00
Arthrex Cannula	\$ 284.00
Arthrex Double Syringe	\$ 1,387.00
Arthrex Lasso	\$ 1,279.00
Arthro Wand 3/3.5-90/3.5-90 W/	\$ 1,526.00
Arthroscope Pack 24-3050	\$ 671.00
Arthroscopy Tubing	\$ 114.00
Arthroscopy Tubing Set	\$ 476.00
Aseptic Transfer System	\$ 491.00
Asp & Anticoag	\$ 81.00
Autolog Disposable	\$ 1,030.00
Autosuture Endo Dissect	\$ 2,261.00
Autosuture Endo Shear	\$ 553.00
Autosuture Endo Shears	\$ 2,261.00
Autosuture Endoshear 5Mm Uni	\$ 572.00
Autotome	\$ 1,083.00
Autotrans Wound Drain Kit 1/4	\$ 923.00
Autotransfusion/Cell Saver	\$ 671.00
Avalon Elite Vasc Kit	\$ 1,201.00
Axiem Emitter Drape;Prove Covr	\$ 193.00
Babock W/Ratchet Hndle,6051790	\$ 1,833.00
Bag Drainage Siemens Style	\$ 147.00
Balloon Retrieval Stone Bs	\$ 1,226.00
Balloon Sinus Inserter	\$ 676.00
Bandage 6Inch Plaster Splint	\$ 304.00
Bandage Elastic All	\$ 51.00
Bands Parham Sternal Closure	\$ 403.00
Bard T/V Pacer Wire	\$ 2,698.00
Bari Air Bed Rental	\$ 856.00
Bari Kare Bed Rental	\$ 539.00
Barimaxx li Bed Rental	\$ 357.00
Basin Sure Set Lg/Sm	\$ 176.00
Basket 4Wire 3.0Fr Segura	\$ 1,071.00
Basket Helical Stone	\$ 764.00
Basket Wire 4 Geuni	\$ 1,158.00
Bicap Probe Enteroscope	\$ 1,172.00
Binder Abdominal	\$ 119.00
Biohead	\$ 966.00
Biomedics Console	\$ 884.00
Bio-Probes Dp38 Adult Bioflow	\$ 147.00
Biopsy Forceps	\$ 1,176.00
Biopsy Max Core Disp	\$ 281.00
Biopsy System Microvas 500-130	\$ 154.00
Bio-Pump Bpx-80 Centrifgl Head	\$ 1,250.00
Biosense Reference Patch	\$ 2,726.00
Bioshield Irrigator	\$ 88.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Biovac	\$ 918.00
Bipap/Cpap Circuit (S)	\$ 117.00
Bipap/Cpap Mask (S)	\$ 127.00
Bipap/Cpap Mask (S)	\$ 187.00
Bipolar Cord Disp.	\$ 143.00
Bit Drill 2.0Qc,6037950	\$ 671.00
Bit Drill 4.2X330 (03.010.031)	\$ 1,934.00
Bit Drill Cannulat(03.010.036)	\$ 4,885.00
Bite Block	\$ 68.00
Blade 12 Degree 3.2 Mm Septo	\$ 1,501.00
Blade Beaver	\$ 129.00
Blade Bone Scapel	\$ 3,748.00
Blade Dermatone	\$ 312.00
Blade Dermatone,6008046	\$ 265.00
Blade Explant	\$ 8,824.00
Blade Extreme 60	\$ 1,467.00
Blade Full Radius 4.5	\$ 146.00
Blade Hall Special 505385	\$ 2,528.00
Blade Hook Sterile	\$ 595.00
Blade Micro Oscillator Conmed	\$ 196.00
Blade Microsurgical Str Knife	\$ 167.00
Blade Mini 3.5	\$ 510.00
Blade Oscillating Handpiece	\$ 1,830.00
Blade Oscillator 19.5	\$ 199.00
Blade Planter Fasciotomy	\$ 1,367.00
Blade Podiatry	\$ 1,099.00
Blade Saw	\$ 592.00
Blade Saw 90X12.5 Synthes	\$ 490.00
Blade Saw Sag 19.5X86,6018930	\$ 379.00
Blade Saw Sternal,6040437	\$ 190.00
Blade Sinus Cvd 4.0 Xomed	\$ 615.00
Blade Sinus Tricut/Rad 40/60 C	\$ 1,564.00
Blades Super 15	\$ 186.00
Blood Warming Cassette	\$ 194.00
Blower Mister Medtronic	\$ 315.00
Blower/Mister Kit	\$ 466.00
Bone Cement	\$ 436.00
Bone Curette Blue,6041403	\$ 68.00
Bone Tap Drill	\$ 3,773.00
Bone Wax	\$ 59.00
Bovie Tip Extension	\$ 34.00
Bowl Assy Dual Blade Disp	\$ 2,442.00
Bowl Mixing System	\$ 559.00
Brace Knee Irom	\$ 908.00
Brace T Pod Pelvic Stability	\$ 949.00
Bronchial Blckr Endotrach Tube	\$ 1,918.00
Broncho Suction Valve (Mh-83)	\$ 161.00
Brush Biopsy	\$ 317.00
Bulldogs 6 Mm	\$ 152.00
Bur 4.5 Cone Long	\$ 748.00
Bur Dissection Midas,6049198	\$ 1,110.00
Bur Round 2.3Mm	\$ 98.00
Bur Scalloped Cutter 4.0Mm	\$ 656.00
Burr 2In	\$ 134.00
Burr 4.5 Mm Round Burr Mc033	\$ 740.00
Burr Linvatec 5052-184	\$ 988.00
Burr Oval	\$ 243.00
Bx Max Core Disp	\$ 293.00
C.O. Injectate Kit	\$ 99.00
C0-Swan	\$ 1,641.00
Cable Coax Umbilical	\$ 748.00
Cable Control Empower	\$ 1,461.00
Cable Electrical Umbilical	\$ 1,576.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Cable Pacer Disp #4051A	\$ 241.00
Cable Pacing	\$ 122.00
Cable Trial	\$ 1,263.00
Cann Drill Bit 36006	\$ 2,502.00
Cann Drill Bits 31063	\$ 1,818.00
Cannister Aquavage	\$ 1,472.00
Cannula 25G Soft Tip	\$ 378.00
Cannula 5Mm X 38Mm Artho	\$ 130.00
Cannula Arteriotomy,6041258	\$ 68.00
Cannula Dual Bore 25Ga 3240	\$ 335.00
Cannula Ecmo Avalon	\$ 19,201.00
Cannula Green 7Mm	\$ 155.00
Cannula Hydor Res	\$ 165.00
Cannula Kit 5X76	\$ 331.00
Cannula Retinal Hydrodissectin	\$ 846.00
Cannula Subretinal Inject	\$ 447.00
Cannula Threaded	\$ 133.00
Cannula Threaded C/Obt & Tro C	\$ 383.00
Cap Halo	\$ 234.00
Capsule Delivery Device	\$ 3,996.00
Card Reserv Fil	\$ 396.00
Cardiac Monitoring	\$ 105.00
Cardiohelp Hls Set Advncd 7.0	\$ 102,615.00
Cardionyl 4-0	\$ 30.00
C-Arm Drape	\$ 267.00
Cast Boot Med.	\$ 94.00
Cast Padding Synthetic 2'''	\$ 21.00
Cast Padding Synthetic 3'''	\$ 32.00
Cast Padding Synthetic 4'''	\$ 32.00
Cast Padding Synthetic 6'''	\$ 43.00
Cast Plaster Specialist	\$ 176.00
Casting Tape 3''' (82003)	\$ 70.00
Casting Tape 4'''	\$ 87.00
Casting Tape 5''' (82005)	\$ 117.00
Cath Contin Irr 119/167L	\$ 152.00
Cath Femoral Artrl Fa0401	\$ 255.00
Cath Foley	\$ 63.00
Cath Inf Per/Cent/Mid	\$ 279.00
Cath Nasal Epistaxis	\$ 7.00
Cath Silicone 20Fr.	\$ 107.00
Cath Ureteral Cone Tip 10Fr.Sp	\$ 181.00
Cath W/O Bag 2-Way Silicone	\$ 157.00
Catheter 3-Way Hematuria Foley	\$ 274.00
Catheter Balloon 8Fr	\$ 3,412.00
Catheter Diagnostic Angio	\$ 117.00
Catheter Glide Angled Taper	\$ 662.00
Catheter Introducer Kit 006090	\$ 291.00
Catheter Passer	\$ 801.00
Catheter Pigtail Lock Flexima	\$ 616.00
Catheter Swan Ganz 7.5 Fr	\$ 190.00
Catheter W/O Bag 2-Way Latex	\$ 63.00
Catheters Taper Cath(St Or Ang)	\$ 487.00
Cautery Accutemp	\$ 224.00
Cautery Bipolar 25G	\$ 143.00
Cautery J Hook	\$ 459.00
Cautery L Hook / Ez Blade	\$ 339.00
Cautery Tip E Z Clean	\$ 77.00
Cautery Tipolisher	\$ 45.00
Cdi 3/8" Venous Cuvette	\$ 192.00
Cdi Shunt Sensor	\$ 353.00
Cdi Venous Sat Cuvette	\$ 209.00
Cell Saver Machine	\$ 1,078.00
Cement Bone Gun Kyphon	\$ 4,168.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Cement Bone Mixer Kyphon	\$ 1,681.00
Cerebral Oximetry Probe	\$ 591.00
Cholangiography Set Arrow	\$ 831.00
Chromic Ties Sg13T	\$ 66.00
Clamp Ex-Fix	\$ 5,336.00
Clamp Ex-Fix	\$ 5,618.00
Clamp Ex-Fix	\$ 6,520.00
Clamp Insert 61/86 Mm	\$ 228.00
Clamp Insert 90Mm	\$ 154.00
Clamp Muscle	\$ 88.00
Cleaner Brush, Standard	\$ 146.00
Cleaning Brush Endoscope	\$ 138.00
Cleaning Brushes	\$ 155.00
Clear Trac Cannula 7X72	\$ 601.00
Clip Applier	\$ 1,047.00
Clip Applier 5Mm Al326	\$ 546.00
Clip For Bld Gastric Varices	\$ 329.00
Clip Lig Med	\$ 473.00
Clip Lig Med 9.75	\$ 489.00
Clip Micro Gem	\$ 1,240.00
Clip Resolution,6031243	\$ 1,639.00
Clip Surg Weck Large	\$ 117.00
Clip Surg Weck Medium	\$ 129.00
Clip Surg Weck Small	\$ 91.00
Clips Resolution Bs	\$ 1,378.00
Closure System	\$ 855.00
Closure Plus Procedure Pack	\$ 964.00
Closure Rfs	\$ 2,943.00
Closure Vnus Rfs	\$ 3,026.00
Coagulating Electrode Ball	\$ 834.00
Coblator li	\$ 2,410.00
Coil Expander	\$ 503.00
Coil Pusher	\$ 1,419.00
Collar Occian Back	\$ 471.00
Collection System	\$ 103.00
Collector W/Screen	\$ 389.00
Colon Decompression Kit	\$ 773.00
Colostomy Kit	\$ 264.00
Compression Device Hemostasis	\$ 711.00
Compression Sleeve (Thigh)	\$ 151.00
Conmed Multifunc Instr System	\$ 781.00
Connector	\$ 3,548.00
Cont Med Aerosol Circuit (S)	\$ 151.00
Control Valve	\$ 285.00
Cor Knot Device Dsp	\$ 3,152.00
Cor Knot Loads	\$ 315.00
Cord Disposabl	\$ 167.00
Cord Resectosc	\$ 26.00
Coronary Ostial Perfusion Cann	\$ 103.00
Counter Sink	\$ 731.00
Cover Sterile Snap Kap	\$ 54.00
Cranial Remolding Orthosis	\$ 3,588.00
Cre Balloons	\$ 1,935.00
Crescent Knife	\$ 143.00
Crown Set Small/Large	\$ 3,634.00
Crucial Tool	\$ 1,566.00
Cryst Pleg Set	\$ 346.00
Cs Short Leg Cast Adult Fbrgl	\$ 1,625.00
Cs Short Leg Cast Adult Plstr	\$ 355.00
Cs Short Leg Splnt Adult Plstr	\$ 219.00
Cs Shrt Arm Splint Adult Plstr	\$ 68.00
Curette Kyphon Express	\$ 4,158.00
Cusa Disposable Wrench C5602	\$ 302.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Cusa Microtip C4609S	\$ 2,066.00
Cusa Precision Tip C4608S	\$ 2,537.00
Cusa Tip Extended C4614S	\$ 1,463.00
Cusa Tip Transphenodal,6048385	\$ 3,602.00
Cusa Tubing Sterile C3601	\$ 868.00
Cusatip Custom Curved C4611S	\$ 2,270.00
Custom Tubing Pack	\$ 1,387.00
Cut Loop 24 Acmi Mle-12	\$ 130.00
Cutter 3.5 Shaver	\$ 519.00
Cutting Loop	\$ 803.00
Cutting Loop 22 French	\$ 979.00
Cvl Tray 7 Fr	\$ 119.00
Cvs Vavd Kit	\$ 1,034.00
Cysto Tubing Baxter 2C4040	\$ 59.00
Cytology Brush Bronch	\$ 48.00
Cytology Brush Egd	\$ 60.00
Cytology Brush Enteroscope	\$ 75.00
Cytology Brush Erpc	\$ 312.00
Cytology Brush Erpc Bs	\$ 498.00
Cytology Brush Lung Specimen	\$ 100.00
Defib K Pad Ae-600	\$ 310.00
Defibrillator Pads	\$ 115.00
Denver Splint	\$ 472.00
Derma Bond	\$ 182.00
Derma Carrier	\$ 357.00
Dermabond Db12	\$ 259.00
Dermacarriers li	\$ 260.00
Device Abd Intra Monitoring	\$ 619.00
Device Biopsy Bone Kyphx	\$ 1,272.00
Device Inflation	\$ 429.00
Device Torque	\$ 75.00
Dialator Spine Disposable	\$ 2,184.00
Dialators Ureteral	\$ 1,209.00
Digifltor	\$ 519.00
Disp Breast Pump Kit (Elect)	\$ 181.00
Disp Drill	\$ 1,052.00
Disp Drill Battery	\$ 885.00
Disp Drill Driver	\$ 2,113.00
Disp Falope-Rng Band W/Apl Kit	\$ 1,248.00
Disp Skull Pins	\$ 184.00
Disp Sterile Defib Pads	\$ 472.00
Disp Uterine Manipulator (5Bx)	\$ 513.00
Disposable Cautery Pencil	\$ 132.00
Disposable Connectors	\$ 261.00
Disposable Drill	\$ 1,413.00
Disposable Nasal Tray	\$ 351.00
Disposable Nebulizer	\$ 118.00
Dissector Endoscopic Blunt Tip	\$ 198.00
Dissector Glidepath	\$ 4,356.00
Distractor Ankle	\$ 382.00
Doppler /C Ext Cable	\$ 234.00
Drain Blake 19Fr	\$ 224.00
Drain Blake All	\$ 153.00
Drainage Bag	\$ 86.00
Drainage Bag	\$ 198.00
Drainage Bag Leg Or Abdomen	\$ 15.00
Drainage Bag Urinary	\$ 184.00
Drainage Sys	\$ 365.00
Drape Angio Microtek	\$ 185.00
Drape Cardiovascular Barrier	\$ 261.00
Drape Custom	\$ 2,125.00
Drape Ioban	\$ 157.00
Drape Litho	\$ 108.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Drape Micro	\$ 112.00
Drape Neuro	\$ 86.00
Drape New Zeiss Microscope	\$ 141.00
Drape Sheet	\$ 638.00
Drape Steri	\$ 87.00
Drape Vert Isolat	\$ 487.00
Dressing Acticoat 10 X 12	\$ 244.00
Dressing Acticoat 10 X 13	\$ 259.00
Dressing Acticoat 10 X 25	\$ 541.00
Dressing Acticoat 4 X 9	\$ 150.00
Dressing Nasal	\$ 562.00
Drill 2.4/Guide	\$ 1,854.00
Drill 5.0 Cannulated	\$ 2,557.00
Drill 5.5 Gamma Sys 1214-5180	\$ 780.00
Drill Bit	\$ 3,271.00
Drill Bit	\$ 652.00
Drill Bit	\$ 4,944.00
Drill Bit 1.0	\$ 561.00
Drill Bit 1.0Mm J-Latch End	\$ 633.00
Drill Bit 1/16	\$ 361.00
Drill Bit 2.0	\$ 954.00
Drill Bit 2.0 Cannulated	\$ 2,296.00
Drill Bit 2.4 X 100 310.530	\$ 1,301.00
Drill Bit 2.5Mm, Hand Innov	\$ 1,272.00
Drill Bit 2Mmx110,6048983	\$ 2,711.00
Drill Bit 310.68 # 6022261	\$ 4,353.00
Drill Bit 4.2X145Mm 03.010.105	\$ 1,577.00
Drill Bit 4.2X330Mm 03.010.062	\$ 2,206.00
Drill Bit 4.3	\$ 1,181.00
Drill Bit 4.5 Cann 310.66	\$ 4,045.00
Drill Bit 9	\$ 1,332.00
Drill Bit Elbow Rpr Acumed	\$ 449.00
Drill Bit L2	\$ 2,523.00
Drill Bit L2	\$ 815.00
Drill Bit Spiral F2/8Ta23S	\$ 1,093.00
Drill Bit Synthes 1.5/2.0	\$ 800.00
Drill Bit Vertex	\$ 3,148.00
Drill Bits Stryker J-Latch	\$ 1,451.00
Drill Endobutton 4.5 6030535	\$ 1,035.00
Drill Guide Thr 1.8 Sh 323.035	\$ 295.00
Drill Lindemenn	\$ 444.00
Drill Pin Trim It	\$ 1,703.00
Drill Wire Passer	\$ 470.00
Drillbit 4.2X145Mm(03.010.104)	\$ 1,592.00
Drillbit 4.2X330Mm(03.010.061)	\$ 2,206.00
Drillbit F.A.S.T 2Mm,Hand Innv	\$ 581.00
Driver (Disp)	\$ 20,808.00
Dual Stage Venous Cannula	\$ 86.00
Duette Bander For Emr	\$ 1,933.00
Duplocath 35 Mis	\$ 658.00
Dura Close	\$ 760.00
Duraseal Sealant 20-2050	\$ 5,108.00
Ebus Aspiration Neeedle	\$ 768.00
Ebus Balloons	\$ 157.00
Echo Tip Pro Core	\$ 2,763.00
Ecmo Tubing Pack	\$ 2,743.00
Electrode	\$ 3,791.00
Electrode Ball,6048386	\$ 126.00
Electrode Blade V.L. Extended	\$ 186.00
Electrode Disposable	\$ 91.00
Electrode Leep 2X1 Cm	\$ 229.00
Electrode Needle V.L.	\$ 99.00
Electrode Subdermal	\$ 642.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Embolization Coil	\$ 1,269.00
Embolx Aortic Cann Cf00101D	\$ 1,183.00
Embolx Aortic Filter Cf2600	\$ 2,018.00
Embol-Xglide Cannula Lrg Filtr	\$ 5,423.00
Embol-Xglide Cannula Med Filtr	\$ 5,423.00
Embol-Xglide Cannula Sm Filter	\$ 5,423.00
Embol-Xglide Cannula Xlg Filtr	\$ 5,423.00
Embol-Xglide Cannula Xs Filter	\$ 5,423.00
Endo Bag	\$ 501.00
Endo Cavity Balloon	\$ 234.00
Endo Dissect 5Mm Disp. Set 6	\$ 1,642.00
Endo Loop Pds Ez10G	\$ 677.00
Endo Probe 20G	\$ 537.00
Endo Scope Spiral	\$ 4,168.00
Endo Vasc Coil Embolectomy	\$ 6,331.00
Endobags New Ones Pro46	\$ 871.00
Endobeam 200Su	\$ 2,989.00
Endobeam 365Su	\$ 2,278.00
Endobeam 550Su	\$ 3,096.00
Endobrachial	\$ 687.00
Endobronchial Tube	\$ 834.00
Endoloop O - Vicryl	\$ 311.00
Endoloop Vicryl	\$ 171.00
Endopouch	\$ 508.00
Endoscopic Marker	\$ 142.00
Endoscopy Specimen Trap	\$ 22.00
Endostat	\$ 1,543.00
Endostitch	\$ 1,577.00
Endostitch 0 Surgidac Es-9	\$ 211.00
Endostitch 2-0 Surgidac	\$ 178.00
Endotec Disp Spatula	\$ 557.00
Enseal Trio 3 Mm Curve Tip	\$ 2,528.00
Epidura Tray Cont	\$ 198.00
Esmark Bandage 6'''	\$ 67.00
Esophageal Ligator Kit	\$ 1,083.00
Ethibon 2-0 Sh & 0-Xhl	\$ 36.00
Ethibond 2V & 5C	\$ 36.00
Eus Scope Balloon	\$ 114.00
Evacuator Urovac	\$ 88.00
Evacurette Collection Tubing	\$ 117.00
Evicel Kit Fibrin Sealant	\$ 3,360.00
Evicel Sealant 2MI Kit	\$ 1,681.00
Evicel Sealant 5MI Kit	\$ 4,066.00
Eye Cautery Disposable	\$ 108.00
Eye Pk Dr Franco	\$ 2,151.00
Ezpac Device (S)	\$ 318.00
Fast Fix Knot Push&Sut,6022139	\$ 913.00
Fast-Fix Delivry Nedle,6050191	\$ 2,119.00
Femoral Aortic Cannula	\$ 219.00
Femoral Canal Brush Tip	\$ 42.00
Femoral Channel Brush 6791	\$ 80.00
Femoral Insertion Kit	\$ 163.00
Femoral Venous Cannula 24Fr	\$ 754.00
Femoral Venous Cannula 28Fr	\$ 747.00
Fiberstick	\$ 552.00
Fiberstick Suture Guide	\$ 365.00
Fibrillar Ethicon 1963	\$ 933.00
Filter 25Hr For Es2000 Unit	\$ 521.00
Finger Splint Static	\$ 141.00
First Step Heavy Dty Bed Rent	\$ 152.00
First Step Select Bed Rental	\$ 100.00
Flex Apc (Circmfrntl) Probe	\$ 855.00
Flex Disp Endo Tip Ovesco	\$ 4,032.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Flexible Intracardiac Sucker	\$ 209.00
Flo Trac Catheter 60"/152Cm	\$ 1,269.00
Flow Probe	\$ 180.00
Foley Catheter (30 Cc)	\$ 143.00
Foley Temp Sensing	\$ 473.00
Folloers Heyman	\$ 1,036.00
Forcep Mini End Grasp (Eye)	\$ 580.00
Forcep Therma Jaw Bx	\$ 1,519.00
Forceps End Grasping	\$ 629.00
Forceps Stone	\$ 1,547.00
Frag Accss Pk	\$ 609.00
Fronrunner Catheter	\$ 9,098.00
Fronrunner Catheter	\$ 8,079.00
Gastric Easi Lav	\$ 577.00
Gator Cutter 5.0	\$ 435.00
Glidescope Disp	\$ 114.00
Glove Rad Res	\$ 413.00
Glue Dermabond	\$ 144.00
Gold Marker Kits	\$ 2,237.00
Goldenburg Footplate	\$ 1,354.00
Gortex Suture Cv-2	\$ 93.00
Gown Bair Paws	\$ 91.00
Grasping Device Talon	\$ 1,094.00
Greenlight Laser Fee	\$ 7,467.00
Guardus Overtube	\$ 1,641.00
Guide Wire (C)	\$ 459.00
Guide Wire 2.4Mm Drill Tip	\$ 261.00
Guide Wire Im	\$ 468.00
Guide Wire Sharp	\$ 714.00
Guidewire Balltip Gamma T2 3.0	\$ 662.00
Gyrus Cutting Forcep	\$ 3,849.00
Gyrus Cutting Forceps	\$ 3,728.00
Handle Coil Detachment	\$ 1,601.00
Harmnc Shears Hand Control	\$ 3,486.00
Harmonic Ace	\$ 2,513.00
Harmonic Dissecting Hook 5 Mm	\$ 1,425.00
Harmonic Dissecting Hook Hdh05	\$ 1,425.00
Harmonic Focus	\$ 3,943.00
Harmonic Scalpel Handpiece	\$ 3,571.00
Harmonic Scalpel Lcs15/Cs150	\$ 2,199.00
Harmonic Scapel Shear Fcs9	\$ 4,017.00
Harvest Kit Aquavage	\$ 1,263.00
Healthdyne - Ped-Pre-Bypass	\$ 91.00
Heliox Tank	\$ 636.00
Hemashield Art Cannula 10Mm	\$ 7,475.00
Hemoconcentrator Adult	\$ 403.00
Hemostat Arista 1G 6048498	\$ 761.00
Hemostat Arista 1Gsm0005-Usa	\$ 726.00
Hhf Interface Cannula/Trach	\$ 178.00
Hi/Low Evac Tube	\$ 118.00
High Flow Insufflator Tucking	\$ 125.00
High Flow Majr Resuscitat	\$ 879.00
High Pressure Line	\$ 185.00
Holder Endo Trach (S)	\$ 51.00
Holding Pin 6860404	\$ 943.00
Hood T4 Stryker	\$ 162.00
Hose Smoke Evacuator	\$ 360.00
Howmedica Cement Mixer	\$ 182.00
Humi 6001	\$ 726.00
I Snare	\$ 924.00
I.A.B. & Introducer	\$ 6,306.00
Iab Insertion Kit	\$ 603.00
Immobilizer Shoulder Lge	\$ 71.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Immobilizer Shoulder Univ	\$ 133.00
Implex Drill Bit	\$ 2,039.00
Incisor 3.5Mm	\$ 667.00
Infant Flow Cpap Circuit	\$ 293.00
Inflator Lev	\$ 915.00
Inlet Closure	\$ 929.00
Inserts Evergrip 61Mm	\$ 155.00
Insp Muscle Strength Dev (S)	\$ 162.00
Instrtek Blade Set	\$ 1,150.00
Instrument Disp	\$ 1,471.00
Instrument Disposable	\$ 273.00
Instrument Tip	\$ 459.00
Instrument Tip Disp	\$ 982.00
Instrument Tip Disp	\$ 196.00
Insufflt Tub Heat Sens,6051731	\$ 317.00
Integra Exter Csf Drainage Bag	\$ 133.00
Intraosseous Needle	\$ 261.00
Intrauter Pressure Cath Kendal	\$ 251.00
Intrautr Pls Iup400 Press Cath	\$ 294.00
Introducer 9 Fr	\$ 780.00
Introducer Biopsy Local Celero	\$ 154.00
Introducer Kit	\$ 202.00
Introducer Kit 6Fr	\$ 291.00
Introducer Set	\$ 499.00
Ioban Drape	\$ 86.00
Ippb Circuit (S)	\$ 71.00
Ipv Headset (S)	\$ 117.00
Jackson Pr Suc Drain	\$ 66.00
Jackson Trach, Maint Pt Airway	\$ 885.00
Jackson-Pratt Suct Reserv 100C	\$ 60.00
Jelly Lubricant 4 1/4 Oz	\$ 30.00
Kci Med Dressing Assembly	\$ 225.00
Kci Vac Gel Cannister Assembly	\$ 300.00
Kin Air Iii Bed Rental W/O Sca	\$ 176.00
Kit Applicator Ent	\$ 886.00
Kit Bone Prep (Richards)	\$ 868.00
Kit Cath Lumbar Access 1195760	\$ 1,132.00
Kit External Csf Drainage	\$ 1,799.00
Kit Falope W/O Trocar	\$ 1,145.00
Kit Hip Arthroscopy Disp	\$ 3,103.00
Kit Peg Safety Pull 20Fr 6646	\$ 825.00
Kit-Gastrostomy	\$ 361.00
Kiwi Extractor Pro Cup Vac	\$ 330.00
Knee Brace Post Op Breg	\$ 588.00
Knee Dressing Deluxe 4	\$ 224.00
Knee Wrap	\$ 147.00
Knife Arachnoid	\$ 924.00
Knife Bayonet Custom	\$ 1,995.00
Knife Disc Angled	\$ 337.00
Knife Edgehead	\$ 82.00
Knife Mvr	\$ 405.00
Knife Sideport	\$ 110.00
Kronner Manipujector	\$ 217.00
Kyphx Bone Biopsy Device	\$ 1,049.00
Kyphx Disp Device	\$ 4,045.00
Kyphx Disp Device System Lg	\$ 31,508.00
Kyphx Disp Device System Md	\$ 21,005.00
Kyphx Disp Device System Sm	\$ 10,080.00
Lacrimal Crawford Sets	\$ 501.00
Lacrimal Set	\$ 469.00
Lancet Blade	\$ 58.00
Lap Applictr Tip Evicl,6051679	\$ 441.00
Lap. Scissors Curved Dcs12	\$ 1,231.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Lapra-Ty Suture Clips	\$ 171.00
Laser Fiber	\$ 3,462.00
Laser Fiber 200 Smh1020F	\$ 5,672.00
Laser Fiber 200/365/550 Micron	\$ 2,115.00
Laser Fiber 600 Smh1060F	\$ 4,831.00
Laser Prob	\$ 64,312.00
Laserfiber Hma60 Mackin Medica	\$ 4,841.00
Lead Extractor	\$ 506.00
Leep Electrode 1Cmx1Cmsq S1010	\$ 135.00
Leep Electrode;Ball,2X1Cm,1X1C	\$ 135.00
Leep Electrodes Cooper Surg	\$ 207.00
Leg Holder Pad	\$ 228.00
Leg Lifter	\$ 68.00
Lens Morgan Therapeutic	\$ 173.00
Lens Pack Biom Disp	\$ 928.00
Leveen Inflator Bs 710-111	\$ 175.00
Level 1 Infuser Tube	\$ 687.00
Life Pak Quick Combo-Rts Pedia	\$ 361.00
Ligaclip Apply	\$ 738.00
Ligaclip Apply	\$ 590.00
Ligaclip Large Yellow	\$ 23.00
Ligaclip Medium (White)	\$ 49.00
Ligasure Disp Equip	\$ 6,274.00
Ligator For Polyps	\$ 224.00
Light Source Disp	\$ 3,787.00
Lightsource Disp	\$ 6,469.00
Lightsource Disp	\$ 448.00
Limb Holder	\$ 68.00
Linton/Minne Tube	\$ 3,624.00
Lube Electro EI101	\$ 144.00
Lumbar Bag Collection 1195770	\$ 225.00
Lumbar Drainage Set 910420	\$ 1,501.00
Manifold	\$ 180.00
Maxxair Ets Mrs	\$ 206.00
Med Surg (Kin Air Iii) With Sc	\$ 204.00
Membrane Scrat	\$ 2,284.00
Merogel Sheet	\$ 531.00
Mersilene 50	\$ 91.00
Mesh Sorbafix 15 Tacks	\$ 3,713.00
Mesh Sorbafix 15Tacks 0113082	\$ 3,713.00
Mesh Sorbafix 30 Tacks	\$ 4,984.00
Mesh Sorbafix 30Tacks 011308	\$ 4,984.00
Micro Pump Neb Device	\$ 361.00
Micro Puncture Kit	\$ 174.00
Microbiology Bronco Brush	\$ 151.00
Micro-Introducer	\$ 311.00
Micropuncture Introdr	\$ 185.00
Microspheres Embosphere	\$ 1,902.00
Microtak Vulcan Probe	\$ 2,896.00
Midas Rex	\$ 372.00
Midas Rex Burr	\$ 2,707.00
Mini-Sucker	\$ 180.00
Mis Inst Drill Bits 31019 3104	\$ 447.00
Misc Multi-Torque Vise	\$ 105.00
Misc Multi-Torque Vise	\$ 75.00
Mobius Elastic Retractor-Large	\$ 794.00
Monteris Mini-Bolt	\$ 6,457.00
Morgenstern Stable 500118200	\$ 225.00
Mps Cardioplegia Set	\$ 822.00
Mucociliary Clearing Dev (S)	\$ 315.00
Multi Band Ligator	\$ 2,071.00
Multiple Perfusion Set	\$ 114.00
Muzuho Doppler Probe 07-150-12	\$ 2,562.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Mwa Antenna 22/17	\$ 15,851.00
Myocard Temp Probe	\$ 430.00
Myosure Tissue Removal Device	\$ 10,903.00
Myringotomy Knife	\$ 138.00
Nasal Doyle Sponge Tampon	\$ 215.00
Nasal Packing	\$ 178.00
Nasal Splint	\$ 433.00
Naviflex Delivery System	\$ 666.00
Ndl Disp Biopsy	\$ 226.00
Nebulizer Disposable (S)	\$ 82.00
Needle Beath	\$ 206.00
Needle Biopsy Disp	\$ 3,528.00
Needle Biopsy Suros	\$ 309.00
Needle Biopty Cut 441816	\$ 215.00
Needle Breast Local Kopans	\$ 119.00
Needle Curved Del Sys	\$ 2,588.00
Needle Delivery (Norian)	\$ 282.00
Needle Inlet Closure	\$ 2,342.00
Needle Pak Bevel/Trocar	\$ 1,899.00
Needle Scorpion	\$ 1,084.00
Needle Senorx Gel Marker	\$ 670.00
Needle Trocar	\$ 209.00
Needle Veres 150 Pn 150	\$ 224.00
Neg Pres Wound Vac Sys (Disp)	\$ 5,625.00
Nerve Stimulator Disp	\$ 244.00
Neuro Sponge	\$ 52.00
Neuroaccu Drn W/Anti Rflx Vlve	\$ 1,153.00
Neurostim Remote Control	\$ 10,318.00
Nim Electrode Subdermal	\$ 652.00
Notchblaster 5.5	\$ 408.00
Novasure	\$ 8,180.00
Novasure Ablation Kit	\$ 10,766.00
Nurolon O Ct-2 C527T	\$ 92.00
Obturator Endotracheal	\$ 642.00
Occutome Irrigating Alcon	\$ 1,258.00
O-Coated Vicryl Tubal Ties J91	\$ 193.00
Octobase Retractor Inserts	\$ 487.00
Octopus System S/Positioner	\$ 13,535.00
Ocutome Disposapak	\$ 805.00
Olm Intracranl Press Monit Kit	\$ 3,878.00
Omnijug Suction Can	\$ 260.00
Open Heart Drape Pack Cvt222A	\$ 1,093.00
Ophthalmic Burr	\$ 119.00
Optiview Trocar 5Mm	\$ 354.00
Ortho Pat Cell Saver Kit	\$ 3,340.00
Orthopat 2555-115-06	\$ 1,568.00
Orthopat Intraop Suction Tube	\$ 115.00
Orthopat Postop Suction Tube	\$ 67.00
Orthopat Waste Bags2555-130-40	\$ 43.00
Oscillary Vest Supply (S)	\$ 618.00
Otsc Anchor	\$ 3,107.00
Otsc Twin Grasper	\$ 4,369.00
Pacing Wire Temp	\$ 99.00
Pacing Wires Atrl	\$ 422.00
Pack (Arthroscopy) Disp	\$ 1,943.00
Pack Arthroscopy A29180	\$ 619.00
Pack Basic A9103	\$ 363.00
Pack Cabg(New)	\$ 2,403.00
Pack C-Section	\$ 503.00
Pack Custom Robotic Gwv	\$ 4,274.00
Pack Cystoscopy	\$ 207.00
Pack Eye Custom-Dr. Carls	\$ 2,492.00
Pack Eye Custom-Dr. Dobbins	\$ 2,282.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Pack Gynecology Sterile F/G	\$ 387.00
Pack Head/Neck	\$ 75.00
Pack Hip A29187T	\$ 791.00
Pack Laparoscopy	\$ 714.00
Pack Lararoscopy	\$ 646.00
Pack Open Heart Drape	\$ 608.00
Pack Peri/Gyn	\$ 190.00
Pack Universal	\$ 155.00
Pack Universe No Gown	\$ 185.00
Pack Vitrectomy Total	\$ 5,409.00
Pack Vnus Closure Plus Proc	\$ 748.00
Pack Vnus Closure Plus Proc	\$ 901.00
Pack:Arthroscopy	\$ 1,028.00
Packing Nasal	\$ 126.00
Pad Hemostasis	\$ 539.00
Pad Prhenic Nerve	\$ 165.00
Pain Control Acces Kit,6035208	\$ 2,016.00
Pain Control Acces Kit,6039281	\$ 1,007.00
Pain Control Exten Kit,6039277	\$ 4,198.00
Pain Control Pat Progr,6051271	\$ 8,611.00
Pain Pump Refill Kit	\$ 229.00
Pall Blood Filter	\$ 19.00
Pancreat Flex Stent W/R Flange	\$ 626.00
Passing Elevator Sc-4230	\$ 403.00
Patella Drill Bit	\$ 1,522.00
Pds #1 Looped	\$ 37.00
Pds 1 48" Xlh	\$ 40.00
Peak Flow Replacement Dev (S)	\$ 134.00
Peanut Disectors (10-660)	\$ 70.00
Percutaneous Pressure Cath	\$ 92.00
Perforator 26-1221	\$ 1,289.00
Pericardial Cooling Pad	\$ 2,786.00
Pericardial Patch	\$ 1,429.00
Pericardiocentesis Kit	\$ 818.00
Peripheral Diagnostic Cath	\$ 133.00
Ph Capsul For Bravo Study	\$ 1,864.00
Phillips Follower Bard 3461-16	\$ 100.00
Pillow Abduction	\$ 257.00
Pin Dhs/Dcs Gd	\$ 391.00
Pinn Intro Shth 5Fr	\$ 105.00
Plaster Roll 3""	\$ 30.00
Plaster Roll 4""	\$ 45.00
Plaster Splint	\$ 70.00
Plaster Splint 3X15	\$ 70.00
Plaster Splints 4 X 15	\$ 70.00
Platelet Gel Fresenius Psq-Set	\$ 666.00
Platelet Gel Kit Procedure	\$ 146.00
Platform Access Gelpoint	\$ 3,348.00
Plt Gel Tip Applic Dual Cannul	\$ 469.00
Plug Cannulated Bone Tunnel	\$ 75.00
Polar Care 500	\$ 1,447.00
Polar Care Cub	\$ 528.00
Polar Care Kit (Cooler)	\$ 1,075.00
Polar Multi Shoulder Pad	\$ 469.00
Polar Pad-Large Hip	\$ 488.00
Polar Wrap - Large Hip	\$ 302.00
Polar Wrap Lg/Xlg Shoulder	\$ 302.00
Polyloop Ligating Device	\$ 728.00
Port A Cath Needle	\$ 60.00
Positioning Device	\$ 488.00
Post Op Shoe Mens Lge	\$ 58.00
Post Op Shoe Mens Med.	\$ 100.00
Post Op Shoe Womens Lg.	\$ 100.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Post Op Shoe Womens Med.	\$ 100.00
Presep Olign Oximtry Cath Kit	\$ 1,782.00
Pressure Tubing 6''' F To M	\$ 72.00
Pressurizers Femoral Canal (M)	\$ 52.00
Pressurizers Femoral Canal (S/	\$ 70.00
Prineo Dermabond	\$ 1,071.00
Probe 3.0 90 Degree Vulcan	\$ 1,575.00
Probe Ablator	\$ 4,362.00
Probe Dispos Doppl	\$ 3,683.00
Probe Doppler	\$ 6,146.00
Probe Doppler Shapeable	\$ 1,209.00
Probe Erbe Lift Flex	\$ 490.00
Probe Lap Blunt 10Mm COR47	\$ 867.00
Probe Lithoclast Pneumatic	\$ 1,856.00
Probe Lithoclast Ultrasound	\$ 4,551.00
Probe Parsonette	\$ 846.00
Probe Straight Flo, 6047893	\$ 1,394.00
Prolene 4-0 Rb-1	\$ 63.00
Prolene 6-0 8305	\$ 257.00
Prolene 6-0 Bv-1 30"	\$ 122.00
Prolene 6-0 C-1 & Cc-1	\$ 114.00
Prolene 7-0 Cc	\$ 192.00
Prolene Bv-1	\$ 161.00
Prolene Suture	\$ 292.00
Protack 5Mm Autosuture	\$ 2,623.00
Ptca Essentials Kit	\$ 413.00
Puddle Vac	\$ 212.00
Pulsavac Fanspray Kit	\$ 182.00
Pump Set	\$ 700.00
Pump Single Action	\$ 618.00
Purstring 45	\$ 656.00
Pusher Menis Knot & Sut Cut	\$ 1,092.00
Putty Regular Progressive Micr	\$ 66.00
Quick Prime Line	\$ 86.00
Radial Compression Band	\$ 321.00
Rapid Infuser Pack	\$ 885.00
Rapid Refill	\$ 209.00
Rasp Micro Tool5.5X9.5,6041358	\$ 231.00
Reach Overtube	\$ 2,948.00
Reacher Metal	\$ 111.00
Recip Micro Blade Str	\$ 1,159.00
Reciprocating Saw Blade 4Mm	\$ 175.00
Reduction Clamp 03.507.003	\$ 1,354.00
Reese Shoe	\$ 67.00
Reload Cutter Endo Linear Reg	\$ 746.00
Reload Cutter Vas Thin	\$ 746.00
Reloader 45 2.5 Roticulating	\$ 1,521.00
Reloader 45 3.5 Roticulating	\$ 2,006.00
Reloaders Endouniversal	\$ 626.00
Replacement Peg-Gastro	\$ 412.00
Resolution Clip	\$ 1,796.00
Retainer Fish	\$ 249.00
Retract Hks Lonestar Disp	\$ 343.00
Retractable Flexible Iris	\$ 194.00
Retractor	\$ 5,013.00
Retractor Disp	\$ 815.00
Retractor Wound	\$ 512.00
Retract-O-Tape Air Cushion	\$ 209.00
Retrieval Balloon	\$ 1,017.00
Retrieval Basket	\$ 1,128.00
Retriever Suture Hewson	\$ 443.00
Retrograde Cardioplegia Cath	\$ 512.00
Retroguard	\$ 130.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Revolution Pump Head	\$ 787.00
Rita Starburst XI 25 Cm	\$ 13,599.00
Rob Assembly Adaptor 370370	\$ 143.00
Rob Bipolar Pyrm Tip 400110	\$ 2,241.00
Rob Cadere Forceps 400049	\$ 1,758.00
Rob Fine Tissue Forcep 400121	\$ 1,994.00
Rob Lg Hemolock 400230	\$ 1,525.00
Rob Lg Needle Driver 400006	\$ 1,536.00
Rob Long Tip Forcep 400048	\$ 2,153.00
Rob Maryland Dissector 400143	\$ 3,938.00
Rob Pk Cord 400229	\$ 119.00
Rob Prograsp Forceps 400093	\$ 1,943.00
Rob Round Tip Scissor 400141	\$ 3,474.00
Rob Sm Clip Applier 400003	\$ 104.00
Robot Cannula Seal	\$ 112.00
Robot Cover Tip Assembly	\$ 313.00
Roth Net	\$ 770.00
Roth Net-Standard Foreign Bdy	\$ 797.00
Roto Rest Delta Rental Bed	\$ 1,026.00
Rs:Adult Oximetric Catheter	\$ 662.00
Rs:Airway Lma	\$ 2,523.00
Rs:Airway Lma Flexible Sz 2	\$ 2,261.00
Rs:Airway Lma Flexible Sz 2.5	\$ 2,261.00
Rs:Airway Lma Flexible Sz 2/D	\$ 180.00
Rs:Airway Lma Supreme Sz 3	\$ 210.00
Rs:Airway Lma Supreme Sz 4	\$ 210.00
Rs:Airway Lma Supreme Sz 5	\$ 210.00
Rs:Airway Lma/Disp	\$ 26.00
Rs:Ambu Bag (Adult)	\$ 93.00
Rs:Bair Hugger	\$ 249.00
Rs:Bis Peds Xp Sensor	\$ 173.00
Rs:Bis Quatro Sensor	\$ 187.00
Rs:Bis Sensor Probe	\$ 219.00
Rs:Blade/Knife/Scalpel	\$ 119.00
Rs:Blanket Bh Lower Body	\$ 54.00
Rs:Blanket Bh Peds Unbody Lg	\$ 125.00
Rs:Blanket Bh Peds Unbody Sm	\$ 112.00
Rs:Blanket Bh Peds Warming Lng	\$ 764.00
Rs:Blanket Bh Underbody	\$ 215.00
Rs:Blanket Bh Upper Body	\$ 54.00
Rs:Blanket Bh Warming Cub	\$ 248.00
Rs:Cadd Pump Set	\$ 590.00
Rs:Cath Radial Artery Set 20Ga	\$ 137.00
Rs:Catheter Kit	\$ 853.00
Rs:Central Venous Cath Set	\$ 249.00
Rs:Comb Spinal Epidural Set	\$ 193.00
Rs:Dbi Lum Endotracheal Tube	\$ 484.00
Rs:Disp Optical Sensors/Adult	\$ 545.00
Rs:Disp Optical Sensors/Neonat	\$ 1,135.00
Rs:Disp Optical Sensors/Peds	\$ 545.00
Rs:Disp Sterile Defib Paddles	\$ 332.00
Rs:Electrode Pacing	\$ 6,679.00
Rs:Electrode Pad/Ped	\$ 182.00
Rs:Endotracheal Obturator 7Fr	\$ 679.00
Rs:Epidural Anesthesia Tray Ob	\$ 206.00
Rs:Epidural Tray	\$ 249.00
Rs:Flo Trac Sensor	\$ 2,943.00
Rs:Fluid Warmer	\$ 251.00
Rs:Forcep/Retriever/Grasper	\$ 2,606.00
Rs:Forcep/Retriever/Grasper	\$ 530.00
Rs:Forcep/Retriever/Grasper	\$ 939.00
Rs:Forcep/Retriever/Grasper	\$ 408.00
Rs:Forcep/Retriever/Grasper	\$ 310.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Rs:Forcep/Retriever/Grasper	\$ 464.00
Rs:Forcep/Retriever/Grasper	\$ 171.00
Rs:Forcep/Retriever/Grasper	\$ 867.00
Rs:Forcep/Retriever/Grasper	\$ 571.00
Rs:Forcep/Retriever/Grasper	\$ 1,014.00
Rs:Forcep/Retriever/Grasper	\$ 364.00
Rs:Forcep/Retriever/Grasper	\$ 342.00
Rs:Gertie Marx Ndl 26G	\$ 92.00
Rs:Guidewire Insertion Device	\$ 122.00
Rs:High Flow Majr Resuscitator	\$ 338.00
Rs:Hotline Tubing/Adult	\$ 379.00
Rs:Hotline Tubing/Ped	\$ 82.00
Rs:Intraosseous Diekmann Ndl	\$ 335.00
Rs:Kit Transducer A-Line	\$ 63.00
Rs:Laser Endotracheal Tube	\$ 426.00
Rs:Laser Endotracheal Tube	\$ 403.00
Rs:Lavage Gastric 34Fr Kit	\$ 609.00
Rs:Lg Block Kit	\$ 473.00
Rs:Lightwand Lighted Stylet	\$ 110.00
Rs:Lma Fasttrack/3-5	\$ 757.00
Rs:Lvl 1 Infuser Tube	\$ 987.00
Rs:Lvl 1 Liver Tubing	\$ 739.00
Rs:Needle/Trocar/Syringe	\$ 1,487.00
Rs:Needle/Trocar/Syringe	\$ 75.00
Rs:Needle/Trocar/Syringe	\$ 330.00
Rs:Needle/Trocar/Syringe	\$ 318.00
Rs:Needle/Trocar/Syringe	\$ 316.00
Rs:Needle/Trocar/Syringe	\$ 1,430.00
Rs:Needle/Trocar/Syringe	\$ 1,606.00
Rs:Needle/Trocar/Syringe	\$ 421.00
Rs:Pace/Defib/Cardio Mon	\$ 170.00
Rs:Probe Cover	\$ 92.00
Rs:Probe Mas/Adult	\$ 125.00
Rs:Probe Mas/Ped	\$ 142.00
Rs:Resuscitator Babysafe	\$ 94.00
Rs:Single Inj Kit	\$ 515.00
Rs:Spinal Ndl 22Gx6	\$ 115.00
Rs:Spinal Ndl 25Gx6	\$ 115.00
Rs:Spinal Tray	\$ 142.00
Rs:Transducer Trifurcate Kit	\$ 165.00
Rs:Transwarmer	\$ 154.00
Rs:Tube Anode	\$ 297.00
Rs:Tube Endotracheal	\$ 147.00
Sacro Lumbar Belt	\$ 338.00
Safeguard Press Dev 12-24Cm	\$ 353.00
Sagital Saw Blade	\$ 330.00
Salem Pump Tube 14 16 18	\$ 36.00
Saw Blades, Stryker 2000	\$ 499.00
Saw Gigli	\$ 111.00
Scalpel Harmonic Bariatric	\$ 2,149.00
Scalpel Harmonic Curved Ace233	\$ 3,110.00
Scalpel Harmonic Short	\$ 2,451.00
Schlero Therapy Needle	\$ 296.00
Scope Dspbl 1.2Mm 24-3000	\$ 4,200.00
Scope Kit With Insts	\$ 4,294.00
Scope Procedure Kit	\$ 674.00
Scorpion Needle Ar-13990N	\$ 993.00
Scraper Membrane Tano	\$ 1,117.00
Screw Fixation Trim It	\$ 1,501.00
Screw Tap Cannulated 3.5Mm	\$ 1,205.00
Sealer Salient	\$ 8,131.00
Sealer W/Light Aquamantys	\$ 5,000.00
Set Irrigation Tubing	\$ 176.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Set Outflow	\$ 219.00
Set Tube Ahto Suct 250-070-600	\$ 163.00
Sewing Cuff 32/42Fr	\$ 6,399.00
Sex Crime Kit	\$ 22.00
Sex Crimes Kit	\$ 251.00
Shaver Acr/Abr 4.0-5.5	\$ 831.00
Shaver Full Radius 2.9-5.5	\$ 797.00
Shaver Strtshot 40/60/120 Curv	\$ 1,340.00
Sheet Adherent/Impervious	\$ 75.00
Sheet Transverse Laparotomy	\$ 310.00
Shield Xray Sterile	\$ 260.00
Shoe Horn 24"	\$ 49.00
Shoe Horn Cannula	\$ 199.00
Shoulder Suspension Kit	\$ 379.00
Shunt Coronary 1.5/1.75/2.0 Mm	\$ 298.00
Single Gold Marker Kit	\$ 562.00
Sleeve Knee Scd Multi Sz	\$ 161.00
Sleeves & Cables Together	\$ 1,419.00
Sling Ultra Large	\$ 537.00
Sling Ultra Lg	\$ 537.00
Sling Ultra,Arm	\$ 1,209.00
Sling Ultra-Small Size	\$ 537.00
Slings	\$ 137.00
Snare	\$ 244.00
Snare Micro Oval Polyp Bs	\$ 592.00
Snare Oval Rotatable	\$ 203.00
Snare Polyp	\$ 481.00
Softshield Corneal	\$ 174.00
Spacemaker II Gs1	\$ 1,547.00
Spike Cap Protector Iv Tubing	\$ 38.00
Spinal Tray	\$ 85.00
Splint Conformable 3X12	\$ 105.00
Splint Conformable 4X15	\$ 125.00
Splint Conformable 4X30	\$ 251.00
Splint Conformable 5X30	\$ 313.00
Splint Denver Nasal 1500-Lg	\$ 367.00
Splint Nasal Doyle 2 1524050	\$ 150.00
Sponge Femoral	\$ 137.00
Spy Glass Probe	\$ 7,191.00
Spyscope Acces&Deliv Catheter	\$ 3,989.00
Stackhouse Vacuum Tubing & Wan	\$ 224.00
Stapler	\$ 6,959.00
Stapler 30Mm Regular	\$ 822.00
Stapler Atb35	\$ 5,823.00
Stapler Ceea 34/25/28/31	\$ 2,992.00
Stapler Cutter Endo Arterculati	\$ 1,730.00
Stapler Endo Gia-Rotic-60	\$ 1,467.00
Stapler Endouniversal 4.8Mm	\$ 2,090.00
Stapler Ethicon TI60	\$ 2,849.00
Stapler Ethicon TI90	\$ 3,259.00
Stapler Ethicon Tlc55	\$ 3,584.00
Stapler Ethicon Trc55	\$ 1,546.00
Stapler Gia 80 3.8/4.8	\$ 1,018.00
Stapler Heavy Wire Tlh60	\$ 851.00
Stapler Intra	\$ 2,867.00
Stapler Ligamax 5Mm Ethicon	\$ 3,781.00
Stapler Linear	\$ 658.00
Stapler Powered Lds	\$ 3,733.00
Stapler Reload	\$ 796.00
Stapler Reload	\$ 1,222.00
Stapler Reload Hvy Wire 60Mm	\$ 456.00
Stapler Reload Ta90 3.5	\$ 335.00
Stapler Reloader Thr 90	\$ 770.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Stapler Reloaders Vasc 30Mm	\$ 408.00
Stapler Reloads 30Mm Regular	\$ 796.00
Stapler Reloads Long 45A	\$ 935.00
Stapler Reticulator Poly55	\$ 5,667.00
Stapler Skin Multi 35W,6031049	\$ 204.00
Stapler Skin New One Genmed	\$ 80.00
Stapler Skin Ppw-35	\$ 498.00
Stapler Skin Proximate	\$ 88.00
Stapler Unit	\$ 1,863.00
Stapler, Skin	\$ 98.00
Staplr Articulatng Atw45/Atb45	\$ 2,454.00
Stay Urological Retractor Lone	\$ 402.00
Stent Temp W/O Del Contour	\$ 1,142.00
Sterile 18" Tourniquet	\$ 104.00
Sterile Needle Guide Kit 18G	\$ 150.00
Sterile Sal Sizer	\$ 388.00
Steri-Strip	\$ 18.00
Sternal Wires	\$ 321.00
Stimulator Nerve Vari Iii	\$ 324.00
Stockinette Synthetic 4" Per Y	\$ 38.00
Stockinette Tubular Sp	\$ 108.00
Stocking Aid	\$ 81.00
Stone Retrieval Basket 390-103	\$ 1,412.00
Stone Retrieve	\$ 2,019.00
Strap Shoulder Plexus	\$ 412.00
Subdural Pressure Monitor Kit	\$ 7,771.00
Suct Irr Styrker /C Tip	\$ 318.00
Suction Coagulator	\$ 119.00
Suction Device Bio Vac	\$ 800.00
Suction Handpiece	\$ 223.00
Suction Irr Pulse Evac	\$ 368.00
Suction Irrigators	\$ 615.00
Suction Tip	\$ 111.00
Suction Tube 10 Ft	\$ 244.00
Super Multivac	\$ 1,598.00
Surg 10Mm Trocar	\$ 1,839.00
Surg 11Mm Trocar	\$ 1,862.00
Surg 5Mm Trocar	\$ 876.00
Surg Needle 120Mm	\$ 368.00
Surgi Bra	\$ 332.00
Surgibra	\$ 584.00
Surgicel 1/2X2	\$ 114.00
Surgicel 4 X 8	\$ 420.00
Surgicel Hemostat 4X8	\$ 452.00
Surgicell 4X8	\$ 365.00
Surgiclip Prem Disp	\$ 413.00
Surgiclip/Multi Clip Small Eth	\$ 1,361.00
Surgiflo Hemostatc Matrix Syrng	\$ 1,439.00
Surgiflo With Evithr 2Ml	\$ 1,281.00
Surgifoam 1Gm Powder	\$ 210.00
Sut Dexon	\$ 62.00
Sut Ethibond	\$ 112.00
Sut Ethilon	\$ 94.00
Sut Ethilon 10-0	\$ 152.00
Sut Gut Chr	\$ 110.00
Sut Ligaclip 400	\$ 114.00
Sut Maxon	\$ 63.00
Sut Mers L2	\$ 469.00
Sut Mersilene	\$ 40.00
Sut Monocryl	\$ 77.00
Sut Nurolon	\$ 26.00
Sut Plain	\$ 76.00
Sut Prolene	\$ 114.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Sut Silk	\$ 58.00
Sut Ti Cron	\$ 76.00
Sut Ubilical Cot	\$ 22.00
Sut Vicryl	\$ 87.00
Suture	\$ 17.00
Suture	\$ 63.00
Suture	\$ 143.00
Suture Absorbable Level 1	\$ 45.00
Suture Absorbable Level 2	\$ 165.00
Suture Absorbable Level 3	\$ 332.00
Suture Absorbable Level 4	\$ 512.00
Suture Absorbable Level 5	\$ 719.00
Suture Bolster	\$ 26.00
Suture Bone Wax	\$ 37.00
Suture Booties	\$ 3.00
Suture Endo Polysorb	\$ 295.00
Suture Fiberwire #2//#5	\$ 302.00
Suture Fibrewire 2	\$ 143.00
Suture Gore-Tex Cv-0	\$ 72.00
Suture Guides	\$ 199.00
Suture Kit E Pack,6031713	\$ 593.00
Suture Lasso	\$ 1,076.00
Suture Lasso Rt/Lf	\$ 1,037.00
Suture Lasso Wire	\$ 231.00
Suture Level I	\$ 22.00
Suture Level Ii	\$ 40.00
Suture Level Iii	\$ 92.00
Suture Level Iv	\$ 310.00
Suture Non-Absorbable Level 1	\$ 45.00
Suture Non-Absorbable Level 2	\$ 165.00
Suture Non-Absorbable Level 3	\$ 332.00
Suture Non-Absorbable Level 4	\$ 512.00
Suture Non-Absorbable Level 5	\$ 719.00
Suture Non-Absorbable Lvl 1	\$ 45.00
Suture Non-Absorbable Lvl 2	\$ 165.00
Suture Non-Absorbable Lvl 3	\$ 332.00
Suture Non-Absorbable Lvl 4	\$ 512.00
Suture Non-Absorbable Lvl 5	\$ 719.00
Suture Passer	\$ 632.00
Suture Pdo Quill,6047174	\$ 138.00
Suture Pds Clr Z493/6G	\$ 88.00
Suture Plain	\$ 38.00
Suture Prolene 5-0	\$ 309.00
Suture Retriever (Sm To Lg)	\$ 338.00
Suture Retriever Acufex	\$ 246.00
Suture Tray	\$ 290.00
Sutures Ethibond Excel 2-0	\$ 534.00
Sutures Prolene 7-0/8-0 Bv	\$ 717.00
Sutures-3-0 Nylon Ps-1	\$ 52.00
Sutures-4-0 Prolene Ps-2	\$ 219.00
Sutures-4-0 Vicryl P-3	\$ 228.00
Sutures-6-0 Plain P-1	\$ 72.00
Sutures-Pds Ii Z740D	\$ 130.00
Suturre Gore-Tex	\$ 229.00
Svc Cannula Sngl Stage Venous	\$ 72.00
Syn Devcie Push Pull	\$ 1,937.00
Syn Drill Bits	\$ 607.00
Synthes Drill Bit 1.25	\$ 1,495.00
Synthes Drill Bit 2.8X200Mm	\$ 2,280.00
Syring Tumescnt	\$ 103.00
Syringe Expander Kyphx	\$ 1,052.00
Syringe Gauge Assembly	\$ 297.00
Syringe Inflation	\$ 298.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Syringe Tumescant	\$ 111.00
System Fix Fios Trocar	\$ 274.00
Tacker Autosuture	\$ 1,933.00
Tantalum Hemoclip	\$ 608.00
Tap 311.34 # 6022268	\$ 1,947.00
Tap Screw	\$ 1,262.00
Tape Glonntell	\$ 187.00
Tape Radiopaq Glow N Tell	\$ 372.00
Taper Tip Cannula	\$ 2,992.00
Taut Cat Cholang	\$ 522.00
Tb Trach Fenestra Fen4/6/	\$ 265.00
Temp Sensing 350MI Urinometer	\$ 173.00
Templates 17G Brachytherapy	\$ 456.00
Three Fluted Drill Bit 31531	\$ 553.00
Three Fluted Drill Bit 356982	\$ 1,007.00
Three Fluted Drill Bits 31540	\$ 748.00
Threshold lmt	\$ 155.00
Tool Incircle	\$ 21,562.00
Tool Tunnel Dual Ext 365538	\$ 1,175.00
Tool Tunneling	\$ 292.00
Tool Tunneling Disp	\$ 3,171.00
Tornier Drill Bit 2.0Mm	\$ 918.00
Tornier K-Wire .045X5.0	\$ 440.00
Tourniquet Cuf	\$ 215.00
Tpod-Trauma Pelvic Ortho Devce	\$ 766.00
Tr Band	\$ 285.00
Trach Cuff Xlt,6034359	\$ 382.00
Trach/Lar Tube Cuffed Lvl001	\$ 138.00
Trachea Tube Percutaneous	\$ 2,117.00
Tracker Instrument	\$ 898.00
Tracker Patient	\$ 1,152.00
Trail Cable	\$ 612.00
Tran Spec Devices	\$ 329.00
Transducer	\$ 556.00
Transducer Cover Intra-Op	\$ 107.00
Transit Catheter	\$ 2,760.00
Transit Catheter	\$ 2,319.00
Transtibial Acl Saw	\$ 1,797.00
Transwarmer	\$ 154.00
Trapezoid Basket	\$ 3,610.00
Tray Angiography	\$ 246.00
Tray Arthrogram	\$ 105.00
Tray Biopsy Renal	\$ 198.00
Tray Foley Cath 899516-18	\$ 354.00
Tray Kyphon Express Add Fx	\$ 21,005.00
Tray Kyphon Express Add Fx	\$ 20,689.00
Tray Kyphopak	\$ 31,032.00
Tray Lumbar Puncture	\$ 570.00
Tray Needle Lumbar Puncture	\$ 277.00
Tray Needle Lumbar Puncture	\$ 119.00
Tray Needle Myelgram	\$ 58.00
Tray Needle Myelgram	\$ 161.00
Tray Urinometer	\$ 121.00
Trocar 11Mm-12Mm	\$ 249.00
Trocar 18Mm	\$ 284.00
Trocar 5.5 4016	\$ 146.00
Trocar 5Mm Excel	\$ 597.00
Trocar Endo 5Mm Nonblade	\$ 473.00
Trocar Endo Disp 12Mm	\$ 290.00
Trocar Flexip	\$ 392.00
Trocar Hemovac 1/8	\$ 197.00
Trocar Lap Blunt 10Mm COR47	\$ 439.00
Trocar Surgipt	\$ 1,367.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Trocar Thoracic Tto12	\$ 112.00
Trocar V2 5Mm	\$ 206.00
Trocar Verastep 5Mm/12Mm/12Mml	\$ 184.00
Trocars 11Mm	\$ 629.00
Tryadine Bed Rental	\$ 674.00
Tsf Full & 2/3 Ring 155Mm S&N	\$ 4,452.00
Tube Aquashield Flushing	\$ 99.00
Tube Bipolar Irrigation	\$ 143.00
Tube Endotracheal 6Mm-8Mm Nim	\$ 1,945.00
Tube Gastro Peg	\$ 799.00
Tubing And Chamber Mwa	\$ 1,715.00
Tubing Aspiration Penumbra	\$ 3,116.00
Tubing Cusa	\$ 1,338.00
Tubing Exc Hi Speed Drill Cool	\$ 125.00
Tubing Exc Irriation Set	\$ 338.00
Tubing Foley Cath	\$ 88.00
Tubing Gfi (New)	\$ 452.00
Tubing Heated Insufflation	\$ 409.00
Tubing Heated Insufflator	\$ 356.00
Tubing Hi Flow Insufflation	\$ 175.00
Tubing Infiltration	\$ 87.00
Tubing Liposuction	\$ 82.00
Tubing Straightshot/Xps	\$ 405.00
Tunneler Bard	\$ 274.00
Tunneling Tool Disp Sc-4254	\$ 3,103.00
Tur Endoscopic Cable	\$ 119.00
Tur Extention Set	\$ 66.00
Turbinat Blade	\$ 1,176.00
Ultra Vires Needles	\$ 64.00
Urchin Heart Positioner	\$ 5,237.00
Urovac Bladder Evacuator	\$ 245.00
Uterine Manipulator	\$ 211.00
Vacurette 10Mm Tip	\$ 60.00
Vacuum Assist Pack	\$ 560.00
Valve Hemostatic	\$ 124.00
Valvulotome 1000-90	\$ 7,991.00
Vaportrode	\$ 1,196.00
Vascutek Cannulagraft Device	\$ 4,617.00
Vasoview Desp	\$ 8,172.00
Vascular Custom Supply Kit	\$ 1,592.00
Vcare Cervical Cup Sm-Lg	\$ 591.00
Vein Stripper;Displ.*2/Pkg12Pk	\$ 413.00
Vein Strippers	\$ 457.00
Vent Bolt Drng Kit Mod 1104Hmc	\$ 5,684.00
Vent/Art Cannula 32/42 Fr	\$ 7,475.00
Ventilator Mdi Spacer Dev (S)	\$ 137.00
Ventric Bolt Press Monit/Drain	\$ 6,563.00
Verastep Needle 14Ga Lg	\$ 138.00
Versaport Bladeless 5Mm	\$ 426.00
Versys Femoral Head 8018-36-02	\$ 3,443.00
Vicryl 3-0 Cp-2	\$ 115.00
Vicryl Needle	\$ 363.00
Vitroretinal	\$ 267.00
Volcano Pull Back Device(Ivus)	\$ 805.00
Wand Arthro/Integrated Cable	\$ 1,546.00
Wand Reflex Ultra 70	\$ 1,234.00
Warmer/Slush Drape	\$ 293.00
Williams Injection Needle	\$ 127.00
Wire	\$ 648.00
Wire Basket Lung Specimen	\$ 1,693.00
Wire Guide (357.399)	\$ 705.00
Wire Guide Drill 2.4	\$ 794.00
Wire Pass Drill Codman	\$ 537.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Wire Suture	\$ 182.00
Wire Suture Passing	\$ 599.00
Wound Protectors 5 & 7 Inch	\$ 70.00
Wound Therapy System	\$ 1,646.00
Wrap Cold Step Therapy	\$ 248.00
Y Adapter Cardioplegia	\$ 111.00
Yankuer Suction Tube	\$ 14.00
Miscellaneous supply or accessory for use with an implanted ventricular assist device	\$ 2,226.00
Miscellaneous supply or accessory for use with an implanted ventricular assist device	\$ 7,984.00
Miscellaneous supply or accessory for use with an implanted ventricular assist device	\$ 295.00
Miscellaneous supply or accessory for use with an implanted ventricular assist device	\$ 839.00
Miscellaneous supply or accessory for use with an implanted ventricular assist device	\$ 1,344.00
Fentanyl	\$ 302.00
Chimerism (engraftment) analysis, post transplantation specimen (eg, hematopoietic stem cell), includes comparison to previously performed baseline analyses; with cell selection (eg, CD3, CD33), each cell type	\$ 3,217.00
PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; full sequence analysis	\$ 55.00
PTEN (phosphatase and tensin homolog) (eg, Cowden syndrome, PTEN hamartoma tumor syndrome) gene analysis; known familial variant	\$ 311.00
HLA Class I typing, high resolution (ie, alleles or allele groups); complete (ie, HLA-A, -B, and -C)	\$ 4,227.00
Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2)(eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence	\$ 54.00
Molecular pathology procedure, Level 9 (eg, analysis of >50 exons in a single gene by DNA sequence analysis) ABCA4 (ATP-binding cassette, sub-family A [ABC1], member 4) (eg, Stargardt disease, age-related macular degeneration), full gene sequence ATM (ataxia telangiectasia mutated) (eg, ataxia telangiectasia), full gene sequence CDH23 (cadherin-related 23) (eg, Usher syndrome, type 1), full gene sequence CEP290 (centrosomal protein 290kDa) (eg, Joubert syndrome), full gene sequence COL1A1 (collagen, type I, alpha 1) (eg, osteogenesis imperfecta, type I), full gene sequence COL1A2 (collagen, type I, alpha 2) (eg, osteogenesis imperfecta, type I), full gene sequence COL4A1 (collagen, type IV, alpha 1) (eg, brain small-vessel disease with hemorrhage), full gene sequence COL4A3 (collagen, type IV, alpha 3 [Goodpasture antigen]) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), full gene sequence DMD (dystrophin) (eg, Duchenne/Becker muscular dystrophy), full gene sequence DYSF (dysferlin, limb girdle muscular dystrophy 2B [autosomal recessive]) (eg, limb-girdle muscular dystrophy), full gene sequence FBN1 (fibrillin 1) (eg, Marfan syndrome), full gene sequence ITPR1 (inositol 1,4,5-trisphosphate receptor, type 1) (eg, spinocerebellar ataxia), full gene sequence LAMA2 (laminin, alpha 2)(eg, congenital muscular dystrophy), full gene sequence LRRK2 (leucine-rich repeat kinase 2) (eg, Parkinson disease), full gene sequence MYH11 (myosin, heavy chain 11, smooth muscle) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence NEB (nebulin) (eg, nemaline myopathy 2), full gene sequence NF1 (neurofibromin 1) (eg, neurofibromatosis, type 1), full gene sequence PKHD1 (polycystic kidney and hepatic disease 1) (eg, autosomal recessive polycystic kidney disease), full gene sequence RYR1 (ryanodine receptor 1, skeletal) (eg, malignant hyperthermia), full gene sequence RYR2 (ryanodine receptor 2 [cardiac]) (eg, catecholaminergic polymorphic ventricular tachycardia, arrhythmogenic right ventricular dysplasia), full gene sequence or targeted sequence analysis of > 50 exons USH2A (Usher syndrome 2A [autosomal recessive, mild]) (eg, Usher syndrome, type 2), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), full gene sequence VWF (von Willebrand factor) (eg, von Willebrand disease types 1 and 3), full gene sequence	\$ 55.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis	\$ 11,875.00
Exome (eg, unexplained constitutional or heritable disorder or syndrome); sequence analysis, each comparator exome (eg, parents, siblings) (List separately in addition to code for primary procedure)	\$ 5,938.00
Unlisted multianalyte assay with algorithmic analysis	\$ 2,323.00
Unlisted multianalyte assay with algorithmic analysis	\$ 21,551.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 3,733.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,102.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 3,734.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,104.00
MLH1 (mutL homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
Mobility: walking & moving around functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Mobility: walking & moving around functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Mobility: walking & moving around functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 301.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 151.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 301.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 603.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient younger than 5 years of age	\$ 289.00
Moderate sedation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports; initial 15 minutes of intraservice time, patient younger than 5 years of age	\$ 577.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; each additional 15 minutes intraservice time (List separately in addition to code for primary service)	\$ 276.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 576.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient age 5 years or older	\$ 289.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient younger than 5 years of age	\$ 576.00
Moderate sedation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the sedation supports, requiring the presence of an independent trained observer to assist in the monitoring of the patient's level of consciousness and physiological status; initial 15 minutes of intraservice time, patient younger than 5 years of age	\$ 289.00
Modification of ocular implant with placement or replacement of pegs (eg, drilling receptacle for prosthesis appendage) (separate procedure)	\$ 4,419.00
Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), each additional block after the first 5 tissue blocks, any stage (List separately in addition to code for primary procedure)	\$ 1,734.00
Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), head, neck, hands, feet, genitalia, or any location with surgery directly involving muscle, cartilage, bone, tendon, major nerves, or vessels; each additional stage after the first stage, up to 5 tissue blocks (List separately in addition to code for primary procedure)	\$ 1,734.00
Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), head, neck, hands, feet, genitalia, or any location with surgery directly involving muscle, cartilage, bone, tendon, major nerves, or vessels; first stage, up to 5 tissue blocks	\$ 1,734.00
Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), of the trunk, arms, or legs; each additional stage after the first stage, up to 5 tissue blocks (List separately in addition to code for primary procedure)	\$ 1,734.00
Mohs micrographic technique, including removal of all gross tumor, surgical excision of tissue specimens, mapping, color coding of specimens, microscopic examination of specimens by the surgeon, and histopathologic preparation including routine stain(s) (eg, hematoxylin and eosin, toluidine blue), of the trunk, arms, or legs; first stage, up to 5 tissue blocks	\$ 1,734.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 2,308.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 1,094.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 1,195.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 1,050.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 850.00
Molecular cytogenetics; chromosomal in situ hybridization, analyze 10-30 cells (eg, for microdeletions)	\$ 1,135.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 1,287.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 927.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 448.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 564.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 876.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 785.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 817.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 365.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 386.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 818.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 499.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 188.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 372.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 286.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 153.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 669.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 384.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 294.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 650.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 349.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 469.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 471.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 341.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 411.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 563.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 415.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 676.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 284.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 317.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 589.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 318.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 430.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 446.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 272.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 270.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 439.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 545.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 185.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 380.00
Molecular cytogenetics; DNA probe, each (eg, FISH)	\$ 535.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 2,647.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 2,056.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 2,731.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 2,037.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,563.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,183.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 945.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 501.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 2,225.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,259.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 965.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,185.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 2,074.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,530.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,385.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,322.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,314.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,660.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,448.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,994.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,550.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,456.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,045.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,725.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,352.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,438.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 960.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,523.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,608.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 709.00
Molecular cytogenetics; interphase in situ hybridization, analyze 100-300 cells	\$ 1,243.00
Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells	\$ 515.00
Molecular cytogenetics; interphase in situ hybridization, analyze 25-99 cells	\$ 421.00
Molecular pathology procedure, Level 1 (eg, identification of single germline variant [eg, SNP] by techniques such as restriction enzyme digestion or melt curve analysis) ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), K304E variant ACE (angiotensin converting enzyme) (eg, hereditary blood pressure regulation), insertion/deletion variant AGTR1 (angiotensin II receptor, type 1) (eg, essential hypertension), 1166A>C variant BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), Y438N variant CCR5 (chemokine C-C motif receptor 5) (eg, HIV resistance), 32-bp deletion mutation/794 825del32 deletion CLRN1 (clarin 1) (eg, Usher syndrome, type 3), N48K variant DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and capecitabine drug metabolism), IVS14+1G>A variant F2 (coagulation factor 2) (eg, hereditary hypercoagulability), 1199G>A variant F5 (coagulation factor V) (eg, hereditary hypercoagulability), HR2 variant F7 (coagulation factor VII [serum prothrombin conversion accelerator]) (eg, hereditary hypercoagulability), R353Q variant F13B (coagulation factor XIII, B polypeptide) (eg, hereditary hypercoagulability), V34L variant FGB (fibrinogen beta chain) (eg, hereditary ischemic heart disease), -455G>A variant FGFR1 (fibroblast growth factor receptor 1) (eg, Pfeiffer syndrome type 1, craniosynostosis), P252R variant FGFR3 (fibroblast growth factor receptor 3) (eg, Muenke syndrome), P250R variant FKTN (fukutin) (eg, Fukuyama congenital muscular dystrophy), retrotransposon insertion variant GNE (glucosamine [UDP-N-acetyl]-2-epimerase/N-acetylmannosamine kinase) (eg, inclusion body myopathy 2 [IBM2], Nonaka myopathy), M712T variant Human Platelet Antigen 1 genotyping (HPA-1), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-1a/b (L33P) Human Platelet Antigen 2 genotyping (HPA-2), GP1BA (glycoprotein Ib [platelet], alpha polypeptide [GPIba]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-2a/b (T145M) Human Platelet Antigen 3 genotyping (HPA-3), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-3a/b (I843S) Human Platelet Antigen 4 genotyping (HPA-4), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-4a/b (R143Q) Human Platelet Antigen 5 genotyping (HPA-5), ITGA2 (integrin, alpha 2 [CD49B, alpha 2 subunit of VLA-2 receptor] [GPIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-5a/b (K505E) Human Platelet Antigen 6 genotyping (HPA-6w), ITGB3 (integrin, beta 3 [platelet glycoprotein IIIa], antigen CD61 [GPIIIa]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-6a/b (R489Q) Human Platelet Antigen 9 genotyping (HPA-9w), ITGA2B (integrin, alpha 2b [platelet glycoprotein IIb of IIb/IIIa complex], antigen CD41 [GPIIb]) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-9a/b (V837M) Human Platelet Antigen 15 genotyping (HPA-15), CD109 (CD109 molecule) (eg, neonatal alloimmune thrombocytopenia [NAIT], post-transfusion purpura), HPA-15a/b (S682Y) IL28B (interleukin 28B [interferon, lambda 3]) (eg, drug response), rs12979860 variant IVD (isovaleryl-CoA dehydrogenase) (eg, isovaleric acidemia), A282V variant LCT (lactase-phlorizin hydrolase) (eg, lactose intolerance), 13910 C>T variant NEB (nebulin) (eg, nemaline myopathy 2), exon 55 deletion variant PCDH15 (protocadherin-related 15) (eg, Usher syndrome type 1F), R245X variant SERPINE1 (serpine peptidase inhibitor clade E, member 1, plasminogen activator inhibitor -1, PAI-1) (eg, thrombophilia), 4G variant SHOC2 (soc-2 suppressor of clear homolog) (eg, Noonan-like syndrome with loose anagen hair), S2G variant SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg, adverse drug reaction), V174A variant SMN1 (survival of motor neuron 1, telomeric) (eg, spinal muscular atrophy), exon 7 deletion SRY (sex determining region Y) (eg, 46,XX testicular disorder of sex development, gonadal dysgenesis), gene analysis TOR1A (torsin family 1, member A [torsin A]) (eg, early-onset primary dystonia [DYT1]), 907_909delGAG (904_906delGAG) variant	\$ 499.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 1,762.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 4,180.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 10,468.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG), FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 3,028.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 8,014.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR4 (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 700.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8OS (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CFBF/MYH11 (inv(16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFR (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris), common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXP1/PAX3 (t(2;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 5,068.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 2 (eg, 2-10 SNPs, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dynamic mutation disorder/triplet repeat) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), common variants (eg, c.3898-9G>A [c.3992-9G>A], F1388del) ABL1 (ABL proto-oncogene 1, non-receptor tyrosine kinase) (eg, acquired imatinib resistance), T315I variant ACADM (acyl-CoA dehydrogenase, C-4 to C-12 straight chain, MCAD) (eg, medium chain acyl dehydrogenase deficiency), common variants (eg, K304E, Y42H) ADRB2 (adrenergic beta-2 receptor surface) (eg, drug metabolism), common variants (eg, G16R, Q27E) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), evaluation to detect abnormal (eg, expanded) alleles APOB (apolipoprotein B) (eg, familial hypercholesterolemia type B), common variants (eg, R3500Q, R3500W) APOE (apolipoprotein E) (eg, hyperlipoproteinemia type III, cardiovascular disease, Alzheimer disease), common variants (eg, *2, *3, *4) AR (androgen receptor) (eg, spinal and bulbar muscular atrophy, Kennedy disease, X chromosome inactivation), characterization of alleles (eg, expanded size or methylation status) ATN1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy), evaluation to detect abnormal (eg, expanded) alleles ATXN1 (ataxin 1) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN2 (ataxin 2) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN3 (ataxin 3) (eg, spinocerebellar ataxia, Machado-Joseph disease), evaluation to detect abnormal (eg, expanded) alleles ATXN7 (ataxin 7) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN8 (ATXN8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles ATXN10 (ataxin 10) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, spinocerebellar ataxia), evaluation to detect abnormal (eg, expanded) alleles CBFβ/MYH11 (inv16)) (eg, acute myeloid leukemia), qualitative, and quantitative, if performed CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), common variants (eg, I278T, G307S) CCND1/IGH (BCL1/IgH, t(11;14)) (eg, mantle cell lymphoma) translocation analysis, major breakpoint, qualitative, and quantitative, if performed CFH/ARMS2 (complement factor H/age-related maculopathy susceptibility 2) (eg, macular degeneration), common variants (eg, Y402H [CFH], A69S [ARMS2]) CNBP (CCHC-type zinc finger, nucleic acid binding protein) (eg, myotonic dystrophy type 2), evaluation to detect abnormal (eg, expanded) alleles CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), evaluation to detect abnormal (eg, expanded) alleles CYP3A4 (cytochrome P450, family 3, subfamily A, polypeptide 4) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) CYP3A5 (cytochrome P450, family 3, subfamily A, polypeptide 5) (eg, drug metabolism), common variants (eg, *2, *3, *4, *5, *6) DEK/NUP214 (t(6;9)) (eg, acute myeloid leukemia), translocation analysis, qualitative, and quantitative, if performed DMPK (dystrophin myotonia-protein kinase) (eg, myotonic dystrophy, type 1), evaluation to detect abnormal (eg, expanded) alleles E2A/PBX1 (t(1;19)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EML4/ALK (inv(2)) (eg, non-small cell lung cancer), translocation or inversion analysis ETV6/NTRK3 (t(12;15)) (eg, congenital/infantile fibrosarcoma), translocation analysis, qualitative, and quantitative, if performed ETV6/RUNX1 (t(12;21)) (eg, acute lymphocytic leukemia), translocation analysis, qualitative, and quantitative, if performed EWSR1/ATF1 (t(12;22)) (eg, clear cell sarcoma), translocation analysis, qualitative, and quantitative, if performed EWSR1/ERG (t(21;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/FLI1 (t(11;22)) (eg, Ewing sarcoma/peripheral neuroectodermal tumor), translocation analysis, qualitative, and quantitative, if performed EWSR1/WT1 (t(11;22)) (eg, desmoplastic small round cell tumor), translocation analysis, qualitative, and quantitative, if performed F11 (coagulation factor XI) (eg, coagulation disorder), common variants (eg, E117X [Type II], F283L [Type III], IVS14del14, and IVS14+1G>A [Type I]) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), common variants (eg, 1138G>A, 1138G>C, 1620C>A, 1620C>G) FIP1L1/PDGFRα (del[4q12]) (eg, imatinib-sensitive chronic eosinophilic leukemia), qualitative, and quantitative, if performed FLG (filaggrin) (eg, ichthyosis vulgaris) common variants (eg, R501Y, 2282del4, R2447X, S3247X, 3702delG) FOXO1/PAX3 (t(12;13)) (eg, alveolar rhabdomyosarcoma)</p>	<p>\$ 310.00</p>
<p>Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis</p>	<p>\$ 3,145.00</p>
<p>Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis</p>	<p>\$ 1,207.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 3 (eg, >10 SNPs, 2-10 methylated variants, or 2-10 somatic variants [typically using non-sequencing target variant analysis], immunoglobulin and T-cell receptor gene rearrangements, duplication/deletion variants of 1 exon, loss of heterozygosity [LOH], uniparental disomy [UPD]) Chromosome 1p-/19q- (eg, glial tumors), deletion analysis Chromosome 18q- (eg, D18S55, D18S58, D18S61, D18S64, and D18S69) (eg, colon cancer), allelic imbalance assessment (ie, loss of heterozygosity) COL1A1/PDGFB (t(17;22)) (eg, dermatofibrosarcoma protuberans), translocation analysis, multiple breakpoints, qualitative, and quantitative, if performed CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, congenital adrenal hyperplasia, 21-hydroxylase deficiency), common variants (eg, IVS2-13G, P30L, I172N, exon 6 mutation cluster [I235N, V236E, M238K], V281L, L307FfsX6, Q318X, R356W, P453S, G110VfsX21, 30-kb deletion variant) ESR1/PGR (receptor 1/progesterone receptor) ratio (eg, breast cancer) IGH@/BCL2 (t(14;18)) (eg, follicular lymphoma), translocation analysis; major breakpoint region (MBR) and minor cluster region (mcr) breakpoints, qualitative or quantitative MEFV (Mediterranean fever) (eg, familial Mediterranean fever), common variants (eg, E148Q, P369S, F479L, M680I, I692del, M694V, M694I, K695R, V726A, A744S, R761H) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), common variants (eg, W515A, W515K, W515L, W515R) TRD@ (T cell antigen receptor, delta) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population Uniparental disomy (UPD) (eg, Russell-Silver syndrome, Prader-Willi/Angelman syndrome), short tandem repeat (STR) analysis</p>	<p>\$ 710.00</p>
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD, use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)</p>	<p>\$ 1,912.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)</p>	<p>\$ 1,828.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)</p>	<p>\$ 4,316.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 4 (eg, analysis of single exon by DNA sequence analysis, analysis of >10 amplicons using multiplex PCR in 2 or more independent reactions, mutation scanning or duplication/deletion variants of 2-5 exons) ANG (angiogenin, ribonuclease, RNase A family, 5) (eg, amyotrophic lateral sclerosis), full gene sequence ARX (aristaless-related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), duplication/deletion analysis CEL (carboxyl ester lipase [bile salt-stimulated lipase]) (eg, maturity-onset diabetes of the young [MODY]), targeted sequence analysis of exon 11 (eg, c.1785delC, c.1686delT) CTNNB1 (catenin [cadherin-associated protein], beta 1, 88kDa) (eg, desmoid tumors), targeted sequence analysis (eg, exon 3) DAZ/SRY (deleted in azoospermia and sex determining region Y) (eg, male infertility), common deletions (eg, AZFa, AZFb, AZFc, AZFd) DNMT3A (DNA [cytosine-5-]-methyltransferase 3 alpha) (eg, acute myeloid leukemia), targeted sequence analysis (eg, exon 23) EPCAM (epithelial cell adhesion molecule) (eg, Lynch syndrome), duplication/deletion analysis F8 (coagulation factor VIII) (eg, hemophilia A), inversion analysis, intron 1 and intron 22A F12 (coagulation factor XII [Hageman factor]) (eg, angioedema, hereditary, type III; factor XII deficiency), targeted sequence analysis of exon 9 FGFR3 (fibroblast growth factor receptor 3) (eg, isolated craniosynostosis), targeted sequence analysis (eg, exon 7) (For targeted sequence analysis of multiple FGFR3 exons, use 81404) GJB1 (gap junction protein, beta 1) (eg, Charcot-Marie-Tooth X-linked), full gene sequence GNAQ (guanine nucleotide-binding protein G[q] subunit alpha) (eg, uveal melanoma), common variants (eg, R183, Q209) HBB (hemoglobin, beta, beta-globin) (eg, beta thalassemia), duplication/deletion analysis Human erythrocyte antigen gene analyses (eg, SLC14A1 [Kidd blood group], BCAM [Lutheran blood group], ICAM4 [Landsteiner-Wiener blood group], SLC4A1 [Diego blood group], AQP1 [Colton blood group], ERMAP [Scianna blood group], RHCE [Rh blood group, CcEe antigens], KEL [Kell blood group], DARC [Duffy blood group], GYPA, GYPB, GYPE [MNS blood group], ART4 [Dombrock blood group]) (eg, sickle-cell disease, thalassemia, hemolytic transfusion reactions, hemolytic disease of the fetus or newborn), common variants HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), exon 2 sequence IDH1 (isocitrate dehydrogenase 1 [NADP+], soluble) (eg, glioma), common exon 4 variants (eg, R132H, R132C) IDH2 (isocitrate dehydrogenase 2 [NADP+], mitochondrial) (eg, glioma), common exon 4 variants (eg, R140W, R172M) JAK2 (Janus kinase 2) (eg, myeloproliferative disorder), exon 12 sequence and exon 13 sequence, if performed KCNC3 (potassium voltage-gated channel, Shaw-related subfamily, member 3) (eg, spinocerebellar ataxia), targeted sequence analysis (eg, exon 2) KCNJ2 (potassium inwardly-rectifying channel, subfamily J, member 2) (eg, Andersen-Tawil syndrome), full gene sequence KCNJ11 (potassium inwardly-rectifying channel, subfamily J, member 11) (eg, familial hyperinsulinism), full gene sequence Killer cell immunoglobulin-like receptor (KIR) gene family (eg, hematopoietic stem cell transplantation), genotyping of KIR family genes Known familial variant not otherwise specified, for gene listed in Tier 1 or Tier 2, or identified during a genomic sequencing procedure, DNA sequence analysis, each variant exon (For a known familial variant that is considered a common variant, use specific common variant Tier 1 or Tier 2 code) MC4R (melanocortin 4 receptor) (eg, obesity), full gene sequence MICA (MHC class I polypeptide-related sequence A) (eg, solid organ transplantation), common variants (eg, *001, *002) MPL (myeloproliferative leukemia virus oncogene, thrombopoietin receptor, TPOR) (eg, myeloproliferative disorder), exon 10 sequence MT-RNR1 (mitochondrially encoded 12S RNA) (eg, nonsyndromic hearing loss), full gene sequence MT-TS1 (mitochondrially encoded tRNA serine 1) (eg, nonsyndromic hearing loss), full gene sequence NDP (Norrie disease [pseudoglioma]) (eg, Norrie disease), duplication/deletion analysis NHLRC1 (NHL repeat containing 1) (eg, progressive myoclonus epilepsy), full gene sequence PHOX2B (paired-like homeobox 2b) (eg, congenital central hypoventilation syndrome), duplication/deletion analysis PLN (phospholamban) (eg, dilated cardiomyopathy, hypertrophic cardiomyopathy), full gene sequence RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene) RHD (Rh blood group, D antigen) (eg, hemolytic disease of the fetus and newborn, Rh maternal/fetal compatibility), deletion analysis (eg, exons 4, 5, and 7, pseudogene), performed on cell-free fetal DNA in maternal blood (For human erythrocyte gene analysis of RHD use a separate unit of 81403) SH2D1A (SH2 domain containing 1A) (eg, X-linked lymphoproliferative syndrome)</p>	<p>\$ 310.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTBD9 (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP11B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 6,209.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 5,488.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 4,194.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTD (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 10,468.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTBD9 (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP11B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEFV (Mediterranean fever) (eg, familial</p>	<p>\$ 972.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTM (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 3,025.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTM (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 310.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTM (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophin myotonic-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 57.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 5 (eg, analysis of 2-5 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterization of a dynamic mutation disorder/triplet repeat by Southern blot analysis) ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), targeted sequence analysis (eg, exons 5 and 6) AFF2 (AF4/FMR2 family, member 2 [FMR2]) (eg, fragile X mental retardation 2 [FRAXE]), characterization of alleles (eg, expanded size and methylation status) AQP2 (aquaporin 2 [collecting duct]) (eg, nephrogenic diabetes insipidus), full gene sequence ARX (aristaless related homeobox) (eg, X-linked lissencephaly with ambiguous genitalia, X-linked mental retardation), full gene sequence AVPR2 (arginine vasopressin receptor 2) (eg, nephrogenic diabetes insipidus), full gene sequence BBS10 (Bardet-Biedl syndrome 10) (eg, Bardet-Biedl syndrome), full gene sequence BTM (biotinidase) (eg, biotinidase deficiency), full gene sequence C10orf2 (chromosome 10 open reading frame 2) (eg, mitochondrial DNA depletion syndrome), full gene sequence CAV3 (caveolin 3) (eg, CAV3-related distal myopathy, limb-girdle muscular dystrophy type 1C), full gene sequence CD40LG (CD40 ligand) (eg, X-linked hyper IgM syndrome), full gene sequence CDKN2A (cyclin-dependent kinase inhibitor 2A) (eg, CDKN2A-related cutaneous malignant melanoma, familial atypical mole-malignant melanoma syndrome), full gene sequence CLRN1 (clarin 1) (eg, Usher syndrome, type 3), full gene sequence COX6B1 (cytochrome c oxidase subunit VIb polypeptide 1) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CPT2 (carnitine palmitoyltransferase 2) (eg, carnitine palmitoyltransferase II deficiency), full gene sequence CRX (cone-rod homeobox) (eg, cone-rod dystrophy 2, Leber congenital amaurosis), full gene sequence CSTB (cystatin B [stefin B]) (eg, Unverricht-Lundborg disease), full gene sequence CYP1B1 (cytochrome P450, family 1, subfamily B, polypeptide 1) (eg, primary congenital glaucoma), full gene sequence DMPK (dystrophia myotonica-protein kinase) (eg, myotonic dystrophy type 1), characterization of abnormal (eg, expanded) alleles EGR2 (early growth response 2) (eg, Charcot-Marie-Tooth), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), duplication/deletion analysis EPM2A (epilepsy, progressive myoclonus type 2A, Lafora disease [laforin]) (eg, progressive myoclonus epilepsy), full gene sequence FGF23 (fibroblast growth factor 23) (eg, hypophosphatemic rickets), full gene sequence FGFR2 (fibroblast growth factor receptor 2) (eg, craniosynostosis, Apert syndrome, Crouzon syndrome), targeted sequence analysis (eg, exons 8, 10) FGFR3 (fibroblast growth factor receptor 3) (eg, achondroplasia, hypochondroplasia), targeted sequence analysis (eg, exons 8, 11, 12, 13) FHL1 (four and a half LIM domains 1) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence FKR1 (fukutin related protein) (eg, congenital muscular dystrophy type 1C [MDC1C], limb-girdle muscular dystrophy [LGMD] type 2I), full gene sequence FOXG1 (forkhead box G1) (eg, Rett syndrome), full gene sequence FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), evaluation to detect abnormal (eg, deleted) alleles FSHMD1A (facioscapulohumeral muscular dystrophy 1A) (eg, facioscapulohumeral muscular dystrophy), characterization of haplotype(s) (ie, chromosome 4A and 4B haplotypes) FXN (frataxin) (eg, Friedreich ataxia), full gene sequence GH1 (growth hormone 1) (eg, growth hormone deficiency), full gene sequence GP1BB (glycoprotein Ib [platelet], beta polypeptide) (eg, Bernard-Soulier syndrome type B), full gene sequence HBA1/HBA2 (alpha globin 1 and alpha globin 2) (eg, alpha thalassemia), duplication/deletion analysis (For common deletion variants of alpha globin 1 and alpha globin 2 genes, use 81257) HBB (hemoglobin, beta, Beta-Globin) (eg, thalassemia), full gene sequence HNF1B (HNF1 homeobox B) (eg, maturity-onset diabetes of the young [MODY]), duplication/deletion analysis HRAS (v-Ha-ras Harvey rat sarcoma viral oncogene homolog) (eg, Costello syndrome), full gene sequence HSD3B2 (hydroxy-delta-5-steroid dehydrogenase, 3 beta- and steroid delta-isomerase 2) (eg, 3-beta-hydroxysteroid dehydrogenase type II deficiency), full gene sequence HSD11B2 (hydroxysteroid [11-beta] dehydrogenase 2) (eg, mineralocorticoid excess syndrome), full gene sequence HSPB1 (heat shock 27kDa protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence INS (insulin) (eg, diabetes mellitus), full gene sequence KCNJ1 (potassium inwardly-rectifying channel, subfamily J, member 1) (eg, Bartter syndrome), full gene sequence KCNJ10 (potassium inwardly-rectifying channel, subfamily J, member 10) (eg, SeSAME syndrome, EAST syndrome, sensorineural hearing loss), full gene sequence LITAE (lipopolysaccharide-induced TNF factor) (eg, Charcot-Marie-Tooth), full gene sequence MEEV (Mediterranean fever) (eg, familial</p>	<p>\$ 56.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 54.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydroliipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 972.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 2,533.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 10,468.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 8,283.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 4,841.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 3,025.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 310.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 55.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrofolipamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFN59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 57.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 6 (eg, analysis of 6-10 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons, regionally targeted cytogenomic array analysis) ABCD1 (ATP-binding cassette, sub-family D [ALD], member 1) (eg, adrenoleukodystrophy), full gene sequence ACADS (acyl-CoA dehydrogenase, C-2 to C-3 short chain) (eg, short chain acyl-CoA dehydrogenase deficiency), full gene sequence ACTA2 (actin, alpha 2, smooth muscle, aorta) (eg, thoracic aortic aneurysms and aortic dissections), full gene sequence ACTC1 (actin, alpha, cardiac muscle 1) (eg, familial hypertrophic cardiomyopathy), full gene sequence ANKRD1 (ankyrin repeat domain 1) (eg, dilated cardiomyopathy), full gene sequence APTX (aprataxin) (eg, ataxia with oculomotor apraxia 1), full gene sequence AR (androgen receptor) (eg, androgen insensitivity syndrome), full gene sequence ARSA (arylsulfatase A) (eg, arylsulfatase A deficiency), full gene sequence BCKDHA (branched chain keto acid dehydrogenase E1, alpha polypeptide) (eg, maple syrup urine disease, type 1A), full gene sequence BCS1L (BCS1-like [S. cerevisiae]) (eg, Leigh syndrome, mitochondrial complex III deficiency, GRACILE syndrome), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), duplication/deletion analysis CASQ2 (calsequestrin 2 [cardiac muscle]) (eg, catecholaminergic polymorphic ventricular tachycardia), full gene sequence CASR (calcium-sensing receptor) (eg, hypocalcemia), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), duplication/deletion analysis CHRNA4 (cholinergic receptor, nicotinic, alpha 4) (eg, nocturnal frontal lobe epilepsy), full gene sequence CHRN2 (cholinergic receptor, nicotinic, beta 2 [neuronal]) (eg, nocturnal frontal lobe epilepsy), full gene sequence COX10 (COX10 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence COX15 (COX15 homolog, cytochrome c oxidase assembly protein) (eg, mitochondrial respiratory chain complex IV deficiency), full gene sequence CYP11B1 (cytochrome P450, family 11, subfamily B, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP17A1 (cytochrome P450, family 17, subfamily A, polypeptide 1) (eg, congenital adrenal hyperplasia), full gene sequence CYP21A2 (cytochrome P450, family 21, subfamily A, polypeptide 2) (eg, steroid 21-hydroxylase isoform, congenital adrenal hyperplasia), full gene sequence Cytogenomic constitutional targeted microarray analysis of chromosome 22q13 by interrogation of genomic regions for copy number and single nucleotide polymorphism (SNP) variants for chromosomal abnormalities (When performing genome-wide cytogenomic constitutional microarray analysis, see 81228, 81229) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the microarray analysis of chromosome 22q13) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), duplication/deletion analysis DCX (doublecortin) (eg, X-linked lissencephaly), full gene sequence DES (desmin) (eg, myofibrillar myopathy), full gene sequence DFNB59 (deafness, autosomal recessive 59) (eg, autosomal recessive nonsyndromic hearing impairment), full gene sequence DGUOK (deoxyguanosine kinase) (eg, hepatocerebral mitochondrial DNA depletion syndrome), full gene sequence DHCR7 (7-dehydrocholesterol reductase) (eg, Smith-Lemli-Opitz syndrome), full gene sequence EIF2B2 (eukaryotic translation initiation factor 2B, subunit 2 beta, 39kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EMD (emerin) (eg, Emery-Dreifuss muscular dystrophy), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), duplication/deletion analysis EYA1 (eyes absent homolog 1 [Drosophila]) (eg, branchio-oto-renal [BOR] spectrum disorders), duplication/deletion analysis F9 (coagulation factor IX) (eg, hemophilia B), full gene sequence FGFR1 (fibroblast growth factor receptor 1) (eg, Kallmann syndrome 2), full gene sequence FH (fumarate hydratase) (eg, fumarate hydratase deficiency, hereditary leiomyomatosis with renal cell cancer), full gene sequence FKTN (fukutin) (eg, limb-girdle muscular dystrophy [LGMD] type 2M or 2L), full gene sequence FTS1 (FtsJ RNA methyltransferase homolog 1 [E. coli]) (eg, X-linked mental retardation 9), duplication/deletion analysis GABRG2 (gamma-aminobutyric acid [GABA] A receptor, gamma 2) (eg, generalized epilepsy with febrile seizures), full gene sequence GCH1 (GTP cyclohydrolase 1) (eg, autosomal dominant dopa-responsive dystonia), full gene sequence GDAP1 (ganglioside-induced differentiation-associated protein 1) (eg, Charcot-Marie-Tooth disease), full gene sequence GFAP (glial fibrillary acidic protein) (eg, Alexander disease), full gene sequence GHR</p>	<p>\$ 56.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 54.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 55.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 9,778.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 10,468.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 7,584.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 7,132.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 7,777.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 18,875.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 8,283.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 8,284.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 4,841.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter), full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia, type 1), full gene</p>	<p>\$ 3,025.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 7 (eg, analysis of 11-25 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic array analysis for neoplasia) ACADVL (acyl-CoA dehydrogenase, very long chain) (eg, very long chain acyl-coenzyme A dehydrogenase deficiency), full gene sequence ACTN4 (actinin, alpha 4) (eg, focal segmental glomerulosclerosis), full gene sequence AFG3L2 (AFG3 ATPase family gene 3-like 2 [S. cerevisiae]) (eg, spinocerebellar ataxia), full gene sequence AIRE (autoimmune regulator) (eg, autoimmune polyendocrinopathy syndrome type 1), full gene sequence ALDH7A1 (aldehyde dehydrogenase 7 family, member A1) (eg, pyridoxine-dependent epilepsy), full gene sequence ANO5 (anoctamin 5) (eg, limb-girdle muscular dystrophy), full gene sequence APP (amyloid beta [A4] precursor protein) (eg, Alzheimer disease), full gene sequence ASS1 (argininosuccinate synthase 1) (eg, citrullinemia type I), full gene sequence ATL1 (atlastin GTPase 1) (eg, spastic paraplegia), full gene sequence ATP1A2 (ATPase, Na+/K+ transporting, alpha 2 polypeptide) (eg, familial hemiplegic migraine), full gene sequence ATP7B (ATPase, Cu++ transporting, beta polypeptide) (eg, Wilson disease), full gene sequence BBS1 (Bardet-Biedl syndrome 1) (eg, Bardet-Biedl syndrome), full gene sequence BBS2 (Bardet-Biedl syndrome 2) (eg, Bardet-Biedl syndrome), full gene sequence BCKDHB (branched-chain keto acid dehydrogenase E1, beta polypeptide) (eg, maple syrup urine disease, type 1B), full gene sequence BEST1 (bestrophin 1) (eg, vitelliform macular dystrophy), full gene sequence BMPR2 (bone morphogenetic protein receptor, type II [serine/threonine kinase]) (eg, heritable pulmonary arterial hypertension), full gene sequence BRAF (B-Raf proto-oncogene, serine/threonine kinase) (eg, Noonan syndrome), full gene sequence BSCL2 (Berardinelli-Seip congenital lipodystrophy 2 [seipin]) (eg, Berardinelli-Seip congenital lipodystrophy), full gene sequence BTK (Bruton agammaglobulinemia tyrosine kinase) (eg, X-linked agammaglobulinemia), full gene sequence CACNB2 (calcium channel, voltage-dependent, beta 2 subunit) (eg, Brugada syndrome), full gene sequence CAPN3 (calpain 3) (eg, limb-girdle muscular dystrophy [LGMD] type 2A, calpainopathy), full gene sequence CBS (cystathionine-beta-synthase) (eg, homocystinuria, cystathionine beta-synthase deficiency), full gene sequence CDH1 (cadherin 1, type 1, E-cadherin [epithelial]) (eg, hereditary diffuse gastric cancer), full gene sequence CDKL5 (cyclin-dependent kinase-like 5) (eg, early infantile epileptic encephalopathy), full gene sequence CLCN1 (chloride channel 1, skeletal muscle) (eg, myotonia congenita), full gene sequence CLCNKB (chloride channel, voltage-sensitive Kb) (eg, Bartter syndrome 3 and 4b), full gene sequence CNTNAP2 (contactin-associated protein-like 2) (eg, Pitt-Hopkins-like syndrome 1), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), duplication/deletion analysis CPT1A (carnitine palmitoyltransferase 1A [liver]) (eg, carnitine palmitoyltransferase 1A [CPT1A] deficiency), full gene sequence CRB1 (crumbs homolog 1 [Drosophila]) (eg, Leber congenital amaurosis), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), duplication/deletion analysis Cytogenomic microarray analysis, neoplasia (eg, interrogation of copy number, and loss-of-heterozygosity via single nucleotide polymorphism [SNP]-based comparative genomic hybridization [CGH] microarray analysis) (Do not report analyte-specific molecular pathology procedures separately when the specific analytes are included as part of the cytogenomic microarray analysis for neoplasia) (Do not report 88271 when performing cytogenomic microarray analysis) DBT (dihydrolipoamide branched chain transacylase E2) (eg, maple syrup urine disease, type 2), full gene sequence DLAT (dihydrolipoamide S-acetyltransferase) (eg, pyruvate dehydrogenase E2 deficiency), full gene sequence DLD (dihydrolipoamide dehydrogenase) (eg, maple syrup urine disease, type III), full gene sequence DSC2 (desmocollin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 11), full gene sequence DSG2 (desmoglein 2) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 10), full gene sequence DSP (desmoplakin) (eg, arrhythmogenic right ventricular dysplasia/cardiomyopathy 8), full gene sequence EFHC1 (EF-hand domain [C-terminal] containing 1) (eg, juvenile myoclonic epilepsy), full gene sequence EIF2B3 (eukaryotic translation initiation factor 2B, subunit 3 gamma, 58kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B4 (eukaryotic translation initiation factor 2B, subunit 4 delta, 67kDa) (eg, leukoencephalopathy with vanishing white matter), full gene sequence EIF2B5 (eukaryotic translation initiation factor 2B, subunit 5 epsilon, 82kDa) (eg, childhood ataxia with central nervous system hypomyelination/vanishing white matter) full gene sequence ENG (endoglin) (eg, hereditary hemorrhagic telangiectasia type 1) full gene sequence</p>	<p>\$ 57.00</p>
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin S]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephtrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 4,843.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 54.00</p>
<p>Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephrin]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence</p>	<p>\$ 57.00</p>

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Molecular pathology procedure, Level 8 (eg, analysis of 26-50 exons by DNA sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysis of multiple genes on one platform) ABCC8 (ATP-binding cassette, sub-family C [CFTR/MRP], member 8) (eg, familial hyperinsulinism), full gene sequence AGL (amylo-alpha-1, 6-glucosidase, 4-alpha-glucanotransferase) (eg, glycogen storage disease type III), full gene sequence AHI1 (Abelson helper integration site 1) (eg, Joubert syndrome), full gene sequence ASPM (asp [abnormal spindle] homolog, microcephaly associated [Drosophila]) (eg, primary microcephaly), full gene sequence CACNA1A (calcium channel, voltage-dependent, P/Q type, alpha 1A subunit) (eg, familial hemiplegic migraine), full gene sequence CHD7 (chromodomain helicase DNA binding protein 7) (eg, CHARGE syndrome), full gene sequence COL4A4 (collagen, type IV, alpha 4) (eg, Alport syndrome), full gene sequence COL4A5 (collagen, type IV, alpha 5) (eg, Alport syndrome), duplication/deletion analysis COL6A1 (collagen, type VI, alpha 1) (eg, collagen type VI-related disorders), full gene sequence COL6A2 (collagen, type VI, alpha 2) (eg, collagen type VI-related disorders), full gene sequence COL6A3 (collagen, type VI, alpha 3) (eg, collagen type VI-related disorders), full gene sequence CREBBP (CREB binding protein) (eg, Rubinstein-Taybi syndrome), full gene sequence F8 (coagulation factor VIII) (eg, hemophilia A), full gene sequence JAG1 (jagged 1) (eg, Alagille syndrome), full gene sequence KDM5C (lysine [K]-specific demethylase 5C) (eg, X-linked mental retardation), full gene sequence KIAA0196 (KIAA0196) (eg, spastic paraplegia), full gene sequence L1CAM (L1 cell adhesion molecule) (eg, MASA syndrome, X-linked hydrocephaly), full gene sequence LAMB2 (laminin, beta 2 [laminin 5]) (eg, Pierson syndrome), full gene sequence MYBPC3 (myosin binding protein C, cardiac) (eg, familial hypertrophic cardiomyopathy), full gene sequence MYH6 (myosin, heavy chain 6, cardiac muscle, alpha) (eg, familial dilated cardiomyopathy), full gene sequence MYH7 (myosin, heavy chain 7, cardiac muscle, beta) (eg, familial hypertrophic cardiomyopathy, Liang distal myopathy), full gene sequence MYO7A (myosin VIIA) (eg, Usher syndrome, type 1), full gene sequence NOTCH1 (notch 1) (eg, aortic valve disease), full gene sequence NPHS1 (nephrosis 1, congenital, Finnish type [nephryn]) (eg, congenital Finnish nephrosis), full gene sequence OPA1 (optic atrophy 1) (eg, optic atrophy), full gene sequence PCDH15 (protocadherin-related 15) (eg, Usher syndrome, type 1), full gene sequence PKD1 (polycystic kidney disease 1 [autosomal dominant]) (eg, polycystic kidney disease), full gene sequence PLCE1 (phospholipase C, epsilon 1) (eg, nephrotic syndrome type 3), full gene sequence SCN1A (sodium channel, voltage-gated, type 1, alpha subunit) (eg, generalized epilepsy with febrile seizures), full gene sequence SCN5A (sodium channel, voltage-gated, type V, alpha subunit) (eg, familial dilated cardiomyopathy), full gene sequence SLC12A1 (solute carrier family 12 [sodium/potassium/chloride transporters], member 1) (eg, Bartter syndrome), full gene sequence SLC12A3 (solute carrier family 12 [sodium/chloride transporters], member 3) (eg, Gitelman syndrome), full gene sequence SPG11 (spastic paraplegia 11 [autosomal recessive]) (eg, spastic paraplegia), full gene sequence SPTBN2 (spectrin, beta, non-erythrocytic 2) (eg, spinocerebellar ataxia), full gene sequence TMEM67 (transmembrane protein 67) (eg, Joubert syndrome), full gene sequence TSC2 (tuberous sclerosis 2) (eg, tuberous sclerosis), full gene sequence USH1C (Usher syndrome 1C [autosomal recessive, severe]) (eg, Usher syndrome, type 1), full gene sequence VPS13B (vacuolar protein sorting 13 homolog B [yeast]) (eg, Cohen syndrome), duplication/deletion analysis WDR62 (WD repeat domain 62) (eg, primary autosomal recessive microcephaly), full gene sequence	\$ 56.00
Monitor control cable for use with electric/pneumatic ventricular assist device, replacement only	\$ 3,361.00
Monitor/display module for use with electric or electric/pneumatic ventricular assist device, replacement only	\$ 23,571.00
Monitoring for localization of cerebral seizure focus by cable or radio, 16 or more channel telemetry, combined electroencephalographic (EEG) and video recording and interpretation (eg, for presurgical localization), each 24 hours	\$ 7,677.00
Monitoring for localization of cerebral seizure focus by computerized portable 16 or more channel EEG, electroencephalographic (EEG) recording and interpretation, each 24 hours, unattended	\$ 3,693.00
Monitoring of interstitial fluid pressure (includes insertion of device, eg, wick catheter technique, needle manometer technique) in detection of muscle compartment syndrome	\$ 1,170.00
Morcellator	\$ 3,117.00
Morcellator	\$ 8,848.00
Morcellator	\$ 5,042.00
Morcellator	\$ 6,877.00
Morcellator	\$ 5,118.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each multiplex probe stain procedure	\$ 2,315.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; each multiplex probe stain procedure	\$ 3,151.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 1,981.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), manual, per specimen; initial single probe stain procedure	\$ 798.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; each additional single probe stain procedure (List separately in addition to code for primary procedure)	\$ 961.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; each multiplex probe stain procedure	\$ 3,939.00
Morphometric analysis, in situ hybridization (quantitative or semi-quantitative), using computer-assisted technology, per specimen; initial single probe stain procedure	\$ 961.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; manual	\$ 715.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 715.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 1,166.00
Morphometric analysis, tumor immunohistochemistry (eg, Her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure; using computer-assisted technology	\$ 673.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Morphometric analysis; tumor (eg, DNA ploidy)	\$ 673.00
Motion fluoroscopic evaluation of swallowing function by cine or video recording	\$ 709.00
Motor speech functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Motor speech functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Motor speech functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 3,202.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,102.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 3,201.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,102.00
MSH2 (mutS homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 3,626.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,102.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 3,627.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,102.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
MSH6 (mutS homolog 6 [E. coli]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; known familial variants	\$ 2,913.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 622.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 681.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 1,304.00
MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)	\$ 739.00
Mucopolysaccharides, acid, quantitative	\$ 139.00
Multi-leaf collimator (MLC) device(s) for intensity modulated radiation therapy (IMRT), design and construction per IMRT plan	\$ 18,727.00
Multiple sleep latency or maintenance of wakefulness testing, recording, analysis and interpretation of physiological measurements of sleep during multiple trials to assess sleepiness	\$ 6,843.00
Multiple-family group psychotherapy	\$ 110.00
Muramidase	\$ 229.00
Muscle testing, manual (separate procedure) with report; extremity (excluding hand) or trunk	\$ 260.00
Muscle testing, manual (separate procedure) with report; hand, with or without comparison with normal side	\$ 174.00
Muscle testing, manual (separate procedure) with report; total evaluation of body, excluding hands	\$ 207.00
Muscle testing, manual (separate procedure) with report; total evaluation of body, including hands	\$ 260.00
Mycophenolate (mycophenolic acid)	\$ 600.00
Myelin basic protein, cerebrospinal fluid	\$ 171.00
Myelin basic protein, cerebrospinal fluid	\$ 131.00
Myelography via lumbar injection, including radiological supervision and interpretation; 2 or more regions (eg, lumbar/thoracic, cervical/thoracic, lumbar/cervical, lumbar/thoracic/cervical)	\$ 3,736.00
Myelography via lumbar injection, including radiological supervision and interpretation; cervical	\$ 3,358.00
Myelography via lumbar injection, including radiological supervision and interpretation; lumbosacral	\$ 5,026.00
Myelography via lumbar injection, including radiological supervision and interpretation; thoracic	\$ 3,593.00
Myelography, 2 or more regions (eg, lumbar/thoracic, cervical/thoracic, lumbar/cervical, lumbar/thoracic/cervical), radiological supervision and interpretation	\$ 2,864.00
Myelography, cervical, radiological supervision and interpretation	\$ 2,486.00
Myelography, lumbosacral, radiological supervision and interpretation	\$ 4,155.00
Myelography, thoracic, radiological supervision and interpretation	\$ 2,720.00
Myocardial imaging, infarct avid, planar; qualitative or quantitative	\$ 1,503.00
Myocardial imaging, infarct avid, planar; tomographic SPECT with or without quantification	\$ 2,081.00
Myocardial imaging, positron emission tomography (PET), metabolic evaluation	\$ 15,981.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); multiple studies, at rest and/or stress (exercise or pharmacologic) and/or redistribution and/or rest reinjection	\$ 8,466.00
Myocardial perfusion imaging, tomographic (SPECT) (including attenuation correction, qualitative or quantitative wall motion, ejection fraction by first pass or gated technique, additional quantification, when performed); single study, at rest or stress (exercise or pharmacologic)	\$ 3,399.00
Myocardial strain imaging (quantitative assessment of myocardial mechanics using image-based analysis of local myocardial dynamics) (List separately in addition to code for primary procedure)	\$ 290.00
Myoglobin	\$ 172.00
Myoglobin	\$ 305.00
Myringotomy including aspiration and/or eustachian tube inflation	\$ 1,302.00
Nasal endoscopy, diagnostic, unilateral or bilateral (separate procedure)	\$ 1,226.00
Nasal interface (mask or cannula type) used with positive airway pressure device, with or without head strap	\$ 166.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Nasal pillows for combination oral/nasal mask, replacement only, pair	\$ 33.00
Nasal smear for eosinophils	\$ 83.00
Nasal/sinus endoscopy, diagnostic with maxillary sinusoscopy (via inferior meatus or canine fossa puncture)	\$ 1,056.00
Nasal/sinus endoscopy, diagnostic with sphenoid sinusoscopy (via puncture of sphenoidal face or cannulation of ostium)	\$ 4,069.00
Nasal/sinus endoscopy, surgical; with biopsy, polypectomy or debridement (separate procedure)	\$ 1,836.00
Nasal/sinus endoscopy, surgical; with control of nasal hemorrhage	\$ 4,155.00
Naso- or oro-gastric tube placement, requiring physician's skill and fluoroscopic guidance (includes fluoroscopy, image documentation and report)	\$ 750.00
Nasopharyngoscopy with endoscope (separate procedure)	\$ 633.00
Natriuretic peptide	\$ 553.00
Natriuretic peptide	\$ 339.00
Natural killer (NK) cells, total count	\$ 176.00
Needle electromyography for guidance in conjunction with chemodenervation (List separately in addition to code for primary procedure)	\$ 364.00
Needle electromyography studies (EMG) of anal or urethral sphincter, any technique	\$ 356.00
Needle electromyography studies (EMG) of anal or urethral sphincter, any technique	\$ 334.00
Needle electromyography using single fiber electrode, with quantitative measurement of jitter, blocking and/or fiber density, any/all sites of each muscle studied	\$ 4,041.00
Needle electromyography, each extremity, with related paraspinal areas, when performed, done with nerve conduction, amplitude and latency/velocity study; complete, five or more muscles studied, innervated by three or more nerves or four or more spinal levels (List separately in addition to code for primary procedure)	\$ 922.00
Needle electromyography, each extremity, with related paraspinal areas, when performed, done with nerve conduction, amplitude and latency/velocity study; limited (List separately in addition to code for primary procedure)	\$ 922.00
Needle electromyography, non-extremity (cranial nerve supplied or axial) muscle(s) done with nerve conduction, amplitude and latency/velocity study (List separately in addition to code for primary procedure)	\$ 922.00
Needle electromyography; 1 extremity with or without related paraspinal areas	\$ 1,072.00
Needle electromyography; 2 extremities with or without related paraspinal areas	\$ 1,835.00
Needle electromyography; 3 extremities with or without related paraspinal areas	\$ 2,278.00
Needle electromyography; 4 extremities with or without related paraspinal areas	\$ 2,975.00
Needle electromyography; cranial nerve supplied muscle(s), unilateral	\$ 2,132.00
Needle electromyography; cranial nerve supplied muscles, bilateral	\$ 457.00
Needle electromyography; hemidiaphragm	\$ 595.00
Needle electromyography; larynx	\$ 595.00
Needle electromyography; limited study of muscles in 1 extremity or non-limb (axial) muscles (unilateral or bilateral), other than thoracic paraspinal, cranial nerve supplied muscles, or sphincters	\$ 922.00
Needle electromyography; thoracic paraspinal muscles (excluding T1 or T12)	\$ 2,315.00
Needle Spinal	\$ 42.00
Needle, sterile, any size, each	\$ 996.00
Needle, sterile, any size, each	\$ 1,272.00
Needle, sterile, any size, each	\$ 428.00
Needle, sterile, any size, each	\$ 1,980.00
Needle, sterile, any size, each	\$ 104.00
Needle, sterile, any size, each	\$ 1,119.00
Negative pressure wound therapy (eg, vacuum assisted drainage collection), utilizing durable medical equipment (DME), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters	\$ 784.00
Negative pressure wound therapy (eg, vacuum assisted drainage collection), utilizing durable medical equipment (DME), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session; total wound(s) surface area less than or equal to 50 square centimeters	\$ 265.00
Negative pressure wound therapy, (eg, vacuum assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area greater than 50 square centimeters	\$ 2,770.00
Negative pressure wound therapy, (eg, vacuum assisted drainage collection), utilizing disposable, non-durable medical equipment including provision of exudate management collection system, topical application(s), wound assessment, and instructions for ongoing care, per session; total wound(s) surface area less than or equal to 50 square centimeters	\$ 1,993.00
Nephelometry, each analyte not elsewhere specified	\$ 370.00
Nephelometry, each analyte not elsewhere specified	\$ 162.00
Nephelometry, each analyte not elsewhere specified	\$ 634.00
Nephelometry, each analyte not elsewhere specified	\$ 378.00
Nerve conduction studies; 11-12 studies	\$ 8,237.00
Nerve conduction studies; 1-2 studies	\$ 1,373.00
Nerve conduction studies; 13 or more studies	\$ 8,923.00
Nerve conduction studies; 3-4 studies	\$ 2,746.00
Nerve conduction studies; 5-6 studies	\$ 4,118.00
Nerve conduction studies; 7-8 studies	\$ 5,491.00
Nerve conduction studies; 9-10 studies	\$ 6,864.00
Neuro Non-Routine	\$ 1,272.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities), per hour of the psychologist's or physician's time, both face-to-face time with the patient and time interpreting test results and preparing the report	\$ 275.00
Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, acquired knowledge, attention, language, memory, planning and problem solving, and visual spatial abilities), per hour of the psychologist's or physician's time, both face-to-face time with the patient and time interpreting test results and preparing the report	\$ 1,052.00
Neurofunctional testing selection and administration during noninvasive imaging functional brain mapping, with test administered entirely by a physician or other qualified health care professional (ie, psychologist), with review of test results and report	\$ 772.00
Neuromuscular junction testing (repetitive stimulation, paired stimuli), each nerve, any 1 method	\$ 630.00
Neutralization test, viral	\$ 2,155.00
Neutralization test, viral	\$ 362.00
Neutralization test, viral	\$ 241.00
Nipple/areola reconstruction	\$ 8,032.00
Non-cardiac vascular flow imaging (ie, angiography, venography)	\$ 1,605.00
Non-coring needle or stylet with or without catheter	\$ 552.00
Non-covered item or service	\$ 964.00
Non-covered item or service	\$ 117.00
Noninvasive ear or pulse oximetry for oxygen saturation; by continuous overnight monitoring (separate procedure)	\$ 1,036.00
Noninvasive physiologic studies of lower extremity arteries, at rest and following treadmill stress testing, (ie, bidirectional Doppler waveform or volume plethysmography recording and analysis at rest with ankle/brachial indices immediately after and at timed intervals following performance of a standardized protocol on a motorized treadmill plus recording of time of onset of claudication or other symptoms, maximal walking time, and time to recovery) complete bilateral study	\$ 1,782.00
Non-selective catheter placement, thoracic aorta, with angiography of the extracranial carotid, vertebral, and/or intracranial vessels, unilateral or bilateral, and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed	\$ 4,567.00
Non-selective catheter placement, thoracic aorta, with angiography of the extracranial carotid, vertebral, and/or intracranial vessels, unilateral or bilateral, and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed	\$ 12,308.00
Not otherwise classified, antineoplastic drugs	\$ 150.00
NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)	\$ 3,265.00
NRAS (neuroblastoma RAS viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 and 13) and exon 3 (eg, codon 61)	\$ 318.00
Nucleotidase 5'-	\$ 852.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 83.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 92.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 110.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 99.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 68.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 90.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 169.00
Oasis ultra tri-layer wound matrix, per square centimeter	\$ 113.00
Oasis wound matrix, per square centimeter	\$ 704.00
Oasis wound matrix, per square centimeter	\$ 816.00
Oasis wound matrix, per square centimeter	\$ 427.00
Oasis wound matrix, per square centimeter	\$ 54.00
Observation and recording from multiple positions of abnormal eye movements	\$ 679.00
Observation room per hour	\$ 38.00
Occupational therapy evaluation, high complexity, requiring these components: An occupational profile and medical and therapy history, which includes review of medical and/or therapy records and extensive additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 5 or more performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of high analytic complexity, which includes an analysis of the patient profile, analysis of data from comprehensive assessment(s), and consideration of multiple treatment options. Patient presents with comorbidities that affect occupational performance. Significant modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 60 minutes are spent face-to-face with the patient and/or family.	\$ 570.00
Occupational therapy evaluation, low complexity, requiring these components: An occupational profile and medical and therapy history, which includes a brief history including review of medical and/or therapy records relating to the presenting problem; An assessment(s) that identifies 1-3 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of low complexity, which includes an analysis of the occupational profile, analysis of data from problem-focused assessment(s), and consideration of a limited number of treatment options. Patient presents with no comorbidities that affect occupational performance. Modification of tasks or assistance (eg, physical or verbal) with assessment(s) is not necessary to enable completion of evaluation component. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 343.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Occupational therapy evaluation, moderate complexity, requiring these components: An occupational profile and medical and therapy history, which includes an expanded review of medical and/or therapy records and additional review of physical, cognitive, or psychosocial history related to current functional performance; An assessment(s) that identifies 3-5 performance deficits (ie, relating to physical, cognitive, or psychosocial skills) that result in activity limitations and/or participation restrictions; and Clinical decision making of moderate analytic complexity, which includes an analysis of the occupational profile, analysis of data from detailed assessment(s), and consideration of several treatment options. Patient may present with comorbidities that affect occupational performance. Minimal to moderate modification of tasks or assistance (eg, physical or verbal) with assessment(s) is necessary to enable patient to complete evaluation component. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 456.00
Ocular device, intraoperative, detached retina	\$ 3,333.00
Ocular device, intraoperative, detached retina	\$ 2,366.00
Ocular implant	\$ 3,361.00
Ocular implant, aqueous drainage assist device	\$ 4,222.00
Ocular implant, aqueous drainage assist device	\$ 4,081.00
Ocular surface reconstruction; amniotic membrane transplantation, multiple layers	\$ 14,372.00
Oligoclonal immune (oligoclonal bands)	\$ 417.00
Oligoclonal immune (oligoclonal bands)	\$ 166.00
Oncology (breast), mRNA gene expression profiling by hybrid capture of 58 genes (50 content and 8 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence risk score	\$ 13,845.00
Oncology (breast), mRNA, gene expression profiling by real-time RT-PCR of 21 genes, utilizing formalin-fixed paraffin embedded tissue, algorithm reported as recurrence score	\$ 25,609.00
Oncology (breast), mRNA, microarray gene expression profiling of 70 content genes and 465 housekeeping genes, utilizing fresh frozen or formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk of distant metastasis	\$ 22,365.00
Oncology (colon), mRNA, gene expression profiling by real-time RT-PCR of 12 genes (7 content and 5 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as a recurrence score	\$ 17,510.00
Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result	\$ 2,831.00
Open treatment of distal phalangeal fracture, finger or thumb, includes internal fixation, when performed, each	\$ 4,287.00
Open treatment of interphalangeal joint dislocation, includes internal fixation, when performed, single	\$ 1,567.00
Open treatment of mandibular or maxillary alveolar ridge fracture (separate procedure)	\$ 4,808.00
Open treatment of metacarpophalangeal dislocation, single, includes internal fixation, when performed	\$ 1,567.00
Operating Room time: 000-015 Min	\$ 4,400.00
Operating Room time: 000-030 Min	\$ 4,400.00
Operating Room time: 016-030 Min	\$ 9,376.00
Operating Room time: 031-045 Min	\$ 11,822.00
Operating Room time: 046-060 Min	\$ 13,513.00
Operating Room time: 061-075 Min	\$ 16,441.00
Operating Room time: 076-090 Min	\$ 17,567.00
Operating Room time: 091-105 Min	\$ 19,490.00
Operating Room time: 1006-1020 Min	\$ 97,001.00
Operating Room time: 1021-1035 Min	\$ 98,068.00
Operating Room time: 1036-1050 Min	\$ 101,542.00
Operating Room time: 1051-1065 Min	\$ 102,635.00
Operating Room time: 106-120 Min	\$ 22,665.00
Operating Room time: 1066-1080 Min	\$ 103,727.00
Operating Room time: 1081-1095 Min	\$ 104,816.00
Operating Room time: 1096-1110 Min	\$ 105,911.00
Operating Room time: 1111-1125 Min	\$ 107,001.00
Operating Room time: 1126-1140 Min	\$ 108,092.00
Operating Room time: 1141-1155 Min	\$ 109,185.00
Operating Room time: 1156-1170 Min	\$ 110,278.00
Operating Room time: 1171-1185 Min	\$ 111,369.00
Operating Room time: 1186-1200 Min	\$ 112,461.00
Operating Room time: 1201-1215 Min	\$ 113,552.00
Operating Room time: 121-135 Min	\$ 24,343.00
Operating Room time: 1216-1230 Min	\$ 114,643.00
Operating Room time: 1231-1245 Min	\$ 115,737.00
Operating Room time: 1246-1260 Min	\$ 116,829.00
Operating Room time: 1261-1275 Min	\$ 117,919.00
Operating Room time: 1276-1290 Min	\$ 119,012.00
Operating Room time: 1291-1305 Min	\$ 120,104.00
Operating Room time: 1306-1320 Min	\$ 121,197.00
Operating Room time: 1321-1335 Min	\$ 122,289.00
Operating Room time: 1336-1350 Min	\$ 123,380.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Operating Room time: 1351-1365 Min	\$ 124,471.00
Operating Room time: 136-150 Min	\$ 24,939.00
Operating Room time: 151-165 Min	\$ 26,145.00
Operating Room time: 166-180 Min	\$ 26,950.00
Operating Room time: 181-195 Min	\$ 28,158.00
Operating Room time: 196-210 Min	\$ 29,679.00
Operating Room time: 211-225 Min	\$ 30,554.00
Operating Room time: 226-240 Min	\$ 31,426.00
Operating Room time: 241-255 Min	\$ 33,172.00
Operating Room time: 256-270 Min	\$ 34,917.00
Operating Room time: 271-285 Min	\$ 36,662.00
Operating Room time: 286-300 Min	\$ 38,409.00
Operating Room time: 301-315 Min	\$ 43,000.00
Operating Room time: 316-330 Min	\$ 45,031.00
Operating Room time: 331-345 Min	\$ 43,647.00
Operating Room time: 346-360 Min	\$ 45,393.00
Operating Room time: 361-375 Min	\$ 47,137.00
Operating Room time: 376-390 Min	\$ 50,009.00
Operating Room time: 391-405 Min	\$ 53,397.00
Operating Room time: 406-420 Min	\$ 54,594.00
Operating Room time: 421-435 Min	\$ 55,829.00
Operating Room time: 436-450 Min	\$ 57,106.00
Operating Room time: 451-465 Min	\$ 58,320.00
Operating Room time: 466-480 Min	\$ 59,558.00
Operating Room time: 481-495 Min	\$ 60,793.00
Operating Room time: 496-510 Min	\$ 62,030.00
Operating Room time: 511-525 Min	\$ 63,265.00
Operating Room time: 526-540 Min	\$ 64,419.00
Operating Room time: 541-555 Min	\$ 65,510.00
Operating Room time: 556-570 Min	\$ 66,603.00
Operating Room time: 571-585 Min	\$ 67,695.00
Operating Room time: 586-600 Min	\$ 68,785.00
Operating Room time: 601-615 Min	\$ 69,880.00
Operating Room time: 616-630 Min	\$ 70,971.00
Operating Room time: 631-645 Min	\$ 72,062.00
Operating Room time: 646-660 Min	\$ 73,156.00
Operating Room time: 661-675 Min	\$ 74,244.00
Operating Room time: 676-690 Min	\$ 75,338.00
Operating Room time: 691-705 Min	\$ 76,431.00
Operating Room time: 706-720 Min	\$ 77,521.00
Operating Room time: 721-735 Min	\$ 78,614.00
Operating Room time: 736-750 Min	\$ 79,706.00
Operating Room time: 751-765 Min	\$ 80,797.00
Operating Room time: 766-780 Min	\$ 81,889.00
Operating Room time: 781-795 Min	\$ 82,979.00
Operating Room time: 796-810 Min	\$ 84,073.00
Operating Room time: 811-825 Min	\$ 85,165.00
Operating Room time: 826-840 Min	\$ 86,255.00
Operating Room time: 841-855 Min	\$ 87,348.00
Operating Room time: 856-870 Min	\$ 88,441.00
Operating Room time: 871-885 Min	\$ 89,532.00
Operating Room time: 886-900 Min	\$ 90,622.00
Operating Room time: 901-915 Min	\$ 91,716.00
Operating Room time: 916-930 Min	\$ 92,807.00
Operating Room time: 931-945 Min	\$ 93,899.00
Operating Room time: 946-960 Min	\$ 94,994.00
Operating Room time: 961-975 Min	\$ 96,082.00
Operating Room time: 976-990 Min	\$ 97,176.00
Operating Room time: 991-1005 Min	\$ 98,269.00
Ophthalmic biometry by partial coherence interferometry with intraocular lens power calculation	\$ 346.00
Ophthalmic biometry by ultrasound echography, A-scan; with intraocular lens power calculation	\$ 592.00
Ophthalmic ultrasonic foreign body localization	\$ 439.00
Ophthalmic ultrasound, diagnostic; anterior segment ultrasound, immersion (water bath) B-scan or high resolution biomicroscopy	\$ 470.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Ophthalmic ultrasound, diagnostic; B-scan (with or without superimposed non-quantitative A-scan)	\$ 710.00
Ophthalmic ultrasound, diagnostic; corneal pachymetry, unilateral or bilateral (determination of corneal thickness)	\$ 551.00
Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; comprehensive, new patient, 1 or more visits	\$ 350.00
Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient	\$ 216.00
Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; comprehensive, established patient, 1 or more visits	\$ 350.00
Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient	\$ 216.00
Opti Fre-Bost Ct Solution	\$ 17.00
Opti-Free Contact Solution	\$ 17.00
Optokinetic nystagmus test, bidirectional, foveal or peripheral stimulation, with recording	\$ 679.00
Or Cardiac Equipment Charge	\$ 1,279.00
Or Trauma Charge	\$ 32,284.00
Oral cushion for combination oral/nasal mask, replacement only, each	\$ 81.00
Oral magnetic resonance contrast agent, per 100 ml	\$ 14.75
Oral magnetic resonance contrast agent, per 100 ml	\$ 15.00
Orbicularis oculi (blink) reflex, by electrodiagnostic testing	\$ 515.00
Orbitotomy without bone flap (frontal or transconjunctival approach); for exploration, with or without biopsy	\$ 2,579.00
Organ Donor Bed (Aicu)	\$ 4,588.00
Organic acid, single, quantitative	\$ 1,195.00
Organic acid, single, quantitative	\$ 359.00
Organic acid, single, quantitative	\$ 1,271.00
Organic acids; total, quantitative, each specimen	\$ 2,184.00
Orth Surg Comptr Rntal Fee	\$ 11,069.00
Ortho Equip Chrg	\$ 5,040.00
Ortho Op	\$ 2,410.00
Orthopantogram (eg, panoramic x-ray)	\$ 726.00
Orthopedic footwear, custom shoe, depth inlay, each	\$ 1,077.00
Orthopedic footwear, ladies shoe, depth inlay, each	\$ 108.00
Orthopedic footwear, man's shoe, oxford, used as an integral part of a brace (orthosis)	\$ 229.00
Orthopedic footwear, mens shoe, depth inlay, each	\$ 108.00
Orthopedic footwear, woman's shoe, oxford, used as an integral part of a brace (orthosis)	\$ 229.00
Orthopedic shoe addition, insole, leather	\$ 36.00
Orthopedic shoe addition, sole, full	\$ 466.00
Orthopedic shoe, hightop with supinator or pronator, child	\$ 151.00
Orthopedic shoe, hightop with supinator or pronator, infant	\$ 151.00
Orthopedic shoe, modification, addition or transfer, not otherwise specified	\$ 596.00
Orthotic side bar disconnect device, per bar	\$ 359.00
Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity(s), lower extremity(s) and/or trunk, each 15 minutes	\$ 192.00
Orthotic(s)/prosthetic(s) management and/or training, upper extremity(ies), lower extremity(ies), and/or trunk, subsequent orthotic(s)/prosthetic(s) encounter, each 15 minutes	\$ 82.00
Oscillating tracking test, with recording	\$ 679.00
Osmolality; blood	\$ 143.00
Osmolality; urine	\$ 156.00
Osmotic fragility, RBC; incubated	\$ 58.00
Osteocalcin (bone g1a protein)	\$ 516.00
Osteopathic manipulative treatment (OMT); 1-2 body regions involved	\$ 331.00
Osteopathic manipulative treatment (OMT); 3-4 body regions involved	\$ 331.00
Osteopathic manipulative treatment (OMT); 5-6 body regions involved	\$ 373.00
Other physical or occupational therapy primary functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Other physical or occupational therapy primary functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Other physical or occupational therapy primary functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Other physical or occupational therapy subsequent functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Other physical or occupational therapy subsequent functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Other physical or occupational therapy subsequent functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Other scoliosis procedure, body jacket molded to patient model	\$ 3,588.00
Other scoliosis procedure, post-operative body jacket	\$ 3,588.00
Other speech language pathology functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Other speech language pathology functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Other speech language pathology functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Outflare wedge	\$ 466.00
Outreach Bonus	\$ 806.00
Oxalate	\$ 122.00
Oxalate	\$ 107.00
Oxalate	\$ 139.00
Oxcarbazepine	\$ 320.00
Oxygen probe for use with oximeter device, replacement	\$ 107.00
Oxygen uptake, expired gas analysis; including CO2 output, percentage oxygen extracted	\$ 924.00
Oxygen uptake, expired gas analysis; rest and exercise, direct, simple	\$ 98.00
Oxygen uptake, expired gas analysis; rest, indirect (separate procedure)	\$ 1,327.00
Pacemaker Recovery Per Hr	\$ 1,138.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 21,440.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 19,928.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 23,692.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 28,429.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 28,438.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 19,793.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 26,117.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 15,833.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 41,802.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 37,620.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 38,543.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 20,452.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 19,302.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 22,036.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 49,470.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 16,053.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 20,848.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 18,059.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 12,928.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 16,690.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 45,032.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 40,942.00
Pacemaker, dual chamber, rate-responsive (implantable)	\$ 24,240.00
Pacemaker, other than single or dual chamber (implantable)	\$ 52,363.00
Pacemaker, other than single or dual chamber (implantable)	\$ 54,058.00
Pacemaker, other than single or dual chamber (implantable)	\$ 55,641.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 68,006.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 11,873.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 22,270.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 26,050.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 28,301.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 24,751.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 35,656.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 22,023.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 25,551.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 23,079.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 22,448.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 19,443.00
Pacemaker, single chamber, rate-responsive (implantable)	\$ 15,339.00
Paracentesis of anterior chamber of eye (separate procedure); with removal of aqueous	\$ 1,809.00
Paracentesis of anterior chamber of eye (separate procedure); with removal of vitreous and/or discission of anterior hyaloid membrane, with or without air injection	\$ 1,924.00
Paramedic intercept (pi), rural area, transport furnished by a volunteer ambulance company which is prohibited by state law from billing third party payers	\$ 1,028.00
Parathormone (parathyroid hormone)	\$ 469.00
Parathyroid planar imaging (including subtraction, when performed)	\$ 3,070.00
Parathyroid planar imaging (including subtraction, when performed); with tomographic (SPECT)	\$ 3,070.00
Parathyroid planar imaging (including subtraction, when performed); with tomographic (SPECT), and concurrently acquired computed tomography (CT) for anatomical localization	\$ 3,527.00
Paravertebral block (PVB) (paraspinous block), thoracic; continuous infusion by catheter (includes imaging guidance, when performed)	\$ 870.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Paravertebral block (PVB) (paraspinal block), thoracic; second and any additional injection site(s) (includes imaging guidance, when performed) (List separately in addition to code for primary procedure)	\$ 870.00
Paravertebral block (PVB) (paraspinal block), thoracic; single injection site (includes imaging guidance, when performed)	\$ 870.00
Paring or cutting of benign hyperkeratotic lesion (eg, corn or callus); 2 to 4 lesions	\$ 715.00
Paring or cutting of benign hyperkeratotic lesion (eg, corn or callus); 2 to 4 lesions	\$ 671.00
Paring or cutting of benign hyperkeratotic lesion (eg, corn or callus); more than 4 lesions	\$ 754.00
Paring or cutting of benign hyperkeratotic lesion (eg, corn or callus); more than 4 lesions	\$ 671.00
Paring or cutting of benign hyperkeratotic lesion (eg, corn or callus); single lesion	\$ 671.00
Partial excision (craterization, saucerization, or diaphysectomy) bone (eg, osteomyelitis); distal phalanx of finger	\$ 725.00
Partial excision (craterization, saucerization, sequestrectomy, or diaphysectomy) bone (eg, osteomyelitis or bossing); phalanx of toe	\$ 725.00
Partial excision (craterization, saucerization, sequestrectomy, or diaphysectomy) bone (eg, osteomyelitis or bossing); phalanx of toe	\$ 2,447.00
Partial foot, molded socket, ankle height, with toe filler	\$ 2,152.00
Partial foot, molded socket, tibial tubercle height, with toe filler	\$ 2,691.00
Partial foot, shoe insert with longitudinal arch, toe filler	\$ 897.00
Partial hymenectomy or revision of hymenal ring	\$ 337.00
Particle agglutination; screen, each antibody	\$ 127.00
Particle agglutination; screen, each antibody	\$ 471.00
Particle agglutination; screen, each antibody	\$ 26.00
Particle agglutination; screen, each antibody	\$ 143.00
Particle agglutination; titer, each antibody	\$ 92.00
Patch or application test(s) (specify number of tests)	\$ 126.00
Paternity Testing/Phleb/Photo	\$ 46.00
Pathology consultation during surgery; cytologic examination (eg, touch prep, squash prep), each additional site (List separately in addition to code for primary procedure)	\$ 124.00
Pathology consultation during surgery; cytologic examination (eg, touch prep, squash prep), initial site	\$ 124.00
Pathology consultation during surgery; each additional tissue block with frozen section(s) (List separately in addition to code for primary procedure)	\$ 219.00
Pathology consultation during surgery; first tissue block, with frozen section(s), single specimen	\$ 165.00
Pathology consultation during surgery; first tissue block, with frozen section(s), single specimen	\$ 219.00
Patient programmer (external) for use with implantable programmable neurostimulator pulse generator, replacement only	\$ 785.00
Patient programmer, neurostimulator	\$ 5,753.00
Patient programmer, neurostimulator	\$ 6,661.00
Patient programmer, neurostimulator	\$ 6,686.00
Patient programmer, neurostimulator	\$ 2,893.00
Patient programmer, neurostimulator	\$ 9,381.00
Patient programmer, neurostimulator	\$ 5,140.00
Patient programmer, neurostimulator	\$ 9,997.00
Percutaneous access and closure of femoral artery for delivery of endograft through a large sheath (12 French or larger), including ultrasound guidance, when performed, unilateral (List separately in addition to code for primary procedure)	\$ 2,753.00
Percutaneous arterial transluminal mechanical thrombectomy and/or infusion for thrombolysis, intracranial, any method, including diagnostic angiography, fluoroscopic guidance, catheter placement, and intraprocedural pharmacological thrombolytic injection(s)	\$ 5,010.00
Percutaneous arterial transluminal mechanical thrombectomy and/or infusion for thrombolysis, intracranial, any method, including diagnostic angiography, fluoroscopic guidance, catheter placement, and intraprocedural pharmacological thrombolytic injection(s)	\$ 7,626.00
Percutaneous aspiration within the nucleus pulposus, intervertebral disc, or paravertebral tissue for diagnostic purposes	\$ 10,703.00
Percutaneous aspiration, spinal cord cyst or syrinx	\$ 1,859.00
Percutaneous balloon valvuloplasty; aortic valve	\$ 12,449.00
Percutaneous balloon valvuloplasty; mitral valve	\$ 6,297.00
Percutaneous balloon valvuloplasty; pulmonary valve	\$ 12,449.00
Percutaneous catheter/tube anchoring device, adhesive skin attachment	\$ 86.00
Percutaneous catheter/tube anchoring device, adhesive skin attachment	\$ 103.00
Percutaneous implantation of neurostimulator electrode array, epidural	\$ 963.00
Percutaneous implantation of neurostimulator electrode array; peripheral nerve (excludes sacral nerve)	\$ 7,245.00
Percutaneous implantation of neurostimulator electrode array; sacral nerve (transforaminal placement) including image guidance, if performed	\$ 167.00
Percutaneous portal vein catheterization by any method	\$ 619.00
Percutaneous sacral augmentation (sacroplasty), bilateral injections, including the use of a balloon or mechanical device, when used, 2 or more needles, includes imaging guidance and bone biopsy, when performed	\$ 5,002.00
Percutaneous sacral augmentation (sacroplasty), bilateral injections, including the use of a balloon or mechanical device, when used, 2 or more needles, includes imaging guidance and bone biopsy, when performed	\$ 5,924.00
Percutaneous sacral augmentation (sacroplasty), unilateral injection(s), including the use of a balloon or mechanical device, when used, 1 or more needles, includes imaging guidance and bone biopsy, when performed	\$ 4,438.00
Percutaneous sacral augmentation (sacroplasty), unilateral injection(s), including the use of a balloon or mechanical device, when used, 1 or more needles, includes imaging guidance and bone biopsy, when performed	\$ 5,360.00
Percutaneous skeletal fixation of distal phalangeal fracture, finger or thumb, each	\$ 7,470.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Percutaneous transcatheter closure of a congenital ventricular septal defect with implant	\$ 33,668.00
Percutaneous transcatheter closure of congenital interatrial communication (ie, Fontan fenestration, atrial septal defect) with implant	\$ 54,676.00
Percutaneous transcatheter closure of paravalvular leak; each additional occlusion device (List separately in addition to code for primary procedure)	\$ 4,190.00
Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, aortic valve	\$ 16,759.00
Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, mitral valve	\$ 16,759.00
Percutaneous transcatheter closure of patent ductus arteriosus	\$ 36,140.00
Percutaneous transcatheter closure of the left atrial appendage with endocardial implant, including fluoroscopy, transseptal puncture, catheter placement(s), left atrial angiography, left atrial appendage angiography, when performed, and radiological supervision and interpretation	\$ 43,975.00
Percutaneous transcatheter placement of drug eluting intracoronary stent(s), with coronary angioplasty when performed; single major coronary artery or branch	\$ 25,186.00
Percutaneous transcatheter placement of drug-eluting intracoronary stent(s), with coronary angioplasty when performed; each additional branch of a major coronary artery (list separately in addition to code for primary procedure)	\$ 13,138.00
Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	\$ 23,292.00
Percutaneous transcatheter placement of intracoronary stent(s), with coronary angioplasty when performed; single major coronary artery or branch	\$ 36,479.00
Percutaneous transcatheter septal reduction therapy (eg, alcohol septal ablation) including temporary pacemaker insertion when performed	\$ 18,536.00
Percutaneous transhepatic dilation of biliary duct stricture with or without placement of stent, radiological supervision and interpretation	\$ 1,912.00
Percutaneous transhepatic portography with hemodynamic evaluation, radiological supervision and interpretation	\$ 3,439.00
Percutaneous transhepatic portography without hemodynamic evaluation, radiological supervision and interpretation	\$ 3,250.00
Percutaneous transluminal coronary angioplasty; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	\$ 8,480.00
Percutaneous transluminal coronary angioplasty; single major coronary artery or branch	\$ 23,999.00
Percutaneous transluminal coronary atherectomy, with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	\$ 14,818.00
Percutaneous transluminal coronary atherectomy, with coronary angioplasty when performed; single major coronary artery or branch	\$ 10,723.00
Percutaneous transluminal coronary atherectomy, with drug eluting intracoronary stent, with coronary angioplasty when performed; single major coronary artery or branch	\$ 23,567.00
Percutaneous transluminal coronary atherectomy, with drug-eluting intracoronary stent, with coronary angioplasty when performed; each additional branch of a major coronary artery (list separately in addition to code for primary procedure)	\$ 13,138.00
Percutaneous transluminal coronary atherectomy, with intracoronary stent, with coronary angioplasty when performed; each additional branch of a major coronary artery (List separately in addition to code for primary procedure)	\$ 13,138.00
Percutaneous transluminal coronary atherectomy, with intracoronary stent, with coronary angioplasty when performed; single major coronary artery or branch	\$ 23,567.00
Percutaneous transluminal coronary thrombectomy mechanical (List separately in addition to code for primary procedure)	\$ 1,223.00
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision and interpretation, diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s)	\$ 5,470.00
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision and interpretation, diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s); with transcatheter placement of intravascular stent(s), peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the stenting, and all angioplasty within the peripheral dialysis circuit	\$ 16,759.00
Percutaneous transluminal mechanical thrombectomy and/or infusion for thrombolysis, dialysis circuit, any method, including all imaging and radiological supervision and interpretation, diagnostic angiography, fluoroscopic guidance, catheter placement(s), and intraprocedural pharmacological thrombolytic injection(s); with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty	\$ 11,057.00
Percutaneous transluminal mechanical thrombectomy, vein(s), including intraprocedural pharmacological thrombolytic injections and fluoroscopic guidance	\$ 8,178.00
Percutaneous transluminal mechanical thrombectomy, vein(s), including intraprocedural pharmacological thrombolytic injections and fluoroscopic guidance, repeat treatment on subsequent day during course of thrombolytic therapy	\$ 8,178.00
Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel	\$ 23,567.00
Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel	\$ 23,567.00
Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (list separately in addition to code for primary procedure)	\$ 13,138.00
Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; single vessel	\$ 23,567.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (List separately in addition to code for primary procedure)	\$ 13,138.00
Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; single vessel	\$ 23,567.00
Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel	\$ 23,567.00
Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (list separately in addition to code for primary procedure)	\$ 13,138.00
Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (List separately in addition to code for primary procedure)	\$ 13,138.00
Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel	\$ 23,567.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; each additional thoracic or lumbar vertebral body (List separately in addition to code for primary procedure)	\$ 10,001.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; lumbar	\$ 12,129.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; lumbar	\$ 11,637.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; thoracic	\$ 12,129.00
Percutaneous vertebral augmentation, including cavity creation (fracture reduction and bone biopsy included when performed) using mechanical device (eg, kyphoplasty), 1 vertebral body, unilateral or bilateral cannulation, inclusive of all imaging guidance; thoracic	\$ 11,637.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; cervicothoracic	\$ 7,288.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; cervicothoracic	\$ 6,796.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; each additional cervicothoracic or lumbosacral vertebral body (List separately in addition to code for primary procedure)	\$ 5,480.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; lumbosacral	\$ 7,288.00
Percutaneous vertebroplasty (bone biopsy included when performed), 1 vertebral body, unilateral or bilateral injection, inclusive of all imaging guidance; lumbosacral	\$ 6,796.00
Perfusion Time - 30 Minutes	\$ 1,015.00
Pericardiocentesis; initial	\$ 1,164.00
Pericardiocentesis; initial	\$ 1,093.00
Pericardiocentesis; subsequent	\$ 960.00
Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 18-39 years	\$ 436.00
Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 40-64 years	\$ 436.00
Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; 65 years and older	\$ 436.00
Periodic comprehensive preventive medicine reevaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions, and the ordering of laboratory/diagnostic procedures, established patient; adolescent (age 12 through 17 years)	\$ 436.00
Periph Cath Recovery Per Hr	\$ 1,163.00
Peripheral arterial disease (PAD) rehabilitation, per session	\$ 368.00
Peri-procedural device evaluation (in person) and programming of device system parameters before or after a surgery, procedure or test with analysis, review and report, leadless pacemaker system	\$ 692.00
Peri-procedural device evaluation (in person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review and report by a physician or other qualified health care professional; single, dual, or multiple lead implantable defibrillator system	\$ 1,541.00
Peri-procedural device evaluation (in person) and programming of device system parameters before or after a surgery, procedure, or test with analysis, review and report by a physician or other qualified health care professional; single, dual, or multiple lead pacemaker system	\$ 1,541.00
Perirectal injection of sclerosing solution for prolapse	\$ 2,986.00
Peritoneal-venous shunt patency test (eg, for LeVeen, Denver shunt)	\$ 764.00
Peritoneogram (eg, after injection of air or contrast), radiological supervision and interpretation	\$ 715.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Permanent implantable contraceptive intratubal occlusion device(s) and delivery system	\$ 9,425.00
Permanent, long term, non-dissolvable lacrimal duct implant, each	\$ 839.00
Pessary, non rubber, any type	\$ 193.00
Pessary, rubber, any type	\$ 498.00
pH; body fluid, not otherwise specified	\$ 59.00
pH; body fluid, not otherwise specified	\$ 30.00
pH; body fluid, not otherwise specified	\$ 28.00
pH; body fluid, not otherwise specified	\$ 63.00
Pharmacologic agent administration (eg, inhaled nitric oxide, intravenous infusion of nitroprusside, dobutamine, milrinone, or other agent) including assessing hemodynamic measurements before, during, after and repeat pharmacologic agent administration, when performed (List separately in addition to code for primary procedure)	\$ 3,070.00
Pharmacologic management, including prescription and review of medication, when performed with psychotherapy services (List separately in addition to the code for primary procedure)	\$ 137.00
Pharmacological or physical activation requiring physician or other qualified health care professional attendance during EEG recording of activation phase (eg, thiopental activation test)	\$ 4,168.00
Phencyclidine (PCP)	\$ 151.00
Phencyclidine (PCP)	\$ 207.00
Phencyclidine (PCP)	\$ 1,178.00
Phencyclidine (PCP)	\$ 69.00
Phenobarbital	\$ 213.00
Phenobarbital	\$ 35.00
Phenylalanine (PKU), blood	\$ 448.00
Phenytoin; free	\$ 192.00
Phenytoin; free	\$ 126.00
Phenytoin; total	\$ 194.00
Phlebotomy, therapeutic (separate procedure)	\$ 216.00
Phlebotomy, therapeutic (separate procedure)	\$ 576.00
Phosphatase, acid; prostatic	\$ 153.00
Phosphatase, alkaline	\$ 32.00
Phosphatase, alkaline	\$ 147.00
Phosphatase, alkaline	\$ 60.00
Phosphatase, alkaline	\$ 578.00
Phosphatase, alkaline; heat stable (total not included)	\$ 147.00
Phosphatase, alkaline; isoenzymes	\$ 297.00
Phosphatase, alkaline; isoenzymes	\$ 130.00
Phosphatase, alkaline; isoenzymes	\$ 616.00
Phospholipid neutralization; platelet	\$ 340.00
Phospholipid neutralization; platelet	\$ 318.00
Phosphorus inorganic (phosphate)	\$ 32.00
Phosphorus inorganic (phosphate)	\$ 435.00
Phosphorus inorganic (phosphate); urine	\$ 94.00
Phosphorus inorganic (phosphate); urine	\$ 32.00
Phosphorus inorganic (phosphate); urine	\$ 48.00
Phosphorus inorganic (phosphate); urine	\$ 57.00
Photo patch test(s) (specify number of tests)	\$ 223.00
Photochemotherapy; psoralens and ultraviolet A (PUVA)	\$ 409.00
Photochemotherapy; tar and ultraviolet B (Goeckerman treatment) or petrolatum and ultraviolet B	\$ 331.00
Photodynamic therapy by external application of light to destroy premalignant and/or malignant lesions of the skin and adjacent mucosa (eg, lip) by activation of photosensitive drug(s), each phototherapy exposure session	\$ 922.00
Photodynamic therapy by external application of light to destroy premalignant lesions of the skin and adjacent mucosa with application and illumination/activation of photosensitizing drug(s) provided by a physician or other qualified health care professional, per day	\$ 121.00
Photopheresis, extracorporeal	\$ 20,779.00
Physical performance test or measurement (eg, musculoskeletal, functional capacity), with written report, each 15 minutes	\$ 260.00
Physical therapy evaluation: high complexity, requiring these components: A history of present problem with 3 or more personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures addressing a total of 4 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with unstable and unpredictable characteristics; and Clinical decision making of high complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 45 minutes are spent face-to-face with the patient and/or family.	\$ 570.00
Physical therapy evaluation: low complexity, requiring these components: A history with no personal factors and/or comorbidities that impact the plan of care; An examination of body system(s) using standardized tests and measures addressing 1-2 elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; A clinical presentation with stable and/or uncomplicated characteristics; and Clinical decision making of low complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 20 minutes are spent face-to-face with the patient and/or family.	\$ 343.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Physical therapy evaluation: moderate complexity, requiring these components: A history of present problem with 1-2 personal factors and/or comorbidities that impact the plan of care; An examination of body systems using standardized tests and measures in addressing a total of 3 or more elements from any of the following: body structures and functions, activity limitations, and/or participation restrictions; An evolving clinical presentation with changing characteristics; and Clinical decision making of moderate complexity using standardized patient assessment instrument and/or measurable assessment of functional outcome. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 456.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; with continuous ECG monitoring (per session)	\$ 423.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)	\$ 346.00
Physician or other qualified health care professional services for outpatient cardiac rehabilitation; without continuous ECG monitoring (per session)	\$ 8.00
Physiologic exercise study (eg, bicycle or arm ergometry) including assessing hemodynamic measurements before and after (List separately in addition to code for primary procedure)	\$ 3,070.00
Pillow for use on nasal cannula type interface, replacement only, pair	\$ 40.00
Pinworm exam (eg, cellophane tape prep)	\$ 89.00
Placement of access through the biliary tree and into small bowel to assist with an endoscopic biliary procedure (eg, rendezvous procedure), percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision and interpretation, new access	\$ 3,290.00
Placement of amniotic membrane on the ocular surface; without sutures	\$ 1,069.00
Placement of biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision and interpretation; external	\$ 5,542.00
Placement of biliary drainage catheter, percutaneous, including diagnostic cholangiography when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision and interpretation; internal-external	\$ 5,542.00
Placement of breast localization device(s) (eg clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including magnetic resonance guidance (List separately in addition to code for primary procedure)	\$ 7,655.00
Placement of breast localization device(s) (eg clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including magnetic resonance guidance	\$ 7,655.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including mammographic guidance (List separately in addition to code for primary procedure)	\$ 5,740.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; each additional lesion, including ultrasound guidance (List separately in addition to code for primary procedure)	\$ 6,177.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including mammographic guidance	\$ 5,740.00
Placement of breast localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous; first lesion, including ultrasound guidance	\$ 6,177.00
Placement of distal extension prosthesis(s) (delayed) after endovascular repair of descending thoracic aorta, as needed, to level of celiac origin, radiological supervision and interpretation	\$ 1,094.00
Placement of distal extension prosthesis(s) delayed after endovascular repair of descending thoracic aorta	\$ 7,427.00
Placement of extension prosthesis(es) distal to the common iliac artery(ies) or proximal to the renal artery(ies) for endovascular repair of infrarenal abdominal aortic or iliac aneurysm, false aneurysm, dissection, penetrating ulcer, including pre-procedure sizing and device selection, all nonselective catheterization(s), all associated radiological supervision and interpretation, and treatment zone angioplasty/stenting, when performed, per vessel treated (List separately in addition to code for primary procedure)	\$ 2,753.00
Placement of interstitial device(s) for radiation therapy guidance (eg, fiducial markers, dosimeter), percutaneous, intra-thoracic, single or multiple	\$ 2,046.00
Placement of interstitial device(s) for radiation therapy guidance (eg, fiducial markers, dosimeter), prostate (via needle, any approach), single or multiple	\$ 2,820.00
Placement of needle for intraosseous infusion	\$ 553.00
Placement of nephrostomy catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation	\$ 6,519.00
Placement of nephrostomy catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation	\$ 6,488.00
Placement of nephroureteral catheter, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation, new access	\$ 2,615.00
Placement of occlusive device into either a venous or arterial access site, post surgical or interventional procedure (e.g., angioseal plug, vascular plug)	\$ 1,640.00
Placement of occlusive device into either a venous or arterial access site, post surgical or interventional procedure (e.g., angioseal plug, vascular plug)	\$ 453.00
Placement of occlusive device into either a venous or arterial access site, post surgical or interventional procedure (e.g., angioseal plug, vascular plug)	\$ 482.00
Placement of proximal extension prosthesis for endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption), radiological supervision and interpretation	\$ 1,094.00
Placement of proximal extension prosthesis for endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption); each additional proximal extension (List separately in addition to code for primary procedure)	\$ 3,886.00
Placement of proximal extension prosthesis for endovascular repair of descending thoracic aorta (eg, aneurysm, pseudoaneurysm, dissection, penetrating ulcer, intramural hematoma, or traumatic disruption); initial extension	\$ 7,427.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Placement of soft tissue localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous, including imaging guidance; each additional lesion (List separately in addition to code for primary procedure)	\$ 535.00
Placement of soft tissue localization device(s) (eg, clip, metallic pellet, wire/needle, radioactive seeds), percutaneous, including imaging guidance; first lesion	\$ 765.00
Placement of stent(s) into a bile duct, percutaneous, including diagnostic cholangiography, imaging guidance (eg, fluoroscopy and/or ultrasound), balloon dilation, catheter exchange(s) and catheter removal(s) when performed, and all associated radiological supervision and interpretation; existing access	\$ 5,697.00
Placement of stent(s) into a bile duct, percutaneous, including diagnostic cholangiography, imaging guidance (eg, fluoroscopy and/or ultrasound), balloon dilation, catheter exchange(s) and catheter removal(s) when performed, and all associated radiological supervision and interpretation; new access, with placement of separate biliary drainage catheter (eg, external or internal-external)	\$ 5,697.00
Placement of stent(s) into a bile duct, percutaneous, including diagnostic cholangiography, imaging guidance (eg, fluoroscopy and/or ultrasound), balloon dilation, catheter exchange(s) and catheter removal(s) when performed, and all associated radiological supervision and interpretation; new access, without placement of separate biliary drainage catheter	\$ 5,697.00
Placement of ureteral stent, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision and interpretation; new access, with separate nephrostomy catheter	\$ 7,631.00
Placement of ureteral stent, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision and interpretation; new access, without separate nephrostomy catheter	\$ 7,631.00
Placement of ureteral stent, percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy), and all associated radiological supervision and interpretation; pre-existing nephrostomy tract	\$ 7,631.00
Plasma, cryoprecipitate reduced, each unit	\$ 633.00
Plastazote sandal, each	\$ 609.00
Plastic repair of canaliculi	\$ 7,263.00
Platelet, aggregation (in vitro), each agent	\$ 576.00
Platelet, aggregation (in vitro), each agent	\$ 201.00
Platelet, aggregation (in vitro), each agent	\$ 370.00
Platelet, aggregation (in vitro), each agent	\$ 343.00
Platelet, aggregation (in vitro), each agent	\$ 278.00
Platelet, aggregation (in vitro), each agent	\$ 547.00
Platelet, aggregation (in vitro), each agent	\$ 692.00
Platelets, each unit	\$ 1,061.00
Platelets, leukocytes reduced, each unit	\$ 2,461.00
Platelets, pheresis, each unit	\$ 5,089.00
Platelets, pheresis, each unit	\$ 2,588.00
Platelets, pheresis, irradiated, each unit	\$ 5,089.00
Platelets, pheresis, irradiated, each unit	\$ 2,588.00
Platelets, pheresis, leukocytes reduced, each unit	\$ 5,065.00
Platelets, pheresis, leukocytes reduced, each unit	\$ 2,588.00
Platelets, pheresis, leukocytes reduced, each unit	\$ 5,089.00
Plethysmography for determination of lung volumes and, when performed, airway resistance	\$ 764.00
Pleural drainage, percutaneous, with insertion of indwelling catheter; with imaging guidance	\$ 2,011.00
Pleural drainage, percutaneous, with insertion of indwelling catheter; without imaging guidance	\$ 2,011.00
PMP22 (peripheral myelin protein 22) (eg, Charcot-Marie-Tooth, hereditary neuropathy with liability to pressure palsies) gene analysis; duplication/deletion analysis	\$ 4,324.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; duplication/deletion variants	\$ 2,102.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 2,102.00
PMS2 (postmeiotic segregation increased 2 [S. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, Lynch syndrome) gene analysis; full sequence analysis	\$ 54.00
Pneumococcal conjugate vaccine, 13 valent (PCV13), for intramuscular use	\$ 50.00
Pneumococcal polysaccharide vaccine, 23-valent (PPSV23), adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use	\$ 815.00
Poliovirus vaccine, inactivated (IPV), for subcutaneous or intramuscular use	\$ 327.00
Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, attended by a technologist	\$ 9,700.00
Polysomnography; age 6 years or older, sleep staging with 4 or more additional parameters of sleep, with initiation of continuous positive airway pressure therapy or bilevel ventilation, attended by a technologist	\$ 9,700.00
Polysomnography; younger than 6 years, sleep staging with 4 or more additional parameters of sleep, attended by a technologist	\$ 9,700.00
Polysomnography; younger than 6 years, sleep staging with 4 or more additional parameters of sleep, with initiation of continuous positive airway pressure therapy or bi-level ventilation, attended by a technologist	\$ 9,700.00
Pooling of platelets or other blood products	\$ 78.00
Porcine implant, permacol, per square centimeter	\$ 126.00
Porcine implant, permacol, per square centimeter	\$ 104.00
Porcine implant, permacol, per square centimeter	\$ 539.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Porcine implant, permacol, per square centimeter	\$ 117.00
Porcine implant, permacol, per square centimeter	\$ 191.00
Porcine implant, permacol, per square centimeter	\$ 291.00
Porcine implant, permacol, per square centimeter	\$ 127.00
Porcine implant, permacol, per square centimeter	\$ 92.00
Porcine implant, permacol, per square centimeter	\$ 292.00
Porphobilinogen, urine; quantitative	\$ 97.00
Porphyrins, urine; quantitation and fractionation	\$ 239.00
Porphyrins, urine; quantitation and fractionation	\$ 260.00
Port, indwelling (implantable)	\$ 3,450.00
Port, indwelling (implantable)	\$ 2,986.00
Port, indwelling (implantable)	\$ 2,727.00
Port, indwelling (implantable)	\$ 1,601.00
Port, indwelling (implantable)	\$ 1,800.00
Port, indwelling (implantable)	\$ 6,374.00
Port, indwelling (implantable)	\$ 5,737.00
Port, indwelling (implantable)	\$ 2,523.00
Port, indwelling (implantable)	\$ 3,303.00
Port, indwelling (implantable)	\$ 2,572.00
Port, indwelling (implantable)	\$ 4,220.00
Port, indwelling (implantable)	\$ 3,511.00
Port, indwelling (implantable)	\$ 2,376.00
Port, indwelling (implantable)	\$ 3,605.00
Port, indwelling (implantable)	\$ 5,060.00
Port, indwelling (implantable)	\$ 1,820.00
Positional nystagmus test	\$ 796.00
Positron emission tomography (PET) imaging; limited area (eg, chest, head/neck)	\$ 13,438.00
Positron emission tomography (PET) imaging; skull base to mid-thigh	\$ 13,438.00
Positron emission tomography (PET) imaging; whole body	\$ 13,438.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; limited area (eg, chest, head/neck)	\$ 14,007.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; skull base to mid-thigh	\$ 14,007.00
Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; whole body	\$ 14,007.00
Postpartum care only (separate procedure)	\$ 671.00
Potassium; serum, plasma or whole blood	\$ 32.00
Potassium; urine	\$ 74.00
Potassium; urine	\$ 78.00
Potassium; urine	\$ 42.00
Potassium; urine	\$ 25.00
Power adapter for use with electric or electric/pneumatic ventricular assist device, vehicle type	\$ 1,889.00
Power module for use with electric or electric/pneumatic ventricular assist device, replacement only	\$ 65,664.00
Powered bone marrow biopsy needle	\$ 1,185.00
Pre Op Prep 61 - 120 Min	\$ 5,344.00
Prealbumin	\$ 172.00
Pregnancy-associated plasma protein-A (PAPP-A)	\$ 212.00
Pregnancy-associated plasma protein-A (PAPP-A)	\$ 320.00
Pregnenolone	\$ 905.00
Premature Labor Per Hour	\$ 635.00
Prenatal: Breastfeed Class	\$ 10.00
Prenatal: Parent Basic Skill	\$ 30.00
Prenatal: Preprd Childbirth	\$ 60.00
Prenatal: Refrsh Childbirth	\$ 20.00
Prenatal: Sibling Class	\$ 10.00
Pre-Op Preparation 0-60 Min	\$ 461.00
Pre-Operative Preparation time: 000-030 Min	\$ 1,545.00
Pre-Operative Preparation time: 031-060 Min	\$ 2,317.00
Pre-Operative Preparation time: 0-60 Min	\$ 1,545.00
Pre-Operative Preparation time: 0-60 Min	\$ 548.00
Pre-Operative Preparation time: 061-090 Min	\$ 2,739.00
Pre-Operative Preparation time: 091-120 Min	\$ 3,288.00
Pre-Operative Preparation time: 121-150 Min	\$ 3,562.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Pre-Operative Preparation time: 151-180 Min	\$ 3,975.00
Pre-Operative Preparation time: 181-210 Min	\$ 4,385.00
Pre-Operative Preparation time: 211-240 Min	\$ 4,658.00
Pre-Operative Preparation time: 241-270 Min	\$ 4,796.00
Pre-Operative Preparation time: 271-300 Min	\$ 4,932.00
Pre-Operative Preparation time: 301-330 Min	\$ 5,070.00
Pre-Operative Preparation time: 331-360 Min	\$ 5,344.00
Pre-Operative Preparation time: 61-90 Min	\$ 2,739.00
Preparation of fecal microbiota for instillation, including assessment of donor specimen	\$ 2,066.00
Preparation with instillation of fecal microbiota by any method, including assessment of donor specimen	\$ 2,066.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 132.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 81.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 316.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 203.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 668.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 712.00
Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device	\$ 353.00
Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	\$ 176.00
Pretreatment of serum for use in RBC antibody identification; by differential red cell absorption using patient RBCs or RBCs of known phenotype, each absorption	\$ 125.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes	\$ 502.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 15 minutes	\$ 442.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes	\$ 781.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 30 minutes	\$ 688.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes	\$ 1,062.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 45 minutes	\$ 936.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes	\$ 1,343.00
Preventive medicine counseling and/or risk factor reduction intervention(s) provided to an individual (separate procedure); approximately 60 minutes	\$ 1,184.00
Primary percutaneous transluminal mechanical thrombectomy, noncoronary, non-intracranial, arterial or arterial bypass graft, including fluoroscopic guidance and intraprocedural pharmacological thrombolytic injection(s); initial vessel	\$ 10,563.00
Primary percutaneous transluminal mechanical thrombectomy, noncoronary, non-intracranial, arterial or arterial bypass graft, including fluoroscopic guidance and intraprocedural pharmacological thrombolytic injection(s); second and all subsequent vessel(s) within the same vascular family (List separately in addition to code for primary mechanical thrombectomy procedure)	\$ 5,504.00
Primidone	\$ 195.00
Primidone	\$ 69.00
Primidone	\$ 48.00
Probe/needle, cryoablation	\$ 15,443.00
Probe/needle, cryoablation	\$ 29,406.00
Probe/needle, cryoablation	\$ 7,231.00
Probe/needle, cryoablation	\$ 2,037.00
Probe/needle, cryoablation	\$ 6,446.00
Probe/needle, cryoablation	\$ 6,426.00
Probe/needle, cryoablation	\$ 5,626.00
Probe/needle, cryoablation	\$ 7,908.00
Probe/needle, cryoablation	\$ 13,200.00
Probing of lacrimal canaliculi, with or without irrigation	\$ 498.00
Probing of nasolacrimal duct, with or without irrigation; with insertion of tube or stent	\$ 14,628.00
Procainamide; with metabolites (eg, n-acetyl procainamide)	\$ 297.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Procainamide; with metabolites (eg, n-acetyl procainamide)	\$ 77.00
Procalcitonin (PCT)	\$ 359.00
Procedure Recovery Per Hour	\$ 448.00
Processing, preserving and transporting corneal tissue	\$ 21,084.00
Proctosigmoidoscopy, rigid; diagnostic, with or without collection of specimen(s) by brushing or washing (separate procedure)	\$ 1,471.00
Proctosigmoidoscopy, rigid; with removal of multiple tumors, polyps, or other lesions by hot biopsy forceps, bipolar cautery or snare technique	\$ 1,184.00
Progesterone	\$ 240.00
Progesterone	\$ 256.00
Progesterone	\$ 423.00
Programmed stimulation and pacing after intravenous drug infusion (List separately in addition to code for primary procedure)	\$ 6,014.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; dual lead pacemaker system	\$ 151.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; dual lead transvenous implantable defibrillator system	\$ 456.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; implantable loop recorder system	\$ 2,054.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; implantable subcutaneous lead defibrillator system	\$ 1,291.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; multiple lead pacemaker system	\$ 2,096.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; multiple lead transvenous implantable defibrillator system	\$ 322.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; single lead pacemaker system	\$ 135.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report by a physician or other qualified health care professional; single lead transvenous implantable defibrillator system	\$ 226.00
Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, review and report, leadless pacemaker system	\$ 339.00
Proinsulin	\$ 677.00
Prolactin	\$ 297.00
Prolonged evaluation and management or psychotherapy service(s) (beyond the typical service time of the primary procedure) in the office or other outpatient setting requiring direct patient contact beyond the usual service; first hour (List separately in addition to code for office or other outpatient Evaluation and Management or psychotherapy service)	\$ 588.00
Prophylaxis of retinal detachment (eg, retinal break, lattice degeneration) without drainage, 1 or more sessions; cryotherapy, diathermy	\$ 794.00
Prophylaxis of retinal detachment (eg, retinal break, lattice degeneration) without drainage, 1 or more sessions; photocoagulation (laser or xenon arc)	\$ 2,831.00
Prostate Brachytherapy Proced	\$ 14,799.00
Prostate cancer screening; digital rectal examination	\$ 49.00
Prostate cancer screening; prostate specific antigen test (psa)	\$ 260.00
Prostate specific antigen (PSA); free	\$ 173.00
Prostate specific antigen (PSA); total	\$ 260.00
Prostatotomy, external drainage of prostatic abscess, any approach; simple	\$ 2,326.00
Prostatotomy, external drainage of prostatic abscess, any approach; simple	\$ 2,184.00
Prosthesis, breast (implantable)	\$ 4,941.00
Prosthesis, breast (implantable)	\$ 5,106.00
Prosthesis, breast (implantable)	\$ 8,131.00
Prosthesis, breast (implantable)	\$ 5,781.00
Prosthesis, breast (implantable)	\$ 5,947.00
Prosthesis, breast (implantable)	\$ 9,849.00
Prosthesis, breast (implantable)	\$ 9,508.00
Prosthesis, breast (implantable)	\$ 3,593.00
Prosthesis, breast (implantable)	\$ 6,804.00
Prosthesis, breast (implantable)	\$ 9,120.00
Prosthesis, breast (implantable)	\$ 2,681.00
Prosthesis, penile, inflatable	\$ 7,504.00
Prosthesis, penile, inflatable	\$ 2,558.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Prosthesis, penile, inflatable	\$ 35,363.00
Prosthetic shrinker, above knee, each	\$ 512.00
Prosthetic shrinker, below knee, each	\$ 321.00
Prosthetic training, upper and/or lower extremity(s), each 15 minutes	\$ 190.00
Protective body sock, prefabricated, off-the-shelf, each	\$ 466.00
Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)	\$ 52.00
Protein, total, except by refractometry; other source (eg, synovial fluid, cerebrospinal fluid)	\$ 73.00
Protein, total, except by refractometry; serum, plasma or whole blood	\$ 32.00
Protein, total, except by refractometry; urine	\$ 52.00
Protein, total, except by refractometry; urine	\$ 78.00
Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)	\$ 236.00
Protein; electrophoretic fractionation and quantitation, other fluids with concentration (eg, urine, CSF)	\$ 296.00
Protein; electrophoretic fractionation and quantitation, serum	\$ 154.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 1,627.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 1,511.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 964.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 3,070.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 1,540.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 652.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 275.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 146.00
Protein; Western Blot, with interpretation and report, blood or other body fluid	\$ 2,057.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 1,649.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 2,960.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 1,625.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 2,057.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 1,470.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 651.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 1,390.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 2,734.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 3,218.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 258.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 925.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 924.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 29.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 28.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 77.00
Protein; Western Blot, with interpretation and report, blood or other body fluid, immunological probe for band identification, each	\$ 76.00
Prothrombin time	\$ 166.00
Prothrombin time	\$ 102.00
Prothrombin time; substitution, plasma fractions, each	\$ 270.00
Protoporphyrin, RBC; quantitative	\$ 168.00
Protoporphyrin, RBC; quantitative	\$ 107.00
Protoporphyrin, RBC; quantitative	\$ 154.00
Psychiatric diagnostic evaluation	\$ 171.00
Psychiatric diagnostic evaluation with medical services	\$ 171.00
Psychotherapy for crisis; each additional 30 minutes (List separately in addition to code for primary service)	\$ 137.00
Psychotherapy for crisis; first 60 minutes	\$ 206.00
Psychotherapy, 30 minutes with patient	\$ 137.00
Psychotherapy, 30 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	\$ 137.00
Psychotherapy, 45 minutes with patient	\$ 171.00
Psychotherapy, 45 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	\$ 171.00
Psychotherapy, 60 minutes with patient	\$ 206.00
Psychotherapy, 60 minutes with patient when performed with an evaluation and management service (List separately in addition to the code for primary procedure)	\$ 206.00
Pulm Rehab Thr Selfpay/Month	\$ 32.00
Pulmonary compliance study (eg, plethysmography, volume and pressure measurements)	\$ 407.00
Pulmonary perfusion imaging (eg, particulate)	\$ 592.00
Pulmonary rehabilitation, including exercise (includes monitoring), one hour, per session, up to two sessions per day	\$ 1,140.00
Pulmonary stress testing (eg, 6-minute walk test), including measurement of heart rate, oximetry, and oxygen titration, when performed	\$ 578.00
Pulmonary stress testing (eg, 6-minute walk test), including measurement of heart rate, oximetry, and oxygen titration, when performed	\$ 409.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Pulmonary ventilation (eg, aerosol or gas) and perfusion imaging	\$ 1,725.00
Pulmonary ventilation imaging (eg, aerosol or gas)	\$ 1,000.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 962.00
Puncture aspiration of abscess, hematoma, bulla, or cyst	\$ 903.00
Puncture aspiration of cyst of breast	\$ 998.00
Puncture aspiration of cyst of breast; each additional cyst (List separately in addition to code for primary procedure)	\$ 690.00
Puncture aspiration of hydrocele, tunica vaginalis, with or without injection of medication	\$ 317.00
Puncture aspiration of hydrocele, tunica vaginalis, with or without injection of medication	\$ 298.00
Puncture of shunt tubing or reservoir for aspiration or injection procedure	\$ 345.00
Puraply or puraply am, per square centimeter	\$ 980.00
Pure tone audiometry (threshold); air and bone	\$ 290.00
Pure tone audiometry (threshold); air only	\$ 198.00
Pyridoxal phosphate (Vitamin B-6)	\$ 153.00
Pyruvate	\$ 171.00
Pyruvate kinase	\$ 610.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 213.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 687.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 168.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 627.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 1,193.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 522.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 915.00
Quantitation of therapeutic drug, not elsewhere specified	\$ 1,047.00
Quantitative differential pulmonary perfusion and ventilation (eg, aerosol or gas), including imaging when performed	\$ 2,647.00
Quantitative differential pulmonary perfusion, including imaging when performed	\$ 1,725.00
Quantitative pupillometry with interpretation and report, unilateral or bilateral	\$ 293.00
Quinidine	\$ 190.00
Quinidine	\$ 62.00
Rabies vaccine, for intramuscular use	\$ 2,897.00
Radiation treatment delivery, >=1 MeV; complex	\$ 2,525.00
Radiation treatment delivery, >=1 MeV; complex	\$ 2,534.00
Radiation treatment delivery, >=1 MeV; complex	\$ 3,021.00
Radiation treatment delivery, >=1 MeV; intermediate	\$ 1,458.00
Radiation treatment delivery, >=1 MeV; simple	\$ 1,348.00
Radiation treatment delivery, >=1 MeV; simple	\$ 1,256.00
Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; linear accelerator based	\$ 18,240.00
Radical resection of tumor (eg, sarcoma), soft tissue of hand or finger; 3 cm or greater	\$ 1,507.00
Radiologic examination from nose to rectum for foreign body, single view, child	\$ 443.00
Radiologic examination, abdomen; 1 view	\$ 744.00
Radiologic examination, abdomen; 2 views	\$ 652.00
Radiologic examination, abdomen; 3 or more views	\$ 709.00
Radiologic examination, abdomen; complete acute abdomen series, including supine, erect, and/or decubitus views, single view chest	\$ 503.00
Radiologic examination, abscess, fistula or sinus tract study, radiological supervision and interpretation	\$ 1,196.00
Radiologic examination, ankle, arthrography, radiological supervision and interpretation	\$ 1,389.00
Radiologic examination, ankle; 2 views	\$ 690.00
Radiologic examination, ankle; complete, minimum of 3 views	\$ 760.00
Radiologic examination, chest; 2 views	\$ 595.00
Radiologic examination, chest; 3 views	\$ 846.00
Radiologic examination, chest; 4 or more views	\$ 846.00
Radiologic examination, chest; single view	\$ 436.00
Radiologic examination, colon; air contrast with specific high density barium, with or without glucagon	\$ 2,060.00
Radiologic examination, colon; contrast (eg, barium) enema, with or without KUB	\$ 1,716.00
Radiologic examination, elbow, arthrography, radiological supervision and interpretation	\$ 1,324.00
Radiologic examination, elbow; 2 views	\$ 629.00
Radiologic examination, elbow; complete, minimum of 3 views	\$ 747.00
Radiologic examination, eye, for detection of foreign body	\$ 965.00
Radiologic examination, eye, for detection of foreign body	\$ 739.00
Radiologic examination, facial bones; complete, minimum of 3 views	\$ 1,141.00
Radiologic examination, facial bones; less than 3 views	\$ 408.00
Radiologic examination, femur; 1 view	\$ 786.00
Radiologic examination, femur; minimum 2 views	\$ 786.00
Radiologic examination, finger(s), minimum of 2 views	\$ 502.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Radiologic examination, foot; 2 views	\$ 694.00
Radiologic examination, foot; complete, minimum of 3 views	\$ 751.00
Radiologic examination, gastrointestinal tract, upper; with or without delayed images, with KUB	\$ 996.00
Radiologic examination, gastrointestinal tract, upper; with or without delayed images, without KUB	\$ 1,665.00
Radiologic examination, gastrointestinal tract, upper; with small intestine, includes multiple serial images	\$ 3,119.00
Radiologic examination, hand; 2 views	\$ 704.00
Radiologic examination, hand; minimum of 3 views	\$ 752.00
Radiologic examination, hip, arthrography, radiological supervision and interpretation	\$ 1,594.00
Radiologic examination, hip, unilateral, with pelvis when performed; 1 view	\$ 690.00
Radiologic examination, hip, unilateral, with pelvis when performed; 2-3 views	\$ 690.00
Radiologic examination, hip, unilateral, with pelvis when performed; minimum of 4 views	\$ 690.00
Radiologic examination, hips, bilateral, with pelvis when performed; 2 views	\$ 989.00
Radiologic examination, hips, bilateral, with pelvis when performed; 3-4 views	\$ 989.00
Radiologic examination, hips, bilateral, with pelvis when performed; minimum of 5 views	\$ 989.00
Radiologic examination, internal auditory meati, complete	\$ 527.00
Radiologic examination, knee, arthrography, radiological supervision and interpretation	\$ 1,366.00
Radiologic examination, knee; 1 or 2 views	\$ 687.00
Radiologic examination, knee; 3 views	\$ 743.00
Radiologic examination, knee; both knees, standing, anteroposterior	\$ 628.00
Radiologic examination, knee; complete, 4 or more views	\$ 888.00
Radiologic examination, mandible; complete, minimum of 4 views	\$ 846.00
Radiologic examination, mandible; partial, less than 4 views	\$ 801.00
Radiologic examination, mandible; partial, less than 4 views	\$ 846.00
Radiologic examination, mastoids; complete, minimum of 3 views per side	\$ 527.00
Radiologic examination, mastoids; less than 3 views per side	\$ 433.00
Radiologic examination, nasal bones, complete, minimum of 3 views	\$ 765.00
Radiologic examination, osseous survey, infant	\$ 1,249.00
Radiologic examination, osseous survey; complete (axial and appendicular skeleton)	\$ 3,228.00
Radiologic examination, pelvis; 1 or 2 views	\$ 764.00
Radiologic examination, pelvis; complete, minimum of 3 views	\$ 901.00
Radiologic examination, renal cyst study, translumbar, contrast visualization, radiological supervision and interpretation	\$ 1,772.00
Radiologic examination, ribs, bilateral; 3 views	\$ 382.00
Radiologic examination, ribs, bilateral; including posteroanterior chest, minimum of 4 views	\$ 1,048.00
Radiologic examination, ribs, unilateral; 2 views	\$ 392.00
Radiologic examination, ribs, unilateral; including posteroanterior chest, minimum of 3 views	\$ 892.00
Radiologic examination, sacroiliac joints; 3 or more views	\$ 1,014.00
Radiologic examination, sacrum and coccyx, minimum of 2 views	\$ 872.00
Radiologic examination, salivary gland for calculus	\$ 556.00
Radiologic examination, sella turcica	\$ 193.00
Radiologic examination, shoulder, arthrography, radiological supervision and interpretation	\$ 1,807.00
Radiologic examination, shoulder; 1 view	\$ 636.00
Radiologic examination, shoulder; complete, minimum of 2 views	\$ 764.00
Radiologic examination, single plane body section (eg, tomography), other than with urography	\$ 780.00
Radiologic examination, sinuses, paranasal, complete, minimum of 3 views	\$ 928.00
Radiologic examination, sinuses, paranasal, less than 3 views	\$ 841.00
Radiologic examination, skull; complete, minimum of 4 views	\$ 1,015.00
Radiologic examination, skull; less than 4 views	\$ 905.00
Radiologic examination, small intestine, includes multiple serial images	\$ 1,584.00
Radiologic examination, spine, cervical; 2 or 3 views	\$ 911.00
Radiologic examination, spine, cervical; 4 or 5 views	\$ 1,580.00
Radiologic examination, spine, cervical; 6 or more views	\$ 820.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 2 or 3 views	\$ 1,103.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); 4 or 5 views	\$ 1,103.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); minimum of 6 views	\$ 1,103.00
Radiologic examination, spine, entire thoracic and lumbar, including skull, cervical and sacral spine if performed (eg, scoliosis evaluation); one view	\$ 1,103.00
Radiologic examination, spine, lumbosacral; 2 or 3 views	\$ 855.00
Radiologic examination, spine, lumbosacral; bending views only, 2 or 3 views	\$ 929.00
Radiologic examination, spine, lumbosacral; complete, including bending views, minimum of 6 views	\$ 2,326.00
Radiologic examination, spine, lumbosacral; minimum of 4 views	\$ 1,320.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Radiologic examination, spine, single view, specify level	\$ 424.00
Radiologic examination, spine; thoracic, 2 views	\$ 1,025.00
Radiologic examination, spine; thoracic, 3 views	\$ 1,104.00
Radiologic examination, spine; thoracic, minimum of 4 views	\$ 1,158.00
Radiologic examination, spine; thoracolumbar junction, minimum of 2 views	\$ 1,053.00
Radiologic examination, teeth; complete, full mouth	\$ 508.00
Radiologic examination, temporomandibular joint, open and closed mouth; bilateral	\$ 936.00
Radiologic examination, wrist, arthrography, radiological supervision and interpretation	\$ 1,059.00
Radiologic examination, wrist; 2 views	\$ 677.00
Radiologic examination, wrist; complete, minimum of 3 views	\$ 751.00
Radiologic examination; acromioclavicular joints, bilateral, with or without weighted distraction	\$ 603.00
Radiologic examination; calcaneus, minimum of 2 views	\$ 581.00
Radiologic examination; clavicle, complete	\$ 750.00
Radiologic examination; esophagus	\$ 1,302.00
Radiologic examination; forearm, 2 views	\$ 698.00
Radiologic examination; humerus, minimum of 2 views	\$ 761.00
Radiologic examination; lower extremity, infant, minimum of 2 views	\$ 315.00
Radiologic examination; neck, soft tissue	\$ 717.00
Radiologic examination; optic foramina	\$ 1,062.00
Radiologic examination; orbits, complete, minimum of 4 views	\$ 965.00
Radiologic examination; scapula, complete	\$ 597.00
Radiologic examination; sternoclavicular joint or joints, minimum of 3 views	\$ 907.00
Radiologic examination; sternum, minimum of 2 views	\$ 748.00
Radiologic examination; tibia and fibula, 2 views	\$ 735.00
Radiologic examination; toe(s), minimum of 2 views	\$ 556.00
Radiologic examination; upper extremity, infant, minimum of 2 views	\$ 470.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed images, with KUB	\$ 1,397.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed images, without KUB	\$ 2,018.00
Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with small intestine follow-through	\$ 2,911.00
Radiological examination, surgical specimen	\$ 642.00
Radiological guidance (ie, fluoroscopy, ultrasound, or computed tomography), for percutaneous drainage (eg, abscess, specimen collection), with placement of catheter, radiological supervision and interpretation	\$ 1,881.00
Radiopharmaceutical localization of inflammatory process; limited area	\$ 2,659.00
Radiopharmaceutical localization of inflammatory process; tomographic (SPECT)	\$ 1,407.00
Radiopharmaceutical localization of inflammatory process; whole body	\$ 4,156.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); limited area	\$ 3,003.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); tomographic (SPECT)	\$ 4,192.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); whole body, requiring 2 or more days imaging	\$ 7,379.00
Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); whole body, single day imaging	\$ 5,094.00
Radiopharmaceutical therapy, by intra-arterial particulate administration	\$ 3,254.00
Radiopharmaceutical therapy, by intravenous administration	\$ 9,553.00
Radiopharmaceutical therapy, by oral administration	\$ 2,931.00
Radiopharmaceutical therapy, radiolabeled monoclonal antibody by intravenous infusion	\$ 1,648.00
Radium ra-223 dichloride, therapeutic, per microcurie	\$ 951.62
Radium ra-223 dichloride, therapeutic, per microcurie	\$ 952.00
Range of motion measurements and report (separate procedure); each extremity (excluding hand) or each trunk section (spine)	\$ 99.00
Range of motion measurements and report (separate procedure); hand, with or without comparison with normal side	\$ 82.00
Receptor assay; non-endocrine (specify receptor)	\$ 779.00
Reconstruction of eyelid, full thickness by transfer of tarsoconjunctival flap from opposing eyelid; second stage	\$ 5,110.00
Reconstruction of eyelid, full thickness by transfer of tarsoconjunctival flap from opposing eyelid; up to two-thirds of eyelid, 1 stage or first stage	\$ 12,236.00
Reconstruction of polydactylous digit, soft tissue and bone	\$ 2,954.00
Reconstruction, computed tomographic angiography of aorta for surgical planning for vascular surgery	\$ 2,273.00
Recover room time: 000-030 Min	\$ 928.00
Recover room time: 000-030 Min	\$ 1,922.00
Recover room time: 0-2 Hrs	\$ 1,000.00
Recover room time: 031-045 Min	\$ 1,336.00
Recover room time: 031-060 Min	\$ 2,567.00
Recover room time: 031-060 Min	\$ 1,758.00
Recover room time: 046-060 Min	\$ 1,743.00
Recover room time: 0-60 Min	\$ 1,758.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Recover room time: 061-075 Min	\$ 2,150.00
Recover room time: 061-090 Min	\$ 2,780.00
Recover room time: 076-090 Min	\$ 2,557.00
Recover room time: 091-105 Min	\$ 2,966.00
Recover room time: 091-120 Min	\$ 3,315.00
Recover room time: 106-120 Min	\$ 3,370.00
Recover room time: 121-135 Min	\$ 3,779.00
Recover room time: 121-150 Min	\$ 4,277.00
Recover room time: 136-150 Min	\$ 4,184.00
Recover room time: 151 - 180 Min	\$ 4,892.00
Recover room time: 151-165 Min	\$ 4,592.00
Recover room time: 151-180 Min	\$ 4,892.00
Recover room time: 166-180 Min	\$ 5,000.00
Recover room time: 181 - 210 Min	\$ 5,241.00
Recover room time: 181-195 Min	\$ 5,241.00
Recover room time: 181-210 Min	\$ 5,241.00
Recover room time: 196-210 Min	\$ 5,567.00
Recover room time: 211 - 240 Min	\$ 6,104.00
Recover room time: 211-225 Min	\$ 6,104.00
Recover room time: 211-240 Min	\$ 6,104.00
Recover room time: 226-240 Min	\$ 6,192.00
Recover room time: 2-4 Hrs	\$ 1,714.00
Recover room time: 241- 270 Min	\$ 6,844.00
Recover room time: 241-255 Min	\$ 6,844.00
Recover room time: 241-270 Min	\$ 6,844.00
Recover room time: 256-270 Min	\$ 6,962.00
Recover room time: 271 - 300 Min	\$ 7,060.00
Recover room time: 271-285 Min	\$ 7,060.00
Recover room time: 271-300 Min	\$ 7,060.00
Recover room time: 286-300 Min	\$ 7,127.00
Recover room time: 301-315 Min	\$ 7,271.00
Recover room time: 301-330 Min	\$ 7,271.00
Recover room time: 316-330 Min	\$ 7,292.00
Recover room time: 331-345 Min	\$ 7,485.00
Recover room time: 331-360 Min	\$ 7,485.00
Recover room time: 346-360 Min	\$ 7,521.00
Recover room time: 361-390 Min	\$ 7,699.00
Recover room time: 391-420 Min	\$ 7,914.00
Recover room time: 421-450 Min	\$ 8,340.00
Recover room time: 451-480 Min	\$ 8,769.00
Recover room time: 4-6 Hrs	\$ 2,357.00
Recover room time: 481-540 Min	\$ 9,198.00
Recover room time: 541-600 Min	\$ 9,624.00
Recover room time: 601-660 Min	\$ 10,053.00
Recover room time: 61-90 Min	\$ 2,780.00
Recover room time: 661-720 Min	\$ 10,480.00
Recover room time: 6-8 Hrs	\$ 2,828.00
Recover room time: 91-120 Min	\$ 3,315.00
Red blood cells, each unit	\$ 1,939.00
Red blood cells, leukocytes reduced, each unit	\$ 2,068.00
Re-evaluation of athletic training established plan of care requiring these components: An assessment of patient's current functional status when there is a documented change; and A revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome with an update in management options, goals, and interventions. Typically, 20 minutes are spent face-to-face with the patient and/or family.	\$ 310.00
Re-evaluation of occupational therapy established plan of care, requiring these components: An assessment of changes in patient functional or medical status with revised plan of care; An update to the initial occupational profile to reflect changes in condition or environment that affect future interventions and/or goals; and A revised plan of care. A formal reevaluation is performed when there is a documented change in functional status or a significant change to the plan of care is required. Typically, 30 minutes are spent face-to-face with the patient and/or family.	\$ 244.00
Re-evaluation of physical therapy established plan of care, requiring these components: An examination including a review of history and use of standardized tests and measures is required; and Revised plan of care using a standardized patient assessment instrument and/or measurable assessment of functional outcome Typically, 20 minutes are spent face-to-face with the patient and/or family.	\$ 244.00
Refilling and maintenance of implantable pump or reservoir for drug delivery, spinal (intrathecal, epidural) or brain (intraventricular), includes electronic analysis of pump, when performed	\$ 918.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Refilling and maintenance of implantable pump or reservoir for drug delivery, spinal (intrathecal, epidural) or brain (intraventricular), includes electronic analysis of pump, when performed; requiring skill of a physician or other qualified health care professional	\$ 1,278.00
Refilling and maintenance of implantable pump or reservoir for drug delivery, systemic (eg, intravenous, intra-arterial)	\$ 907.00
Refilling and maintenance of portable pump	\$ 1,233.00
Relocation of skin pocket for implantable defibrillator	\$ 3,091.00
Relocation of skin pocket for pacemaker	\$ 3,982.00
Remote afterloading high dose rate radionuclide interstitial or intracavitary brachytherapy, includes basic dosimetry, when performed; 1 channel	\$ 13,578.00
Remote afterloading high dose rate radionuclide interstitial or intracavitary brachytherapy, includes basic dosimetry, when performed; 2-12 channels	\$ 14,959.00
Remote afterloading high dose rate radionuclide interstitial or intracavitary brachytherapy, includes basic dosimetry, when performed; over 12 channels	\$ 16,339.00
Remote imaging for detection of retinal disease (eg, retinopathy in a patient with diabetes) with analysis and report under physician supervision, unilateral or bilateral	\$ 780.00
Removal (via snare/capture) and replacement of internally dwelling ureteral stent via percutaneous approach, including radiological supervision and interpretation	\$ 2,036.00
Removal (via snare/capture) and replacement of internally dwelling ureteral stent via transurethral approach, without use of cystoscopy, including radiological supervision and interpretation	\$ 2,886.00
Removal (via snare/capture) of internally dwelling ureteral stent via percutaneous approach, including radiological supervision and interpretation	\$ 1,913.00
Removal (via snare/capture) of internally dwelling ureteral stent via transurethral approach, without use of cystoscopy, including radiological supervision and interpretation	\$ 2,886.00
Removal and replacement of externally accessible nephroureteral catheter (eg, external/internal stent) requiring fluoroscopic guidance, including radiological supervision and interpretation	\$ 3,065.00
Removal foreign body from external auditory canal; without general anesthesia	\$ 198.00
Removal foreign body, intranasal; office type procedure	\$ 859.00
Removal impacted cerumen requiring instrumentation, unilateral	\$ 1,069.00
Removal impacted cerumen using irrigation/lavage, unilateral	\$ 1,069.00
Removal of an implantable, patient-activated cardiac event recorder	\$ 1,829.00
Removal of anal seton, other marker	\$ 2,196.00
Removal of biliary drainage catheter, percutaneous, requiring fluoroscopic guidance (eg, with concurrent indwelling biliary stents), including diagnostic cholangiography when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation	\$ 1,746.00
Removal of calculi/debris from biliary duct(s) and/or gallbladder, percutaneous, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation (List separately in addition to code for primary procedure)	\$ 2,471.00
Removal of cerclage suture under anesthesia (other than local)	\$ 1,887.00
Removal of corneal epithelium; with application of chelating agent (eg, EDTA)	\$ 5,474.00
Removal of devitalized tissue from wound(s), non-selective debridement, without anesthesia (eg, wet-to-moist dressings, enzymatic, abrasion, larval therapy), including topical application(s), wound assessment, and instruction(s) for ongoing care, per session	\$ 414.00
Removal of embedded foreign body, eyelid	\$ 1,134.00
Removal of fecal impaction or foreign body (separate procedure) under anesthesia	\$ 2,126.00
Removal of foreign body in muscle or tendon sheath; deep or complicated	\$ 2,126.00
Removal of foreign body in muscle or tendon sheath; simple	\$ 898.00
Removal of foreign body, deep, thigh region or knee area	\$ 3,649.00
Removal of foreign body, external eye; conjunctival embedded (includes concretions), subconjunctival, or scleral nonperforating	\$ 1,048.00
Removal of foreign body, external eye; conjunctival superficial	\$ 593.00
Removal of foreign body, external eye; corneal, with slit lamp	\$ 1,274.00
Removal of foreign body, external eye; corneal, without slit lamp	\$ 400.00
Removal of foreign body, foot; subcutaneous	\$ 1,983.00
Removal of foreign body, pelvis or hip; subcutaneous tissue	\$ 3,518.00
Removal of foreign body, shoulder; subcutaneous	\$ 1,010.00
Removal of foreign body, upper arm or elbow area; subcutaneous	\$ 2,823.00
Removal of implant; deep (eg, buried wire, pin, screw, metal band, nail, rod or plate)	\$ 4,676.00
Removal of implant; superficial (eg, buried wire, pin or rod) (separate procedure)	\$ 3,490.00
Removal of implant; superficial (eg, buried wire, pin or rod) (separate procedure)	\$ 3,748.00
Removal of implantable defibrillator pulse generator only	\$ 3,127.00
Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; dual lead system	\$ 4,623.00
Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; multiple lead system	\$ 4,623.00
Removal of implantable defibrillator pulse generator with replacement of implantable defibrillator pulse generator; single lead system	\$ 4,623.00
Removal of indwelling tunneled pleural catheter with cuff	\$ 1,069.00
Removal of intra-aortic balloon assist device, percutaneous	\$ 1,293.00
Removal of intrauterine device (IUD)	\$ 1,037.00
Removal of nephrostomy tube, requiring fluoroscopic guidance (eg, with concurrent indwelling ureteral stent)	\$ 2,299.00
Removal of percutaneous ventricular assist device at separate and distinct session from insertion	\$ 7,719.00
Removal of peritoneal-venous shunt	\$ 1,961.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Removal of permanent pacemaker pulse generator only	\$ 1,741.00
Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; dual lead system	\$ 4,831.00
Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; multiple lead system	\$ 4,831.00
Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator; single lead system	\$ 5,774.00
Removal of single or dual chamber implantable defibrillator electrode(s); by transvenous extraction	\$ 4,178.00
Removal of skin tags, multiple fibrocutaneous tags, any area; each additional 10 lesions, or part thereof (List separately in addition to code for primary procedure)	\$ 233.00
Removal of skin tags, multiple fibrocutaneous tags, any area; up to and including 15 lesions	\$ 693.00
Removal of spinal neurostimulator electrode percutaneous array(s), including fluoroscopy, when performed	\$ 2,156.00
Removal of subcutaneous implantable defibrillator electrode	\$ 7,362.00
Removal of sutures under anesthesia (other than local), same surgeon	\$ 472.00
Removal of transvenous pacemaker electrode(s); dual lead system	\$ 4,178.00
Removal of transvenous pacemaker electrode(s); single lead system, atrial or ventricular	\$ 5,730.00
Removal of tunneled central venous access device, with subcutaneous port or pump, central or peripheral insertion	\$ 2,516.00
Removal of tunneled central venous catheter, without subcutaneous port or pump	\$ 1,355.00
Removal of tunneled intraperitoneal catheter	\$ 2,562.00
Removal or bivalving; full arm or full leg cast	\$ 311.00
Removal or bivalving; gauntlet, boot or body cast	\$ 184.00
Removal with reinsertion, non-biodegradable drug delivery implant	\$ 452.00
Removal, implantable contraceptive capsules	\$ 1,051.00
Removal, non-biodegradable drug delivery implant	\$ 404.00
Renal biopsy; percutaneous, by trocar or needle	\$ 4,763.00
Renal function panel This panel must include the following: Albumin (82040) Calcium, total (82310) Carbon dioxide (bicarbonate) (82374) Chloride (82435) Creatinine (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) Potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520)	\$ 332.00
Renin	\$ 143.00
Renin	\$ 166.00
Renin	\$ 130.00
Repair blood vessel, direct; upper extremity	\$ 2,993.00
Repair device, urinary, incontinence, with sling graft	\$ 6,122.00
Repair device, urinary, incontinence, with sling graft	\$ 14,080.00
Repair device, urinary, incontinence, with sling graft	\$ 12,666.00
Repair device, urinary, incontinence, with sling graft	\$ 7,313.00
Repair device, urinary, incontinence, with sling graft	\$ 11,541.00
Repair device, urinary, incontinence, with sling graft	\$ 10,222.00
Repair device, urinary, incontinence, with sling graft	\$ 15,773.00
Repair device, urinary, incontinence, with sling graft	\$ 8,507.00
Repair device, urinary, incontinence, with sling graft	\$ 6,497.00
Repair device, urinary, incontinence, with sling graft	\$ 14,493.00
Repair device, urinary, incontinence, with sling graft	\$ 33,352.00
Repair device, urinary, incontinence, with sling graft	\$ 17,895.00
Repair device, urinary, incontinence, with sling graft	\$ 11,987.00
Repair device, urinary, incontinence, with sling graft	\$ 9,305.00
Repair device, urinary, incontinence, with sling graft	\$ 5,747.00
Repair device, urinary, incontinence, without sling graft	\$ 12,666.00
Repair device, urinary, incontinence, without sling graft	\$ 6,821.00
Repair device, urinary, incontinence, without sling graft	\$ 7,664.00
Repair device, urinary, incontinence, without sling graft	\$ 810.00
Repair device, urinary, incontinence, without sling graft	\$ 3,439.00
Repair fistula; oromaxillary (combine with 31030 if antrotomy is included)	\$ 5,779.00
Repair incomplete circumcision	\$ 2,100.00
Repair lip, full thickness; vermilion only	\$ 1,698.00
Repair of 2 transvenous electrodes for permanent pacemaker or implantable defibrillator	\$ 3,091.00
Repair of blepharoptosis; (tarso) levator resection or advancement, external approach	\$ 5,496.00
Repair of blepharoptosis; (tarso) levator resection or advancement, internal approach	\$ 5,168.00
Repair of blepharoptosis; conjunctivo-tarso-Muller's muscle-levator resection (eg, Fasanella-Servat type)	\$ 5,183.00
Repair of brow ptosis (supraciliary, mid-forehead or coronal approach)	\$ 5,183.00
Repair of central venous access device, with subcutaneous port or pump, central or peripheral insertion site	\$ 2,599.00
Repair of ectropion; extensive (eg, tarsal strip operations)	\$ 5,183.00
Repair of ectropion; suture	\$ 5,478.00
Repair of entropion; extensive (eg, tarsal strip or capsulopalpebral fascia repairs operation)	\$ 5,183.00
Repair of entropion; suture	\$ 5,283.00
Repair of laceration 2.5 cm or less; floor of mouth and/or anterior two-thirds of tongue	\$ 2,885.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Repair of nail bed	\$ 338.00
Repair of orthotic device, repair or replace minor parts	\$ 802.00
Repair of retinal detachment; by injection of air or other gas (eg, pneumatic retinopexy)	\$ 1,685.00
Repair of single transvenous electrode, permanent pacemaker or implantable defibrillator	\$ 3,091.00
Repair of tunneled or non-tunneled central venous access catheter, without subcutaneous port or pump, central or peripheral insertion site	\$ 1,949.00
Repair or nonroutine service for durable medical equipment other than oxygen equipment requiring the skill of a technician, labor component, per 15 minutes	\$ 40.00
Repair, complex, eyelids, nose, ears and/or lips; 1.1 cm to 2.5 cm	\$ 1,995.00
Repair, complex, eyelids, nose, ears and/or lips; 2.6 cm to 7.5 cm	\$ 2,178.00
Repair, complex, eyelids, nose, ears and/or lips; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 2,178.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; 1.1 cm to 2.5 cm	\$ 2,494.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; 2.6 cm to 7.5 cm	\$ 3,074.00
Repair, complex, forehead, cheeks, chin, mouth, neck, axillae, genitalia, hands and/or feet; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 2,494.00
Repair, complex, scalp, arms, and/or legs; 1.1 cm to 2.5 cm	\$ 1,748.00
Repair, complex, scalp, arms, and/or legs; 2.6 cm to 7.5 cm	\$ 1,856.00
Repair, complex, scalp, arms, and/or legs; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 2,026.00
Repair, complex, trunk; 1.1 cm to 2.5 cm	\$ 1,709.00
Repair, complex, trunk; 2.6 cm to 7.5 cm	\$ 1,829.00
Repair, complex, trunk; each additional 5 cm or less (List separately in addition to code for primary procedure)	\$ 1,871.00
Repair, extensor tendon, finger, primary or secondary; without free graft, each tendon	\$ 4,459.00
Repair, extensor tendon, hand, primary or secondary; without free graft, each tendon	\$ 6,409.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 12.6 cm to 20.0 cm	\$ 3,083.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.5 cm or less	\$ 1,705.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.6 cm to 5.0 cm	\$ 1,746.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 20.1 cm to 30.0 cm	\$ 3,152.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 5.1 cm to 7.5 cm	\$ 2,076.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 7.6 cm to 12.5 cm	\$ 2,709.00
Repair, intermediate, wounds of face, ears, eyelids, nose, lips and/or mucous membranes; over 30.0 cm	\$ 4,515.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 12.6 cm to 20.0 cm	\$ 2,739.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 2.5 cm or less	\$ 1,705.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 2.6 cm to 7.5 cm	\$ 1,746.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 20.1 cm to 30.0 cm	\$ 3,008.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; 7.6 cm to 12.5 cm	\$ 1,914.00
Repair, intermediate, wounds of neck, hands, feet and/or external genitalia; over 30.0 cm	\$ 5,434.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 12.6 cm to 20.0 cm	\$ 1,472.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 2.5 cm or less	\$ 1,371.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 2.6 cm to 7.5 cm	\$ 1,438.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 20.1 cm to 30.0 cm	\$ 1,541.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); 7.6 cm to 12.5 cm	\$ 1,914.00
Repair, intermediate, wounds of scalp, axillae, trunk and/or extremities (excluding hands and feet); over 30.0 cm	\$ 1,609.00
Replace leather cuff kafo, proximal thigh	\$ 366.00
Replace leather cuff kafo-afo, calf or distal thigh	\$ 136.00
Replace metal bands kafo, proximal thigh	\$ 144.00
Replace metal bands kafo-afo, calf or distal thigh	\$ 144.00
Replace non-molded calf lacer, for custom fabricated orthosis only	\$ 395.00
Replace non-molded thigh lacer, for custom fabricated orthosis only	\$ 553.00
Replace pretibial shell	\$ 466.00
Replace proximal and distal upright for kafo	\$ 897.00
Replace soft interface material, foot drop splint	\$ 144.00
Replacement of duodenostomy or jejunostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 3,545.00
Replacement of gastro-jejunostomy tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 3,040.00
Replacement of gastrostomy or cecostomy (or other colonic) tube, percutaneous, under fluoroscopic guidance including contrast injection(s), image documentation and report	\$ 3,545.00
Replacement strap, any orthosis, includes all components, any length, any type	\$ 21.00
Replacement, catheter only, of central venous access device, with subcutaneous port or pump, central or peripheral insertion site	\$ 3,013.00
Replacement, complete, of a non-tunneled centrally inserted central venous catheter, without subcutaneous port or pump, through same venous access	\$ 3,513.00
Replacement, complete, of a peripherally inserted central venous access device, with subcutaneous port, through same venous access	\$ 3,513.00
Replacement, complete, of a peripherally inserted central venous catheter (PICC), without subcutaneous port or pump, through same venous access	\$ 3,513.00
Replacement, complete, of a tunneled centrally inserted central venous access device, with subcutaneous port, through same venous access	\$ 7,827.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Replacement, complete, of a tunneled centrally inserted central venous catheter, without subcutaneous port or pump, through same venous access	\$ 3,513.00
Replacement, soft interface material, static afo	\$ 144.00
Repositioning of a naso- or oro-gastric feeding tube, through the duodenum for enteric nutrition	\$ 2,510.00
Repositioning of intravascular vena cava filter, endovascular approach including vascular access, vessel selection, and radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance (ultrasound and fluoroscopy), when performed	\$ 11,876.00
Repositioning of percutaneous ventricular assist device with imaging guidance at separate and distinct session from insertion	\$ 7,248.00
Repositioning of previously implanted cardiac venous system (left ventricular) electrode (including removal, insertion and/or replacement of existing generator)	\$ 4,418.00
Repositioning of previously implanted subcutaneous implantable defibrillator electrode	\$ 11,045.00
Repositioning of previously implanted transvenous pacemaker or implantable defibrillator (right atrial or right ventricular) electrode	\$ 3,091.00
Repositioning of previously placed central venous catheter under fluoroscopic guidance	\$ 2,671.00
Reprogramming of programmable cerebrospinal shunt	\$ 746.00
Reptilase test	\$ 139.00
Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask (intermittent assist device with continuous positive airway pressure device)	\$ 4,668.00
Respiratory flow volume loop	\$ 554.00
Respiratory motion management simulation (List separately in addition to code for primary procedure)	\$ 400.00
Reticulated platelet assay	\$ 83.00
Retinal tamponade device, silicone oil	\$ 2,150.00
Retrieval (removal) of intravascular vena cava filter, endovascular approach including vascular access, vessel selection, and radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance (ultrasound and fluoroscopy), when performed	\$ 11,876.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 4,045.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 8,368.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,243.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,715.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 5,200.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,802.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 57,951.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,510.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,986.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 896.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,705.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 12,767.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 3,642.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 8,293.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 10,693.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 10,376.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 7,095.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 2,401.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 4,260.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 1,896.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 19,374.00
Retrieval device, insertable (used to retrieve fractured medical devices)	\$ 4,863.00
Retrobulbar injection; medication (separate procedure, does not include supply of medication)	\$ 438.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with atherectomy, includes angioplasty within the same vessel, when performed	\$ 27,288.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal angioplasty	\$ 7,993.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed	\$ 40,293.00
Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	\$ 23,076.00
Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal angioplasty (List separately in addition to code for primary procedure)	\$ 9,088.00
Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	\$ 17,151.00
Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal angioplasty	\$ 7,993.00
Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	\$ 20,996.00
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with atherectomy, includes angioplasty within the same vessel, when performed	\$ 27,288.00
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal angioplasty	\$ 7,993.00
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed	\$ 42,776.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed	\$ 23,076.00
Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with atherectomy, includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	\$ 28,789.00
Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal angioplasty (List separately in addition to code for primary procedure)	\$ 9,088.00
Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	\$ 42,776.00
Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure)	\$ 23,076.00
Revision including replacement, when performed, of spinal neurostimulator electrode percutaneous array(s), including fluoroscopy, when performed	\$ 1,069.00
Revision of ileostomy; simple (release of superficial scar) (separate procedure)	\$ 1,111.00
Revision of peritoneal-venous shunt	\$ 1,961.00
Revision of transvenous intrahepatic portosystemic shunt(s) (TIPS) (includes venous access, hepatic and portal vein catheterization, portography with hemodynamic evaluation, intrahepatic tract recanalization/dilatation, stent placement and all associated imaging guidance and documentation)	\$ 8,473.00
Revision or removal of peripheral neurostimulator electrode array	\$ 2,063.00
Revision or removal of peripheral neurostimulator electrode array	\$ 1,937.00
Revision or removal of peripheral or gastric neurostimulator pulse generator or receiver	\$ 4,122.00
Revision or removal of peripheral or gastric neurostimulator pulse generator or receiver	\$ 3,870.00
Revision or repair of operative wound of anterior segment, any type, early or late, major or minor procedure	\$ 3,807.00
Rheumatoid factor; quantitative	\$ 104.00
Riboflavin (Vitamin B-2)	\$ 212.00
Right heart catheterization including measurement(s) of oxygen saturation and cardiac output, when performed	\$ 9,421.00
Right heart catheterization with implantation of wireless pressure sensor in the pulmonary artery, including any type of measurement, angiography, imaging supervision, interpretation, and report	\$ 17,026.00
Robotic Procedure	\$ 7,300.00
Robotic Procedure	\$ 6,854.00
Room & Care/Bed: Center 3 Intensive Care	\$ 10,497.00
Room & Care/Bed: Center 3 Intermed Special Care	\$ 5,405.00
Room & Care/Bed: Center 3 Isolation	\$ 2,244.00
Room & Care/Bed: Center 3 Medically Justified	\$ 5,311.00
Room & Care/Bed: Center 3 Private	\$ 5,339.00
Room & Care/Bed: Center 3 Semiprivate	\$ 1,842.00
Room & Care/Bed: Center 3 Telemetry	\$ 2,473.00
Room & Care/Bed: CSDU Isolation	\$ 6,865.00
Room & Care/Bed: CSDU Semiprivate	\$ 2,496.00
Room & Care/Bed: CSDU Telemetry	\$ 5,405.00
Room & Care/BED: ED Special Care	\$ 5,405.00
Room & Care/BED: ED-Cardiac Intensive Care	\$ 10,730.00
Room & Care/BED: ED-Intensive Care	\$ 10,730.00
Room & Care/Bed: ED-Intermed Special Care	\$ 5,405.00
Room & Care/BED: ED-Isolation	\$ 2,244.00
Room & Care/BED: ED-Medically Justified	\$ 2,244.00
Room & Care/BED: ED-Private	\$ 2,008.00
Room & Care/BED: ED-Semiprivate	\$ 1,842.00
Room & Care/Bed: ED-Telemetry	\$ 5,405.00
Room & Care/Bed: EP/Heart G27857:G27889etry	\$ 5,405.00
Room & Care/Bed: EP/Heart Hosp-Cardiac Intensive Care	\$ 10,730.00
Room & Care/Bed: EP/Heart Hosp-Intermed Special Care	\$ 5,405.00
Room & Care/Bed: EP/Heart Hosp-Isolation	\$ 6,865.00
Room & Care/Bed: EP/Heart Hosp-Private	\$ 5,339.00
Room & Care/Bed: EP/Heart Hosp-Semiprivate	\$ 2,496.00
Room & Care/Bed: Janet Weis/Peds-Isolation	\$ 2,152.00
Room & Care/Bed: Janet Weis/Peds-Neonatal Special Care	\$ 1,471.00
Room & Care/Bed: Janet Weis/Peds-Nursery	\$ 1,145.00
Room & Care/Bed: Janet Weis/Peds-Private	\$ 2,008.00
Room & Care/Bed: Janet Weis/Peds-Semiprivate	\$ 1,918.00
Room & Care/Bed: M&B/Ms4E Isolation	\$ 2,195.00
Room & Care/Bed: M&B/Ms4E Medically Justified	\$ 2,008.00
Room & Care/Bed: M&B/Ms4E Private	\$ 2,252.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Room & Care/Bed: M&B/Ms4E Semiprivate	\$ 2,006.00
Room & Care/Bed: Micu Cardiac Intensive Care	\$ 10,996.00
Room & Care/Bed: Micu Intensive Care	\$ 10,730.00
Room & Care/Bed: Micu Intermed Special Care	\$ 5,763.00
Room & Care/Bed: Micu Isolation	\$ 11,251.00
Room & Care/Bed: Micu Medically Justified	\$ 4,752.00
Room & Care/Bed: Micu Semiprivate	\$ 2,765.00
Room & Care/Bed: MICU-Telemetry	\$ 5,763.00
Room & Care/Bed: MS3-Isolation	\$ 2,244.00
Room & Care/Bed: MS3-Medically Justified	\$ 2,244.00
Room & Care/Bed: MS3-Neonatal Intensive Care	\$ 1,724.00
Room & Care/Bed: MS3-Private	\$ 2,008.00
Room & Care/Bed: MS3-Semiprivate	\$ 1,842.00
Room & Care/Bed: MS4W-Isolation	\$ 2,244.00
Room & Care/Bed: MS4W-Medically Justified	\$ 2,244.00
Room & Care/Bed: MS4W-Private	\$ 2,008.00
Room & Care/Bed: MS4W-Semiprivate	\$ 1,842.00
Room & Care/Bed: MS4W-Telemetry	\$ 2,473.00
Room & Care/Bed: MS5E-Isolation	\$ 2,244.00
Room & Care/Bed: MS5E-Medically Justified	\$ 2,244.00
Room & Care/Bed: MS5E-Private	\$ 2,008.00
Room & Care/Bed: MS5E-Semiprivate	\$ 1,842.00
Room & Care/Bed: MS5E-Telemetry	\$ 2,473.00
Room & Care/Bed: MS5W-Isolation	\$ 2,244.00
Room & Care/Bed: MS5W-Medically Justified	\$ 2,244.00
Room & Care/Bed: MS5W-Private	\$ 2,008.00
Room & Care/Bed: MS5W-Semiprivate	\$ 1,842.00
Room & Care/Bed: MS5W-Telemetry	\$ 2,473.00
Room & Care/Bed: MS6E-Isolation	\$ 2,244.00
Room & Care/Bed: MS6E-Medically Justified	\$ 2,244.00
Room & Care/Bed: MS6E-Private	\$ 2,008.00
Room & Care/Bed: MS6E-Semiprivate	\$ 1,842.00
Room & Care/Bed: MS6E-Telemetry	\$ 2,473.00
Room & Care/Bed: MS6S-Isolation	\$ 2,244.00
Room & Care/Bed: MS6S-Medically Justified	\$ 2,244.00
Room & Care/Bed: MS6S-Private	\$ 2,008.00
Room & Care/Bed: MS6S-Semiprivate	\$ 1,842.00
Room & Care/Bed: MS6S-Telemetry	\$ 2,473.00
Room & Care/Bed: MS6W-Isolation	\$ 2,244.00
Room & Care/Bed: MS6W-Medically Justified	\$ 2,244.00
Room & Care/Bed: MS6W-Private	\$ 2,008.00
Room & Care/Bed: MS6W-Semiprivate	\$ 1,842.00
Room & Care/Bed: MS6W-Telemetry	\$ 2,473.00
Room & Care/Bed: NICU-Isolation	\$ 14,403.00
Room & Care/Bed: NICU-Neonatal Special Care	\$ 7,219.00
Room & Care/Bed: NICU-Nursery	\$ 2,349.00
Room & Care/Bed: Nursery	\$ 1,196.00
Room & Care/Bed: Nursery-Isolation	\$ 1,497.00
Room & Care/Bed: Nursery-Neonatal Special Care	\$ 2,349.00
Room & Care/Bed: OB/L&D/3-Isolation	\$ 2,509.00
Room & Care/Bed: OB/L&D/3-Medically Justified	\$ 2,008.00
Room & Care/Bed: OB/L&D/3-Private	\$ 2,252.00
Room & Care/Bed: OB/L&D/3-Semiprivate	\$ 2,006.00
Room & Care/Bed: OBSU/E2-Isolation	\$ 2,244.00
Room & Care/Bed: OBSU/E2-Medically Justified	\$ 2,008.00
Room & Care/Bed: OBSU/E2-Private	\$ 2,008.00
Room & Care/Bed: OBSU/E2-Telemetry	\$ 2,473.00
Room & Care/Bed: PCU/5-Intensive Care	\$ 10,497.00
Room & Care/Bed: PCU/5-Intermed Special Care	\$ 5,405.00
Room & Care/Bed: PCU/5-Isolation	\$ 6,688.00
Room & Care/Bed: PCU/5-Medically Justified	\$ 5,311.00
Room & Care/Bed: PCU/5-Private	\$ 5,339.00
Room & Care/Bed: PCU/5-Semiprivate	\$ 2,496.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Room & Care/Bed: PCU-Telemetry	\$ 5,405.00
Room & Care/Bed: Rehab Private	\$ 2,008.00
Room & Care/Bed: Rehab Semiprivate	\$ 1,842.00
Room & Care/Bed: Rehb Isolation	\$ 2,195.00
Room & Care/Bed: Rehb Private	\$ 1,724.00
Room & Care/Bed: Rehb Semiprivate	\$ 1,691.00
Room & Care/Bed: Surgical Short Stay IP-Isolation	\$ 2,244.00
Room & Care/Bed: Surgical Short Stay IP-Private	\$ 2,008.00
Room & Care/Bed: Surgical Short Stay IP-Telemetry	\$ 2,473.00
RT Education	\$ 97.00
Russell viper venom time (includes venom); diluted	\$ 220.00
Sacral nerve stimulation test lead, each	\$ 922.00
Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf	\$ 300.00
Sacroiliac orthosis, flexible, provides pelvic-sacral support, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf	\$ 592.00
Sacroiliac orthosis, provides pelvic-sacral support, with rigid or semi-rigid panels over the sacrum and abdomen, reduces motion about the sacroiliac joint, includes straps, closures, may include pendulous abdomen design, prefabricated, off-the-shelf	\$ 2,075.00
Saline infusion sonohysterography (SIS), including color flow Doppler, when performed	\$ 1,223.00
Salivary gland imaging	\$ 1,497.00
Samarium SM-153 leixidronam, therapeutic, per treatment dose, up to 150 millicuries	\$ 64,292.00
Samarium SM-153 leixidronam, therapeutic, per treatment dose, up to 150 millicuries	\$ 64,292.41
Scanning computerized ophthalmic diagnostic imaging, anterior segment, with interpretation and report, unilateral or bilateral	\$ 805.00
Scanning computerized ophthalmic diagnostic imaging, posterior segment, with interpretation and report, unilateral or bilateral; optic nerve	\$ 503.00
Scanning computerized ophthalmic diagnostic imaging, posterior segment, with interpretation and report, unilateral or bilateral; retina	\$ 503.00
Sclerotherapy of a fluid collection (eg, lymphocele, cyst, or seroma), percutaneous, including contrast injection(s), sclerosant injection(s), diagnostic study, imaging guidance (eg, ultrasound, fluoroscopy) and radiological supervision and interpretation when performed	\$ 1,463.00
Scraping of cornea, diagnostic, for smear and/or culture	\$ 962.00
Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening	\$ 154.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 192.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision	\$ 277.00
Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by automated system and manual rescreening under physician supervision	\$ 316.00
Screening digital breast tomosynthesis, bilateral (List separately in addition to code for primary procedure)	\$ 133.00
Screening mammography, bilateral (2-view study of each breast), including computer-aided detection (CAD) when performed	\$ 786.00
Screening papanicolaou smear, cervical or vaginal, up to three smears, by technician under physician supervision	\$ 127.00
Screening papanicolaou smear; obtaining, preparing and conveyance of cervical or vaginal smear to laboratory	\$ 135.00
Screening test of visual acuity, quantitative, bilateral	\$ 121.00
Screening test, pure tone, air only	\$ 255.00
Sealant, pulmonary, liquid	\$ 6,697.00
Secondary closure of surgical wound or dehiscence, extensive or complicated	\$ 4,783.00
Secondary percutaneous transluminal thrombectomy (eg, nonprimary mechanical, snare basket, suction technique), noncoronary, non-intracranial, arterial or arterial bypass graft, including fluoroscopic guidance and intraprocedural pharmacological thrombolytic injections, provided in conjunction with another percutaneous intervention other than primary mechanical thrombectomy (List separately in addition to code for primary procedure)	\$ 8,670.00
Sedimentation rate, erythrocyte; automated	\$ 116.00
Sedimentation rate, erythrocyte; non-automated	\$ 116.00
see CONTRAST tab	\$ 23.82
see CONTRAST tab	\$ 24.00
see CONTRAST tab	\$ 25.00
Select picture audiometry	\$ 387.00
Selective catheter placement (first-order), main renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture and catheter placement(s), fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision and interpretation, including pressure gradient measurements when performed, and flush aortogram when performed; bilateral	\$ 16,132.00
Selective catheter placement (first-order), main renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture and catheter placement(s), fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision and interpretation, including pressure gradient measurements when performed, and flush aortogram when performed; unilateral	\$ 9,591.00
Selective catheter placement, arterial system; additional second order, third order, and beyond, abdominal, pelvic, or lower extremity artery branch, within a vascular family (List in addition to code for initial second or third order vessel as appropriate)	\$ 2,358.00
Selective catheter placement, arterial system; additional second order, third order, and beyond, thoracic or brachiocephalic branch, within a vascular family (List in addition to code for initial second or third order vessel as appropriate)	\$ 2,358.00
Selective catheter placement, arterial system; each first order abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 2,431.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Selective catheter placement, arterial system; each first order thoracic or brachiocephalic branch, within a vascular family	\$ 2,358.00
Selective catheter placement, arterial system; initial second order abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 2,358.00
Selective catheter placement, arterial system; initial second order thoracic or brachiocephalic branch, within a vascular family	\$ 2,431.00
Selective catheter placement, arterial system; initial third order or more selective abdominal, pelvic, or lower extremity artery branch, within a vascular family	\$ 2,358.00
Selective catheter placement, arterial system; initial third order or more selective thoracic or brachiocephalic branch, within a vascular family	\$ 2,358.00
Selective catheter placement, common carotid or innominate artery, unilateral, any approach, with angiography of the ipsilateral extracranial carotid circulation and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed	\$ 4,241.00
Selective catheter placement, common carotid or innominate artery, unilateral, any approach, with angiography of the ipsilateral extracranial carotid circulation and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed	\$ 8,109.00
Selective catheter placement, common carotid or innominate artery, unilateral, any approach, with angiography of the ipsilateral intracranial carotid circulation and all associated radiological supervision and interpretation, includes angiography of the extracranial carotid and cervicocerebral arch, when performed	\$ 4,241.00
Selective catheter placement, common carotid or innominate artery, unilateral, any approach, with angiography of the ipsilateral intracranial carotid circulation and all associated radiological supervision and interpretation, includes angiography of the extracranial carotid and cervicocerebral arch, when performed	\$ 10,218.00
Selective catheter placement, each intracranial branch of the internal carotid or vertebral arteries, unilateral, with angiography of the selected vessel circulation and all associated radiological supervision and interpretation (eg, middle cerebral artery, posterior inferior cerebellar artery) (List separately in addition to code for primary procedure)	\$ 2,717.00
Selective catheter placement, external carotid artery, unilateral, with angiography of the ipsilateral external carotid circulation and all associated radiological supervision and interpretation (List separately in addition to code for primary procedure)	\$ 8,471.00
Selective catheter placement, internal carotid artery, unilateral, with angiography of the ipsilateral intracranial carotid circulation and all associated radiological supervision and interpretation, includes angiography of the extracranial carotid and cervicocerebral arch, when performed	\$ 4,241.00
Selective catheter placement, internal carotid artery, unilateral, with angiography of the ipsilateral intracranial carotid circulation and all associated radiological supervision and interpretation, includes angiography of the extracranial carotid and cervicocerebral arch, when performed	\$ 10,142.00
Selective catheter placement, left or right pulmonary artery	\$ 2,754.00
Selective catheter placement, segmental or subsegmental pulmonary artery	\$ 2,754.00
Selective catheter placement, subclavian or innominate artery, unilateral, with angiography of the ipsilateral vertebral circulation and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed	\$ 7,564.00
Selective catheter placement, subclavian or innominate artery, unilateral, with angiography of the ipsilateral vertebral circulation and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed	\$ 9,497.00
Selective catheter placement, venous system; first order branch (eg, renal vein, jugular vein)	\$ 2,754.00
Selective catheter placement, venous system; second order, or more selective, branch (eg, left adrenal vein, petrosal sinus)	\$ 2,754.00
Selective catheter placement, vertebral artery, unilateral, with angiography of the ipsilateral vertebral circulation and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed	\$ 4,567.00
Selective catheter placement, vertebral artery, unilateral, with angiography of the ipsilateral vertebral circulation and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed	\$ 9,422.00
Selenium	\$ 381.00
Self care functional limitation, current status, at therapy episode outset and at reporting intervals	\$ 1.00
Self care functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Self care functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Self-care/home management training (eg, activities of daily living (ADL) and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices/adaptive equipment) direct one-on-one contact, each 15 minutes	\$ 80.00
Semen analysis; motility and count (not including Huhner test)	\$ 938.00
Semen analysis; sperm presence and motility of sperm, if performed	\$ 195.00
Sensory integrative techniques to enhance sensory processing and promote adaptive responses to environmental demands, direct (one-on-one) patient contact, each 15 minutes	\$ 127.00
Septal defect implant system, intracardiac	\$ 50,132.00
Septal defect implant system, intracardiac	\$ 37,756.00
Septal defect implant system, intracardiac	\$ 33,742.00
Septal defect implant system, intracardiac	\$ 49,858.00
Septal defect implant system, intracardiac	\$ 44,291.00
Septal defect implant system, intracardiac	\$ 44,730.00
Serotonin	\$ 617.00
SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)	\$ 2,039.00
SERPINA1 (serpin peptidase inhibitor, clade A, alpha-1 antiproteinase, antitrypsin, member 1) (eg, alpha-1-antitrypsin deficiency), gene analysis, common variants (eg, *S and *Z)	\$ 3,029.00
Serum screening for cytotoxic percent reactive antibody (PRA); standard method	\$ 1,469.00
Severing of tarsorrhaphy	\$ 1,190.00
Sex hormone binding globulin (SHBG)	\$ 102.00
Sex hormone binding globulin (SHBG)	\$ 251.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 0.5 cm or less	\$ 1,184.00
Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 0.6 to 1.0 cm	\$ 1,226.00
Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, lips, mucous membrane; lesion diameter 1.1 to 2.0 cm	\$ 1,250.00
Shaving of epidermal or dermal lesion, single lesion, face, ears, eyelids, nose, lips, mucous membrane; lesion diameter over 2.0 cm	\$ 1,336.00
Shaving of epidermal or dermal lesion, single lesion, scalp, neck, hands, feet, genitalia; lesion diameter 0.5 cm or less	\$ 1,088.00
Shaving of epidermal or dermal lesion, single lesion, scalp, neck, hands, feet, genitalia; lesion diameter 0.6 to 1.0 cm	\$ 1,184.00
Shaving of epidermal or dermal lesion, single lesion, scalp, neck, hands, feet, genitalia; lesion diameter 1.1 to 2.0 cm	\$ 1,226.00
Shaving of epidermal or dermal lesion, single lesion, scalp, neck, hands, feet, genitalia; lesion diameter over 2.0 cm	\$ 1,267.00
Shaving of epidermal or dermal lesion, single lesion, trunk, arms or legs; lesion diameter 0.5 cm or less	\$ 669.00
Shaving of epidermal or dermal lesion, single lesion, trunk, arms or legs; lesion diameter 0.6 to 1.0 cm	\$ 728.00
Shaving of epidermal or dermal lesion, single lesion, trunk, arms or legs; lesion diameter 1.1 to 2.0 cm	\$ 744.00
Shaving of epidermal or dermal lesion, single lesion, trunk, arms or legs; lesion diameter over 2.0 cm	\$ 848.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in lower limbs	\$ 1,088.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper and lower limbs	\$ 2,530.00
Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper limbs	\$ 1,088.00
Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuckles, may include soft interface, straps, custom fabricated, includes fitting and adjustment	\$ 6,095.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 45.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 341.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 181.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 377.00
Shoulder orthosis, acromio/clavicular (canvas and webbing type), prefabricated, off-the-shelf	\$ 831.00
Shoulder orthosis, figure of eight design abduction restrainer, canvas and webbing, prefabricated, off-the-shelf	\$ 136.00
Shoulder orthosis, figure of eight design abduction restrainer, prefabricated, off-the-shelf	\$ 286.00
Shoulder orthosis, figure of eight design abduction restrainer, prefabricated, off-the-shelf	\$ 481.00
Shoulder orthosis, figure of eight design abduction restrainer, prefabricated, off-the-shelf	\$ 103.00
Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	\$ 2,048.00
Shoulder orthosis, shoulder joint design, without joints, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 718.00
Shoulder orthosis, vest type abduction restrainer, canvas webbing type or equal, prefabricated, off-the-shelf	\$ 1,865.00
Shower cover for use with electric or electric/pneumatic ventricular assist device, replacement only	\$ 1,889.00
Shuntogram for investigation of previously placed indwelling nonvascular shunt (eg, LeVein shunt, ventriculoperitoneal shunt, indwelling infusion pump), radiological supervision and interpretation	\$ 1,423.00
Sialography, radiological supervision and interpretation	\$ 519.00
Sialolithotomy; submandibular (submaxillary), complicated, intraoral	\$ 2,012.00
Sialolithotomy; submandibular (submaxillary), sublingual or parotid, uncomplicated, intraoral	\$ 2,409.00
Sickling of RBC, reduction	\$ 26.00
Sickling of RBC, reduction	\$ 60.00
Sigmoidoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 1,599.00
Sigmoidoscopy, flexible; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire passage, when performed)	\$ 3,350.00
Sigmoidoscopy, flexible; with band ligation(s) (eg, hemorrhoids)	\$ 1,955.00
Sigmoidoscopy, flexible; with biopsy, single or multiple	\$ 2,326.00
Sigmoidoscopy, flexible; with control of bleeding, any method	\$ 6,435.00
Sigmoidoscopy, flexible; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed	\$ 3,350.00
Sigmoidoscopy, flexible; with directed submucosal injection(s), any substance	\$ 1,955.00
Sigmoidoscopy, flexible; with endoscopic mucosal resection	\$ 2,326.00
Sigmoidoscopy, flexible; with endoscopic ultrasound examination	\$ 6,242.00
Sigmoidoscopy, flexible; with placement of endoscopic stent (includes pre- and post-dilation and guide wire passage, when performed)	\$ 1,733.00
Sigmoidoscopy, flexible; with removal of foreign body(s)	\$ 1,621.00
Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps	\$ 3,350.00
Sigmoidoscopy, flexible; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 3,478.00
Sigmoidoscopy, flexible; with transendoscopic balloon dilation	\$ 1,955.00
Sigmoidoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s)	\$ 2,535.00
Signal-averaged electrocardiography (SAECG), with or without ECG	\$ 3,723.00
Simple cystometrogram (CMG) (eg, spinal manometer)	\$ 856.00
Simple cystometrogram (CMG) (eg, spinal manometer)	\$ 804.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 12.6 cm to 20.0 cm	\$ 1,536.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.5 cm or less	\$ 1,371.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 2.6 cm to 5.0 cm	\$ 1,438.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 20.1 cm to 30.0 cm	\$ 1,547.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 5.1 cm to 7.5 cm	\$ 1,472.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; 7.6 cm to 12.5 cm	\$ 1,507.00
Simple repair of superficial wounds of face, ears, eyelids, nose, lips and/or mucous membranes; over 30.0 cm	\$ 1,568.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 12.6 cm to 20.0 cm	\$ 1,233.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 2.5 cm or less	\$ 960.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 2.6 cm to 7.5 cm	\$ 1,096.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 20.1 cm to 30.0 cm	\$ 1,267.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); 7.6 cm to 12.5 cm	\$ 1,165.00
Simple repair of superficial wounds of scalp, neck, axillae, external genitalia, trunk and/or extremities (including hands and feet); over 30.0 cm	\$ 1,302.00
Simple uroflowmetry (UFR) (eg, stop-watch flow rate, mechanical uroflowmeter)	\$ 496.00
Simple uroflowmetry (UFR) (eg, stop-watch flow rate, mechanical uroflowmeter)	\$ 466.00
Single or multiple injections of sclerosing solutions, spider veins (telangiectasia), limb or trunk	\$ 2,259.00
Sirolimus	\$ 732.00
Skin substitute, not otherwise specified	\$ 29,770.00
Skin substitute, not otherwise specified	\$ 12,780.00
Skin test; tuberculosis, intradermal	\$ 86.00
Skin test; tuberculosis, intradermal	\$ 48.00
Sleep study, simultaneous recording of ventilation, respiratory effort, ECG or heart rate, and oxygen saturation, attended by a technologist	\$ 6,318.00
Sleep study, unattended, simultaneous recording of, heart rate, oxygen saturation, respiratory airflow, and respiratory effort (eg, thoracoabdominal movement)	\$ 704.00
Sleep study, unattended, simultaneous recording; heart rate, oxygen saturation, respiratory analysis (eg, by airflow or peripheral arterial tone), and sleep time	\$ 1,235.00
Sleep study, unattended, simultaneous recording; minimum of heart rate, oxygen saturation, and respiratory analysis (eg, by airflow or peripheral arterial tone)	\$ 1,235.00
Slings	\$ 831.00
Slitting of prepuce, dorsal or lateral (separate procedure); except newborn	\$ 4,666.00
Slitting of prepuce, dorsal or lateral (separate procedure); except newborn	\$ 4,381.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, including ileum; diagnostic, with or without collection of specimen(s) by brushing or washing (separate procedure)	\$ 2,461.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, including ileum; with biopsy, single or multiple	\$ 2,557.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, including ileum; with control of bleeding (eg, injection, bipolar cautery, unipolar cautery, laser, heater probe, stapler, plasma coagulator)	\$ 1,804.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)	\$ 3,139.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal by hot biopsy forceps, bipolar cautery or snare technique	\$ 8,073.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with biopsy, single or multiple	\$ 3,139.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with control of bleeding (eg, injection, bipolar cautery, unipolar cautery, laser, heater probe, stapler, plasma coagulator)	\$ 3,915.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with conversion of percutaneous gastrostomy tube to percutaneous jejunostomy tube	\$ 4,363.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with placement of percutaneous jejunostomy tube	\$ 4,181.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps or bipolar cautery	\$ 1,646.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique	\$ 1,646.00
Small intestinal endoscopy, enteroscopy beyond second portion of duodenum, not including ileum; with transendoscopic stent placement (includes predilation)	\$ 3,139.00
Smear, primary source with interpretation; fluorescent and/or acid fast stain for bacteria, fungi, parasites, viruses or cell types	\$ 166.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 124.00
Smear, primary source with interpretation; Gram or Giemsa stain for bacteria, fungi, or cell types	\$ 48.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 97.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 238.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 431.00
Smear, primary source with interpretation; special stain for inclusion bodies or parasites (eg, malaria, coccidia, microsporidia, trypanosomes, herpes viruses)	\$ 260.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Smear, primary source with interpretation; wet mount for infectious agents (eg, saline, India ink, KOH preps)	\$ 83.00
Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes	\$ 273.00
Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes	\$ 161.00
SMPD1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, Niemann-Pick disease, Type A) gene analysis, common variants (eg, R496L, L302P, fsP330)	\$ 3,025.00
Sms Surgical Monitoring Serv	\$ 10,945.00
Snip incision of lacrimal punctum	\$ 460.00
SNRPN/UBE3A (small nuclear ribonucleoprotein polypeptide N and ubiquitin protein ligase E3A) (eg, Prader-Willi syndrome and/or Angelman syndrome), methylation analysis	\$ 1,565.00
Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries	\$ 1,171.66
Sodium fluoride F-18, diagnostic, per study dose, up to 30 millicuries	\$ 1,172.00
Sodium; other source	\$ 52.00
Sodium; serum, plasma or whole blood	\$ 32.00
Sodium; urine	\$ 52.00
Sodium; urine	\$ 78.00
Sodium; urine	\$ 44.00
Sodium; urine	\$ 42.00
Sole wedge, outside sole	\$ 322.00
Somatomedin	\$ 316.00
Somatomedin	\$ 125.00
Somatomedin	\$ 110.00
Spacer, bag or reservoir, with or without mask, for use with metered dose inhaler	\$ 334.00
Spacer, bag or reservoir, with or without mask, for use with metered dose inhaler	\$ 216.00
Spacer, bag or reservoir, with or without mask, for use with metered dose inhaler	\$ 193.00
Special dosimetry (eg, TLD, microdosimetry) (specify), only when prescribed by the treating physician	\$ 2,939.00
Special medical radiation physics consultation	\$ 2,030.00
Special stain including interpretation and report; Group I for microorganisms (eg, acid fast, methenamine silver)	\$ 323.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 94.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 169.00
Special stain including interpretation and report; Group II, all other (eg, iron, trichrome), except stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry	\$ 523.00
Special stain including interpretation and report; Group III, for enzyme constituents	\$ 322.00
Special stain including interpretation and report; histochemical stain on frozen tissue block (List separately in addition to code for primary procedure)	\$ 138.00
Special teletherapy port plan, particles, hemibody, total body	\$ 3,128.00
Special treatment procedure (eg, total body irradiation, hemibody radiation, per oral or endocavitary irradiation)	\$ 4,829.00
Specialty absorptive dressing, wound cover, sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	\$ 39.00
Specialty absorptive dressing, wound cover, sterile, pad size more than 16 sq. in. but less than or equal to 48 sq. in., without adhesive border, each dressing	\$ 39.00
Specific gravity (except urine)	\$ 60.00
Spectrophotometry, analyte not elsewhere specified	\$ 25.00
Spectrophotometry, analyte not elsewhere specified	\$ 206.00
Spectrophotometry, analyte not elsewhere specified	\$ 718.00
Spectrophotometry, analyte not elsewhere specified	\$ 146.00
Speech audiometry threshold	\$ 335.00
Speech audiometry threshold; with speech recognition	\$ 293.00
Sperm washing for artificial insemination	\$ 750.00
Sphincterotomy, anal, division of sphincter (separate procedure)	\$ 7,264.00
Spinal puncture, lumbar, diagnostic	\$ 2,544.00
Spinal puncture, therapeutic, for drainage of cerebrospinal fluid (by needle or catheter)	\$ 1,173.00
Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation	\$ 486.00
Splenoportography, radiological supervision and interpretation	\$ 3,218.00
Splint supplies, miscellaneous (includes thermoplastics, strapping, fasteners, padding and other supplies)	\$ 360.00
Splint supplies, miscellaneous (includes thermoplastics, strapping, fasteners, padding and other supplies)	\$ 278.00
Splint supplies, miscellaneous (includes thermoplastics, strapping, fasteners, padding and other supplies)	\$ 36.00
Split-thickness autograft, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits; first 100 sq cm or less, or 1% of body area of infants and children (except 15050)	\$ 6,649.00
Splitting of blood or blood products, each unit	\$ 78.00
Spoken language comprehension functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Spoken language comprehension functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Spoken language comprehension functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Spoken language expression functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Spoken language expression functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Spoken language expression functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Spontaneous nystagmus test, including gaze and fixation nystagmus, with recording	\$ 679.00
Stab phlebectomy of varicose veins, 1 extremity; 10-20 stab incisions	\$ 2,669.00
Stab phlebectomy of varicose veins, 1 extremity; more than 20 incisions	\$ 2,969.00
Staggered spondaic word test	\$ 115.00
Standardized cognitive performance testing (eg, Ross Information Processing Assessment) per hour of a qualified health care professional's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report	\$ 901.00
Static or dynamic ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, may be used for minimal ambulation, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 251.00
Static or dynamic ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, may be used for minimal ambulation, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 490.00
Static or dynamic ankle foot orthosis, including soft interface material, adjustable for fit, for positioning, may be used for minimal ambulation, prefabricated, off-the-shelf	\$ 237.00
Stem cells (ie, CD34), total count	\$ 1,750.00
Stenger test, pure tone	\$ 169.00
Stent, coated/covered, with delivery system	\$ 22,795.00
Stent, coated/covered, with delivery system	\$ 13,784.00
Stent, coated/covered, with delivery system	\$ 14,386.00
Stent, coated/covered, with delivery system	\$ 10,406.00
Stent, coated/covered, with delivery system	\$ 928.00
Stent, coated/covered, with delivery system	\$ 1,742.00
Stent, coated/covered, with delivery system	\$ 20,318.00
Stent, coated/covered, with delivery system	\$ 7,697.00
Stent, coated/covered, with delivery system	\$ 9,570.00
Stent, coated/covered, with delivery system	\$ 20,090.00
Stent, coated/covered, with delivery system	\$ 14,183.00
Stent, coated/covered, with delivery system	\$ 17,266.00
Stent, coated/covered, with delivery system	\$ 27,835.00
Stent, coated/covered, with delivery system	\$ 8,969.00
Stent, coated/covered, with delivery system	\$ 5,238.00
Stent, coated/covered, with delivery system	\$ 38,718.00
Stent, coated/covered, with delivery system	\$ 18,202.00
Stent, coated/covered, with delivery system	\$ 18,996.00
Stent, coated/covered, with delivery system	\$ 55,272.00
Stent, coated/covered, with delivery system	\$ 19,903.00
Stent, coated/covered, with delivery system	\$ 71,416.00
Stent, coated/covered, with delivery system	\$ 34,108.00
Stent, coated/covered, with delivery system	\$ 20,445.00
Stent, coated/covered, with delivery system	\$ 23,371.00
Stent, coated/covered, with delivery system	\$ 27,028.00
Stent, coated/covered, with delivery system	\$ 16,674.00
Stent, coated/covered, with delivery system	\$ 18,804.00
Stent, coated/covered, with delivery system	\$ 32,734.00
Stent, coated/covered, with delivery system	\$ 35,475.00
Stent, coated/covered, with delivery system	\$ 54,677.00
Stent, coated/covered, with delivery system	\$ 55,410.00
Stent, coated/covered, with delivery system	\$ 56,507.00
Stent, coated/covered, with delivery system	\$ 36,024.00
Stent, coated/covered, with delivery system	\$ 18,339.00
Stent, coated/covered, with delivery system	\$ 65,781.00
Stent, coated/covered, with delivery system	\$ 81,242.00
Stent, coated/covered, with delivery system	\$ 71,357.00
Stent, coated/covered, with delivery system	\$ 71,522.00
Stent, coated/covered, with delivery system	\$ 29,425.00
Stent, coated/covered, with delivery system	\$ 25,216.00
Stent, coated/covered, with delivery system	\$ 18,220.00
Stent, coated/covered, with delivery system	\$ 26,644.00
Stent, coated/covered, with delivery system	\$ 21,596.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Stent, coated/covered, with delivery system	\$ 26,428.00
Stent, coated/covered, with delivery system	\$ 30,471.00
Stent, coated/covered, with delivery system	\$ 18,619.00
Stent, coated/covered, with delivery system	\$ 21,433.00
Stent, coated/covered, with delivery system	\$ 19,090.00
Stent, coated/covered, with delivery system	\$ 17,378.00
Stent, coated/covered, with delivery system	\$ 16,137.00
Stent, coated/covered, with delivery system	\$ 6,320.00
Stent, coated/covered, with delivery system	\$ 1.00
Stent, coated/covered, without delivery system	\$ 510.00
Stent, non-coated/non-covered, with delivery system	\$ 12,003.00
Stent, non-coated/non-covered, with delivery system	\$ 5,059.00
Stent, non-coated/non-covered, with delivery system	\$ 8,143.00
Stent, non-coated/non-covered, with delivery system	\$ 9,038.00
Stent, non-coated/non-covered, with delivery system	\$ 9,223.00
Stent, non-coated/non-covered, with delivery system	\$ 9,772.00
Stent, non-coated/non-covered, with delivery system	\$ 19,449.00
Stent, non-coated/non-covered, with delivery system	\$ 14,234.00
Stent, non-coated/non-covered, with delivery system	\$ 40,406.00
Stent, non-coated/non-covered, with delivery system	\$ 35,111.00
Stent, non-coated/non-covered, with delivery system	\$ 9,415.00
Stent, non-coated/non-covered, with delivery system	\$ 8,235.00
Stent, non-coated/non-covered, with delivery system	\$ 9,723.00
Stent, non-coated/non-covered, with delivery system	\$ 9,090.00
Stent, non-coated/non-covered, with delivery system	\$ 7,166.00
Stent, non-coated/non-covered, with delivery system	\$ 10,201.00
Stent, non-coated/non-covered, with delivery system	\$ 9,502.00
Stent, non-coated/non-covered, with delivery system	\$ 10,071.00
Stent, non-coated/non-covered, with delivery system	\$ 10,943.00
Stent, non-coated/non-covered, with delivery system	\$ 17,325.00
Stent, non-coated/non-covered, with delivery system	\$ 22,795.00
Stent, non-coated/non-covered, with delivery system	\$ 11,849.00
Stent, non-coated/non-covered, with delivery system	\$ 8,224.00
Stent, non-coated/non-covered, with delivery system	\$ 2,411.00
Stent, non-coated/non-covered, with delivery system	\$ 1,103.00
Stent, non-coated/non-covered, with delivery system	\$ 739.00
Stent, non-coated/non-covered, with delivery system	\$ 15,674.00
Stent, non-coated/non-covered, with delivery system	\$ 7,158.00
Stent, non-coated/non-covered, with delivery system	\$ 6,247.00
Stent, non-coated/non-covered, with delivery system	\$ 8,302.00
Stent, non-coated/non-covered, with delivery system	\$ 17,472.00
Stent, non-coated/non-covered, with delivery system	\$ 15,997.00
Stent, non-coated/non-covered, with delivery system	\$ 3,757.00
Stent, non-coated/non-covered, with delivery system	\$ 5,126.00
Stent, non-coated/non-covered, with delivery system	\$ 13,961.00
Stent, non-coated/non-covered, with delivery system	\$ 14,916.00
Stent, non-coated/non-covered, with delivery system	\$ 9,813.00
Stent, non-coated/non-covered, with delivery system	\$ 51,483.00
Stent, non-coated/non-covered, with delivery system	\$ 15,366.00
Stent, non-coated/non-covered, with delivery system	\$ 6,965.00
Stent, non-coated/non-covered, with delivery system	\$ 10,103.00
Stent, non-coated/non-covered, with delivery system	\$ 10,034.00
Stent, non-coated/non-covered, with delivery system	\$ 8,932.00
Stent, non-coated/non-covered, with delivery system	\$ 10,345.00
Stent, non-coated/non-covered, with delivery system	\$ 8,275.00
Stent, non-coated/non-covered, with delivery system	\$ 8,160.00
Stent, non-coated/non-covered, with delivery system	\$ 16,130.00
Stent, non-coated/non-covered, with delivery system	\$ 9,480.00
Stent, non-coated/non-covered, with delivery system	\$ 10,170.00
Stent, non-coated/non-covered, with delivery system	\$ 16,571.00
Stent, non-coated/non-covered, without delivery system	\$ 6,088.00
Stent, non-coated/non-covered, without delivery system	\$ 8,482.00
Stent, non-coronary, temporary, with delivery system	\$ 1,490.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Stent, non-coronary, temporary, with delivery system	\$ 743.00
Stent, non-coronary, temporary, with delivery system	\$ 1,121.00
Stent, non-coronary, temporary, with delivery system	\$ 702.00
Stent, non-coronary, temporary, without delivery system	\$ 377.00
Stent, non-coronary, temporary, without delivery system	\$ 964.00
Stent, non-coronary, temporary, without delivery system	\$ 708.00
Stent, non-coronary, temporary, without delivery system	\$ 928.00
Stent, non-coronary, temporary, without delivery system	\$ 758.00
Stent, non-coronary, temporary, without delivery system	\$ 1,312.00
Stent, non-coronary, temporary, without delivery system	\$ 1,411.00
Stent, non-coronary, temporary, without delivery system	\$ 943.00
Stent, non-coronary, temporary, without delivery system	\$ 2,069.00
Stent, non-coronary, temporary, without delivery system	\$ 823.00
Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions	\$ 17,263.00
Stimulus evoked response (eg, measurement of bulbocavernosus reflex latency time)	\$ 858.00
Stimulus evoked response (eg, measurement of bulbocavernosus reflex latency time)	\$ 806.00
Strapping; ankle and/or foot	\$ 443.00
Strapping; elbow or wrist	\$ 520.00
Strapping; hand or finger	\$ 361.00
Strapping; hip	\$ 240.00
Strapping; knee	\$ 403.00
Strapping; shoulder (eg, Velpeau)	\$ 684.00
Strapping; toes	\$ 248.00
Strapping; Unna boot	\$ 695.00
Strattice tm, per square centimeter	\$ 212.00
Strattice tm, per square centimeter	\$ 218.00
Subconjunctival injection	\$ 730.00
Subcutaneous infusion for therapy or prophylaxis (specify substance or drug); additional pump set-up with establishment of new subcutaneous infusion site(s) (List separately in addition to code for primary procedure)	\$ 744.00
Subcutaneous infusion for therapy or prophylaxis (specify substance or drug); each additional hour (List separately in addition to code for primary procedure)	\$ 744.00
Subcutaneous infusion for therapy or prophylaxis (specify substance or drug); initial, up to 1 hour, including pump set-up and establishment of subcutaneous infusion site(s)	\$ 744.00
Subcutaneous injection of filling material (eg, collagen); 1 cc or less	\$ 848.00
Subcutaneous injection of filling material (eg, collagen); 1.1 to 5.0 cc	\$ 754.00
Suction assisted lipectomy; head and neck	\$ 1,633.00
Suction assisted lipectomy; lower extremity	\$ 7,067.00
Suction assisted lipectomy; trunk	\$ 6,013.00
Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen	\$ 97.00
Sugars (mono-, di-, and oligosaccharides); single qualitative, each specimen	\$ 57.00
Sugars (mono-, di-, and oligosaccharides); single quantitative, each specimen	\$ 1,880.00
Sulfate, urine	\$ 44.00
Superselective catheter placement (one or more second order or higher renal artery branches) renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture, catheterization, fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision and interpretation, including pressure gradient measurements when performed, and flush aortogram when performed; bilateral	\$ 23,309.00
Superselective catheter placement (one or more second order or higher renal artery branches) renal artery and any accessory renal artery(s) for renal angiography, including arterial puncture, catheterization, fluoroscopy, contrast injection(s), image postprocessing, permanent recording of images, and radiological supervision and interpretation, including pressure gradient measurements when performed, and flush aortogram when performed; unilateral	\$ 9,801.00
Supervision, handling, loading of radiation source	\$ 987.00
Surgical boot/shoe, each	\$ 51.00
Surgical boot/shoe, each	\$ 297.00
Surgical Overnight Recover per Hour	\$ 470.00
Surgical Overnight Recover per Hour	\$ 1,138.00
Surgical pathology, gross and microscopic examinations, for prostate needle biopsy, any method	\$ 837.00
Surgical preparation or creation of recipient site by excision of open wounds, burn eschar, or scar (including subcutaneous tissues), or incisional release of scar contracture, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet and/or multiple digits; first 100 sq cm or 1% of body area of infants and children	\$ 1,725.00
Surgical preparation or creation of recipient site by excision of open wounds, burn eschar, or scar (including subcutaneous tissues), or incisional release of scar contracture, trunk, arms, legs; first 100 sq cm or 1% of body area of infants and children	\$ 1,425.00
Surgical supply; miscellaneous	\$ 6,646.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Surgical supply; miscellaneous	\$ 9,570.00
Surgical tissue localization and excision device (implantable)	\$ 4,651.00
Surgical tissue localization and excision device (implantable)	\$ 11,621.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 97.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 60.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 319.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 223.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 192.00
Susceptibility studies, antimicrobial agent; agar dilution method, per agent (eg, antibiotic gradient strip)	\$ 173.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 107.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 528.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 76.00
Susceptibility studies, antimicrobial agent; disk method, per plate (12 or fewer agents)	\$ 78.00
Susceptibility studies, antimicrobial agent; enzyme detection (eg, beta lactamase), per enzyme	\$ 74.00
Suture of recent wound, eyelid, involving lid margin, tarsus, and/or palpebral conjunctiva direct closure; full thickness	\$ 3,222.00
Suture of recent wound, eyelid, involving lid margin, tarsus, and/or palpebral conjunctiva direct closure; partial thickness	\$ 4,976.00
Swallowing function, with cineradiography/videoradiography	\$ 908.00
Swallowing functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Swallowing functional limitation, discharge status, at discharge from therapy or to end reporting	\$ 1.00
Swallowing functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Sweat collection by iontophoresis	\$ 150.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 23.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 78.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 144.00
Syphilis test, non-treponemal antibody; qualitative (eg, VDRL, RPR, ART)	\$ 11.00
Syphilis test, non-treponemal antibody; quantitative	\$ 23.00
T cells; absolute CD4 and CD8 count, including ratio	\$ 216.00
T cells; total count	\$ 213.00
T cells; total count	\$ 186.00
T cells; total count	\$ 388.00
Tacrolimus	\$ 415.00
Tape, non-waterproof, per 18 square inches	\$ 272.00
Tattooing, intradermal introduction of insoluble opaque pigments to correct color defects of skin, including micropigmentation; 6.0 sq cm or less	\$ 493.00
Tattooing, intradermal introduction of insoluble opaque pigments to correct color defects of skin, including micropigmentation; 6.1 to 20.0 sq cm	\$ 1,110.00
Tattooing, intradermal introduction of insoluble opaque pigments to correct color defects of skin, including micropigmentation; each additional 20.0 sq cm, or part thereof (List separately in addition to code for primary procedure)	\$ 1,110.00
Technetium Tc-99m apcitide, diagnostic, per study dose, up to 20 millicuries	\$ 2,178.00
Technetium Tc-99m bicasate, diagnostic, per study dose, up to 25 millicuries	\$ 3,787.00
Technetium Tc-99m bicasate, diagnostic, per study dose, up to 25 millicuries	\$ 3,787.18
Technetium Tc-99m depreotide, diagnostic, per study dose, up to 35 millicuries	\$ 6,548.00
Technetium Tc-99m disofenin, diagnostic, per study dose, up to 15 millicuries	\$ 349.00
Technetium tc-99m Exametazime labeled autologous white blood cells, diagnostic, per study dose	\$ 7,718.00
Technetium tc-99m Exametazime labeled autologous white blood cells, diagnostic, per study dose	\$ 7,718.41
Technetium Tc-99m exametazime, diagnostic, per study dose, up to 25 millicuries	\$ 5,372.00
Technetium Tc-99m exametazime, diagnostic, per study dose, up to 25 millicuries	\$ 5,371.69
Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries	\$ 11,586.00
Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 379.00
Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries	\$ 378.83
Technetium Tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries	\$ 88.00
Technetium Tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries	\$ 88.47
Technetium Tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries	\$ 328.00
Technetium Tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries	\$ 327.80
Technetium Tc-99m medronate, diagnostic, per study dose, up to 30 millicuries	\$ 117.00
Technetium Tc-99m medronate, diagnostic, per study dose, up to 30 millicuries	\$ 116.83
Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries	\$ 1,029.00
Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries	\$ 1,028.75
Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries	\$ 82.00
Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries	\$ 81.66
Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries	\$ 198.00
Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries	\$ 198.49
Technetium Tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries	\$ 101.00
Technetium Tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries	\$ 100.95
Technetium Tc-99m pertechnetate, diagnostic, per millicurie	\$ 3.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Technetium Tc-99m pertechnetate, diagnostic, per millicurie	\$ 3.41
Technetium Tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries	\$ 117.00
Technetium Tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries	\$ 116.83
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 919.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 448.00
Technetium tc-99m sestamibi, diagnostic, per study dose	\$ 448.02
Technetium Tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicurie	\$ 101.00
Technetium Tc-99m succimer, diagnostic, per study dose, up to 10 millicuries	\$ 1,194.00
Technetium Tc-99m succimer, diagnostic, per study dose, up to 10 millicuries	\$ 1,194.34
Technetium Tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 157.00
Technetium Tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 526.00
Technetium Tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 156.52
Technetium Tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries	\$ 526.28
Technetium tc-99m tetrofosmin, diagnostic, per study dose	\$ 642.00
Technetium tc-99m tetrofosmin, diagnostic, per study dose	\$ 641.97
Tee Prep	\$ 210.00
Tee Recovery Per Hr	\$ 1,138.00
Telehealth originating site facility fee	\$ 947.00
Teletherapy isodose plan; complex (multiple treatment areas, tangential ports, the use of wedges, blocking, rotational beam, or special beam considerations), includes basic dosimetry calculation(s)	\$ 8,812.00
Teletherapy isodose plan; simple (1 or 2 unmodified ports directed to a single area of interest), includes basic dosimetry calculation(s)	\$ 4,348.00
Temporary closure of eyelids by suture (eg, Frost suture)	\$ 2,373.00
Temporary transcutaneous pacing	\$ 807.00
Tenotomy, open, extensor, foot or toe, each tendon	\$ 4,892.00
Tenotomy, open, tendon flexor; foot, single or multiple tendon(s) (separate procedure)	\$ 2,935.00
Tenotomy, open, tendon flexor; toe, single tendon (separate procedure)	\$ 6,146.00
Tenotomy, percutaneous, toe; multiple tendons	\$ 3,686.00
Tenotomy, percutaneous, toe; single tendon	\$ 2,935.00
Testicular imaging with vascular flow	\$ 1,250.00
Testosterone; free	\$ 413.00
Testosterone; free	\$ 67.00
Testosterone; total	\$ 282.00
Testosterone; total	\$ 316.00
Testosterone; total	\$ 543.00
Testosterone; total	\$ 487.00
Testosterone; total	\$ 68.00
Testosterone; total	\$ 523.00
Testosterone; total	\$ 63.00
Tetanus and diphtheria toxoids adsorbed (Td), preservative free, when administered to individuals 7 years or older, for intramuscular use	\$ 372.00
Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use	\$ 500.00
Thallium TL-201 thallos chloride, diagnostic, per millicurie	\$ 170.00
Thallium TL-201 thallos chloride, diagnostic, per millicurie	\$ 170.13
Theophylline	\$ 199.00
Therapeutic activities, direct (one-on-one) patient contact (use of dynamic activities to improve functional performance), each 15 minutes	\$ 119.00
Therapeutic apheresis; for plasma pheresis	\$ 4,320.00
Therapeutic apheresis; for plasma pheresis	\$ 3,856.00
Therapeutic apheresis; for platelets	\$ 4,487.00
Therapeutic apheresis; for red blood cells	\$ 5,076.00
Therapeutic apheresis; for white blood cells	\$ 5,517.00
Therapeutic apheresis; with extracorporeal selective adsorption or selective filtration and plasma reinfusion	\$ 11,230.00
Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing and sequencing tasks), direct (one-on-one) patient contact	\$ 364.00
Therapeutic procedure(s), group (2 or more individuals)	\$ 97.00
Therapeutic procedure(s), group (2 or more individuals)	\$ 49.00
Therapeutic procedure, 1 or more areas, each 15 minutes; aquatic therapy with therapeutic exercises	\$ 127.00
Therapeutic procedure, 1 or more areas, each 15 minutes; gait training (includes stair climbing)	\$ 98.00
Therapeutic procedure, 1 or more areas, each 15 minutes; massage, including effleurage, petrissage and/or tapotement (stroking, compression, percussion)	\$ 237.00
Therapeutic procedure, 1 or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities	\$ 88.00
Therapeutic procedure, 1 or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility	\$ 206.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Therapeutic procedures to improve respiratory function or increase strength or endurance of respiratory muscles, two or more individuals (includes monitoring)	\$ 504.00
Therapeutic procedures to improve respiratory function, other than described by g0237, one on one, face to face, per 15 minutes (includes monitoring)	\$ 440.00
Therapeutic procedures to increase strength or endurance of respiratory muscles, face to face, one on one, each 15 minutes (includes monitoring)	\$ 440.00
Therapeutic radiology port image(s)	\$ 429.00
Therapeutic radiology simulation-aided field setting; complex	\$ 4,199.00
Therapeutic radiology simulation-aided field setting; intermediate	\$ 3,919.00
Therapeutic radiology simulation-aided field setting; simple	\$ 2,240.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of a new substance/drug (List separately in addition to code for primary procedure)	\$ 264.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of a new substance/drug (List separately in addition to code for primary procedure)	\$ 301.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of a new substance/drug (List separately in addition to code for primary procedure)	\$ 262.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of the same substance/drug provided in a facility (List separately in addition to code for primary procedure)	\$ 216.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of the same substance/drug provided in a facility (List separately in addition to code for primary procedure)	\$ 228.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of the same substance/drug provided in a facility (List separately in addition to code for primary procedure)	\$ 214.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intra-arterial	\$ 226.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intravenous push, single or initial substance/drug	\$ 814.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intravenous push, single or initial substance/drug	\$ 692.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 338.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 317.00
Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or intramuscular	\$ 337.00
Theraskin, per square centimeter	\$ 437.00
Theraskin, per square centimeter	\$ 849.00
Theraskin, per square centimeter	\$ 191.00
Theraskin, per square centimeter	\$ 150.00
Theraskin, per square centimeter	\$ 605.00
Theraskin, per square centimeter	\$ 203.00
Thiamine (Vitamin B-1)	\$ 275.00
Thiamine (Vitamin B-1)	\$ 97.00
Thiocyanate	\$ 241.00
Thoracentesis, needle or catheter, aspiration of the pleural space; with imaging guidance	\$ 1,912.00
Thoracentesis, needle or catheter, aspiration of the pleural space; without imaging guidance	\$ 1,912.00
Thoracic, rib belt, custom fabricated	\$ 129.00
Thoracic-lumbar-sacral-orthosis (t Iso), inclusive of furnishing initial orthosis only	\$ 4,342.00
Thrombectomy, direct or with catheter; axillary and subclavian vein, by arm incision	\$ 5,818.00
Thrombectomy, direct or with catheter; vena cava, iliac, femoropopliteal vein, by leg incision	\$ 2,862.00
Thrombin time; plasma	\$ 145.00
Thrombin time; plasma	\$ 152.00
Thromboendarterectomy, including patch graft, if performed; common femoral	\$ 1,829.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 135.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 147.00
Thromboplastin time, partial (PTT); plasma or whole blood	\$ 58.00
Thromboplastin time, partial (PTT); substitution, plasma fractions, each	\$ 32.00
Thyroglobulin	\$ 260.00
Thyroglobulin antibody	\$ 177.00
Thyroglobulin antibody	\$ 264.00
Thyroid carcinoma metastases imaging; limited area (eg, neck and chest only)	\$ 1,796.00
Thyroid carcinoma metastases imaging; whole body	\$ 3,854.00
Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR)	\$ 64.00
Thyroid imaging (including vascular flow, when performed)	\$ 1,127.00
Thyroid imaging (including vascular flow, when performed); with single or multiple uptake(s) quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)	\$ 1,386.00
Thyroid stimulating hormone (TSH)	\$ 198.00
Thyroid stimulating hormone (TSH)	\$ 346.00
Thyroid stimulating immune globulins (TSI)	\$ 1,269.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Thyroid uptake, single or multiple quantitative measurement(s) (including stimulation, suppression, or discharge, when performed)	\$ 573.00
Thyroxine binding globulin (TBG)	\$ 192.00
Thyroxine; free	\$ 166.00
Thyroxine; free	\$ 341.00
Thyroxine; total	\$ 135.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,474.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,453.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,243.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 2,628.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 2,647.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 450.00
Tissue culture for neoplastic disorders; bone marrow, blood cells	\$ 1,388.00
Tissue culture for neoplastic disorders; solid tumor	\$ 1,727.00
Tissue culture for neoplastic disorders; solid tumor	\$ 1,704.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 1,516.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 1,002.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 1,671.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 991.00
Tissue culture for non-neoplastic disorders; amniotic fluid or chorionic villus cells	\$ 3,378.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 1,715.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 4,053.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 1,121.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 908.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 1,132.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 979.00
Tissue culture for non-neoplastic disorders; lymphocyte	\$ 863.00
Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy	\$ 1,725.00
Tissue culture for non-neoplastic disorders; skin or other solid tissue biopsy	\$ 490.00
Tissue examination by KOH slide of samples from skin, hair, or nails for fungi or ectoparasite ova or mites (eg, scabies)	\$ 83.00
Tissue marker, implantable, any type, each	\$ 751.00
Tlso, corset front	\$ 215.00
Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 3,229.00
Tlso, flexible, provides trunk support, thoracic region, rigid posterior panel and soft anterior apron, extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, restricts gross trunk motion in the sagittal plane, produces intracavitary pressure to reduce load on the intervertebral disks, includes straps and closures, prefabricated, off-the-shelf	\$ 6,667.00
Tlso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, custom fabricated	\$ 2,152.00
Tlso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf	\$ 539.00
Tlso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf	\$ 7,498.00
Tlso, flexible, provides trunk support, upper thoracic region, produces intracavitary pressure to reduce load on the intervertebral disks with rigid stays or panel(s), includes shoulder straps and closures, prefabricated, off-the-shelf	\$ 1,279.00
Tlso, full corset	\$ 430.00
Tlso, sagittal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, restricts gross trunk motion in sagittal plane, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 1,257.00
Tlso, sagittal-coronal control, one piece rigid plastic shell, with overlapping reinforced anterior, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates at or before the t-9 vertebra, anterior extends from symphysis pubis to xiphoid, anterior opening, restricts gross trunk motion in sagittal and coronal planes, prefabricated, includes fitting and adjustment	\$ 2,978.00
Tlso, sagittal-coronal control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction over scapulae, lateral strength provided by pelvic, thoracic, and lateral frame pieces, restricts gross trunk motion in sagittal, and coronal planes, produces intracavitary pressure to reduce load on intervertebral disks, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 1,435.00
Tlso, triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch with two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment	\$ 788.00
Tlso, triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch with two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment	\$ 2,423.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Tlso, triplanar control, hyperextension, rigid anterior and lateral frame extends from symphysis pubis to sternal notch with two anterior components (one pubic and one sternal), posterior and lateral pads with straps and closures, limits spinal flexion, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment	\$ 2,921.00
Tlso, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	\$ 2,511.00
Tlso, triplanar control, modular segmented spinal system, four rigid plastic shells, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	\$ 11,135.00
Tlso, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	\$ 3,122.00
Tlso, triplanar control, modular segmented spinal system, three rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	\$ 7,569.00
Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the sternal notch, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 2,152.00
Tlso, triplanar control, modular segmented spinal system, two rigid plastic shells, posterior extends from the sacrococcygeal junction and terminates just inferior to the scapular spine, anterior extends from the symphysis pubis to the xiphoid, soft liner, restricts gross trunk motion in the sagittal, coronal, and transverse planes, lateral strength is provided by overlapping plastic and stabilizing closures, includes straps and closures, prefabricated, includes fitting and adjustment	\$ 2,833.00
Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	\$ 2,869.00
Tlso, triplanar control, one piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, prefabricated, includes fitting and adjustment	\$ 2,833.00
Tlso, triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, anterior or posterior opening, restricts gross trunk motion in sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	\$ 2,978.00
Tlso, triplanar control, rigid posterior frame and flexible soft anterior apron with straps, closures and padding, extends from sacrococcygeal junction to scapula, lateral strength provided by pelvic, thoracic, and lateral frame pieces, rotational strength provided by subclavicular extensions, restricts gross trunk motion in sagittal, coronal, and transverse planes, provides intracavitary pressure to reduce load on the intervertebral disks, includes fitting and shaping the frame, prefabricated, includes fitting and adjustment	\$ 1,257.00
Tlso, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	\$ 2,869.00
Tlso, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	\$ 13,621.00
Tlso, triplanar control, two piece rigid plastic shell with interface liner, multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	\$ 14,448.00
Tlso, triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, posterior extends from sacrococcygeal junction and terminates just inferior to scapular spine, anterior extends from symphysis pubis to sternal notch, lateral strength is enhanced by overlapping plastic, restricts gross trunk motion in the sagittal, coronal, and transverse planes, includes a carved plaster or cad-cam model, custom fabricated	\$ 2,978.00
Tobramycin	\$ 199.00
Tocopherol alpha (Vitamin E)	\$ 186.00
Topiramate	\$ 398.00
Trabeculoplasty by laser surgery	\$ 2,595.00
Tracheobronchoscopy through established tracheostomy incision	\$ 3,822.00
TracheOST/laryngectomy tube, non-cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 367.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Tracheostomy speaking valve	\$ 761.00
Tracheostomy speaking valve	\$ 1,009.00
Tracheostomy, emergency procedure; transtracheal	\$ 1,857.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 801.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 389.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 138.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 372.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 373.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 383.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 606.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 761.00
Tracheostomy/laryngectomy tube, cuffed, polyvinylchloride (pvc), silicone or equal, each	\$ 408.00
Tracheotomy tube change prior to establishment of fistula tract	\$ 1,578.00
Transabdominal amniocentesis, including ultrasound guidance	\$ 7,109.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; cardiopulmonary bypass support with central arterial and venous cannulation (eg, aorta, right atrium, pulmonary artery) (List separately in addition to code for primary procedure)	\$ 7,047.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; cardiopulmonary bypass support with open peripheral arterial and venous cannulation (eg, femoral, iliac, axillary vessels) (List separately in addition to code for primary procedure)	\$ 7,047.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; cardiopulmonary bypass support with percutaneous peripheral arterial and venous cannulation (eg, femoral vessels) (List separately in addition to code for primary procedure)	\$ 7,047.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; open axillary artery approach	\$ 36,032.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; open femoral artery approach	\$ 36,032.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; open iliac artery approach	\$ 36,032.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; percutaneous femoral artery approach	\$ 28,393.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; transaortic approach (eg, median sternotomy, mediastinotomy)	\$ 36,032.00
Transcatheter aortic valve replacement (TAVR/TAVI) with prosthetic valve; transapical exposure (eg, left thoracotomy)	\$ 34,997.00
Transcatheter biopsy	\$ 3,392.00
Transcatheter biopsy, radiological supervision and interpretation	\$ 4,382.00
Transcatheter delivery of enhanced fixation device(s) to the endograft (eg, anchor, screw, tack) and all associated radiological supervision and interpretation	\$ 2,753.00
Transcatheter insertion or replacement of permanent leadless pacemaker, ventricular	\$ 9,341.00
Transcatheter mitral valve repair percutaneous approach via the coronary sinus	\$ 28,393.00
Transcatheter mitral valve repair, percutaneous approach, including transseptal puncture when performed; additional prosthesis(es) during same session (List separately in addition to code for primary procedure)	\$ 28,393.00
Transcatheter mitral valve repair, percutaneous approach, including transseptal puncture when performed; initial prosthesis	\$ 28,393.00
Transcatheter permanent occlusion or embolization (eg, for tumor destruction, to achieve hemostasis, to occlude a vascular malformation), percutaneous, any method; central nervous system (intracranial, spinal cord)	\$ 10,561.00
Transcatheter permanent occlusion or embolization (eg, for tumor destruction, to achieve hemostasis, to occlude a vascular malformation), percutaneous, any method; non-central nervous system, head or neck (extracranial, brachiocephalic branch)	\$ 10,561.00
Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s) for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	\$ 19,770.00
Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s) for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; initial artery	\$ 14,304.00
Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s) for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	\$ 14,811.00
Transcatheter placement of an intravascular stent(s) (except lower extremity artery(s) for occlusive disease, cervical carotid, extracranial vertebral or intrathoracic carotid, intracranial, or coronary), open or percutaneous, including radiological supervision and interpretation and including all angioplasty within the same vessel, when performed; each additional artery (List separately in addition to code for primary procedure)	\$ 9,343.00
Transcatheter placement of an intravascular stent(s), open or percutaneous, including radiological supervision and interpretation and including angioplasty within the same vessel, when performed; each additional vein (List separately in addition to code for primary procedure)	\$ 14,811.00
Transcatheter placement of an intravascular stent(s), open or percutaneous, including radiological supervision and interpretation and including angioplasty within the same vessel, when performed; each additional vein (List separately in addition to code for primary procedure)	\$ 9,343.00
Transcatheter placement of an intravascular stent(s), open or percutaneous, including radiological supervision and interpretation and including angioplasty within the same vessel, when performed; initial vein	\$ 19,770.00
Transcatheter placement of an intravascular stent(s), open or percutaneous, including radiological supervision and interpretation and including angioplasty within the same vessel, when performed; initial vein	\$ 14,304.00
Transcatheter placement of extracranial vertebral artery stent(s), including radiologic supervision and interpretation, open or percutaneous; each additional vessel (List separately in addition to code for primary procedure)	\$ 2,915.00
Transcatheter placement of extracranial vertebral artery stent(s), including radiologic supervision and interpretation, open or percutaneous; initial vessel	\$ 2,191.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging radiological supervision and interpretation required to perform the stenting, and all angioplasty in the central dialysis segment (List separately in addition to code for primary procedure)	\$ 5,470.00
Transcatheter placement of intravascular stent(s), cervical carotid artery, open or percutaneous, including angioplasty, when performed, and radiological supervision and interpretation; with distal embolic protection	\$ 34,582.00
Transcatheter placement of intravascular stent(s), cervical carotid artery, open or percutaneous, including angioplasty, when performed, and radiological supervision and interpretation; with distal embolic protection	\$ 34,780.00
Transcatheter placement of intravascular stent(s), cervical carotid artery, open or percutaneous, including angioplasty, when performed, and radiological supervision and interpretation; without distal embolic protection	\$ 30,584.00
Transcatheter placement of intravascular stent(s), cervical carotid artery, open or percutaneous, including angioplasty, when performed, and radiological supervision and interpretation; without distal embolic protection	\$ 30,782.00
Transcatheter placement of intravascular stent(s), intracranial (eg, atherosclerotic stenosis), including balloon angioplasty, if performed	\$ 10,260.00
Transcatheter placement of intravascular stent(s), intracranial (eg, atherosclerotic stenosis), including balloon angioplasty, if performed	\$ 19,286.00
Transcatheter placement of intravascular stent(s), intrathoracic common carotid artery or innominate artery by retrograde treatment, open ipsilateral cervical carotid artery exposure, including angioplasty, when performed, and radiological supervision and interpretation	\$ 34,582.00
Transcatheter placement of intravascular stent(s), intrathoracic common carotid artery or innominate artery by retrograde treatment, open ipsilateral cervical carotid artery exposure, including angioplasty, when performed, and radiological supervision and interpretation	\$ 34,780.00
Transcatheter placement of intravascular stent(s), intrathoracic common carotid artery or innominate artery, open or percutaneous antegrade approach, including angioplasty, when performed, and radiological supervision and interpretation	\$ 2,887.00
Transcatheter placement of intravascular stent(s), intrathoracic common carotid artery or innominate artery, open or percutaneous antegrade approach, including angioplasty, when performed, and radiological supervision and interpretation	\$ 3,332.00
Transcatheter placement of intravascular stent(s), intrathoracic common carotid artery or innominate artery, open or percutaneous antegrade approach, including angioplasty, when performed, and radiological supervision and interpretation	\$ 34,582.00
Transcatheter pulmonary valve implantation, percutaneous approach, including pre-stenting of the valve delivery site, when performed	\$ 38,200.00
Transcatheter renal sympathetic denervation, percutaneous approach including arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy, contrast injection(s), intraprocedural roadmapping and radiological supervision and interpretation, including pressure gradient measurements, flush aortogram and diagnostic renal angiography when performed; bilateral	\$ 8,346.00
Transcatheter renal sympathetic denervation, percutaneous approach including arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy, contrast injection(s), intraprocedural roadmapping and radiological supervision and interpretation, including pressure gradient measurements, flush aortogram and diagnostic renal angiography when performed; bilateral	\$ 14,629.00
Transcatheter renal sympathetic denervation, percutaneous approach including arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy, contrast injection(s), intraprocedural roadmapping and radiological supervision and interpretation, including pressure gradient measurements, flush aortogram and diagnostic renal angiography when performed; unilateral	\$ 5,616.00
Transcatheter renal sympathetic denervation, percutaneous approach including arterial puncture, selective catheter placement(s) renal artery(ies), fluoroscopy, contrast injection(s), intraprocedural roadmapping and radiological supervision and interpretation, including pressure gradient measurements, flush aortogram and diagnostic renal angiography when performed; unilateral	\$ 9,754.00
Transcatheter retrieval, percutaneous, of intravascular foreign body (eg, fractured venous or arterial catheter), includes radiological supervision and interpretation, and imaging guidance (ultrasound or fluoroscopy), when performed	\$ 2,693.00
Transcatheter retrieval, percutaneous, of intravascular foreign body (eg, fractured venous or arterial catheter), includes radiological supervision and interpretation, and imaging guidance (ultrasound or fluoroscopy), when performed	\$ 8,165.00
Transcatheter therapy, arterial infusion for thrombolysis other than coronary or intracranial, any method, including radiological supervision and interpretation, initial treatment day	\$ 2,390.00
Transcatheter therapy, arterial infusion for thrombolysis other than coronary or intracranial, any method, including radiological supervision and interpretation, initial treatment day	\$ 13,945.00
Transcatheter therapy, arterial or venous infusion for thrombolysis other than coronary, any method, including radiological supervision and interpretation, continued treatment on subsequent day during course of thrombolytic therapy, including follow-up catheter contrast injection, position change, or exchange, when performed	\$ 1,944.00
Transcatheter therapy, arterial or venous infusion for thrombolysis other than coronary, any method, including radiological supervision and interpretation, continued treatment on subsequent day during course of thrombolytic therapy, including follow-up catheter contrast injection, position change, or exchange, when performed	\$ 13,945.00
Transcatheter therapy, arterial or venous infusion for thrombolysis other than coronary, any method, including radiological supervision and interpretation, continued treatment on subsequent day during course of thrombolytic therapy, including follow-up catheter contrast injection, position change, or exchange, when performed; cessation of thrombolysis including removal of catheter and vessel closure by any method	\$ 2,717.00
Transcatheter therapy, arterial or venous infusion for thrombolysis other than coronary, any method, including radiological supervision and interpretation, continued treatment on subsequent day during course of thrombolytic therapy, including follow-up catheter contrast injection, position change, or exchange, when performed; cessation of thrombolysis including removal of catheter and vessel closure by any method	\$ 13,945.00
Transcatheter therapy, embolization, any method, radiological supervision and interpretation	\$ 8,518.00
Transcatheter therapy, venous infusion for thrombolysis, any method, including radiological supervision and interpretation, initial treatment day	\$ 2,390.00
Transcatheter therapy, venous infusion for thrombolysis, any method, including radiological supervision and interpretation, initial treatment day	\$ 13,945.00
Transcervical catheterization of fallopian tube, radiological supervision and interpretation	\$ 4,140.00
Transcervical introduction of fallopian tube catheter for diagnosis and/or re-establishing patency (any method), with or without hysterosalpingography	\$ 2,235.00
Transcranial Doppler study of the intracranial arteries; complete study	\$ 1,564.00
Transcranial Doppler study of the intracranial arteries; emboli detection with intravenous microbubble injection	\$ 4,155.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Transcranial Doppler study of the intracranial arteries; emboli detection without intravenous microbubble injection	\$ 2,233.00
Transcranial Doppler study of the intracranial arteries; limited study	\$ 441.00
Transcranial Doppler study of the intracranial arteries; vasoreactivity study	\$ 1,943.00
Transfer of an orthosis from one shoe to another, caliper plate, existing	\$ 359.00
Transfer of an orthosis from one shoe to another, caliper plate, new	\$ 574.00
Transfer of an orthosis from one shoe to another, solid stirrup, existing	\$ 359.00
Transfer of an orthosis from one shoe to another, solid stirrup, new	\$ 574.00
Transferase; alanine amino (ALT) (SGPT)	\$ 32.00
Transferase; alanine amino (ALT) (SGPT)	\$ 149.00
Transferase; aspartate amino (AST) (SGOT)	\$ 32.00
Transferrin	\$ 200.00
Transfusion, blood or blood components	\$ 2,038.00
Transfusion, blood or blood components	\$ 2,169.00
Transfusion, blood or blood components	\$ 2,037.00
Transluminal balloon angioplasty (except dialysis circuit), open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same vein; each additional vein (List separately in addition to code for primary procedure)	\$ 2,735.00
Transluminal balloon angioplasty (except dialysis circuit), open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same vein; each additional vein (List separately in addition to code for primary procedure)	\$ 2,933.00
Transluminal balloon angioplasty (except dialysis circuit), open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same vein; initial vein	\$ 5,470.00
Transluminal balloon angioplasty (except dialysis circuit), open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same vein; initial vein	\$ 5,915.00
Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery; each additional artery (List separately in addition to code for primary procedure)	\$ 2,735.00
Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery; each additional artery (List separately in addition to code for primary procedure)	\$ 2,933.00
Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery; initial artery	\$ 5,470.00
Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery; initial artery	\$ 3,082.00
Transluminal balloon angioplasty, central dialysis segment, performed through dialysis circuit, including all imaging and radiological supervision and interpretation required to perform the angioplasty (List separately in addition to code for primary procedure)	\$ 8,066.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; abdominal aorta	\$ 12,708.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; brachiocephalic trunk and branches, each vessel	\$ 12,708.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; iliac artery, each vessel	\$ 20,912.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; renal artery	\$ 12,708.00
Transluminal peripheral atherectomy, open or percutaneous, including radiological supervision and interpretation; visceral artery (except renal), each vessel	\$ 12,708.00
Transperineal placement of biodegradable material, peri-prostatic, single or multiple injection(s), including image guidance, when performed	\$ 22,490.00
Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage	\$ 3,100.00
Transplant preparation of hematopoietic progenitor cells; thawing of previously frozen harvest, without washing, per donor	\$ 1,321.00
Transtelephonic rhythm strip pacemaker evaluation(s) single, dual, or multiple lead pacemaker system, includes recording with and without magnet application with analysis, review and report(s) by a physician or other qualified health care professional, up to 90 days	\$ 155.00
Transthoracic echocardiography for congenital cardiac anomalies; complete	\$ 3,283.00
Transthoracic echocardiography for congenital cardiac anomalies; follow-up or limited study	\$ 1,625.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, complete, with spectral doppler echocardiography, and with color flow doppler echocardiography	\$ 5,600.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, complete, without spectral or color doppler echocardiography	\$ 4,893.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report	\$ 5,958.00
Transthoracic echocardiography with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, follow-up or limited study	\$ 2,535.00
Transthoracic echocardiography, with contrast, or without contrast followed by with contrast, real-time with image documentation (2d), includes m-mode recording, when performed, during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report; including performance of continuous electrocardiographic monitoring, with physician supervision	\$ 8,515.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Transurethral destruction of prostate tissue; by microwave thermotherapy	\$ 18,037.00
Transurethral destruction of prostate tissue; by microwave thermotherapy	\$ 16,936.00
Transurethral destruction of prostate tissue; by radiofrequency thermotherapy	\$ 17,176.00
Transurethral destruction of prostate tissue; by radiofrequency thermotherapy	\$ 16,128.00
Transversus abdominis plane (TAP) block (abdominal plane block, rectus sheath block) bilateral; by continuous infusions (includes imaging guidance, when performed)	\$ 175.00
Transversus abdominis plane (TAP) block (abdominal plane block, rectus sheath block) bilateral; by injections (includes imaging guidance, when performed)	\$ 175.00
Transversus abdominis plane (TAP) block (abdominal plane block, rectus sheath block) unilateral; by continuous infusion(s) (includes imaging guidance, when performed)	\$ 121.00
Transversus abdominis plane (TAP) block (abdominal plane block, rectus sheath block) unilateral; by injection(s) (includes imaging guidance, when performed)	\$ 121.00
Trauma Alert W/O Notification	\$ 8,133.00
Trauma response team associated with hospital critical care service	\$ 8,172.00
Treatment devices, design and construction; complex (irregular blocks, special shields, compensators, wedges, molds or casts)	\$ 2,213.00
Treatment devices, design and construction; intermediate (multiple blocks, stents, bite blocks, special bolus)	\$ 1,460.00
Treatment devices, design and construction; simple (simple block, simple bolus)	\$ 1,289.00
Treatment of closed elbow dislocation; requiring anesthesia	\$ 9,782.00
Treatment of closed elbow dislocation; without anesthesia	\$ 2,255.00
Treatment of extensive or progressive retinopathy (eg, diabetic retinopathy), photocoagulation	\$ 4,167.00
Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual	\$ 611.00
Treatment of spontaneous hip dislocation (developmental, including congenital or pathological), by abduction, splint or traction; with manipulation, requiring anesthesia	\$ 2,117.00
Treatment of spontaneous hip dislocation (developmental, including congenital or pathological), by abduction, splint or traction; without anesthesia, without manipulation	\$ 1,650.00
Treatment of superficial wound dehiscence; simple closure	\$ 765.00
Treatment of superficial wound dehiscence; with packing	\$ 913.00
Treatment of swallowing dysfunction and/or oral function for feeding	\$ 542.00
Treatment of tarsal bone fracture (except talus and calcaneus); without manipulation, each	\$ 1,037.00
Treatment Room 15 Min	\$ 237.00
Treatment Room 15 Min	\$ 264.00
Treatment Room Per 15 Min	\$ 264.00
Treatment Room Per 15Min	\$ 264.00
TRG@ (T cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)	\$ 2,324.00
Triglycerides	\$ 35.00
Triglycerides	\$ 74.00
Triiodothyronine T3; free	\$ 226.00
Triiodothyronine T3; free	\$ 118.00
Triiodothyronine T3; reverse	\$ 1,092.00
Triiodothyronine T3; total (TT-3)	\$ 131.00
Triiodothyronine T3; total (TT-3)	\$ 102.00
Trimming of dystrophic nails, any number	\$ 439.00
Trimming of nondystrophic nails, any number	\$ 223.00
Troponin, quantitative	\$ 165.00
Troponin, quantitative	\$ 104.00
Truss, single with standard pad	\$ 824.00
Trypsin; duodenal fluid	\$ 152.00
Tube pericardiostomy	\$ 2,038.00
Tube thoracostomy, includes connection to drainage system (eg, water seal), when performed, open (separate procedure)	\$ 1,547.00
Tuberculosis test, cell mediated immunity antigen response measurement; gamma interferon	\$ 322.00
Tubing used with positive airway pressure device	\$ 58.00
Tubing with integrated heating element for use with positive airway pressure device	\$ 82.00
Tympanometry (impedance testing)	\$ 197.00
Tympanometry and reflex threshold measurements	\$ 216.00
Tympanostomy (requiring insertion of ventilating tube), local or topical anesthesia	\$ 3,051.00
Typhoid vaccine, live, oral	\$ 156.00
Typhoid vaccine, Vi capsular polysaccharide (ViCPS), for intramuscular use	\$ 1,080.00
Ultrasonic guidance for amniocentesis, imaging supervision and interpretation	\$ 1,285.00
Ultrasonic guidance for aspiration of ova, imaging supervision and interpretation	\$ 1,374.00
Ultrasonic guidance for chorionic villus sampling, imaging supervision and interpretation	\$ 1,186.00
Ultrasonic guidance for interstitial radioelement application	\$ 3,322.00
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision and interpretation	\$ 1,752.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision and interpretation	\$ 1,645.00
Ultrasonic guidance for pericardiocentesis, imaging supervision and interpretation	\$ 1,587.00
Ultrasonic guidance, intraoperative	\$ 1,908.00
Ultrasound guidance for vascular access requiring ultrasound evaluation of potential access sites, documentation of selected vessel patency, concurrent realtime ultrasound visualization of vascular needle entry, with permanent recording and reporting (List separately in addition to code for primary procedure)	\$ 807.00
Ultrasound guided compression repair of arterial pseudoaneurysm or arteriovenous fistulae (includes diagnostic ultrasound evaluation, compression of lesion and imaging)	\$ 6,672.00
Ultrasound guided compression repair of arterial pseudoaneurysm or arteriovenous fistulae (includes diagnostic ultrasound evaluation, compression of lesion and imaging)	\$ 1,084.00
Ultrasound, abdominal aorta, real time with image documentation, screening study for abdominal aortic aneurysm (AAA)	\$ 435.00
Ultrasound, abdominal, real time with image documentation; complete	\$ 2,737.00
Ultrasound, abdominal, real time with image documentation; limited (eg, single organ, quadrant, follow-up)	\$ 1,893.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; complete	\$ 1,338.00
Ultrasound, breast, unilateral, real time with image documentation, including axilla when performed; limited	\$ 1,338.00
Ultrasound, chest (includes mediastinum), real time with image documentation	\$ 714.00
Ultrasound, extremity, nonvascular, real-time with image documentation; complete	\$ 1,670.00
Ultrasound, extremity, nonvascular, real-time with image documentation; limited, anatomic specific	\$ 1,569.00
Ultrasound, infant hips, real time with imaging documentation; dynamic (requiring physician or other qualified health care professional manipulation)	\$ 1,400.00
Ultrasound, infant hips, real time with imaging documentation; limited, static (not requiring physician or other qualified health care professional manipulation)	\$ 950.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; complete	\$ 2,045.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; limited or follow-up (eg, for follicles)	\$ 731.00
Ultrasound, pelvic (nonobstetric), real time with image documentation; limited or follow-up (eg, for follicles)	\$ 686.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 2,142.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; single or first gestation	\$ 2,142.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 3,504.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 2,692.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 1,226.00
Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; single or first gestation	\$ 1,226.00
Ultrasound, pregnant uterus, real time with image documentation, first trimester fetal nuchal translucency measurement, transabdominal or transvaginal approach; each additional gestation (List separately in addition to code for primary procedure)	\$ 728.00
Ultrasound, pregnant uterus, real time with image documentation, first trimester fetal nuchal translucency measurement, transabdominal or transvaginal approach; single or first gestation	\$ 728.00
Ultrasound, pregnant uterus, real time with image documentation, follow-up (eg, re-evaluation of fetal size by measuring standard growth parameters and amniotic fluid volume, re-evaluation of organ system(s) suspected or confirmed to be abnormal on a previous scan), transabdominal approach, per fetus	\$ 1,905.00
Ultrasound, pregnant uterus, real time with image documentation, limited (eg, fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid volume), 1 or more fetuses	\$ 1,804.00
Ultrasound, pregnant uterus, real time with image documentation, transvaginal	\$ 996.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; complete	\$ 2,000.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; complete	\$ 2,130.00
Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; limited	\$ 1,977.00
Ultrasound, scrotum and contents	\$ 1,467.00
Ultrasound, scrotum and contents	\$ 1,562.00
Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid), real time with image documentation	\$ 1,477.00
Ultrasound, spinal canal and contents	\$ 1,976.00
Ultrasound, transplanted kidney, real time and duplex Doppler with image documentation	\$ 2,609.00
Ultrasound, transrectal	\$ 1,547.00
Ultrasound, transrectal	\$ 1,453.00
Ultrasound, transrectal; prostate volume study for brachytherapy treatment planning (separate procedure)	\$ 1,100.00
Ultrasound, transrectal; prostate volume study for brachytherapy treatment planning (separate procedure)	\$ 1,033.00
Ultrasound, transvaginal	\$ 962.00
Unclassified drugs	\$ 3,068.00
Unclassified drugs or biologicals	\$ 3,599.00
Unlisted anesthesia procedure(s)	\$ 671.00
Unlisted cardiovascular service or procedure	\$ 7,537.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Unlisted cardiovascular service or procedure	\$ 2,461.00
Unlisted cardiovascular service or procedure	\$ 676.00
Unlisted chemistry procedure	\$ 143.00
Unlisted computed tomography procedure (eg, diagnostic, interventional)	\$ 1,015.00
Unlisted fluoroscopic procedure (eg, diagnostic, interventional)	\$ 2,366.00
Unlisted immunology procedure	\$ 499.00
Unlisted immunology procedure	\$ 83.00
Unlisted magnetic resonance procedure (eg, diagnostic, interventional)	\$ 876.00
Unlisted microbiology procedure	\$ 80.00
Unlisted microbiology procedure	\$ 41.00
Unlisted microbiology procedure	\$ 172.00
Unlisted miscellaneous procedure, diagnostic nuclear medicine	\$ 2,109.00
Unlisted molecular pathology procedure	\$ 1,369.00
Unlisted molecular pathology procedure	\$ 1,491.00
Unlisted molecular pathology procedure	\$ 177.00
Unlisted molecular pathology procedure	\$ 54.00
Unlisted molecular pathology procedure	\$ 445.00
Unlisted molecular pathology procedure	\$ 2,858.00
Unlisted molecular pathology procedure	\$ 2,913.00
Unlisted molecular pathology procedure	\$ 2,453.00
Unlisted molecular pathology procedure	\$ 3,783.00
Unlisted molecular pathology procedure	\$ 4,180.00
Unlisted molecular pathology procedure	\$ 1,793.00
Unlisted molecular pathology procedure	\$ 2,862.00
Unlisted molecular pathology procedure	\$ 1,420.00
Unlisted molecular pathology procedure	\$ 6,164.00
Unlisted molecular pathology procedure	\$ 4,194.00
Unlisted molecular pathology procedure	\$ 4,324.00
Unlisted molecular pathology procedure	\$ 4,316.00
Unlisted molecular pathology procedure	\$ 1,151.00
Unlisted molecular pathology procedure	\$ 4,904.00
Unlisted molecular pathology procedure	\$ 21,803.00
Unlisted molecular pathology procedure	\$ 11,884.00
Unlisted molecular pathology procedure	\$ 10,468.00
Unlisted molecular pathology procedure	\$ 403.00
Unlisted molecular pathology procedure	\$ 27.00
Unlisted molecular pathology procedure	\$ 34.00
Unlisted molecular pathology procedure	\$ 3,009.00
Unlisted molecular pathology procedure	\$ 5,388.00
Unlisted molecular pathology procedure	\$ 310.00
Unlisted molecular pathology procedure	\$ 55.00
Unlisted molecular pathology procedure	\$ 57.00
Unlisted neurological or neuromuscular diagnostic procedure	\$ 213.00
Unlisted ophthalmological service or procedure	\$ 203.00
Unlisted otorhinolaryngological service or procedure	\$ 267.00
Unlisted procedure, abdomen, musculoskeletal system	\$ 5,798.00
Unlisted procedure, abdomen, peritoneum and omentum	\$ 2,233.00
Unlisted procedure, biliary tract	\$ 1,707.00
Unlisted procedure, cardiac surgery	\$ 7,537.00
Unlisted procedure, casting or strapping	\$ 135.00
Unlisted procedure, colon	\$ 4,993.00
Unlisted procedure, endocrine system	\$ 4,157.00
Unlisted procedure, endocrine system	\$ 4,137.00
Unlisted procedure, esophagus	\$ 1,709.00
Unlisted procedure, foot or toes	\$ 662.00
Unlisted procedure, hemic or lymphatic system	\$ 3,661.00
Unlisted procedure, liver	\$ 1,693.00
Unlisted procedure, lungs and pleura	\$ 816.00
Unlisted procedure, male genital system	\$ 10,288.00
Unlisted procedure, maternity care and delivery	\$ 463.00
Unlisted procedure, musculoskeletal system, general	\$ 636.00
Unlisted procedure, nervous system	\$ 870.00
Unlisted procedure, pancreas	\$ 2,178.00

Geisinger Wyoming Valley Medical Center
Published: January 1, 2019

DESCRIPTION	CHARGE
Unlisted procedure, pharynx, adenoids, or tonsils	\$ 2,290.00
Unlisted procedure, rectum	\$ 3,377.00
Unlisted procedure, skin, mucous membrane and subcutaneous tissue	\$ 2,046.00
Unlisted procedure, skin, mucous membrane and subcutaneous tissue	\$ 892.00
Unlisted procedure, small intestine	\$ 1,743.00
Unlisted procedure, spine	\$ 1,613.00
Unlisted procedure, stomach	\$ 1,986.00
Unlisted procedure, tongue, floor of mouth	\$ 1,564.00
Unlisted procedure, urinary system	\$ 1,618.00
Unlisted procedure, vascular injection	\$ 1,206.00
Unlisted procedure, vascular surgery	\$ 1,624.00
Unlisted pulmonary service or procedure	\$ 1,412.00
Unlisted pulmonary service or procedure	\$ 1,504.00
Unlisted pulmonary service or procedure	\$ 75.00
Unlisted pulmonary service or procedure	\$ 70.00
Unlisted pulmonary service or procedure	\$ 709.00
Unlisted pulmonary service or procedure	\$ 167.00
Unlisted pulmonary service or procedure	\$ 199.00
Unlisted pulmonary service or procedure	\$ 441.00
Unlisted pulmonary service or procedure	\$ 174.00
Unlisted transfusion medicine procedure	\$ 807.00
Unlisted transfusion medicine procedure	\$ 404.00
Unlisted ultrasound procedure (eg, diagnostic, interventional)	\$ 256.00
Unlisted vaccine/toxoid	\$ 603.00
Upgrade of implanted pacemaker system, conversion of single chamber system to dual chamber system (includes removal of previously placed pulse generator, testing of existing lead, insertion of new lead, insertion of new pulse generator)	\$ 858.00
Upper extremity fracture orthosis, humeral, prefabricated, includes fitting and adjustment	\$ 539.00
Upper extremity fracture orthosis, humeral, prefabricated, includes fitting and adjustment	\$ 1,590.00
Upper extremity fracture orthosis, humeral, prefabricated, includes fitting and adjustment	\$ 2,263.00
Upper extremity fracture orthosis, radius/ulnar, prefabricated, includes fitting and adjustment	\$ 395.00
Upper extremity fracture orthosis, radius/ulnar, prefabricated, includes fitting and adjustment	\$ 609.00
Upper extremity fracture orthosis, wrist, prefabricated, includes fitting and adjustment	\$ 629.00
Upper limb orthosis, not otherwise specified	\$ 49.00
Urea nitrogen, urine	\$ 78.00
Urea nitrogen, urine	\$ 32.00
Urea nitrogen; quantitative	\$ 32.00
Ureteral embolization or occlusion, including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation (List separately in addition to code for primary procedure)	\$ 6,579.00
Ureteral endoscopy through established ureterostomy, with or without irrigation, instillation, or ureteropyelography, exclusive of radiologic service	\$ 1,302.00
Ureteral endoscopy through established ureterostomy, with or without irrigation, instillation, or ureteropyelography, exclusive of radiologic service	\$ 1,223.00
Ureteral reflux study (radiopharmaceutical voiding cystogram)	\$ 3,701.00
Urethrocytography, retrograde, radiological supervision and interpretation	\$ 2,316.00
Urethrocytography, voiding, radiological supervision and interpretation	\$ 1,702.00
Urethrocytography, voiding, radiological supervision and interpretation	\$ 1,598.00
Uric acid; blood	\$ 52.00
Uric acid; other source	\$ 52.00
Uric acid; other source	\$ 78.00
Uric acid; other source	\$ 37.00
Uric acid; other source	\$ 32.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, with microscopy	\$ 144.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; automated, without microscopy	\$ 93.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, with microscopy	\$ 128.00
Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any number of these constituents; non-automated, without microscopy	\$ 100.00
Urinalysis; microscopic only	\$ 58.00
Urinalysis; qualitative or semiquantitative, except immunoassays	\$ 97.00
Urinalysis; qualitative or semiquantitative, except immunoassays	\$ 100.00
Urine pregnancy test, by visual color comparison methods	\$ 93.00
Urography (pyelography), intravenous, with or without KUB, with or without tomography	\$ 1,687.00
Urography, antegrade (pyelostogram, nephrostogram, loopogram), radiological supervision and interpretation	\$ 1,473.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Urography, antegrade (pyelostogram, nephrostogram, loopogram), radiological supervision and interpretation	\$ 1,383.00
Urography, infusion, drip technique and/or bolus technique; with nephrotomography	\$ 2,307.00
Urography, retrograde, with or without KUB	\$ 1,187.00
Urography, retrograde, with or without KUB	\$ 1,115.00
Vaginal Delivery Service	\$ 5,078.00
Vaginal Delivery W/Ep & Pit	\$ 6,409.00
Vaginal Delivery W/Epidural	\$ 6,372.00
Vaginal Delivery W/Pitocin	\$ 5,891.00
Valproic acid (dipropylacetic acid); free	\$ 300.00
Valproic acid (dipropylacetic acid); total	\$ 217.00
Vancomycin	\$ 216.00
Vanillylmandelic acid (VMA), urine	\$ 201.00
Vanillylmandelic acid (VMA), urine	\$ 52.00
Varicella virus vaccine (VAR), live, for subcutaneous use	\$ 1,277.00
Vascular embolization or occlusion, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; arterial, other than hemorrhage or tumor (eg, congenital or acquired arterial malformations, arteriovenous malformations, arteriovenous fistulas, aneurysms, pseudoaneurysms)	\$ 17,863.00
Vascular embolization or occlusion, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; for arterial or venous hemorrhage or lymphatic extravasation	\$ 17,863.00
Vascular embolization or occlusion, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; for tumors, organ ischemia, or infarction	\$ 17,863.00
Vascular embolization or occlusion, inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; venous, other than hemorrhage (eg, congenital or acquired venous malformations, venous and capillary hemangiomas, varices, varicoceles)	\$ 17,863.00
Vasectomy, unilateral or bilateral (separate procedure), including postoperative semen examination(s)	\$ 5,605.00
Vasectomy, unilateral or bilateral (separate procedure), including postoperative semen examination(s)	\$ 5,263.00
Vasoactive intestinal peptide (VIP)	\$ 1,362.00
Vasopressin (antidiuretic hormone, ADH)	\$ 282.00
Vena cava filter	\$ 7,520.00
Vena cava filter	\$ 8,024.00
Vena cava filter	\$ 9,749.00
Vena cava filter	\$ 10,326.00
Vena cava filter	\$ 6,685.00
Vena cava filter	\$ 7,816.00
Vena cava filter	\$ 6,213.00
Vena cava filter	\$ 7,335.00
Vena cava filter	\$ 9,968.00
Vena cava filter	\$ 6,036.00
Vena cava filter	\$ 7,827.00
Vena cava filter	\$ 11,485.00
Venipuncture, age 3 years or older, necessitating the skill of a physician or other qualified health care professional (separate procedure), for diagnostic or therapeutic purposes (not to be used for routine venipuncture)	\$ 260.00
Venipuncture, younger than age 3 years, necessitating the skill of a physician or other qualified health care professional, not to be used for routine venipuncture; femoral or jugular vein	\$ 228.00
Venipuncture, younger than age 3 years, necessitating the skill of a physician or other qualified health care professional, not to be used for routine venipuncture; other vein	\$ 518.00
Venography, adrenal, bilateral, selective, radiological supervision and interpretation	\$ 1,966.00
Venography, adrenal, unilateral, selective, radiological supervision and interpretation	\$ 1,529.00
Venography, caval, inferior, with serialography, radiological supervision and interpretation	\$ 9,440.00
Venography, caval, superior, with serialography, radiological supervision and interpretation	\$ 4,889.00
Venography, extremity, bilateral, radiological supervision and interpretation	\$ 3,331.00
Venography, extremity, unilateral, radiological supervision and interpretation	\$ 2,432.00
Venography, orbital, radiological supervision and interpretation	\$ 2,230.00
Venography, renal, bilateral, selective, radiological supervision and interpretation	\$ 1,723.00
Venography, renal, unilateral, selective, radiological supervision and interpretation	\$ 1,415.00
Venography, venous sinus (eg, petrosal and inferior sagittal) or jugular, catheter, radiological supervision and interpretation	\$ 1,600.00
Venography, venous sinus (eg, petrosal and inferior sagittal) or jugular, catheter, radiological supervision and interpretation	\$ 2,044.00
Venous catheterization for selective organ blood sampling	\$ 622.00
Venous sampling through catheter, with or without angiography (eg, for parathyroid hormone, renin), radiological supervision and interpretation	\$ 5,205.00
Ventilating tube removal requiring general anesthesia	\$ 1,600.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, each subsequent day	\$ 1,703.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, each subsequent day	\$ 3,700.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, initial day	\$ 2,750.00
Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation, initial day	\$ 4,066.00
Ventricular puncture through previous burr hole, fontanelle, suture, or implanted ventricular catheter/reservoir; without injection	\$ 673.00
Vertebral fracture assessment via dual-energy X-ray absorptiometry (DXA)	\$ 314.00
Very long chain fatty acids	\$ 1,303.00
Vessel mapping of vessels for hemodialysis access (services for preoperative vessel mapping prior to creation of hemodialysis access using an autogenous hemodialysis conduit, including arterial inflow and venous outflow)	\$ 574.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 442.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 510.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 177.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 83.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 114.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 89.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 287.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 536.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 769.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 432.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 657.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 147.00
Virus isolation; centrifuge enhanced (shell vial) technique, includes identification with immunofluorescence stain, each virus	\$ 418.00
Virus isolation; including identification by non-immunologic method, other than by cytopathic effect (eg, virus specific enzymatic activity)	\$ 64.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 286.00
Virus isolation; tissue culture inoculation, observation, and presumptive identification by cytopathic effect	\$ 100.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 223.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 167.00
Virus isolation; tissue culture, additional studies or definitive identification (eg, hemabsorption, neutralization, immunofluorescence stain), each isolate	\$ 79.00
Viscosity	\$ 127.00
Visual evoked potential (VEP) testing central nervous system, checkerboard or flash	\$ 2,767.00
Visual evoked potential (VEP) testing central nervous system, checkerboard or flash	\$ 3,046.00
Visual field examination, unilateral or bilateral, with interpretation and report; extended examination (eg, Goldmann visual fields with at least 3 isopters plotted and static determination within the central 30Å°, or quantitative, automated threshold perimetry, Octopus program G-1, 32 or 42, Humphrey visual field analyzer full threshold programs 30-2, 24-2, or 30/60-2)	\$ 870.00
Visual field examination, unilateral or bilateral, with interpretation and report; limited examination (eg, tangent screen, Autoplot, arc perimeter, or single stimulus level automated test, such as Octopus 3 or 7 equivalent)	\$ 388.00
Visual reinforcement audiometry (VRA)	\$ 365.00
Vital capacity, total (separate procedure)	\$ 476.00
Vitamin A	\$ 195.00
Vitamin D; 1, 25 dihydroxy, includes fraction(s), if performed	\$ 118.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 177.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 206.00
Vitamin D; 25 hydroxy, includes fraction(s), if performed	\$ 86.00
Vitamin K	\$ 1,408.00
Voice functional limitation, current status at therapy episode outset and at reporting intervals	\$ 1.00
Voice functional limitation, discharge status at discharge from therapy or to end reporting	\$ 1.00
Voice functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge or to end reporting	\$ 1.00
Voiding pressure studies, intra-abdominal (ie, rectal, gastric, intraperitoneal) (List separately in addition to code for primary procedure)	\$ 1,504.00
Voiding pressure studies, intra-abdominal (ie, rectal, gastric, intraperitoneal) (List separately in addition to code for primary procedure)	\$ 1,412.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 243.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 530.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 404.00
Volatiles (eg, acetic anhydride, diethylether)	\$ 122.00
Volume measurement for timed collection, each	\$ 32.00
Volume reduction of blood or blood product (eg, red blood cells or platelets), each unit	\$ 313.00
Wada activation test for hemispheric function, including electroencephalographic (EEG) monitoring	\$ 4,568.00
Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 539.00

Geisinger Wyoming Valley Medical Center

Published: January 1, 2019

DESCRIPTION	CHARGE
Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 562.00
Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 1,196.00
Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 456.00
Walking boot, non-pneumatic, with or without joints, with or without interface material, prefabricated, off-the-shelf	\$ 868.00
Walking boot, pneumatic and/or vacuum, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 703.00
Walking boot, pneumatic and/or vacuum, with or without joints, with or without interface material, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 2,223.00
Water chamber for humidifier, used with positive airway pressure device, replacement, each	\$ 28.00
Wedge excision of skin of nail fold (eg, for ingrown toenail)	\$ 394.00
Wedging of cast (except clubfoot casts)	\$ 311.00
Wheelchair management (eg, assessment, fitting, training), each 15 minutes	\$ 81.00
Whole blood or red blood cells, leukocytes reduced, frozen, deglycerol, washed, each unit	\$ 2,969.00
Whole body integumentary photography, for monitoring of high risk patients with dysplastic nevus syndrome or a history of dysplastic nevi, or patients with a personal or familial history of melanoma	\$ 295.00
Work hardening/conditioning; each additional hour (List separately in addition to code for primary procedure)	\$ 1,030.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 591.00
Wound care set, for negative pressure wound therapy electrical pump, includes all supplies and accessories	\$ 105.00
Wound closure utilizing tissue adhesive(s) only	\$ 431.00
Wound filler, gel/paste, per fluid ounce, not otherwise specified	\$ 81.00
Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, cable driven, custom fabricated	\$ 363.00
Wrist hand finger orthosis, dynamic flexor hinge, reciprocal wrist extension/ flexion, finger flexion/extension, wrist or finger driven, custom fabricated	\$ 681.00
Wrist hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, includes fitting and adjustment	\$ 259.00
Wrist hand finger orthosis, includes one or more nontorsion joint(s), turnbuckles, elastic bands/springs, may include soft interface material, straps, prefabricated, includes fitting and adjustment	\$ 595.00
Wrist hand finger orthosis, rigid without joints, may include soft interface material; straps, custom fabricated, includes fitting and adjustment	\$ 122.00
Wrist hand finger orthosis, rigid without joints, may include soft interface material; straps, custom fabricated, includes fitting and adjustment	\$ 1,629.00
Wrist hand finger orthosis, without joint(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 193.00
Wrist hand finger orthosis, without joint(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 578.00
Wrist hand finger orthosis, without joint(s), prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 285.00
Wrist hand finger orthosis, without joint(s), prefabricated, off-the-shelf, any type	\$ 1,404.00
Wrist hand orthosis, includes one or more nontorsion joint(s), elastic bands, turnbuckles, may include soft interface, straps, prefabricated item that has been trimmed, bent, molded, assembled, or otherwise customized to fit a specific patient by an individual with expertise	\$ 503.00
Wrist hand orthosis, without joints, may include soft interface, straps, custom fabricated, includes fitting and adjustment	\$ 897.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 108.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 570.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 252.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 324.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 243.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 138.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 424.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 281.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 129.00
Wrist hand orthosis, wrist extension control cock-up, non molded, prefabricated, off-the-shelf	\$ 852.00
Xylose absorption test, blood and/or urine	\$ 229.00
Yellow fever vaccine, live, for subcutaneous use	\$ 1,595.00
Yttrium Y-90 ibritumomab tiuxetan, therapeutic, per treatment dose, up to 40 millicuries	\$ 222,367.08
Yttrium Y-90 ibritumomab tiuxetan, therapeutic, per treatment dose, up to 40 millicuries	\$ 222,367.00
Zinc	\$ 199.00
Zinc	\$ 170.00
Zinc	\$ 94.00
Zinc paste impregnated bandage, non-elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	\$ 76.00
Zonisamide	\$ 723.00
Zoster (shingles) vaccine (HZV), live, for subcutaneous injection	\$ 2,427.00
Zoster (shingles) vaccine (HZV), recombinant, subunit, adjuvanted, for intramuscular use	\$ 1,597.67

